

# Jones

Pattern booklet No.6

Price 25p.



# Man's V-neck & Round Neck Sweater

## Materials:

17 (19, 22, 24, 26) ozs. Listers Double Knitting wool;  
5" zip.

## Measurements:

To fit 38" (40, 42, 44, 46).

Finished measurement 40" (42, 44, 46, 48).

Length from back neck 23" (23½, 23½, 23½,  
24).

Sleeve seam 16½" all sizes (adjustable).

## Tension:

Pattern T10. 12 sts. and 18 rows to 2 ins.

Ribber 1 x 1 rib. M.8/R.6. 17 rows = 2".

This is a guide only, please check tension before  
starting garment.

## Abbreviations:

Sts., stitches; inc., increase; dec., decrease; alt.,  
alternate; 000, set row counter to 000; beg., beginning;  
tog., together; foll., following; M., main bed; R., rib-  
bing attachment; B.P., Back Position; F.P., Forward  
Position. Wax the wool.

## The Pattern:

JONES—follow chart.

## Simplicity:

Push 1st (4th, 7th, 2nd, 5th) needle and every foll.  
8th needle to E position. Left Cam lever in B.P. Right  
Cam lever in F.P. Knit 2 rows. Repeat these 2 rows  
4 times. Push 5th (8th, 3rd, 6th, 1st) needle and every  
foll. 8th needle to E position. Knit 2 rows. Repeat these  
2 rows 4 times. 20 rows to 1 complete pattern.

## V-Neck Sweater - Back

Machines with ribbing attachment.

Cast on 121 (127, 133, 139, 145) sts. for 1 x 1  
rib. Knit 2 circular rows. Using ribbing tension, knit  
14 rows. Transfer sts. to main bed for pattern. 000.

## Simplicity:


Cast on 61 (64, 67, 70, 73) sts. on alt. needles  
with odd wool. Knit a few rows. Using main wool and  
3 tensions tighter than main, knit 32 rows. Make a  
hem by picking up first row loops of *main* colour and  
place on empty needles. 121 (127, 133, 145) sts.  
000.

## All Machines

Using main tension and following pattern, knit 102  
rows.

## Shape raglan

Cast off 1 (2, 2, 3, 4) sts. at beg. of next 2 rows.  
Knit 2 rows. \* Dec. 1 st. at each end of next and foll.  
4th row and then every foll. alt. rows until 41 (43,



49, 51, 53) sts. remain. Knit 1 row. Dec. 1 st. at each end of next 3 (3, 5, 5, 5) rows. Knit 1 row. Cast off remaining 35 (37, 39, 41, 43) sts.

#### Front

Knit as back to \*. Dec. 1 st. each end of next and foll. 4th row. Knit 1 row.

#### Divide for neck

Transfer centre st. on to adjacent needle. Using odd wool and knitting each st. by hand take each needle down to A position. Knit the right side first. \*\*. Dec. 1 st. at raglan edge on next and foll. alt. row. Knit 1 row. Continue raglan shaping *at the same time*, dec. 1 st. at neck edge on next and every foll. 4th row until 11 (10, 10, 9, 8) sts. remain. Continue raglan decreasing *only* until 5 (5, 7, 7, 7) sts. remain. Knit 1 row. Dec. 1 st. at raglan edge on next 3 (3, 5, 5, 5) rows. Knit 2 together and fasten off. Rejoin wool to neck edge and knit 1 row. Now knit to match right side from \*\*, reversing all shapings.

#### Sleeves

Machines with ribbing attachment.

Cast on 54 (58, 62, 66, 70) sts. for 1 x 1 rib. Knit as for rib on Back. 000.

#### Simplicity:

Cast on 28 (30, 32, 34, 36) sts. on alt. needles with odd wool. Knit as for rib on Back. Dec. 1 st. at side of carriage. 54 (58, 62, 66, 70) sts. 000.

#### All Machines

Using main tension and following pattern knit 8 rows. Inc. 1 st. at each end of next and every foll. 8th row until there are 84 (88, 92, 96, 100) sts. Knit straight until 130 rows have been worked. (This gives a sleeve seam of 16½". Adjust length here if required.)

#### Shape Top

Cast off 1 (2, 2, 3, 4) sts. at beg. of next 2 rows. Knit 2 rows. Dec. 1 st. at each end of next and every foll. 4th row 6 (6, 5, 5, 5) times in all and then every alt. row until 8 sts. remain. Knit 1 row. Cast off.

#### Neckband

Machines with ribbing attachment.

Cast on 156 (162, 168, 174, 180) sts. for 1 x 1 rib. Knit 2 circular rows. Using ribbing tension, knit 1 row. Inc. 1 st. at each end of next 7 rows. 170 (176, 182, 188, 194) sts. (To increase at end of every row, move the end st. one needle out, pick up loop from row below and place on empty needle.) Knit 1 very loose row. Transfer sts. to main bed and cast off using chain method.

#### Simplicity


Cast on 85 (88, 91, 94, 97) sts. on alt. needles with odd wool. Knit a few rows. Using main wool and 2 tensions tighter than main, knit 2 rows. Dec. 1 st. at beg. of next 6 rows. Knit 1 row. Inc. 1 st. at beg. of next 6 rows. Knit 1 row. Pick up first row loops of *main* colour and place on empty needles. Knit 1 row at loose tension. Cast off using chain method.

#### To make up

Pin out and press with a hot iron over a damp cloth. Join side sleeve and raglan seams. Join mitred ends of neckband and sew cast off edge in position. Press seams.

#### Simplicity

Sew neckband in position, turn to wrong side and catch down.



#### ROUND-NECK SWEATER

##### Back and Sleeves

Knit as Back and Sleeves of V-neck Sweater.

##### Front

Knit as Back to \*. Dec. 1 st. at each end of next and foll. 4th row and then every alt. rows until 63 (65, 69, 71, 73) sts. remain. Knit 1 row.

Cast off 13 (15, 17, 19, 21) sts. at centre. Using

##### Divide for neck

Cast off 13 (15, 17, 19, 21) sts. at centre. Using odd wool and knitting each st. by hand, take each needle down to A position. Knit the right side first. \* Dec. 1 st. at raglan edge on next row and 1 st. at neck edge on foll. row. Continue raglan shaping, *at the same time* dec. 1 st. at neck edge on next 3 rows

# Plain Classic Sweaters

and then every alt. row 3 times. Knit 3 rows. Dec. 1 st. at neck edge on next and foll. 4th row. 6 (6, 7, 7, 7) sts. remain. Knit 1 row. Dec. 1 st. at raglan on next row. Knit 1 row. Dec. 1 st. at raglan edge on next 3 (3, 5, 5, 5) rows. Knit 2 together and fasten off. Rejoin wool at neck edge and knit 1 row. Now knit to match right side from \* reversing all shapings.

## Neckband

Machines with ribbing attachment.

Cast on 104 (108, 112, 116, 120) sts. for 1 x 1 rib. Knit 2 circular rows. Using ribbing tension knit 9 rows. Knit 1 loose row. Transfer sts. to main bed and cast off using chain method.

## Simplicity

Cast on 53 (55, 57, 59, 61) sts. on alt. needles with odd wool. Knit a few rows. Using main wool and 2 tensions tighter than main. Knit 13 rows. Pick up first row loops in *main* colour and place on empty needle. Knit 1 loose row. Cast off using chain method.

## To make up

Pin out and press with a hot iron over a damp cloth. Join side, sleeve and raglan seams, leaving left back seam open for 4". Sew cast off edge of neckband in position. Work 1 row of crochet round opening and sew in zip. Press all seams.

## Simplicity

Sew neckband in position, turn to wrong side and catch down.

with raglan, set-in or saddle sleeves & crew, turtle & V-necklines

FOR SIMPLICITY, 551, 585 and 588 machines.

## Materials:

20 (22, 24, 26, 28, 30) ozs. Patons and Baldwins Double Knitting Wool.

## Measurements:

To fit: 34" (36, 38, 40, 42, 44) Bust or Chest.  
37" (39, 41, 43, 45, 47) at under-arm.  
24½" (26, 27½, 29, 30½, 32) length (adjustable).  
8½" (9, 9½, 10, 10½, 11) raglan depth.  
8" (8½, 9, 9½, 10, 10½) armhole depth for set-in and saddle sleeves.  
14" (15, 16, 17, 18, 19) sleeve width at widest point.  
17½" (18, 18½, 19, 19½, 20) sleeve seam (adjustable).

## Tension:

6½ sts. and 8 rows to 1 inch on T10. *Check your tension very carefully.*

## Abbreviations:

T., tension; C.O.B.H., cast on by hand over every N.; st(s), stitch(es); K., knit; M.D.E., make double edge by placing each loop at cast-on edge on to N. in B pos.; C.O.R.(L.), carriage on right or left. 000, set row counter to 000; (adjust.), adjust length at this stage if required; beg., beginning; foll., following; ff1, transfer the 4th st. to the 5th N., move up the 3 edge sts. to fill space, push back to A pos. the empty edge N.; ff2, transfer the 3rd and 4th sts. to the 6th N., move up the 3 edge sts. to fill space, push back to A pos. the 2 empty edge N.; ff3, transfer the 4th, 5th and 6th sts. to the 7th N., move up the 3 edge sts. to fill space, pass back to A pos. the 3 empty edge N.; N., needle(s); alt., alternate; fin., finishing; pos., position; H.C.L's, holding cam levers; dec., decrease; inc., increase; rem., remaining; cont., continue.

## Note:

Instructions for the larger sizes are in ( ); where only 1 figure is given this will apply to all sizes.

## Back:

\* T7. C.O.B.H. 120 (128, 136, 144, 152, 160) sts. K. 16 rows. T10. K. 1 row for foldline. T7. K. 16 rows. M.D.E. T10. K. 1 row. C.O.R. 000. K. 116 (124, 132, 140, 148, 160) rows. (adjust.)



#### **Shape Armholes**

Cast off 5 (6, 7, 8, 9, 10) sts. at beg. of the next 2 rows. 110 (116, 122, 128, 134, 140) sts. 000.\*

#### **For Raglan Version**

ff2 each end of every foll. 4th row 17 (18, 19, 20, 21, 22) times to 42 (44, 46, 48, 50, 52) sts. K. 2 rows. Cast off loosely or K. a few rows with scrap yarn and take work off machine.

#### **Set-in and Saddle Sleeve Versions:**

\*\*ff1 each end of every alt. row 9 (10, 11, 12, 13, 14) times to 92 (96, 100, 104, 108, 112) sts. \*\* K. to 66 (70, 74, 78, 82, 86) rows for set-in sleeve version, K. to row 54 (58, 62, 66, 70, 74) rows for saddle sleeve version.

#### **Shape Shoulders:**

Cast off 5 (5, 5, 5, 6, 6) sts. at beg. of the next 8 rows. Cast off 5 (6, 7, 8, 5, 6) sts. at beg. of the next 2 rows. 42 (44, 46, 48, 50, 52) sts. Cast off loosely or K. a few rows with scrap yarn and take work off machine for set-in sleeve version. Cast off loosely for saddle sleeve version.

#### **Front:**

Rep. from \* to \* as on back.

#### **For Raglan crew and turtle-neck version:**

ff2 each end of every foll. 4th row 13 (14, 15, 16, 17, 18) times to 58 (60, 62, 64, 66, 68) sts. fin. C.O.R.

#### **Shape Neck:**

Cast off loosely or thread up and take off machine the centre 20 (22, 24, 26, 28, 30) sts. Push to E pos. the left 19 sts. H.C.L's to III. Cont. on right 19 N., dec. 1 st. on every foll. row 8 times on neck edge, at same time still ff2 as before on raglan edge every foll. 4th row 4 times more to 3 sts. rem. K. 2 rows and cast off. H.C.L's to I. Cont. on left N. to match reversing shapings.

#### **For Set-in and saddle sleeve crew and turtle-neck versions**

Rep. from \*\* to \*\* as on back, K. to 54 (58, 62, 66, 70, 74) rows.

#### **For Set-in Sleeve Version:**

Cast off loosely or thread up and take off machine the centre 24 (26, 28, 30, 32, 34) sts. Push to E pos. the left 34 (35, 36, 37, 38, 39) N. H.C.L's to III. Cont. on right N. dec. 1 st. every row 9 times on neck edge. 25 (26, 27, 28, 29, 30) sts. K. to 66 (70, 74, 78, 82, 86) rows fin. C.O.R.

### Shape Shoulder:

Cast off 5 (5, 5, 5, 6, 6) sts. at beg. of the next row and at this same edge every alt. row 3 times more fin. C.O.R. Cast off rem. 5 (6, 7, 8, 5, 6) sts. H.C.L.'s to l. Cont. on left N. to match reversing shapings.

### For Saddle-sleeve version:

Cast off loosely or thread up and take off machine the centre 24 (26, 28, 30, 32, 34) sts. Push to E pos. the left 34 (35, 36, 37, 38, 39) N. H.C.L.'s to lll. Cont. on right N. dec. 1 st. every row 9 times on neck edge, at same time casting off 5 (5, 5, 5, 6, 6) sts. at beg. of the next row and at this same edge every alt. row 3 times more fin. C.O.R. Cast off rem. 5 (6, 7, 8, 5, 6) sts. H.C.L.'s to l. Cont. on left N. to match reversing shapings.

### For Raglan V-neck version:

Push left 55 (58, 61, 64, 67, 70) N. to E pos. H.C.L.'s to lll. ff2 every foll. 4th row on neck edge twice, then ff1 every 4th row on neck edge 13 (14, 15, 16, 17, 18) times, at same time ff2 every foll. 4th row on raglan edge 17 (18, 19, 20, 21, 22) times to 4 sts. rem. K. 2 rows and cast off. H.C.L.'s to l.

Cont. on left N. to match reversing shapings.

### For Set-in and Saddle-sleeve V-neck versions

Push left 55 (58, 61, 64, 67, 70) sts. to E pos. H.C.L.'s to lll. Con. on right N. ff1 every alt. row on armhole edge 9 (10, 11, 12, 13, 14) times, at same time ff2 every foll. 4th row on neck edge 9 times. 28 (30, 32, 34, 36, 38) sts. ff1 every foll. 4th row on neck edge 3 (4, 5, 6, 7, 8) times. 25 (26, 27, 28, 29, 30) sts. K. to 66 (70, 74, 78, 82, 86) rows for set-in sleeve version. C.O.R. K. to 54 (58, 62, 66, 70, 74) rows for saddle version. C.O.R.

### Shape Shoulder

Cast off 5 (5, 5, 5, 6, 6) sts. at beg. of the next row and at this same edge every alt. row 3 times more fin. C.O.R. Cast off rem. 5 (6, 7, 8, 5, 6) sts. H.C.L.'s to l. Cont. on left sts. to match reversing shapings.

### Sleeves

T7. C.O.B.H. 52 (54, 56, 58, 60, 62) sts. K. 20 rows. T10. 1 row for foldline. T7. K. 20 rows. M.D.E. T10. K. 1 row. C.O.R. 000. Inc. 1 st. each end of every foll. 4th (4th, 4th, 3rd, 3rd, 3rd) row 10 (13, 17, 14, 17, 21) times to 72 (80, 90, 86, 94, 104) sts. Inc. 1 st. each end of every foll. 6th (6th, 5th, 5th, 4th, 4th) row to 10 (10, 9, 15, 15, 14) times to 92 (100, 108, 116, 124, 132) sts. K. to 124 (128, 132, 136, 140, 144) rows. (adjust.).

### Shape Armholes:

Cast off 5 (6, 7, 8, 9, 10) sts. at beg. of the next

2 rows. 82 (88, 94, 100, 106, 112) sts. 000.

### For Raglan Sleeve Top

ff2 each end of every foll. 4th row 15 (16, 17, 18, 19, 20) times to 22 (24, 26, 28, 30, 32) sts. ff3 each end of every foll. 4th row twice to 10 (12, 14, 16, 18, 20) sts. K. 2 rows. Cast off loosely or K. a few rows with scrap yarn and take work off machine.

### For Set-in and Saddle Sleeve Top

ff2 each end of every foll. 4th row 9 (10, 11, 12, 13, 14) times. 46 (48, 50, 52, 54, 56) sts. K. 2 rows. Cast off 3 (3, 3, 4, 4, 4) sts. at beg. of the next 6 rows. 28 (30, 32, 28, 30, 32) sts. Cast off 4 (5, 6, 4, 5, 6) sts. at beg. of the next 2 rows. (20 sts.)

### For Set-in Sleeve

Cast off.

### For Saddle Sleeve

K. 30 (32, 34, 36, 38, 40) rows for left sleeve. K. 29 (31, 33, 35, 37, 39) rows for right sleeve.

### Shape Side Neck

Cast off 10 sts. at beg. of the next row. (10 sts.)

### For Back Neck

K. 26 (28, 30, 32, 24, 26) rows. Cast off.

### Crew and Turtle Necks for Raglan Sleeve Version

\* T7. C.O.B.H. 102 (106, 110, 114, 118, 122) sts. K. 16 rows for crew neck, 20 rows for turtle neck. T10. K. 1 row for foldline. K. 16 rows for crew neck, 20 rows for turtle neck. M.D.E. \* Press sweater pieces, join raglan seams except the left back raglan seam. With right side of work facing machine and working from right edge of N. place back neck to first 40 N. at same time dec. evenly along back neck 2 (4, 6, 8, 10, 12) sts., place sleeve top to next 9 (10, 11, 12, 13, 14) N. at same time dec. 1 (2, 3, 4, 5, 6) sts. evenly along sleeve top, side neck to next 12 N., front neck to next 20 (22, 24, 26, 28, 30) N., place rest of neck area to rem. N. to correspond. Cast off band and neck area together loosely.

### Crew and Turtle Neck for Set-in Sleeve Version

Rep. from \* to \* as crew and turtle neck on raglan sleeve version. Press sweater pieces, join right shoulder seam. With right side of work facing machine and working from right edge of N. place back neck to first 42 (44, 46, 48, 50, 52) N., side neck to next 18 N., front neck to next 24 (26, 28, 30, 32, 34) N., place rest of neck area to rem. N. to correspond. Cast off band and neck area together loosely.



### Crew and Turtle Neck for Saddle Sleeve Version

Rep. from \* to \* as on crew and turtle neck on raglan sleeve version. \*\* Press sweater pieces, join cast off edges of back neck saddle. Sew back saddle edge to shoulder and neck of sweater back. Sew front saddles to front shoulder seams. \*\* With right side of work facing machine and working from right edge of N., place back neck to first 42 (44, 46, 48, 50, 52) N., right saddle cast off side neck to next 10 N., cast off band and neck area loosely together to this point, front side neck to next 8 N., front neck to next 24 (26, 28, 30, 32, 34) N., cast off to this point, place rest of neck area to rem. N. to correspond and cast off loosely to end.

### V Neck for Raglan Sleeve Version

\* T7. C.O.B.H. 154 (162, 170, 178, 186, 194) sts. K. 16 rows at same time ff2 each end of every alt. row to 122 (130, 138, 146, 154, 162) sts. T10. K. 1 row for foldline. T7. K. 16 rows at same time inc. 1 st. each end of every row back to cast on number of sts. M.D.E. Press sweater pieces, join raglan seams. With right side of work facing machine and working from right edge of N. place left neck edge from V point to left raglan seam, to first 48 (51, 54, 57, 60, 63) N., place left sleeve to next 9 (10, 11, 12, 13, 14) N. at same time dec. 1 (2, 3, 4, 5, 6) sts. evenly along sleeve top, cast off band and neck area loosely together to this point, place back neck to next 40 N. at same time dec. evenly along back neck 2 (4, 6, 8, 10, 12) sts., cast off to this point, place rest of neck area to rem. N. to correspond and cast off loosely to end.

### V Neck for Set-in Sleeve Version

Rep. from \* to \* as on V neck for raglan version. Press sweater pieces, join shoulder seams. With right side of work facing machine and working from right edge of N. place left neck edge from V point to shoulder seam to first 56 (59, 62, 65, 68, 71) N., cast off band and neck area together loosely to this point, place back neck to next 42 (44, 46, 48, 50, 52) N., cast off to this point, place rest of neck area to rem. N. to correspond and cast off loosely to end.

### V Neck for Saddle Sleeve Version

Rep. from \* to \* as on raglan version. Rep. from \*\* to \*\* as for crew and turtle neck for saddle sleeve version. With right side of work facing machine and working from right edge of N. place left neck edge from V point to shoulder (including cast off side neck of saddle), to first 56 (59, 62, 65, 68, 71) N., cast off band and neck together loosely to this point, place back neck to next 42 (44, 46, 48, 50, 52) N., cast off to this point, place rest of neck area to rem. N. to correspond and cast off loosely to end.

### To Complete

For raglan sleeve crew and turtle neck versions, join left back raglan and neckband seams. Join sleeve and side seams. For set-in sleeve crew neck version, join left shoulder and neckband seams. Sew in sleeves. Join sleeve and side seams. For saddle sleeve crew and turtle neck version, join neckband seam. Sew rem. of sleeves into armholes. Join sleeve and side seams. For raglan sleeve V neck version, join neckband at V point. Join sleeve and side seams. For set-in sleeve V neck version, join neckband at V point. Sew in sleeves. Join sleeve and side seams. For saddle sleeve V neck version, join neckband at V point. Sew in rem. of sleeves to armholes. Join sleeve and side seams. Press all seams.

## Crew Neck Sweaters

### With Fair Isle detail

#### Materials:

(Chest and sleeve Fair Isle band version) 12 (13, 14, 15, 16, 17, 18, 19) ozs. Robin Vogue 4-ply. Main. 1 (1, 1, 1, 2, 2, 2, 3) ozs. Robin Vogue 4-ply. Light. 1 (1, 1, 2, 2, 2, 2, 3) ozs. Robin Vogue 4-ply. Dark. (Chest, sleeve and raglan Fair Isle version) 8 (9, 10, 11, 12, 13, 14, 15) ozs. Robin Vogue 4-ply. Main. 3 (3, 4, 4, 5, 5, 6) ozs. Robin Vogue 4-ply. Light. 1 (2, 2, 3, 3, 4, 4, 5) ozs. Robin Vogue 4-ply. Dark.

#### Measurements:

To fit: 28" (30, 32, 34, 36, 38, 40, 42) Chest.  
31" (33, 35, 37, 39, 41, 43, 45) at underarm.  
20" (21½, 23, 24½, 26, 27½, 29, 30½) length (adjust.)  
7" (7½, 8, 8½, 9, 9½, 10, 10½) raglan depth.  
15" (15½, 16, 16½, 17, 17½, 18, 18½) sleeve seam (adjust.)  
12 (13, 14, 15, 16, 17, 18, 19) sleeve width at widest point.

#### Tension:

7½ sts. and 10 rows to 1" on T7. Check your tension very carefully.





### Abbreviations:

Mn., main; ", inches; T., tension; C.O.B.H., cast on by hand over every N.; st(s), stitch(es); K., knit; M.D.E., make double edge by placing each loop at cast on edge on to N. in B pos.; C.O.R., carriage on right; 000, set row counter to 000; cont., continue; (adjust.), adjust length at this stage if required; S.D., slide dial; beg., beginning; dec., decrease; inc., increase; foll., following; alt., alternate; patt., pattern; rem., remaining (remainder); N., needles.

### Notes:

Instructions for the larger sizes are in ( ). Where only 1 figure is given this will apply to all sizes.

Lengthen or shorten by approximately 1" or ½" by adding or subtracting 10 or 6 rows at the stated positions in the instructions.

### Back

T4. With mn. C.O.B.H. 118 (126, 134, 142, 150, 158, 166, 174) sts. \* K. 14 rows. T9. K. 1 row for foldline. T4. K. 14 rows. M.D.E. T6. K. 1 row. C.O.R. 000. \* Cont. in mn. to 68 (78, 88, 98, 108, 118, 118, 128) rows. (adjust.) 000. S.D. on 2. Cont. in patt. from chart working 1 repeat for either version. K. 2 rows mn.

### Shape Raglan Armholes

With mn. cast off 4 (5, 6, 7, 8, 9, 10, 11) sts. at beg. of the next 2 rows. 110 (116, 122, 128, 134, 140, 146, 152) sts. 000. (Cont. in mn. only for chestband version). Cont. in patt. for other version working 4 rows of mn. between each repeat at same time shaping as follows) ff 1 each end of every other row to 38 (40, 42, 44, 46, 48, 50, 52) sts. K. 2 rows. With scrap yarn K. about 10 rows and take work off machine.

### Front

Work same as back to 52 (54, 56, 58, 60, 62, 64, 66) sts. rem. on raglan.

### Front Neck

Cast off centre 14 (16, 18, 20, 22, 24, 26, 28) sts. (For chestband version place holding cam levers

to III, push left 19 N. to E pos.). (For other version thread up and take off machine the left 19 sts.). For both versions cont. on right sts. dec. 1 st. each end of every other row to 3 sts. K. 2 rows. Cast off. (For chestband version place holding cam levers to I, cont. on left sts. to match). (For other version place the 19 sts. back on to same N. as before, work to match).

### Sleeves

T4. With mn. C.O.B.H. 54 (58, 62, 66, 70, 74, 78, 82) sts. Rep. from \* to \* as on back. Cont. in mn. at same time inc. 1 st. each end of every foll. 7th (6th, 6th, 5th, 5th, 4th, 4th) row to 94 (98, 102, 106, 110, 114, 118, 122) rows. Cont. inc. as before to 90 (98, 106, 114, 122, 130, 138, 146) sts., at same time working in patt. from chart to match back and front. K. 2 rows mn.

### Shape Raglan Top

With mn. cast off 4 (5, 6, 7, 8, 9, 10, 11) sts. at beg. of the next 2 rows. 82 (88, 94, 100, 106, 112, 118, 124) sts. 000. Cont., working raglan to match back and front at same time dec. 1 st. each end of every other row to 10 (12, 14, 16, 18, 20, 22, 24) sts. K. 2 rows. With scrap yarn K. about 10 rows and take work off machine.

### Neckband

T5. With mn. C.O.B.H. 94 (102, 110, 118, 126, 134, 142, 150) sts. K. 20 rows. T9. K. 1 row for foldline. T5. K. 20 rows. M.D.E. Press sweater pieces, join raglan seams except left hand raglan seam. With right side of work facing machine and working from right edge of N. place back neck to first 38 (40, 42, 44, 46, 48, 50, 52) N., place right sleeve to next 10 (12, 14, 16, 18, 20, 22, 24) N., side neck to next 11 N., front neck to next 16 (18, 20, 22, 24, 26, 28, 30) N., place rest of neck area to rem. N. to correspond. Cast off band and neck area together loosely.

### To Complete

Join left back raglan seam and neckband. Join sleeve and side seams. Press all seams.



KEY  MAIN COLOUR STITCH  LIGHT COLOUR STITCH  DARK COLOUR STITCH

# His and Hers Sweaters

## Materials:

Sweater: 23 (24, 25, 26, 27, 28, 29) ozs. Patons Double Knitting. Main 5 (5, 6, 6, 7, 7, 8) ozs. Patons Double Knitting. Weaving Wool. 16" (16, 18, 18, 18, 20) zip fastener.

Mittens: 2½ (2½, 3, 3, 3½, 3½, 4) ozs. Patons Double Knitting. Main ½ (½, ¾, ¾, 1, 1, 1½) ozs. Patons Double Knitting. Weaving Wool.

Berets: 3½ ozs. for hers, 4 ozs. for his in Main. ¼ oz. Weaving Wool for pattern version. Add 1½ ozs. Main for Pompom.

## Measurements:

Sweater: To fit 32" (34, 36, 38, 40, 42, 44) Bust or Chest.

35" (37, 39, 42, 45, 47, 49) at underarm. 21½" (22½, 23, 23½, 24½, 26) length (adjustable).

8½" (8½, 9, 9½, 9½, 9½, 10) armhole depth. 11½" (12, 12½, 13, 13½, 14, 14½) hem to armhole.

17½" (18, 18½, 19, 19½, 20, 20½) sleeve seam (adjustable).

14½" (15, 15½, 16, 16½, 17, 17½) sleeve width at widest point.

Mittens: 7½" (7½, 7½, 8, 8½, 8½, 9) all round at base of fingers.

6½" (6½, 7, 7½, 7½, 8) wrist to finger tip.

Berets: To fit 22½" head fitting for her.

23½" head fitting for him.

## Tension:

6½ sts. and 8½ rows to 1" over patt. on T10.

## Abbreviations:

A, main; B, contrast weaving wool; T., tension; M.B., main bed; L.B., lower bed; alt., alternate; N., needles; st(s), stitch(es); C.K., set machine for circular knitting; R.K., set machine for rib knitting; K., knit; 000, set row counter to 000; trans., transfer; pos., position; S.D., slide dial; cont., continue; patt., pattern; folls., follows; rep., repeat; beg., beginning; dec., decrease; inc., increase; rem., remaining (remainder); fin., finishing; C.O.R. (L.), carriage on right or left; S.L., set patt. lever.

## Notes

Instructions for the larger sizes are in ( ); where only 1 figure is given this applies to all sizes.

When casting on place odd st. on right of centre O. Amounts of wool have been stated in fractions of an ounce for mittens and berets, as you may have fractions of ounces left over from the sweater.

## Sweater - Back

\* T1. on M.B. and L.B. With A cast on over alt. N.

automatically. 113 (121, 129, 137, 145, 153, 161) sts. C.K. T6. on M.B. and L.B. K. 4 rows. R.K., 000, T8. on M.B. and T7. on L.B. K. 20 rows. Trans. L.B. sts. to N. in A pos. in M.B. Lower L.B. T10. 000 S.D. on 7. Cont. in patt. from chart as folls.

K. step 1 three times (6 rows)

K. steps 2 to 7 once (18 rows)

K. step 1 twice more (22 rows)

K. steps 2 to 9 once (38 rows)

K. steps 2 to 3 once (42 rows)

K. step 1 twice more (46 rows)

S.D. on 3

K. steps 2 to 7 once (58 rows) \*

Cont. in patt. rep. step 1 only to row 74 (78, 82, 86, 90, 94, 98) (adjust length at this stage).

## Shape Armholes

Cast off 5 (6, 7, 8, 9, 10, 11) sts. at beg. of the next 2 rows. 103 (109, 115, 121, 127, 133, 139) sts. 000 Dec. 1 st. each end of every foll. alt. row 7 times to 89 (95, 101, 107, 113, 119, 125) sts. K. to row 76 (78, 80, 82, 84, 86, 88).

## Shape Shoulders

Cast off 5 (5, 6, 6, 7, 7, 8) sts. at beg. of the next 8 rows. Cast off 6 (8, 6, 8, 6, 8, 6) sts. at beg. of the next 2 rows. Cast off rem. 37 (39, 41, 43, 45, 47, 49) sts.

## Front

Rep. from \* to \* as on back. Cont. in step 1 only to row 68 (72, 70, 76, 84, 90, 88) fin. C.O.R. (Adjust length at this stage to match back.)

## Front Opening

Cast off the centre 13 sts. Thread up and take off machine the left sts. Cont. on right sts. to row 74 (78, 82, 86, 90, 94, 98).

## Shape Armhole

Cast off 5 (6, 7, 8, 9, 10, 11) sts. on right edge, K. 2 rows. C.O.R. 45 (48, 51, 54, 57, 60, 63) sts. 000 Dec. 1 st. every alt. row on right edge 7 times 38 (41, 44, 47, 50, 53, 56) sts. K. to row 67 (69, 71, 73, 75, 77, 79) fin. C.O.L.

## Shape Front Neck

Cast off 5 (6, 7, 8, 9, 10, 11) sts. on left edge, K. to end. C.O.R. 33 (35, 37, 39, 41, 43, 45) sts. Dec. 1 st. on next and every row on neck to 26 (28, 30, 32, 34, 36, 38) sts. K. to row 76 (78, 80, 82, 84, 86, 88) fin. C.O.R.

## Shape Shoulder

Cast off 5 (5, 6, 6, 7, 7, 8) sts. at beg. of the next row and at this same edge 3 times more fin. C.O.R.

Cast off rem. 6 (8, 6, 8, 6, 8, 6) sts. Place left sts. back on to same N. as before. Set row counter to 68 (72, 70, 76, 84, 90, 98). Cont. on these sts. to match others reversing shapings.

### Sleeves

T1. on L.B. and M.B. With A cast on over alt. N. automatically 55 (57, 59, 61, 63, 65, 69) sts. C.K. T6. on L.B. and M.B. K. 4 rows. R.K. 000 T7. on L.B. and T8 on M.B. K. 44 rows. Trans. L.B. sts. to N. in A pos. on M.B. Lower L.B. T10. 000 S.D. on 7. Inc. 1 st. each end of every foll. 5th row at same time working from chart as folls.

K. step 1 three times (6 rows)

K. steps 2 to 9 once (22 rows)

K. steps 2 to 3 once (26 rows)

Cont. rep. step 1 only still inc. as before to 95 (99, 103, 107, 111, 115, 119) sts. K. to row 122 (126, 130, 134, 138, 142, 146) (adjust length at this stage).

### Shape Top

Cast off 5 (6, 7, 8, 9, 10, 11) sts. at beg. of the next 2 rows. 85 (87, 89, 91, 93, 95, 97) sts. 000 Dec. 1 st. each end of every foll. alt. row to 53 sts. K. 1 row. Dec. 1 st. each end of the next 8 rows to 37 sts. Dec. 2 sts. each end of the next 6 rows. Cast off rem. 13 sts.

### Neckband

T1. on L.B. and M.B. With A cast on over alt. N. automatically 79 (83, 87, 91, 95, 99, 103) sts. C.K. T6. on L.B. and M.B. K. 4 rows. R.K. 000 T7. on L.B. and T8. on M.B. K. 64 (64, 72, 72, 72, 72, 80) rows. Cast off loosely.

### Front Bands (Work 2)

T1. on L.B. and M.B. With A cast on over alt. N. automatically 163 (163, 181, 181, 181, 181, 199) sts. C.K. T6. on L.B. and M.B. K. 4 rows. R.K. T6. on L.B. and T7 on M.B. K. 8 rows. Cast off loosely.

### Mittens (Back and front knitted in one piece)

T1. on L.B. and M.B. With A cast on over alt. N. automatically 47 (49, 51, 53, 55, 57) sts. C.K. T6. on L.B. and M.B. K. 4 rows. R.K. 000 T7. on L.B. and T8. on M.B. K. 24 (24, 28, 28, 28, 32, 32) rows. Trans. L.B. sts. to N. in A pos. on M.B. Lower L.B. T10. 000 S.D. on 2 (1, 2, 1, 2, 1, 2).

### Plain Mitten

Rep. step 1 only to row 42 (44, 46, 48, 50, 52, 54) \*\*\* Trans. the 1st st. on right of centre 0 to end N. Thread up and take off machine the left sts. Cont. on right sts. dec. 1 st. each end of every alt. row 6 times. Cast off rem. 11 (12, 13, 14, 15, 16, 17)

sts. Place left sts. back on to same N. as before and work to match. \*\*\*

### Pattern Mittens (Left hand)

Rep. step 1 three times (6 rows). To form pattern rep. step 1 throughout at same time pushing back to B pos. the foll. selected N. (Count from right edge as folls.):

\* S.L. Push back to B pos. the 7th N. for 1st to 3rd sizes, 8th N. for 4th to 7th sizes. K. 1 row. Rep. 3 times more. \*\* (10 rows) S.L. Push back to B pos. the 6th and 8th N. for 1st to 3rd sizes, 7th and 9th N. for 4th to 7th sizes. K. 1 row. Rep. 3 times more. (14 rows) S.L. Push back to B pos. the 5th and 9th N. for 1st to 3rd sizes, 6th and 10th N. for 4th to 7th sizes. K. 1 row. Rep. 3 times more. (18 rows) S.L. Push back to B pos. the 6th and 8th N. for 1st to 3rd sizes, 7th and 9th N. for 4th to 7th sizes. K. 1 row. Rep. 3 times more. \* (22 rows) Rep. from \* once more. (38 rows) Rep. from \* to \*\* once more. (42 rows) Rep. step 1 only for all sizes at same time K. to row (44, 46, 48, 50, 52, 54) for 2nd to 7th sizes only.

### For all sizes

Rep. from \*\*\* to \*\*\* as on plain mittens. For right hand K. to match counting from left instead of right edge for patt.

### Thumb (for both styles of mitten)

Working on M.B. only cast on with A by hand over every N. 3 sts. Hang weight on to these sts. S.D. on 2 K. 1 row C.O.L., 000 Rep. step 1 only at same time inc. 1 st. each end of every foll. alt. row to 19 (21, 23, 25, 27, 29, 31) sts. K. to row 19 (21, 23, 25, 27, 29, 31) C.O.R. 000 Dec. 1 st. each end of every foll. 3rd row twice. 15 (17, 19, 21, 23, 25, 27) sts. K. to row 15 (16, 17, 18, 19, 20, 21). Break off length of A, thread up sts. and take off machine.

### Berets (Figure in brackets for man's version)

#### Rib Version

T1. on L.B. and M.B. With A cast on over alt. N. automatically 131 (137) sts. C.K. T6. on L.B. and M.B. K. 4 rows. R.K. 000 T7. on L.B. and T8. on M.B. K83. (93) rows. C.O.L. \* Trans. L.B. sts. to N. in B pos. on M.B. (Leave empty alt. N. on M.B. in A pos.) Lower L.B. K1. row. Break off long end of A, thread up and take sts. off machine. \*

#### Pattern Version

T1. on L.B. and M.B. With A cast on over alt. N. automatically 129 (133) sts. C.K. T6. on L.B. and M.B. K. 4 rows. R.K. 000 T7. on L.B. and T8. on M.B. K. 4 rows. Trans. L.B. sts. to N. in A pos. on M.B. Lower L.B. (Leave cast on comb on knitting). T10. 000

S.D. on 7. Cont. in foll. patt.

K. step 1 once (2 rows)

K. steps 2 to 9 once (18 rows)


K. steps 2 to 3 once (22 rows)

K. step 1 three times (28 rows)

Raise L.B. Trans. 2nd and every alt. N. from M.B. to L.B. R.K. 000 T7. on L.B. and T8. on M.B. Cont. in A for 58 (62) rows. Rep. from \* to \* as on rib version.

### To complete

Press back, front and sleeves. Join shoulder seams. Sew sleeves into armholes. Join sleeve and side seams. Sew cast off edge of neckband to neck edge placing edges to front opening. Stretch and press lightly front bands to 32" (32, 36, 36, 36, 36, 40) lengths. Work-



ing from right side of front sew the first 16" (16, 18, 18, 18, 20) of band from beg. of opening to cast on edge of neckband. With wrong side of work facing sew rem. of band along the same seam to beg. of opening thus forming a facing throughout. Sew zip into opening placing it between the double front band. Press bands lightly on right side. Press seams. Draw up sts. of beret and secure, sew up seam for first 5" from top, turn work about and cont. sewing seam from other side of beret to form neat seam when beret is turned back. Make Pompom and sew to beret top. Turn back beret edge. Join ribbing on mittens. Sew thumb from V point to widest point before the dec. on to each mitten seam. Draw up thumb sts. and secure, sew up thumb seam and rem. of mitten seam. Press mitten seams. Press mittens flat on right side.

## Man's Tunic

### Materials:

22 (22, 23, 23) ozs. Emu Scotch 4-ply. Main. 1 oz. each of Emu Scotch 4-ply Dark, Medium and Light for all sizes. 8 Buttons.

### Measurements:

To fit chest 36" (38, 40, 42).  
Length 29½" (30, 30½, 32).  
Sleeve Seam 18½" (19, 19½, 20).

### Tension:

7½ sts. and 10 rows to 1" on T6.

### Abbreviations:

mn., main; med., medium; dk., dark; lt., light; T., tension; N., needles; st(s), stitch(es); K., knit; pos., position; 000, set row counter to 000; inc., increase; dec., decrease; beg., beginning; rem., remaining; H.C.L.'s, holding cam levers; C.O.R.(L.), carriage on right or left; foll., following; alt., alternate; ff1, transfer 3rd st. to 4th st., move up the 2 edge sts. to fill space, push back to A position the empty edge needle; BY., break yarn; cont. continue.

### Note:

Instructions for the larger sizes are in parentheses

( ); where only 1 figure is given, this applies to all sizes.

### Back:

\* T5. With mn. cast on by hand over every N. 134 (142, 150, 158) sts. K. 14 rows. T10. K. 1 row for foldline. T5. K. 14 rows.

Make hem by placing each cast on st. on to N. in B pos. K. 1 row. C.O.R. 000. T6. \* K. 158 rows. 000. Inc. 1 st. each end of the next row and every foll. 6th row to 146 (154, 162, 170) sts. K. to 44 rows.

### Shape Armholes

Cast off 7 (8, 9, 10) sts. at beg. of the next 2 rows. 000. ff1. each end of every foll. alt. row to 102 (108, 114, 120) sts. K. to row 76 (80, 84, 88) sts.

### Shape Shoulders

Cast off 6 (6, 7, 7) sts. at beg. of the next 8 rows. Cast off 5 (7, 5, 7) sts. at beg. of the next 2 rows. Cast off rem. 44 (46, 48, 50) sts. for back neck.

### Front

Rep. from \* to \* as on back. K. 10 rows.

### Front Opening

With odd length of mn. wool cast off centre 14 sts. Push left 60 (64, 68, 72) sts. to E pos. H.C.L.'s to III. K. to row 158. 000. Inc. 1 st. on next and every foll. 6th row on right edge of work to 66 (70, 74, 78) sts. K. to 44 rows. C.O.R.

### Shape Armhole

Cast off 7 (8, 9, 10) sts. on right edge of work. C.O.R. 000. 59 (62, 65, 68) sts. ff1. every foll. alt. row on armhole to 44 (47, 50, 53) sts. K. to row 55 (59, 63, 67). C.O.L.

### Front Neck

Cast off 5 (6, 7, 8) sts. at beg. of the next row, K. to end. 39 (41, 43, 45) sts. Dec. 1 st. on next and every alt. row on neck to row 76 (80, 84, 88).

### Shape Shoulder



Cont. dec. on neck until 10 sts. have been dec. from beg. at same time casting off 6 (6, 7, 7) sts. at beg. of next and every alt. row 3 times more, fin. with C.O.R. Cast off rem. 5 (7, 5, 7) sts. H.C.L.'s to I. Cont. on left 60 (64, 68, 72) sts. to match those just worked reversing shapings.

### Sleeves

T6. With mn. cast on by hand over every N. 78 (82, 86, 90) sts. Inc. 1 st. each end of every foll. 10th (9th, 8th, 7th) rows to 104 (112, 120, 128) sts. K. to row 172 (176, 180, 184).

### Shape Top

Cast off 7 (8, 9, 10) sts. at beg. of the next 2 rows. 90 (96, 102, 108) sts. ff1. each end of every foll. alt. row to 38 (40, 42, 44) sts. K. 2 rows. Cast off 2 sts. at beg. of the next 12 rows. Cast off rem. 14 (16, 18, 20) sts.



# Sweater

## Materials:

13 (14-15) balls Patons Fuzzy Wuzzy Main.  
5 (6-6) ozs. Patons Nylox 4-ply. Contrast.  
5 Buttons.

## Measurements:

To fit: 36" (38-40) chest.  
21" (22-23) Length.  
37" (39-41) at underarm.  
18½" (19-19½) sleeve seam.

## Back:

\* T.D. on 1 L.B. and M.B. With con. cast on over alt. N. 121 (129, 137) sts. C.K. TD2. on L.B. and M.B. K. 4 rows R.K. TD3. L.B. and 4 M.B. K. 30 rows. Transfer L.B. sts. to M.B. Lower L.B. Break off con., join on mn. T6. 000. \*

Inc. 1 st. each end of every foll. 6th row to 145 (153, 161) sts. K. to row 98 (104, 110).

## Shape Armholes

Cast off 6 (8, 10) sts. at beg. of the next 2 rows. Dec. 1 st. each end of every other row to 101 (105, 109) sts. K. to row 98 (104, 110).

## Shape Shoulders

Cast off 4 sts. at beg. of the next 10 rows. Cast off 3 (4, 5) sts. at beg. of the next 2 rows. Cast off rem. 55 (57, 59) sts. for back neck.

## Front

Rep. from \* to \* as on back. Inc. 1 st. each end of every foll. 6th row to row 60 (66, 72) rows C.O.R.

## Front Opening

With odd piece of mn. cast off centre 13 sts. Push left side sts. to E pos. H.C.L.'s to III. Cont. on right side sts. inc. to match back to 66 (70, 74) sts. K. to row 98 (104, 110) sts.

## Shape Armhole

Cast off 6 (8, 10) sts. on right side of work. Dec. 1 st. every other row on armhole to 44 (46, 48) sts. K. to row 75 (81, 87).

## Front Neck

Cast off 7 (8, 9) sts. on left edge, K. to end. Dec. 1 st. every row on neck to 23 (24, 25) sts. K. to row 98 (104, 110).

## Shape Shoulder

Cast off 4 sts. at beg. of next row and every alt. row 4 times more. Cast off rem. 3 (4, 5) sts. H.C.L.'s to I. Cont. in left side E pos. sts. to match those just worked reversing shapings.

## Sleeves

TD1. on L.B. and M.B. With con. cast on over alt. N. 79 (83, 87) sts. C.K. TD2. on L.B. and M.B. K. 4 rows. R.K. TD3 L.B. and 4 M.B. K. 30 rows. Transfer L.B. sts. to M.B. Lower L.B. Join on mn. T6. K. 12 rows mn. K. 6 rows con. Break off con. Inc. 1 st. each end of every foll. 11th (10th, 9th) rows to 103 (111, 119) sts. K. to row 164 (170, 176).

## Shape Top

Cast off 6 (8, 10) sts. at beg. of the next 2 rows. Dec. 1 st. each end of every foll. 3rd row to 37 (39, 41) sts. Cast off.

## Pockets

TD1. LB. and MB. With con. cast on over alt. N. 39 (41, 43) sts. placing odd st. on right side CK. TD2. on LB. and MB. K. 4 rows RK. TD3. LB. and 4 MB. K. 6 rows. Transfer LB. sts. to MB. Lower LB. Join on mn. K. 6 rows mn. K. 6 rows con. Break off con. K. 30 rows mn. Cast off.

## Neckband

TD. on 1 LB. and MB. With con. cast on over alt. N. 125 (129, 133) sts. placing odd st. on right side. CK. TD. 2 on LB. and MB. K. 4 rows RK. TD. 3 LB. and 4 MB. K. 16 rows. Cast off loosely.

## Right Front Band

TD. 1 LB. and MB. H.P.L. to H. With con. cast on over every N. 31 sts. placing odd st. on MB. CK. TD2. LB. and MB. K. 4 rows RK. with L.C.L. to PR. K. 8 rows \* For buttonhole and working from left edge K. by hand with scrap wool the 2nd and 8th sts. on LB. at same time K. the 3rd to 8th sts. on MB. K. 42 rows \*. Rep. from \* to \* 3 times more. K. by hand next buttonhole. K. 16 rows. Cast off.

## Left Front Band

TD. 1 LB. and MB. H.P.L. to H. With con. cast on over every N. 31 sts. placing odd st. on MB. CK. TD. 2 LB. and MB. K. 4 rows. RK. with L.C.L. to PR. K. 192 rows. Cast off.

## To Complete

Press work with hot iron over damp cloth. Join shoulder seams. Sew sleeves into armholes. Join side and sleeve seams. Sew neckband to neckedge. Sew on front bands. Take out odd wool and overcast sts. for buttonholes. Sew on pocket and buttons. Press seams and pockets.





# Man's Sleeveless Pullover

## With Fair Isle pattern

### Materials:

**Round Neck Pullover:** 10 (10, 11, 11) ozs. 4-ply in main colour; 6 (6, 7, 7) ozs. in contrast colour.

**V-Neck Pullover:** 9 (9, 10, 10) ozs. 4-ply in main colour; 5 (5, 6, 6) ozs. in contrast colour.

### Measurements

To fit chest sizes 38" (40, 42, 44).

Finished measurements 40" (42, 44, 46).

Length to shoulder 24½" (25, 25½, 26).

### Tension:

16 sts. and 19 rows to 2" after pressing.

### Abbreviations:

Sts., stitches; dec., decrease; rep., repeat; alt., alternate; beg., beginning; foll., following; T., tension; 000, turn row counter back to 000.

### Notes

Figures in brackets refer to larger sizes respectively. Row counter will register 2 rows for every row knitted.

### V-Neck Pullover - Back

Using main wool cast on 161 (169, 177, 185) sts. for 1 x 1 rib. Knit 2 circular rows. T3/3. Knit 20 rows. Transfer sts. to main bed for Fair Isle. For **st.-st. welts**. Knit 45 rows on T6. Make a hem and knit the row. 000. T8. Following chart knit 124 rows. This will give a length of 15" to armhole. Adjust length here if required.

### Shape Armholes

000. Cast off 8 (8, 9, 9) sts. at beg. of next 2 rows and 3 sts. at beg. of next 2 rows \*. Dec. 1 st. both ends of next 7 (9, 9, 11) rows and then every foll. alt. row until 113 (117, 123, 127) sts. remain \*\*. Knit straight until 92 (96, 100, 104) rows have been worked.

### Shape Shoulders

Cast off 8 sts. at beg. of next 6 rows and 7 (8, 10, 11) sts. at beg. of next 2 rows. 51 (53, 55, 57) sts. remain. Break contrast wool.

### Ribbers

Transfer every alt. st. to ribber. T3/3. Knit 20 rows. Knit 1 loose row. Transfer sts. to main bed and cast off using chain method.

### Single Machines

T6. Knit 22 rows. Knit 1 loose row. Cast off using chain method.

### Front

Knit as given for Back to \*. Dec. 1 st. at both ends of next 7 (9, 9, 11) rows. Knit 1 row.

### Divide for Neck

Transfer centre st. on to adjacent needle. Push needles furthest from Carriage to E position. Knit on remaining sts. first. H.C.L's II. Dec. 1 st. at raglan edge on next and every foll. alt. row 6 times in all at the same time knit 1 row. Dec. 1 st. at neck edge on next and every foll. alt. row 11 (12, 12, 13) times in all and then every foll. 4th row until 31 (32, 34, 35) sts. remain. Knit 1 row.

### Shape Shoulder

Cast off 8 sts. at beg. of next and every alt. row until 7 (8, 10, 11) sts. remain. Knit 1 row. Cast off. Return sts. to B position by hand. Knit to match first side reversing shapings.

### Front Neckband

With wrong side facing pick up and place on machine 79 (83, 87, 91) sts. along 1 side of neck. Using main colour knit 1 row.

### Ribber

Transfer every alt. st. to ribber. T3/3. Knit 10 rows. Dec. 1 st. on both beds at V-neck on every alt. row by transferring 3rd st. on to 4th needle and moving 2 end sts. 1 needle in. Knit 10 rows inc. 1 st. on both beds on every alt. row. Knit 1 loose row. Transfer sts. to main bed and cast off as back neck. Knit 2nd side to match.

### Single Machines

T6. Knit 10 rows dec. 1 st. at V-neck on every row by transferring 3rd st. on to 4th needle and moving 2 end sts. 1 needle in. Knit 10 rows inc. 1 st. on every row. Knit 1 row. Knit 1 loose row. Cast off as back neck.

### Armbands

Join shoulder seams. With wrong side facing, pick up and place on machine 167 (175, 183, 191) sts. Using main colour knit 1 row.

### Ribbers

Transfer alt. sts. to ribber. T3/3. Knit 20 rows. Knit 1 loose row. Transfer sts. to main bed. Cast off as back neck.

### Single Machines

T6. Knit 11 rows. dec. 1 st. at both ends of every row and inc. 1 st. both ends of next 11 rows. Knit 1 loose row. Cast off as back neck.



# Jones

**-the knitting machine people**

Jones Sewing Machine Co. Ltd.,  
Britannia House, 964 High Road  
Finchley, London N12.