

Jones

Pattern booklet No.5

Price 25p.





Ladies Short Sleeve V-neck Jumper



Materials

9 (9, 10, 10, 11, 11, 12) oz. 4-ply wool.

Measurements

To fit bust sizes: 32 (34, 36, 38, 40, 42, 44) ins.

Finished measurements: 34 (36, 38, 40, 42, 44, 46) ins.

Length to shoulder: 23 (23½, 23½, 23¾, 24, 24¼, 24½) ins.

Sleeve seam: 3 ins. all sizes.

Tension

7 sts. and 10 rows = 1 inch.

Abbreviations

Sts., stitches; dec., decrease; inc., increase; rep., repeat; foll., following; alt., alternate; beg., beginning; T., tension; 000. set row counter to 000; H.C.L.'s, holding cam levers; S.L. set lever.

Notes

Figures in brackets refer to the larger sizes respectively. Fully fashioned decs. for raglan edges are worked as follows:—Using double transfer tool, move the 2nd and 3rd stitch onto 4th and 5th needle, move end stitch two needles in. (2 sts. decreased each time.)

Back

Bring forward 119 (127, 133, 141, 147, 155, 161) needles to B position and then return alt. needles to A position. Using contrast wool knit several rows of waist knitting. T4. Using main wool knit 39 rows. Bring all needles forward to B position. To make hem pick up first row loops in main colour. Place on empty needles, knit the row. * 000. T7. Knit 120 rows. (Adjust length at this stage.)

Shape Raglan

000. Cast off 2 (3, 3, 4, 4, 4, 7) sts. at beg. of next 2 rows. Knit 6 (4, 4, 2, 2, 0, 2) rows. Dec. 2 sts. (see notes) at each end of next and every foll. 4th row, until 31 (33, 35, 37, 39, 43, 43) sts. remain. Knit 1 row. Cast off.

Front

Knit as back until * 000. T7. Knit 110 rows. Sizes **36 (38, 40, 42, 44)**. Bust darts H.C.L.'s III. Always winding wool round first needle in E position. Push up to E position 4 (4, 5, 5, 5) sts. at opposite end to carriage on next 10 rows. H.C.L.'s I. **All sizes** knit 10 rows.

Shape Raglan

000. Dec. as back until 10 rows have been worked.

Divide for Neck

Place centre stitch onto adjacent needle. Push needles at left to E position. Knit right side first, H.C.L.'s III. Continue raglan shaping as before at the same time knit 3 rows. Dec. 1 st. on next and foll. 4th row 3 (3, 3, 6, 6, 12, 12) times in all, then every foll. 6th row until 6 (4, 4, 4, 4, 4, 6) sts.

Classic Designs for the Family, Ladies Lacy Jumper

remain. Keeping neck edge straight continue raglan shaping until 2 sts. remain, knit 1 row. Cast off.

Sleeves

Bring forward 77 (81, 83, 87, 91, 95, 99) needles to B position, and then return alt. needles to A position. Using contrast wool knit several rows of waist knitting. T4. Using main wool knit 19 rows. Bring empty needles forward to B position. To make hem pick up first row loops in main colour. Place on empty needles, knit the row. 000. T7. Knit 2 rows increase 1 st. each end of next and foll. 4th row until there are 85 (89, 91, 95, 99, 103, 107) sts. Knit straight until 20 rows have been worked.

Shape Raglan Top

000. Cast off 3 (3, 2, 2, 2, 2) sts. at beg. of next 2 rows. Knit 6 rows. Dec. 2 sts. (see notes) at each end of next and foll. 6th row. 9 (8, 8, 9, 9, 8, 7) times in all, and then every foll. 4th row until 11 (11, 11, 15, 15, 15, 15) sts. remain. Knti 1 row. Cast off.

Neckband

With wrong side facing and starting at right hand side of machine, pick up and place on machine 31 (33, 35, 37, 39, 43, 43) sts. from back neck, 11 (11, 11, 11, 15, 15, 15) sts. from first sleeve and 55 (57, 59, 61, 63, 65, 67) sts. down one side of V-neck. 97 (101, 105, 113, 117, 123, 125) sts. in all. 000. T6. Knit 12 rows decreasing 1 st. at centre front edge on every row. H.C.L's III. Push buttons 1 and 5 S.L. to set, knit 4 rows. H.C.L's I. Knit 12 rows, increasing 1 st. at centre front edge on every row. Cast off. Starting at left side of machine pick up and place on machine 11 (11, 11, 15, 15, 15, 15) sts. from second sleeve 55 (57, 59, 61, 63, 65, 67) sts. from other side of V-neck. 66 (68, 70, 76, 78, 80, 82) sts. in all. Knit as first side decreasing on right hand side.

Make Up

Pin out and press with a hot iron over a damp cloth. Sew raglan side and sleeve seams. Join neck band and fold to wrong side slip-stitch in place. Press seams.

Materials

10 (10, 11, 11) ozs. 4-ply wool.

Measurements

To fit bust sizes: 36 (38, 40, 42) ins.
Finished measurements: 38 (40, 42, 44) ins.
Length to shoulder: 21 ½ (22, 22 ½, 23) ins.
Sleeve seam 3 ins. all sizes.

Tension

11 ½ sts. and 25 rows to 2 ins. over lace pattern after pressing.

Abbreviations

Sts., stitches; inc., increase; dec., decrease; alt., alternate; rep., repeat; foll., following; beg., beginning; H.C.L's, holding cam levers; T., tension; 000, turn row counter to 000.

Notes

Figures in brackets refer to larger sizes respectively. When shaping neck, always keep the first 2 sts. in B position (do not make a hole) as this will make it easier when picking up sts. for the neckband.

Back

Using contrast colour, cast on 109 (115, 121, 127) sts. Knit a few rows. Change to main colour. T7. Knit 4 rows. H.C.L's III. Put 3rd (4th, 3rd, 4th) and every foll. 4th needle to E position. Knit 5 rows. H.C.L's I. Knit 4 rows. Make a hem. Knit 1 row. 000. T6. Following lace chart knit 166 rows. This will give a length of 14 ins. to armholes. Adjust length here if required.

Shape Armholes

000. Cast off 4 sts. at beg. of next 2 rows and 2 sts. on next 2 rows. Dec. 1 st. at both ends of next and every foll. alt. rows until 81 (85, 91, 95) sts. remain *. Knit straight until 70 (76, 82, 88) rows have been worked.

Divide for Neck

Slip 53 (56, 60, 63) sts. at opposite end to Carriage onto a knitting needle. Knit on remaining sts. first. Knit 2 rows. Dec. 1 st. at neck edge (see notes) on next and every foll. alt. rows 11 times in all. 17 (18, 20, 21) sts. remain. Knit 1 row.

Shape Shoulders

Cast off 5 sts. at beg. of next and alt. rows until 2 (3, 5, 6) sts. remain. Knit 1 row. Cast off. Replace 28 (29, 31, 32) sts. at side edge to machine. Keeping pattern correct, knit to match first side reversing all shapings.

Front

Knit as given for Back to *. Knit straight until 54 (60, 66, 72) rows have been worked.

Ladies Trouser Suit

Materials

Top

14 (15, 16) oz. Patons 4-ply Cameo Crepe in main colour; 1 oz. in contrast; zip.

Trouser

15 (16, 17) oz. in main colour; 1 oz. in contrast; 1 inch wide elastic to fit waist.

Measurements

Top

To fit bust sizes 36 (38, 40) ins.

Length to top of shoulder 28 (28½, 29) ins.

Sleeve seam 17 ins.

Trouser

To fit hip sizes 38 (40, 42) ins.

Inside leg seam 30 ins.

Tension

15 sts. and 20 rows to 2 ins.

Abbreviations

St(s), stitch(es); inc., increase; dec., decrease; rep., repeat; alt., alternate; beg., beginning; H.P., Holding Position; W.P., Working Position; 000., Set Row Counter to 000.

Top—Back

Using contrast wool. Cast on 144 (152, 160) sts. Knit a few rows. Change to main wool and T6. Knit 19 rows. Knit 1 loose row for hemline. 000. Knit 19 rows. Make a hem. Change to T7. Knit the row. Follow the 36 rows of Fair Isle chart, **at the same time** dec. 1 st. at both ends of next and every following 16th row 3 times in all. Knit 4 rows. Reset R.C. to 56. Continue in main colour only. Knit 12 rows. Continue dec. as before until 132 (140, 148) sts. remain. Knit 10 rows. Inc. 1 st. at both ends of next and every following 12th row 6 times in all. 144 (152, 160) sts. Knit straight until 180 rows have been worked. (This gives a length of 18 ins. from hemline to armhole. Adjust length here if required).

Shape Armholes

000. Cast off 4 (5, 6) sts. at beg. of next 2 rows. Dec. 1 st. at each end of next 5 rows and then every alt. row until 116 (122, 128) sts. remain. ** Knit straight until 52 (56, 62) rows have been worked.

Back opening

* Push 58 (61, 64) sts. at left to H.P. Knit the right side first. Knit straight until 86 (90, 96) rows have been worked.

Shape shoulder and neck

Cast off 5 sts. at beg. of next and foll. alt. rows 3 times. Carriage is at left. Cast off 9 (10, 11) sts. at beg. of next row. Cast off 5 sts. at beg. of next 6 rows. Cast off remaining 4 (6, 8) sts. Knit left side to match from * by joining wool at armhole edge.

Front

Knit as given for Back to **. Knit straight until 72 (76, 82) rows have been worked.

Shape neck

Cast off 24 (26, 28) sts. at centre. Push needles at left to H.P. Knit the right side first. * Dec. 1 st. at neck edge on next 6 rows and then every alt. row 4 times. Carriage is at right.

Shape shoulder

Cast off 5 sts. at beg. of next row. Dec. 1 st. at neck edge on next row. Rep. last 2 rows once more. Cast off 5 sts. at beg. of next and foll. alt. rows 4 times. Knit 1 row. Cast off remaining 4 (6, 8) sts. Knit left side to match from * by joining wool at armhole edge.

Sleeves

Using odd wool cast on 76 (80, 84) sts. Knit a few rows. Change to main wool and T7. 000. Knit 10 rows. Inc. 1 st. at each end of next and every following 10th row until there are 102 (106, 110) sts. Knit straight until 146 rows have been worked. (This will give a finished sleeve seam of 17 ins. Adjust length here if required.)

Shape top

Cast off 4 (5, 6) sts. at beg. of next 2 rows. Dec. 1 st. at each end of next 5 rows and then every alt. row until 46 (44, 42) sts. remain. Knit 1 row. Dec. 1 st. at both ends of next 6 rows. Cast off 3 sts. at beg. of next 4 rows. Cast off remaining 22 (20, 18) sts.

Cuff

Push 62 (66, 70) needles to W.P. Unravel odd wool and transfer loops to needles dec. 14 sts. evenly along row. Using main wool and T7. Knit 1 row. Work rows 1–20 of chart. Using main colour only, knit 3 rows. Knit 1 loose row for hemline. T6. Knit 26 rows. Cast off.

Collar

Using odd wool cast on 119 (123, 127) sts. Knit a few rows. Change to main wool and T7. Knit 1 row. Work rows 17–36 of chart. Using main colour only knit 1 row. Knit 1 loose row. T6. Knit 22 rows. Pick up first row loops in main colour and place on machine. Knit 1 very loose row. Cast off using chain method.

To Make-Up

Pin out and press with a hot iron over a damp cloth. Join side, shoulder and sleeve seams. Set in sleeves. Turn hem at cuffs to wrong side and catch down. Sew collar in position. Sew in zip neatly. Press seams.

Trousers.

Left back leg

Using main wool cast on 88 (92, 96) sts. *T6. Knit 11 rows. Knit 1 very loose row for hemline. 000. T7. Knit 20

rows. Follow the 36 rows of chart, **at the same time**, dec. 1 st. at both ends of 6th and following 26th row. Knit 4 rows. Reset RC. to 56. Using main colour only knit 22 rows. Dec. 1 st. at both ends of next and following 26th row. Knit straight until 271 rows have been worked. (This will give an inside leg seam of 30 ins. Adjust length here if required).

Shape to crutch

Inc. 1 st. at left side of work on next and every following 4th row 5 times in all and then every alt. row 5 times in all. Knit 1 row * 90 (04, 98) sts. Carriage is at left 299 Rows. Mark right side with coloured wool.

Crutch to waist

000. Cast off 4 sts. at beg. of next row and 3 sts. on following 2 alt. rows. Knit 1 row. Dec. 1 st. at left side on next 4 rows and then every alt. row 5 times in all. Knit 1 row. Dec. 1 st. at right on next and following 10th row, **at the same time** dec. 1 st. at left side on next and every following 4th row 5 times in all. Knit 3 rows. Dec. 1 st. at each end of next and every following 10th row until 54 (58, 62) sts. remain. Knit straight until 97 (101, 105) rows have been worked. Carriage is at left.

Shape back

HCL's III always winding wool round first needle in HP. Push 5 (5, 6) needles at right to E position on next and alt. rows 6 times in all. Knit 1 row. HCL's I. Knit 1 row.

Waistband

Ribbers

Transfer sts. to 1 x 1 rib. T3. Knit 10 rows. Knit 1 very loose row. Transfer sts. to BB. Cast off using chain method.

Single bed

T6. Knit 12 rows. Knit 1 very loose row. Cast off using chain method.

Right back leg

Knit to match Left back leg reversing all shapings.

Left front leg

Using main wool cast on 84 (88, 92) sts. Knit as given for Left Back Leg from * to *. 86 (90, 94) sts. Carriage is at left. 299 rows. Mark right side with coloured wool.

Crutch to waist

000. Cast off 5 sts. at beg. of next row. Knit 1 row. Dec. 1 st. at left side on next 8 rows and then every alt. row 5 times. Knit 1 row. Dec. 1 st. at both ends on next row. Knit 1 row. Dec. 1 st. at left side on next and following alt. row. Knit 5 rows. Dec. 1 st. at right side only on next and every following 10th row until 58 (62, 66) sts. remain. Knit straight until 97 (101, 105) rows have been worked.

Right front leg

Knit to match left back leg reversing all shapings.

37							
36				X			
35				X			
34			X	X	X		
33			X	X	X		
32		X	X		X	X	
31		X	X		X	X	
30	X	X				X	X
29	X	X				X	X
28	X	X		X			X
27	X	X		X			X
26	X		X	X	X		
25	X		X	X	X		
24		X	X		X	X	
23		X	X		X	X	
22	X	X				X	X
21	X	X				X	X
20			X	X	X		
19			X	X	X		
18			X	X	X		
17			X	X	X		
16	X	X				X	X
15	X	X				X	X
14		X	X		X	X	
13		X	X		X	X	
12	X		X	X	X		
11	X		X	X	X		
10	X	X		X			X
9	X	X		X			X
8	X	X				X	X
7	X	X				X	X
6		X	X		X	X	
5		X	X		X	X	
4			X	X	X		
3			X	X	X		
2				X			
1				X			



Ladies Classic Suit

Waistband

Knit as waistband of Left back leg.

To Make Up

Pin out and press with a hot iron over a damp cloth. Join side seams and inside leg seams to crutch. Join remaining seam. Cut elastic to fit waist, join ends and work a herring-bone casing over elastic at waist. Turn hem at leg to wrong side and catch down. Press seams.



Materials

Jacket

13 (14, 15, 15, 16) ozs. Listers Lavenda 4-ply wool; 1 oz. contrast wool; 6 buttons.

Skirt

9 (9, 9, 10, 10) ozs. Listers Lavenda 4-ply wool; 1 inch wide elastic for waist.

Measurements

Jacket

To fit bust size: 38 (40, 42, 44, 46) ins.

Actual measurement: 41 (43, 45, 47, 49) ins.

Length from centre back without edging 22 (22½, 22½, 22¾, 23) ins.

Sleeve seam 16¼ ins., all sizes.

Skirt

To fit hip size: 40 (42, 44, 46, 48) ins.

Actual measurement: 42 (44, 46, 48, 50) ins.

Length 21 ins. (adjustable).

Tension

Stocking-stitch. 14½ sts. and 20 rows to 2 ins. on T7. This is a guide only. Please check tension before starting garment.

Abbreviations

Rep., repeat; inc., increase; dec., decrease; foll., following; alt., alternate; 000, row counter at 000; beg., beginning.

Note

The reverse side of work is the right side.

Jacket—Back

Using odd wool cast on 138 (146, 152, 160, 168) sts. Knit a few rows. 000. Change to main wool and tension 7. Knit 20 rows. Inc. 1 st. at each end on next and every foll. 24th row 5 times in all. 148 (156, 162, 170, 178) sts. Knit until 130 rows have been worked.

Shape armholes

000. Cast off 6 sts. at beg. of next 2 rows and 3 (4, 4, 5, 6) sts. at beg. of next 2 rows. Dec. 1 st. at each end of next and every foll. alt. rows until 112 (118, 124, 130, 136) sts. remain. Knit straight until 80 (82, 86, 88, 90) rows have been worked.

Shape shoulders

Cast off 7 (7, 7, 8, 8) sts. at beg. of next 8 rows and 6 (8, 10, 8, 10) sts. at beg. of next 2 rows. Cast off remaining 44 (46, 48, 50, 52) sts.

Left Front

Using odd wool cast on 74 (78, 81, 85, 89) sts. Knit a few rows. 000. Change to main wool and tension. Knit 20 rows. Inc. 1 st. at beg. of next and every foll. 24th row 5 times in all. 79 (83, 86, 90, 94) sts. Knit 2 rows. Carriage is at left.

Shape dart

Always winding wool round first needle in E position, push 7 sts. at right to E position on next and foll. alt. rows 4 times in all and back to C position (D position for Simplicity) 4 times in all. Knit straight until 146 rows have been worked.

Shape armhole

000. Cast off 6 sts. at beg. of next row and 3 (4, 4, 5, 6) sts. on foll. alt. row. Knit 1 row. Dec. 1 st. at beg. of next and foll. alt. rows until 61 (64, 67, 70, 73) sts. remain. Knit straight until 59 (61, 65, 67, 69) rows have been worked. Carriage is at left.

Shape neck

Cast off 15 (16, 17, 18, 19) sts. at beg. of next row. Knit 1 row. Dec. 1 st. at neck edge on next 5 rows and then every foll. alt. row 7 times in all.

Shape shoulder

Cast off 7 (7, 7, 8, 8) sts. at beg. of next and alt. rows until 6 (8, 10, 8, 10) sts. remain. Knit 1 row. Cast off.

Right Front

Knit as Left Front, reversing all shapings and making buttonholes at right side over needles 4-7 on row 10 (12, 11, 13, 10) and every foll. 38th (38th, 39th, 39th, 40th) row 6 times in all. Knit 6 rows to neck shaping.

Sleeves

Using odd wool cast on 68 (72, 76, 80, 84) sts. Knit a few rows. 000. Change to main wool and tension 7. Knit 14 rows. Inc. 1 st. at each end of next and every foll. 7th row until there are 108 (112, 116, 120, 124) sts. Knit straight until 160 rows have been worked. (This gives a sleeve seam of 16 ins. Adjust here if required.)

Shape top

Cast off 6 sts. at beg. of next 2 rows and 3 (4, 4, 5, 6) sts. at beg. of next 2 rows. Dec. 1 st. at each side of next and foll. alt. rows until 52 (54, 54, 54, 56) sts. remain. Knit 1 row. Cast off 3 sts. at beg. of next 8 rows and 4 sts. at beg. of next 2 rows. Cast off remaining 20 (22, 22, 22, 24) sts.

Edging

Unpick odd wool and with plain side of work facing place sts. on machine. Using contrast wool and 1 tension finer knit 9 rows. Knit 1 very loose row. Cast off using chain method.

Front edging

Cast on 7 sts. by hand. Using T3. and pushing in Right Part Button, knit until long enough to go up both fronts and across back neck, stretching slightly. Cast off.

To Make Up

Pin out and press with a hot iron over a damp cloth. Join side, shoulder and sleeve seams. Set in sleeves. Turn

edgings to wrong side and slip-st. down. Sew front edgings in position easing round front neck points. Neaten buttonholes and sew on buttons. Press seams.

Skirt—Back and Front alike

Cast on 152 (160, 166, 174, 182) sts. by hand. Using T finer than main knit 10 rows. 000. Using main tension knit 130 rows. (This gives a finished skirt length of 21 ins. Adjust length here if required.)

Shape hips

Dec. 1 st. at each end of next and every foll. 8th row 4 times in all and then every foll. 6th row until 130 (138, 144, 152, 160) sts. remain. Knit 3 rows.

For ribbers

Transfer alt. sts. to ribber. Using ribbing tension (3/3) knit 9 rows. Knit 1 loose row. Transfer sts. to main bed and cast off using chain method.

Simplicity

Using 2 tensions finer knit 12 rows. Knit 1 loose row. Cast off using chain method.

To Make Up

Pin out and press with a hot iron over a damp cloth. Sew side seams. Cut elastic to fit waist and work a herringbone st. over it to inside of waistband. Turn hem to wrong side and slip-st. in place. Press seams.



Ladies Longline Sweater (with stripe pattern)

Suitable all models

This is an economy design using five colours including the main colour. This garment has been designed in such a way that oddments of 4-ply wool can be used. The materials and stripe pattern state that colours that have been used in the original garment, though the combinations of colours that you actually use can be left to your own discretion.

Materials

- 6½ (7-7½) ozs. 4-ply. Main (camel)
- 3 (3½-4) ozs. 4-ply. (cream)
- ¾ (1-1½) ozs. 4-ply. (white)
- ½ (½-¾) ozs. 4-ply. (navy)
- ½ (½-¾) ozs. 4-ply. (brown)
- 6 inch zip fastener.
- No. 11 crochet hook.

Measurements

- To fit 32 (34-36) ins. bust.
- 34 (36-38) ins. at underarm.
- 25 (25¾-26½) ins. length.
- 7¾ (8-8½) ins. armhole depth.
- 17 (17½-18) ins. sleeve seam.

Tension

7½ sts. and 10 rows to 1 inch over stocking stitch on T6.

Abbreviations

mn., main; T., tension; L.B., lower bed; M.B., main bed; alt., alternate; N., needles; st(s), stitch(es); C.K., set machine for circular knitting; R.K., set machine for rib knitting; K., knit; trans., transfer; pos., position; 000, set row counter to 000; cont., continue; patt., pattern; ffl., trans. the 4th st. to the 5th N, move up the 3 edge sts. to fill space, push back to A pos. the empty edge N; foll., following; inc., increase; dec., decrease; beg., beginning; H.C.L's, holding cam levers; C.O.R., carriage on right; fin., finishing; rem., remaining.

Note

Instructions for the larger sizes are in (), where only 1 figure is given this applies to all sizes.

Stripe Pattern

- K. 10 rows cream.
- * 2 rows white.
- 4 rows cream.
- 6 rows main.
- 2 rows brown.
- 8 rows main.
- 2 rows navy.
- 4 rows cream.
- 2 rows white.
- 14 rows main.
- 2 rows cream.
- 2 rows white.
- 2 rows main.

- 2 rows navy.
- 8 rows cream.
- 2 rows brown.
- 6 rows main.

These 78 rows form the pattern. Repeat them throughout.

Back

*T1. on L.B. and M.B. With mn. cast on over alt. N. automatically 127 (135-143) sts. placing odd st. on right of centre 0. C.K. T2. on L.B. and M.B. K. 4 rows. R.K. K. 36 rows. Trans. L.B. sts. to empty alt. N. in A pos. on M.B. Lower L.B. 000. T6. Cont. in patt. at same time ffl. each end of every foll. 5th row 10 times. 107 (115-123) sts. K. to row 80 Inc. 1 st. each end of the next and then every foll. 8th row 5 times more. 119 (127-135) sts. K. to row 124 (130-136).

Shape Armholes

Cast off 5 (6-7) sts. at beg. of the next 2 rows. 109 (115-121) sts. 000 ffl. each end of every foll. 3rd row 10 times. 89 (95-101) sts. K. to row 42 (46-50) 000*.

Back Opening

Trans. the 1st st. on the right side of centre 0 to 2nd N. Push left 44 (47-50) N. to E pos. H.C.L's to III. Cont. on right sts. inc. 1 st. on next and then every foll. 4th row 7 times more. 52 (55-58) sts. K. to row 36. COR.

Shape Shoulder

Cast off 6 sts. at beg. of the next row and at this same edge every foll. alt. row 3 times more fin. C.O.R. Cast off 4 (6-8) sts. at beg. of the next row. K. 1 row. C.O.R. Cast off rem. 24 (25, 26) sts. H.C.L's to I. Cont. on left sts. to match reversing shapings.

Front

Rep. from * to * as on back. Inc. 1 st. each end of the next and then every foll. 4th row to row 22 fin. C.O.R. 101 (107, 113) sts.

Front Neck

Cast off centre 25 (27, 29) sts. Push left N. to E pos. H.C.L's to III. Inc. as before on right edge twice more, at same time dec. 1 st. on next and every row on neck edge to 28 (30, 32) sts. K. to row 36. C.O.R.

Shape Shoulder

Cast off 6 sts. at beg. of the next row and at this same edge every foll. alt. row 3 times more fin. C.O.R. Cast off rem. 4 (6, 8) sts. H.C.L's to I. Cont. on left sts. to match reversing shapings.

Sleeves

T1. on L.B. and M.B. With mn. cast on over alt. N. automatically 69 (73, 77) sts. placing odd st. on right side of centre 0. C.K. T2. on L.B. and M.B. K. 4 rows. R.K. K. 66 rows. Trans. L.B. sts. to empty alt. N. in A pos. on M.B. Lower L.B. 000. T6. Beg. at * on stripe pattern at beg. of

instructions, at same time inc. 1 st. each end of every foll. 8th row 10 times to 89 (93, 96) sts. K. until the stripes match to armholes on back and front.

Shape Top

Cast off 5 (6, 7) sts. at beg. of the next 2 rows. 79 (81, 83) sts. 000 ffl. each end of every foll. 4th row 4 (5, 6) times fin. C.O.R. (71 sts.) ffl. each end of next and every foll. alt. row to 45 sts. Cast off 3 sts. at beg. of the next 10 rows. Cast off rem. 15 sts.

Neckband

T5. Using M.B. only cast on by hand over every N. with mn. 117 (121, 125) sts. K. 12 rows. T8. K. 1 row for foldline. T5. K. 12 rows. Make double band by placing each loop at cast on edge onto N. in B. pos.

With right side of jumper facing machine and working from right edge of N place the right $\frac{1}{2}$ back neck to first 25 (27, 29) N., side neck onto next 22 N., front neck onto next 25 (27, 29) N., cast off band and neck to this point, place rem. neck edge to rem. N. and cast off.

To Complete

Press work with hot iron over a damp cloth. Join shoulder seams. Sew sleeves into armholes. Sew sleeve and side seams. With hook and mn. work a row of single crochet at back neck opening working through both thicknesses of neckband. Press opening. Sew in zip. Press seams and neckband.



Ladies Mock Rib Cardigan

Materials

18 (19, 20, 21, 22, 23) oz. D.K. wool.

Measurements

To fit bust sizes: 32 (34, 36, 38, 40, 42) ins.
Finished measurement: 34 (36, 38, 40, 42, 44) ins.
Length to shoulder: 21½ (22, 22½, 23, 23½, 24) ins.
Sleeve seam: 17 (17, 17, 17, 17½, 17½) ins.

Tension:

6 sts. and 8 rows = 1 ins. measured over mock rib.

Abbreviations

Sts., stitches; dec., decrease; inc., increase; rep., repeat; foll., following; alt., alternate; T., tension; beg., beginning; 000. set row counter at 000; H.C.L's., holding cam levers.

Notes

Figures in brackets refer to the larger sizes respectively. When casting off make a chain stitch over needles in A position.

Back

Push up 135 (143, 151, 159, 167, 175) needles to B position, and then return alternate needles to A position. * Using contrast wool, knit several rows of waist knitting. T6. Using main wool knit 39 rows. Bring all needles forward to B position. To make hem pick up first row loops in main colour. Place on empty needles. Knit the row. Return every 4th needle to A position *, 102 (108, 114, 120, 126, 132) sts. 000. T8. Knit 94 (96, 98, 100, 102, 104) rows.

Shape Armholes

000. Cast off 12 (13, 14, 15, 16, 17) sts. at beg. of next 2 rows. Knit straight until 58 (60, 62, 64, 66, 68) rows have been worked.

Shape Shoulders

Cast off 6 (6, 6, 7, 7, 7) sts. at beg. of next 6 rows, and 7 (8, 9, 7, 8, 9) sts. at beg. of next 2 rows. Slip remaining 28 (30, 32, 34, 36, 38) stitches onto a knitting needle.

Right Front

Push up 63 (67, 71, 75, 79, 83) sts. to B position, and then return alternate needles to A position. Knit as Back from * to *. 48 (51, 54, 57, 60, 63) sts. 000. T8. Knit 94 (96, 98, 100, 102, 104) rows. Knit 1 extra row for left front.

Shape Armhole

000. Cast off 12 (13, 14, 15, 16, 17) sts. at beg. of next row. Knit straight until 41 (43, 45, 47, 49, 51) rows have been worked.

Shape Neck

Cast off 5 (6, 7, 8, 9, 10) sts. at beg. of next row and decrease 1 st. on every alt. row, 6 times in all, 25 (26, 27, 28, 29, 30) sts. remain. Knit straight until 58 (60, 62, 64, 66, 68) rows have been worked.

Shape Shoulder

Cast off 6 (6, 6, 7, 7, 7) sts. at beg. of next and every alt. row 7 (8, 9, 7, 8, 9) sts. remain. Knit 1 row. Cast off.

Left Front

Knit to match right front, reversing all shapings.

Sleeves

Push up 63 (67, 71, 75, 79, 83) sts. to B position and then return alt. needles to A position. Knit as Back from * to *. 48 (51, 54, 57, 60, 63) sts. 000. T8. Knit 7 rows, Inc. 1 st. at each end of next and every foll. 7th row, 14 times in all, 76 (79, 82, 85, 88, 91) sts. Knit straight until 116 (116, 116, 120, 120, 120) rows have been worked. Adjust length here if required. Mark ends of rows with coloured wool. Knit straight for a further 16 (16, 18, 20, 22, 22) rows.

Shape Top

H.C.L's III. Always winding wool round first needle in E position. Push 4 needles at opposite end to Carriage to E position on next 8 rows and 5 needles on next 6 rows. H.C.L's I. Return needles to B position on next 2 rows. Cast off all stitches.

Button Band

Wrong side facing pick up 155 (159, 163, 167, 171, 175) sts. evenly along front edge. Knit 1 row. Transfer every 4th st. onto adjacent needle, and return empty needle to A position. 000. T8. Knit 24 rows. Cast off.

Buttonhole Band


Mark positions on left front for 6 buttonholes evenly spaced. Knit as for Buttonband making buttonholes over 2 needles to match markers, on rows 6 and 18. Fold bands to wrong side and slip stitch in place.

Neckband

With wrong side facing, replace back neck stitches onto machine as before. Pick up and place on either side 38 (39, 40, 41, 42, 43) stitches from each neckline, keeping continuity of rib. T8. Knit 6 rows, T7. Knit 12 rows, T8. Knit 6 rows. Cast off.

Make Up

Pin out and press with a hot iron over a damp cloth. Join side shoulder and sleeve seams. Sew in sleeves. Fold neckband to wrong side slip stitch in place. Neaten button holes and sew on buttons. Press seams.



Ladies Twin-set

Materials

Jacket

16 (17, 18, 19, 20, 21) ozs. Patons 101 Courtelle Crepe 4-ply equivalent.

Jumper

11 (12, 13, 14, 15, 16) ozs. Patons 101 Courtelle Crepe 6-inch zip fastener. No. 10 crochet hook.

Measurements

To fit 38 (40, 42, 44, 46, 48) ins. Bust.

Jacket

41 (43, 45, 47, 49, 51) ins at underarm from front edge to front edge.

24 (24½, 25, 25½, 26, 26½) ins. length (adjustable).

10½ (11, 11½, 12, 12½, 13) ins. raglan depth.

18 (18¼, 18½, 18¾, 19, 19½) ins. sleeve seam (adjustable).

15 (15½, 16, 16½, 17, 17½) ins. sleeve width.

10 (10¼, 10½, 10¾, 11, 11¼) ins. cuff width.

Jumper

39½ (41½, 43½, 45½, 47½, 49½) ins. at underarm.

23 (23½, 24, 24½, 25, 25½) ins. length (adjustable).

10 (10½, 11, 11½, 12, 12½) ins. raglan depth.

4½ (4¾, 5, 5¼, 5½, 5¾) ins. sleeve seam (adjustable).

14½ (15, 15½, 16, 16½, 17) ins. sleeve width.

12 (12¼, 12½, 12¾, 13, 13½) ins. cuff width.

Tension

6½ sts. and 9 rows to 1 inch over stocking-stitch on T9. *Check your tension very carefully.*

Abbreviations

T., tension; N., needles; st(s), stitch(es); K., knit; pos., position; C.O.R.(L.), carriage on right or left; 000, set row counter to 000; S.D., slide dial; st.-st., stocking-stitch; beg., beginning; ffl., transfer the 2nd st. to the 1st N., move up the edge st. to fill space, push back to A pos. the empty edge N.; ff2., transfer the 2nd and 3rd st. to the 4th N., move up the edge st. to fill space, push back to A pos. the empty edge N.; foll., following; rep., repeat; H.C.L's, holding cam levers; cont., continue; inc., increase; dec., decrease; rem., remaining; alt., alternate; C.O.B.H., cast on by hand over empty N.; M.D.E., make double edge by placing each loop at cast on edge onto N. in B pos.; fin., finishing; tog., together.

Note

Instructions for larger sizes are in (), where there is only 1 figure this applies to all sizes. When casting on place odd st. on right hand side.

Shorten or lengthen by approximately 1 inch by subtracting or adding 8 rows of st.-st., or by ¼ inch by subtracting or adding 4 rows of st.-st. at the stages stated in the instructions. Adjust lengths of backs before commencing raglan armholes and the fronts to the same amount of rows before commencing dart shapings.

Jacket—Back

T6. C.O.B.H. 131 (139, 147, 155, 163, 171) sts. ** K. 12

rows. T8. K. 1 row for foldline. T6. K. 12 rows. M.D.E. T9. K. 1 row C.O.R. * K. 4 rows. 000. S.D. on 1. Work steps 1 to 22 from chart 3 times. (102 rows). With scrap yarn K. about 10 rows. Break yarn and take work off machine. Turn work about and place back onto same N. as before. 000. ** Cont. in st.-st. throughout. K. 34 rows. (Adjust length at this stage is desired). C.O.R.

Shape Raglan Armholes

Cast off 7 (8, 9, 10, 11, 12) sts. at beg. of the next 2 rows. * 117 (123, 129, 135, 141, 147) sts. 000. ffl. each end of every foll. 4th row 6 times. 105 (111, 117, 123, 129, 135) sts. ff2. each end of every foll. 4th row 17 (18, 19, 20, 21, 22) times. 37 (39, 41, 43, 45, 47) sts. K. 2 rows. Cast off.

Left Front

T6. C.O.B.H. 59 (63, 67, 71, 75, 79) sts. Rep. from ** to ** as on back. Cont. in st.-st. throughout. K. 30 rows. (Adjust length at this stage if desired). C.O.R.

Shape Dart

H.C.L's to II. Push to E pos. at opposite end to carriage 20 (20, 25, 25, 30, 30) N., K. 2 rows at same time taking yarn round first N. in E pos. when carriage is on left side. Push 5 N. on inside edge to D pos. every 2 rows, still taking yarn round first inside N. in E pos. when carriage is on left side, until all N. are back to B pos. fin. C.O.R. K. 5 rows on all N.

Shape Raglan Armhole and Neck

Cast off 7 (8, 9, 10, 11, 12) sts. at beg. of next row, K to end. C.O.R. 52 (55, 58, 61, 64, 67) sts. 000. ffl. on right edge for neck on next and then every foll. 11th (10th, 9th, 9th, 8th, 8th) row 8 (9, 10, 11, 12, 13) times more, at same time ffl. on left edge every foll. 4th row 6 times, then ff2 every foll. 4th row 17 (18, 19, 20, 21, 22) times. (3 sts.). K. 2 rows. Fasten off.

Work right front to match reversing shapings.

Sleeves

T6. C.O.B.H. 64 (66, 68, 70, 72, 74) sts. Rep. from ** to * as on back. 000. Cont. in st.-st. throughout at same time inc. 1 st. each end of every foll. 7th (7th, 7th, 6th, 6th) row to 100 (104, 108, 112, 116, 120) sts. K. to row 154 (156, 158, 160, 162, 164). (Adjust length at this stage if desired).

Shape Raglan Top

Cast off 7 (8, 9, 10, 11, 12) sts. at beg. of the next 2 rows. 86 (88, 90, 92, 94, 96) sts. 000. ffl. each end of every foll. 4th row 7 (9, 11, 13, 15, 17) times. 72 (70, 68, 66, 64, 62) sts. ff2. each end of every 4th row 16 (15, 14, 13, 12, 11) times. K. 2 rows. Cast off rem. 8 (10, 12, 14, 16, 18) sts.

Back Neckband

T7. C.O.B.H. 37 (39, 41, 43, 45, 47) sts. * K. 16 rows. T9. K. 1 row for foldline. T7. K. 16 rows. M.D.E. * With right side of back facing machine and working from right edge of N., place cast off edge onto B pos. N. Cast off band and back tog.

Left Frontband

T6. C.O.B.H. 165 (172, 179, 186, 193, 200) Rep. from * to * as on neckband. With right side of machine and working from right edge of N. place edge evenly from hem to first dec. on neck onto first 96, 98, 100, 102) N., at same time placing double thicknesses of hem onto N., place neck edge evenly to next 67, 71, 74, 77, 80) N., with right side of sleeve facing machine. Cast off edge to rem. 8 (10, 12, 14, 16, 18) N. Cast front and sleeve tog. Work band for right front to match reversing positions of sleeve and front.

Jumper—Back

T6. C.O.B.H. 115 (123, 131, 139, 147, 155) sts. Rep. from ** to * as on jacket back. K. 4 rows. 000. S.D. 1. Work steps 1 to 22. from chart once only. (34 rows). Back yarn. With scrap yarn K. about 10 rows and take work off machine. Turn work about and place back onto same N. as before. 000. Cont. in st.-st. throughout. K. 16 rows. 1 st. each end of the next and then every foll. 16th row 3 times more. 123 (131, 139, 147, 155, 163) sts. * K. to row 80 (Adjust length at this stage if desired). C.O.R.

Shape Raglan Armholes

*** Cast off 6 (7, 8, 9, 10, 11) sts. at beg. of the next 2 rows. 111 (117, 123, 129, 135, 141) sts. 000. ffl. each end of every foll. 4th row 6 times. 99 (105, 111, 117, 123, 129) sts. *** ff2. each end of every foll. 4th row 7 (8, 9, 10, 11, 12) times. 71 (73, 77, 79, 81) sts.

Back Opening

H.C.L.'s to III. Push left 35 (36, 37, 38, 39, 40) N. to E pos. Cont. on right N. still, ff2. as before every 4th row 9 times more. 18 (19, 20, 21, 22, 23) sts. K. 2 rows. Cast off. H.C.L.'s to I. Cont. on left sts. to match reversing shapings to 17 (18, 19, 20, 21, 22) sts. K. 2 rows. Cast off.

Front

Rep. from * to * as on jumper back. K. to row 76. (Adjust length at this stage if desired). C.O.R.

Shape Darts

H.C.L.'s to II ** Push to E pos. at opposite end of carriage 20 (20, 25, 25, 30, 30) N., K. 1 row at same time taking yarn round first inside N. in E pos. when carriage is on left side. Rep. from ** once more fin. with C.O.R. Push 5 N. on inside edge to D pos. every row until all N. are back to B pos. fin. C.O.R. at same time still taking yarn round first inside N. in E pos. every row. K. 4 rows.

Shape Raglan Armholes

Rep. from *** to *** as on back. 99 (105, 111, 117, 123, 129) sts. ff2. each end of every foll. 4th row 13 (14, 15, 16, 17, 18) times. 47 (49, 51, 53, 55, 57) sts. C.O.R.

Shape Front Neck

With odd length of yarn cast off centre 17 (19, 21, 23, 25, 27) sts. H.C.L.'s to III. Push left 15 N. to E pos. Cont. on


right N. dec. 1 st. every alt. row on neck edge 6 times, at same time still ff2. every 4th row on raglan 3 times more. (3 sts.). K. 2 rows. Fasten off. H.C.L.'s to I. Cont. on left N. to match reversing shapings.

Sleeves

T6. C.O.B.H. 76 (78, 80, 82, 84, 86) sts. Rep. from ** to * as on jacket back. 000. Cont. in st.-st. throughout. Inc. 1 st. each end of every alt. row 10 (11, 12, 13, 14, 15) times. 96 (100, 104, 108, 112, 116) sts. K. to row 40 (42, 44, 46, 48, 50). (Adjust length at this stage if desired).

Shape Raglan Top

Cast off 6 (7, 8, 9, 10, 11) sts. at beg. of the next 2 rows. 84 (86, 88, 90, 92, 94) sts. 000. ffl. each end of every foll. 4th row 6 (8, 10, 12, 14, 16) times. 72 (70, 68, 66, 64, 62) sts. ff2. each end of every foll. 4th row 16 (15, 14, 13, 12, 11) times. 8 (10, 12, 14, 16, 18) sts. K. 2 rows. Cast off.





Neckband

T6. C.O.B.H. 80 (88, 96, 104, 112, 120) sts. K. 12 rows. T8. K. 1 row for foldline. T6. K. 12 rows. M.D.E. Press jumper, join raglan seams. With right side of jumper facing machine and working from right edge of N. place right back neck to first 17 (18, 19, 20, 21, 22) N., right sleeve to next 8 (10, 12, 14, 16, 18) N., front side neck to next 6 N., front neck to next 17 (19, 21, 23, 25, 27) N., cast off band and neck to this point, place rest of neck to rem. N. to correspond and cast off to end.

To Complete

On jacket press front, back, sleeves and bands. Join raglan seams. Join band at side neck. Join band ends. Sew sleeve and side seams. Press seams. On jumper sew sleeve and side seams. With hook work a row of single crochet at back opening edges. Sew in zip. Press seams and opening.

Ladies Short Sleeve Outsize Cardigan

Materials

13 (14, 15, 16) balls Robin Tricel/Nylon Perle.
5 buttons.

Measurements

To fit 36 (38, 40, 42) inch Bust.
38 (40, 42, 44) inches at Underarm.
22 (22½, 22½, 22½) inches Length.
4½ (4½, 5, 5½) inches Sleeve Seam.
7½ (7½, 8, 8½) inches Armhole Depth.

Tension

8 sts. and 11 rows to 1 inch.

Abbreviations

T., tension; N., needle(s); K., knit; st(s), stitch(es); pos., position; C.O.R.(L), carriage on right or left; 000, set row counter to 000; S.D., slide dial; cont., continue; foll., following; patt., pattern; rep., repeat; inc., increase; beg., beginning; rem., remaining; ffl, transfer the 4th st. to the 5th N, move up the 3 edge sts. to fill space, push back empty edge N to A pos.; alt., alternate; fin., finishing; tog., together; B.Y., break yarn; H.C.L's, holding cam levers; dec., decrease.

Note

Instructions for larger sizes are in(), where only one figure is given this applies to all sizes.

Back

T5. Cast on by hand over every N. 141 (149, 157, 165) sts. placing odd st. on right hand side. * K. 12 rows. T10. K. 1 row for foldline. T5. K. 12 rows. Make double hem by placing each cast on st. onto N. in B pos. T6. K. 1 row. C.O.R. ** K. 2 rows. 000. * S.D. on 2 (6, 2, 6).

Working from chart cont. in foll. patt. Work steps 1 to 16 twice (32 rows). Rep. steps 11 to 16 four times more (56 rows). Work steps 17 to 20 once only (60 rows). K. to row 78. 000. Inc. 1 st. each end of next and every foll. 10th row to 153 (161, 169, 177) sts. K. to row 60. C.O.R.

Shape Armholes

Cast off 7 (8, 9, 10) sts. at beg. of the next 2 rows. 139 (145, 151, 157) sts. 000. ffl. each end of every foll. 3rd row to 115 (121, 127, 133) sts. K. to row 80 (84, 88, 92).

Shape Shoulders

Cast off 7 (7, 8, 8) sts. at beg. of the next 8 rows, then cast off 7 (9, 7, 9) sts. at beg. of the next 2 rows. Cast off rem. 45 (47, 49, 51) sts.

Left Front

** T5. Cast on by hand over every N. 69 (73, 77, 81) sts. placing odd st. on right hand side. Rep. from * to * as on back ** S.D. on 6 (4, 2, 8).

Work the 60 rows of patt. to match back. K. to row 78. 000. Inc. 1 st. on left edge on next and every foll. 10th row to 75 (79, 83, 87) sts. K. to row 56. C.O.R.

Shape Dart

H.C.L's to II. Push to E pos. at opposite end to carriage, 25 (30, 35, 40) N.

K. 2 rows at same time taking yarn round first inside N. in E pos. when carriage is on left side. Push 5 N. back to D pos. every 2 rows, still taking yarn round first inside N. in E pos. when carriage is on left side, until all N. are back to B pos. fin. C.O.R. Set row counter to 56. K. to row 59.

Shape Armhole and Neck

Cast off 7 (8, 9, 10) sts. at beg. of the next row, K. to end. C.O.R. 68 (71, 74, 77) sts. 000.

ffl. every foll. 3rd row on armhole edge until 12 sts. have been dec. from beg., at same time ffl. on next and every foll. 3rd row on right edge for neck till 35 (37, 39, 41) sts. rem. K. to row 81 (85, 89, 93). fin. C.O.L.

Shape Shoulder

Cast off 7 (7, 8, 8) sts. at beg. of the next row and at this same edge every alt. row 3 times more, fin. C.O.L. Cast off rem. 7 (9, 7, 9) sts.

Right Front

Rep. from ** to ** as on left front. S.D. on 6 (8, 2, 4). Cont. with this front to match other, reversing shapings.

Sleeves

T5. Cast on by hand over every N. 89 (93, 97, 101) sts.



Jones

-the knitting machine people

Jones Sewing Machine Co. Ltd.,
Britannia House, 964 High Road, Finchley,
London N.12.