

# Stitchin' Time

No.31 40p



Jones/brother

# contents

Ladies Fair Isle Tank Tops	3-4
Man's Polo Neck Jumper	5-6
Boy's Fair Isle Jumper	6-8
Outsize Lacy Twinset	8-11
Man's Woven Zipped Jacket	12-13
Knee Length Dress	14-15
Classic V neck Jumper	16-17
Tiny Tots Jumpers	18-20
Man's Casual Car Coat	21-23
Babies Jacket, Jumper and Trousers	23-26
Ladies Jumper in LENEN KNOP yarn	28-29
Man's Jumper and Waistcoat	30-32
Lacy Sleeve Jumper	34-35

## broadly speaking

In this issue of "Stitchin' Time" we are taking a big step forward towards giving everyone more patterns. In the past some of the garments featured could only have been knitted on specific machines. From now on, wherever possible, we are going to try and make each garment applicable to as many models as possible. The illustration of the garment will always be knitted on the very latest machine, the KNIT-O-MATIC, but the nearest stitch approximating to it on the other models will be given at the end of each pattern. In some instances the stitch pattern will differ quite markedly, but in most instances will just be a smaller version of the one shown in the main photograph.

To save space with the large number of charts which would be required, we are going to always use patterns from the stitch pattern books which most of our readers already possess. For those of you who do not possess these extremely useful books, there are pictures and details on page 27.

By omitting charts we are going to be able to publish at least two or three more patterns per issue which will obviously be of benefit to you.

There have been many unavoidable increases in production costs including the cost of paper, printing, postage, etc., and as we do not wish to cut down the size of the magazine we have to pass these increases on to you, so the magazine will now cost £1.80 for the year's subscription. An individual magazine will retail at 40p, but the back numbers which we have available at the moment will obviously remain at their original cover price. For those who wish to purchase back numbers, here are the editions in stock . . .

No. 26 - 35p

No. 27 - 35p

No. 29/30 - 70p (Double Issue)

"Stitchin' Time" will now appeal to a much wider audience, including owners of other makes of knitting machines, so that we should receive many more subscriptions. This could mean in fact that if the level of subscriptions rises as we hope, we may even be able to increase the number of pages in the magazine and give you even better value for money. So if you have a friend who owns another type of knitting machine show her the magazine, she may appreciate you're informing her of a new and continuous avenue of good machine knitting patterns.

N.B. CHARTS SUBMITTED BY DESIGNERS VARY DEPENDING ON WHICH MACHINE THE DESIGNER HAS USED. MOST PATTERNS USING EIGHT BUTTONS CAN BE DONE ON EITHER THE 588 OR THE 585. THE DIFFERENCES ARE

588	585
REVERSE LEVER+	REVERSE DIAL A
REVERSE LEVER-	REVERSE DIAL B

**SUBSCRIPTION RATES FOR U.S.A. AND CANADIAN MEMBERS \$7.00.**

These rates include postage.

# ladies fair-isle tank tops



Two ladies' tops in jacquard pattern featuring cap-sleeve.

## Materials

### Style A

10 (11, 12) × 20g. balls of main colour.

5 (5, 6) × 20g. balls of contrast colour.

### Style B

7 (7, 8) × 20g. balls of colour A.  
3 balls each of colours B and C.

Lister 2 spun on Lee Target Duo  
Tricel/Nylon 4 ply crepe.

### Measurements

To fit 32 (34, 36) in. bust.

### Style A

Length from back neck 22 (23, 23) ins.

### Style B

Length from back neck 20 (20½, 20) ins.

### Tensions

**820 m/cs**

### Style A

7 sts. × 10½ Rs. = 1 inch on T.8 over jacq.

### Style B

7 sts. × 10½ Rs. = 1 inch on T.7 over jacq.

### Both styles

7 sts. × 10½ Rs. = 1 inch on T.9 over st. st.

### Style A

Fairisle pattern No. 93 from 820 pattern book.

### Style B

Fairisle pattern No. 28 from pattern book.

### 800 m/cs.

Fairisle pattern No. 140 T.7.

Fairisle pattern No. 510 T.7.

Stocking stitch knitted on T.6.

### 588 m/cs.

Fairisle pattern A No. 630

7 sts. × 10½ Rs. = 1 inch on T.8.

Fairisle pattern B. No. 593

7 sts. × 10½ Rs. = 1 inch on T.8.

St. st. knitted on T.8.

## STYLE A

### BACK

**Step 1.** In main colour. C.O.B.H. 121 (127, 133) sts. T. 7. K. 24. T. 9. K. 1. T. 7. K. 24. M.D.E. C.O.L. Set m/c for patt. T. 8. K. 1. C.O.R. 000.

**Step 2.** Change to contrast colour in main feeder. Start jacq. Dec. 1 st. on each edge ev. 5 Rs. 11 times. K. to 58 Rs. C.O.R. 000.

**Step 3.** Inc. 1 st. on each edge ev. 8 Rs. 9 times. K. to 74 Rs.

**Step 4.** C/O 9 sts. at beg. next 2 Rs. C.O.R. 000.

**Step 5.** Dec. 1 st. on each edge ev. 3 Rs. 10 times. To 30 Rs. C.O.R. 000.

**Step 6.** K. 44 (48, 52) Rs. straight. C.O.R. 000.

**Step 7.** H.P. \* Push 5 (6, 6) Ns. to E. pos. at opp. end to carr. on next 2 (6, 2) Rs. Then 6 (7, 7) Ns. to E. pos. on next 6 (2, 6) Rs. Return Ns. on Lt. to D. pos. K. 1. Return Ns. on Rt. to D. pos. K. 1. Thread-up back neck sts. C/O shoulders.

### FRONT


As for back to end of Step 4.

**Step 5.** Thread-up sts. to Lt. of centre and take off m/c. H.P. (Note No. of R. on punch-card).


### FRONT NECK

Dec. centre st. to Rt. Dec. 1 st. on neck ev. 5 Rs. 16 (17, 18) times.

At the same time work armhole shaping as for back.



**Step 7.** K. 1. C.O.L. H.P. \* Push 5 (6, 6) Ns. to E. pos. at opp. end to carr. ev. alt. R. 1 (3, 1) times. Then 6 (7, 7) Ns. to E. pos. 3 (1, 3) times. Return Ns. to D. pos. K. 1. C/O. Replace Lt. thread-up sts. onto m/c to Lt. of centre and set for patt. Knit front neck as before, reversing all shapings.



### SLEEVES


**Step 1.** In main colour C.O.B.H. 91 (95, 99) sts. T. 7. Inc. 1 st. on each edge ev. alt. R. 5 times. T. 9. K. 1. T. 7. Dec. 1 st. on each edge ev. alt. R. 5 times. (21 Rs. in all). M.D.E. T. 9. K. 1. C.O.R. \* H.P. \* Push 6 Ns. to E. pos. at opp. end to carr. on next 10 Rs. Return Ns. on Lt. to D. pos. K. 1. Return Ns. on Rt. to D. pos. K. 1. C.O.R. 000.

**Step 2.** Dec. 1 st. on each edge ev. 3 Rs. 6 times. K. to 20 Rs.

**Step 3.** C/O 9 sts. at beg. next 2 Rs. C.O.R. 000.

**Step 4.** Dec. 1 st. on each edge ev. 6 Rs. 7 (8, 9) times. K. to 46 (50, 54) Rs. C.O.R. 000.

**Step 5.** H.P. \* Push 2 Ns. to E. pos. at opp. end to carr. on next 12 Rs. Then 1 N. to E. pos. on next 4 Rs. Return Ns. on Lt. to D. pos. K. 1. Return Ns. on Rt. to D. pos. K. 1. C/O to end. \*



### STYLE B BACK

**Step 1.** In colour B Cast on 98 (106, 110) sts. as 2 × 2 rib. T. 1/1. K. 4 Rs. Tub. T. 3/3. K. 4 Rs. rib. Change to colour A. K. 4 Rs. Change to colour C. K. 4 Rs. Repeat stripe-sequence to 59 Rs. of 2 × 2 rib. Trans. Ns. to M.B. C.O.L. In colour A. T. 7. Set m/c for jacq. K. 1. C.O.R. 000. Inc. or dec. to 99 (105, 111) sts. Start jacq. Cont. as for Style A to end.

### FRONT

Knit rib as for back. Cont. to end as for Style A.

### SLEEVES

**Step 1.** In colour B. Cast on 98 (102, 106) sts. as 2 × 2 rib. \* T. 1/1. K. 4 Rs. Tub. T. 3/3. K. 2 Rs. rib. Change to colour A. K. 4 Rs. Change to colour C. K. 4 Rs. \* **At the same time:** Dec. 1 st. on each edge ev. 3 Rs. 3 times. Trans. Ns. to M.B. Dec. 1 st. C.O.R. 000. Change to colour A. T. 9. Cont. to end of sleeve as for Style A from \* to \*.

### TO MAKE UP

Press all pieces. Join shoulders. Sew tops of sleeves into armholes. Press seams. Join side and sleeve seams.

### STYLE A—NECKBAND

In main colour C.O.B.H. 165 (171, 177) sts. T. 7. Dec. 1 st. on each edge ev. alt. R. 7 times. T. 9. K. 1. T. 7. Inc. 1 st. ev. alt. R. 7 times. M.D.E.

### STYLE B—NECKBAND


In colour B. Cast on 154 (162, 166) sts. as 2 × 2 rib. Knit as for sleeve rib as \* to \*. **At the same time:** Inc. 1 st. on each edge ev. alt. R. 5 times. Trans. Ns. to M.B. Inc. or dec. to 165 (171, 177) sts.

### BOTH STYLES


With Rt. side of work facing m/c., place side neck to 66 (68, 70) sts. Back neck to 33 (35, 37) sts. and Side neck to Rem. sts. C/O in main colour of bodice. Join mitre at front. Press all seams and band.




▲ 588 : STITCH PATTERN 630



▲ 588 : STITCH PATTERN 593



▲ 800 : STITCH PATTERN 510



▲ 800 : STITCH PATTERN 140

# man's polo neck jumper

Man's Jumper in tuck stitch featuring polo-neck.

## Materials

19 (20, 21, 22, 23) X 25g. balls of Robin Vogue 4 ply.

## Measurements

To fit 34 (36, 38, 40, 42) in. chest. Length from back neck. 24 (24½, 24½, 24¾, 25) ins.

Sleeve seams. 17½ (18, 18, 18½, 18½) ins.

## Tensions

6½ sts. × 14 rows = 1 inch on T. 7 over tuck pattern on 820 M/c.


20 Rs. = 1 inch on T. 5/5 over Fisherman's rib. on 820 M/c.

## Pattern.

820 M/c. Tuck pattern No. 349 from pattern book.

800 M/c. Tuck pattern No. 43 from 800 pattern book.

588 M/c. Tuck pattern No. 439 from 588 pattern book.



## BACK

**Step 1.** Cast on 111 (119, 127, 135, 143) sts. as 1 × 1 rib.

\*K. selvedge. T. 5/5. K. 55 Rs. of Fisherman's rib. (see Ribber Manual). Trans. Ns. to M.B. Set M/c. for jacq. T. 6. K. 1 R. plain. C.O.R. 000\*.

**Step 2.** Start jacq. T. 7. K. 168 Rs. straight.

**Step 3.** C/O 5 (6, 7, 8, 9) sts. at beg. next 2 Rs. C.O.R. 000.

**Step 4.** Dec. 1 st. on each edge ev. 4 Rs. 10 times to 40 Rs. C.O.R. 000.

**Step 5.** K. 70 (74, 78, 82, 86) Rs. straight. C.O.R. 000.

**Step 6.** Thread-up centre 15 (17, 19, 21, 23) sts. and take off M/c. Push Ns. on Lt. to E. pos. H.P. Dec. 1 st. on neck edge ev. R. 11 times.

**At the same time:** \* K. 1. C.O.L. H.P. \* Push 3 (4, 4, 4, 5) Ns. to E. pos.


on Rt. edge ev. alt. R. 2 (2, 4, 2, 2) times. Then push 4 (4, 5, 5, 5) Ns. to E. pos. ev. alt. R. 4 (4, 2, 4, 4) times. Return Ns. on Rt. to D. pos. K. 1. C/O shoulder.\* Return Ns. on Lt. to B. pos. and set for jacq. Repeat neck decs. and shoulder shaping as before,

reversing shapings.

## FRONT

Knit as for back up to Step 5.

**Step 5.** After 38 (40, 44, 48, 52) Rs. Thread-up centre 15 (17, 19, 21, 23) sts. and take off M/c. Push Ns. on Lt. to E. pos. H.P. Dec. 1 st. on neck





# boy's fair-isle


edge ev. 3 Rs. 11 times. K. to 70 (74, 78, 82, 86) Rs. C.O.R. 000.

**Step 6.** Work shoulder as \* to \* of back, Step 6.

Return Ns. on Lt. to B. pos. and set for jacq. Repeat neck decs. and shoulder shapings as before, reversing shapings.



▲ 588 : STITCH PATTERN 439



▲ 800 : STITCH PATTERN 43

## SLEEVES

**Step 1.** Cast on 51 (55, 59, 63, 67) sts. as 1 × 1 rib. Knit as \* to \* of back.

**Step 2.** Inc. 1 st. on each edge ev. 12 (13, 13, 13, 13) Rs. 16 times. K. to 204 (210, 210, 216, 216) Rs.

**Step 3.** As for back.

**Step 4.** Dec. 1 st. on each edge ev. 4 Rs. 14 (15, 16, 17, 18) times. K. to 56 (60, 64, 68, 72) Rs. C.O.R. 000.

**Step 5.** H.P. \* Push 2 Ns. to E. pos. at opp. end to carr. on next 12 Rs. Return Ns. on Lt. to D. pos. K. 1. Return Ns. on Rt. to D. pos. K. 1. C/O. Repeat.

## TO MAKE UP

Press all pieces. Join shoulders. Sew tops of sleeves into armholes. Press seams. Join side and sleeve seams.

## POLO-NECK

Cast on 111 (119, 127, 135, 143) sts. as 1 × 1 rib. K. selvedge. T. 5/5. K. 150 Rs. of Fisherman's rib. Trans. Ns. to M.B.

With right side of work facing M/c., place back neck to 15 (17, 19, 21, 23) sts. side neck to 40 (42, 44, 46, 48) sts. C/O up to this point. Place front neck to 15 (17, 19, 21, 23) sts. and side neck to Rem. sts. C/O to end. Join neck seam. Press all seams. Fold polo-over and secure in place.

Boy's Jumper in jacquard pattern with plain sleeves.

## Materials

8 (9, 10, 11) ozs. of colour A. Templetons nylonised 4 ply.  
5 (6, 7, 8) ozs. of colour B. Templetons nylonised 4 ply.

## Measurements

To fit 28 (30, 32, 34) in. chest.  
Finished Measurements 29 (31, 33, 35) ins.  
Sleeve seam 14 1/2 (15 1/2, 16 1/2, 17 1/2) ins.  
Length from back neck 19 1/2 (20, 21, 21 1/2) ins.


## Tensions

7 1/2 sts. × 9 rows = 1 inch on T. 9. over jacquard.  
7 1/2 sts. × 12 rows = 1 inch on T. 7. over st. st.

## Pattern

**820 M/cs.** Fair Isle pattern No. 44 from pattern book.

**800 M/cs.** Fair Isle pattern No. 533 from 800 pattern book.



## BACK

**Step 1. Ribbers.** In colour A. Cast on 109 (117, 125, 133) sts. as 1 × 1 rib. Knit selvedge. T. 5/5. Slide-lever on l. K. 25 Rs. rib. Trans. Ns. to M.B.

**Single-Bed M/cs.** In W.wl. Cast onto 109 (117, 125, 133) sts. K. a few Rs. Change to colour A. Trans. ev. alt. N. to Rt. Push empty Ns. back to A. pos. T. 5. K. 26. T. 7. K. 1. T. 5. K. 26 Rs. M.D.E. Unravel W.wl. C.O.L. Set m/c for jacq. T. 7. K. 1 R. st. st. C.O.R. 000.

**Step 2.** Start jacq. T. 9. K. 90 (90, 96, 96) Rs. straight.

**Step 3.** C/O 8 (9, 10, 11) sts. at beg. next 2 Rs. C.O.R. 000.

**Step 4.** Dec. 1 st. on each edge ev. 3 Rs. 10 times. To 30 Rs. C.O.R. 000.

**Step 5.** K. 32 (36, 40, 44) Rs. straight. C.O.R. 000.

# jumper

**Step 6.** H.P. \* Push 5 (6, 6, 7) Ns. to E. pos. at opp. end to carr. on next 6 (2, 6, 2) Rs. Then 4 (5, 5, 6) Ns. to E. pos. on next 2 (6, 2, 6) Rs. Return Ns. on Lt. to D. pos. K. 1. Return Ns. on Rt. to D. pos. K. 1. Thread-up back neck sts. C/O shoulders.

## FRONT

As for back to end of Step 4.


**Step 5.** K. 20 (24, 24, 28) Rs. to front neck.

## Front neck

Thread-up centre 19 (21, 23, 25) sts. and take off m/c. H.P. Push Ns. on Lt. to E. pos. On Rt. neck dec. 1 st. ev. alt. R. 8 times. After 32 (36, 40 44) Rs.

**Step 6.** K. 1. C.O.L. Push 5 (6, 6, 7) Ns. to E. pos. on Rt. edge ev. alt. R. 3 (1, 3, 1) times. Then push 4 (5, 5, 6) Ns. to E. pos. 1 (3, 1, 3) times. C.O.L. Return Ns. on Rt. to D. pos. K. 1. C/O.

Return Lt. Ns. to B. pos. and set for jacq. K. as for Rt. neck reversing all shapings.



## SLEEVES

**Step 1. Ribbers.** Cast on in colour B. 57 (59, 61, 63) sts. as 1 × 1 rib. Knit selvedge. T. 5/5. Slide lever on l. K. 24 Rs. Trans. Ns. to M.B. C.O.R. 000.

**Single-Bed M/cs.** With W.wl. Cas. onto 57 (59, 61, 63) sts. K. a few Rs. Change to colour B. T. 5. K. 26 Rs. T. 7. K. 1. T. 5. K. 26 Rs. M.D.E. Unravel W.wl. T. 7. K. 1. C.O.R. 000.

**Step 2.** Change to colour A. T. 7. Inc. 1 st. on each edge ev. 13 (12, 11, 10) Rs. 11 (13, 15, 17) times. K. to 148 (160, 172, 184) Rs.

**Step 3.** As for back.



# outsized lace

place  $\frac{1}{2}$  front neck to 9 (10, 11, 12) sts., place side neck to next 25 (25, 29, 29) sts., C/O up to this point. Place back neck to 35 (37, 39, 41) sts., side neck to 24 (24, 28, 28) sts. and front neck to Rem. sts. C/O to end.

**Single-Bed M/cs.** With W.wl. Cast onto 103 (107, 119, 123) sts. K. a few Rs. Trans. ev. alt. N. to Rt. Push empty Ns. back to A. pos. Change to colour B. T. 5. K. 14. T. 7. K. 1. T. 5. K. 14 Rs. M.D.E. Unravel W.wl.

With Rt. side of work facing m/c, place, Lt. side neck to 25 (25, 29, 29) sts. place front neck to 19 (21, 23, 25) sts., C/O up to this point. Place side neck to 24 (24, 28, 29) sts. and back neck to 35 (37, 39, 41) sts. C/O to end. Join band ends. Press all seams and collar.

**Step 4.** Dec. 1 st. on each edge ev. 4 Rs. 11 (12, 13, 14) times. To 44 (48, 52, 56) Rs. C.O.R. 000.

**Step 5.** H.P. \* Push 3 Ns. to E. pos. at opp. end to carr. on next 8 Rs. Return Ns. on Lt. to D. pos. K. 1. Return Ns. on Rt. to D. pos. K. 1. C/O.

## TO MAKE UP

Press all pieces. Join shoulders. Sew tops of sleeves into armholes. Press seams. Join side and sleeve seams.

## COLLAR

**Ribbers.** In colour B. Cast on 103 (107, 119, 123) sts. as 1 x 1 rib. Knit selvedge. T. 5/5. Slide-lever on l. K. 50 (50, 58, 58) Rs. 1 x 1 rib. Trans. Ns. to M.B. T.R. 92 (4)

With Rt. side of work facing m/c,

*continued on page 11.*



▲ 588 : STITCH PATTERN 158



▲ 800 : STITCH PATTERN 533

Ladies' (outsized) cardigan in lace pattern, worn with short sleeved top, featuring isolated lace design up front and cowl neck.

## Materials

### Cardigan

12 (13, 14, 15) 25g. balls of Templeton's H & O Shetland fleece 4 ply.

6 small buttons.

### Top

8 (9, 10, 11) 25g. balls of Templeton's H & O Shetland fleece, 4 ply.

## MEASUREMENTS

To fit 34 (36, 38, 40) in. bust.

### Cardigan

Finished measurements 35 (37, 39, 41) in. bust.

Length from back neck 25 (25 $\frac{1}{2}$ , 25 $\frac{1}{2}$ , 25 $\frac{3}{4}$ ) ins.

Sleeve seam 17 $\frac{1}{2}$  (17 $\frac{1}{2}$ , 18, 18) ins.

### Top

Length from back neck 20 $\frac{1}{2}$  (20 $\frac{3}{4}$ , 21, 21 $\frac{1}{2}$ ) ins.

## TENSIONS

6 $\frac{1}{2}$  sts. x 10 Rs. = 1 in. on T7.

## PATTERNS

### 820 m/c


Cardigan in lace pattern No. 229. Top in lace pattern No. 179 from punch card pattern book.

### 800 m/c

Cardigan in lace pattern No. 721. Top in lace pattern No. 730 from 800 pattern book.

## Note:

For sewing up garments, use stronger 4 ply wool of similar colour.



## CARDIGAN

### BACK

**Step 1.** C.O.B.H. 115 (121, 127, 133) sts. \*T.6. K. 26 Rs. T.8. K. 1. T.6. K. 26 Rs. M.D.E. T.7. Set m/c for patt. K. 1. C.O.R. 000.\*

**Step 2.** Start patt. K. 110 Rs. straight.





**Step 3.** C/O 7 (8, 9, 10) sts. at beg. next 2 Rs. C.O.R. 000.

**Step 4.** Dec. 1 st. on each edge ev. 3 Rs. 9 times. K. to 28 Rs. C.O.R. 000.

**Step 5.** K. 52 (54, 56, 58) Rs. straight. C.O.R. 000.

**Step 6.** C/O 5 sts. at beg. ev. R. 8 times. Then C/O 4 (5, 6, 7) sts. at beg. next 2 Rs. C.O.R. Thread-up Rem. Back neck sts. and take off.

### RIGHT FRONT

1 st. to Lt. of centre, Rem. to Rt.

**Step 1.** C.O.B.H. 55 (57, 59, 61) sts. As for back to end of Step 2.

**Step 3.** C/O 7 (8, 9, 10) sts. on Rt. edge. K. 2 Rs. C.O.R. 000.


**Step 4.** On Lt. edge, mark edge st. with contrast coloured Wl. Dec. this st. Then dec. 1 st. on Lt. edge ev. 5 Rs. 4 (2, 0, 0) times. Then ev. 6 Rs. 10 (12, 14, 14) times.

**At the same time:** Work armhole as for back.

**Step 6.** C/O 5 sts. on Rt. edge ev. alt. R. 4 times. Then 4 (5, 6, 7) sts. once.

### LEFT FRONT

2 sts. to Rt. of centre, Rem. to Lt. K. as for Right front, reversing all shapings.



### SLEEVES

**Step 1.** C.O.B.H. 47 (51, 55, 59) sts. K. as \* to \* of back.

**Step 2.** Start patt. Inc. 1 st. on each edge Ev. 8 Rs. 18 times. K. to 150 (150, 156, 156) Rs.

**Step 3.** As for back.

**Step 4.** Dec. 1 st. on each edge Ev. 4 Rs. 4 (6, 8, 10) times. Then Ev. 3 Rs. 10 (8, 6, 4) times. To 46 (48, 50, 52) Rs. C.O.R. 000.

**Step 5.** C/O 3 sts. at beg. Ev. R. 10 times. C/O Rem. 11 (13, 15, 17) sts.

**TO MAKE UP**

Press all pieces. Join shoulders. Sew tops of sleeves into armholes. Press seams. Join side and sleeve seams.

**FRONT BANDS**

C.O.B.H. 159 (161, 165, 167) sts. T. 5. K. 7 Rs.

**BUTTONHOLES**

Starting from Lt. edge, trans. the 4th st. to Lt. and the 5th st. to Rt. Miss 13 sts. Trans. the next st. to Lt. and the next to Rt. Cont. in this way making 6 buttonholes in all.

K. 7 Rs. T. 7. K. 1. Make picot edge by trans. Ev. alt. st. to Rt. T. 5. K. 7 Rs.

Make buttonholes as before. K. 8 Rs. M.D.E.

With Rt. side of work facing M/c., place  $\frac{1}{2}$  back neck to first 18 (19, 20 21) sts. Place side neck to next 61 (62, 65, 66) sts. Place front to 67 sts. and hem edge (both thicknesses) to last 13 sts. C/O to end. Repeat band omitting buttonholes. Place Lt. front to sts. and C/O.

Join bands at back neck. Press all seams and bands. Sew on buttons.

**TOP BACK**

**Step 1.** C.O.B.H. 93 (99, 105, 111) sts. \*T. 6. K. 20 Rs. T. 8. K. 1. Make picot edge by trans. ev. alt. st. to Rt. T. 6. K. 21 Rs. M.D.E.\*


**Step 2.** T. 7. Inc. 1 st. on each edge ev. 10 Rs., 9 times. K. to 100 Rs.

**Steps 3 and 4.** As for Cardigan back.

**Step 5.** K. 48 (50, 52, 54) Rs. straight. C.O.R. 000.

**Step 6.** Thread-up 19 (21, 23, 25) sts. at centre m/c and take off. H.P. Push Ns. on Lt. to E. pos.

**Right Shoulder.** On neck edge dec. 1 st. ev. R. 8 times. **At the same time,** on Rt. edge C/O 5 sts. ev. alt. R. 4 times. Then C/O 2 (3, 4, 5) sts. Return Ns. on Lt. to D. pos. K. as for Rt. shoulder reversing **all** shapings.



**FRONT**

**Step 1.** As for back from \* to \*. Break-off Y. Place carr. on Lt. Set m/c for patt. T. 7. K. 1. C.O.R. 000.

**Step 2.** Start patt. To isolate centre lace-panel, return by hand selected Ns. to B. pos. to Rt. and Lt. of centre 24 Ns. on ev. row.

K. as for back, at the same time: **Darts.** After 90 Rs. After working lace patt., \*H.P.\* Push 6 Ns. to E. pos. at opp. end to carr. on next 2 Rs. C.O.R. With W.wl. Knit Ns. on Lt. edge and on Rt. by hand and return Ns. to A. pos.\* Work next lace patt. Repeat from \* to \* 3 (4, 5, 6) times more. Return Ns. to B. pos. and unravel W. wl. C.O.R. 090. K. to 100 Rs.

**Steps 3 and 4** as for back.

**Step 5** as for back. After 30 (32, 34, 36) Rs. **Front Neck.** Thread-up 17 (19, 21, 23) sts. at centre of m/c and take off. Push Ns. on Lt. to E. pos. H.P. On Rt. neck edge Dec. 1 st. ev. alt. R. 9 times.

**Step 6. Shoulder.** C/O 5 sts. on Rt. edge ev. alt. R. 4 times. Then C/O 2 (3, 4, 5) sts. Return Ns. on Lt. to D. pos. Repeat front neck and shoulder shaping, reversing **all** shapings.



# abbreviations

This list of abbreviations can be cut out and glued to a piece of thick card or board. It can then be moved to whichever part of a pattern you are working on to save you constantly referring to the beginning.



M.B.	main bed	Ev.	every
st.st.	stocking stitch	Lt.	left
sts.	stitches	Rt.	right
beg.	beginning	Rs.	rows
dec.	decrease	jacq.	jacquard
inc.	increase	C/O	cast off
alt.	alternate		
trans.	transfer		
opp.	opposite		
carr.	carriage		
S.D.	side dial		
W. W1.	waste wool		
M. Ml.	main wool		
M/c(s).	machine(s)		
pos.	position		
000	set counter at 000		
fol.	following		
T.	tension		
K.	knit		
M.D.E.	make double edge		
Ns.	needles		
COL(R)	carriage on left (right)		
patr.	pattern		
rem.	remaining		
H.P.	holding cam lever(s) on holding position		
H.P.+	holding cam lever(s) on holding position and always take yarn around inside needle in E position		
C.O.B.H.	cast on by hand		
in(s).	inch(es)		
oz(s).	ounce(s)		
tub.	tubular		
p.b.	part button		
f.f.	fully fashioned		




*continued from page 8.*

place  $\frac{1}{2}$  front neck to 9 (10, 11, 12) sts., place side neck to next 25 (25, 29, 29) sts., C/O up to this point. Place back neck to 35 (37, 39, 41) sts., side neck to 24 (24, 28, 28) sts. and front neck to Rem. sts. C/O to end.

**Single-Bed M/cs.** With W.wl. Cast onto 103 (107, 119, 123) sts. K. a few Rs. Trans. ev. alt. N. to Rt. Push empty Ns. back to A. pos. Change to colour B. T. 5. K. 14. T. 7. K. 1. T. 5. K. 14 Rs. M.D.E. Unravel W.wl.

With Rt. side of work facing m/c, place, Lt. side neck to 25 (25, 29, 29) sts. place front neck to 19 (21, 23, 25) sts., C/O up to this point. Place side neck to 24 (24, 28, 29) sts. and back neck to 35 (37, 39, 41) sts. C/O to end. Join band ends. Press all seams and collar.



## SLEEVES

**Step 1.** C.O.B.H. 77 (81, 85, 89) sts. K. as \* to \* of back. C.O.R. 000.

**Step 2.** T. 7. K. 20 Rs. straight.

**Step 3.** As for back.

**Step 4.** Dec. 1 st. on each edge ev. 5 Rs. 2 (4, 6, 8) times. Then ev. 4 Rs. 9 (7, 5, 3) times. To 46 (48, 50, 52) Rs. C.O.R. 000.

**Step 5.** H.P. \* Push 3 Ns. to E. pos. at opp. end to carr. on next 10 Rs. Return Ns. on Lt. to D. pos. K. 1. Return Ns. on Rt. to D. pos. K. 1. C/O.

## TOP TO MAKE UP

Press all pieces. Join shoulders. Sew tops of sleeves into armholes. Press seams. Join side and sleeve seams. Press.


## COLLAR

C.O.B.H. 157 (162, 167, 172) sts. T. 5. K. 6. T. 7. K. 1. Make picot edge. T. 5. K. 7. M.D.E.

T. 7. K. 20 Rs. straight. H.P. \* Push 7 Ns. to E. pos. at opp. end to carr. on next 10 Rs. Return Ns. on Lt. to D. pos. K. 1. Return Ns. on Rt. to D. pos. K. 1. C.O.R. With W.wl. K. a few Rs. Take collar off m/c.

With purl side of collar facing m/c., replace onto Ns., doubling-up on centre 17 (19, 21, 23) sts., and doubling-up on ev. alt. N. to Lt. and Rt. of centre sts., to 106 (109, 112, 115) sts. in all.

With wrong side of top facing m/c, place  $\frac{1}{2}$  Back neck to 19 (20, 21, 22) sts., place side neck to next 35 sts., C/O up to this point. Place front neck to 17 (19, 21, 23) sts., and rest of neck to Rem. sts. C/O to end. Join back collar seam. Press.



▲ 588 : STITCH PATTERN 754



▲ 800 : STITCH PATTERN 730

# man's woven zipped jacket

## Materials

17 (18, 19, 20, 21) 25g. balls of Robin Roulette Double Knitting.  
8 (9, 9, 10, 10) 25g. balls of Robin Vogue 4 ply.  
16 in. open ended zip.

## Measurements

To fit 34 (36, 38, 40, 42) in. chest.  
Finished measurements 36 (38, 40, 42, 44) in. chest.  
Sleeve seam 17½ (17½, 18, 18, 18½) ins.  
Length from back neck 24½ (24¾, 25, 25¼, 25½) ins.


## Tensions

8 sts. × 9½ Rs. = 1 in. on T.7/7. over 2 × 2 rib. Yarn feeder on ▼ (½).  
6 sts. × 10 Rs. = 1 in. on T.8. over weave pattern. Yarn feeder on\*.

## Pattern

**820 m/c.** Weaving thread pattern No. 277 from 820 book.

**800 m/c.** Weaving thread pattern No. 313 from 800 book.



## BACK

**Step 1.** In 4 ply. C.O.B.H. 109 (115, 121, 127, 133) sts. T. 6. K. 17 Rs. C.O.L. Set M/c. for weave patt. K. 1. C.O.R. 000.

**Step 2.** T. 8. Start patt. K. 150 Rs. straight.

**Step 3.** C/O 6 sts. at beg. next 2 Rs. C.O.R. 000.

**Step 4.** Dec. 1 st. on each edge ev. 3 Rs. 10 times to 30 Rs. C.O.R. 000.

**Step 5.** K. 56 (58, 60, 62, 64) Rs. straight. C.O.R. 000.

**Step 6.** H.P. \* Push 5 Ns. to E. pos. at opp. end to carr. on next 6 Rs. Then 2 (3, 4, 5, 6) Ns. to E. pos. on next 4 Rs. Return Ns. on Lt. to D. pos. K. 1. Return Ns. on Rt. to D. pos. K. 1. Thread-up back neck sts. C/O shoulders.

## LEFT FRONT

Start 1 st. to Lt. of centre, rest to Rt.

**Step 1.** In 4 ply. C.O.B.H. 51 (55, 57, 61, 63) sts. Knit as for back to end of Step 2.

**Step 3.** C/O 6 sts. on Rt. edge. K. 2 Rs. C.O.R. 000.


**Step 4.** K. armhole shaping as for back. **At the same time:** After 10 Rs. On neck edge, mark edge st. with contrast coloured Wl. Dec. this st. Then dec. 1 st. on neck edge ev. 4 Rs. 0 (7, 5, 13, 11) times. Then ev. 5 Rs. 15 (10, 12, 6, 8) times.

**Step 6.** K. 1. C.O.L. H.P. \* Push 5 Ns. to E. pos. on Rt. edge ev. alt. R. 3 times. Then 2 (3, 4, 5, 6) Ns. to E. pos. twice. Return Ns. to D. pos. K. 1. C/O.

## RIGHT FRONT

Start 2 sts. to Rt. of centre, rest to Lt.

Knit as for left front, reversing all shapings.



## SLEEVES

**Step 1.** In D.K. Cast on 70 (74, 78, 82, 86) sts. as 2 × 2 rib. T. 3/3. K. selvedge. C.O.R.

T. 7/7. In 2 × 2 rib. Inc. 1 st. on each edge ev. 9 Rs. 18 times. K. to 164 (164, 170, 170, 176) Rs.

**Step 2.** C/O 6 sts. at beg. next 2 Rs. C.O.R. 000.

**Step 3.** Dec. 1 st. on each edge ev. 3 Rs. 8 times, then ev. 2 Rs. 12 (13, 14, 15, 16) times. K. to 48 (50, 52, 54, 56) Rs. C.O.R. 000.

**Step 4.** H.P. \* Push 4 Ns. to E. pos. at opp. end to carr. on next 2 Rs. Then 3 Ns. to E. pos. on next 8 Rs. Return Ns. on Lt. to D. pos. K. 1.

Return Ns. on Rt. to D. pos. K. 1. C/O to end.

## TO MAKE UP

Press all pieces. Join shoulders. Sew tops of sleeves into armholes. Press seams. Join side and sleeve seams.

## FRONT BANDS

In D.K. Cast on 174 (176, 178, 180, 182) sts. as 2 × 2 rib. T. 3/3. K. selvedge. T. 7/7. K. 4 Rs. 2 × 2 rib. Trans. Ns. to M.B.

With Rt. side of work facing M/c., place ½ back neck to first 20 (21, 22, 23, 24) Ns. Place side neck to 56 (57, 58, 59, 60) Ns. and front to 98 Ns. Fold back hem and place onto Ns. C/O to end in 4 ply. Repeat band. Place front to first 98 Ns. etc. and C/O. Fold back hem and sl.st. in place. Press all seams and bands.


## COLLAR

In D.K. Cast on 166 (168, 170, 172, 174) sts. as 2 × 2 rib.

T. 3/3. K. selvedge. T. 7/7. In 2 × 2 rib. Dec. 1 st. on each edge ev. 4 Rs. 9 times. **At the same time:** After 32 Rs. Push 104 (106, 108, 110, 112) Ns. on Lt. edge to E. pos. H.P. \* K. 2 Rs. Push 9 Ns. to E. pos. on Lt. edge ev. alt. R. 5 times. Push all Ns. to E. pos. Move carr. to Lt. side of M/c. Return 46 Ns. to D. pos. on Lt. edge. K. 2 Rs. Push 9 Ns. to E. pos. on Rt. edge ev. alt. R. 5 times. Return Ns. that are in E. pos. to D. pos. K. 1. Trans. Ns. to M.B. C/O to end. Press collar. Pin in pos. around neck and sl. st. in place. Sew in zip.

▼ 588 : STITCH PATTERN 959





# knee-length dress

## Materials

40 (42, 44, 46) 20g. balls of Lister Euro Spun Terylene double knitting. 5 gold coloured buttons and belt buckle.

## Measurements

To fit 32 (34, 36, 38) in. bust.  
Length from back neck  $38\frac{1}{4}$  ( $39\frac{1}{2}$ ,  $40\frac{3}{4}$ , 41) ins.  
Sleeve seams 17 ( $17\frac{1}{2}$ ,  $17\frac{1}{2}$ , 18) ins.

## Tensions

### 820 m/c


6 sts.  $\times$  13 Rs. = 1 in. on T. 8. over patt. No. 362 from book (yarn feeder on —, loosest T.).

### 588 m/c

Patt. No. 427 from pattern book knitted on T.  $9\frac{1}{3}$ . (yarn feeder —).

### 800 m/c

Patt. No. 437 from Cassette pattern book on T. 7. (yarn feeder —1).



## BACK

**Step 1.** C.O.B.H. 157 (163, 169, 175) sts. T. 7. K. 13 Rs. T. 8. K. 1. T. 7. K. 13 Rs. M.D.E. Set m/c for patt. T. 8. K. 1. C.O.R. Start patt. H.P. \* Push 4 Ns. to E. pos. at opp. end to carr. on next 18 Rs. Return Ns. on Lt. back to D. pos. K. 1. Return Ns. on Rt. to D. pos. K. 1. C.O.R. 000.

**Step 2.** Dec. 1 st. on each edge ev. 7 (8, 8, 8) Rs. 32 (2, 8, 14) times. Then ev. 6 (7, 7, 7) Rs. 4 (34, 28, 22) times. K. to 248 (254, 260, 266) Rs. C.O.R. 000.

**Step 3.** K. 26 Rs. straight. (lengthen or shorten here). C.O.R. 000.

**Step 4.** Inc. 1 st. on each edge at 000. Then ev. 12 (13, 14, 15) Rs. 6 times. K. to 78 (84, 90, 96) Rs.

**Step 5.** C/O 5 sts. at beg. next 2 Rs. C.O.R. 000.

**Step 6.** Dec. 1 st. on each edge ev. 4 Rs. 10 times. To 40 Rs. C.O.R. 000.

**Step 7.** K. 54 (58, 62, 66) Rs. straight. C.O.R. 000.

**Step 8.** H.P. \* Push 4 (4, 4, 5) Ns. to E. pos. at opp. end to carr. on next 2 (6, 10, 2) Rs. Then 3 (3, 3, 4) Ns. to E. pos. on next 10 (6, 2, 10) Rs. Return Ns. on Lt. to D. pos. K. 1. Return Ns. on Rt. to D. pos. K. 1. C/O shoulders and back neck.

## FRONT

As for back to end of Step 1.


**Step 2.** Shape side seams as for back.

**At the same time:** After 176 (182, 188, 194) Rs. C/O 15 sts. at centre of work. Thread-up Rem. sts. on Lt. side of m/c and take off. Cont. to end of Step 6, shaping on Rt. edge only.

**Step 7.** After 38 (40, 42, 44) Rs. Dec. 1 st. on neck edge ev. alt. R. 8 (9, 10, 11) times to 54 (58, 62, 66) Rs. C.O.R. 000.



**Step 8.** K. 1. C.O.L. H.P. \* Push 4 (4, 4, 5) Ns. to E. pos. on Rt. edge ev. alt. R. 1 (3, 5, 1) times. Then 3 (3, 3, 4) Ns. to E. pos. on next 5 (3, 1, 5) times. Return Ns. to D. pos. K. 1. C/O. Return Lt. Ns. to m/c, (starting the 8th N. to Lt. of centre), and set Ns. for patt. Repeat as for Rt. front, reversing all shaping.



### SLEEVES

**Step 1.** With W.wl. Cast onto 67 (71, 75, 79) sts. K. a few Rs. C.O.L. Change to M.wl. Set m/c for patt. (Row 6 (1, 48, 52) on punch-card). C.O.R. 000. Start patt. K. 198 (204, 204, 210) Rs. straight.

**Step 2.** C/O 5 sts. at beg. next 2 Rs. C.O.R. 000.

**Step 3.** Dec. 1 st. on each edge ev. 8 (7, 7, 6) Rs. 2 (6,2,9) times. Then ev. 7 (6, 6, 5) Rs. 6 (3, 8, 2) times. To 58 (60, 62, 64) Rs. C.O.R. 000.

**Step 4.** H.P. \* Push 2 Ns. to E. pos. at opp. end to carr. on next 12 Rs. Return Ns. on Lt. to D. pos. K. 1. Return Ns. on Rt. to D. pos. K. 1. C/O to end. Press sleeves.

### CUFFS

With W.wl. Cast onto 47 (47, 50, 50) sts. K. a few Rs. Trans. ev. 3rd N. to Rt. Push empty Ns. back to A. pos. Change to M.wl. T. 5. K. 24. T. 7. K. 1. T. 5. K. 24 Rs. M.D.E. Remove W.wl. With Rt. side of sleeve facing m/c, place sts. onto Ns. (doubling-up on some sts.) and C/O to end. Repeat. Press.

### TO MAKE UP

Press front and back.

### FRONT BANDS

With W.wl. Cast onto 133 (138, 144, 150) sts. K. a few Rs. Trans. ev. 3rd st. to Rt. Push empty Ns. back to A. pos. Change to M.wl. T. 5. K. 15 Rs. **Buttonholes** \* With contrast Wl. Starting the 23 (24, 26, 27) th N. in from Lt. edge. By hand K. next 6 sts. Leave space of 19 (20, 21, 22) Ns. between holes and repeat. Make 5 holes in all. (Leaving 4 (4, 4, 5) Ns. on Rt. edge) \* T. 5. K. 16 Rs. T. 7. K. 1. T. 5. K. 16 Rs. Make B'holes as \* to \*. T. 5. K. 15 Rs. M.D.E. Unravel W.wl. With Rt. side of work facing m/c place right front evenly onto Ns, (starting 1 st. in from Lt. edge) and C/O to end. Repeat band omitting buttonholes and place Lt. front onto Ns. and C/O. Finish B'holes. Join shoulders. Sew tops of sleeves into armholes. Press seams. Join side and sleeve seams.

### COLLAR



With W.wl. Cast onto 125 (131, 137, 143) sts. K. a few Rs. Trans. ev. 3rd st. to Rt. Push empty Ns. back to A. pos. Change to M.wl. T. 5. K. 42 Rs. \* H.P. \* Push 44 Ns. to E. pos. at opp. end to carr. on next 2 Rs. Return 3 Ns. (that are in E. pos.) to D. pos. at

opp. end to carr. on next 10 Rs. Return Ns. on Lt. to D. pos. K. 1. Return Ns. on Rt. to D. pos. K. 1.\* C.O.R. T. 7. K. 1. T. 5. Repeat from \* to \*. K. 42 Rs. M.D.E. Unravel W.wl. C/O. Press collar. Finish off side seams.

Pin around neck starting at centre of Rt. neck band and finishing at centre of Lt. neck band. Sl. st. in place. Finish off each end of front bands. Join lower end of Rt. band to C/O edge of front. On wrong side catch down Lt. band. Press all seams and bands. Sew on buttons.

### BELT

With W.wl. Cast onto 200 Ns. K. a few Rs. Trans. ev. 3rd st. to Rt. Push empty Ns. back to A. pos. Change to M.wl. T. 5. Dec. 1 st. on Rt. edge ev. alt. R. 6 times. T. 7. K. 1. T. 5. Inc. 1 st. on Rt. edge ev. alt. R. 6 times. Then dec. 1 st. ev. alt. R. 6 times. T. 7. K. 1. T. 5. Inc. 1 st. ev. alt. R. 6 times (48 Rs. in all). M.D.E. Unravel W.wl. C/O to end. Press belt flat along loose Rs. Finish off ends. Sew straight edge to buckle. Work 2 belt-loops in single chain st. and insert into side seams at waist.



# classic v-neck jumper

Man's classic 'V' neck Jumper knitted to fit outside featuring lace-like pattern.

## Materials

20 (21, 22, 23) 25g. balls of nylonised 4 ply by Argyll Wools.

## Measurements

To fit 36 (38, 40, 42) in. chest.  
Finished measurement 37 (39, 41, 43) ins.

Sleeve seam 18 (18, 18½, 18½) ins.  
Length from back neck 24¼ (24½, 25¾, 26) ins.

## Tensions

6½ sts. × 14 Rs. = 1 in. on T. 9. over lace-like pattern.

13 Rs. = 1 in. over 2 × 2 rib.

## 820 M/c


Lace-like pattern No. 433 from pattern book.

## 800 M/c

Lace-like pattern No. 477 from pattern book.

## 588 M/c

Lace-like pattern No. 531 from pattern book.




## BACK

### Step 1. Ribbers

Cast on 122 (126, 134, 138) sts. as 2 × 2 rib. \*(Tens. as for ribber manual). K. 31 Rs. rib. Trans. Ns. to M.B.\*

**Single-Bed M/cs.** With W.wl. Cast onto 122 (128, 134, 140) sts. \*K. a few Rs. Trans. ev. 3rd N. to Rt. Push empty Ns. back to A. pos. Change to M.wl. T. 6. K. 30 Rs. T. 8. K. 1. T. 6. K. 30 Rs. M.D.E. Unravel W.wl.\* Inc. or Dec. 1 st. to 121 (127, 133, 139) sts. Set m/c for patt. T. 7. K. 1. C.O.R. 000.

**Step 2.** T. 9. Start patt. K. 162 (162, 174, 174) Rs. straight.





**Step 3.** C/O 7 (8, 9, 10) sts. at beg. next 2 Rs. C.O.R. 000.

**Step 4.** Dec. 1 st. on each edge ev. 5 Rs. 9 times. K. to 46 Rs. C.O.R. 000

**Step 5.** K. 82 (86, 90, 94) Rs. straight. C.O.R. 000.


**Step 6.** H.P. \* Push 4 (5, 6, 7) Ns. to E. pos. at opp. end to carr. on next 2 Rs. Then push 4 Ns. to E. pos. on next 10 Rs. Return Ns. on Lt. to D. pos. K. 1. Return Ns. on Rt. to D. pos. K. 1. Thread-up Back Neck sts. C/O shoulders.

### FRONT

As for back to end of Step 3.

**Step 4.** Dec. centre st. to Rt. Thread-up sts. to Lt. of centre and take off m/c. At the same time as working armhole shaping: on neck edge dec. 1 st. ev. 6 Rs. 12 (15, 18, 21) times. Then ev. 7 Rs. 8 (6, 4, 2) times.

**Step 6.** K. 1. Push 4 (5, 6, 7) Ns. to E. pos. on Rt. edge ev. alt. R. once. The push 4 Ns. to E. pos. 4 times. Return Ns. on Rt. to D. pos. K. 1. C/O. Replace Lt. front onto m/c to Lt. of centre and set for patt. Cont. as before, reversing shapings.



### SLEEVES

#### Step 1. Ribbers

Cast on 54 (58, 62, 66) sts. as 2 × 2 rib. K. as \* to \* of back.

**Single-Bed M/cs.** With W.wl. Cast onto 53 (56, 62, 65) sts. K. as \* to \* of back. Inc. or dec. sts. to 53 (57, 61, 65) sts. Set m/c for patt. T. 7. K. 1. C.O.R. 000.

**Step 2.** T. 9. Start patt. Inc. 1 st. on each edge ev. 12 (12, 13, 13) Rs. 17 times. K. to 216 (216, 224, 224) Rs.

**Step 3.** As for back.

**Step 4.** Dec. 1 st. on each edge ev. 5 Rs. 2 (6, 10, 14) times. Then ev.

4 Rs. 12 (8, 4, 0) times. K. to 58 (62, 66, 70) Rs. C.O.R. 000.

**Step 5.** H.P. \* Push 2 Ns. to E. pos. at opp. end to carr. on next 12 Rs. Return Ns. on Lt. to D. pos. K. 1. Return Ns. on Rt. to D. pos. K. 1. C/O.

### TO MAKE UP

Press all pieces. Join shoulders. Sew tops of sleeves into armholes. Press seams. Join side and sleeve seams.

### NECKBAND

**Ribbers.** Cast on 104 (106, 110, 112) sts. as 2 × 2 rib. (Tens. as for ribber manual). Inc. 1 st. on Lt. edge ev. alt. R. 8 times. (16 Rs. of 2 × 2 rib in all.) Trans. Ns. to M.B.

With right side of work facing m/c, place the left side neck to 91 (92, 95, 96) sts. and ½ Back neck to 21 (22, 23, 24) sts. C/O to end. Repeat band making inc. on Rt. side only. Place



right neck to 92 (93, 96, 97) sts. and ½ back neck to 20 (21, 22, 23) sts. C/O.

**Single-Bed M/cs.** With W.wl. cast onto 97 (100, 103, 106) sts. K. a few Rs. Change to M.wl. Trans. ev. 3rd N. to Rt. and push empty Ns. back to A. pos. T. 5. Dec. 1 st. on Left edge ev. alt. R. 9 times. T. 7. K. 1. T. 5. Inc. 1 st. on Lt. edge ev. alt. R. 9 times. (To 37 Rs. M.D.E. Unravel W.wl.)

With right side of work facing m/c place left neck to 76 (78, 80, 82) sts. and ½ back neck to 21 (22, 23, 24) sts. C/O to end.

Repeat band making shaping on Rt. side only. Place right neck to 77 (79, 81, 83) sts. and ½ back neck to 20 (21, 22, 23) sts. C/O.

Join bands at back neck. Press all seams and bands.



# tiny tots jumpers

Two Tots Jumpers. Style A, featuring one point pattern on front and striped sleeves. Style B, featuring stripes and bambi pattern on bodices.

## Materials

### Style A

Hayfield beaulon 4 ply fingering.  
3 (3, 3) 25g. balls of colour A.  
2 (2, 2) 25g. balls of colour B.  
1 (1, 1) 25g. balls of colour C.

### Style B

Hayfield beaulon 4 ply fingering.  
3 (3, 3) 25g. balls of colour A.  
2 (2, 2) 25g. balls of colour B.  
1 (1, 1) 25g. balls of colour C.

## Measurements

To fit 18 (20, 22) in. chest.  
Finished measurements 19 (21, 23)  
ins.

Sleeve seams 7 (7½, 8) ins.

Length from back neck 11¼ (11¾,  
12¼) ins.

## Tensions

6½ sts. × 10½ Rs. = 1 in. on T. 8.  
over st. st.

## Pattern

### 820 m/c

#### Style A

One point pattern No. 131 from 820  
book.

#### Style B

Fair Isle pattern No. 94 from 820  
book.

### 800 m/c

#### Style A

From chart.

#### Style B

Fair Isle pattern No. 121 from 800  
book.


### 588 m/c

#### Style A

Chart for intarsia T. 8.

#### Style B

Chart for intarsia on T. 8.



## BACK

**Step 1.** In colour B. C.O.B.H. 61 (67, 73) sts. \* T. 6. K. 17. T. 8. K. 1. T. 6. K. 17. M.D.E. Change to colour A. T. 8. K. 1. C.O.R. 000.\*

**Step 2.** K. 64 (66, 68) Rs. straight.  
**For Style B only.** \*After 12 (14, 16)



Rs. Change to colour C. K. 4 Rs. Change to B. K. 4 Rs. \* Change to A. K. 48 Rs. Change to C. K. 4 Rs. Change to B. K. 4 Rs. Cont'd to end in colour A.

**Step 3.** C/O 3 sts. at beg. next 2 Rs. C.O.R. 000.

**Step 4.** Dec. 1 st. on each edge ev. 4 Rs. 4 times to 16 Rs. C.O.R. 000.

**Back opening.** C/O 5 sts. at centre of m/c, and push Ns. to Lt. of centre to E. pos. H.P. cont. rt. back.

**Step 5.** K. 16 (20, 24) Rs. straight. C.O.R. 000.

**Step 6.** K. 1. C.O.L. H.P. \* Push 5 (6, 6) Ns. to E. pos. at opp. end to carr. ev. alt. R. 3 (1, 1) times. Then 4 (5, 6) Ns. to E. pos. ev. alt. R. 1 (2, 2) times. Return Ns. on rt. to D. pos. K. 1. C/O shoulder and thread up back neck sts. Return Ns. on Lt. to B. pos. Repeat from Step 5, reversing all shapings.



## FRONT

As for back to end of Step 4.

**At the same time for Style A** after 15 (17, 19) Rs. set m/c for patt. K. 1. C.O.R. Start patt.

**For Style B.** As for back from \* to \*. In colour A. K. 3 Rs. Set m/c for patt. K. 1. C.O.R. Start patt. K. 40 Rs. In colour A K. 4 Rs. Change to C. K. 4 Rs. Change to B. K. 4 Rs. Cont.\* to end in colour A.

**Step 5.** After 12 (16, 20) Rs. Thread up centre 13 (15, 17) sts. and take off m/c. H.P. Push Ns. on Lt. to E. pos. On Rt. neck dec. 1 st. ev. 3 Rs. 3 times. After 16 (20, 24) Rs. C.O.R. 000.

**Step 6.** K. 1. C.O.L. H.P. \* Push 5 (6, 6) Ns. to E. pos. on Rt. edge ev. alt. R. 2 (1, 1) times. Then 4 (5, 6) Ns. to E. pos. 1 (2, 2) times. Return Ns. to D. pos. K. 1. C/O.

Return Ns. on Lt. to B. pos. and K. neck and shoulder as before, reversing shaping.

## SLEEVES

**Step 1.** In colour B. C.O.B.H. 36 (38, 40) sts. K. as \* to \* of back.

**Step 2.** Inc. 1 st. on each edge ev. 7 (7, 8) Rs. 8 times. K. to 58 (62, 66) Rs.

**At the same time. For Style A.** Colour A. K. 4 Rs. Colour C. K. 4 Rs. Colour B. K. 4 Rs. \* Repeat from \* to \* to end of sleeve.


**For Style B.** \* Colour A. K. 4 Rs. Colour C. K. 4 Rs. Colour B. K. 4 Rs.\* Cont. in colour A. to end of Step 3. K. 2 Rs. Change to colour C. K. 4 Rs. Change to B. K. 4 Rs. Cont. to end in colour A.

**Step 3.** As for back.

**Step 4.** Dec. 1 st. on each edge ev. alt. R. 8 (9, 10) times to 16 (18, 20) Rs. C.O.R. 000.

**Step 5.** C/O 4 sts. at beg. of next 4 Rs. Then C/O 3 sts. at beg. next 2 Rs. C.O.R. 000.

**Step 6.** K. 28 (30, 32) Rs. straight. C/O rem. 8 sts.



## TO MAKE UP

Press all pieces. Join sleeves to armholes, matching tops of sleeves to shoulders. Press seams. Join side and sleeve seams.

## NECKBAND

In colour B. C.O.B.H. 57 (61, 65) sts. T. 6. K. 8. T. 8. K. 1. T. 6. K. 8. M.D.E. With Rt. side of work facing M/c, and starting 1 st. in from each edge place  $\frac{1}{2}$  back neck to 7 (8, 9) sts., place side neck to 14 sts., and front neck to 13 (15, 17) sts. C/O up to this point. Place side neck to 14 sts. and  $\frac{1}{2}$  back neck to 7 (8, 9) sts. C/O to end in colour A.

## BACK OPENING BANDS

### BUTTON BAND

In colour B. C.O.B.H. 23 (25, 27) sts. T. 6. K. 6.

## BUTTONHOLES




Starting from Lt. edge. Trans. the 5th st. to Lt. and the 6th st. to Rt. Leave space of 5 (6, 7) sts. Trans. the next st. to Lt. and the next st. to Rt. Leave space of 5 (6, 7) sts. Trans. the next to Lt. and the next to Rt. Leaving 3 sts. on Rt. edge. K. 6 Rs. T. 8. K. 1. T. 6. K. 6. Make buttonholes as before. K. 6. M.D.E. With Rt. side of work facing M/c., place Lt. back opening edge onto Ns. starting 1 st. in from Lt. edge. C/O in colour A. Repeat band omitting buttonholes. Place Rt. back opening onto Ns., starting 1 st. in from Rt. edge and C/O in colour A. Sl. st. lower edge of buttonhole band to C/O edge on back bodice. Finish ends of bands at neck. Press all seams and bands. Sew on buttons.

40	x	x					x	x	x	
39	x	x							x	x
38	x	x								x
37	x	x					x	x	x	x
36	x	x					x	x	x	x
35	x	x					x	x	x	x
34	x	x					x	x	x	x
33	x	x					x	x	x	x
32	x	x					x	x	x	x
31	x	x					x	x	x	x
30									x	x
29										x
28	x	x	x	x	x	x	x	x	x	x
27	x	x	x	x	x	x	x	x	x	x
26	x	x	O	O	O	O	x	x		
25	O	O	O	O	O	O	O	x		
24	O	O	O	x	x	O	O	x		
23	O	O	x	x	x	O	x			
22	O	O	x	x	x	x	x			
21	O	O	O	x	x	x	x			
20	x	O	O	O	x	x	x	x		
19	x	x	O	O	O	x	x	x		
18	x	x	x	O	O	O	x	x		
17	x	x	x	x	O	O	O	x		
16	O	O	O	O	O	O	O	x		
15	O	O	O	O	O	O	O	x		
14	x	x	x	x	x	x	x	x		
13	x	x	x	x	x	x	x	x		
12	x							x	x	x
11									x	x
10							x	x		x
9							x	x	x	x
8	x						x	x	x	x
7	x	x							x	x
6	x						x	x	x	x
5	x						x	x	x	x
4							x	x	x	x
3							x	x		x
2									x	x
1	x								x	x
STEPS	1	2	3	4	5	6	7	8		

K.H. 588 MACHINE

These 40 R's = Patt

x = Colour A  
 ■ = Colour B  
 O = Colour C



T.R. 93 Style A

■ = Colour A  
 x = Colour B  
 o = Colour C

▲ INTARSIA CHART FOR MACHINES OTHER THAN 820.

NOTE:  
 123 CHART AND KNITTING SAMPLE FOR 588 MACHINE IS AN ALTERNATIVE DESIGN FOR THE BAMBI MOTIVE USED IN MAIN PHOTOGRAPH

# man's casual car coat

Man's casual coat in woven herring-bone pattern. Features double breasted front and shawl collar.

### Materials

25 (26, 27, 28) 25g balls of Robin Vogue 4 ply wool.

17 (18, 19, 20) 25g balls of Robin Vogue Double-Knitting.

6 large buttons (approx. 1 inch across)  
4 smaller buttons. 2 shoulder pads.  
(If desired).

### Measurements

To fit 36 (38, 40, 42) ins. chest.

Finished Measurements: 38 (40, 42, 44) ins.

Length from top of back neck. 30½ (31, 32½, 32½) ins.

Inside sleeve measurement. 17½ (18, 18, 18½) ins.

### Tensions

6½ sts. × 11 rows =  
1 inch on T.7 over weave stitch.

7½ sts. × 11½ rows =  
1 inch on T.6 over st. st.

588 M/cs. over pattern from graph.



### Abbreviations

D.K. = Double-knitting.

**Note.** When knitting weave-pattern, always push each edge needle to C. pos.

820 M/cs.—Woven pattern No. 290 from pattern book. Knitted on T.6  
St. st. knitted on T.6.

800 M/cs.—Woven pattern taken from graph. Knitted on T.7.



### JACKET BACK

**Step 1.** In 4 ply. C.O.B.H. 137 (143, 149, 155) sts. \*T.5. K.23Rs. Set M/c. for patt. T.7. K.I. C.O.R.000.\*

**Step 2.** (Start weave patt.) Dec. 1 st. on each edge Ev. 11.Rs. 2 (2, 8, 8) times. Then Ev. 10Rs. 11 (11, 5, 5) times. To 132 (132, 138, 138) Rs. C.O.R.000.

**Step 3.** K.24Rs. straight. Lengthen or shorten here. C.O.R.000.

**Step 4.** Inc. 1 st. on each edge at 000. Then Inc. 1 st. Ev. 12 (12, 13, 13) Rs. 6 times K. to 76 (76, 82, 82) Rs.

**Step 5.** C/O 5 (6, 7, 8) sts. at beg. next 2 Rs. C.O.R.000.

**Step 6.** Dec. 1 st. on each edge Ev. 6 Rs. 7 times to 42 Rs. C.O.R.000.

**Step 7.** K. 56 (58, 60, 62) Rs. straight. C.O.R.000.

**Step 8.** H.P.\* Push 6 Ns. to E pos. at opp. end to carr. on next 8 Rs. Then 5 (6, 7, 8) Ns. to E pos. on next 2 Rs. Return Ns. on Lt. to D pos. K.I. Return Ns. on Rt. to D pos. K.I. C/O to end and take off M/c.

**Pocket Opening.** H.P. Push 45Ns. to E pos. on Lt. edge. Cont. knitting right piece to end of Step 3 (see back). Push Ns. on Rt. to E pos. Return Ns. on Lt. to B pos. and set for weave. C.O.R. 090 (90, 96, 96) Rs. Cont. straight to 120 (120, 126, 126) Rs. \*Push 8 Ns. to E pos. on Lt. edge. K. 12 Rs. Return 8 Ns. to B pos. on Lt. and set for weave. Push all Rem. Ns. on Rt. to E pos. K. 12 Rs. \*C.O.R.000. Return 37 Ns. on Lt. to B pos. (45 Ns. in B pos. in all) and set for weave. K. as for back Step 3.

**Step 4.** Return Rt. Ns. to B pos. and set for weave. K. as for back making Incs. on Rt. edge only. After 8 (8, 10, 10) Rs. make buttonhole as \* to \* of Step 2. Return all Ns. to B pos. and set for weave. C.O.R. 020 (020, 022, 022) Rs. Cont. knitting for 32 (32, 34, 34) Rs. Repeat B'hole as before. C.O.R. 064 (064, 068, 068). K. to 76 (76, 82, 82) Rs.

**Step 5.** C/O 5 (6, 7, 8) sts. on Rt. edge. K. 2 Rs. C.O.R.000.

**Step 6.** Make decs. on Rt. edge only as for back. **At the same time:** on Lt. edge dec. 1 st. Ev. R. 12 (14, 16, 18) times. Then Ev. alt. R. 15 (14, 13, 12) times. To 42 Rs. C.O.R. 000.

**Step 7.** On Lt. edge Dec. 1 st. Ev. 4 (4, 5, 5) Rs. 4 (2, 12, 10) times. Then Ev. 5 (5, 0, 6) Rs. 8 (10, 0, 2) times. To 56 (58, 60, 62) Rs. C.O.R. 000.

**Step 8.** K. 1. C.O.L. H.P.\* Push 6 Ns. to E pos. on Rt. edge Ev. alt. R. 4 times. Then 5 (6, 7, 8) Ns. to E pos. K. 2 Rs. C.O.L. Return Ns. to D pos. K. 1 C/O.

**RIGHT FRONT.** Slide-dial on 8. Cast on to Lt. of centre and knit as for Left Front, reversing all shapings and omitting button-holes.

### JACKET SLEEVES

**Step 1.** In 4 ply. C.O.B.H. 71 (75, 79, 83) sts. Make hem as \* to \* of back.

**Step 2.** Start weave-patt. T. 7. Inc. 1 st. on each edge Ev. 17 Rs. 11 times. K. to 192 (198, 198, 204) Rs.

**Step 3.** C/O 5 (6, 7, 8) sts. at beg. next 2 Rs. C.O.R. 000.


**Step 4.** Dec. 1 st. on each edge Ev. 3 Rs. 18 times. To 54 Rs. C.O.R. 000.

**Step 5.** H.P. \* Push 3 Ns. to E pos. at opp. end to carr. on next 8 (6, 4, 2) Rs. Then 2 Ns. to E pos. on next 2 (6, 10, 14) Rs. Return Ns. on Lt. to D pos. K.I. Return Ns. on Rt. to D pos. K. 1 C/O.

**TO MAKE UP.** Press all pieces.

### FRONT FACINGS

In 4 ply. C.O.B.H. 158 (158, 164, 164) sts. T. 5.



Dec. 1 st. on Lt. edge, and Inc. 1 st. on Rt. edge Ev. alt. R. 12 times. **At the same time** after 12 Rs. make b'holes. Starting the 15th N. in from the Lt. edge, make b'hole over 8 sts. Leave a space of 22 (22, 23, 23) sts. between holes and make two more holes in same way. (Leaving 82 (82, 86, 86) Ns. on Rt. edge.

K. 12 Rs. With weave side of work facing M/c., place Left front piece onto Ns. with b'holes corresponding. C/O to end.

Repeat facing omitting b'holes and place Right front onto Ns. and C/O.

### POCKET RIBS


**Ribbers.** In D.K. Cast on 45 sts. as 3 x 3 rib. T. 4/4. K. 2 Rs. Tub. T. 8/8. K. 15 Rs. rib. Trans. Ns. to M.B.

**Single Bed M/cs.** With W.wl. cast on 43 sts. K. a few Rs. Change to D.K. Trans. Ev. 4th N. to Rt. and push back empty Ns. to A. pos. T. 7. K. 18 Rs. T. 9. K. 1. T. 7. K. 18 Rs. M.D.E.

With weave side of work facing M/c. place Lt. edge of Lt. front pocket opening evenly onto Ns. and C/O to end. Repeat and place Rt. edge of Rt. front pocket opening onto Ns. and C/O.

**Pocket Linings.** In 4 ply. C.O.B.H. 45 sts. T. 6. K. 32 Rs. H.P. \*

Push 14 Ns. to E. pos. at opp. end to carr. on next 2 Rs. Return 2 Ns. to D. pos. at opp. end to carr. on next 14 Rs.\* C.O.R. T. 8. K. 1. T. 6 Repeat from \* to \* K. 32 Rs. With weave side of work facing M/c., place Rt. edge of Lt. front opening evenly onto Ns. and C/O to end. Repeat for Rt. front opening.




**LEFT FRONT** Slide-dial on 1.

**Step 1.** In 4 ply. C.O.B.H. 74 (77, 80, 83) sts. to Rt. of centre. Make hem as \* to \* of back, at the same time Inc. 1 st. on Lt. edge Ev. alt. R. 12 times to 86 (89, 92, 95) sts.

**Step 2.** As for back, making decs. on Rt. edge only. **After** 90 (90, 96, 96) Rs.




# jumper and trousers



## JUMPER FRONT

**Step 1.** With W.wl. Cast onto 67 (75, 83) sts. \* K. a few Rs. Trans. ev. alt. N. to Rt. Push empty Ns. back to A. pos. Change to colour A. \* T. 5. K. 14 Rs. T. 7. K. 1. T. 5. K. 14 Rs. M.D.E. Unravel W.wl. Set m/c for patt. T. 7. K. 1. C.O.R. 000.



**Step 2.** Start patt. T. 8. K. 50 (56, 62) Rs. straight.

**Step 3.** C/O 3 (4, 5) sts. at beg. next 2 Rs. C.O.R. 000.

**Step 4.** Dec. 1 st. on each edge ev. 3 Rs. 6 times. To 18 Rs. C.O.R. 000.

**Step 5.** K. 12 (16, 20) Rs. straight. **Front Neck.** Thread-up centre 11 (13, 15) sts. and take off m/c. Push Ns. on Lt. to E. pos. H.P. Dec. 1 st. on neck edge ev. R. 6 times. To 18 (22, 26) Rs. C.O.R. 000.

**Step 6.** K. 1. C.O.L. H.P. \* Push 4 (4, 5) Ns. to E. pos. on Rt. edge ev.

alt. R. 1 (3, 1) times. Then 3 (3, 4) Ns. to E. pos. 3 (1, 3) times. Return Ns. on Rt. to D. pos. K. 1. C/O. **Left Neck.** Return Ns. on Lt. to B. pos. and set for patt. 012 (16, 20) Rs. K. as before reversing **all** shapings.

## JUMPER LEFT BACK

Cast on sts. to Rt. of centre.

**Step 1.** With W.wl. Cast onto 34 (38, 42) sts. K. as \* to \* of front. T. 5. K. 14. T. 7. K. 1. T. 5. K. 14. M.D.E. Unravel W.wl. Set m/c for patt. T. 7. K. 1. C.O.R. 000.

**Step 2.** As for front.

**Step 3.** C/O 3 (4, 5) sts. on Rt. edge. K. 2 Rs. C.O.R. 000.


**Step 4.** As for front shaping on Rt. edge only.

**Step 5.** K. 18 (22, 26) Rs. straight. C.O.R. 000.

**Step 6.** As for front. Thread-up 1/2 back neck sts.

## RIGHT BACK

Cast on 1 st. to Rt. of centre, Rem. to Lt. K. as for right back, reversing **all** shapings.



## SLEEVES

**Step 1.** With W.wl. Cast onto 57 (63, 69) sts. K. as \* to \* of back. T. 5. K. 9. T. 7. K. 1. T. 5. K. 9. M.D.E. Unravel

22	x	x	x	x	x	x	x	x
21	x	x	x	x	x	x	x	x
20	x	x	x	x	0	0	x	x
19	x	x	x	0	0	0	0	x
18	x	x	x	0	0	x	0	x
17	x	x	x	0	0	0	0	0
16	x	x	x	x	0	0	x	x
15	x	0	0	0	0	0	x	x
14	x	0	0	0	0	0	0	x
13	x	x	0	0	0	0	0	x
12	x	x	x	0	0	0	x	x
11	x	x	x	x	x	x	x	x
10	x	x	x	x	x	x	x	x
9	x	x	x	x	0	0	x	x
8	x	x	x	0	0	0	0	x
7	x	x	x	0	0	x	0	x
6	x	x	x	0	0	0	0	0
5	x	x	x	x	0	0	x	x
4	x	0	0	0	0	0	x	x
3	x	0	0	0	0	0	0	x
2	x	x	0	0	0	0	0	x
1	x	x	x	0	0	0	x	x
STEPS	1	2	3	4	5	6	7	8

K.H. 588 MACHINE

x = Colour A

0 = Colour C

W.wl. Set m/c for patt. R. 39 (1, 7) on punch-card. C.O.R. 000.

**Step 2.** Start patt. T. 8. K. 12 Rs. straight.

**Step 3.** As for front.

**Step 4.** Dec. 1 st. on each edge ev. alt. R. 9 (10, 11) times. To 18 (20, 22) Rs. C.O.R. 000.

**Step 5.** H.P. \* Push 4 (3, 3) Ns. to E. pos. at opp. end to carr. on neck



4 (6, 2) Rs. Then 3 (2, 2) Ns. on next 2 (2, 8) Rs. Return Ns. on Lt. to D. pos. K. 1. Return Ns. on Rt. to D. pos. K. 1. C/O.

**TO MAKE UP**

Press all pieces. Join shoulders.

**NECKBAND**

In W.wl. Cast onto 63 (67, 71) sts. K. as \* to \* of front. T. 5. K. 6. T. 7. K. 1. T. 5. K. 6. M.D.E. Unravel W.wl. With Rt. side of work facing m/c, place  $\frac{1}{2}$  back neck to 12 (13, 14) Ns. Side neck to 14 Ns. Front neck to 11 (13, 15) Ns. Side neck to 14 Ns. and  $\frac{1}{2}$  Back neck to Rem. Ns. C/O to end.

T.R. 96 (4)

**BACK BANDS**


With W.wl. Cast onto 71 (76, 81) sts. K. a few Rs. Change to M.wl. T. 6. K. 3 Rs.

**BUTTONHOLES**

Trans. the 3rd N. from Rt. edge to Rt. and the 4th N. to Lt. \* Miss 11 (12, 13) sts. between holes. Trans. the next N. to Rt. and the next to Lt.\* Repeat from \* to \* making 6 holes in all. Leaving 2 Ns. on Lt. edge. T. 6. K. 4 Rs. T. 7. K. 1. T. 6. K. 4 Rs. Make buttonholes as before. T. 6. K. 3 Rs. M.D.E. Unravel W.wl.

With Rt. side of work facing m/c, place Lt. back evenly onto Ns., working through both thicknesses at hem and neckband. C/O to end. Repeat band omitting buttonholes and place Rt. back evenly onto Ns. and C/O.

Finish off ends of bands. Sew tops of sleeves into armholes. Press seams. Join side and sleeve seams. Press all seams and bands. Sew on buttons.



**JACKET BACK**

**Step 1.** With W.wl. Cast onto 63 (69, 75) sts. \* K. a few Rs. Trans. ev. alt. st. to Rt. Push empty Ns. back to A. pos. Change to colour B. T. 5.

K. 17 Rs. T. 7. K. 1. T. 5. K. 17 Rs. M.D.E. Unravel W.wl. T. 7. K. 1. C.O.R. 000 \*

**Step 2.** K. 35 (41, 47) Rs. C.O.L. Set m/c for patt. R. 19 on punch-card. K. 1. C.O.R. T. 8. Start patt. K. to R.I. on punch-card. (26 Rs. in all). Then cont. in st. st. T. 7. in colour B. At the same time, after 50 (56, 62) Rs. **Step 3.** C/O 3 (4, 5) sts. at beg. next 2 Rs. C.O.R. 000.

**Step 4.** Dec. 1 st. on each edge ev. 3 Rs. 5 times. K. to 16 Rs. C.O.R. 000.

**Step 5.** K. 22 (24, 26) Rs. straight. C.O.R. 000.

K. 2 Rs. C.O.R. 000.

**Step 4.** On Lt. edge. Mark edge st. with contrast coloured Wl. Dec. this st. Then dec. 1 st. on Lt. edge ev. 4 Rs. 9 (10, 11) times. At the same time shape Rt. armhole edge as for back, to end of Step 5.

**Step 6.** K. 1. C.O.L. H.P. \* Push 3 Ns. to E. pos. at opp. end to carr. ev. alt. R. 4 times. Return Ns. to D. pos. K. 1. C/O.

**LEFT FRONT**

1 st. to Rt. of centre, Rem. to Lt. K. as for Right front, reversing all shapings.



**Step 6.** H.P. \* Push 3 Ns. to E. pos. at opp. end to carr. on next 8 Rs. Then 1 (2, 3) Ns. to E. pos. on next 2 Rs. Return Ns. on Lt. to D. pos. K. 1. Return Ns. on Rt. to D. pos. K. 1. C/O shoulders. Thread-up back neck sts. and take off m/c.


**JACKET RIGHT FRONT**

To Rt. of centre.

**Step 1.** With W.wl. Cast onto 31 (34, 37) sts. K. as for back \* to \*.

**Step 2.** As for back.

**Step 3.** C/O 3 (4, 5) sts. on Rt. edge.



## SLEEVES

**Step 1.** With W.wl. Cast onto 35 (39, 43) sts. K. as \* to \* of back.

**Step 2.** Inc. 1 st. on each edge ev. 7 (6, 6) Rs. 7 (8, 9) times. K. to 50 (56, 62) Rs.

**Step 3.** As for back.

**Step 4.** Dec. 1 st. on each edge ev. 3 Rs. 6 (7, 8) times. K. to 20 (22, 24) Rs. C.O.R. 000.

**Step 5.** H.P. \* Push 3 Ns. to E. pos. at opp. end to carr. on next 6 Rs. Return Ns. on Lt. to D. pos. K. 1. Return Ns. on Rt. to D. pos. K. 1. C/O.

## TO MAKE UP

Press all pieces. Join shoulders.

## FRONT BAND

With W.wl. Cast onto 163 (175, 187) sts. K. a few Rs. Change to colour B. T. 6. K. 3.

## BUTTONHOLES

Starting from Rt. edge, trans. the 2nd st. to Rt. and the 3rd st. to Lt. \* Miss 7 (8, 9) sts. between holes. Trans. the next st. to Rt. and the next to Lt.\* Repeat from \* to \* making 5 buttonholes in all. T. 6. K. 4. T. 7. K. 1. T. 6. K. 4. Make buttonholes as before. T. 6. K. 3 Rs. M.D.E. Unravel W.wl. With Rt. side of work facing m/c. Place front (up to marked st.), to 39 (43, 47) sts. Place side neck to next 32 (33, 34) sts. Back neck to 21 (23, 25) sts. Side neck to 32 (33, 34) sts., and front to Rem. 39 (43, 47) sts. C/O to end. Sew tops of sleeves into armholes. Press seams. Join side and sleeve seams. Finish off ends of band. Press all seams and band. Sew on buttons.

## TROUSERS

**Step 1.** With W.wl. cast onto 18 (20, 22) sts. to Rt. of centre. K. a few Rs. Change to D.K. K. 6 Rs. straight. C.O.R. 000.


**Step 2.** H.P. \* Push 1 N. to E. pos. at opp. end to carr. on next 10 Rs. Return 1 N. to D. pos. at opp. end to carr. on next 10 Rs. (20 Rs. in all). C.O.R. 000.

**Step 3.** K. 16 (20, 24) Rs. straight. C.O.R. 000.

**Step 4.** As for Step 2.

**Step 5.** As for Step 3.

**Step 6.** K. 1. C.O.L. On Lt. edge C.O.B.H. 18 (20, 22) sts. hang on comb. K. 1. C.O.R. 000. Inc. 1 st. at 000. Then inc. 1 st. on each edge ev. 3 (4, 4) Rs. 4 (21, 11) times. Then ev. 4 (5, 5) Rs. 18 (2, 12) times. K. to 88 (98, 108) sts.



**Step 7.** C/O 3 sts. on Rt. edge. K. 1. C/O 5 sts. on Lt. edge. K. 1. C.O.R. 000.

**Step 8.** Dec. 1 st. on Rt. edge ev. 3 Rs. 5 times. **At the same time** on Lt. edge Dec. 1 st. ev. 26 (28, 30) Rs. 3 times. After 76 (82, 88) Rs. C.O.R. 000.



**Step 9.** K. 1. C.O.L. H.P. \* Push 33 (36, 39) sts. to Rt. of centre to E. pos. K. 2 Rs. Then push 7 (7, 8) Ns. to E. pos. on Rt. edge ev. alt. R. 4 times. C.O.L. Return Ns. to D. pos. K. 1. Thread-up sts. and take off m/c. Repeat trousers, casting on 18 (20, 22) sts. to Lt. of centre, **reversing all shapings.**

## TO MAKE UP

Press both pieces. Join front crotch seam.

## WAISTBAND

C.O.B.H. 132 (144, 156) sts. T. 7. K. 10 Rs. T. 9. K. 1. T. 7. K. 10 Rs. M.D.E. With Rt. side of work facing m/c. Place trouser sts. onto Ns. and C/O to end. Join back seam. (Up to waist-band). Join inside leg seams. Fold back heel and toes and graft foot seams together. Unravel W.wl. Join sides of feet. Thread elastic into waistband and secure. Finish off band. Press all seams and band.



HERE  
THEY  
ARE!

# THE FABULOUS


# three

stitch  
pattern  
books

Whichever JONES knitting machine you use there's a stitch pattern book to use with the machine.



820  
£4-50



800  
£2-50




588  
£2-25

These hard cover manuals contain literally hundreds and hundreds of different pattern stitches with actual photographs of the patterns – many in colour – together with all the necessary charts and punch card patterns to achieve the stitches illustrated.

Lace, fairisle, weaving, ribbing, page upon page of variations and different designs – in fact a lifetime of knitting pleasure.

These stitch pattern books really are a must so if you haven't already ordered a book just complete the coupon and despatch it together with your cheque/PO and we'll send a copy by return.



TO: STITCHIN TIME, Jones Sewing Machine Co Limited,  
Britannia House, 964 High Road, Finchley, London N12 8LE.

820  800  588

PLEASE TICK THE STITCH  
PATTERN BOOK YOU REQUIRE!

Name \_\_\_\_\_

Address \_\_\_\_\_



I enclose my cheque/PO for

*all around your home*

# ladies jumper in 'lenen knop' yarn

Ladies' jumper in lenen knop yarn featuring buttoned shoulder band.

## Materials

1 cone each of Lynette colour brown 2185 and stone 2103. By Silverknit yarns, Edwalton, Nottingham NG12 4DF. Price: approx. £1.49 per cone. 4 buttons.

## Measurements

To fit 32 (34, 36) in. bust.

## Tensions

### 820 m/c


6 sts.  $\times$  10½ Rs. = 1 in. on T8. (yarn feeder on + tight). Punch card pattern No. 419 from pattern book.

### 588 m/c

Slip stitch pattern No. 106 from book on T9½.

### 800 m/c

Pattern No. 107 from cassette pattern book on T8.



## FRONT

**Step 1. Ribbers.** In colour A. Cast on 106 (110, 118) sts. as 2  $\times$  2 rib. K. selvedge. T. 3/3. Slide lever on l. K. 33 Rs. rib. Trans. Ns. to M.B. C.O.L. Dec. or inc. to 105 (111, 117) sts.


**Single-Bed m/cs.** With W.wl. Cast onto 105 (111, 117) sts. K. a few Rs. Trans. ev. alt. st. to Rt. Push empty Ns. back to A. pos. Change to colour A. T. 6. K. 32 Rs. T. 8. K. 1. T. 6. K. 32 Rs. M.D.E. Unravel W.wl. C.O.L. Set m/c for patt. T. 8. K. 1. C.O.R. 000.

**Step 2.** Start patt. K. 106 Rs. straight.

**Step 3.** C/O 7 (8, 9) sts. at beg. next 2 Rs. C.O.R. 000.

**Step 4.** Dec. 1 st. on each edge ev. 3 Rs. 10 times. To 30 Rs. C.O.R. 000.

**Step 5.** K. 30 (32, 34) Rs. straight. Thread-up sts. and take off m/c



## BACK


K. as for front to end of Step 4.

**Step 5.** K. 48 (50, 52) Rs. straight. C.O.R. 000.

**Step 6.** Thread-up 33 (35, 37) sts. at centre of m/c and take off. Push Ns. on Lt. to E. pos. H.P.

**Right shoulder.** K. 1. H.P. \* Push 2 Ns. to E. pos. on Rt. edge ev. alt. R. 8 times. C.O.L. Return 2 Ns. to D. pos. on Rt. inside edge. ev. alt. R. 8 times. K. 1. C.O.R. K. 6 Rs. straight. C/O.

**Left shoulder.** Return Ns. on Lt. to B. pos. and set for patt. H.P. \* Push 2 Ns. to E. pos. on Lt. edge ev. alt. R. 8 times. C.O.R. Return 2 Ns. to D. pos. on Lt. edge ev. alt. R. 8 times. C.O.R. K. 8 Rs. straight. C/O.



## SLEEVES

**Step 1.** With W.wl. Cast onto 77 (81, 85) sts. K. a few Rs. Change to colour A. C.O.L. Set m/c for patt. T. 8. K. 1. C.O.R. 000. K. 132 Rs. straight.

**Step 2.** As for Step 3 of front.

**Step 3.** Dec. 1 st. on each edge ev. 4 Rs. 11 (12, 13) times. to 44 (48, 52) Rs. C.O.R. 000.

**Step 4.** H.P. \* Push 3 Ns. to D. pos. at opp. end to carr. on next 8 Rs. Return Ns. on Lt. to D. pos. K. 1. Return Ns. on Rt. to D. pos. K. 1. C/O.

## TO MAKE UP

Press all pieces.

## FRONT BODICE BAND

**Ribbers.** In colour A. Cast onto 74 (78, 82) sts. Close selvedge. T. 3/3. Slide-lever on 1. K. 4 Rs.

**Buttonholes.** Starting the 4th st. in from each edge, with spare Wl. K. 6 sts. by hand. Miss next 9 (10, 11) sts. K. next 6 sts. by hand. Leaving 26 (28, 30) sts. at centre. K. 4 Rs. Trans. Ns. to M.B. Dec. 1 st.

**Single-Bed m/cs.** With W.wl. Cast onto 73 (77, 81) sts. K. a few Rs. Change to colour A. T. 6. K. 5. Make buttonholes as for ribber band.

K. 5 Rs. T. 8. K. 1. T. 6. K. 5. Make buttonholes. K. 5. M.D.E. Unravel W.wl. With Rt. side of front facing m/c and starting 1 st. in from each edge, place sts. onto Ns. and C/O.

## SHOULDER BANDS

**Ribbers.** In colour A. Cast onto 25 (26, 27) sts. as  $2 \times 2$  rib. Close selvedge. T. 3/3. Dec. 1 st. on Lt. edge ev. alt. R. 4 times. (8 Rs). Trans. Ns. to M.B.

**Single-Bed m/cs.** With W.wl. Cast onto 21 (22, 23) sts. K. a few Rs. Change to colour A. T. 6. Inc. on 1 st. on Lt. edge ev. alt. R. 5 times. T. 8. K. 1. T. 6. Dec. 1 st. on Lt. edge ev. alt. R. 5 times. M.D.E. (21 Rs. in all). Unravel W.wl. With Rt. side of work facing m/c, and starting 1 st. in from each edge, place Rt. shoulder onto sts. and C/O to end. Repeat band making shaping on Rt. edge. Place Lt. shoulder onto sts. and C/O.

## NECK BAND

**Ribbers.** In colour A. Cast onto 82 (86, 90) sts. as  $2 \times 2$  rib. T. 3/3. Dec. 1 st. on each edge ev. alt. R. 4 times. Trans. Ns. to M.B.

**Single-Bed m/cs.** With W.wl. Cast onto 74 (78, 82) sts. K. a few Rs. Change to colour A. T. 6. Inc. 1 st. on each edge ev. alt. R. 5 times. T. 8. K. 1. T. 6. Dec. 1 st. on each edge

ev. alt. R. 5 times. M.D.E. (21 Rs.) Unravel W.wl. With Rt. side of work facing m/c and starting 1 st. in from each edge, place side neck to 20 sts. Place back neck to 33 (35, 37) sts. and side neck to 21 sts. C/O to end. Close mitred edges. Press bands. Fold shoulders over along 'shaping line'. Place front band onto shoulder bands, pin in place and sew bands together at armholes.

## SLEEVE RIBS

**Ribbers.** In colour A. Cast onto 50 (54, 58) sts. as  $2 \times 2$  rib. T. 3/3. K. 5 Rs. Change to colour B. K. 49 Rs. Trans. Ns. to M.B.

**Single-Bed m/cs.** With W.wl. Cast onto 51 (55, 59) sts. K. a few Rs. Trans. ev. alt. st. to Rt. Push empty Ns. back to A. pos. Change to colour B. T. 6. K. 49 Rs. Change to colour A. K. 5 Rs. T. 8. K. 1. T. 6. K. 5. Change to colour B. K. 49 Rs. M.D.E. Unravel W.wl. With Rt. side of work facing m/c, place lower edge of sleeves onto Ns. (doubling-up on some sts.) and C/O to end. Sew tops of sleeves into armholes. Press seams. Join side and sleeve seams. Press. Finish off buttonholes. Sew on buttons to correspond with holes, (with inner buttons on mitred seams of shoulder and neck bands).



▲ 800 : PATTERN STITCH 107



▲ 588 : PATTERN STITCH 106

# man's jumper and waistcoat

## Materials

**Jumper** 15 (16, 17, 18, 19) 20g. balls of Emu 4 ply Courtelles/Bri-nylon.

**Waistcoat** 14 (15, 16, 17, 18) 20g. balls of Emu 4 ply Courtelles/Bri-nylon. 5 buttons.

## Measurements

To fit 34 (36, 38, 40, 42) in. chest.

**Jumper** Finished meas's 35 (37, 39, 41, 43) ins. sleeve seams 17½ (18, 18½, 18½) ins.

Length from back neck: 23½ (23¾, 24, 24¼, 24½) ins.

**Waistcoat** Finished meas's 36 (38, 40, 42, 44) ins.

Length from back neck 26 (26¼, 26½, 26¾, 27) ins.

## Tensions

### 800 M/cs

7 sts. × 16 Rs. = 1 inch on T6. over pull-up patt. 1.

7 sts. × 14 Rs. = 1 inch on T6. over pull-up patt. 2.

### 820 M/cs

Pattern 1. knitted on T6.

Pattern 2. knitted on T6.

### 588 M/cs

Pattern 1. knitted on T6.

Pattern 2. knitted on T6.

## Patterns

### 800 M/cs

Pattern 1. Pull-up patt. No. 13 from Cassette pattern book.

Pattern 2. Pull-up patt. No. 12 from Cassette book.

### 820 M/cs

Pattern 1. Tuck patt. No. 372 from 820 pattern book.

Pattern 2. Tuck patt. No. 377 from 820 pattern book.

### 588 M/cs

Pattern 1. Pull-up patt. from graph.

Pattern 2. Pull-up patt. No. 11 from 588 book.

## JUMPER BACK

**Step 1. Ribbers.** Cast on 126 (130, 138, 142, 150) sts. as 2 C 2 Rib. \* T.0/0. K. 2 Rs. Tub. T. 3/3. K. 33 Rs. ribb. Trans. Ns. to M.B. \*

**Single-Bed M/cs.** Cast on with W.wl. 125 (131, 137, 143, 149) sts. K. a few Rs. Trans. ev.

3rd N. to Rt. Push empty Ns. back to A. pos.

Change to M.wl. T. 5. K. 30 Rs. T. 7. K. 1. T. 5. K. 30 Rs. M.D.E. Unravel W.wl.

(For 810 M/cs. set for pull-up patt. 1.) C.O.L. T6. K. 1. C.O.R. 000 \* Dec. to 125 (131, 137, 143, 149) sts.

**Step 2.** Start patt. 1. from graph



K. 48 Rs. K. 1 row plain. (for 810 M/cs. set for patt. 2). K. 1. Start pull-up att. 2 beginning with step 13 from graph. K. to 174 Rs. in all.

**Step 3.** C/O 5 (6, 7, 8, 9) sts. at beg. next 2 Rs. C.O.R. 000.

**Step 4.** Dec. 1 st. on each edge Ev. 5 Rs. 10 times. To 50 Rs. C.O.R. 000.

**Step 5.** K. 62 (66, 70, 74, 78) Rs. straight. C.O.R. 000.

**Step 6.** Push 4 Ns. to E. pos. at opp. end to carr. on next 12 Rs. Then 1 (2, 3, 4, 5) Ns. to E. pos. on next 2 Rs. Push Ns. on Lt. to D. pos. K. 1. push Ns. on Rt. to D. pos. K. 1. Thread-up back neck sts. Cast off shoulders.





59 (63, 67, 71, 75) sts.

**Step 2.** Start pull-up patt. 1 from graph. K. 200 Rs. straight.

**Step 3.** C/O 8 (9, 10, 11, 12) sts. on Rt. edge. K. 2 Rs. C.O.R. 000.

**Step 4.** Mark edge st. on Lt. with contrast coloured Wl. Dec. this st. Then dec. 1 st. on Lt. edge ev. 8 Rs. 13 (10, 7, 4, 1) times. Then ev. 7 Rs. 8 (12, 16, 20, 24) times. **At the same time** on Rt. edge cont. as for back to end of Step 5.

**Step 6.** K.1. C.O.L. \*\*H.C.L's. II (800's I.)\* Push 3 Ns. to E. pos. on Rt. edge ev. alt. R. 5 (7, 7, 5, 3) times. Then 2 (2, 4, 4, 4) Ns. to E. pos. ev. alt. R. 3 (1, 1, 3, 5) times. Push Ns. on Rt. to C. pos. K. 1. C/O.\*

#### RIGHT FRONT

Cast on as for Left (to Lt. of centre). Knit as for Lt. front. Inc. or Dec. 1 st. on Lt. edge. Cont. to end of Step 2.

**Step 3.** K. 1. C/O 8 (9, 10, 11, 12) sts. on Lt. edge. K. 1. C.O.R. 000. Cont. as for left front reversing all shapings.

**Step 6.** As for Lt. front from \* to \*.

Press all pieces. Join shoulders.

**ARMBANDS. Ribbers.** Cast on 168 (176, 184, 192, 200) sts. as 2 x 2 rib. T. 0/0. K. 2 Rs. Tub. T. 3/3 K. 16 Rs. Trans. Ns. to M.B.

**Single-Bed M/cs.** With W.wl. cast on 167 (175, 183, 191, 199) sts. K. a few Rs. Trans. ev. 3rd N. to Rt. Push empty Ns. back to A. pos. Change to M.wl. T. 5. K. 15. T. 7. K. 1. T. 5. K. 15. M.D.E. Unravel W.wl. Hang armhole edge, with Rt. side of work facing M/c, evenly onto Ns. and C/O. Repeat. Join side seams.



#### FRONT BAND

**Ribbers.** Cast on 17 sts. as 2 x 2 rib. T. 0/0. K. 2 Rs. Tub. T. 3/3. K. 4 Rs. \*H.P. Push 9 Ns. on Lt. to E. pos. K. 11 Rs. C.O.L. Push all Ns. to E. pos. Move carr. to Rt. Break-off Y. and thread between groups of Ns. Return 9 Ns. on Lt. to D. pos. K. 11 Rs. C.O.L. Return Ns. on Rt. to D. pos. K. 29 Rs.\*


Repeat from \* to \* making 5 b'holes in all. K. until long enough to fit along both fronts and across back neck, stretching slightly. C/O.

**Single-Bed M/cs.** Cast onto 20 sts. by hand. T. 6. K. as ribbers making b'holes over Ns. 5 and 6 from each edge. C/O.

Sew ribbed band in pos. Sew st.st. band in pos., turn to inside and sl. st. in place. Finish off b'holes. Press all seams and band. Sew on buttons to correspond with holes.




800 : PATTERN STITCH 12



588 : PATTERN STITCH from chart



588 : PATTERN STITCH 11



800 : PATTERN STITCH 13





A comprehensive pattern service for Machine Knitters, giving you a wide range of simple and practical patterns. The cost is low! Only £1.25 brings you a book full of helpful hints on "The Best of Machine Knitting" dealing with those thorny old problems **and** a book of exclusive patterns in a wide range of sizes and styles from traditional to trendy, most of which can be knitted on any machine.

And it doesn't stop there. We are one of the world's leading pattern companies and will be producing pattern books for you on a regular basis. Details of our future plans will be sent to you with your first order.

Post the coupon today and your knitting machine need never feel lonely again.

## The Harmony Knitting Machine Pattern Service

P.O. Box 152, Knit one, Watford Way, London N.W.7.

Please send me the "Best of Machine Knitting" and my machine knitting pattern book. I enclose PO/cheque for £1.25.

Name .....

Address .....

My Machine is MAKE .....

MODEL .....

**YOUR GUARANTEE**  
Full refund if not  
satisfied and books  
returned in 7 days.

ST1

# lacy sleeve sweater



Ladies top featuring plain bodice with lacy sleeves and round neck.

## Materials

20 (21, 22) 25g. balls of Wendy 4 ply. Nylonised.

## Measurements

To fit 32 (34, 36) in. bust.

Length from back neck  $24\frac{1}{2}$  ( $25\frac{1}{2}$ ,  $26\frac{1}{2}$ ) ins.

Sleeve seams 17 ( $17\frac{1}{2}$ , 18) ins.

## Tensions

### 820 m/c


$6\frac{1}{2}$  sts.  $\times$   $14\frac{1}{2}$  Rs. = 1 in. on T. 7. over open stitch. Pattern No. 379 from pattern book. 7 sts.  $\times$   $10\frac{1}{2}$  Rs. = 1 in. on T. 7. over st. st.

### 588 m/c

Open pattern No. 486 from pattern book on T. 7. (yarn feeder on +). St. st. on T. 7.

### 800 m/c

Open pattern No. 96 from cassette book on T. 6. St. st. on T. 6.



## BACK

**Step 1.** C.O.B.H. 145 (151, 157) sts. \* T. 5. K. 14. T. 7. K. 1. Make picot edge by trans. ev. alt. st. to Rt. T. 5. K. 15. M.D.E.\* Release Y. from carr. Place carr. on Lt. Set m/c for patt. Press P.B's in. K. 1. Release P.B's. C.O.R. 000.

**Step 2.** Start patt. T. 7. Dec. 1 st. on each edge ev. 15 Rs. 7 times. K. to 108 Rs. Thread-up sts. and take off m/c. Replace work onto m/c to 99 (105, 111) sts. (Doubling-up on some sts). C.O.R. 000.

**Step 3.** Set m/c for st. st. K. 16 Rs. straight. C.O.R. 000.

**Step 4.** Inc. 1 st. on each edge at 000 then Inc. 1 st. ev. 8 (9, 9) Rs. 8 times. K. to 68 (74, 80) Rs.

**Step 5.** C/O 7 sts. at beg. next 2 Rs. C.O.R. 000.

**Step 6.** Dec. 1 st. on each edge ev. 3 Rs. 10 times. To 30 Rs. C.O.R. 000.

**Step 7.** K. 44 (48, 52) Rs. straight. C.O.R. 000.


**Step 8.** H.P. \* Push 3 (5, 7) Ns. to E. pos. at opp. end to carr. on next 2 Rs. Then 4 Ns. to E. pos. on next 8 Rs. Return Ns. on Lt. to D. pos. K. 1. Return Ns. on Rt. to D. pos. K. 1. C/O shoulders. Thread-up back neck sts. and take off m/c.

### FRONT

As for back to end of Step 5.

**Step 6.** As for back. **At the same time:** After 20 Rs. Thread-up centre 19 (21, 23) sts. and take off m/c. H.P. Push Ns. on Lt. to E. pos. Dec. 1 st. on neck edge ev. alt. R. 11 times. Cont. as for back to end of Step 7.

**Step 8.** K. 1. C.O.L. H.P. \* Push 3 (5, 7) Ns. to E. pos. on Rt. edge. K. 2 Rs. Then push 4 Ns. to E. pos. ev. alt. R. 4 times. Return Ns. to D. pos. K. 1. C/O. Return Ns. on Lt. to D. pos. Knit as for Rt. neck reversing all shapings.



### SLEEVES

**Step 1.** With W.wl. Cast onto 101 (107, 113) sts. K. a few Rs. Change to M.wl. C.O.L. T. 7. Set m/c for patt. K. 1. Start patt. C.O.R. H.P. \* Push 4 Ns. to E. pos. at opp. end to carr. on next 12 Rs. Return Ns. on Lt. to D. pos. K. 1. Return Ns. on Rt. to D. pos. K. 1. C.O.R. 000.

**Step 2.** Dec. 1 st. on each edge ev. 11 (11, 10) Rs. 14 (15, 16) times. K. to 158 (166, 174) Rs. C.O.R. 000.

**Step 3.** K. 86 Rs. straight.

**Step 4.** C/O 7 sts. at beg. next 2 Rs. C.O.R. 000.

**Step 5.** Dec. 1 st. on each edge ev. 7 Rs. 8 (4, 0) times. Then ev. 6 Rs. 0 (5, 10) times. K. to 56 (58, 60) Rs. C.O.R. 000.

**Step 6.** H.P. \* Push 2 Ns. to E. pos. at opp. end to carr. on next 12 Rs. Return Ns. on Lt. to D. pos. K. 1. Return Ns. on Rt. to D. pos. K. 1. C/O to end.

### TO MAKE UP

Press all pieces. Join shoulders.

### NECKBAND

C.O.B.H. 129 (137, 145) sts. T. 5. K. 11. T. 7. K. 1. Make picot edge. T. 5. K. 12. M.D.E.

With Rt. side of work facing m/c. Place Back Neck to first 41 (43, 45) Ns. Place side neck to next 35 (37, 39)

Ns. C/O up to this point. Place front neck to 19 (21, 23) Ns. and side neck to Rem. Ns. C/O to end. Join neckband.



### CUFFS

C.O.B.H. 45 (49, 53) sts. K. as \* to \* of back. With Rt. side of work facing m/c place sleeve edge onto Ns. (tripling-up on some sts.) Unravel W.wl. C/O to end. Repeat cuff. Press cuffs.

Sew tops of sleeves into armholes. Press seams. Join side and sleeve seams. Press all seams and neckband.

### BELT (1/2)

C.O.B.H. 145 sts. T. 5. Dec. 1 st. on Lt. edge ev. alt. R. 8 times. T. 7. K. 1. T. 5. Inc. 1 st. on Lt. edge ev. alt. R. 8 times. M.D.E. C/O. (33 Rs.) Repeat making shaping on Rt. edge. Join belt pieces. Press belt.



# Here's a once only SPECIAL SPECIAL OFFER

## Jones KNITLEADER

PATTERNS GALORE!

That's the promise with the Jones KNITLEADER. Now you have a quick and reliable alternative to written patterns, and almost unlimited choice into the bargain.

And the bargains start amongst those gorgeous glossy catalogues at your local sewing counter. With the KNITLEADER nearly all those patterns can be made on your knitting machine!




This is knitting in the '70's as straight forward and versatile as sewing. Take the pattern of your choice then trace one of the pattern shapes onto the KNITLEADER graph with a pen.

You need only work a test piece to give stitches and rows to the inch, and you're away! The KNITLEADER tells you how many stitches to cast on, and you will see as the graph unrolls, where to increase or decrease on each row.



JOIN THE KNITLEADER REVOLUTION  
and design clothes to fit any member of the family -

WITHOUT A  
KNITTING  
PATTERN



To owners of 588 machines

Purchase a Knitleader  
before the end of  
April and we'll allow  
you to buy it at  
COST PRICE £10.95

THAT'S A SAVING OF

# £17.00

on the recommended  
price of £27.95

Just send your cheque/PO for  
£10.95 before APRIL 30th  
and we'll despatch model  
KL111 Knitleader to  
you by return!

Jones Knitleader Offer,  
Jones Sewing Machine Co. Ltd.,  
Britannia House,  
964 High Road,  
Finchley,  
London N12 8LE.



all around your home