

stitchin' time

No. 27 35p



Jones/brother

3	Day and Evening Jumper (TR35)
4-5	Fair Isle Windcheater (TR25)
6-7	Dress and Bikini—style A (TR50)
8	Town n' Country Suit (TR45)
9	Bib Top (S2)
10-11	Lurex Twin Set (TR42)
12-13	Safari Style Jacket (TR46)
14-15	Batwing Jumpers (TR47)
16	Lacy Baby's Shawl (OE23)
17	Man's Waistcoat (TR26)
18-19	Woven Sweater (TR37)
20	Bonnet and Christening Robe (OE21)
21-22	Polo Neck Jumper (TR39)
22-23	Palm Tree Sweater (TR55)
24-26	Lacy Swim Suit and Dress—style B (TR50)
27-29	Matching Dress and Jumper (TR51)
30-31	Round Neck Tank Top (TR14)
32-33	Strap Top and Cardigan (TR8)
34-35	Classic Day Dress (TR57)

broadly speaking

We must apologise for the late arrival of this issue, the three-day week earlier this year caused chaos with most of our suppliers, but we are happy to report that the next issue is already in production and we should be back on schedule very very quickly.

From your letters it would appear that our new type of pattern layout has been a resounding success and we hope you like the selection of patterns in this issue and you will notice that even more of them are in the new style. We hope that once you feel confident with your machine you will feel tempted to vary the pattern, i.e. use different yarns or stitches using the basic shapes and measurements given in the diagrams. In this way you will be able to build up a stock of pattern shapes which will give you an almost unlimited, choice of patterns.

With some of the designs in this issue the picture may show two different stitches but the chart has only been included for one of them. In these instances it will be good practice for you to try the other stitch for yourself.

We have had a fair number of ladies who have given us their names and addresses who are interested in teaching anyone in their area who is experiencing difficulty with their machines and will add to this list any of you who have not already written but wish to do so.

Mrs. Spierer, who used to manage our London Knitting Centre is continuing to run a centre without the financial support of Jones and if any readers are coming to London and want to brush up on various points, if they would like to contact us first, we will put you in touch with her and she may be able to arrange to give you further instruction.

We now have two further pattern booklets, numbers 9 and 10. Pattern booklet number 9 is a baby booklet and our stockists tell us that this has been very successful when shown to our customers. There are nine complete outfits all of which look lovely. The pattern booklet number 10 is a toddlers booklet for children up to the age of about four, and there are ten designs for boys and girls.

The cost of postage, paper and staff has risen so much that we would ask all our customers, who are due for renewal of their subscription to renew with their first reminder.

Till the next issue, goodbye and happy knitting.

N.B. CHARTS SUBMITTED BY DESIGNERS VARY DEPENDING ON WHICH MACHINE THE DESIGNER HAS USED. MOST PATTERNS USING EIGHT BUTTONS CAN BE DONE ON EITHER THE 588 OR THE 585. THE DIFFERENCES ARE

REVERSE LEVER+	588
REVERSE LEVER-	585
REVERSE DIAL A	
REVERSE DIAL B	

SUBSCRIPTION RATES FOR U.S.A. AND CANADIAN MEMBERS \$6.00.
These rates include postage.

day and evening jumper (TR35)



For Machines with Ribber Attachment Only.

Materials Long Sleeve Jumper 8 (9, 10) ozs.

Templetons 4 ply crepe.

Evening Jumper 5 (5, 6) balls Twilleys Gold-fingering.


Measurements To fit 32 (34, 36, 38) ins. chest.

Tension

4 ply crepe 7 sts. x 11 rows to 1 in. T7.

Lurex 7 sts. x 11 rows to 1 in. T8.

LONG SLEEVE JUMPER




FRONT

1. Cast on 103 (111, 119, 127) sts. as 1 x 1 rib. T2/3. K. 4 rows. Tubular T3/3. K. 48 rows rib. Trans. N. to M.B. Inc. 1 st. to 104 (112, 120, 128) sts. Trans. 4th and 6th Ns. to left and right of centre, then trans. the 19 (20, 21, 22) sts., the 21 (22, 23, 24) sts., the 28 (29, 30, 31) sts. and 30 (31, 32, 33) sts. to left and right of centre. Push the 12 empty Ns. back to A pos. For the pattern the sts. on the single needle between the needles in A pos. are put into holding position for 3 rows and then knitted. The cable which crosses 3 x 3 on the sets of 6 needles between the empty needles in A pos. is done on the 8th row and every foll. 16th, i.e. four repeats of the slip-st. pattern.

2. T7. H.C.L.'s III (800 H.C.L. 1) start pattern. * At row 66 thread up and take off M/C. left sts. On neck edge dec. first and every foll. 3rd row 12 times then every 2nd row 11 (12, 13, 14) times. K. to 88 rows.

3. Cast off 4 sts. at beg. next 2 rows.

4. On armhole dec. 1 st. every alt. row 5 (4, 3, 2) times then dec. 1 st. every row 22 (26, 30, 32) times. K. to 36 (38, 40, 42) rows. Place left sts. back onto M/C. and repeat from * reversing all shapings.



BACK

(As for front to 3.)
4. Make armhole decs. as for front to 48 (50, 52, 54) sts. K. to 36 (38, 40, 42) rows. Cast off.

day and evening jumper (TR35)



For Machines with Ribber Attachment Only.

Materials

Long Sleeve Jumper 8 (9, 10) ozs. Templetons 4 ply crepe.

Evening Jumper 5 (5, 6) balls Twilleys Gold-fingering.

Measurements


To fit 32 (34, 36, 38) ins. chest.

Tension

4 ply crepe 7 sts. x 11 rows to 1 in. T7.

Lurex 7 sts. x 11 rows to 1 in. T8.

LONG SLEEVE JUMPER




FRONT

1. Cast on 103 (111, 119, 127) sts. as 1 x 1 rib. T2/3, K. 4 rows. Tubular T3/3, K. 48 rows rib. Trans. N. to M.B. Inc. 1 st. to 104 (112, 120, 128) sts. Trans. 4th and 6th Ns. to left and right of centre, then trans. the 19 (20, 21, 22) sts., the 21 (22, 23, 24) sts., the 28 (29, 30, 31) sts. and 30 (31, 32, 33) sts. to left and right of centre. Push the 12 empty Ns. back to A pos. For the pattern the sts. on the single needle between the needles in A pos. are put into holding position for 3 rows and then knitted. The cable which crosses 3 x 3 on the sets of 6 needles between the empty needles in A pos. is done on the 8th row and every foll. 16th, i.e. four repeats of the slip-st. pattern.

2. T7. H.C.L's III (800 H.C.L. 1) start pattern. Inc. 1 st. each edge every 28th row 3 times. * At row 66 thread up and take off M/C. left sts. On neck edge dec. first and every foll. 3rd row 12 times then every 2nd row 11 (12, 13, 14) times. K. to 88 rows.

3. Cast off 4 sts. at beg. next 2 rows.

4. On armhole dec. 1 st. every alt. row 5 (4, 3, 2) times then dec. 1 st. every row 22 (26, 30, 32) times. K. to 36 (38, 40, 42) rows. Place left sts. back onto M/C. and repeat from * reversing all shapings.




BACK

(As for front to 3.)

4. Make armhole decs. as for front to 48 (50, 52, 54) sts. K. to 36 (38, 40, 42) rows. Cast off.

fairisle windcheater (TR25)



Materials

Colour A 4 (4, 5, 5) ozs. Templetons H & O Shetland Fleece. Colour B 8 (8, 9, 10) ozs. Templetons H & O Shetland Fleece. 1 oz. each of two contrast colours. Zip: 20 ins. open end jacket zip.

Measurements

To fit chest sizes 34 (36, 38, 40) ins.

Length to back neck 23 (23, $23\frac{1}{2}$, $23\frac{1}{2}$) ins.
Sleeve seam 17 (17, $17\frac{1}{2}$, $17\frac{1}{2}$) ins.

Tension

Plain st.st. $7\frac{1}{2}$ sts. and 11 rows to 1 in. T6.
Jacquard $7\frac{1}{2}$ sts. and 10 rows to 1 in. T7.

BACK

1. In colour A.

SLEEVE

Cast on 59 (59, 63, 63) sts. 1 x 1 rib.

1. T2/2. K. 4 rows tubular. T3/3. K. 48 rows. Trans. Ns. to MB. Dec. 1 st. to 58 (58, 62, 62) sts. Trans. 4th and 6th Ns. to left and right of centre.

2. T7. H.C.L's III (800 H.C.L. 1). Start pattern. Inc. 1 st. every 9th (8th, 7th) row to 86 (90, 94, 98) sts.

3. Cast off 4 sts. at beg. next 2 rows to 78 (82, 86, 90) sts.

4. Dec. 1 st. every 4th row 9 times then dec. 1 st. every 3rd row 0 (1, 2, 3) times, then dec. 2 (3, 4, 5) sts. at beg. next 2 rows.

TO MAKE UP

Press all pieces, sew sleeves into armholes.

NECKBAND

Cast on 109 (113, 117, 121) sts. T2/2. K. 4 rows Tubular. T3/3. K. 30 rows. Trans. N. to M.B. Place front neck to first 37 (39, 41, 43) sts; sleeve to 48 (50, 52, 54) sts., $\frac{1}{2}$ back neck to remainder of Ns. Cast off. Repeat for other side of neckband. Join back bands and mitre front. Close side and sleeve seams. Press all seams and neckband.

EVENING JUMPER


1. Cast on 103 (111, 119, 127) sts. as 1 x 1 rib. T3/3. K. 4 rows Tubular. T4/4. K. 48 rows rib. Continue as for long sleeved jumper. Repeat exactly for back (including neck shaping). Press both pieces. Join side seams.


ARMBAND

Cast on 55 (59, 63, 67) sts. as 1 x 1 rib. T3/3. K. 4 rows Tubular. T4/4. K. 6 rows rib. Trans. Ns. to M.B. Hang armhole evenly onto Ns. and cast off repeat band.

NECKBAND

Cast on 132 (137, 142, 147) sts. T3/3. K. 4 rows Tubular. T4/4. K. 12 rows rib. Trans. Ns. to M.B. Place front neck edge to 37 (39, 41, 43) Ns. Cast off to centre. Place back neck edge to 37 (39, 41, 43) Ns. Cast off to end. Repeat other side of neckband and cast off in same way. Mitre bands at front and back and press all seams and bands.





Ribber Cast on 110 (118, 126, 134) sts. as for 2 x 2 rib. T3/3. 4 rows tubular, K. 28 rows. R.B. Trans. ribbers sts. to M.B. C.O.R. 000.

Single M/c. Bring forward 110 (118, 126, 130) sts. to B pos. Return every 3rd N. to A pos. Using W. Wl., K. a few rows. Change to M. Wl. T6, K. 30, T8, K. 1, T6, K. 30. M.D.E. T7, K. 1 row. C.O.R. 000.

2. In colour B, T7, K. 1 row. Set M/c. for jacquard K. 1. C.O.R. 002. Start patt. 1 from graph, inc. 1 st. on each edge every 14th row to 126 (134, 142, 150) sts. 112 rows start patt. 2 from graph row 48, K. to 116 rows.

3. Cast off 6 (7, 8, 9) sts. at beg. next 2 rows to 114 (120, 126, 132) sts. C.O.R. 000.

4. Dec. 1 st. at beg. every row 14 times to 86 (92, 98, 104) sts. 28 rows.

5. K. 22 (22, 28, 28) rows straight colour B. K. 1 row st.st. Cast off.

RIGHT FRONT

1. Cast on 50 (59, 63, 67) sts. (1 st. to left of centre 0, remainder sts. to right) make rib as for 1 back. Shaping at right edge only.

2. As for back to 63 (67, 71, 75) sts.

3. As for back to 57 (60, 63, 66) sts.



4. As for back to 43 (46, 49, 52) sts.

5. As for back to cast off.

LEFT FRONT

1. Cast on 50 (59, 63, 67) sts. (1 st. to right of centre 0 remainder sts. to left) make rib as for 1 back.

2. Continue as for right front reversing all shapings.



These 12 rows repeated form pattern 002

SLEEVE

1. Colour A. Cast on 62 (66, 70, 74) sts. K. rib T6 as for 1 back. Dec. 1 st. on each edge 60 (64, 68, 72) sts.

2. Colour B. Inc. 1 st. on each edge every 18th row to 98 (102, 106, 110) sts. 152 rows K. to 160 (160, 166, 166) rows.

3. Cast off 6 (7, 8, 9) sts. at beg. next 2 rows to 86 (88, 90, 92) sts. C.O.R. 000.

4. Dec. 1 st. on each edge every 4th row 15 (15, 9, 9) times then for last 2 sizes every 5th row 6 times to 56 (58, 60, 62) sts. K. to 60 (60, 66, 66) rows. C.O.R. 000.

5. Inc. 1 st. every 4th row 3 (3, 9, 9) times, then every 3rd row 16 (16, 10, 10) times. On row 22 thread up right half sts. and take off M/c. C.O.R. 022.

6. Colour A. Continue increasing on outside edge and dec. 1 st. on same rows on inside edge 1 st. dec. at 022 to 60 (60, 66, 66) rows. C.O.R. 000. 33 (34, 35, 36) sts. on right edge dec. 1 st. every 4th row 6 times at the same time. H.C.L.'s III (800 H.C.L. 1) on left edge push 3 Ns. to E pos. each time carr. is on right, 3 times 6 rows then 2 Ns. to E pos. each time the carr. is at right, 10 times 20 rows (26 rows altogether). H.C.L. 1 (800 H.C.L.'s 3). K. 1 row and cast off. Place sts. back onto M/c. C.O.R. 022.


6. Colour B. Continue incs. on outside edge and at same time dec. 1 st. on same rows on inside edge 1 st. dec. at 022. K. to 48 (48, 54, 54) rows. 33 (34, 35, 36) sts. K. L row and cast off 21 (22, 23, 24) sts. K. 1 row on outside edge, continue increasing. On inside edge H.C.L.'s III (800 H.C.L. 1). Push 2 Ns. to E pos. each time carr. is at outside edge, 5 times, 10 rows. H.C.L. 1 (800 H.C.L.'s 3). K. 1 row. Cast off. Repeat for left sleeve, reversing all shapings for 6.

TO MAKE UP

Press all pieces. Sew top of sleeves to armholes. Join outside edges of sleeves A to back, closing neck seam. Join outside edges of B to top of fronts. Join shoulder darts. Join side and sleeve seams. Press all seams. Work one double row of crochet down openings. Sew zip, press.

COLLAR

Colour A.



These 46 rows form patt I

○ = COLOUR A
 ■ = COLOUR B
 × = COLOUR C
 . = COLOUR D

Ribber Cast on 106 (110, 114, 118) sts. as for 2 x 2 rib T3/3 4 rows tubular. Dec. 1 st. at beg. on every row to 64 rows 42 (46, 50, 54) sts. Cast off.

TO ATTACH

Pin outside edge of collar around neck and st. into place, fold collar onto inside and ease to fit neck. Steam collar lightly into shape to fit neck.

COLLAR

Single Bed M/c. Bring forward 106 (110, 114, 118) sts. to B pos. return every 3rd N. to A pos., using W. Wl. K. a few rows. Change to yarn A. K. 2. T6. K. 2 rows. H.C.L.'s II (800 H.C.L. 1). Always winding wool round 1st N. in E pos. push in to E pos. at opp. end for carr. on next 64 rows. Push 1 N. back to C pos. on next 64 rows. K. 2 rows. M.D.E. Unravel W. Wl. Cast off. Attach collar as above.

dress and bikini style A (TR50) Fish motif model 810 only

Material

Dress Style A 1 ball—colour C. 2 balls—colour A. $4\frac{1}{2}$ (5, $5\frac{1}{2}$) balls—colour B Coton du Pingouin.

Bikini Style A $\frac{1}{2}$ ball—colour C. 2 balls—colour A. $1\frac{1}{2}$ balls—colour B Coton du Pingouin. $\frac{3}{4}$ in. wide elastic by desired length. $\frac{1}{4}$ in. wide elastic by desired length for briefs. $\frac{3}{4}$ in. wide elastic by desired length for bra top. 2 large hooks and eyes.

Measurements

To fit 32 (34, 36) ins. bust.

To fit 34 (36, 38) ins. hips.


Length of dress from shoulder 34 (34, $34\frac{1}{2}$) ins.

Tension

7 sts. x $11\frac{1}{2}$ rows to 1 in. on $T6\frac{3}{4}$. on M/c. 810 over st.st. 7 sts. x $9\frac{1}{2}$ rows to 1 in. on $T7\frac{3}{4}$. on M/c. 810 over jacq. 1.

Note

For dress A use patt. card No. 19 for jacq. 2.



DRESS A

BACK

1. Hem In col. A, C.O.B.H. 148 (154, 160) sts. $T6$. K. 10. $T8$. K. 1. $T6$. K. 10. M.D.E. Set M/c. jacq. $T7\frac{3}{4}$. K. 1 row. C.O.R. 000.

2. K. 23 rows of patt. 1 from graph. Then cont. in st.st. in col. B on $T7\frac{3}{4}$. At the same time dec. 1 st. every 7 rows 25 times to 98 (104, 110) sts. Row 53 set M/c. for jacq. 2. K. 1 row. K. 1 repeat of patt. col. A, then 1 col. C. K. to 176 (180, 184) rows. C.O.R. 000.

3. Inc. 1 st. on each edge every 10 rows 8 times to 114 (120, 126) sts. K. to 84 rows.

4. Cast on 10 (11, 12) sts. at beg. next 2 rows to 94 (98, 102) sts. C.O.R. 000.

5. Start patt. 1 from graph and repeat to end. Dec. 1 st. on each edge every 3 rows 10 times to 74 (78, 82) sts. 30 rows. C.O.R. 000.

6. K. 38 (42, 46) rows to shoulder. Rows 18 (22, 26) start B.N. Thread up centre 26 (28, 30) sts. and take off M/c. H.C.L's III, push left sts. to E pos. On right neck edge * dec. 1 st. every 3 rows 10 times to 14 (15, 16) sts.



7. Shoulder K. 1 row on right edge push 3 Ns. to E. pos. every alt. row, 4 times. Then push 2 (3, 4) Ns. to E pos., every alt. row, once. C.O.L. Push right shoulder to C pos. K. 1 row. C.O.R. Cast off *. Push left neck sts. to C pos. and repeat from * to * reversing all shapings.

FRONT

As for back to step 5.

5. Start patt. 1 from graph. Thread up centre 26 (28, 30) sts. and take off M/c. Push left Ns. to E pos. H.C.L's III. At the same time as working armhole shaping as for back, on right neck edge * dec. 1 st. every 3 rows 10 times to 14 (15, 16) sts. 30 rows. C.O.R. 000 *.

6. K. 38 (42, 46) rows to shoulder.

7. Work shoulder as for back *. Push left sts. to C pos. and repeat from * to * reversing all shapings. Press both pieces lightly, join shoulders.

FRONT NECKBAND

In col. A. C.O.B.H. 140 (146, 152) sts. $T6$. K. 5. $T8$. K. 1. $T6$. K. 5. M.D.E. With right side of work facing M/c. place side neck to 56 (58, 60) Ns. starting 1 N. in from left edge. Place front neck to 26 (28, 30) Ns. and side neck to 56 (58, 60) Ns. leaving 1 N. empty on right edge. Cast off to end in col. B.

BACK NECKBAND


In col. A. C.O.B.H. 64 (66, 68) sts. Make band as before. Place side neck to 18 Ns., back neck to 26 (28, 30) Ns. and rem. to rest of Ns. leaving 1 N. empty on each edge. Cast off in colour B. Close band seams.

ARMBANDS

In col. A. C.O.B.H. 118 (120, 122) sts. Make band as before. Hang armhole evenly onto Ns. and cast off in col. B.

TO MAKE UP

Join side seams. Press all seams and bands.




BRA TOP

1. In col. B. C.O.B.H. 80 (84, 88) sts. K. 2 rows. H.C.L's III always taking Y. round inside N. in E. pos. push 4 Ns. to E, at opp. end to carr. on next 6 rows. Then push 3 Ns. to E on next 6 rows. Thread up sts. in E pos. and take off M/c. C.O.R. 000.

Dart

Push 5 (4, 4) Ns. to E pos. on opp. end to carr. on next 6 (8, 6) rows. For last size only, then push 3 Ns. to E pos. on next 4 rows. C.O.R. Return 5 (4, 3) Ns. to C pos. at opp. end to carr. on next 6 (8, 4) rows. For last size only, then return 4 Ns. to C pos. on next 6 rows. C.O.R. 000.

2. Dec. 1 st. on each edge every 3 rows 12 (10, 8) times, then every 2 rows 6 (10, 14) times. K. to 50 (52, 54) rows. Cast off rem. 3 sts. Repeat.



BACK BRIEFS

1. In col. B. C.O.B.H. 17 (18, 19) sts. T6 $\frac{2}{3}$. Inc. 1 st. on each edge every row 34 (38, 42) times. Then 1 st. every alt. row 24 (23, 22) times to 133 (140, 147) sts. K. to 82 (84, 86) rows. C.O.R. K. 1 row. Set M/c. jacq. K. 1 row. 000.

2. T7 $\frac{2}{3}$. K. 28 rows of jacq.

3. As for step 5 of front briefs. Press briefs lightly. Close one side seam. Insert elastic into band. Close other side seam.

Leg Bands

In col. A. C.O.B.H. 113 (117, 121) sts. T6. K. 5. T8. K. 1. T6. K. 5. M.D.E. Place leg opening evenly onto sts. and cast off. Repeat. Insert $\frac{1}{4}$ in. elastic into bands. Close crutch seam. Press all seams and bands.

Outside Bands

In col. A. C.O.B.H. 44 (46, 48) sts. * T6. K. 5. Inc. 1 st. every alt. row twice. T8. K. 1. T6. K. 5. Dec. 1 st. every alt. row twice. M.D.E. * Place right edge of 1 piece with right side facing M/c. onto Ns. and cast off. Repeat band, place left edge of other piece onto M/c. and cast off.

Inner Bands

In col. A. C.O.B.H. 192 (194, 196) sts. Make band as * to *. Right piece. With right side of work facing M/c., place inner edge to 44 (46, 48) sts. on left of M/c. Leaving rem. sts. for shape. Cast off first 44 (46, 48) sts. in col. B. Cast off rem. sts. in col. A. Repeat band, place left piece onto right 44 (46, 48) sts. and cast off in col. B. Cast off rem. sts. in col. A.


Lower Front Band

In col. A. C.O.B.H. 121 (128, 135) sts. T6. K. 10. T8. K. 1. T6. K. 10. M.D.E. With right side of work facing M/c. place lower edge of left piece starting 1 st. in from right edge onto next 80 (84, 88) sts. Place lower edge of right piece starting 1 st. in from left edge onto 80 (84, 88) sts. (overlapping left piece on centre sts.). Cast off to end in col. B.

Backbands

In col. A. C.O.B.H. 53 (56, 59) sts. Make band T6. K. 6. T8. K. 1. T6. K. 10. T8. K. 1. T6. K. 6. M.D.E. Cast off. Repeat. Join

the neckband to each end of front band. Close ends of straps. Press all bands and straps. Insert $\frac{1}{4}$ in. wide elastic into lower band and secure by stitching at both ends. Finish off ends. Attach 2 large hooks and eyes.



FRONT BRIEFS

1. In col. B. C.O.B.H. 17 (18, 19) sts. T6 $\frac{2}{3}$. K. 22 rows. C.O.R. 000.

2. Inc. 1 st. on each edge every row 38 (40, 42) times to 93 (98, 103) sts. K. to 40 (42, 44) rows.

3. On right edge cast on 13 (14, 15) sts. K. 1 row. Cast on 13 (14, 15) sts. Set M/c. for jacq. 1. K. 1. C.O.R. 000. 119 (126, 133) sts.

4. T7 $\frac{2}{3}$. K. 28 rows of jacq.

5. In col. A. T6. K. 10. T8. K. 1. T6. K. 10. M.D.E. Cast off.

15	■							
14	■							
13	•	■						■
12	•	•	■				•	■
11	•	•	•	■			•	•
10	•	•	•	•	•	•	•	•
9	•	•	•	•	•	•	•	•
8	×	•	•	•	•	•	•	•
7	×	×	•	•	•	•	•	×
6	×	×	×	•	•	•	×	×
5	×	×	×	×	×	×	×	×
4	×	×	×	×	×	×	×	×
3	■	×	×	×	×	×	×	×
2	■	■	×	×	×	×	×	■
1	■	■	×	×	×	■	■	■
STEPS	1	2	3	4	5	6	7	8

K.H. 588 MACHINE

- = COLOUR A
- = COLOUR B
- × = COLOUR C

town 'n' country suit (TR45)



Materials

Top 13 (14, 15, 16, 17) balls Town 'n' Country by Wendy. 4 (4, 4, 5, 5) balls Marina Crepe Double Knit by Wendy.
Skirt 9 (10, 11, 12, 13) balls. Town 'n' Country by Wendy. 1 in. by desired length elastic. 7 ins. zip.

Measurements

To fit 34 (36, 38, 40, 42) ins. bust.
 To fit 36 (38, 40, 42, 44) ins. hip.
 Sleeve seam $14\frac{1}{2}$ ins.
 Skirt length 15 ($15\frac{1}{2}$, 16, $16\frac{1}{2}$, 17) ins.


Tension

4 sts. x 9 rows to 1 in. over alt. Ns. on T6. in Town 'n' Country.
 8 sts. x $8\frac{1}{2}$ rows to 1 in. over 2 x 2 rib in D.K. on T9/8.


BACK

1. Hem Cast on with W. Wl. 74 (78, 82, 86, 90) sts. over alt. Ns. K. a few rows. With T.

'n' C. T5. K. 10. T8. K. 1. T5. K. 10. M.D.E. Unravel W. Wl. T6. K. 1. C.O.R. 000.
2. 46 rows. See *.



3. With D.K. K. 40 rows. See *.
4. With T. 'n' C. K. 54 rows.
5. Cast off 3 (4, 4, 5, 5) sts.
6. 72 (74, 76, 78, 80) rows.
7. **Shoulder** Cast off 5 sts. at beg. next 8 rows, then cast off 3 (4, 5, 6, 7) sts. at beg. next 2 rows. Thread up rem. 22 (22, 24, 24, 26) sts. and take off M/c. * With W. Wl. K. a few rows. Take off M/c. * With purl side of fabric facing M/c. replace onto Ns. After step 3 repeat from * to *. With plain side of fabric facing M/c. place onto Ns.



FRONT

As back to step 4.


4. Dart K. to 40 rows. H.C.L.'s II always taking yarn round inside N. in E pos., push 12 (16, 20, 24, 28) Ns. to E pos. at opp. end to carr. on next 2 rows. Return 3 (4, 5, 6, 7) Ns. to C. pos. at opp. end. to carr. on next 8 rows. K. 12 rows.

5. 3 (4, 4, 5, 5) sts.

6. Neck Thread up left 29 (30, 31, 32, 33) sts. and take off M/c. K. 1 row. Cast off 10 (10, 12, 12, 14) sts. K. 1 row. * K. 24 (26, 28, 30, 32) rows. On neck edge dec. 1 st. and every foll. 10 rows, 5 times more. Rows 72 (74, 76, 78, 80) start shoulder shapings. * **LEFT NECK**

LEFT NECK

Place thread up sts. onto M/c. and repeat from * to * reversing shapings.



SLEEVES

1. Cuff With D.K. cast on 102 (106, 110, 114, 118) Ns. as 2 x 2 rib. T5/5. K. 4 rows tub. T9/8. K. 52 rows rib. Trans. Ns. to M.B. Inc. 1 st. Trans. every alt. N. to right. Push back empty Ns. to A pos. leaving 52 (54, 56, 58, 60) Ns. in B pos. C.O.R. 000.

2. With T. 'n' C. K. 104 rows.

3. Cast off 3 (4, 4, 5, 5) sts.

4. Armholes Dec. 1 st. on each edge every 4 rows, 8 times. Last dec. row 32. K. to 36 rows. Cast off rem. 30 (30, 32, 32, 34) sts.

lurex twin set (TR42)

Materials

Jacket 12 (13, 14) ozs. Lister Bel Air Star Spun. Colour A 4 ply—Stardust. 1 small ball. Colour B 4 ply—White Lady.

Top 9 (10, 11) ozs. Lister Bel Air Star Spun. Colour A 4 ply—White Lady. 2 ozs. Colour B 4 ply—Stardust. 6 small buttons.

Measurements


To fit 38 (40, 42) ins. bust.

Length of jacket from top of neck $25\frac{1}{2}$ (25 $\frac{1}{4}$, 26) ins.

Sleeve seam $17\frac{1}{2}$ ins.

Tension

7 sts. and 11 rows to 1 in. T6.



BACK

1. C.O.B.H. In col. A 136 (144, 152) sts. T5. K. 7. T7. K. 1. T5. K. 7. M.D.E. T6. K. 1 row. C.O.R. 000.

2. K. 166 rows straight.

3. Cast off 7 (8, 9) sts. at beg. next 2 rows to 122 (128, 134) sts. C.O.R. 000.

4. Dec. 1 st. on each edge every 3rd row, 14 times to 94 (100, 106) sts. K. to 42 rows. C.O.R. 000.

5. K. 50 (54, 58) rows straight. C.O.R. 000.

6. H.C.L's II (800 H.C.L. 1). Always taking yarn round first inside N., in E pos. push 6 Ns. to E pos., at opp. end to carr. on next 6 rows. Then push 4 (5, 6) Ns. to E pos. on next 4 rows. C.O.R. Push left Ns. to C pos. K. 1 row. H.C.L. I (800 H.C.L's 3). K. 1. Cast off.

RIGHT FRONT


1. C.O.B.H. 68 (72, 76) sts. Hem as for 1 Back. C.O.R. 000. Starting from right edge thread up the 14th (16th, 18th) N. to the 55th (57th, 59th) N. (41 Ns. in all). Take these sts. off M/c. With W. Wl. cast back onto empty Ns. and hang on comb. C.O.R. 000.

2. K. 151 rows. H.C.L's II (800 H.C.L. 1). Always taking yarn round inside N. in E pos. push 40 (42, 42) Ns. to E pos., at opp. end to carr. K. 2 rows. Push 8 (7, 6) Ns. back to C pos. on next 10 (14, 16) rows. C.O.R. K. to 166 rows.

3. As for back to 61 (64, 67) sts. C.O.R. 000.

4. Dec. armhole as for back. Row 22, dec. 1 st. every 4th row 20 (21, 22) times to shoulder.






5 and 6. As for shoulder. Repeat for left front, reversing all shapings. Press back and fronts. Join at shoulders.

FRONT BANDS

C.O.B.H. 184 (188, 192) sts. T5. K. 3.

BUTTONHOLES

Working from left trans., the 4th N. to left and 5th N. to right. Leave a gap of 19 Ns. between buttonholes and repeat. Make 6 buttonholes in all. T5. K. 4. T7. K. 1. T5. K. 4. Make buttonholes as before. T5. K. 3. M.D.E. With right side of work facing M/c. place half back neck to first 21 (22, 23) Ns. Place side neck to 50 (53, 56) Ns. and front to 113 Ns. Cast off. Repeat for left band omitting buttonholes.




POCKET

With right side of work facing M/c. place 41 thread up sts. back onto M/c. (extra N. to right of centre). Inc. 1 st. on each edge to 43 Ns. Set M/c. to jacq., C.O.L. T6. K. 1 row. T7. Start jacq. from graph. K. to 63 rows. T5. K. 7. T7. K. 1. T5. K. 7. M.D.E. Cast off. Repeat pocket. Press pockets and st. onto fronts. On wrong side sl. st. linings to tops of hems.

SLEEVE

- C.O.B.H. 60 (64, 68) sts. T5. K. 22. T7. K. 1. T5. K. 22. M.D.E. T6. K. 1 row.
- Inc. 1 st. on each edge every 9th row, 17 times to 94 (98, 102) sts. K. to 170 rows.
- Cast off 7 (8, 9) sts. at beg. next 2 rows to 80 (82, 84) sts. C.O.R. 000.
- Dec. 1 st. on each edge every 4th row 12 times to 56 (58, 60) sts. K. to 48 (50, 52) rows. C.O.R. 000.
- H.C.L's II (800 H.C.L. 1). Push 3 Ns. to E pos. at opp. end to carr. on next 8 rows. Push left Ns. back to C pos. K. 1. H.C.L. I (800 H.C.L's 3). K. 1 row. Cast off. Repeat sleeve. Press sleeves and sew tops into armholes. Join side and sleeve seams. Finish off buttonholes. Press all seams and bands. Sew on 6 buttons to correspond with holes.




TOP BACK

Colour B.

- C.O.B.H. 114 (120, 126) sts. T5. K. 28. T7. K. 1. T5. K. 28. M.D.E. T6. K. 1. C.O.R. 000.
- K. 16 rows straight. C.O.R. 000.
- Inc. 1 st. on each edge every 8th row 10 times to 134 (140, 146) sts. K. to 88 rows.
- Cast off 7 sts. at beg. next 2 rows to 120 (126, 132) sts. C.O.R. 000.
- Dec. 1 st. on each edge every 3rd row, 13 times to 94 (100, 106) sts. K. to 40 rows. C.O.R. 000.
- K. 48 (52, 56) rows to shoulder. C.O.R. 000. H.C.L's II (800 H.C.L. 1).
- Always taking yarn round inside N. in E pos. on next 4 rows. Push left Ns. to C. K. 1 row. H.C.L. I (800 H.C.L's 3). K. 1. Cast off.

FRONT

- and 2. As for back.
- K. to row 76 (make incs. as for back). H.C.L's II. Always taking yarn round inside N. in E pos. push 40 (42, 42) Ns. to




E pos. at opp. end to carr. on next 2 rows. Push 8 (7, 6) Ns. back to C pos. on next 10 (12, 14) rows. C.O.R. K. to 88 rows.

4. As for back.

5. Make armhole decs. as for 5 back. * At the same time row 22 thread up Ns. to left of centre and take off M/c. Dec. 1 st. on neck and every foll. 4th row 16 times. Then dec. 1 st. on neck every 3rd row 4 (5, 6) times (to shoulder).

6. As for back.

7. As for back. Place thread up sts. back onto M/c. and repeat from * reversing all shapings. Press back and front. Join shoulders.



SLEEVE

Colour B.


- With W. Wl. Cast onto 56 (60, 64) Ns. K. a few rows. C.O.R. 000. With M. Wl. K. 22 rows straight. C.O.R. 000.
- Inc. 1 st. on each edge every 9 rows, 17 times to 90 (94, 98) sts. K. to 170 rows.
- Cast off 7 sts. at beg. next 2 rows to 76 (80, 84) sts. C.O.R. 000.
- Dec. 1 st. on each edge every 4th row 10 (7, 6) times. For last 2 sizes only dec. 1 st. every 5th row (4, 6) times to 56 (58, 60) sts. K. to 44 (50, 56) rows. C.O.R. 000.
- H.C.L's II (800 H.C.L. 1). Push 3 Ns. to E pos. on next 8 rows. Push left 14 Ns. back to C pos. K. 1. H.C.L. I (800 H.C.L's 3). K. 1. Cast off. Repeat sleeve.

CUFF

With colour A cast on 70 (74, 78) Ns. T5. K. 1. Inc. 1 st. on each edge every alt. row

safari style jacket (TR46)

3 times. T7. K. 1. T5. K. 7. Dec. 1 st. on each edge every alt. row 3 times M.D.E. Set M/c. jacq. T6. K. 1 row. C.O.R. T7. Start jacq. from graph. Dec. 1 st. on each edge every 4th row, 7 times. K. to 30 rows. T7. K. 1 row plain for foldline. T6. K. 30 rows. Inc 1 st. on each edge every 4th row, 7 times. Cast off. Repeat cuff. Press cuffs and fold along foldline. On inside st. lining to top of hem. Place edge of sleeve to 56 (60, 64) Ns. (with right side of work facing M/c.). With wrong side of cuff uppermost place narrow edge onto Ns. and cast off to end. Repeat cuff. Cast off.



TO MAKE UP

Press sleeves and cuff seams. Sew tops into armholes. Join side and sleeve seams. Fold back cuffs and join seams.

COLLAR

In col. A. C.O.B.H. 149 (157, 161) Ns. (extra N. on right).

1. T5. K. 18 rows. C.O.R. H.C.L's II (800 H.C.L. 1).

2. Push 124 (127, 130) Ns. to E pos. at opp. end to carr. * Always taking yarn round inside N. in E pos. K. 2 rows. Push 5 sts. back to C pos. on next 10 rows to row 30. * C.O.R. Push all Ns. to E pos. Break off yarn. Place carr. on left. Push 25 (28, 31) Ns. to C pos. K. 2 rows.

3. Repeat from * to *. Break off yarn. Place carr. on right. H.C.L. I (800 H.C.L's 3). T7. K. 1 row. Set M/c. to jacq. T6. K. 1 row. C.O.R. 000.

4. Start jacq. from graph. Repeat step 2. Then K. 18 rows straight to 30 rows. C.O.R. T5. K. 6. Inc. 1 st. on each edge every alt. row. T7. K. 1. T5. K. 6. Dec. 1 st. on each edge every alt. row. M.D.E. Cast off. Press collar. Fold along loose row. St. Cast on edge to top of hem.

COLLAR BANDS

In col. A. C.O.B.H. 16 sts. T5. K. 6. Inc. 1 st. on left edge every alt. row. T7. K. 1. Inc. 1 st. on left edge every alt. row. T5. K. 6. Dec. 1 st. on left edge every alt. row. M.D.E. With jacq. side of collar facing M/c. place right edge sts. to Ns. working through both layers. Cast off. Repeat band making mitred corner on right. Place left edge of collar to these sts. and cast off. Press collars along fold and bands. Pin collar onto neck edge with jacquard facing wrong side of top, edges of collar meet at front neck. St. along foldline to edge of neck to end. Fold back collar and press along seam. Press all seams.

Materials

25 (27, 29, 31, 33) balls Courtelle Random Crepe D.K. by Wendy. 5 buttons. 4 smaller buttons. Petersham 1½ ins. wide by desired length.

Measurements

To fit 34 (36, 38, 40, 42) ins. bust. Finished measurements 36 (38, 40, 42, 44) ins.

Length from top of shoulder 30 (30½, 31, 31½, 32) ins.

Sleeve seam 17½ (17½, 18, 18, 18½) ins.

Tension

6 sts. x 9½ rows to 1 in. on T9. over st.st.

Notes

= on pattern means: with different coloured strand of wool, make mark on edge st. This is for guidance when sewing up.

BACK


1. **Hem** With W. Wl. cast on 61 (64, 67, 70, 73) sts. over alt. Ns. K. a few rows. With M. Wl. T8. K. 1. Push all Ns. to B pos. K. 9. T10. K. 1. T8. K. 10. M.D.E. onto every alt. N. Unravel W. Wl. T9. K. 1 row. Dec. 1 st. to 120 (126, 132, 138, 144) sts. C.O.R. 000.

2. Dec. 1 st. every 8 rows, 12 times. K. 96 rows.

3. Inc. 1 st. every 15 rows 6 times. K. to 90 (92, 94, 96, 98) rows. See notes.

4. 82 (84, 86, 88, 90) rows.

5. **Shoulders** Cast off 7 sts. at beg. next 8 rows. Then cast off 4 (6, 8, 10, 12) sts. at beg. next 2 rows. Thread up rem. 44 (46, 48, 50, 52) back neck sts.




RIGHT FRONT

1. **Hem** With W. Wl. cast on 27 (29, 31, 33, 35) sts. over alt. Ns. Make hem as for back. Dec. 1 st. to 52 (56, 60, 64, 68) sts.

2. See back.


3. See back.

4. **Front Neck** Dec. 1 st. on neck edge at 000, and every foll. 6 (6, 5, 5, 4) rows. 13



(15, 17, 19, 21) times. At rows 82 (84, 86, 88, 90) start shoulder as for back.

5. As for back. Repeat front reversing all shapings.



SLEEVE

1. **Hem** With W. Wl. Cast on 27 (29, 31, 33, 35) sts. over alt. Ns. Make hem as for back. Dec. 1 st. to 52 (56, 60, 64, 68) sts. C.O.R. 000.

2. Inc. 1 st. every 13 rows 12 times. K. to 156 (156, 160, 160, 164) rows.

3. Dec. 1 st. every alt. rows 19 (20, 21, 22, 23) times. K. to 38 (40, 42, 44, 46) rows. K. 1 row. Cast off.

POCKETS

C.O.B.H. 28 (32) sts. T9. K. 38 (40) rows. Cast off.

FLAPS

C.O.B.H. 8 sts. T9. Inc. 1 st. on each edge every row 10 (12) times. At row 4 make buttonhole over centre 8 sts. K. to 31 (27)



rows and cast off. Figures outside () indicate smaller breast pockets. K. 2. Figures inside () indicate hip pockets. K. 2.

TO MAKE UP

Press fronts, pockets and flaps. With plain side of fabric as right side pin breast pockets onto fronts $1\frac{1}{2}$ ($1\frac{3}{4}$, 2, $2\frac{1}{4}$, $2\frac{1}{2}$) ins. in from front edges and 2 ins. down from under arm (marked st.). Pin hip pockets at same distance from front edge and 2 ins. up from hem. Crochet round shaped edges of flaps. Finish buttonholes. Pin flaps 1 in. above pockets. Slip-st. pockets and flaps in place.

FRONT BANDS

C.O.B.H. 122 (124, 126, 128, 130) sts. T8. K. 11 rows. **Buttonholes** Starting 3 sts. in from left, make buttonholes over 7 sts. leaving a gap of 4 (5, 5, 6, 6) Ns. between holes. Make 5 holes in all. T8. K. 11. T10. K. 1. T8. K. 11. Make buttonholes as before. T8. K. 11. M.D.E. Place front edge from hem to waist (marked st.) to first 66 sts. and rem. of edge to rest of Ns. and cast off. Repeat for button band, omitting holes. Press back and sleeves. Join shoulders of back and fronts.

COLLAR

C.O.B.H. 156 (162, 168, 174, 180) sts. T8. K. 20 rows. Dec. 1 st. on each edge every 10 rows 3 times. (H.C.L's II. Push left 106 (110, 114, 118, 122) Ns. to E pos. C.O.R. * K. 2 rows. Push 7 (7, 8, 8, 9) Ns. to E pos. at opp. end to carr. on every alt. row 6 times. * Push all Ns. to E. Place C.O.L. Return 50 (52, 54, 56, 58) Ns. on left to B pos. Repeat from * to *. C.O.L. H.C.L. I. T10. K. 1 row. T8. Repeat from (to). Inc. 1 st. on each edge on 10th row. T8. K. 20 rows. Inc. 1 st. on each edge every 10 rows to 156 (162, 168, 174, 180) sts. M.D.E. With right side of work facing M/c. place side neck to first 56 (58, 60, 62, 64) Ns., place back neck to 44 (46, 48, 50, 52) Ns. and rem. neck to rest Ns. Cast off. Sew sleeves into armholes between marked sts. Close side and sleeve seams. Finish edges of collar, bands and buttonholes. Press all seams, bands and collar. Sew buttons onto band to correspond with holes. Sew buttons on pockets.

BELT

C.O.B.H. 121 (127, 133, 139, 145) sts. T8. K. 8. Dec. 1 st. every alt. row 4 times. T10. K. 1. T8. K. 16. Inc. 1 st. every alt. row, 4 times, then dec. 1 st. every alt. row 4 times. T10. K. 1. T8. K. 8. Inc. 1 st. every alt. row 4 times. Cast off. Repeat. Join belt pieces tog. at one end, press. Fold lengthwise along loose rows and close seam. Insert petersham. Finish off mitred edge. Press belt. Sew buckle onto end.

Belt Tabs

K. 5. C.O.B.H. 8 sts. T8. K. 30 rows. Cast off. Press loops. Fold lengthwise and close seams. Press. Sew 1 loop onto each side seam at waist line, 1 onto centre back and 1 loop under each breast pocket.

batwing jumpers (TR47)

Materials

Top A 4 (4, 5, 5) balls col. A Wendy Whisper. 4 (4, 5, 5) balls col. B Wendy Whisper.

Top B 6 (6, 7, 7) balls col. A Wendy Whisper. 3 (3, 3, 3) balls col. B Wendy Whisper.

Measurements


To fit 28 (30, 32, 34) ins. bust.

Tension

6 sts. x 10 rows to 1 in. on T7 over st.st.

Note

Lace patt. on sleeves of top B is made on M/c. No. 810 using punch card No. 23.




BACK

1. Hem. Ribbers In col. A for top A. Cast onto 75 (79, 83, 87) Ns. as 1 x 1 rib. In col. B for top B. Cast onto 75 (79, 83, 87) Ns. as 1 x 1 rib. T3/3. K. 4 rows tub. T5/4. K. 40 rows rib. C.O.R. 000. Trans. Ns. to MB.

Single Bed M/c. With W. Wl. cast onto every alt. N. over 37 (39, 41, 43) Ns. K. a few rows. With M. Wl. T5. K. 40. T7. K. 1. T5. K. 40. M.D.E. over 73 (77, 81, 85) Ns. Unravel W. Wl. Inc. 1 st. on each edge. C.O.R. 000.

2. In col. A. K. 134 (134, 140, 140) rows.

3. Shoulders Cast off 5 sts. at beg. next 8 rows. Then cast off 2 (3, 4, 5) sts. at beg. next 2 rows. Thread up rem. 31 (33, 35, 37) sts.



RIGHT FRONT

1. As for back.

2. After hem, thread up left 21 (22, 23, 24) sts. and take off M/c. On left edge dec. 1 st. every 5th row 12 (4, 2, 0) times, then every 4th row 20 (30, 34, 38) times. For last size



dec. 1 st. at 000.


3. As for back.


LEFT FRONT

Cast on 54 (57, 60, 63) sts. and cont. as for right reversing all shapings. Press back and front. Join shoulders.

SLEEVES

1. In col. B for top A. Cast on 55 (55, 61,





61) sts. K. 2 rows. In col. A for top B. Cast on 55 (55, 61, 61) sts. K. 2 rows. For top B start patt. here. Inc. 1 st. on each edge every row 24 times to 103 (103, 109, 109) sts. C.O.R. 000.

2. Inc. 1 st. on each edge every alt. row 16 times, 32 rows. C.O.R. 000.

3. K. 20 rows straight. Cast off. Repeat sleeve.

SLEEVE HEMS

In col. B. C.O.B.H. 155 (155, 161, 161) sts. * T5. K. 10. T7. K. 1. Make picot edge by trans. every alt. N. to right. T5. K. 11. M.D.E. * With right side of sleeve facing M/c. place curved edge evenly onto Ns. and cast off with col. A. Press sleeves.

FRONT BANDS

C.O.B.H. 109 (109, 117, 117) sts. in col. B and repeat from * to *. With right side of right front facing M/c., place side neck to 93 (92, 99, 98) Ns. and half back neck to 16 (17, 18, 19) Ns. and cast off. Repeat band for left front. Join bands at back neck.

TO MAKE UP

Starting $1\frac{1}{2}$ ins. up from hem, sew sleeves to bodice. Press seam. Join side seams up to sleeves. Graft edge of right front band to hem sts. Starting from left edge graft hem sts. to edge of left front. Working on inside sew rem. left front to top row of hem sts. Press all seams and bands.

BELT

C.O.B.H. 140 Ns. in col. B for top A. C.O.B.H. 140 Ns. in col. A for top B. T5. K. 14. T7. K. 1. Make picot edge, extra N. on right. * T5. K. 15. M.D.E. Cast off. Repeat belt with extra N. on left. * Join belt pieces along edges marked *. Close ends. Press.

Belt Loops


With one part button pressed in T3. K. on 2 Ns. until loop measures 2 ins. approx. Repeat.

On Top A

Swiss darn motif onto right front. When all is completed, gently brush up pile all over top.



woven sweater (TR37)



POCKETS (make sure sts. of pocket are replaced onto same needles they came from). With purl side of work facing M/C. (hem uppermost) place 1st cast on sts. onto the end N. and rest of sts. to next 40 Ns., then place hem sts. also onto these Ns. C.O.L. T7. K. 1 row, inc. 1 st. on each edge. Start patt. from left and K. 82 rows. Thread up these sts.

POCKET BAND

Ribber Cast on 43 sts. as for 1 x 1 rib. T2/2. K. 4 rows tubular. T3/3. K. 12 rows with purl side of pocket facing M/C. place top of pocket sts. onto rib and cast off together.

Single bed machines Bring forward to B pos. 43 Ns. and return every alt. N. to A pos. With W. Wl. K. a few rows, with MW. T5, K. 12 rows, T7, K. 1 row, T5, K. 12 rows M.D.E. unravel W. Wl. Press back and fronts. Join shoulders.

ARMBANDS

Ribbers Cast on 147 (153, 159, 165) sts. T2/2. K. 4 rows tubular. T3/3. K. 12 rows with purl side of garment facing M/C. Place armhole evenly onto band and cast off. Repeat.

Single bed machines Bring forward 147 (153, 159, 165) sts. Continue as for pocket band. Place armhole onto band and cast off. Repeat.

FRONT BAND

Mark pos. on right for 5 buttons, the first $\frac{1}{4}$ in. above lower edge and the last one at beg. of neck shaping. Space the remainder evenly.

Ribbers Cast on 15 sts. as 1 x 1 rib. T3/3. K. straight and make buttonholes to match markers on centre st. until long enough to fit along both fronts and across back neck stretching slightly to fit. Cast off.

Single bed machines Cast on 18 sts. by hand. T6. K. as ribbers making buttonholes over Ns. 5 and 6 from each end and cast off.

TO MAKE UP

Join side seams. Sew ribbed front band in pos. Sew st.st. band in pos., turn to inside and slip-st. in place. St. pockets into place. Finish off buttonholes and sew on buttons. Press all seams and bands.

Materials


14 (15, 16) ozs. Robin Tricel—Nylon Perle 4 ply.

Measurements

To fit 34 (36, 38) ins. bust.
Finished measurements 35 (37, 39) ins.

Tension

6 sts. and $11\frac{1}{2}$ rows to 1 in. on T6.



BACK

1. C.O.B.H. 127 (133, 139) sts. T5. K. 12. T5. K. 12. M.D.E. T7. K 1 row. C.O.R. 000.


2. K. 6 rows and start pattern from graph. Dec. 1 st. on each edge every 13 rows 10 times to 107 (113, 119) sts. K. to 148 rows. C.O.R. 000.

3. 88 rows straight.

4. Cast off 9 sts. at beg. next two rows to 89 (95, 101) sts. C.O.R. 000.

5. Dec. 1 st. on each edge every alt. row 12 (13, 14) times then dec. 1 st. every row 17 times to 31 (35, 39). Back neck sts. K. to 42 (44, 46) rows.


6. K. 58 rows. Cast off and take off M/c.



FRONT

1. and 2 as for back.

3. Row 52 start neck. Thread up and take off M/c. sts. to left of centre O. Dec. 1 st. on neck edge and then every 6 (5, 5) rows 8 (16, 10) times (1 and 3 sizes only), then every 5 (4) rows 6 (8) times. At the same time continue steps 4 and 5 as for back. Place left sts. onto M/c. and continue above 3 reversing shapings.



SLEEVE

1. C.O.B.H. 89 (93, 97) sts. As for 1 back.


2. K. 6 rows and start pattern. Dec. 1 st. on each edge every 18 rows 8 times to 73 (77, 81) sts. K. to 148 rows. C.O.R. 000.

3. 88 rows straight.

4. Cast off 9 sts. at beg. next two rows to 55 (59, 63) sts. C.O.R. 000.

5. Dec. 1 st. on each edge every 8th row 9 times to 37 (41, 45) sts. K. to 72 (74, 76) rows.

6. Cast off 2 sts. at beg. of every row 12 (16, 20) times. Then cast off 1 st. at beg. of every row. Repeat sleeve 10 (6, 2) times. Cast off remaining sts. and take off M/c. Press all pieces. Join raglans.





NECKBAND

C.O.B.H. 158 (168, 178) sts. T5. K. 20 rows. Dec. 1 st. on each edge every alt. row T7. K. 1 row. T5. K. 20 rows. Inc. 1 st. on each edge every alt. row M.D.E. With purl side of garment facing M/c. place front neck to 45 (46, 47) sts., place sleeve to 17 (19, 21) sts., back neck to 34 (38, 42) sts. Cast off up to this point. Place remainder of neck to rest of Ns. and cast off in same way. Join mitre at front of band. Close side and sleeve seams. Press all seams and band.

For isolated diamond select step 35. Push every alt. N. in D pos. back to B pos. Continue in this way to step 62. K. 20 rows straight. Repeat step 35-46 and 55-62, selecting alt. diamond.

Chart for 800 machine on page 29.

63	K6 ROWS									
62									"	I
61									"	"
60									"	"
59			■						"	III
58									"	I
57									"	"
56									"	"
55		■		■					"	III
54									"	I
53									"	"
52									"	"
51	■		■		■				"	III
50									"	I
49									"	"
48									"	"
47	■		■		■		■		"	III
46									"	I
45									"	"
44									"	"
43	■		■		■				"	III
42									"	I
41									"	"
40									"	"
39			■		■				"	III
38									"	I
37									"	"
STEPS	1	2	3	4	5	6	7	8		
	K.H. 588 MACHINE									

bonnet and Christening robe (OE21) 800 ONLY

Materials

4 ozs. approx. of white acrylic yarn obtainable by post from Bonnies Wools, 10 Park View Road, Northfield, Birmingham B31 5AU. 5 small buttons. 2 yds. ribbon. Fine crochet hook.

Measurements (actual)

Chest 18 ins.

Sleeve seam 1 in.

Back length 22½ ins.

Bonnet Around Face 12 ins.

Tension

T2, 9 sts. and 13 rows to 1 in.

Abbreviations

St.st., stocking stitch; dec., decrease; C.O.R., carriage on the right; H.C.L's., holding cam levers; beg., beginning; rem., remaining; alt., alternate.

SKIRT FRONT

Cast on 148 sts. T3, K. 14 rows. T4, K. 1 row. Transfer every alt. st. to adjacent needle (to make a row of holes which will form a picot edge) K. 15 rows. Make hem. K. 2 rows. Now work from chart until work measures 18 ins. (adjust length here). K. 2 rows st.st. Put sts. onto a holder then re-hang over 84 sts. by hanging one st. per needle on first and last 8 sts. and hanging 2

sts. per needle over all the rest. T2, K. 2 rows, make a row of holes (for ribbon) by transferring every alt. st. to adjacent needle. K. 10 rows.

Shape Armholes

Cast off 3 sts. at beg. of next 2 rows. Dec. 1 st. at both ends of next 6 rows (66) sts. Work straight until armhole measures 2¼ ins. With a spare piece of yarn, cast off centre 16 sts., for neck. Put left hand set of sts. in position E, H.C.L's on 2 and continue on right hand set of needles dec. 1 st. at neck edge on next 6 rows, ending with C.O.R. Shape shoulder, cast off 9 sts. at beg. of next row. K. 1 row. Cast off rem. sts. Rejoin yarn and K. other set of sts. to match, reversing shapings.

SKIRT BACK

Work exactly as given for Front until there are two more repeats of the pattern chart to be worked, then divide for the back opening, by putting one half of the sts. into the non-working position (by knitting each st. by hand with the nylon thread provided with the machine and making quite sure that each needle is right back to position A so enabling the lace carriage to pass freely). Continue in pattern until skirt is same length as the back. Put these sts. on a

holder, return to the others left in N.W.P., return them to their latches and continue in pattern until work is same length as other side. Put these sts. onto a holder.

BODICE BACK

Bring forward 42 needles, and with right side of work towards machine, re-hang right hand set of sts. putting 1 st. on each of the first 8 needles and 1 st. each on last two (centre back edge) needles and 2 sts. on all rem. sts. Cast on 1 st. at inner edge (back opening) T2, K. 2 rows, make a row of holes as before, K. 10 rows ending with C.O.R. (C.O.L. for 2nd side). Cast off 3 sts. at beg. of next row, and dec. 1 st. at this same edge on next 6 rows. Work straight until armhole measures 3 ins. ending C.O.R. Cast off 9 sts. at beg. of next 2 alt. rows. K. 1 row. Cast off. Re-hang left hand set of sts. and work to match reversing shapings.

SLEEVES

Cast on 86 sts. T2, K. 12 rows. Cast off 4 sts. at beg. of next two rows, then cast off 3 sts. at beg. of every row until 18 sts. rem. Cast off.

SLEEVEBAND

Pick up the cast on sts. and hang up over 43 needles (2 on each needle) T2, K. 6



palm tree sweater (TR55)

20 (22, 24, 26, 28) shoulder sts. After 36 Rs. start step 5.

5. K. 44 (46, 48, 50, 52) Rs. to shoulder.

6. K. 1. Always taking Y. round inside N. in E pos. on Rt. edge push 4 (5, 5, 6, 6) Ns. to E pos. ev. alt. R. 2 (2, 4, 1, 3) times. Then push 4 (4, 4, 5, 5) Ns. to E pos. 3 (3, 1, 4, 2) times. C.O.L. Push Ns. to C pos. K. 1. C/O. Return Lt. Ns. to B pos. Set Ns. for Jacq. Repeat from **Front Neck**, reversing all shapings.

BACK

1. As for front. (Do not set machine for jacq.)


2. K. 120 Rs. T7 2/3 in colour C.

3. As for front.

4. As for front omitting front neck.

5. K. 50 (52, 54, 56, 58) Rs. to shoulder.

6. H.C.L.'s II. Push 4 (5, 5, 6, 6) Ns. to E pos. at opp. end to carr. on next 4 (4, 8, 2, 6) Rs. Then 4 (4, 4, 5, 5) Ns. to E pos. on next 6 (6, 2, 8, 4) Rs. Push Lt. Ns. to C pos. K. 1. H.C.L.'s I. K. 1. C/O.



SLEEVE

1. **Ribbers** In colour A. Cast on 52 (56, 60, 64, 68) sts. as 2 x 2 rib, make rib as * to * of front.


Single bed machine In colour A. Cast on 53 (57, 61, 65, 69) sts. Make rib as * to * of front. Dec. 1 st. C.O.L. T72/3. K. 1. C.O.R. 000. Change to colour C.

2. Inc. 1 st. on each edge ev. 9 Rs. 12 times. Then ev. 8 Rs. 5 times. K. to 150 (150, 156, 156, 162) Rs.


3. C/O 8 sts. at beg. next 2 Rs. C.O.R. 000.

4. Dec. 1 st. on each edge ev. 3 Rs. 13 (14, 15, 16, 17) times. (For last size only dec. last st. on row 50) K. to 42 (44, 46, 48, 50) Rs. C.O.R. 000.

5. H.C.L.'s II. Push 4 Ns. to E pos. at opp. end to carr. on next 4 Rs. Then push 3 Ns. to E pos. on next 4 Rs. Push Lt. Ns. to C pos. K. 1. H.C.L.'s I. K. 1. C/O. Press all pieces. Join shoulders.



lacy swim suit and dress—



x COLOUR A
 ■ COLOUR C
 * COLOUR D
 □ COLOUR B

NECKBAND

Ribbers In colour A. Cast on 162 (170, 178, 186, 194) sts. as 2 x 2 rib. T2/2. K. 4 Rs. Tub. T3/3. K. 14 Rs. rib. Change to colour C. K. 4 Rs. Trans. Ns. to M.B.

Single bed machines Push 161 (170, 178, 187, 194) Ns. to B pos. Push ev. 3rd N. to A pos. With W. Wl. K. a few Rs. In colour A. T5. K. 18. T7. K. 1. T5. K. 18. M.D.E. Unravel W. Wl. With Rt. side of work facing machine, place Lt. side neck to first 48 (50, 52, 54, 56) sts. and back neck to rem. sts. C/O to end.

TO MAKE UP

Sew tops of sleeves into armholes. Press seams. Join side and sleeve seams. Close neckband. Press all seams and band.

DRESS—STYLE B

Lace-patterned dress with frilled sleeves and tie front. Worn over bathing suit featuring laced-midriff.

Materials

Dress 6½ (7, 7½) balls. Conton du Pingouin—Pingouin yarns.

Suit 3½ (4, 4½) balls. Conton du Pingouin—Pingouin yarn. ¼ in. wide elastic at desired length.


Measurements

To fit 30 (32, 34) ins. bust.

Tension

7 sts. and 11½ rows to 1 in. on T6 over st.st.

7 sts. and 10 rows to 1 in. on T6 over lace-pattern.



DRESS—STYLE B

BACK

1. Hem C.O.B.H. 147 (153, 159) sts. T5. K. 10. T7. K. 1. * Make picot edge by trans. every alt. N. to Rt. * T5. K. 10. M.D.E. T6. K. 1. C.O.R. 000. Inc. 1 st. Start lace-pattern from graph.

2. Dec. 1 st. on each edge every 7 Rs. 16 (20, 24) times. Then ev. 6 Rs. 9 (5, 1) times. To 98 (104, 110) sts. K. to 166 (170, 174) Rs. C.O.R. 000.

3. Inc. 1 st. on each edge ev. 10 Rs. 8 times to 114 (120, 126) sts. K. to 82 Rs.

4. C/O 10 (11, 12) sts. at beg. next 2 Rs. to 94 (98, 110) sts. C.O.R. 000.

5. Dec. 1 st. on each edge ev. 3 Rs. 10 times to 74 (78, 82) sts. K. to 30 Rs. C.O.R. 000.

6. K. 44 (46, 48) Rs. to shoulder. After 22 (24, 26) Rs. start B.N.

BACK NECK

Thread up centre 26 (28, 30) sts. and take off machine. Thread up rem. Lt. sts. and take off machine. On Rt. edge of neck dec. 1 st. ev. 3 Rs. 10 times to 14 (15, 16) sts. After 44 (46, 48) Rs. start shoulder.

7. Shoulder C/O 3 sts. at beg. next 4 alt. Rs. Then C/O 2 (3, 4) sts. at beg. next row. Place Lt. sts. back onto machine and repeat B.N. reversing all shapings.

RIGHT FRONT

1. C.O.B.H. 73 (77, 81) sts. Make hem as for 1. of back. Inc. 1 st.

2. As for back (dec. on Rt. edge only) to 49 (53, 57) sts.

3. As for back (Inc. on Rt. edge only) to 57 (61, 65) sts.

4. C/O 10 (11, 12) sts. at beg. next R. to 47 (50, 53) sts. K. 2 Rs. C.O.R. 000.

5. Thread up 13 (15, 17) sts. on front edge and take off machine. Dec. 1 st.

23 Repeat from step 3-22 for dress	
22	← U
21	→ U
20	← U
19	→ U
18	← U
17	→ U
16	← U
15	→ U
14	← U
13	→ U
12	← U
11	→ U
10	← U
9	→ U
8	← U
7	→ U
6	← U
5	→ U
4	← U
3	→ U
2	← U
1	→ U
STEPS	1 2 3 4 5 6 7 8
	K.H. 588 MACHINE
	DIP OF L. CARR. / DIP OF L. CARR.

style B (TR50)

588only unless lace pattern adapted.

on each edge ev. 3 Rs. 10 times to 14 (15, 16) sts. C.O.R. 000.

6. As for back.

7. As for back. Repeat for Lt. front reversing all shapings.

SLEEVE FRILLS

With W. Wl. cast on 68 (74, 80) sts. K. a few rows with M. Wl. K. 2 Rs. C.O.R. 000. Start lace-pattern. Cast on 4 sts. at beg. ev. R. to 148 (154, 160) sts. to 20 Rs. C.O.R. 000. K. 14 Rs. straight. C/O. Repeat.

EDGINGS

C.O.B.H. 148 (154, 160) sts. T5. K. 5. T7. K. 5. T7. K. 1. Make picot as * to * of back. T5. K. 6. M.D.E. Place curved edge of frill, with Rt. side of work facing machine onto Ns. Remove W. Wl. C/O. Repeat. Press all pieces lightly. Join shoulders.

FRONT OPENING BAND

C.O.B.H. 170 (174, 178) sts. Make band as for frill edgings. With right side of work facing machine, place front opening to sts. and C/O. Repeat.

BACK NECKBAND


C.O.B.H. 76 (78, 80) sts. Make band as before. Place side neck sts. of Lt. front to 56 (58, 60) sts. on Lt. side of machine. Place front neck sts. to next 13 (14, 15) sts. C/O all Ns. Repeat for Rt. front working from Rt. side of machine.

TO MAKE UP

Gather frills into armholes and sew in place. Join side seams and hems of sleeve frills. Join neckbands and end of ties. Press all bands and seams.

BATHING SUIT

FRONT



1. C.O.B.H. 17 (18, 19) sts. T6. K. 22 Rs. C.O.R. 000.

2. Inc. 1 st. on each edge ev. alt. R. 4 (8, 12) times. Then ev. 3 Rs. 8 (6, 4) times, to 41 (46, 51) sts. 32 (34, 36) Rs. C.O.R. 000.

3. Inc. 1 st. on each edge ev. R. 22 times to 85 (90, 95) sts. 22 Rs. C.O.R. 000.

4. Cast on 17 (18, 19) sts. at beg. next 2 Rs. to 119 (126, 133) sts. K. 24 Rs. straight.

5. Dec. 1 st. on each edge ev. 5 Rs. 10 (12, 14) times. Then ev. 4 Rs. 4 (2, 0) times. Start lace-pattern from graph, step 1, R. 48 (50, 52). To 91 (98, 105) sts. K. to 66 (68, 70) Rs. C.O.R. 000.

6. Inc. 1 st. on each edge ev. 9 Rs. 7 times to 105 (112, 119) sts. Finish lace-pattern R. 16 (34 Rs. of pattern) K. to 68 Rs. C.O.R. 000.

7. C/O 11 (12, 13) sts. at beg. next 2 Rs. to 83 (88, 93) sts. C.O.R. 000.

8. Dec. 1 st. on each edge ev. 6 Rs. 10 times. After 14 Rs. start dart.

Dart

H.C.L.'s II. Always taking Y. round inside N. in E pos. push 12 (14, 16) Ns. to E pos. at opp. end to carr. on next 2 Rs. Return 2 Ns. to C pos. at opp. end to carr. on next 12 (14, 16) Rs. Set row counter back to R. 14. Cont. armhole dec. After 30 Rs. start Front Neck.


FRONT NECK

Thread up centre 25 (28, 31) sts. and take off machine. Push Lt. sts. to E pos. * On neck edge dec. 1 st. ev. 3 Rs. 10 times to 9 (10, 11) sts. to 60 Rs. C.O.R. 000.

9. K. 54 (56, 58) Rs. to shoulder. C.O.R. 000.

10. **Shoulder** K. 1 R. Always taking Y. round inside N. in E pos. push 3 Ns. to E pos. on Rt. edge ev. alt. R. twice. Then push 3 (4, 5) Ns. to E pos. on Rt. edge. K. 2. Push Ns. to C pos. K. 1. C/O. * Push Lt. Ns. to C pos. and repeat from * to * reversing all shapings.

BACK



BACK BAND

C.O.B.H. 185 (193, 199) sts. Make edge as for front. Starting 1 st. in from each edge, place side back to 75 (77, 79) Ns. Place back to 33 (36, 39) Ns. and side back to rem. Ns. C/O.

ARMBANDS

C.O.B.H. 137 (141, 145) sts. Make hem as before. Place armhole evenly onto Ns. and C/O to end. Repeat. Close side seams.

LEG BANDS

C.O.B.H. 117 (121, 125) sts. Make hem as before. Place leg-opening evenly onto Ns. and C/O to end. Repeat.

TO MAKE UP

Insert $\frac{1}{4}$ in. at desired length, elastic into leg bands and secure in place. Close crutch and band seams. Press all seams and bands.

1. C.O.B.H. 17 (18, 19) sts. T6 inc. 1 st. on each edge ev. 2 Rs. 2 (9, 16) times. Then ev. 3 Rs. 16 (12, 8) times, to 53 (60, 67) sts. K. to 52 (54, 56) Rs. C.O.R. 000.

2. Inc. 1 st. on each edge ev. row 40 times to 133 (140, 147) sts. K. to 40 Rs. C.O.R. 000.

3. K. 24 Rs. straight. C.O.R. 000.

4. Dec. 1 st. on each edge ev. 4 Rs. 3 (5, 7) times. Then ev. 3 Rs. 18 (16, 14) times. Start lace-pattern from graph, step 1. R. 48 (50, 52) to 91 (98, 105) sts. K. to 66 (68, 70) Rs. C.O.R. 000.

6. As for front, step 6. At the same time, after 18 Rs. thread up centre 33 (36, 39) sts. and take off machine. H.C.L.'s II, push Lt. Ns. to E pos. Then on * Rt. edge dec. 1 st. ev. 8 Rs. 6 times. K. to 68 Rs. C.O.R. 000.

7. C/O II (12, 13) sts. K. 2 Rs. C.O.R. 000.

8. Dec. 1 st. on Rt. edge ev. 6 Rs. 10 times to 9 (10, 11) sts. C.O.R. 000.

9. K. 54 (56, 58) Rs. to shoulder. C.O.R. 000.

10. As for front. * Push Lt. Ns. to C pos. and repeat from * to * reversing all shapings. Press back and front. Join shoulders.

FRONT NECKBAND

C.O.B.H. 115 (123, 131) sts. T5. K. 5. T1. K. 1. Make picot edge as * to * of step 1 of Dress B. T5. K. 6. M.D.E. Starting 1 st. in from each edge, place side neck to 44 (46, 49) Ns. Place front neck to 25 (28, 31) Ns. and rem. neck to rest Ns. C/O.



matching dress and jumper (TR51)

Materials

Dress—A 15 (16, 17, 18, 19) ozs. Colour A. Lister 2 Spun or Lee Target Duo Tricel/Nylon 4-ply Crepe. 15 (16, 17, 18, 19) ozs. Colour B. Lister 2 Spun or Lee Target Duo Tricel/Nylon 4-ply Crepe.

Jumper—A 5 (5, 5, 6, 6) ozs. Colour A. Lister 2 Spun or Lee Target Duo Tricel/Nylon 4-ply Crepe. 3 (3, 3, 4, 4) ozs. Colour B. Lister 2 Spun or Lee Target Duo Tricel/Nylon 4-ply Crepe. 3 (3, 4, 4, 4) ozs. Colour C. Lister 2 Spun or Lee Target Duo Tricel/Nylon 4-ply Crepe.

Measurements


To fit 24 (26, 28, 30, 32) ins. bust.
Length of dress from shoulder 25 $\frac{3}{4}$ (28 $\frac{1}{4}$, 30 $\frac{3}{4}$, 33 $\frac{1}{4}$, 35 $\frac{3}{4}$) ins.
Length of jumper from shoulder 14 $\frac{1}{4}$ (15 $\frac{1}{4}$, 16 $\frac{1}{2}$, 17 $\frac{1}{2}$, 18 $\frac{3}{4}$) ins.
Inside sleeve seam 11 $\frac{1}{2}$ (13, 14 $\frac{1}{2}$, 16, 17 $\frac{1}{2}$) ins.

Tension

7 $\frac{1}{2}$ sts. and 11 rows to 1 in. on T7 over st.st.

Materials

Dress—B 2 (2, 3, 3, 3) ozs. Colour A. Lister 2 Spun or Lee Target Duo Tricel/Nylon 4-ply Crepe. 12 (13, 14, 15, 16) ozs. Colour B. Lister 2 Spun or Lee Target Duo Tricel/Nylon 4-ply Crepe. 12 (13, 14, 15, 16) ozs. Colour C. Lister 2 Spun or Lee Target Duo Tricel/Nylon 4-ply Crepe.



8, 9, 10) rows, 8 times to 98 (106, 114, 122, 130) sts. K. to 60 (66, 72, 78, 84) rows.

4. Cast off 5 (6, 7, 8, 9) sts. at beg. next 2 rows to 88 (94, 100, 106, 112) sts. C.O.R. 000.

5. Dec. 1 st. on each edge every 3 rows, 9 times to 70 (76, 82, 88, 94) sts. K. 28 rows. C.O.R. 000.

6. K. 26 (32, 38, 44, 50) rows. C.O.R. 000.

SHOULDER

7. H.C.L.'s II. Push 5 (5, 6, 6, 7) Ns. to E pos. at opp. end to carr. on next 5 rows. Then 4 (6, 5, 7, 6) Ns. to E on next 2 rows. Push Lt. Ns. to C pos. K. 1. H.C.L. I. K. 1. Thread up B.N. sts. and take off machine. Cast off shoulders.

FRONT

As for back to step 3.


3. Shape side seams as for back to 44 (50, 56, 62, 68) rows. H.C.L.'s II. Push sts. to Lt. of centre to E pos. on front neck dec. 1 st. to Rt. then every 5 rows 15 (16, 17, 18, 19) times. At the same time work all other shapings as for back to end. H.C.L. I. Work Lt. neck, reversing shapings. Press back and front, join shoulders.

COLLAR BAND

In colour A. C.O.B.H. 140 (150, 160, 172, 184) sts. T6. K. 6. Dec. 1 st. on each edge every alt. row. T8. K. 1. T6. K. 6. Inc. 1 st. every alt. row. M.D.E. With Rt. side of work facing machine, place side neck to 54 (58, 62, 66, 72) Ns. B.N. to 32 (34, 36, 38, 40) Ns. and rem. to rest of Ns. Cast off. Close mitre.

COLLAR

In colour B. C.O.B.H. 94 (105, 114, 126, 138) sts. T6. K. 2 rows. * H.C.L.'s II. Push 11 (13, 15, 17, 19) Ns. to E pos. on next 2 rows. Return Ns., to C pos. at opp. end to carr. on next 22 (26, 30, 34, 38) Rs. * On R. 14 (14, 18, 18, 22) change to colour B. Continue to 26 (30, 34, 38, 42) rows. C.O.R. T8. K. 1. 000. Repeat from * to *. K. to 26 (30, 38, 42) rows. M.D.E. Cast off. Press collar flat.



SLEEVE


1. In colour B. C.O.B.H. 69 (75, 81, 87, 93) sts. Make hem as for * to * on back. 000. Change to colour A.

2. K. 38 (40, 42, 44, 46) rows.

3. Cast off 5 (6, 7, 8, 9) sts. at beg. next 2 rows to 59 (63, 67, 71, 75) sts. C.O.R. 000.

4. Dec. 1 st. on each edge every 4 rows, 9 times to 41 (45, 49, 53, 57) sts. C.O.R. 000.

5. H.C.L.'s II. Push 6 (5, 4, 3, 3) Ns. to E pos. on next 2 (2, 4, 6, 8) rows. Then push 6 (4, 3, 3, 2) Ns. to E pos. on next 2 (4, 4, 4, 4) Rs. Then push Lt. Ns. to C pos. K. 1. H.C.L. I. K. 1. Cast off. Repeat. Press. Sew tops of sleeves into armholes. Close side and sleeve seams. Press all seams and front band. Pin collar in position inside neck band, placing centre back of collar to centre back of neck. Sew neatly in position. Press seams.



JUMPER BACK

1. In colour A. C.O.B.H. 78 (86, 94, 102, 110) sts. Make hem as for dress back. Step 1. From * to *. 000.

Start Stripe Sequence

Colour BK2, colour CK2, colour AK2. Repeat.

2. K. 22 (22, 24, 24, 26) rows. C.O.R. 000.

3. Shape as for dress to 94 (102, 110, 118, 126) sts.

4. Cast off 4 (5, 6, 7, 8) sts. at beg. next 2 rows to 86 (92, 98, 104, 110) sts. C.O.R. 000.

5. Shape as for dress.

6. As for dress.

7. **Shoulder** H.C.L.'s II. * Push 4 (4, 5, 5, 6) Ns. at opp. end to carr. to E pos. on next 6 rows. Then push 3 (5, 4, 6, 5) Ns. to E pos. on next 2 rows. * Push Lt. Ns. to C pos. K. 1. H.C.L. I. K. 1. Thread up B.N. sts. and take off machines. Cast off shoulders.

FRONT

As for jumper back to step 6.

6. K. 12 (16, 20, 24, 28) rows.

FRONT NECK

Thread up centre 38 (40, 42, 44, 46) sts. and take off machine. H.C.L.'s II. Push Lt. sts. to E pos. for Rt. neck continue to 26 (32, 38, 44, 50) rows. C.O.R. 000.


7. Shape shoulder as for back from * to *. Push Ns. to C pos. K. 1. Cast off. H.C.L. I. Repeat for Lt. Neck. Press back and front. Join shoulders.

FRONT BAND

In colour A. C.O.B.H. 38 (40, 42, 44, 46) sts. T6. K. 6. Dec. 1 st. on each edge every alt. row. T8. K. 1. T6. K. 6. Inc. 1 st. every alt. row. M.D.E. With Rt. side of work facing machine, place front neck sts. onto Ns. and cast off to end.

BACK AND SIDE NECKBAND

In colour A. C.O.B.H. 62 (68, 74, 80, 86) sts. T6. K. 6. Dec. 1 st. on each edge every alt. row. T8. K. 1. T6. K. 6. Inc. 1 st. on each edge every alt. row. M.D.E. Place side neck to 12 (14, 16, 18, 20) Ns. B.N. to 38 (40, 42, 44, 46) sts. and side neck to rest of Ns. Cast off. Join mitres at front.




SLEEVE

1. In colour A. C.O.B.H. 43 (47, 51, 55, 59) sts. Make hem as for dress back step 1 * to *. 000. Start stripe sequence.

2. Inc. 1 st. on each edge every 9 (10, 10, 11, 11) rows, 12 (13, 14, 15, 16) times to 67 (73, 79, 85, 91) sts. K. 118 (136, 150, 168, 182) rows.

3. Cast off 4 (5, 6, 7, 8) sts. at beg. next 2 rows to 59 (63, 67, 71, 75) sts. C.O.R. 000.

4 & 5. As for dress sleeve. Repeat sleeve. Press. Sew tops of sleeves into armholes. Join side and sleeve seams. Press all seams and bands.



FRONT

1. In colour B. C.O.B.H. 168 (176, 184, 192, 200) sts. * T6. K. 12. T8. K. 1. T6. K. 8. In colour A. K. 4. M.D.E. T7. K. 1. C.O.R. * Trans. 9th N. to Lt. of centre to Lt. and to Rt. of centre to Rt. Push empty Ns. back to A pos. Change to colour B. Cont. as for Dress A Back (H.C.L.'s II) to end of step 1.

2. As for Dress A, step 2 to 116 (124, 132, 140, 148) sts.

3. Thread up all sts. to Rt. of centre and take off machine.

Arrange for centre pleat as follows
 * Fold along empty row, with fold to right, fold fabric back to make treble thickness (24 sts.) place these sts. onto 8 Ns. to Rt. of centre. Replace all sts. onto rest of Ns. 41 (45, 49, 53, 57) Ns. in all. Remove thread. * Thread up sts. to Lt. of centre and take off machine. Repeat from * to * with fold to Lt. of centre. Making 82 (90, 98, 106, 114) sts. in all. Cont. step 3 as for Dress A Back.

4. As for Dress A Back.

5. Shape armholes as for Dress A Back. At the same time start F.N. on row 16 (18, 20, 22, 24).

FRONT NECK

Thread up centre 16 (19, 20, 22, 24) sts. and take off machine. H.C.L.'s II. Push Lt. sts. to E pos. on Rt. neck dec. 1 st. every 3 rows. 8 times to 19 (21, 23, 25, 27) sts. At row 28 start step 6.

6. As for Dress A Back.

7. As for Dress A.

BACK

1. In colour B. C.O.B.H. 134 (142, 150, 158, 166) sts. Make hem as * to * of Dress B Front. Change to colour B, cont. to end of step 1 as for Dress A Back, step 1.

2. As for Dress A, step 2.

3. **Back Opening** Thread up sts. to Lt. of centre and take off machine. Cont. step 3, as for Dress A Back. Shaping on Rt. edge only.

4. Cast off 5 (6, 7, 8, 9) sts. K. 2 rows. C.O.R. 000. 44 (47, 50, 53, 56) sts.

5, 6 & 7. As for Dress A Back. Thread up 16 (17, 18, 19, 20). B.N. sts. and take off machine. Replace Lt. sts. and repeat from steps 3-7. Reversing shapings. Press back and front. Join shoulders.

COLLAR

In colour A. C.O.B.H. 61 (65, 69, 73, 77) sts. T6. K. 2 rows. * H.C.L.'s II. On Lt. push 21 (24, 27, 30, 33) Ns. to E pos. K. 2 rows. Return 3 Ns. to C pos. on Lt. every alt. row 7 (8, 9, 10, 11) times * C.O.R. T8. K. 1. T6. Repeat from * to *. K. 3 rows. 37 (41, 45, 49, 53) rows in all. M.D.E. With purl side of work facing machine, place $\frac{1}{2}$ Lt. front neck to first 8 (9, 10, 11, 12) Ns. Side neck to 37 (39, 41, 43, 45) Ns. and $\frac{1}{2}$ B.N. to 16 (17, 18, 19, 20) Ns. Cast off in Colour B. Repeat collar shaping on Rt. edge of work. Place Rt. Neck to collar in same way and cast off in colour B. Press collar.

FRONT BIB

In colour A. C.O.B.H. 18 (20, 22, 24, 26) sts. K. 2 rows. C.O.R. 000. Start stripe sequence as for Jumper style A. Inc. 1 st. on each edge every 3 rows, 8 times to 34 (36, 38, 40, 42) sts. 24 rows. K. to 28 (28, 32, 32, 32) rows. In colour A. * T6. K. 6. T8. K. 1. T6. K. 6. M.D.E. * Cast off. Press bib, place onto wrong side of front neck and st. in place along collar seam.

SLEEVES

In colour A. C.O.B.H. 43 (47, 51, 55, 59) sts. Make hem as for * to * of front bib. C.O.R. 000. Start stripe sequence.

2. Shape sleeve as for jumper style A, step 2. After 48 (54, 60, 66, 72) rows, change to colour A. K. 6 rows, change to colour B, and continue to end of sleeves as for jumper A. Press. Sew tops of sleeves into armholes. Join side and sleeve seams. Press all seams and front pleat. Crochet down back opening. Sew in zip.

800 Chart for TR37 page 18-19

↑	3																									66	
↑																											65
↑																											64
↑	1	\										o	o														63
↑	3																										62
↑																											61
↑																											60
↑	1	\											o	o	o												59
↑	3																										58
↑																											57
↑																											56
↑	1	\											o	o	o	o											55
↑	3																										54
↑																											53
↑																											52
↑	1	\											o	o	o	o	o										51
↑	3																										50
↑																											49
↑																											48
↑	1	\											o	o	o	o											47
↑	3																										46
↑																											45
↑																											44
↑	1	\											o	o	o												43
↑	3																										42
↑																											41
↑																											40
↑	1	\											o	o													39
↑	3																										38
↑																											37
↑																											
2 H.C.L.																											
1 S.L.																											
K.H. 800 MACHINE											STEPS																

The Jones HOME KNITTING POSTAL TUITION COURSE for 585, 588 & 800 machines

is so easy to follow and the complete answer to all shortcomings encountered in the tuition of knitting machines. There are twelve easy to follow lessons, leading you step by step from basic knitting right through to knitwear design. You will be able to learn to knit at your own pace with nobody looking over your shoulder or hurrying you on to the next step. You can take out the machine and pick up the course exactly when you feel like it and all in the comfort of your own home.

£12.50

Inc. £3 of wool

round neck tank top (TR14)

Materials


Colour A. 4 (4, 4, 5, 5) ozs. Lister Lavenda 4-ply wool or Lee Target Montoravia 4 ply. Colour B. 4 (5, 5, 6, 6) ozs. Lister Lavenda 4-ply wool or Lee Target Montoravia 4 ply.

Measurements

To fit 26 (28, 30, 32, 34) ins. chest.
Finished measurements 28 (30, 32, 34, 36) ins. chest.

Tension

7½ sts. and 11 rows to 1 in. over st.st. T6.



BACK

1. C.O.B.H. in colour A. 104 (112, 120, 128, 136) sts.

Hem

* T5. K. 12. T7. K. 1. T5. K. 12. T7. K. 1. T5. K. 12. M.D.E. * Set machine for 1 st. jacquard. T5. K. 1 row. C.O.R. 000.

2. T7. K. 72 rows jacquard. T6. K. st.st. to row 132.

3. Cast off 5 (6, 7, 8, 9) sts. at beg. of next 2 rows to 94 (100, 106, 112, 118) sts. C.O.R. 000.


4. Dec. 1 st. at each end every 5th row, 8 times. Row 16, start 2nd jacquard T7, to 78 (84, 90, 96, 102) sts. row 40. C.O.R. 000.

5. K. 16 rows to back neck. Thread up and take off machine, left 54 (60, 64, 70, 74) sts. Continue for right side. On neck edge dec. 1 st. at beg. every alt. row 9 times to 15 (15, 17, 17, 19) sts. K. to row 42 (48, 54, 60, 66). C.O.R. 000.

6. **Shoulder** Cast off 6 sts. at beg. of next 4 rows, twice, then dec. 5 sts.

7. Place left 15 (15, 17, 17, 19) sts. back onto machine and repeat from reverse shaping.





FRONT

Steps 1 to 3 as for back.

4. As for back row 22, thread up and take off machine, left 58 (64, 68, 74, 78) sts. Continue on right neck edge, dec. 1 st. every alt. row 9 times to row 40, 15 (15, 17, 17, 19) sts. Place left 28 (28, 39, 30, 32) sts. and repeat neck decreases to 15 (15, 17, 17, 19) sts. Row 40. C.O.R. 000.

5. 42 (48, 54, 60, 66) rows to shoulder.

6. As for back.

Press back and front. Join shoulders.

FRONT NECK BAND


C.O.B.H. 98 (116, 130, 148, 162) sts. Colour A. T5. K. 12. T7. K. 1. T5. K. 12. M.D.E. Place neck edge to first 34 (40, 46, 52, 58) Ns. front neck to 30 (36, 38, 44, 46) Ns. and left edge to remaining Ns. Cast off to end.

BACK NECK BAND

Colour A. C.O.B.H. 78 (92, 102, 116, 126) sts. Cont. as for front band, place left edge to first 24 (28, 32, 36, 40) Ns. front neck to next 30 (36, 38, 44, 46) sts. and right front to remaining Ns. Cast off to end.


SLEEVE BANDS

K. two Colour A. C.O.B.H. 118 (124, 130, 136, 142) sts. Cont. as for front bands, place armhole evenly onto Ns. Cast off to end. Join side seams, band seams. Swiss darn extra checks to front of vest if desired. Press all seams and bands. After armhole. Thread up and take off left 47 (50, 53, 56, 59) sts. Continue armhole shaping 4. & 5. as for back at same time on neck edge dec. 1 st. every 3rd row 10 (7, 10, 7, 10) times to shoulder, 15 (15, 17, 17, 19) sts. 6.



Repeat steps 24-29

Repeat steps 1-18 to row 69 Select last 3 rows as for steps 19-21



Repeat steps 19-24 from row 22 after armhole to shoulder

Repeat steps 1-14 to row 70 Select last 2 rows as for steps 15 B 16

as for back. Place left 47 (50, 53, 56, 59) sts. back onto machine and repeat. Make **Sleeve Bands** and **Back Neck Band** as for front neck A.

FRONT NECK BANDS

Right band C.O.B.H. 49 (53, 57, 61, 65) sts. Make band as for back

bands. Place right front onto Ns. evenly and cast off to end. Repeat for left band. Place left edge onto Ns., working through both thicknesses of right band over 6 Ns. Cast off to end. Make up as for front A. Swiss darn extra spots if desired.



strap top and cardigan (TR8)

Materials

Jacket Colour A 11 (11, 12, 12) ozs. Robin Courtelle Crepe 4 ply. Colour B 4 (4, 5, 5) ozs. Robin Courtelle Crepe 4 ply.


Vest Colour A 3 (3, 4, 4) ozs. Robin Courtelle Crepe 4 ply. Colour B 2 ozs. Robin Courtelle Crepe 4 ply.

Measurements

To fit 28 (30, 32, 34) ins. chest.
Finished measurements 30 (32, 34, 36) ins.

Tension

7 sts. and $11\frac{1}{2}$ rows to 1 in.



BACK

1. Hem In colour B. C.O.B.H. 90 (98, 106, 114) sts. T4. K. 26. T7. K. 1 for foldline. T4. K. 26. M.D.E. T6. K. 1 row. C.O.R. 000. * Stripe sequence: Colour B. K. 6 rows. Colour A. K. 6 rows. Repeat.

2. Inc. 1 st. each edge every 16th row, 8 times to 106 (114, 122, 130) sts. Last inc. row 128. Start stripe sequence here on row 128 *. (Lengthen here if desired.) K. to 138 rows.

3. Cast off 5 sts. at beg. of next 2 rows to 96 (104, 112, 120) sts. Fin. C.O.R. 000. 138 rows colour A.

4. Raglan 72 (76, 80, 84) rows. Dec. 1 st. each end of every 3rd row 15 (13, 11, 9) times. Then dec. 1 st. every 2nd row 13 (18, 23, 28) times. K. 1 row to 72 (76, 80, 84) rows. Thread up rem. 40 (42, 44, 46) sts.

COLLAR

In colour A. C.O.B.H. 158 (172, 186, 200) sts. T4. K. 14 H.C.L.'s to II. (800 H.C.L.'s to I.) Push 1 st. at opp. end to carr. to E pos. at beg. of next 2 rows, rep. 3 times. Push 2 sts. at opp. end to carr. to E pos. at beg. of next 2



rows, rep. once. Push 4 sts. at opp. end to carr. to E pos. at beg. of next 2 rows, rep. twice. Push 6 sts. at opp. end to carr. to E pos. at beg. of next 2 rows, rep. twice. Push 6 (8, 10, 12) sts. to E pos. at beg. of next 2 rows. 50 (54, 58, 62) sts. in E pos. at each end, row 42. Push left needles to D pos. K. across. Break off yarn. H.C.L. to I. (800 H.C.L.'s 3). T7. K. 1 row. C.O.R. 000. T4. H.C.L.'s II. (800 H.C.L. 1.) Push 50 (54, 58, 62) needles to E pos. at opposite end to

carr. at beg. of next two rows. Push 6 (8, 10, 12) needles to D pos. and continue as before reversing the sequence until all needles have been knitted. K. 14 rows to row 42, M.D.E. Press fronts, back and sleeves. Sew raglans together. With right side of work facing machine, place the left side neck, working from the first black stripe, to 50 (54, 58, 62) needles, the left shoulder to next 10 (21, 14, 16) needles, back neck to 38 (40, 42, 44) needles and cont. to


end. Finishing on a black stripe. Cast off.

Side Bands

C.O.B.H. 84 sts. T4. K. 14. T7. K. 1 row. T4. K. 14. M.D.E. Hang left work evenly onto the needles, work through both thicknesses of hem, cast off and repeat for right band.

TO MAKE UP

Join side and sleeve seams, st. pockets into place. Finish off bands, press all seams. Press collar carefully.



FRONT

1. Hem In colour B. C.O.B.H. 46 (50, 54, 58) sts. Continue as back.


1b. For Pocket Opening. At 000, C.O.R. Working 10 (12, 14, 16) sts. in from left, thread up centre 30 sts. and take off, leaving 6 (8, 10, 12) sts. on right. H.C.L.'s to II. (800 H.C.L. 1.) All needles to E pos. Push back 6 (8, 10, 12) sts. to D pos. and K. Push these needles back to E pos. and cast onto empty 30 needles. K. left needles in D pos. C.O.L. Hang comb onto cast on needles H.C.L. to I. (800 H.C.L.'s 3.) K. 1 row. C.O.R. 002. Cont. front. Pocket cont. With hem of front nearest machine, and plain side of garment facing uppermost, pick up 30 sts. and transfer back to machine. Inc. 1 st. on each edge. Cont. intarsia design from graph.




1. Colour B. C.O.B.H. 54 (56, 58, 60) sts. as for back.

2. 142 (154, 166, 178) rows. Inc. 1 st. each end of every 15 (16, 18, 19) rows, 9 times to 72 (74, 76, 78) sts. Start stripe sequence rows 132 (144, 156, 168). K. to 142 (154, 166, 178) rows.


3. Cast off 5 sts. at beg. of next 2 rows to 62 (74, 66, 68) sts. C.O.R. 000.



4. Raglan 74 (76, 78, 80) rows. Dec. 1 st. each end of every 3rd row 23 times then dec. 1 st. each end every 2 (3, 4, 5) rows twice. K. 1 row to 74 (78, 80) rows. Cast off remaining 12 (14, 16, 18) sts.



classic day dress (TR57)



VEST

1. Hem In Col. A. C.O.B.H. 84 (88, 92, 96) sts. Hem T4. K. 12. T7. K. 1 R. T4. K. 12. M.D.E. T6. K. 1 R. C.O.R. 000.

2. 30 Rs. straight (adjust if desired). Start jacquard at 000. Fin. R. 26. 000.

3. 68 (74, 80, 86) Rs. Inc. 1 st. on each edge, every 9 (8, 7, 7) Rs. 1 st. Inc. 000 to 98 (106, 114, 122) sts. Start 2nd jacquard Rs. 44 (50, 56, 62). K. to 68 (74, 80, 86) Rs.


4. Band In Col. B. T4. K. 26. T7. K. 1. T4. K. 26. M.D.E. by picking up last R. of sts. in Col. A and placing them onto Ns. Cast off.

TO MAKE UP


Press Back and Front. Join side seams.

STRAPS

C.O.B.H. 82 (86, 90, 94) sts. in Col. A. T5. K. 26. T7. K. 1 R. for fold line. T5. K. 26 Rs. of pattern. Cast off. Press Straps. Join side seams and press straps double. St. straps $2\frac{1}{2}$ ins. in from side seams, $\frac{1}{4}$ in. down from top of vest band. Press all seams.



K.H. 800 MACHINE



K.H. 588 MACHINE

Materials


16 (17, 18, 19, 20) ozs. Main Wool Lister Lavenda 4 ply. 1 oz. Contrast Lister Lavenda 4 ply. 5 buttons.

Measurements

To fit 34 (36, 38, 40, 42) ins. bust. Length from shoulder 39 ($39\frac{3}{4}$, $40\frac{1}{2}$, $41\frac{1}{4}$, 42) ins.

Tension

$7\frac{1}{2}$ sts. and 12 rows to 1 in. T5.



BACK

1. C.O.B.H. in M. Wl. 108 (110, 112, 114, 116) sts. * T4. K. 14. T6. K. 1. T4. K. 14. M.D.E. T5. K. 1. * K. 1 R. C.O.L. H.C.L.'s II. Always taking the Y. round inside N. in E pos. push 45 Ns. to E pos. on Rt. edge. K. 2 Rs. Return 9 Ns. on Rt. edge to C pos. ev. alt. R. 5 times. C.O.R. 000.

2. Left Panel Dec. 1 st. on each edge ev. 9 (10, 10, 11, 12) Rs. 20 (6, 23, 10, 5) times. Then dec. 1 st. on each edge ev. 8 (9, 9, 10, 11) Rs. 7 (20, 2, 14, 18) times to 54 (58, 62, 66, 70) sts. K. to 240 (246, 252, 258, 264) Rs. Dec. 1 st. on Lt. edge. Thread up sts. and take off machine.

Right Panel

Repeat steps **1 & 2**, reversing all shapings.

3. Place Lt. panel back onto machine to Rt. of centre. Place Rt. panel to Lt. on centre. C.O.R. 000.


4. Inc. 1 st. on each edge at 000. Then ev. 8 Rs. 11 times. K. to 96 Rs.

5. C/O 7 (8, 9, 10, 11) sts. at beg. next 2 Rs. C.O.R. 000.

6. Dec. 1 st. on each edge ev. 4 Rs. 12 times. K. to 48 Rs. C.O.R. 000.

7. K. 48 (50, 54, 56, 60) Rs.

8. Shoulder H.C.L.'s II, always taking Y. round inside N. in E pos. push 6 Ns. to E. pos. at opp. end to carr. on next 2 (4, 6, 8, 10) Rs. Then 4 Ns. to E pos. on next 8 (6, 4, 2, 0) Rs. * Push Lt. Ns. to C pos. K. 1. H.C.L. I. K. 1. C/O.



RIGHT FRONT

1 & 2. K. as for left back panel, step **1** and **2**. Do not take off machine.

3. K. 1. Cast on 5 sts. on Lt. K. 1. C.O.R. 002.

4. On Rt. edge make incs. as for back. At the same time start buttonholes. K. 4 Rs. * H.C.L.'s II. On Lt. push 5 Ns. to E pos. K. 8 Rs. H.C.L. I. Press P.B.'s in. K. 8 Rs. Release P.B.'s (turn row-counter back 8 Rs.). K. 22 Rs. * Repeat from * to * making 5 buttonholes in all. At the same time work dart. After 84 Rs. K. 1. C.O.L. H.C.L. I on Rt. edge push 33 (36, 40, 45, 49) Ns. to E pos. Always taking Y. round inside N. in E pos. K. 2 Rs. Return 11 (9, 8, 7, 7) Ns. to C pos. ev. alt. R. 3 (4, 5, 6, 7) times. K. 1. C.O.R. 084.

5. C/O 7 (8, 9, 10, 11) sts. on Rt. edge. K. 2. C.O.R. 000.

6. On Rt. edge make decs. as for back. On Lt. edge after 24 Rs. start **Front Neck** Mark edge st. with contrast Y. dec. this st. Then dec. 1 st. ev. 3 Rs. 16 (16, 18, 18, 20) times. Then ev. 2 Rs. 12 (13, 12, 13, 12) times (to shoulder).

7. K. 48 (50, 54, 56, 60) Rs.

8. Shoulder K. 1. C.O.L. Always taking Y. round inside N. in E pos. push 6 Ns. to E pos. on Rt. edge ev. alt. R. 1 (2, 3, 4, 5) times. Then 4 Ns. to E pos. 4 (3, 2, 1, 0) times. H.C.L. I. K. 1. C/O. Repeat Front, reversing all shapings. Press back and fronts. Join shoulders.

FRONT BAND AND COLLAR

In contrast Wl. C.O.B.H. 176 (180, 184, 188, 192) sts. * T4. K. 6 Rs. Inc. 1 st. on Rt. edge ev. alt. R. 3 times. T5. K. 1. T4. K. 6 Rs. Dec. 1 st. on Rt. ev. alt. R. 3 times. M.D.E. * Push 66 (68, 70, 72, 74) Ns. on Rt.

edge to E pos. Change to M. Wl. T4. Always taking Y. round inside N. in E pos. K. 2 Rs. Push 6 Ns. on Rt. edge to E pos. ev. alt. R. 16 times. C.O.L. Return all Ns. to B pos. With Rt. side of work facing machine, place Rt. front (up to marked st.) to Rt. 66 (68,

70, 72, 74) Ns. and C/O all of collar. Repeat collar, reversing all shapings. C/O Lt. front. Pin collar evenly around neck and slip-st. in place. Join back seam.

FRONT OPENING BAND


In contrast Y. C.O.B.H. 6 sts. Make band as * to * above. With Rt. side of work facing machine, place Lt. edge to Ns. and C/O. Repeat, making mitre on Lt. edge and place Rt. edge to Ns. and C/O. Join mitred edges.

POCKETS

In contrast Y. C.O.B.H. 41 sts. * T4. K. 6 inc. 1 st. on each edge ev. alt. R. 3 times. T6. K. 1. T4. K. 6. Dec. 1 st. on each edge ev. alt. R. 3 times. M.D.E. * In M. Wl. K. 54 Rs. Repeat from * to * C/O.

SIDE BANDS

In contrast Wl. C.O.B.H. 30 sts. Make band as above. Place pocket edge evenly onto Ns. and C/O. Repeat for other edge. Repeat pocket. Join mitres. Press.



SLEEVES

1. Cuff In contrast Wl. C.O.B.H. 94 (98, 102, 106, 110) sts. T4. K. 20. T5. K. 1. T4. K. 20. M.D.E. Change to M. Wl. T5. K. 1. C.O.R. 000.

2. K. 42 Rs.

3. C/O 7 (8, 9, 10, 11) sts. at beg. next 2 Rs. C.O.R. 000.

4. Dec. 1 st. on each edge ev. 4 Rs. 13 (14, 15, 16, 17) times. To 52 (56, 60, 64, 68) Rs.

5. H.C.L.'s II. Always taking Y. round inside N. in E pos. Push 2 Ns. to E pos. at opp. end to carr. on next 12 Rs. Push Lt. Ns. to C pos. K. 1. H.C.L. I. C/O. Repeat sleeve. Press. Sew tops of sleeves into armholes and press seams. Join side and sleeve seams. Join back panel seam. Join front panel seam, with Rt. front overlapping Lt. Catch down front opening bands. Press all seams. Press collar. Turn over to outside of garment and catch down in place. Sew pockets onto front panels; approx. 3 ins. down from waist and the same distance away from each seam. Neaten buttonholes, sew on buttons.

PATTERNS PATTERNS PATTERNS

from Jones the knitting
machine people

Here's the new style pattern service from Jones – superb collections of garments presented in attractive booklet form, each booklet containing a series of garments for one section of your family.



Booklet 1: features ribbed garments. 2: general family garments. 3: toddlers' garments. 4: garments for children. 5: garments for ladies. 6: garments for men.



AND NOW TWO MORE ADDITIONS TO THE RANGE – Booklet 7: features garments from the very popular magazine "HOME SEWING AND KNITTING" and Booklet 8: a series of simple and basic patterns.



Each booklet is only 25p including postage and packing and can either be obtained from your local Jones stockist or direct from Jones Sewing Machine Co. Ltd, Audenshaw, Manchester.



Start collecting the set now – they'll give you many hours of enjoyable knitting and super garments for all your family.



Jones Jones Sewing Machine Co. Ltd.,
Britannia House, 964 High Road, Finchley, London, N.12