

# stitchin' time

Vol 5 No2

25p



Jones/brother



# contents

Girl's Lumberjacket	3-4
Ladies' Sleeveless Sweater	4-5
Child's Smock and Jumper	5-6
Man's Chunky Lumberjacket	6-7
His 'n' Hers Matching Sweaters	8-9
Child's Woven Popover	10-11
Ladies' Scoop Neck Top	12
Lace Smock	13-14
Jaquard Top Dress	15-17
Flared Stripe Jacket	18-21
Trouser Suit	22-24
Man's Striped Polo Neck	25-26
Man's Shirt	26-27
Matching Mock Rib Sweaters	28-30
Childs Sweaters	30-32
Kiddies' Shorts and Top	33-34
Ladies' Ribbed Sweater	34-35

## broadly speaking

Our first 'knitting only' Stitchin' time was a resounding success, and we have many ideas to increase the total number of patterns during the coming year. For those of you who have been asked to renew their subscription recently, you will notice that we are sending a reply paid envelope. This is to speed up the subscription department and make it more efficient. Please help us by sending your subscription immediately and do not allow it to lapse a number of weeks. Though it may seem we are always mentioning this, it is really for your own convenience to avoid your missing any of the issues of the magazine.

There is an advert on page 35 for our postal course and this is for customers who have had their machines some considerable time or have bought them second hand and require lessons. This course is working successfully with our new customers and the final garments we have been seeing which have been designed by the customers, after completing the course, have been of the very highest standard. We are delighted with the success of the course and I am sure any customers purchasing the course will also be delighted. Please, if you decide to order this course, emphasise the model number of your machine as this will save confusion at a later date.

You will note that your subscription and renewal form is now no longer for club membership, but merely a subscription to a magazine.

(This is due to the new V.A.T. regulations—the cost of the magazine would have to go up unless it was treated merely as a magazine.)

In this issue, as a result of numerous requests from subscribers, we have included far more fashionable garments and a special section by Neville Rayner of the Leicester Polytechnic. In future issues we will be including designs as an experiment based on the continental method of writing patterns, where it is practically all diagramatic. This will be done with complete explanations and with a follow-up questionnaire to find out whether it is successful or not. This will give us a distinct advantage in terms of space and we will be able to increase the number of patterns per issue, thus giving you even greater value for money.

We would like to re-open the 'you write' page, but in fact have had very few letters in the nature of a 'chat' letter which we could print. So, here is an open invitation—if you have any interesting stories regarding knitting machines or about work you have produced from a knitting machine, drop us a line and we will publish the best.

N.B. CHARTS SUBMITTED BY DESIGNERS VARY DEPENDING ON WHICH MACHINE THE DESIGNER HAS USED. MOST PATTERNS USING EIGHT BUTTONS CAN BE DONE ON EITHER THE 588 OR THE 585. THE DIFFERENCES ARE

588	585
REVERSE LEVER+	REVERSE DIAL A
REVERSE LEVER-	REVERSE DIAL B

**SUBSCRIPTION RATES FOR U.S.A. AND CANADIAN MEMBERS \$6.00.**

These rates include postage.







# ladies sleeveless sweater

## SLEEVES

**Ribbers** Cast on 47 (49, 51, 53) sts.

**Single machines** Cast on 24 (25, 26, 27) sts. on alt. needles.

**All machines** 000. T6. Foll. weaving chart K. 12 rows. Inc. 1 st. each end of next and foll. 12th row 10 (11, 12, 13) times in all. 67 (71, 75, 79) sts. K. straight to 138 (150, 160, 172) rows. (Adjust length here if required.)

## Shape Top

000. Cast off 6 sts. at beg. of next 2 rows. Dec. 1 st. each end of next and every foll. alt. rows 6 (7, 8, 9) times in all, then on every foll. 4th row 5 times in all. 33 (35, 37, 39) sts. K. 1 row. Dec. 1 st. each end of next and every foll. alt. row 6 (7, 8, 7) times, then on every row until 15 sts. rem. Cast off.

## NECKBAND



With wrong side facing, pick up and place on machine 26 (28, 30, 32) sts. from up front neck, 31 (33, 35, 37) sts. from back neck, 26 (28, 30, 32) sts. from down front neck, 83 (89, 95, 101) sts. K. 1 row.

**Ribbers** Trans. alt. sts. to ribber. T4/3. K. 22 rows. K. 1 loose row. Trans. ribber sts. to main bed. Chain cast off.

**Single machines** Trans. alt. sts. to adjacent needles. Leave empty needles in A position. T5. K. 21 rows. Bring empty needles to B position. T10. K. 1 row. Chain cast off.

## TO MAKE UP

Pin out and press with a warm iron over a damp cloth. Join shoulder side and sleeve seams. Set in sleeves. Turn neckband to inside and slip-st. in place. Sew zip in position. Press seams.



## Materials

6 (7, 7, 8) ozs. Hayfields Gaylon Double Knit wool in colour A. 4 (4, 5, 5) ozs. in colour B. 3 (3, 4, 4) ozs. in colour C.

## Measurements

To fit bust sizes 32 (34, 36, 38) ins. Finished measurements 32 (34, 36, 38) ins. Length to shoulder 25 1/2 (26, 26 1/2, 27) ins.

## Tension

T10. 13 sts. and 16 rows to 2 ins. after pressing.

## Abbreviations

K., knit; sts., stitches; inc., increase; dec., decrease; rep., repeat; foll., following; beg., beginning; alt., alternate; rem., remain; H.C.L's., holding cam levers; T., tension; 000., set row counter at 000; M.B., main bed.

## Stripe Pattern

Colour B K. 16 rows. Colour C K. 16 rows. Colour A K. 16 rows. Colour B K. 8 rows. Colour C K. 8 rows. Colour A K. 8 rows. Repeat the last 24 rows once more \*. Colour B K. 4 rows. Colour C K. 4 rows. Colour A K. 4 rows. Repeat from \* to end of garment.

## BACK

**Ribbers** Using Colour A cast on 111 (117, 123, 129) sts. as 2 x 2 rib. T7/7. K. 16 rows. Transfer ribber sts. to M.B.

**Single machines** Bring 111 (117, 123, 129) sts. to B position. Return every 3rd needle to A position. Using waste wool K. a few rows. Change to colour A. T8. K. 31 rows. Make a hem and K. the row.

**All machines** 000. T10. Begin stripe pattern. K. 10 rows. Dec. 1 st. each end of next and foll. 10th row 6 times in all K. 19 rows. inc. 1 st. at each end of next and foll. 20th row 3 times in all K. straight to 128 rows.

## Shape Armhole

000. Cast off 5 (6, 7, 8) sts. at beg. of next 2 rows, and 4 sts. at beg. of next 2 rows. Dec. 1 st. at each end of next 9 rows and foll. alt. rows 2 (3, 4, 5) times in all, 65 (67, 69, 71) sts. rem. \* K. straight to 60 (64, 68, 72) rows.

## Shape Shoulder

Cast off 6 sts. at beg. of next 2 rows and 5 sts. at beg. of next 2 rows. 43 (45, 47, 49) sts. rem. Change to A and K. 1 row.



# childs smock and jumper

**Ribbers** Arrange sts. for 2 x 2 rib. T7/7. K. 6 rows. Cast off loosely.

**Single machines** Transfer every 3rd st. to adjacent needle and push empty needles to A position. T8. K. 12 rows. Bring empty needles to B position. K. 1 loose row and cast off chain method.

## FRONT

K. as back to \* K. 1 row. Cast off 25 (27, 29, 31) sts. at centre. Push needles at left to E position. H.C.L.'s III. K. the right side first. K. 1 row. Keeping armhole edge straight dec. 1 st. at neck edge on next 7 rows then every alt. row 2 times in all. K. straight to 60 (64, 68, 72) rows.

## Shape Shoulder

Cast off 6 sts. at beg. of next row and rem. 5 sts. on foll. alt. row H.C.L.'s I. Rejoin wool at armhole edge and K. left side to match.

## NECKBAND

With wrong side facing, pick up and place on machine 37 (39, 41, 43) sts. down front neck, 25 (27, 29, 31) sts. from centre 37 (39, 41, 43) sts. up front neck, 99 (105, 111, 117) sts. T10. Using A K. 1 row.

**Ribbers** Arrange sts. for 2 x 2 rib. T7/7. K. 6 rows. Cast off loosely.

**Single machines** Transfer every 3rd st. to adjacent needle and return empty needles to A position. T8. K. 12 rows. Bring empty needles to B position. K. 1 loose row. Cast off chain method.

## ARMBANDS


Join shoulder seams. With wrong side facing pick up and place on machine 120 (126, 132, 138) sts. T10. Using A K. 1 row.

**Ribbers** Arrange sts. for 2 x 2 rib. T7/7. K. 6 rows. Cast off loosely.

**Single machines** Transfer every 3rd st. to adjacent needle and return empty needles to A position. T8. K. 12 rows. Return empty needles to B position. K. 1 loose row. Cast off chain method.

## TO MAKE UP

Pin out and press with a warm iron over a damp cloth. Join side seams. Turn mock rib at neck and armholes to wrong side and slip-st. in place. Press seams.



## SMOCK

### Materials

French Blue, 5 (5, 5, 6, 6) ozs. Honey Bird 2 (2, 2, 2, 3) ozs. Rocket Red 2 (2, 2, 2, 3) ozs. post free from Albert Bailey and Sons Ltd., Riverside Mill, Elland, Yorks. 10p per oz. double crepe.

### Measurements

Chest 22 (24, 26, 28, 30) ins.

### Actual Measurements

Chest 23 (25, 27, 29, 31) ins.

Length from shoulder to hem 17 (17 1/2, 18, 18 1/2, 19) ins.

### Tension

T9 12 sts. 18 rows to 2 ins.

### Abbreviations

K., knit; P., purl; sts., stitches; inc., increase; dec., decrease; alt., alternate; foll., following; rem., remaining; beg., beginning; T., tension; R.C., row counter; 000., set row counter to 000; H.C.L.'s., holding cam levers.

### BACK AND FRONT (alike)

### SKIRT

Cast on 114 (118, 122, 126, 130) sts. and work in K. 1. P. 1 rib at T7 for 5 rows. Transfer sts. to main bed. 000. T9. Working in equal stripes of 4 rows each (4 French Blue, 4 Honey Bird, 4 Rocket Red), dec. 1 st. at both ends of every 18th row to (106, 108, 110, 112, 114) sts. put on waste.

### BODICE (back and front alike)

Re-hang work on machine over 78 (80, 82, 84, 86) sts. decreasing evenly all across. 000. Working in French Blue only, K. 6 rows.

### Armhole Shapings

Cast off 2 (2, 3, 3, 3) sts. at beg. of next 2 rows then dec. 1 st. at both ends of foll. 7 rows to (62, 64, 66, 68, 70) sts. 000. Work straight to R.C. 22 (24, 26, 28, 30). With a spare piece of wool, cast off centre 20 (22, 24, 26, 28) sts. Put left hand set of sts. in position on E, and with H.C.L.'s on 3 continue working on right hand set. Dec. 1 st. at neck edge of every 3rd row to 18 sts. K. 2 rows.

### Shape Shoulders

Cast off 6 sts. at armhole edge of next 3 alt. rows. Work other side to match.















**Shape Shoulder**



Cast off 6 (6, 7, 7, 8, 8) sts. at beg. of next and foll. alt. row. K. left side to match reversing all shapings.

**NECKBAND**

With wrong side facing pick up and place on machine 37 (39, 41, 43, 45, 47) sts. down front neck 27 (29, 31, 33, 35, 37) sts. from centre and 37 (39, 41, 43, 45, 47) sts. up

**PUNCHCARD MACHINE**

		x				34
	x	x	x			32
x	x		x	x		30
x				x	x	28
		x			x	26
	x	x	x			24
x	x		x	x		22
x		x		x	x	20
	x		x		x	18
x		x		x	x	16
x	x		x	x		14
	x	x	x			12
		x			x	10
x				x	x	8
x	x		x	x		6
	x	x	x			4
		x				2
1	2	3	4	5	6	



front neck 101 (107, 113, 119, 125, 131) sts. Using A. K. 1 row.

**Ribbers** Arrange needles for 2 x 2 rib. T6/6. K. 8 rows. K. 1 loose row. Transfer ribber sts. to M.B. and cast off chain method.

**Single machines** Transfer every 3rd st. to adjacent needle. Push empty needles to A position. T7. K. 16 rows. Cast off loosely.

**ARMBANDS**

Join shoulder seams. With wrong side facing pick up and place on machine 121 (129, 137, 145, 153, 161) sts. evenly round arm-

hole. Using A. K. 1 row.

**Ribbers** Arrange sts. for 2 x 2 rib. T6/6. K. 8 rows. K. 1 loose row. Transfer ribber sts. to M.B. and cast off chain method.

**Single machines** Transfer every 3rd st. to adjacent needle. Push empty needles to A position. T7. K. 16 rows. Cast off loosely.

**TO MAKE UP**

Pin out and press with a warm iron over a cloth. Join side seams. Fold mock rib at neck and armholes to inside and slip-st. in place. Press seams.



# childs woven popover

## Toddlers woven popover and ribbed jumper

**Popover.** Suitable for all machines.

**Ribbed Jumper.** Suitable for machines with ribbing attachment.

### Materials

#### Popover

2 (2) balls Purple Heather 4 ply in main colour. 1 (1) balls Purple Heather Double Knitting colour A. 1 (1) balls Purple Heather Double Knitting colour B.

#### Sweater

4 (4) balls Purple Heather 4 ply. 2 buttons.

#### Measurements

To fit chest sizes 20 (22) ins.

#### Popover

Length to shoulder 14 (15) ins. (Adjustable.)

#### Sweater

Length to shoulder 10½ (11½) ins.

Sleeve seam 7 (8) ins.

#### Tension

T6. 13 sts. and 23 rows to 2 ins. over weaving st. T6/6. 14 sts. and 18 rows to 2 ins. in rib when slightly stretched.

#### Abbreviations

K., knit; sts., stitches; inc., increase; dec., decrease; alt., alternate; beg., beginning; pos., position; rem., remain; foll., following; H.C.L's., holding cam levers; T., tension; 000., set row counter at 000;

#### POPOVER

##### BACK AND FRONT (alike)

With main wool cast on 92 (98) sts. by hand. 000. T6. K. 12 rows. Break wool. Set machine for weaving pattern 000. T6. Push 32 sts. at each end to E pos. H.C.L's II. Rejoin main wool at right hand side of rem. 28 (34) sts. in B pos. K. 2 rows. Return 8 sts. to working pos. at opposite end to carriage on next 8 rows. H.C.L's I. K. 10 rows. Dec. 1 st. each end of next and foll. 10th row until 72 (78) sts. rem. K. straight to 112 (118) rows. (Adjust length here if required.)

##### Shape Armholes

000. Cast off 4 sts. at beg. of next 2 rows. Dec. 1 st. each end of next and foll. alt. rows 5 (6) times. 54 (58) sts. K. straight to 24 (28) rows.

##### Shape Neck

Cast off 10 centre sts. Push 22 (24) sts. at left to E pos. Work on right side first. H.C.L's II. K. 1 row. Dec. 1 st. at neck edge on next 4 rows, then foll. alt. rows until 10 (11) sts. rem. K. straight to 50 (56) rows.

##### Shape Shoulder

Cast off 3 sts. at beg. of next and foll. alt. row. K. 1 row. Cast off rem. 4 (5) sts. Return needles in E pos. back to working pos. K. left side to match reversing all shapings.

#### TO MAKE UP

Pin out and press with a warm iron over a damp cloth. Join shoulder and side seams. Turn under hem at lower edge and slip-st. in place. Using 2 strands of 4 ply, work 2 rows of double crochet round neck and armholes. Press seams.

#### SWEATER

##### BACK

Cast on 74 (80) sts. for 2 x 2 rib. 000. T6/6. K. 60 (66) rows.

##### Shape Armholes

000. Cast off 4 sts. at beg. of next 2 rows.









# ladies scoop neck top

For Model 800 with ribber

## Materials

6 (6, 7, 7) ozs. 3 ply crepe wool post free from Albert Bailey and Sons Ltd., Riverside Mill, Elland, Yorks. 10p per oz.

## Measurements

Bust 32 (34, 36, 38) ins.

Length from back of neck to hem 20 (20½, 21, 21½) ins.

## Tension

16 sts. and 24 rows over st.st. to 2 ins.

## Abbreviations

K., knit; P., purl; sts., stitches; inc., increase; dec., decrease; alt., alternate; foll., following; rem., remaining; beg., beginning; T., tension; 000., set row counter to 000; R.C., row counter.

## BACK

Cast on 108 (116, 124, 132) and work in K. 2, P. 2 rib for 74 (80, 84, 90) rows. Transfer sts. to main bed. 000. T5 and work from chart to R.C. 52.

## Shape Armholes

Cast off 4 sts. at the beg. of the next 2 rows. K. 1 row. Dec. 1 st. at both ends of every knitted row to 82 (86, 96, 108) sts. Work straight to R.C. 140 (144, 148, 150).

## Shape Shoulders



Cast off 7 sts. at beg. of next 6 (6, 4, 4) rows. Sizes 36 and 38 only cast off 8 sts. at beg. of foll. 2 rows. Cast off remainder.

## FRONT

Work the same as for the back to row 70 (72, 76, 78).

## Shape Neck

With a spare piece of wool cast off centre 12 (16, 20, 24) sts. Make a note of row number and pattern row (for second side). Leave 2nd set of sts. on nylon thread, knitting each st. with it by hand and taking the knitted stitch to position A. Keeping armhole edge straight, shape neck by dec. 1 st. at neck edge of every knitted row to 29 (29, 31, 31) sts. then dec. 1 st. at neck edge of every alt.



◇

row to 23 (23, 25, 25) sts. Now dec. every 4th row to 21 (21, 23, 23) sts. Work to R.C. 140 (144, 149, 150). Shape shoulders by casting off at beg. of armhole edge rows 7 sts. 3 (3, 2, 2) times and for sizes 36 and 38 ins. 8 sts. twice.

Join one shoulder seam, pin out to size and press lacy part only with a hot iron over a damp cloth.

## Neck Facing

With wrong side of work facing you, hang up onto the machine across back neck 32 (34, 36, 38) sts. and all around front neck 94 (98, 102, 106) sts. T4. K. 4 rows. T6. K. 2 rows. Cast off loosely. Sew second shoulder and press.

## ARMBANDS

### Armhole Facings

With wrong side of work facing you hang up on machine over 116 (120, 124, 128) sts. and work as for neckband.

## TO MAKE UP

Turn bands to inside and catch down neatly. Press. Join side seams and give a final press (not the ribbing).

NO	K.C. 5		C. K. : N	C.L. : N	
	H.G.L. : 3		S.I.L.		L.C.
	C. B. : Plain		S.L.		
	Y. : A				
	L. Y. :				
5					
4	S.I.L.				
3	K.C.	→	→	→	→
2	L.C.	→	→	→	→
1	S.L.	/	/	/	/
Steps	1	2	3	4	5



# FASHION FORMAT

OUR NEW  
HIGH FASHION  
SECTION

by  
Neville  
Rayner

Neville Rayner is the Senior Lecturer in knitwear design at the City of Leicester Polytechnic in the School of Fashion and Textile Design. Leicester is the centre of the world of knitting and houses the finest school of knitwear in the country—the Leicester Polytechnic. Here, Mr. Rayner trains designers for industry and fashion and over the past 12 years has built up a tremendous department from nothing. He has, in the past, given us designs for the magazine and has had his designs published in leading magazines and also had them featured in *The Times*. He originally studied at the St. Martins School of Art in London and after leaving there spent some time in an Editorial Agency where designs for hand knitting and crochet were prepared for magazines and newspapers. He has a wealth of experience in design and we are sure you will appreciate his lovely designs. Most of his designs are extremely fashionable and we will try to grade them up for as many sizes as possible.

We will be printing articles written by Mr. Rayner in making-up and completion of garments which is a topic about which he feels very strongly. Machine knitting enables even a beginner to achieve good quality knitted pieces for a garment, and this is usually spoiled by very poor assembly. The professional finishes he obtains and demands from his students convince us that a little time spent on the sewing together of a garment is well worth the effort. We look forward to hearing from you regarding these designs and are eager for any suggestions for future designs which you may wish to make.

## lace smock



For KH-585, 588 and 800 machines

### Materials

8 (9, 10) 50 grm. balls Patons and Baldwins  
Limelight Courtelle 4 ply crepe.

### Measurements

To fit 32 (34, 36) ins. bust.  
19½ (20½, 21½) ins. length.  
10½ (11, 11½) ins. sleeve seam.

### Tension

7 sts. and 10½ rows to 1 in. on T8.

### Abbreviations

st(s.), stitch(es); T., tension; K., knit;  
COL(R), carriage on left or right; trans.,  
transfer; alt., alternate; N., needles; LC.,  
lace carriage; M., machine(s); MDE., make  
double edge by placing each loop at cast on  
edge onto needles in B position; rep., repeat;  
pos., position; 000., set row counter to 000;  
dec., decrease; foll., following; beg.,

beginning.

### Note

For 585 and 588 M. place slide dial on pos.  
1.

### BACK

Cast on 162 (170, 178) sts. For all M., for  
picot hem work thus: \* T5. K. 6 rows. T8.  
K. 1 row for foldline. COL. Work step 1  
from chart trans. every alt. N. by moving  
LC. from right to left. T5. K. 6 rows. COL.  
\* MDE. T8. K. 11 rows. T10. K. 1 row.  
COR. \*\* Rep. from \* to \* once more. Make  
picot edged ridge by placing the first and  
then every alt. loop of the T10. row on N. in  
B pos. \*\* T8. K. 3 rows. COR. 000. For  
585 and 588 M., work steps 2 to 13 from  
chart. (14 rows.) For 800 M., work steps 2  
to 20 from chart. (14 rows.) For all M., K. 3







# jacquard top dress

## Materials

**Dress** 13 (14, 15) ozs. Emu Scotch 4 ply. Main. 4 (4, 5) ozs. Emu Scotch 4 ply. 2nd main colour. 2 (2, 3) ozs. Emu Scotch 4 ply. For shades A, B, C, D. 24 (24, 26) ins. zip.

**Waistcoat** 4 (4, 5) ozs. Emu Scotch 4 ply. Main. Also oddments of 2nd main colour and shades A and D. 2 small buttons.

## Measurements

To fit 32 (34, 36) ins. bust.

**Dress** 34 (36, 38) ins. at underarm.

34 (36, 38) ins. at hips.

37½ (38, 38½) ins. length.

17 (17½, 18) ins. sleeve seam.

**Waistcoat** 34 (36, 38) ins. at underarm.

17 (17½, 18) ins. length.

## Tension

7½ sts. and 10½ rows to 1 in. on T6.

## Abbreviations

T., tension; MN., main colour; COBH., cast on by hand over every needle; st(s), stitch(es); K., knit; MDE., make double edge by placing each loop at cast on edge onto needles in B position; COR(L), carriage on right or left; 000., set row counter to 000; dec., decrease; inc., increase; foll., following; cont., continue; rep., repeat; patt., pattern; alt., alternate; beg., beginning; rem., remaining; N., needle(s); fin., finishing; trans., transfer; pos., position; H.C.L's., holding cam levers; PB., press buttons; SL., set lever; LC., lace carriage.

## Note

Place slide dial on 5 for jacquard.

## DRESS

### FRONT

\*\* T5. With MN. COBH. 167 (175, 183) sts. placing odd st. on right hand edge. \* K. 12 rows T8. K. 1 row for foldline. T5. K. 12 rows. MDE. T6. K. 1 row. COR. 000. \* Dec. 1 st. each end of every foll. 7th row 21 times to 135 (143, 151) sts. K. to row 116 (122, 128) \*\*. 000. Dec. 1 st. each end of every foll. 6th row to row 31. COL. Set machine for jacquard. Cont., rep. patt. from chart at same time still dec. 1 st. each end of every 6th row to 96 rows. 103 (111, 119) sts. 000. Cont. straight for 30 rows. 000. Inc. 1 st. each end of the next and then every foll. 3rd (4th, 5th) rows 11 times more to 127 (135, 143) sts. Cont. straight to row 46 (52, 58).

### Shape Armhole

Cast off 4 (5, 6) sts. at beg. of the next 2 rows fin. COR. 119 (125, 131) sts. 000. Dec. 1 st. each end of every foll. 3rd row 10 times to 99 (105, 111) sts. Cont. straight to row 58 (64, 70).

### Front Neck


Thread up and take off machine the centre 21 (23, 25) sts. Cont. on right sts. only dec. 1 st. every alt. row on neck 10 times to 29 (31, 33) sts. fin. COR. on row 78 (84, 90).

### Shape Shoulder

Cast off 5 (6, 7) sts. at beg. of the next row and at this same edge every alt. row 3 times more fin. COR. Cast off rem. 9 (7, 5) sts. Place left sts. back onto same N. as before and work to match reversing shapings.

## BACK

(Worked in same patt. as front.) Rep. from \*\* to \*\* as on front. 135 (143, 151) sts. 000.





Dec. 1 st. each end of every foll. 6th row 5 times to 30 rows. 125 (133, 141) sts.

### Back Opening

Thread up and take off machine the left 62 (66, 70) sts. K. 1 row on right sts. fin. COR. Cast on 8 sts. for the back opening facing. Set machine for jacquard, K. 1 row fin. COR. 71 (75, 79) sts. Cont. in patt. at same time still dec. 1 st. on right edge every 6th row 11 times more to 96 rows. 60 (64, 68) sts. 000. Cont. straight for 30 rows. 000. Inc. 1 st. on the next and then every foll. 3rd (4th, 5th) rows on right edge 11 times more to 72 (76, 80) sts. Cont. straight to row 46 (52, 58).

### Shape Armhole

Cast off 4 (5, 6) sts. on right edge, K. 2 rows fin. COR. 68 (71, 74) sts. 000. Dec. 1 st. every 3rd row on armhole 10 times to 58 (61, 64) sts. Cont. straight to row 78 (84, 90) fin. COR.

### Shape Shoulder and Back Neck

Cast off 5 (6, 7) sts. on right edge, K. 2 rows. COR. 53 (55, 57) sts. Cast off 5 (6, 7) sts. on right edge, K. 1 row. COL. 48 (49, 50) sts. Cast off 25 (26, 27) sts. on left edge, K. 1 row. COR. (23 sts.) Dec. 1 st. on next and then every row on neck 3 times more, at same time casting off 5 (6, 7) sts. on the right edge and at this same edge once more on foll. alt. row fin. COR. Cast off rem. 9 (7, 5) sts. Place left 62 (66, 70) sts. back onto same N. as before and cast on 9 sts. to the right edge for back opening facing. 71 (75, 79) sts. K. 1 row COL. Set machine for jacquard. K. 1 row COR. (32 rows on row counter). Cont. on these sts. to match those just worked reversing shapings.

### Sleeves

T5. With MN. COBH. 51 (55, 59) sts. placing odd sts. on the right hand edge. Rep. from \* to \* as on the front. Inc. 1 st. each end of every foll. 9th row to row 85 fin. COL. Set machine for jacquard. K. 1 row COR. Cont. in jacquard at same time still inc. every 9th row as before to 81 (85, 89) sts. K. to row 174 (180, 186) fin. COR.

### Shape Top

Cast off 4 (5, 6) sts. at beg. of the next 2 rows fin. COR. 73 (75, 77) sts. 000. Dec. 1 st. each end of every foll. 4th row to 49 sts. Dec. 1 st. each end of the next and every row to 21 sts., cast off.

### NECKBAND


T5. With MN. COBH. 95 (99, 103) sts. K. 16 rows. T8. K. 1 row for foldline. T5. K. 16 rows. MDE. K. 1 row. COR. Press back and fronts, join shoulders. With right side of dress facing machine and working from the right edge of N. place the right back neck sts. to the first 21 (22, 23) N. omitting the 8 back opening facing sts., place side front neck to next 16 N. front neck to next 21 (23, 25) N. place rem. of neck to rest of N. to correspond. Cast off band and neck edge together.

### WAISTCOAT

#### Note


Dec. 1 st. by trans. the 1st, 2nd and 3rd sts. to the 4th N. push these empty N. back to A pos., then push to B pos. 1 empty N. on edge nearest carriage.

Inc. 1 st. by trans. the edge st. out to the



K.H. 588 MACHINE

- MAIN
- 2nd MAIN
- PRESS BUTTONS



CONT.



next N. Place the loop on the previous row of the 2nd st. in from the edge onto the now empty N., (i.e. the 2nd N. in from the new edge). It is essential that a looped edge is formed throughout work on all edges for the crochet edging.

### RIGHT HALF FRONT

T6. 000. Push to E pos. the first N. on the right of the centre 0. With MN. make a loop at the end with a 5 ins. length. Place this loop onto the E pos. N. Thread up sinker plate. H.C.L's to I. Push 1 empty N. to B pos. on right edge of E pos. N., hold loop end., K. 1 row COL. (2 sts.) Push 1 empty N. to B pos. on left edge, K. 1 row. COR. (3 sts.) 000. \* Hang weight to work and cont. shaping outwards on each edge as folls. Cont. forming loop edges by pushing to B pos. 1 empty N. at beg. of every row until there are 7 sts. fin. COR. Inc. 1 st. each end of work, then push 1 empty N. to B pos. on right edge, K. 1 row. COL. (10 sts.) (5 rows). Cont. forming looped edges at same time inc. on the foll. row count readings. For 1st size: 9th, 13th, 17th, 21st. For 2nd size: 10th, 16th, 22nd, 28th. For 3rd size: 11th, 17th, 23rd, 29th. Cont., forming loop edges only to 28 (32, 36) rows fin. COR. 41 (45, 49) sts. (This is widest part of first diamond.) 000. Cont., shaping work inwards on each edge. Trans. the 1st and 2nd sts. to the 3rd N., on right edge, push 1 empty N. to B pos. on same edge, K. 1 row. COL. 40 (44, 48) sts. Trans. the 1st and 2nd sts. on the left edge to the 3rd N., push 1 empty N. to B pos. on same edge, K. 1 row. COR. 39 (43, 47) sts. Rep. these 2 rows once more (4 rows). 37 (41, 45) sts. On right edge dec. 1 st. then push 1 empty N. on edge to B pos., K. 1 row. On left edge dec. 1 st. then push 1 empty N. on edge to B pos., K. 1 row. COR. 33 (37, 41) sts. Cont. shaping inwards and forming loop edges at the same time dec. 1 st. on the foll. row count readings on edges nearest carriage. For 1st size: 9th, 10th, 13th, 14th, 17th, 18th, 21st, 22nd. For 2nd size: 10th, 11th, 16th, 17th, 22nd, 23rd, 28th, 29th. For 3rd size: 11th, 12th, 17th, 18th, 23rd, 24th, 29th, 30th. Cont. shaping inwards without dec. and forming loop edges to row 28 (32, 36) (3 sts.). 000. Cont., shaping outwards again by the same method as at beg. at same time inc. 1 st. each end of the foll. row count readings. For 1st size: 4th, 9th, 14th, 19th, 24th, 29th, 34th. For 2nd size: 4th, 10th, 16th, 22nd, 28th, 34th, 40th. For 3rd size: 4th, 10th, 16th, 22nd, 28th, 34th, 40th. Cont. shaping outwards to 38 (42, 46) rows fin. COR. 55 (59, 63) sts. (This is widest part of the second diamond.) 000. Cont., shaping inwards by the same method as before at same time dec. 1 st. on the foll. row count readings on edges nearest carriage. For 1st size: 4th, 5th, 12th, 13th, 20th, 21st, 28th, 29th. For 2nd size: 4th, 5th, 12th, 13th, 20th, 21st, 28th, 29th. For 3rd size: 4th, 5th, 13th, 14th, 22nd, 23rd, 31st, 32nd. Cont. shaping inwards to 9 (11, 13) sts. COR. 000. Cont. straight forming loop edges as folls. Trans. the 1st st. to the 2nd N., then push 1 empty N. to B pos. on carriage edge, K. 1 row. 9 (11, 13) sts. Rep.

this row to 50 (54, 58) rows. Cast off. Work three more panels the same for left half front, and two half backs.

### ROUNDELS




Slide dial on I. T7. With MN. COBH. 59 sts. placing odd st. on right hand edge. K. 6 rows. COR. PB. 1/3/5/7. SL. Move LC. from left to right. K. 6 rows. MDE. T6. K. 8 rows (20 rows). Make tuck ridge by placing the 2nd and every alt. loop of the sts. on 1st row above the MDE. row onto B pos. N. K. 2 rows. (22 rows.) H.C.L's to III. PB. 1 and 5. SL. K. 5 rows. COL. Right H.C.L's to I. K. 1 row. COR. (28 rows). PB. 2 SL. Move LC. from left to right. PB. 8 SL. Move LC. from right to left. Push all empty N. back to A pos. (45 N. working). K. 2 rows. (30 rows). PB. 3 SL. Move LC. from left to right. PB. 7 SL. Move LC. from right to left. Push all empty N. back to A pos. (31 N. working). K. 2 rows. (32 rows.) PB. 4 SL. Move LC. from left to right. PB. 6 SL. Move LC. from right to left. Push all empty N. back to A pos. (17 N. working). T4. K. 2

rows. (34 rows.) Break off length of wool, thread up and take work off machine. Pull roundel into circle, drawing up sts. at top and securing them. Sew up seam. Do not press. K. three more roundels.

### TO MAKE UP

**Dress** Press sleeves, sew into armholes. Join side and sleeve seams. Fold back facing and tack into place. Neaten neckband ends. Press seams and opening. Sew in zip. Press opening.

**Waistcoat** Press each piece, join shoulder seams. With No. 9 hook and shade A, work 1 row of single crochet into every loop on all edges. Work another row with Shade D. Work a row of double crochet with the background stripe to jacquard at same time mitring all corners. Press, pinning out corners. Sew the points of widest parts of diamonds together to form back and side seams. Work loops for buttons on right front at widest parts of diamonds for front opening. Sew on buttons and roundels to lower diamond panels.





# flared stripe jacket

For KH-585, 588 and 800 machines

## Materials

**Jacket** 19 (20, 21)  $\frac{3}{4}$  oz. balls Lister Velora. Shade A. 10 (10, 11)  $\frac{3}{4}$  oz. balls Lister Velora. Shade B. 10 (10, 11)  $\frac{3}{4}$  oz. balls Lister Velora. Shade C. 5 (5, 6)  $\frac{3}{4}$  oz. balls Lister Velora. Shade D. 2 (2, 3) 2 ozs. balls Lister Fun-Fur-Knit. FFK. 6 Buttons.

**Jumper** 3 (4, 5)  $\frac{3}{4}$  oz. balls Lister Velora. Shade A. 2 (3, 4)  $\frac{3}{4}$  oz. balls Lister Velora. Shade B. 5 (6, 7)  $\frac{3}{4}$  oz. balls Lister Velora. Shade C. 4 (5, 6)  $\frac{3}{4}$  oz. balls Lister Velora. Shade D. 10 ins. zip.

**Trousers** 39 (41, 43)  $\frac{3}{4}$  oz. balls Lister Velora. Shade A. 8 ins. zip. 20 (22, 24) ins. 1 in. wide elastic.

## Measurements

To fit 32 (34, 36) ins. bust.

**Jacket** 38 (40, 42) ins. at underarm.

26 $\frac{1}{2}$  (27, 27 $\frac{1}{2}$ ) ins. length.

15 (15, 15) ins. sleeve seam.

**Jumper** 32 (34, 36) ins. at underarm.

18 (18 $\frac{1}{2}$ , 19) ins. length.

17 $\frac{1}{2}$  (18, 18 $\frac{1}{2}$ ) ins. sleeve seam.

**Trousers** 22 (24, 26) ins. at waist.

34 (36, 38) ins. at hips.

30 (31, 32) ins. inside leg.

## Tension

7 sts. and 9 rows to 1 in. on T10. Work with loose yarn tension unit throughout.

## Abbreviations

T., tension; COBH., cast on by hand over every needle; st(s), stitch(es); K., knit; COL(R), carriage on left or right; MDE., make double edge by placing each loop at cast on edge onto needles in B position; 000., set row counter to 000; dec., decrease; inc., increase; foll., following; patt., pattern; rep., repeat; cont., continue; st.st., stocking stitch; N., needle(s); beg., beginning; trans., transfer; alt., alternate; rem., remaining; FFK., Fun-Fur-Knit.

For KH-800 chart read N and T for weaving and none weaving setting, P for plain and PB for pressing both part buttons in.

## Note

To prevent long 'floats' on inside of jacket break off each colour, including FFK. to about a 4 ins. length, then sew them in when making up.

## JACKET

(When weaving, place FFK. over extended N. then push them back to B position to hold yarn before knitting with carriage.)

## BACK

### First Side Panel

T8. With A COBH. 69 (71, 73) sts. placing odd st. on the right hand edge. \* K. 10 rows. T10. K. 1 row. T8. K. 10 rows. COL. MDE. T10. K. 1 row COR. 000. \* Break off A, join on B. Dec. 1 st. each end of every foll. 22nd row 12 times at same time working in foll. patt. from chart. \*\* With B and FFK. work steps 1 to 18 once. With A work steps 19 to 30 once. (30 rows.) Rep. steps 19 to 30 individually in D, C, D, and B. (78 rows.) Rep. from \*\* twice more. (234 rows.) With B and FFK. work steps 1 to 18 once. (252 rows.) Join on A and cont. in st.st. only to 270 rows. 45 (47, 49) sts. K. a few rows with scrap yarn and take work off machine. K. a second side panel the same and take off













K. 2 rows fin. COR. Thread up and take off the rem. 15 (16, 17) sts. Work left sts. to match reversing shapings.

**SLEEVES**

T8. With D COBH. 48 (52, 56) sts. Rep. from \* to \* as on back. For 2nd size, K. 4 rows. 000. For 3rd size, K. 8 rows. 000. Cont. in C for all sizes, inc. 1 st. each end of every foll. 13th row 10 times to 68 (72, 76) sts., then working straight to row 142 at same working in foll. stripe patt. Cont. in C to row 74, then \* K. 4 rows D, 4 rows A, 4 rows B, 6 rows C. Rep. from \* twice more then cont. in D for 14 rows to 142 rows fin. COR.

**Shape Top**

With D, cast off 3 (4, 5) sts. at beg. of the next 2 rows fin. COR. 62 (64, 66) sts. Dec. 1 st. each end of every 3rd row to 36 sts., then cont. straight to 40 (44, 48) rows, at same time working in foll. stripe patt., K. 16 rows D, 10 rows B, 4 rows D, 4 rows C, 6 rows B, then cont. in A. (36 sts.) Cast off 2 sts. at beg. of the next 10 rows., cast off rem. 16 sts.

**NECKBAND**

Press all pieces, join shoulder seams. T8. With A COBH. 77 (81, 85) sts. K. 24 rows. T10. K. 1 row for foldline. T8. K. 24 rows. MDE. With right side of jumper facing machine and working from right edge of N. place right half back neck to first 15 (16, 17) N. right side neck to next 14 N. front neck to next 19 (21, 23) N. cast off band and neck together to this point, place rem. of neck to rest of N. to correspond, cast off together to end.

**TROUSERS**

**LEFT LEG**

T8. With A COBH. 145 (151, 157) sts. placing odd st. on the right hand edge. Rep. from \* to \* as on jumper front. Set machine for weaving. For 585 and 588 machine place slide dial on 1 (2, 1). Rep. steps 31 to 32 from chart throughout using A for knitting and weaving. Cont. to 290 (300, 310) rows fin. COR. (Adjust length at this stage.)

**Shape Crutch**

\*\*\* Cast off 5 sts. at beg. of the next row, K. 1 row. COL. 140 (146, 152) sts. Cast off 9 sts. at beg. of the next row, K. 1 row. COR. 131 (137, 143) sts. 000. Dec. 1 st. each end of every 3rd row 9 times. (Last dec. row 27.) K. 1 row. (28 rows.) COR. 113 (119, 125) sts. 000. Cont. straight for 22 rows fin. COR. (Adjust length at this stage.)

**Shape Hip Dart**

Trans. the centre st. to adjacent N. Thread up and take off machine the left 56 (59, 62) sts. 000. Cont. on right sts. dec. 1 st. every foll. 3rd row on left edge to 50 rows fin. COR.

**Shape Waist**

Cast off 17 (20, 23) sts. on left edge, K. 2 rows. (20 sts.) COR. Cast off 4 sts. at beg. of the next row and at this same edge every alt. row 3 times more fin. COR. at same time still dec. on dart as before every 3rd row working last dec. on row 57. Cast off rem. 4 sts. Place left sts. back onto same N. as before. 000. Dec. 1 st. every foll. 3rd row on dart to 37 (40, 43) sts. working last dec. on row 57. Cont. to row 60, cast off. Work

right leg to match reversing shapings.







**TO MAKE UP**

**Jacket** Join side back panels and sleeve seams. Neaten front band ends, oversew round buttonholes. Press seams and bands, sew on buttons.

**Jumper** Press sleeves, sew into armholes. Join side and sleeve seams. With No. 9 hook work 1 row single crochet round opening and neckband edges. Press seams and opening. Sew in zip.

**Trousers** Press pieces, join front and back seams. Sew up right dart. Join leg seams.

For waistband with A COBH. 148 (160, 172) sts. T8. K. 12 rows. T10. K. 1 row for foldline. T8. K. 12 rows. MDE. With right side of work facing machine and working from right edge of N. place back waist to first 74 (80, 86) sts., cast off band and waist together to this point, place rest of waist to rem. of sts. to correspond and cast off to end. Thread elastic through waistband and secure at ends. With No. 9 hook work 1 row of single crochet on opening and waistband ends. Press band and opening. Sew in zip. Press in pleats.





# trouser suit

For KH-585, 588 and 800 Machines

## Materials

**Jacket** 5 (6, 7) 50 grm. balls Patons and Baldwins Capstan. Shade A. 1 (1, 1) 50 grm. balls Patons and Baldwins Double Knitting. Shade B. 1 (1, 1) 50 grm. balls Patons and Baldwins Double Knitting. Shade C. 1 (1, 1) 50 grm. balls Patons and Baldwins Double Knitting. Shade D. 1 (1, 1) oz. Patons and Baldwins Four Seasons. Shade E. 2 buttons.

**Trousers** 13 (14, 15) 50 grm. balls Patons and Baldwins Capstan. Shade A. 1 (2, 2) 50 grm. balls Patons and Baldwins Double Knitting. Shade B. 1 (2, 2) 50 grm. balls Patons and Baldwins Double Knitting. Shade C. 1 (1, 1) 50 grm. balls Patons and Baldwins Double Knitting. Shade D. 2 (2, 2) ozs. Patons and Baldwins Four Seasons. Shade E. 7 ins. zip. 20 (22, 24) ins. 1 in. wide elastic.

**Jumper** 4 (5, 5) 50 grm. balls Patons and Baldwins Double Knitting. Shade B. 3 (4, 4) 50 grm. balls Patons and Baldwins Double Knitting. Shade C. 2 (2, 2) 50 grm. balls Patons and Baldwins Double Knitting. Shade D. 2 (2, 2) ozs. Patons and Baldwins Four Seasons. Shade E. 8 ins. zip.

## Measurements

To fit 32 (34, 36) ins. bust.

**Jacket** 34 (36, 38) ins. at underarm.

14 (15, 16) ins. length.

5 (5½, 6) ins. sleeve seam.

**Trousers** 22 (24, 26) ins. waist.

34 (36, 38) ins. at hip.

31½ (32, 32½) ins. inside leg.

**Jumper** 32 (24, 26) ins. at underarm.

25½ (26½, 27½) ins. length.

17½ (18, 18½) ins. sleeve seam.

## Tension

For jacket and trousers, 3½ sts. and 7½ rows to 1 in. on T10. For jumper, 6 sts. and 8½ rows to 1 in. on T10.

## Abbreviations

M., machine; pos., position; N., needle(s); alt., alternate; T., tension; K., knit; COR(L), carriage on right or left; PB., press buttons; SD., slide dial; W., weaving; rep., repeat; fin., finishing; MDE., make double edge by placing each loop at vast on edge onto N. in B pos.; 000., set row counter to 000; cont., continue; foll. following; patt., pattern; st(s), stitch(es); dec., decrease; inc., increase; beg., beginning; rem., remaining; COBH., cast on by hand over every N.


## Note

For jacket and trousers, weave every row throughout, unless otherwise stated. For all hems, edges and the neckband on jumper, work with the yarn tension unit at its tightest pos. For the main parts of garments work with the yarn tension unit at its loosest pos.

## TROUSERS

### RIGHT LEG

For all M., push to E pos. 157 (165, 173) N. placing odd N. on right hand edge. Push back to A pos. the 2nd and then every alt. N., leaving 79 (83, 87) N. in E pos. T10. Cast on over every alt. N. with A. K. 6 rows. COR. For 585 and 588 M., PB. 1 and 5. SD. on 3. Set M. for W. For 800 M.,





punch card at 1, 5 and 9 pos. on steps 1 and 2. Set M. for W. Rep. steps 1 and 2 throughout. W. 6 rows with B fin. COR. MDE. W. 4 rows more with B. 000. Cont., rep. foll. stripe patt. throughout. \*\* W. 6 rows with C, 4 rows with D, 4 rows with E, 4 rows with D, 6 rows with C, 10 rows with B. \*\* Cont. straight to 248 (256, 264) rows fin. COR.

#### Shape Crutch

Cast off 4 sts. on right edge. W. 1 row. COL. 75 (79, 83) sts. Cast off 6 sts. on left edge. W. 1 row. COR. 69 (73, 77) sts. 000. Dec. 1 st. each end of every 4th row 4 times to 61 (65, 69) sts. 000. W. 16 (20, 24) rows straight. 000.

#### Shape Hip Dart

Transfer central st. to adjacent N., Cont. on right 30 (32, 34) sts. at same time dec. 1 st. every foll. 5th row to row 34 fin. COR.

#### Shape Waist

Cast off 10 (12, 14) sts. on right edge. W. 2 rows. COR. Cast off 3 sts. on right edge at beg. of the next row and st. this same edge every alt. row twice more, at same time still dec. on dart edge as before until 8 sts. have been dec. from beg., fin. COR. Cast off rem. 3 sts. at waist. Cont. on left 30 (32, 34) sts. dec. 1 st. every 5th row on dart edge 8 times to 22 (24, 26) sts. Cont. to row 44 fin. COR., cast off. Work left leg to match reversing shapings.

### JACKET

#### BACK

For all M., push to E pos. 89 (97, 105) N. placing odd N. on right hand edge. Push back to A pos. the 2nd and then every alt. N., leaving 45 (49, 53) N. in E pos. T10. Cast on over every alt. N. with A. K. 6 rows. COR. For 585 and 588 M., PB. 1 and 5. SD. on 1. Set M. for W. For 800 M., punch card at 3, 7 and 11 pos. on steps 3 and 4. Set M. for W. Rep. steps 3 and 4 throughout. W. 6 rows with B fin. COR. MDE. Cont., W. 4 rows more with B, then rep. the stripe patt. from \*\* to \*\* as on trousers, at same time shaping as folls. W. 4 (8, 12) rows straight, 000., then inc. 1 st. each end of every foll. 3rd row 8 times to 61 (65, 69) sts. fin. COR. W. to 26 rows.

#### Shape Armholes



Cast off 2 (3, 4) sts. at beg. of the next 2 rows, fin. COR. 57 (59, 61) sts. 000. Dec. 1 st. each end of every foll. 4th row 5 times to 47 (49, 51) sts., fin. COR. 000. Cont. straight for 40 (44, 48) rows fin. COR.

#### Shape Shoulder

Cast off 3 sts. at beg. of the next 4 rows, then cast off 4 sts. at beg. of the next 4 rows. Cast off rem. 19 (21, 21) sts.

### RIGHT FRONT

For all M., push to E pos. 57 (65, 73) N. placing odd N. to right hand edge. Push back to A pos. the 2nd and then every alt. N., leaving 29 (33, 37) N. in E pos. T10. Cast on over every alt. N. with A. K. 6 rows. COR. Set machine for W. as stated on trousers. W. 6 rows with B fin. COR. MDE. W. in same sequence of patt. as on jacket back at same time shaping as folls. W. 4 (8, 12) rows straight, 000., then inc. 1 st. on left edge every foll. 3rd row 8 times to 37 (41, 45) sts. fin. COR. W. to 27 rows fin. COL.



### Shape Armhole

Cast off 2 (3, 4) sts. on left edge. W. 1 row fin. COR. 35 (38, 41) sts. 000. Dec. 1 st. every foll. 4th row on left edge 5 times to 30 (33, 36) sts. fin. COR. 000. Cont. straight to 26 rows fin. COR.

### Shape Rever

To shape rever cont. on right 16 (19, 22) sts. only. W. 1 row. COL. Cast off 3 (4, 5) sts. on left edge at beg. of the next row and at this same edge every alt. row 3 times more fin. COL. Cast off rem. 4 (3, 2) sts. Cont. on left 14 sts. (Set row counter to 26.) Cont. straight to 41 (45, 49) rows fin. COL.

### Shape Shoulder

Cast off 3 sts. at beg. of the next row and at this same edge the foll. alt. row fin. COL. Cast off 4 sts. at beg. of the next row and at this same edge the foll. alt. row. Work left front to match reversing shapings.

### SLEEVES

For all M., push to E pos. 69 (77, 85) N., placing odd N. on the right hand edge. Push back to A pos. the 2nd and then every alt. N., leaving 35 (39, 43) N. in E pos. T10. Cast on every alt. N. with A. K. 6 rows fin. COR. Set M. for W. as stated on trousers. W. 6 rows with B fin. COR. MDE. W. in same sequence of patt. as on jacket back at same time shaping as folls. Inc. 1 st. each end of every foll. 6th (7th, 8th) rows 4 times to 43 (47, 51) sts. W. to 30 (34, 38) rows fin. COR.

### Shape Top

Cast off 2 (3, 4) sts. at beg. of the next 2 rows fin. COR. 39 (41, 43) sts. 000. Dec. 1 st. each end of every foll. 4th row 6 (7, 8) times to 27 sts. Cont. straight to 36 (40, 44) rows. Cast off 2 sts. at beg. of the next 8 rows, cast off rem. 11 sts.

### COLLAR

For all M., push to E pos. 109 (117, 125) N., placing odd N. on right hand edge. Push back to A pos. the 2nd and then every alt. N., leaving 55 (59, 63) N. in E pos. K. a few rows with scrap yarn fin. COR. Set M. for W. as stated on trousers. 000. Rep. patt. from \*\* to \*\* as on trousers, shaping as folls. W. 16 rows straight. 000. Dec. 1 st. each end of the next and then every foll. 3rd row 3 (4, 5) times more to 47 (49, 51) sts. Cast off 4 sts. at the beg. of the next 4 rows, then cast off 3 sts. at the beg. of the next 4 rows. Cast off rem. 19 (21, 23) sts.

### EDGINGS (Worked on alt. N. and knitted in A only)

#### Collar Back Edge

With A cast on 55 (59, 63) sts. K. 6 rows inc. 1 st. each end of every alt. row, K. 6 rows dec. 1 st. each end of every alt. row. MDE. With right side of collar facing M., place 1st row of A loops onto B pos. N., take off scrap knitting, cast off edge and collar together.

#### Collar Side Edge

Cast on 10 sts., \* K. 6 rows dec. 1 st. every alt. row on left edge and in. 1 st. every alt. row on right edge, K. 6 rows more reversing shaping. MDE. \* With right side of collar facing M., and with the back edging on your left hand side, place the 16 row straight edge onto B pos. N., cast off together. Work other collar side edge to match reversing



shapings.

#### Left Rever Top Edging

Cast on 12 sts. Rep. from \* to \* as on first collar side edge. With right side of left rever facing M., place cast off edge from the side edge and onto the first  $3\frac{1}{2}$  ins., cast off together. Work other rever top the same reversing shapings.

#### Right Front Edges

Cast on 43 sts. K. 6 rows inc. 1 st. every alt. row on left edge, then K. 6 rows dec. 1 st. every alt. row on left edge. MDE. With W. side of front edge facing M., place front edge from rever corner to within  $2\frac{1}{2}$  ins. from hem onto B pos. N., cast off together. Work edge for left front the same reversing shaping.

#### Lower Front Edge

Cast on 11 sts. K. 12 rows. MDE. With plain side of jacket facing M., place front edge from next to the upper front edge to hem onto B pos. N., cast off together. Work other lower edge to match.

#### JUMPER

##### BACK

\*\* T8. With B COBH. 104 (110, 116) sts. \* K. 10 rows. T10. K. 1 row. T8. K. 10 rows. COL. MDE. T10. K. 1 row. COR. 000. \* Cont., rep. foll. stripe patt. throughout, K. 4 rows C, 2 rows D, 2 rows E, 2 rows D, 4 rows C, 8 rows B, at same time K. straight for 12 rows fin. COR. 000. Dec. 1 st. each end of every foll. 6th row 9 times to 86 (92, 98) sts. 000. K. straight for 34 rows. 000. Inc. 1 st. each end of the next and then every foll. 6th (7th, 8th) rows 5 times more to 98 (104, 110) sts. Cont. straight to 42 (46, 50) rows fin. COR.

##### Shape Armholes

Cast off 3 (4, 5) sts. at beg. of the next 2 rows fin. COR. 92 (96, 100) rows. 000. Dec. 1 st. each end of every foll. 3rd row 9 times to 74 (78, 82) sts. 000. \*\* For 2nd size K. 4 rows, for 3rd size K. 8 rows.

##### Back Opening

Cont. on right 37 (39, 41) sts. to 32 (36, 40) rows fin. COR.

##### Shape Shoulder

Cast off 6 sts. at beg. of the next row and at this same edge every alt. row twice more fin. COR. Cast off 5 (6, 7) sts. at beg. of the next row, K. 2 rows fin. COR. Thread up and take off machine the rem. 14 (15, 16) sts. Work left sts. to match reversing shapings.

##### FRONT

Rep. from \*\* to \*\* as on back. 74 (78, 82) sts. K. 18 (22, 26) rows fin. COR.

##### Front Neck

Thread up and take off machine the centre 16 (18, 20) sts. Cont. on right sts., dec. 1 st. every alt. row on neck to 23 (24, 25) sts. K. to 32 (36, 40) rows fin. COR.

##### Shape Shoulder

Cast off 6 sts. at beg. of the next row and at this same edge every alt. row twice more fin. COR. Cast off rem. 5 (6, 7) sts. Work left sts. to match reversing shapings.

##### SLEEVES

T8. With B COBH. 44 (48, 52) sts. Rep. from \* to \* as on back. Cont. in patt. at same time inc. 1 st. each end of the next and then every foll. 13th (14th, 15th) rows to 64 (68, 72) sts. Cont. straight to 142 (146, 150)

rows fin. COR.

##### Shape Top

Cast off 3 (4, 5) sts. at beg. of the next 2 rows fin. COR. 58 (60, 62) sts. Dec. 1 st. each end of every foll. 4th row 8 (9, 10) times to 42 sts. K. to 36 (40, 44) rows. Cast off 3 sts. at beg. of the next 8 rows. Cast off rem. 18 sts.

##### NECKBAND






T8. With B COBH. 76 (80, 84) sts. K. 26 rows. T10. K. 1 row. T8. K. 26 rows. MDE. Press front and back, join shoulder seams. With right side of work facing M. and working from right edge of n., place right back neck to first 14 (15, 16) N., front side neck to next 16 N., front neck to next 16 (18, 20) N., cast off band and neck together to this point, place rem. of neck edge to rest of N. to correspond and cast off to end.

##### TO MAKE UP

**Jacket** Press all pieces. Join shoulder seams, sew in sleeves. Join side and sleeve seams. Sew collar to neck, placing the cast off edges at back neck and collar edge together. Sew mitred corners on collar and rever. Sew join in lower front band edge, neaten frontband ends. Make loops for buttons on right front. Sew on buttons. Press all seams.

**Trousers** Join front and back and crutch seams. Sew up right side dart. Fold over top and sew to inside, thread with elastic and secure at opening ends. With No. 9 hook neaten opening edges with a row of single crochet, working through both layers of waistband. Sew in zip. Fold turnups on legs to required depth. Press turnups, press all seams. Press in pleats to trouser legs.

**Jumper** Sew in sleeves. Join side and sleeve seams. With No. 9 hook, work a row of single crochet at opening edges working through both layers of neckband. Sew in zip. Press all seams and opening.





# mans striped polo neck

## Materials

7 (8, 9, 10, 11) ozs. Lister Lavenda Double Knitting in A. Tan. 7 (9, 11, 13, 15) ozs. in B. Cream. 5 (6, 7, 8, 9) ozs. in C. Brown.

## Measurements

To fit chest sizes 36 (38, 40, 42, 44) ins.  
Finished measurements 38 (40, 42, 44, 46) ins.

Length to top of raglan  $25\frac{1}{2}$  (26,  $26\frac{1}{2}$ , 27,  $27\frac{1}{2}$ ) ins.

Sleeve seam  $18\frac{1}{2}$  ins.

## Tension

T10.  $13\frac{1}{2}$  sts. and  $17\frac{1}{4}$  rows to 2 ins.

## Abbreviations

K., knit; sts., stitches; inc., increase; dec., decrease; foll., following; beg., beginning; alt., alternate; pos., position; M.B., main bed; H.C.L's, holding cam levers; T., tension; 000., set row counter at 000.

## Notes

When changing colour of wool, press both PART buttons. Reverse button on B or —. Press button 5. Set Lever on next 4 rows. Change to st.st. and K. number of rows required. For KH 800 see chart. Fully fashioning on raglan shaping is worked by trans. the 3rd st. onto 4th needle and moving 2 end sts. 1 needle in.

## BACK AND FRONT (alike)

**Ribbers** With A cast on 129 (135, 141, 149, 155) sts. (extra st. on right hand side) for 1 x 1 rib. T7/6. K. 18 rows. Trans. ribber sts. to M.B. T10. K. 2 rows.

**Single machines** With waste wool cast on 65 (68, 71, 75, 78) sts. over alt. needles (extra st. on right hand side). K. a few rows. Change to A. T8. K. 35 rows. Make a hem and K. the row. 129 (135, 141, 149, 155) sts. T10. K. 2 rows.

**All machines** Change to B (see notes). T10. K. 26 rows. Change to C. K. to 52 rows. Change to A. K. to 88 rows. Change to B. K. to 114 rows. Change to C. K. to 128 rows.

## Shape Raglan

000. Still using C. cast off 2 sts. at beg. of next 2 rows. Dec. 1 st. (see notes) each end of next and foll. alt. rows 5 times in all. K. 1 row. Change to B and continue dec. on alt. rows, K. to 64 (68, 72, 78, 82) rows.

## Shape Neck

Slip centre 19 (21, 23, 25, 27) sts. onto a knitting pin. Push all sts. at left to E. pos. H.C.L's III. K. right side first. Still dec. at armhole edge as before **at the same time** K. 1 row. Dec. 1 st. at neck edge on every row until 6 sts. rem. Now dec. at armhole edge only until 2 sts. rem. Fasten off H.C.L's I. K. left side to match reversing all shapings.

## SLEEVES

**Ribbers** With A cast on 57 (61, 65, 71, 75) sts. for 1 x 1 rib. T7/6. K. 26 rows. Transfer ribber sts. to M.B. T10. K. 2 rows.

**Single machines** With waste wool cast on 29 (31, 33, 36, 38) sts. over alt. needles. K. a few rows. Change to A. T8. K. 31 rows. Make a hem and K. the row 57 (61, 65, 71, 75) sts. T10. K. 2 rows.

**All machines** 000. T10. Change to B. K. 10 rows inc. 1 st. each end of next and foll. 6th row 18 times in all. 93 (97, 101, 107, 111) sts. **at the same time**, work stripes as follows: K. to 26 rows. Change to C, K. to





# mans shirt

52 rows. Change to A, K. to 94 rows. (Adjust sleeve length if required on this stripe A taking care to be on row 14 of stripe C at armhole.) Change to B. K. to 120 rows. Change to C, K. to 134 rows.

## Shape Raglan

000. Still using C, cast off 2 sts. at beg. of next 2 rows. K. 2 rows. Dec. 1 st. each end of next and foll. alt. rows 4 times. K. 1 row. Change to B and continue dec. on every alt. row until 9 sts. rem. Slip sts. onto a pin.

## POLO COLLAR




With wrong side facing place on machine 49 (51, 53, 55, 57) sts. from round back neck, 9 sts. from first sleeve, 49 (51, 53, 55, 57) sts. from front neck, and 9 sts. from 2nd sleeve. 116 (120, 124, 128, 132) sts. using A. K. 1 row.

**Ribbers** Transfer alt. sts. to ribber. T7/6. K. 36 rows. T9/7. K. 30 rows. Cast off loosely.

**Single machines** Transfer alt. sts. to adjacent needles. Return empty needles to A pos. T8. K. 38 rows. T9. K. 54 rows. T8. K. 38 rows. Cast off loosely, making a chain over empty needles.

## TO MAKE UP

Pin out and press with a warm iron over a damp cloth. Join raglan, side and sleeve seams. Join collar seam. Turn mock rib collar to inside and slip-st. in place. Press seams.



NO	K.C. 10		C. K. : N	C.L. : N	
	H.C.L. : 3		C. B. : Part		
	Y. :		S.I.L.		
	L. Y. :		S.L.		
5					
4					
3					
2	K.C.	→ → →			
1	S.L.	/ / /			
Steps					
	1	2	3	4	5
	6	7	8	9	10
	11	12	13	14	15
	16	17	18	19	20
	21	22	23	24	25
	26	27	28	29	30
	31	32	33	34	35
	36				

## Materials

15 (15, 16, 16) ozs. 3 ply crepe wool. For machines with Ribbing Attachments. For single machines you can use a mock rib at the cuff, welt and collar.

## Measurements

To fit 34 (36, 38, 40) ins. chest.

Length of sleeve seam 17 1/4 (17 1/2, 17 3/4, 18) ins.

Length from back of neck to hem 21 1/2 (22, 22 1/2, 23) ins.

## Tension

20 rows and 14 sts. over st.st. to 2 ins. at T7.

## Abbreviations

K., knit; P., purl; sts., stitches; inc., increase; dec., decrease; alt., alternate; foll., following; rem., remaining; beg., beginning; T., tension; R.C., row counter; 000., set row counter to 000; st.st., stocking stitch.

## BACK

Cast on 108 (114, 120, 126) sts. and work in K. 1. P. 1 rib at T4 for 18 rows. Transfer sts. to main bed 000. T7. Working from chart to R.C. 188 (196, 204, 208).

## Armhole Shaping

Cast off 6 sts. at beg. of next 2 rows, dec. 1 st. at both ends of every foll. 4th row to 102 (104, 106, 108) sts. Work without further shaping to R.C. 336 (340, 344, 348). Shape shoulders by casting off 5 sts. at the beg. of next 12 rows. Cast off rem. sts.

## FRONT

Work as for back to R.C. 224 (232, 240, 248). Divide for neck opening, making a note of pattern row for 2nd side. With a spare piece of wool cast off centre 6 sts. Put left hand set of sts. onto the nylon thread taking the sts. down to position A. Working on right hand set of sts. work straight to R.C. 288 (300, 312, 324).

## Shape Neck

At beg. of neck edge row, cast off 10 (10, 12, 12) sts. K. back, then dec. 1 st. at beg. of every neck edge row to 30 sts. (all sizes). Work to R.C. 336 (340, 344, 348) then cast off at armhole edge 5 sts. at beg. of each alt. row. Bring 'held' sts. back into their latches, reset R.C. and put pattern row to appropriate position, then work 2nd side to correspond with first.

## SLEEVE

Cast on 52 (54, 56, 58) sts. and work 16 rows K. 1. P. 1 rib at T4. 000. T7. Transfer sts. to main bed and work from chart inc. 1 st. at both ends of every 8th row to 80 (86, 92, 98) sts. Work without further shaping to R.C. 216 (220, 224, 228) adjust length here.

## Shape Top

Cast off 6 (6, 7, 7) sts. at beg. of next 2 rows then dec. 1 st. at both ends of every foll. alt. row 6 times, then dec. 1 st. at both ends of every foll. 4th row to 38 (42, 46, 50) sts. Now cast off 2 sts. at beg. of next 8 (10, 12, 14) rows. Cast off rem. sts.

## BUTTON BANDS

### Underlap

With wrong side of work facing you, hang up on machine 34 sts. along right side of opening, and work in st.st. at T6 for 10 rows, work 1 row T10, then 11 rows T5. Cast off.

### Upper Band

With wrong side of work facing you, hang







# matching mock rib sweaters



## Materials

14 (16, 18, 20) balls Emu Machine Washable Double Knitting Wool. Buckle. Allow extra 2 balls for Polo Collar.

## Measurements

To fit chest and bust sizes 26 (28, 30, 32) ins. Finished measurements 27 (29, 31, 33) ins. Length to back neck 20 (21½, 23, 24½) ins. Sleeve seam 14 (15, 16, 17) ins.

## Tension

T10. 14 sts. and 17 rows to 2 ins.

## Abbreviations

K., knit; sts., stitches; inc., increase; dec., decrease; foll., following; alt., alternate; beg., beginning; rem., remain; trans., transfer; pos., position; H.C.L's., holding cam levers; T., tension; 000., set row counter at 000.

## Notes

**All welts** Bring forward to B pos. number of needles given. Return centre and every foll. 4th needle each side to A pos. Cast on with waste wool. K. a few rows. Change to main wool T8. K. 31 rows. Make a hem and K. the row. **Mock Rib pattern** for main part of garment trans. centre and every foll. 8th st. each side to adjacent needle. Return empty needles to A pos. Needles in A pos. are counted as sts. when shaping garment. When casting off make a chain over empty needles.

## BACK

Bring forward 95 (101, 109, 117) needles. Make Welt (see notes). 000. T10. Set machine for rib pattern (see notes). K. 106 (114, 124, 132) rows (adjust length here if required).

## Shape Armholes

000. Cast off 4 (4, 5, 5) sts. (see notes) at beg. of next 2 rows. Dec. 1 st. each end of next 8 (9, 9, 10) rows. 71 (75, 81, 87) sts. \* K. straight to 46 (50, 54, 58) rows.

## Shape Shoulders

Cast off 6 (6, 8, 8) sts. at beg. of next 4 rows. 6 (7, 5, 7) sts. on foll. 2 rows. Slip rem. 35 (37, 39, 41) sts. onto a knitting pin.

## FRONT

K. as back to \* K. straight to 30 (32, 34, 36) rows.

## Shape Neck

Slip centre 17 (17, 19, 21) sts. onto a knitting pin. Push needles at left to E pos. H.C.L's III. K. 1 row. Dec. 1 st. at neck edge on next and every foll. row until 18 (19, 21, 23) sts. rem. K. straight to 46 (50, 54, 58) rows.

## Shape Shoulder


Cast off 6 (6, 8, 8) sts. at beg. of next and foll. alt. row K. 1 row. Cast off rem. 6 (7, 5, 7) sts. H.C.L's I. K. left side to match reversing all shapings.

## SLEEVES

Bring forward 47 (49, 51, 53) needles. Make Welt. 000. T10. Set for rib pattern K. 10 rows. Inc. 1 st. each end of next and foll. 9th (9th, 8th, 8th) row 10 (11, 13, 15) times in all 67 (71, 77, 83) sts. K. straight to 106 (114, 124, 132) rows. (Adjust length here if required.)

## Shape Top

000. Cast off 4 (4, 5, 5) sts. at beg. of next 2 rows. Dec. 1 st. each end of next 8 (9, 10, 11) rows. K. 3 rows dec. 1 st. each end of





next and foll. 4th row 3 times in all and foll. alt. rows twice 33 (35, 37, 41) sts. Dec. 1 st. each end of every row until 21 sts. rem. K. 1 row. Cast off.

**NECKBAND**

Join right shoulder seam. With wrong side facing pick up and place on machine 35 (37, 39, 41) sts. from back neck, 19 (22, 24, 26) sts. down front neck, 17 (17, 19, 21) sts. across front and 19 (22, 24, 26) sts. up front neck. 90 (98, 106, 114) sts. T10. K. 1 row. Trans. 4th and every foll. 4th st. to adjacent needle. Return empty needle to A pos.

**CREW NECK**

T8. K. 16 rows. Cast off loosely.

**POLO COLLAR**



T8. K. 25 rows. T10. K. 50 rows. T8. K. 25 rows. Cast off loosely.

**BELT**

Cast on 16 sts. by hand. T9. K. until long enough to fit waist plus 3 ins. H.C.L's III. Push 8 sts. at left to E pos. Dec. 1 st. each end of next and foll. alt. rows until 2 sts. rem. K. 1 row. Cast off H.C.L's I. K. left side to match.

**TO MAKE UP**

Pin out and press with a warm iron over a damp cloth. Join shoulder, side and sleeve seams. Set in sleeves. Join collar seam. Turn to inside and slip-st. in place. Fold belt and slip-st. seam. Sew on buckle. Press seams.



**Materials**

23 (25, 26, 28, 29) balls Emu Machine washable double knitting wool. Buckle. Allow extra 3 balls for Polo Collar.

**Measurements**

To fit chest or bust sizes 34 (36, 38, 40, 42) ins.

Finished measurements 36 (38, 40, 42, 44) ins.

Length to back neck 25 1/4 (26, 26 1/4, 26 1/2, 26 3/4) ins.

Sleeve seam 17 1/2 (17 1/2, 18, 18, 18) ins.

**Tension**

T10. 14 sts. and 17 rows to 2 ins.

**Abbreviations**

K., knit; sts., stitches; inc., increase; dec.,

decrease; foll., following; alt., alternate; beg., beginning; rem., remain; trans., transfer; pos., position; H.C.L's., holding cam levers; T., tension; 000., set row counter at 000.

**Notes**

**All welts** Bring forward to B pos. number of needles given. Return centre and every foll. 4th needle each side to A pos. Cast on with waste wool K. a few rows. Change to main wool T8. K. 39 rows. Make a hem and K. the row. **Mock Rib pattern** For main part of garment. Trans. centre and every foll. 8th st. each side to adjacent needle. Return empty needles to A pos. Needles in A pos. are



# childs sweaters

counted as sts. when shaping garment. When casting off make a chain over empty needle.

## BACK

Bring forward 125 (133, 139, 147, 155) needles. Make Welt (see notes). 000. T10. Set machine for rib pattern (see notes) K. 132 rows. (Adjust length here if required.)

## Shape Armholes

000. Cast off 6 sts. (see notes) at beg. of next 2 rows. Dec. 1 st. each end of next 10 (11, 12, 13, 14) rows 93 (99, 103, 109, 115) sts.

\* K. straight to 62 (64, 66, 68, 70) rows.

## Shape Shoulders

Cast off 6 (6, 6, 8, 8) sts. at beg. of next 6 rows, 6 (8, 9, 5, 7) sts. on foll. 2 rows. Slip rem. 45 (47, 49, 51, 53) sts. onto a knitting pin.

## FRONT

K. as back to \* K. straight to 38 (40, 42, 44, 46) rows.

## Shape Neck

Slip centre 23 sts. onto a knitting pin. Push needles at left to E pos. H.C.L's III. K. 1 row. Dec. 1 st. at neck edge on every row until 24 (26, 27, 29, 31) sts. rem. K. straight to 62 (64, 66, 68, 70) rows.

## Shape Shoulders

Cast off 6 (6, 6, 8, 8) sts. at beg. of next and foll. alt. rows until 6 (8, 9, 5, 7) sts. rem. K. 1 row. Cast off. H.C.L's I. K. left side to match reversing all shaping.

## SLEEVES

Bring forward 55 (59, 63, 67, 71) needles. Make Welt. 000. T10. Set for rib pattern K. 12 rows. Inc. 1 st. each end of next and foll. 6th row 18 times in all 91 (95, 99, 103, 107) sts. K. straight to 132 (132, 136, 136, 136) rows. (Adjust length here if required.)

## Shape Top

000. Cast off 6 sts. at beg. of next 2 rows. Dec. 1 st. each end of next 11 rows and foll. 4th row 4 times in all and foll. alt. rows 3 times 43 (47, 51, 55, 59) sts. Dec. 1 st. each end of every row until 27 sts. rem. K. 1 row. Cast off.

## NECKBAND

Join right shoulder seam. With wrong side facing pick up and place on machine 45 (47, 49, 51, 53) sts. from back neck, 29 (30, 31, 32, 33) sts. down front neck, 23 sts. across front and 29 (30, 31, 32, 33) sts. up front neck 126 (130, 134, 138, 142) sts. T10. K. 1 row. Trans. 3rd and every foll. 4th st. to adjacent needle. Return empty needle to A pos.

## CREW NECK

T8. K. 20 rows. Cast off loosely.

## POLO NECK

T8. K. 30 rows. T10. K. 30 rows T8. K. 30 rows. Cast off loosely.

## BELT

Cast on 20 sts. by hand. T9. K. until long enough to fit waist plus 4 ins. H.C.L's III. Push 10 sts. at left to E pos. Dec. 1 st. each end of next and foll. alt. rows until 2 sts. rem. K. 1 row. Cast off. H.C.L's I. K. left side to match.

## TO MAKE UP

Pin out and press with a warm iron over a damp cloth. Join shoulders side and sleeve seams. Set in sleeve. Join collar seam. Turn to inside and slip-st. in place. Fold belt and slip-st. seam. Sew on buckle. Press seams.







#### Materials

2 (3, 4) 25 gm. balls Hayfields Gaylon Double Knitting yarn in colour A. 4 (5, 6) balls in colour B. Oddments for motif and stripe.

#### Measurements

To fit chest sizes 24 (26, 28) ins.  
Finished measurements 25 (27, 29) ins.  
Length to shoulder 13½ (14½, 15½) ins.

Sleeve seam 2 ins.

#### Tension

T10. 13 sts. and 16 rows to 2 ins.

#### Abbreviations

K., knit; sts., stitches; inc., increase; dec., decrease; foll., following; beg., beginning; alt., alternate; rep., repeat; rem., remain; H.C.L's., holding cam levers; T., tension;

000., set row counter at 000; M.B., main bed.

#### Notes

Motif maybe worked either above or below stripe.

#### BACK

**Ribbers** Using A cast on 81 (87, 93) sts. as 1 x 1 rib T6/6. K. 12 rows. Transfer ribber sts. to M.B.

**Single machines** Using waste wool cast on 41 (44, 47) sts. over alt. needles. K. a few rows. Change to A. T8. K. 23 rows. Make a hem and K. the row.

**All machines** 000. T10. K. 36 (40, 44) rows. K. 8 rows in contrast colour stripe. Change to B. K. straight to 56 (60, 64) rows.

#### Shape Armhole

000. Cast off 3 sts. at beg. of next 2 rows. Dec. 1 st. at each end of next 5 rows, then every alt. row 2 (3, 4) times. \* K. straight to 40 (44, 48) rows.

#### Shape Shoulder

Cast off 8 sts. at beg. of next 2 rows and 7 (8, 9) sts. at beg. of next 2 rows. Slip rem. 31 (33, 35) sts. onto a knitting needle.

#### FRONT

K. as back to \* working motif as desired. K. straight to 24 (28, 32) rows.

#### Shape Neck

Cast off 17 (19, 21) sts. at centre. Push needles at left to E position H.C.L's III. K. the right side first. Keeping armhole edge straight, dec. 1 st. at neck edge on next 3 rows then every alt. row 4 times. K. straight to 40 (44, 48) rows.

#### Shape Shoulder

Cast off 8 sts. at beg. of next row. K. 1 row. Cast off rem. 7 (8, 9) sts. Rejoin wool at armhole edge. H.C.L's I. K. left side to match.

#### SLEEVES

**Ribbers** Using B. cast on 55 (59, 63) sts. as 1 x 1 rib. T6/6. K. 6 rows. Transfer ribber sts. to M.B.

**Single machines** Using waste wool cast on 28 (30, 32) sts. on alt. needles. K. a few rows. Change to B. T8. K. 11 rows. Make a hem and K. the row.

**All machines** 000. T10. K. 2 rows. Inc. 1 st. at beg. of next 6 rows. K. 2 rows.

#### Shape Top

000. Cast off 3 sts. at beg. of next 2 rows. Dec. 1 st. at each end of next 3 rows, then every alt. row 7 times. Dec. 1 st. at each end of next 3 (5, 7) rows. Cast off 3 sts. at beg. of next 4 rows. Cast off rem. 17 sts.

#### NECKBAND

With wrong side facing place on machine 31 (33, 35) sts. from back neck, 20 sts. down front neck. 17 (19, 21) sts. from centre and 20 sts. up front neck. 88 (92, 96) sts. Using B T10. K. 1 row.

**Ribbers** Transfer alt. sts. to ribber. T7/7. K. 6 rows. Cast off loosely.

**Single machines** Transfer alt. sts. to adjacent needles. Push empty needles to A position. T8. K. 12 rows. Cast off loosely.

#### TO MAKE UP

Pin out and press with a warm iron over a dry cloth. Join shoulder seams. Set in sleeves. Join side and sleeve seams. Turn mock-rib neckband to wrong side and slip-st. in place. Press seams.











# ladies ribbed sweater

shoulder by casting off 4 sts. at beg. of next 3 alt. rows. Cast off rem. sts. Work other side to match reversing shapings.

## SLEEVES

Cast on 60 (62) sts. and work 6 rows K. 1. P. 1 rib at T3. Transfer sts. 000. T6 to main bed and work 2 rows plain setting machine to M.C. Work from chart until 11th pattern row is completed then work in st.st. inc. 1 st. at both ends of every alt. row to 74 (78) sts. Work to R.C. 16 (18) then shape top. Cast off 3 sts. at beg. of next 2 rows, then dec. 1 st. at both ends of next 7 rows, then both ends of every alt. row to 30 (32) sts. Cast off 2 sts. at beg. of next 6 (8) rows. Cast off rem. sts.

## BANDS

Cast on 11 sts. and work in K. 1, P. 1 rib for 44 rows at T3. Put on waste.

## Buttonhole Band

Cast on 11 sts. and work 2 rib rows before 1st buttonhole, working two more on 17th and 32nd rows. Work to R.C. 44 and put on waste.

## NECKBAND

Join shoulder seams and press. With wrong side of work facing you hang up onto machine 70 (74) sts. all around neck edges. K. one row T4, then hang up button bands at appropriate ends and transfer alt. sts. to front bed, making sure the rib is kept correct on buttonhole bands. T3 and K. 2 rows, make final buttonhole, K. 3 more rows and cast off.

## SHORTS

Begin at lower edge and cast on 90 (94) sts. and work in K. 1, P. 1 rib at T3 for 10 rows. Transfer sts. to main bed. 000. T6. Working in st.st. inc. 1 st. at beg. of next 6 rows, then cast on 2 sts. at beg. of next 4 rows. K. 2 rows (carriage on right) 104 (108) sts. R.C. 12. Dec. 1 st. at beg. of next 14 rows 90 (94) sts. K. 1 row. Now dec. 1 st. at both ends of next row. K. back. Keeping left edge (front) straight, continue to slope back edge by dec. 1 st. at beg. of each foll. 4th row 4 times, then at same edge every 8th row to 81 (85) sts. Work straight to R.C. 89 (91) (carriage at left end). Cast off 32 (34) sts. at beg. of next row. K. back, cast off 6 sts. at beg. of next 5 alt. rows (front edge), cast off 10 (12) sts. K. back, cast off rem. sts. Work other side to match reversing shapings.

## BELT

Cast on by hand over all needles and at T5. K. 7 rows, K. one row T10. 2 rows T6 setting machine to M.C. then work from chart pattern to completion of row 11. K. 2 rows plain, 1 row T10, then 8 rows T5. Cast off.

## BELT CARRIERS (make four)

Cast on by hand over 4 sts. and with right part button pressed in, K. to about 2 ins. in length, cast off.

## TO MAKE UP

Pin out and press all parts. Join all seams and press them. Sew buttons on top. Fold over onto wrong side of pants a 1 in. hem to take elastic. Sew on belt carriers. Tack interfacing (which should be the width of knitting between the two T10 rows) then fold over the T5 parts of knitting and slip-st. into place all along. Give a final press. Sew on buckle or desired fastening.



## Materials

12 (13, 14) ozs. Listers Lavenda 4 ply wool.

## Measurements

To fit bust sizes 34 (36, 38) ins.

Length to shoulder  $22\frac{1}{2}$  ( $22\frac{3}{4}$ , 23) ins.

Sleeve seam  $18\frac{1}{2}$  ins.

## Tension

Rib. T6/6. 15 sts. and 19 rows to 2 ins.

Lace T6.  $13\frac{1}{2}$  sts. and 22 rows to 2 ins.

## Abbreviations

K., knit; sts., stitches; ins., inches; inc., increase; dec., decrease; foll., following; beg., beginning; rem., remain; alt., alternate;

H.C.L.'s, holding cam levers; T., tension; 000., set row counter at 000; M.B., main bed;

## BACK

Cast on 135 (143, 151) sts. as 2 x 2 rib. 000. T6/6. K. straight to 132 rows.

## Shape Armhole

000. Cast off 5 sts. at beg. of next 2 rows. Dec. 1 st. at each end of next 7 rows, then foll. alt. rows 4 (5, 6) times in all 103 (109, 115) sts. \*, K. straight to 60 (62, 64) rows.

## Shape Shoulder

Cast off 8 sts. at beg. of next 6 rows and 7







