

knitking

magazine

mar/apr '73




Another first from Knitking!!!

THE ~~WHIZ KING~~ PATTERN READER with complete Charting Service

- With **WHIZ KING** you know exactly what to do without reference to written instructions.
- With **WHIZ KING** you no longer have to count rows ... Your Pattern Chart turns automatically as you knit.
- With **WHIZ KING** you can knit even the most intricate patterns easily and speedily.
- With a **WHIZ KING** Pattern Reader, even the complete newcomer to machine knitting can immediately knit garments.
- With **WHIZ KING**, Charts are available from **KNITKING MAGAZINE** Patterns in the size of your choice.

PRICE: 49.50 Complete with instructions, practice Charts and illustrations of 50 complete Patterns for the entire family. (California residents add 5% Sales Tax)
Shipping costs \$2.50.

ORDER DIRECT FROM **KNITKING** 1128 CRENSHAW BLVD. • LOS ANGELES, CALIFORNIA 90019



knitking

magazine

INDEX	PAGE NO.
DK 8149	Woman's 2-piece Dress 9
DK 8150	Woman's Coat Dress 10
MK 5400	Girl's 2-piece Dress 11
DK 8140	Woman's Dress 12
DK 8147	Woman's 2-piece Dress 12
DP 8146	Woman's Blouse 14
DK 8148	Woman's Pantsuit 15
DK 8162	Woman's 3-piece Pantsuit 16
DK 8152	Woman's Pantsuit 17
DP 8145	Woman's Blouse 18
DK 8142	Woman's Suit 20
DK 8141	Woman's 2-piece Suit 20
KK 5401	Boy's 3-piece Suit 22
DK 8156	Woman's Dress 24
HP 3689	Man's Pullover 24
DP 8161	Teen's Pullover 26
HP 3688	Man's Jacket 26
DP 8143	Woman's Pullover 27
MK 5399	Girl's Dress 28
KG 1957	Corsage Flower 29

FRONTPIECE



Travel light and carefree . . . Take off on a Spring Vacation in any one of KNITKING MAGAZINE'S super knits. The Cover Model Suit, DK 8149 is a perfect example of the latest in travel togs. Choose a deep color for the background of Jacket and for the Skirt . . . brighten the Jacket with White for the new color stripes. Knit the Skirt in stockinette stitch . . . use the Norwegian Design method for knitting the

Jacket. Size 10 is made with KNITKING Subita Crepe 2 x 3; Size 12 with Beatrice; Size 14, Crocus Crepe.

BACK COVER DK 8150

It's a smart and beautifully shaped Coat Dress . . . easy to knit in Stockinette stitch. The knitted cords for the trim are made right on your machine and then sewn in place. Knit Size 12 with Beatrice; Size 14 with Crocus Crepe; Size 16 with Amore.

Publisher: KNITKING CORPORATION, 1128 Crenshaw Blvd., Los Angeles, Calif. 90019. Telephone: 213-938-2079. Published bi-monthly. Subscriptions: USA — \$7.00 annually, single copies \$1.50; Canada — \$8.00; other parts of the world — \$10.00. The entire contents of KNITKING MAGAZINE are copyright and must not be reproduced in any shape or form without the express permission, in writing of the publisher. COPYRIGHT© by KNITKING CORPORATION 1973.

Printed by George Rice & Sons, Los Angeles, California

editorial

We are distressed by the hundreds of letters we receive from subscribers complaining about the late delivery of KNITKING MAGAZINE to their homes . . . We know how many of you look forward to receiving your magazine and how annoying it is when it seems that it will never arrive.


The U.S. Postal Services are rapidly becoming a national disgrace . . . This Editorial is being written in February and Christmas mail is still arriving at our offices . . . some of it mailed as long ago as November . . . Our Christmas Sale mailing left here during the second week of November . . . The Sale officially ended December 31st, but many readers did not receive literature on it until the second and third week of January.

KNITKING MAGAZINE is always delivered by us to the Los Angeles main Post Office prior to its publication date. This issue, for example, was on its way to you on February 27th, but we know that it will be at least three weeks before our readers in Pacific Palisades (approximately 14 miles from our offices) receive it . . . It took four weeks for the November/December issue to reach readers in Inglewood, Los Angeles (ten miles from our premises) . . . If you are annoyed and inconvenienced because of the poor Postal services, please take the time to write and complain to your Congressman or Senator.

The January/February KNITKING MAGAZINE received more plaudits than any previous edition and we thank the many readers who wrote and told us how much they liked it . . . We aim to satisfy the majority of tastes in KNITKING MAGAZINE and we ask that you continue to tell us of your likes and dislikes.

The Travel-Holiday theme of this issue is continued in the forthcoming May/June edition and we will feature a lovely assortment of colorful casual and sports clothes . . . including some good looking Tennis clothes for both male and female . . . several Pullovers and Cardigans catering to the layered look, plus two-piece Dresses and Pantsuits, etc., and an assortment of easy to make gift items.

BOOKS by KNITKING



PRACTICAL KNITTING HINTS

We call this book the TEXT BOOK for machine knitters because it answers the many questions that occur in machine knitting, from preparing to knit, taking measurements, shaping, making buttonholes, special effects, bindings, bands and edges, etc., through finishing and blocking. It sells for **\$2.95**

40 cents mailing
Calif. residents add 5% Sales Tax

NEW VOLUME AVAILABLE NOW

A complete eighth volume of **KNITKING MAGAZINES** with a flexible, transparent plastic cover and specially bound so that it will stay open at any page, is available at the special price of \$6.95 (plus 95 cents mailing costs).

If purchased separately the magazines would cost a total of \$9.00.

The volume contains over 120 fully illustrated complete stylish patterns for all members of the family together with many valuable, practical knitting hints.

There is a very limited number of these volumes available and it will undoubtedly become a collectors item.

If you already have the entire set it will almost certainly be well thumbed and marked. Why not purchase a perfect mint condition volume for your bookshelf and ready reference at any time.

Place your order today and avoid disappointment. Send it to **KNITKING MAGAZINE**, 1128 Crenshaw Boulevard, Los Angeles, California 90019.



DK 8140 — Skirt sections knitted on the bias with color stripes, work up into a Chevron Design for this smart travel Dress. The striped Collar is knitted on the bias as well. Knit Size 12 with KNITKING Subita Crepe 2 x 3; Size 14 with Beatrice Crepe; Size 16 with Crocus Crepe.





Happy Vacation Time

MK 5400 – The little lady is all ready to go . . . wearing her new two-piece Dress. The flared Skirt is made in 4 sections. The Top has color stripes. Very easy to knit in stockinette stitch with ribbed bands. For Size 3, use KNITKING Beatrice Crepe; for Size 4 and 6, use Allegro.

DK 8147 – Nice enough to wear to the finest of places . . . You'll live in this two-piece Dress. Knit the Skirt in Stockinette stitch . . . use a beautiful new Eyelet Design that is made by using both Knitter and Ribber, for the Blouse. Size 16, Subita 2 x 3; Size 18, Beatrice Silver.





DP 8146 — Call it a Blouse or a Tunic . . . and you are so right. Knit it in a Holding Position Design that follows the Chart (KNITKING Machine owners use Wheel No. W1). Size 14 and Size 16 are knitted with KNITKING Beatrice Crepe; Size 20, with Allegro Dralon.

DK 8148 — Enjoy the scenic ride wearing a smart Pantsuit . . . Slim and flattering, it's knitted in Stockinette stitch. The center panel and Collar are in a contrast color that is also used for the stripes on the Sleeves. Knit Size 18 with KNITKING Crocus Crepe; Size 20 with Allegro Dralon; Size 22 with Dolly Dralon Crepe.







DK 8152 — Take your holiday in stride and be sure to pack this sunny bright outfit. The pants are beautifully shaped and the short top with its scooped neckline and striped Sleeves a fashion headline. Knit Size 10 with KNITKING Subita Crepe 2 x 3; Size 12 with Beatrice; Size 16 with Crocus Crepe.



DK 8162 — Travel in comfort . . . Use a basic color for the zipped Jacket and Pants, then add zing to this 3-piece Pantsuit with a bright Pullover made with wide bands using 3 colors. Stockinette stitch and 1 x 1 ribbing. Size 8 is made with KNITKING Amore; Size 12, Set 70 Crepe.



DP 8161 — A basic Pullover is easy to knit in Stockinette stitch. Use bands in a contrast color on the Sleeves for a pleasant change. GIRL'S Sizes — 10 and 12 are made with KNITKING Allegro Dralon; 14, Dolly Dralon Crepe.

DP 8145 — Stripe the button band, Collar and edge of Sleeves on a snappy Blouse you can wear for all seasons. Knit it in Stockinette stitch with KNITKING Beatrice for a Size 10; Regia for a Size 12 and Amore for a Size 14.


DK 8149

SIZE:	10 (Bust 32"-33")	12 (Bust 34"-35")	14 (Bust 36"-37")
YARN:	Subita Crepe 2 x 3	Beatrice Crepe	Crocus Crepe
50 gr. BALLS:	11 color 1 4 color 2	13 color 1 5 color 2	17 color 1 7 color 2
TENSION:	3 to 5	3 to 5	5 to 7
GAUGE:	2" Stk. Pattern 19 sts. 24 rows	17 sts. 24 rows 18 sts. 23 rows	16 sts. 23 rows 17 sts. 22 rows



The instructions are the same for all sizes. **PATTERN:** Skirt: Stockinette Stitch; Jacket: Norwegian Design according to the Line Drawing. Use the adjustable needle selector. In the instructions, each row in the Norwegian Design is counted as 1 row, but several movements of the Cam Box are needed to complete 1 row. **DECREASES:** Skirt: Hang the 4th st. onto the 3rd st.; Begin the Darts by hanging the sts. together as marked in the Diagrams. The following decreases for the Darts lie directly above. Move the sts. together after ALL decreases to fill the empty needles; **JACKET:** Hang the 1st st. onto the 2nd st. **INCREASES:** Place the end st. from the row below onto the next empty needle.

FINISHING: Block all sections. **SKIRT:** Weave the sections together, 1 st. in from each edge. Turn under 19 rows on lower edge and 14 rows on upper edge and hem to wrong side. Insert an elastic band into the upper hem. **JACKET:** Join back and front sections at sides and shoulders, easing in the fullness at bustline of the front sections. Sew the sleeves together and set in. Turn under 18 rows on lower edge and 14 rows on sleeve edges and hem to wrong side. Turn under 9 rows on upper edges of the pockets, then hem to wrong side. Sew the pockets in place. Sew 1 edge of the band to inside and 1 edge to outside of the front edges and around neckline, leaving 5 spaces of about 1/2" on the right front edge for the buttonholes. Begin the first buttonhole space about 6 1/4" from the lower edge, the following spaces are about 2" apart. Finish the buttonholes, sew on buttons.



Bring the needles on the left side into working position, knit 1 row in **PATTERN** to the left side, turn the Row Counter back to 338 and complete the left half. Follow the instructions from*.

*ON CAM BOX SIDE, bind off 4 sts. after Rows 338 (EVEN ROWS = SHOULDER SHAPING); 339 (ODD ROWS = NECK SHAPING); 340, 341, 342, 343, 344; 3 sts. after Row 345; 5 sts. after Row 346; 3 sts. after Row 347; 5 sts. after Row 348; 3 sts. after Row 349; 5 sts. after Rows 350, 352.

ON CAM BOX SIDE, bind off 4 sts. after Rows 250, 251; 3 sts. after Rows 252, 253, 254, 255; 2 sts. after Rows 256, 257, 258, 259, 260, 261; 1 st. after Rows 262, 263, 264, 265, 266, 267, 268, 269, then knit to Row 338, bind off the center 19 sts., put the needles on the left side into holding position and complete the right half first.


ON EACH SIDE, increase 1 st. after Rows 166, 178, 190, 202, 214, 226, 238, then knit to Row 250.

ON EACH SIDE, decrease 1 st. after Rows 46, 54, 62, 70, 76, 82, 88, 94, 100, 106, 112, 118, 124, 130, 136, 142, 148, then knit to Row 166.

ROWS 0 to 46: Knit even.

Cast on 193 sts. and work the Norwegian Design.

Work the second front section with reverse shapings, casting on from right to left. (Cam Box will be on the LEFT side at Row 0).



ON CAM BOX SIDE, bind off 4 sts. after Row 264; 3 sts. after Rows 266, (267), 268; 2 sts. after Rows 270, (271), 272, 274; (275), 1 st. after Rows 276, 278, (279), 280, 282, (283). The Armhole Shaping is now completed. Continue to decrease 1 st. ON NECK SIDE after Rows 287, 291, 295, 299, 303, 307, 311, 315, 319, 323, 327, 331, 335, 339, 343, 347, 351, then again after Rows in (). For SHOULDER bind off 4 sts. after Rows 352, 354, (355), 356, 358; (359), 5 sts. after Rows 360, 362, (363), 364, 366.


ON CAM BOX SIDE, (NECK SIDE) decrease 1 st. after Rows 247, 251, 255, 259, 263, then again after Rows in (). Knit to Row 264.

ON CAM BOX SIDE, increase 1 st. after Rows 166, 178, 190, 202, 214, 226, 238, then knit to Row 247.

ON CAM BOX SIDE, decrease 1 st. after Rows 46, 54, 62, 70, 76, 82, 88, 94, 100, 106, 112, 118, 124, 130, 136, 142, 148, then knit to Row 166.

ROWS 0 to 46: Knit even.



Cast on 96 sts. and work the Norwegian Design.




Cast on 13 sts. with color 2 and knit 800 rows stockinette st., then bind off all sts.

Decrease 2 sts. for EACH DART after Rows in (). ON EACH SIDE, decrease 1 st. after Rows 226, 236, 246, 256, 266, (268), 276, (280), 286, (292), 296, (304), 306, 316, (316), then knit to Row 344 and bind off the remaining 130 sts.

Work the front section the same as the back section to ROW 226.



Cast on 51 sts. and work the Norwegian Design. After Row 64 change to color 2, work stockinette st. to Row 82, then bind off all sts.



ON CAM BOX SIDE, bind off 4 sts. after Rows 70, 71; 3 sts. after Rows 72, 73, 74, 75; 2 sts. after Rows 76, 77, 78, 79, 80, 81, 82, 83; 1 st. after Rows 84, 85, 86, 87; 2 sts. after Rows 88, 89; 1 st. after Rows 90, 91, 92, 93; 2 sts. after Rows 94, 95; 1 st. after Rows 96, 97, 98, 99; 2 sts. after Rows 100, 101; 1 st. after Rows 102, 103, 104, 105; 2 sts. after Rows 106, 107; 1 st. after Rows 108, 109, 110, 111; 2 sts. after Rows 112, 113; 1 st. after Rows 114, 115, 116, 117; 2 sts. after Rows 118, 119; 3 sts. after Rows 120, 121, 122, 123, 124, 125, 126, 127; 4 sts. after Rows 128, 129; 11 sts. after Row 130.

ON EACH SIDE, increase 1 st. after Rows 28, 32, 36, 40, 44, 48, 52, 56, 60, 64, then knit to Row 70.

ROWS 0 to 28: Knit even.

Cast on 107 sts. and work the Norwegian Design.


Continued on page 11

DK 8150

SIZE:	12 (Bust 33"-34")	14 (Bust 36"-37")	16 (Bust 38"-39")
YARN:	Beatrice Crepe	Crocus Crepe	Amore
50 gr. BALLS:	15 color 1 1 color 2	18 color 1 1 color 2	16 color 1 1 color 2
TENSION:	3 to 5	5 to 7	7 to 9
GAUGE:	2" 17 sts. 24 rows	16 sts. 23 rows	15 sts. 23 rows

The instructions are the same for all sizes. PATTERN: Stockinette Stitch. TRIM: Knitted cords. BELT: K1, P1, Ribbing. DECREASES: Sides: Hang the 4th st. onto the 3rd st., then move the end sts. inward to fill the empty needle. Front edges: Hang the 26th st. onto the 25th st., then move the end sts. inward to fill the empty needle. Begin the waistline Darts by hanging the sts. together as marked on the Diagrams, then move the sts. together to fill the empty needles. The following decreases then increase for the Darts lie directly above. INCREASES: Move the 2 end sts. 1 needle outward, then place the 3rd st. from the row below onto the empty needle. To form the hem, hang the cast-on sts. back onto the machine behind the latches, then knit the following row with 1 or 2 tension settings higher.

FINISHING: Block all sections. Join back and front sections at sides and shoulders. Sew the sleeves together and set in. Weave the open sts. of the facing together, then sew the facing to neckline. Turn under 12 sts. on the front edges and on the neckline and hem to wrong side. For the trim, knit cords over 3 sts. with tension 1. (See Practical Knitting Hints Book, page 58). For the front knit 1 cord 1700 rows. For the sleeves knit 2 cords 250 rows. (The empty rows do count). Sew the cords in place. (See picture). Finish the buttonholes, sew on buttons.



Move the Cam Box to the left side, turn the Row Counter back to 482 and complete the left half. Follow the instructions from*.

*ON CAM BOX SIDE, bind off 3 sts. after Row 482 (EVEN ROWS = SHOULDER SHAPING); 5 sts. after Row 483 (ODD ROWS = NECK SHAPING); 3 sts. after Row 484; 5 sts. after Row 485; 3 sts. after Rows 486, 487, 488, 489, 490; 2 sts. after Row 491; 4 sts. after Row 492; 2 sts. after Row 493; 4 sts. after Rows 494, 496.



ON CAM BOX SIDE, bind off 4 sts. after Rows 390, 391; 3 sts. after Rows 392, 393, 394, 395; 2 sts. after Rows 396, 397, 398, 399, 400, 401; 1 st. after Rows 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, then knit to Row 482, bind off the center 20 sts., put the needles on the left side into holding position and complete the right half first.

Increase 2 sts. for EACH DART after Rows in (). ON EACH SIDE, increase 1 st. after Rows 312, (312), 324, (330), 336, 348, (348), 360, (366), 372, then knit to Row 390.


Decrease 2 sts. for EACH DART after Rows in (). ON EACH SIDE, decrease 1 st. after Rows 66, 80, 94, 108, 122, 136, 150, 164, 178, 192, 206, 214, 222, 230, 238, (240), 246, 254, (258), 262, 270, (276), 278, 286, 294, (294), then knit to Row 312.

ROWS 0 to 66: Knit even.

Cast on 190 sts. and work stockinette st.



Cast on 23 sts. and work 500 rows K1, P1, Ribbing, then bind off all sts.





ON CAM BOX SIDE, bind off 4 sts. after Rows 78, 79; 3 sts. after Rows 80, 81, 82, 83; 2 sts. after Rows 84, 85, 86, 87, 88, 89, 90, 91. ON EACH SIDE, hang the 1st st. onto the 2nd st. after Rows 92, 94, 96, 98, 100, 102, 104, 106, 108, 110, 112, 114, 116, 118, 120, 122, 124, 126, 128, 130, 132. ON CAM BOX SIDE, bind off 2 sts. after Rows 134, 135; 3 sts. after Rows 136, 137, 138, 139; 4 sts. after Rows 140, 141; 9 sts. after Row 142.


ON EACH SIDE, increase 1 st. after Rows 36, 42, 48, 54, 60, 66, 72, then knit to Row 78.

ROWS 0 to 36: Knit even, then form the hem.

Cast on 94 sts. and work stockinette st.



Cast on 61 sts. with color 1 and work 12 rows K1, P1, Ribbing, then bind off all sts.



Cast on 45 sts. with color 1 and work 12 rows K1, P1, Ribbing, then bind off all sts.

Work the second front section with reverse shapings, casting on from right to left. (Cam Box will be on the LEFT side at Row 0). Omit the buttonholes.

Decrease 1 st. ON NECK SIDE after Rows 400, 402, 404, 406, then again after Rows in (). ON CAM BOX SIDE, bind off 4 sts. after Row 408; (409), 3 sts. after Rows 410, 412; (412), 2 sts. after Rows 414, (415), 416, 418; (422), 1 st. after rows 420, (421), 422, 424, (424), 426, (427), 428. The Armhole Shaping is now completed. Continue to decrease 1 st. ON NECK SIDE after Rows 430, 433, 436, 439, 442, 445, 448, 451, 454, 457, 460, 463, 466, 469, 472, 475, 478, 481, 484, 487, 490, 493, 496, 499, then again after Rows in (). For SHOULDER bind off 3 sts. after Rows 500, 502, (502), 504, (505), 506, 508; (508), 4 sts. after Rows 510, (511), 512, 514. Knit over the remaining 24 sts. (FACING) to Row 560, then put these sts. onto a stitch holder.

Increase 2 sts. for the DART after Rows in (). ON CAM BOX SIDE, increase 1 st. after Rows 312, (312), 324, (330), 336, 348, (348), (B.H. 350), 360, (366), 372, then knit to Row 373 and work Short Rows for the BUST DART. ON OPPOSITE SIDE of CAM BOX put into holding position 4 needles after Rows 373, 375, 377, 379, 381, 383, 385, 387, 389. After Row 391 bring all needles back into working position, make buttonholes after Row 396, then knit to Row 400.

Decrease 2 sts. for the Waistline DART after (DART). Decrease 1 st. ON OPPOSITE SIDE of CAM BOX after Rows in (). Make buttonholes over the 2nd-6th and 19th-23rd sts. counting from the left side after (B.H.). ON CAM BOX SIDE, decrease 1 st. after Rows 66, (66), 80, (88), 94, 108, (110), (B.H. 120), 122, (132), 136, 150, (154), 164, (B.H. 166), (174), 178, 192, (194), 206, (B.H. 212), 214, (214), 222, 230, (234), 238, (DART 240), 246, 254, (254), (B.H. 258), (DART 258), 262, 270, (274), (DART 276), 278, 286, 294, (294), (DART 294), (B.H. 304), then knit to Row 312.

ROWS 19 to 66: Knit even.

ROWS 0 to 18: Knit even, then cast on 24 sts. ON OPPOSITE SIDE of CAM BOX. (Use a separate length of yarn).


Cast on 115 sts. and work stockinette st.

ON CAM BOX SIDE, bind off 3 sts. after Rows 22, 23, 24, 25; 2 sts. after Rows 26, 27. After Row 28, change to color 2 and work the color stripes as marked in the Diagram. Continue to bind off 2 sts. ON CAM BOX SIDE after Rows 28, 29. ON EACH SIDE, hang the 1st st. onto the 2nd st. after Rows 30, 32, 34, 36, 38. After Row 40 continue working with color 1. Continue to decrease 1 st. ON EACH SIDE after Row 40, 42, 44, 46, 48. ON CAM BOX SIDE, bind off 2 sts. after Row 50, 51; 3 sts. after Rows 52, 53, 54, 55; 10 sts. after Row 56.

ROWS 11 to 22: Knit even.

ROWS 0 to 10: Knit even, then change to stockinette st.

Cast on 66 sts. with color 1 and work K1, P1, Ribbing.




Work 3 more sections the same.

ON EACH SIDE, decrease 1 st. after Rows 48, 54, 60, 66, 72, 78, 84, 90, 96, 102, 108, 114, 120, 126, then knit to Row 148 and bind off the remaining 45 sts.

ROWS 0 to 48: Knit even.

Cast on 73 sts. with color 1 and work stockinette st.

DK 8149
Continued from page 9



Decrease 2 sts. for the DARTS after Rows in (). ON EACH SIDE, decrease 1 st. after Rows 66, 82, 98, 114, 130, 146, 162, 178, 194, 210, 226, 236, 246, (254), 256, (264), 266, (274), 276, (284), 286, (292), 296, (300), 306, (308), 316, (316), then knit to Row 344 and bind off the remaining 118 sts. (For the Front Section knit to Row 226, but do not make the decrease after Row 226).

ROWS 0 to 66: Knit even.

Cast on 190 sts. with color 1 and work stockinette st.

MK 5400

SIZE:	3 (Chest 22")	4 (Chest 23")	6 (Chest 24"-25")
YARN:	Beatrice Crepe	Allegro Dralon	Allegro Dralon
50 gr. BALLS:	5 color 1 1 color 2 1 color 3 1 color 4	5 color 1 1 color 2 1 color 3 1 color 4	6 color 1 1 color 2 1 color 3 1 color 4
TENSION:	5 to 7	6 to 8	7 to 9
GAUGE:	2" 16 sts. 22 rows	15 sts. 21 rows	14 sts. 20 rows

The instructions are the same for all sizes. PATTERN: Stockinette Stitch and color stripes as marked in the Diagrams. EDGES: K1, P1, Ribbing. DECREASES: Hang the 4th st. onto the 3rd st., then move the end sts. inward to fill the empty needles.

FINISHING: Block all sections. SKIRT: Weave the sections together, 1 st. in from each edge. Turn under 20 rows on lower edge and 11 rows on upper edge and hem to wrong side. Insert an elastic band into the upper hem. PULLOVER: Join front and back section at sides. Close shoulders 3/4". Turn under a small amount on the open edges and hem to wrong side. Sew the sleeves together and set in. Sew the neckbands to neckline. Work 4 loops and sew 4 buttons to each shoulder.



Move the Cam Box to the left side, turn the Row Counter back to 150 and complete the left half. Follow the instructions from*.


*ON CAM BOX SIDE, bind off 4 sts. after Rows 150 (EVEN ROWS = SHOULDER SHAPING), 151 (ODD ROWS = NECK SHAPING), 152, 153, 154, 155, 156; 5 sts. after Row 158.

ON CAM BOX SIDE, bind off 3 sts. after Rows 100, 101; 2 sts. after Rows 102, 103, 104, 105; 1 st. after Rows 106, 107, 108, 109. After Row 118 change to color 1. Knit to Row 150, then bind off the center 12 sts., put the needles on the left side into holding position and complete the right half first. (For the Front Section knit to ROW 138).

ROWS 21 to 100: After Row 70 work the color stripes as marked in the Diagram. Knit to Row 100.

ROWS 0 to 20: Knit even, then change to stockinette st.


Cast on 96 sts. with color 1 and work K1, P1, Ribbing.



Move the Cam Box to the left side, turn the Row Counter back to 138 and complete the left half. Follow the instructions from*.

*ON CAM BOX SIDE, bind off 3 sts. after Rows 139, 141 (ODD ROWS = NECK SHAPING); 2 sts. after Rows 143, 145, 147; 1 st. after Row 149; 4 sts. after Row 150 (EVEN ROWS = SHOULDER SHAPING); 1 st. after Row 151; 4 sts. after Rows 152, 154, 156; 5 sts. after Row 158.

Work the front section the same as the back section to ROW 138, then bind off the center 8 sts., put the needles on the left side into holding position and complete the right half first.



DK 8140

SIZE:	12 (Bust 33"-34")	14 (Bust 35"-36")	16 (Bust 38"-39")
YARN:	Subita Crepe 2 x 3	Beatrice Crepe	Crocus Crepe
50 gr. BALLS:	9 color 1 2 color 2 1 color 3	11 color 1 2 color 2 1 color 3	14 color 1 3 color 2 2 color 3
TENSION:	5 to 7	5 to 7	7 to 9
GAUGE:	2" 17 sts. 23 rows	16 sts. 22 rows	15 sts. 21 rows
All Sizes:	20" Neck Type Zipper		

The instructions are the same for all sizes. PATTERN: Stockinette Stitch and color stripes in the skirt sections and in the collar, knitted on the BIAS. The color stripes are marked in the Diagrams. Make the increases and decreases for the skirt sections and the collar on the outside edges. The increases and decreases for the bodice and sleeves are full-fashion. Begin the increases for the Bust Darts by moving the sts. apart as marked in the Diagrams, then placing the proper sts. from the row below onto the empty needles. The following increases for the Darts lie directly above. To form the hem, hang the cast-on sts. back onto the machine behind the latches, then knit the following row with 1 or 2 tension settings higher. The bodice sections are knitted onto the skirt sections.

FINISHING: Block all sections. Sew the skirt sections together at center front and center back, leaving 4" open at the center back of the skirt. Join the sections at sides and shoulders. Sew the sleeves together and set in. Turn under 18 rows on lower edge and hem to wrong side. Sew 1 edge of the collar to inside and 1 edge to the outside of the neckline. Work 1 row of slip st. crochet around the back opening, then sew in the zipper. Purchase a belt kit and finish the belt as directed.





ON CAM BOX SIDE, bind off 4 sts. after Rows 52, 53, 54, 55; 3 sts. after Rows 56, 57, 58, 59; 2 sts. after Rows 60, 61, 62, 63, 64, 65, 66, 67. ON EACH SIDE, hang the 1st st. onto the 2nd st. after Rows 68, 70, 72, 74, 76, 78, 80, 82, 84, 86, 88, 90, 92, 94, 96. ON CAM BOX SIDE, bind off 2 sts. after Rows 98, 99; 3 sts. after Rows 100, 101, 102, 103, 104, 105; 13 sts. after Row 106.

ON EACH SIDE, increase 1 st. after Rows 22, 26, 30, 34, 38, 42, 46, 50, then knit to Row 52.

ROWS 0 to 22: Knit even, then form the hem.

Cast on 93 sts. and work stockinette st.



Move the Cam Box to the left side, turn the Row Counter back to 128 and complete the left half. Follow the instructions from*.

*ON CAM BOX SIDE, bind off 3 sts. after Rows 129, 131, (ODD ROWS = NECK SHAPING); 2 sts. after Rows 133, 135, 137; 1 st. after Row 139; 3 sts. after Row 140 (EVEN ROWS = SHOULDER SHAPING); 1 st. after Row 141; 3 sts. after Row 142; 1 st. after Row 143; 4 sts. after Row 144; 1 st. after Row 145; 4 sts. after Rows 146, 148, 150, 152, 154, 156, 158.

ON CAM BOX SIDE, bind off 4 sts. after Rows 56, 57; 3 sts. after Rows 58, 59, 60, 61; 2 sts. after Rows 62, 63, 64, 65; 1 st. after Rows 66, 67, 68, 69, 70, 71, 72, 73, then knit to Row 128, bind off the center 12 sts., put the needles on the left side into holding position and complete the right half first.

Decrease 1 st. ON EACH SIDE after Rows in (). Increase 2 sts. for EACH DART after Rows 8, 12, 16, (16), 20, (22), 24, 28, (28), 32, (34), 36, 40, (40), (46), then knit to Row 56.

Work Short Rows. ON OPPOSITE SIDE of CAM BOX put into holding position 36 needles after Rows 0, 1. ON OPPOSITE SIDE of CAM BOX bring back into working position 12 needles after Rows 2, 3, 4, 5, 6, 7, then knit to Row 8.

Bring 132 needles into working position. Beginning with the edge marked SIDE and purl side facing you hang the 67 sts. of a skirt section onto the first 66 needles counting from the right side. Hang the last st. (67th st.) onto the 66th st. Now hang the 67 sts. of a reverse shaped section onto the next 66 needles, beginning with the 2nd st. of the edge marked center, then hang the 1st st. onto the 2nd st. (The extra st. on the 2 center needles is the seam allowance). After all sts. are on the machine, remove the contrast waste yarn, turn the Row Counter to 0 and with the Cam Box on the RIGHT side, work stockinette st. with color 1.



DK 8147

SIZE:	16 (Bust 38"-39")	20 (Bust 41"-42")
YARN:	Subita Crepe 2 x 3	Beatrice Silver
50 gr. BALLS:	Skirt: 9 Blouse: 6	11 8
TENSION:	Stock: 3 to 5 Pattern: 5 to 7	4 to 6 6 to 8
GAUGE:	2" Stock: 18 sts. 25 rows Pattern: 15 sts. 20 rows	17 sts. 23 rows 14 sts. 19 rows

The instructions are the same for both sizes. PATTERN: Skirt: Stockinette Stitch worn on the knit side. Top: Pattern Stitch, worn on the purl side. Edges: K1, P1, Ribbing. DECREASES: Hang the 4th st. onto the 3rd st., then move the end sts. inward to fill the empty needle. INCREASES: Place the end st. from the row below onto the next empty needle.

FINISHING: Block all sections. TOP: Join front and back section at sides and shoulders, easing in the fullness at bustline of the front section. Sew the sleeve together and set in. Sew the neckband to neckline. Work 1 row of single crochet around the back opening. Work 3 loops on one side and sew 3 buttons to the opposite side. SKIRT: Weave the sections together, 1 st. in from each edge. Turn under 15 rows on upper edge and 18 rows on lower edge and hem to wrong side. Insert an elastic band into the upper hem.

PATTERN STITCH: After transferring the ribber sts. to the main machine, leave the ribber in position 1. Place the 4th, 8th, 12th, 16th, etc. sts. onto the left neighboring needles. 2. Bring the ribber needles below the empty spaces into working position, (always make sure that the latches are open) then knit 6 rows. 3. Transfer the ribber sts. onto the main machine. 4. Place the 2nd, 6th, 10th, 14th etc. sts. onto the left neighboring needle. 5. Bring the ribber needles below the empty spaces into working position (latches open) and knit 6 rows. 6. Transfer the ribber sts. to the main machine. Repeat steps 1 through 6 for pattern.



Cast on 145 sts. and work 12 rows K1, P1, Ribbing, then bind off all sts.

Bring the needles on the left side into working position, knit 1 row in PATTERN to the left side, turn the Row Counter back to 208 and complete the left half. Follow the instructions from*.

*ON CAM BOX SIDE, bind off 3 sts. after Rows 209, 211 (ODD ROWS = NECK SHAPING); 2 sts. after Rows 213, 215, 217; 1 st. after Rows 219, 221, 223; 4 sts. after Row 224 (EVEN ROWS = SHOULDER SHAPING); 1 st. after Row 225; 4 sts. after Rows 226, 228, 230, 232, 234, 236, 238, 240.

ON CAM BOX SIDE, bind off 4 sts. after Rows 144, 145; 3 sts. after Rows 146, 147, 148, 149; 2 sts. after Rows 150, 151, 152, 153, 154, 155; 1 st. after Rows 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, then knit to Row 208, bind off the center 9 sts., put the needles on the left side into holding position and complete the right half first.

ROWS 133 to 144: Knit even.
Work the front section the same as the back section to ROW 132.


Work the second back section with reverse shapings. After hanging the skirt sts. onto the machine, have the Cam Box on the LEFT side at Row 0.

ON CAM BOX SIDE, bind off 3 sts. after Rows 132, 134 (EVEN ROWS = SHOULDER SHAPING); 4 sts. after Rows 136, 138, 140; 10 sts. after Row 141 (ODD ROWS = NECK SHAPING); 4 sts. after Row 142; 7 sts. after Row 143; 4 sts. after Row 144; 3 sts. after Row 145; 4 sts. after Row 146; 3 sts. after Row 147; 4 sts. after Rows 148, 150.



ON CAM BOX SIDE, bind off 4 sts. after Row 48; 3 sts. after Rows 50, 52; 2 sts. after Rows 54, 56; 1 st. after Rows 58, 60, 62, 64, then knit to Row 132.

Increase 2 sts. for the Dart and 1 st. ON CAM BOX SIDE after Rows 8, 18, 28, 38, then knit to Row 48.

Beginning with the edge marked SIDE and purl side facing you, hang the 67 sts. of a skirt section onto 67 needles counting from the right side. After all sts. are on the machine, remove the contrast waste yarn, turn the Row Counter to 0 and with the Cam Box on the RIGHT side work stockinette st. with color 1.



Beginning on the far left side of the machine, cast on 44 sts. with color 1, work the color stripes as marked in the Diagram, Short Rows AND the BIAS Shaping. ON OPPOSITE SIDE of CAM BOX put into holding position 40 needles after Row 0, then knit 2 rows. ON THE RIGHT SIDE, Increase 1 st. after Row 2, then again after every following 2nd row 69 times more. AT THE SAME TIME, ON OPPOSITE SIDE of CAM BOX, bring back into working position 4 needles after Rows 2, 4, 6, 8, 10, 12, 14, 16, 18, 20. After Row 22 all needles are back in working position and you are working over 54 sts. Continue to Increase 1 st. on the RIGHT SIDE as instructed AND AT THE SAME TIME, Decrease 1 st. ON THE LEFT side after Row 23, then again after every following 2nd row 69 times more. After Row 142 the Increases are completed. Knit to Row 143, work Short Rows AND continue to Decrease 1 st. on the LEFT SIDE as instructed. ON OPPOSITE SIDE of CAM BOX put into holding position 4 needles after Rows 143, 145, 147, 149, 151, 153, 155, 157, 159, 161. (4 needles remain). After Row 163 bring all needles back into working position, then bind off all 44 sts. the crochet method.



Cast on 19 sts. with color 1 and work 316 rows K1, P1, Ribbing, then bind off all sts.

Work 1 more section the same and 2 sections with reverse shapings. For the 2 sections with reverse shapings, cast on the sts. from right to left, beginning on the far right side of the machine. (Cam Box will be on the LEFT side at Row 0). The Increases will be done on the LEFT side and the Decreases on the RIGHT side.

ON OPPOSITE SIDE of CAM BOX put into holding position 3 needles after Rows 217, 219, 221; 2 needles after Rows 223, 225, 227, 229, 231, 233, 235, 237, 239, 241, 243, 245, 247, 249, 251, 253, 255, 257, 259, 261, 263, 265, 267, 269, 271, 273, 275, 277. After Row 279 bring all needles back into working position, make the last decrease, then knit to Row 319. Knit 8 to 10 rows with contrast waste yarn, then remove the section from the machine. (Move the Cam Box across without yarn).

ON THE LEFT SIDE, (right side for the sections with reverse shapings) Decrease 1 st. after Row 89, then again after every 2nd row 70 times more, then after every 3rd row 17 times. After Row 214 continue with color 1. The Increase are completed after Row 216, knit to Row 217, continue to decrease on the LEFT side and work Short Rows.

ROWS 0 to 18: Knit even, then put 99 sts. ON OPPOSITE SIDE of CAM BOX into holding position, change to color 2, work the color stripes as marked in the Diagram, work Short Rows AND AT THE SAME TIME Increase 1 st. ON THE RIGHT SIDE, (left side for the sections with reverse shapings) after Row 18, then again after every following 4th row 41 times more, then every following 3rd row 10 times. ON OPPOSITE SIDE of CAM BOX bring back into working position 3 needles after Rows 20, 22, 24, 26, 28, 30, 32, 34; 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, 80; 2 needles after Rows 82, 84, 86, then knit to Row 89.

Cast on 103 sts. with color 1 and work stockinette st. (Begin the cast-on on the far LEFT side of the machine).



Bring the needles on the left side into working position, knit 1 row in PATTERN to the left side, turn the Row Counter back to 196 and complete the left half. Follow the instructions from*.

ON CAM BOX SIDE, bind off 4 sts. after Rows 212, 214, 216, (EVEN ROWS = SHOULDER SHAPING); 9 sts. (8 sts. for the left half) after Row 217 (ODD ROWS = NECK SHAPING); 4 sts. after Row 218; 3 sts. after Row 219; 4 sts. after Row 220; 3 sts. after Row 221; 4 sts. after Row 222; 2 sts. after Row 223; 4 sts. after Row 224; 2 sts. after Row 225; 4 sts. after Row 226; 2 sts. after Row 227; 4 sts. after Row 228.


*ROWS 197 to 212: Knit even.

ON CAM BOX SIDE, bind off 4 sts. after Rows 132, 133; 3 sts. after Rows 134, 135, 136, 137; 2 sts. after Rows 138, 139, 140, 141, 142, 143; 1 st. after Rows 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, then knit to Row 196, put 56 needles on the left side into holding position and complete the right half first.

ROWS 21 to 132: Knit even.

ROWS 0 to 20: Knit even, then begin the Pattern Stitch.

Cast on 155 sts. and work K1, P1, Ribbing.



Continued on page 14

BE SURE TO NOTIFY US IMMEDIATELY OF ANY CHANGE OF ADDRESS. THE POST OFFICE WILL NOT FORWARD YOUR MAGAZINE TO YOU.


CANADIAN READERS

Please note that KNITKING dealers based in the USA are unable to sell machines and accessories to residents of Canada. They are also unable to sell parts and service. Would all Canadian readers please contact the following appointed KNITKING dealer.

KNITKING Sales and Service
2243 Danforth Ave.
Toronto 269, Ontario

DK 8147

Continued from page 13




Work 3 more sections the same.

ON EACH SIDE, decrease 1 st. after Rows 44, 62, 80, 98, 116, 134, 152, 170, 188, 206, 214, 222, 230, 238, 246, 254, 262, 270, 278, 286, 294, 302, then knit to Row 332 and bind off the remaining 79 sts.

ROWS 0 to 44: Knit even.

Cast on 123 sts. and work stockinette st.



ON CAM BOX SIDE, bind off 4 sts. after Rows 32, 33, 34, 35; 3 sts. after Rows 36, 37, 38, 39, 40, 41; 2 sts. after Rows 42, 43, 44, 45. ON EACH SIDE, hang the 1st st. onto the 2nd st. after Rows 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78. ON CAM BOX SIDE, bind off 2 sts. after Rows 80, 81; 3 sts. after Rows 82, 83, 84, 85, 86, 87; 13 sts. after Row 88.

ON EACH SIDE, increase 1 st. after Rows 12, 16, 20, 24, 28, then knit to Row 32.

ROWS 0 to 12: Knit even, then begin the Pattern Stitch.

Cast on 101 sts. and work K1, P1, Ribbing.

DP 8146

SIZE:	14 (Bust 36"-37")	16 (Bust 38"-39")	20 (Bust 41"-42")
YARN:	Beatrice Crepe	Beatrice Crepe	Allegro Dralon
50 gr. BALLS:	9	10	11
TENSION:	4 to 6	5 to 7	6 to 8
GAUGE:	2" Stock: 17 sts. 23 rows Pattern: 17 sts. 25 rows	16 sts. 22 rows 16 sts. 24 rows	15 sts. 21 rows 15 sts. 23 rows

The instructions are the same for all sizes. PATTERN: Holding Position Design according to the Line Drawing, using Wheel W1. The purl side is the right side. EDGES: Stockinette Stitch, worn on the knit side. BELT: K1, P1, Ribbing. DECREASES: Hang the 1st st. onto the 2nd st. INCREASES: Place the end st. from the row below onto the next empty needle. To form the hem, hang the cast-on sts. back onto the machine in FRONT of the latches, then push in the right Cam Control Button (Knob up) and knit 2 rows without yarn. Push the Cam Control Button (or Knob) back into the normal position and turn the Row Counter back 2 rows, then begin the Pattern Stitch.

FINISHING: Block all sections. Join front and back section at sides and shoulders, easing in the fullness at bustline of front section. Sew the sleeves together and set in. Sew 1 edge of the buttonhole band to the inside and 1 edge to the outside of the right front opening. Sew the button band to the left front opening in the same manner. Sew 1 edge of the neckband to inside and 1 edge to the outside of the neckline. Finish the buttonholes, sew on buttons.





ON CAM BOX SIDE, bind off 4 sts. after Rows 66, 67; 3 sts. after Rows 68, 69, 70, 71; 2 sts. after Rows 72, 73, 74, 75, 76, 77. ON EACH SIDE, hang the 1st st. onto the 2nd st. after Rows 78, 80, 82, 84, 86, 88, 90, 92, 94, 96, 98, 100, 102, 104, 106, 108, 110, 112, 114, 116, 118, 120, 122, 124. ON CAM BOX SIDE, bind off 2 sts. after Rows 126, 127; 3 sts. after Rows 128, 129, 130, 131, 132, 133; 14 sts. after Row 134.

ON EACH SIDE, increase 1 st. after Rows 24, 30, 36, 42, 48, 54, 60, then knit to Row 66.

ROWS 0 to 24: Knit even, then form the hem and begin the Holding Position Design.


Cast on 102 sts. and work stockinette st.



Cast on 166 sts. and work stockinette st. Make buttonholes after Rows 8 and 26 over the 6th-10th sts. counting from the right side. After Row 34 bind off all sts.



Cast on 23 sts. and work stockinette st. Make buttonholes after Rows 12, 34, 56, 78, over the 3rd-7th and 17th-21st sts. counting from the left side. After Row 102 bind off all sts. Work the Button Band the same, but omit the buttonholes.




Bring the needles on the left side into working position, knit 1 row in PATTERN to the left side, turn the Row Counter back to 202 and complete the left half. Follow the instructions from*.

ON CAM BOX SIDE, bind off 5 sts. after Row 313; 3 sts. after Rows 315, 317, 319; 2 sts. after Rows 321, 323, 325, 327; 1 st. after Rows 329, 331, 333, 335, 337. For SHOULDER bind off 4 sts. after Row 350; 5 sts. after Rows 352, 354, 356, 358, 360.



ON CAM BOX SIDE, bind off 4 sts. after Rows 254, 256; 3 sts. after Rows 258, 260; 2 sts. after Rows 262, 264; 1 st. after Rows 266, 268, 270, 272, 274, then knit to Row 313.

*ON CAM BOX SIDE, increase 1 st. after Rows 202, 214, 226, then knit to Row 254.

Work the front section the same as the back section to ROW 202, then bind off the center 10 sts., put the needles on the left side into holding position and complete the right half first.



Cast on 19 sts. and work 540 rows K1, P1, Ribbing, then bind off all sts.



DK 8148

SIZE:	18 (Bust 39"-40")	20 (Bust 41"-42")	22 (Bust 44"-45")
YARN:	Crocus Crepe	Allegro Dralon	Dolly Dralon
50 gr. BALLS:	18 color 1 5 color 2	15 color 1 4 color 2	18 color 1 5 color 2
TENSION:	6 to 8	6 to 8	7 to 9
GAUGE:	2" 16 sts. 21 rows	15 sts. 21 rows	14 sts. 20 rows
ZIPPER:	18"	18"	19"



The instructions are the same for all sizes. **PATTERN:** Stockinette stitch and color stripes on the sleeves as marked in the Diagram. **DECREASES:** Hang the 4th st. onto the 3rd st., then move the end sts. inward to fill the empty needle. Begin the waistline Darts by hanging the sts. together as marked in the Diagrams, then move the sts. together to fill the empty needles. The following decreases, then increases for the Darts lie directly above. **INCREASES:** Move the 2 end sts. 1 needle outward, then place the 3rd st. from the row below onto the empty needle. To form the hem, hang the cast-on sts. back onto the machine behind the latches, then knit the following row with 1 or 2 tension settings higher.

FINISHING: Block all sections. **TOP:** Join back and front sections at sides and shoulders. Sew the sleeves together and set in. Fold the collar in half and sew the shaped edges together. Weave the short straight collar edges to the front bands, then sew 1 edge to inside and 1 edge to outside of front edges and neckline. Sew the zipper in place. (See picture). **PANTS:** Join front and back sections at sides. Close the inner leg seams. Join the sections at center front and center back. Turn under 17 rows on leg edges and 13 rows on upper edge and hem to wrong side. Insert an elastic band into the upper hem.

Work the second front section with reverse shapings, casting on from right to left. (Cam Box will be on the LEFT side at Row 0).

ON OPPOSITE SIDE of CAM BOX (NECK SIDE), decrease 1 st. after Row in (). **ON CAM BOX SIDE,** bind off 5 sts. after Rows 272, 274; 3 sts. after Rows 276, 278; 2 sts. after Rows 280, 282; (282), 1 st. after Rows 284, 286, 288, 290. The Armhole Shaping is now completed. Continue to decrease 1 st. **ON NECK SIDE** after Rows 292, 302, 312, 322, 332, 342, 352, then 1 more time after Row in (). For **SHOULDER** bind off 4 sts. after Rows 360, 362, (362), 364, 366, 368; 5 sts. after Rows 370, 372.

Increase 2 sts. for the DART and 1 st. **ON CAM BOX SIDE** after Rows 182, 196, 210, 224, then 1 st. **ON CAM BOX SIDE** after Row 238. Knit to Row 239 and work Short Rows for the BUST DART. **ON OPPOSITE SIDE of CAM BOX** put into holding position 4 needles after Rows 239, 241, 243, 245, 247, 249, 251, 253, 255. After Row 257 bring all needles back into working position, then knit to Row 272.

Decrease 2 sts. for the DART after Rows in (). **ON CAM BOX SIDE,** decrease 1 st. after Rows 42, 50, 58, 66, 74, 82, 90, 98, 106, 114, 122, (122), 128, 134, (136), 140, 146, (150), 152, 158, 164, (164), then knit to Row 182.

ROWS 35 to 42: Knit even.

ROWS 0 to 34: Knit even, then form the hem.

Cast on 75 sts. with color 1 and work stockinette st.

Move the Cam Box to the left side, turn the Row Counter back to 342 and complete the left half. Follow the instructions from*.

***ON CAM BOX SIDE,** bind off 4 sts. after Row 342 (EVEN ROWS = SHOULDER SHAPING); 5 sts. after Row 343 (ODD ROWS = NECK SHAPING); 4 sts. after Row 344; 5 sts. after Row 345; 4 sts. after Row 346; 3 sts. after Row 347; 4 sts. after Row 348; 3 sts. after Row 349; 4 sts. after Row 350; 3 sts. after Row 351; 5 sts. after Rows 352, 354.

ON CAM BOX SIDE, bind off 5 sts. after Rows 254, 255, 256, 257; 3 sts. after Rows 258, 259, 260, 261; 2 sts. after Rows 262, 263, 264, 265; 1 st. after Rows 266, 267, 268, 269, 270, 271, 272, 273, then knit to Row 342, bind off the center 22 sts., put the needles on the left side into holding position and complete the right half first.

Increase 2 sts. for EACH DART and 1 st. **ON EACH SIDE** after Rows 182, 196, 210, 224, then 1 st. **ON EACH SIDE** after Row 238. Knit to Row 254.


Decrease 2 sts. for EACH DART after Rows in (). **ON EACH SIDE,** decrease 1 st. after Rows 42, 50, 58, 66, 74, 82, 90, 98, 106, 114, 122, (122), 128, 134, (136), 140, 146, (150), 152, 158, 164, (164), then knit to Row 182.

ROWS 35 to 42: Knit even.

ROWS 0 to 34: Knit even, then form the hem.

Cast on 192 sts. with color 1 and work stockinette st.

Continued on page 16




ON CAM BOX SIDE, bind off 5 sts. after Rows 70, 71, 72, 73; 3 sts. after Rows 74, 75, 76, 77; 2 sts. after Rows 78, 79, 80, 81. **ON EACH SIDE,** hang the 1st st. onto the 2nd st. after Rows 82, 84, 86, 88, 90, 92, 94, 96, 98, 100, 102, 104, 106, 108, 110, 112, 114, 116, 118. **ON CAM BOX SIDE,** bind off 2 sts. after Rows 120, 121, 122, 123, 124, 125; 3 sts. after Rows 126, 127, 128, 129; 12 sts. after Row 130.

ON EACH SIDE, increase 1 st. after Rows 24, 30, 36, 42, 48, 54, 60, 66, then knit to Row 70.

ROWS 0 to 24: Knit even, then form the hem.

Cast on 98 sts. with color 2, work stockinette st. and the color stripes as marked in the Diagram.



Move the Cam Box to the left side, turn the Row Counter back to 342 and complete the left half. Follow the instructions from*.

***ON CAM BOX SIDE,** bind off 4 sts. after Row 342 (EVEN ROWS = SHOULDER SHAPING); 5 sts. after Row 343 (ODD ROWS = NECK SHAPING); 4 sts. after Row 344; 5 sts. after Row 345; 4 sts. after Row 346; 3 sts. after Row 347; 4 sts. after Row 348; 3 sts. after Row 349; 4 sts. after Row 350; 3 sts. after Row 351; 5 sts. after Rows 352, 354.

ON CAM BOX SIDE, bind off 5 sts. after Rows 254, 255, 256, 257; 3 sts. after Rows 258, 259, 260, 261; 2 sts. after Rows 262, 263, 264, 265; 1 st. after Rows 266, 267, 268, 269, 270, 271, 272, 273, then knit to Row 342, bind off the center 22 sts., put the needles on the left side into holding position and complete the right half first.

Increase 2 sts. for EACH DART and 1 st. **ON EACH SIDE** after Rows 182, 196, 210, 224, then 1 st. **ON EACH SIDE** after Row 238. Knit to Row 254.

Decrease 2 sts. for EACH DART after Rows in (). **ON EACH SIDE,** decrease 1 st. after Rows 42, 50, 58, 66, 74, 82, 90, 98, 106, 114, 122, (122), 128, 134, (136), 140, 146, (150), 152, 158, 164, (164), then knit to Row 182.

ROWS 35 to 42: Knit even.

ROWS 0 to 34: Knit even, then form the hem.

Cast on 192 sts. with color 1 and work stockinette st.

Continued on page 16

Bring the needles on the left side into working position, knit 1 row in PATTERN to the left side, turn the Row Counter back to 326 and complete the left half. Follow the instructions from*.

***ON CAM BOX SIDE,** bind off 3 sts. after Rows 327, 329, 331, 333, 335 (ODD ROWS = NECK SHAPING); 4 sts. after Row 336 (EVEN ROWS = SHOULDER SHAPING); 3 sts. after Row 337; 5 sts. after row 338; 2 sts. after Row 339; 5 sts. after Row 340; 2 sts. after Row 341; 5 sts. after Row 342; 2 sts. after Row 343; 5 sts. after Rows 344, 346.

ON CAM BOX SIDE, bind off 4 sts. after Rows 240, 241, 242, 243; 3 sts. after Rows 244, 245, 246, 247; 2 sts. after Rows 248, 249, 250, 251; 1 st. after Rows 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, then knit to Row 326, bind off the center 16 sts., put the needles on the left side into holding position and complete the right half first.


ON EACH SIDE, increase 1 st. after Rows 154, 166, 178, 190, 202, 214, 226, then knit to Row 240. (For the Front Section knit to Row 202, but do not increase after Row 202).

ON EACH SIDE, decrease 1 st. after Rows 46, 54, 62, 70, 78, 86, 94, 102, 110, 116, 122, 128, 134, then knit to Row 154.


ROWS 33 to 46: Knit even.

ROWS 0 to 32: Knit even, then form the hem and begin the Holding Position Design.

Cast on 180 sts. and work stockinette st.



DK 8148
Continued from page 15



Work the second back section with reverse shapings, casting on from right to left. (Cam Box will be on the LEFT side at Row 0).


ON CAM BOX SIDE, bind off 4 sts. after Row 344; 3 sts. after Row 346; 2 sts. after Rows 348, 350, 352; 1 st. after Rows 354, 356, 358, 360, 362, 366, 370, 374, 378, 382, 390. ON OPPOSITE SIDE of CAM BOX decrease 1 st. after Rows in (). Continue to decrease 1 st. ON CAM BOX SIDE after Rows 398, (398), (404), 406, (410), 414, (416), 422, (422), (428), 430, (434), 438, (440), 446, (446), then decrease 1 st. ON CAM BOX SIDE after Rows in (). Knit to Row 448 and work Short Rows. ON OPPOSITE SIDE of CAM BOX put into holding position 6 needles after Rows 448, 450, 452, 454, (454), 456, 458, 460, 462, (462), 464, 466. After Row 468 bring all needles back into working position, then knit to Row 494 and bind off the remaining 74 sts.

ON OPPOSITE SIDE of CAM BOX increase 1 st. after Rows in (). ON CAM BOX SIDE, increase 1 st. after Rows 202, (202), 208, (212), 214, 220, (222), 226, 232, (232), 238, (242), 244, 250, (252), 256, 262, (262), 268, (272), 274, 280, (282), 286, 292, (292), 298, (302), 304, 310, (312), 316, 320, (322), 324, 328, 332, (332), 336, 340, (342), then knit to Row 344.

ON EACH SIDE, decrease 1 st. after Rows 50, 72, 94, 116, 138, 160, then knit to Row 202.

ROWS 0 to 50: Knit even.

Cast on 87 sts. and work stockinette st.



Work the second front section with reverse shapings, casting on from right to left. (Cam Box will be on the LEFT side at Row 0).

ON CAM BOX SIDE, decrease 1 st. after Rows 398, 404, 410, 416, 422, 428, 434, 440, 446, then knit to Row 474 and bind off the remaining 74 sts.


ON CAM BOX SIDE, bind off 3 sts. after Rows 345, 347; 2 sts. after Rows 349, 351; 1 st. after Rows 353, 355, 357, 359, 361, then knit to Row 398.

ON EACH SIDE, increase 1 st. after Rows 202, 212, 222, 232, 242, 252, 262, 272, 282, 292, 302, 312, 322, 332, then 1 st. ON CAM BOX SIDE after Row 342.


ON EACH SIDE, decrease 1 st. after Rows 50, 72, 94, 116, 138, 160, then knit to Row 202.

ROWS 0 to 50: Knit even.

Cast on 81 sts. and work stockinette st.



Cast on 186 sts. with color 2 and work stockinette st. Knit even to Row 30. ON EACH SIDE, decrease 1 st. after Rows 30, 34, 38, 42, 46, 50, 54, 58, 62. ON EACH SIDE, increase 1 st. after Rows 66, 70, 74, 78, 82, 86, 90, 94, 98, then knit to Row 128 and bind off all 186 sts.



Cast on 192 sts. with color 2 and work 60 rows stockinette st., then bind off all sts.

DK 8162


SIZE:	8 (Bust 31"-32")	12 (Bust 33"-34")
YARN:	Amore	Set 70 Crepe
50 gr. BALLS:	Pants: 9 color 1 Jacket: 9 color 1 Pullover: 3 color 2 1 color 3 1 color 4	14 color 1 14 color 1 4 color 2 2 color 3 2 color 4
TENSION:	7 to 9	7 to 9
GAUGE:	2" Stock: 15 sts. 23 rows Pattern: 15 sts. 40 rows	14 sts. 21 rows 14 sts. 37 rows
Both sizes:	a 20" Jacket Type Zipper	



The instructions are the same for both sizes. PATTERN: Stockinette Stitch. The pullover has color changes as marked in the Diagram and edges of K1, P1, Ribbing. Jacket Collar and Cuffs: Holding Position Design according to the Line Drawing. Set up the Pattern Stitch manually, then use the Needle Shifter after every row to reverse the needle position. DECREASES: Hang the 3rd st. onto the 2nd st., then move the end sts. inward to fill the empty needle. Begin the Darts by hanging the sts. together as marked in the Diagram, then move the sts. together to fill the empty needles. The following decreases, (then increases for the lower dart) lie directly above. INCREASES: Move the 2 end sts. 1 needle outward, then place the 3rd st. from the row below onto the empty needle. To form the hem, hang the cast-on sts. back onto the machine behind the latches, then knit the following row with 1 or 2 tension settings higher.

FINISHING: Block all sections. PANTS: Join the inner leg seams. Join sections at center front and center back. Turn under 18 rows on leg edges and 14 rows on upper edge and hem to wrong side. Insert an elastic band into the upper hem. JACKET: Join back and front sections at sides and shoulders. Sew the sleeves together and set in. Turn under 40 rows on sleeve edges and hem to wrong side. Work 1 row of slip st. crochet around the front edges. Sew in the zipper. On wrong side, sew the facing in place. Fold the collar in half then sew the open short edges together. Sew 1 edge of the collar to inside and 1 edge to outside of neckline. PULLOVER: Join front and back section at sides and shoulders. Sew the sleeves together and set in. Sew the neckband in place. Work 1 row of slip st. crochet around the back opening, then sew in a zipper.

Continued on pages 18 & 19




DK 8152

SIZE:	10 (Bust 32"-33")	12 (Bust 34"-35")	16 (Bust 37"-38")
YARN:	Subita Crepe 2 x 3	Beatrice Crepe	Crocus Crepe
50 gr. BALLS:	Pants: 9 color 1 Top: 3 color 1 2 color 2 1 color 3	12 color 1 4 color 1 2 color 2 1 color 3	14 color 1 5 color 1 3 color 2 1 color 3
TENSION:	3 to 5	3 to 5	5 to 7
GAUGE:	2" 18 sts. 25 rows	17 sts. 24 rows	16 sts. 23 rows



The instructions are the same for all sizes. PATTERN: Stockinette Stitch; Top: Color stripes as marked in the Diagrams. EDGES: K1, P1, Ribbing. TRIM: Knitted cord. DECREASES: Hang the 3rd st. onto the 2nd st., then move the end sts. inward to fill the empty needle. INCREASES: Move the 2 end sts. 1 needle outward, then place the 3rd st. from the row below onto the empty needle.

FINISHING: Block all sections. PANTS: Join front and back sections at sides. Close the inner leg seams. Join sections at center front and center back. Turn under 18 rows on lower edge and 14 rows on upper edge and hem to wrong side. Insert an elastic band into the upper hem. TOP: Join front and back section at sides and shoulders. Sew the sleeves together and set in. With tension 1 and color 2 work a cord over 5 needles. Knit 580 rows. The empty rows do count. (See practical Knitting Hints Book page 58). Sew the trim to neckline and front as shown in the picture.



Work the second back section with reverse shapings, casting on from right to left. (Cam Box will be on the LEFT side at Row 0).

ON OPPOSITE SIDE of CAM BOX decrease 1 st. after Rows in (). ON CAM BOX SIDE, bind off 4 sts. after Rows 384, 386; 3 sts. after Rows 388, 390; 2 sts. after Rows 392, 394; 1 st. after Rows 396, 398, 400, 402, 404, 408, 412, 416, 420, 426, (430), 432, 438, (438), 444, (446), 450, (454), 456, 462, (462), 468, (470), 474, (478), 480, 486, (486), but do not knit after the last decreases. Knit Short Rows and decrease 1 st. ON CAM BOX SIDE after Rows in (). ON OPPOSITE SIDE of CAM BOX put into holding position 8 needles after Rows 486, 488, 490, 492, (492), 494, 496, 498, (498). After Row 500 bring all needles back into working position, then knit to Row 528 and bind off the remaining 68 sts.

ON OPPOSITE SIDE of CAM BOX increase 1 st. after Rows in (). ON CAM BOX SIDE, increase 1 st. after Rows 220, (220), 228, 236, (238), 244, 252, (256), 260, 268, (272), 276, 282, 288, (288), 294, 300, (304), 306, 312, 318, (320), 324, 330, 336, (336), 342, 348, (352), 354, 360, 366, (368), 372, 378, (384).

ON EACH SIDE, decrease 1 st. after Rows 52, 64, 76, 88, 100, 112, 124, 136, 148, 160, 172, then knit to Row 220.

ROWS 0 to 52: Knit even.

Cast on 102 sts. with color 1 and work stockinette st.

Work the second front section with reverse shapings, casting on from right to left. (Cam Box will be on the LEFT side at Row 0).

ON CAM BOX SIDE, decrease 1 st. after Rows 430, 438, 446, 454, 462, 470, 478, 486, then knit to Row 514 and bind off the remaining 68 sts.


ON CAM BOX SIDE, bind off 3 sts. after Row 385; 2 sts. after Rows 387, 389; 1 st. after Rows 391, 393, 395, 397, 401, 405, 409, then knit to Row 430.

ON OPPOSITE SIDE of CAM BOX increase 1 st. after Rows in (). ON CAM BOX SIDE, increase 1 st. after Rows 220, (220), (236), 238, (252), 256, (268), 272, (284), 288, (300), 304, (314), 320, (328), 336, (342), 352, (356), 368, (370), 384, then knit to Row 385.

ON EACH SIDE, decrease 1 st. after Rows 52, 64, 76, 88, 100, 112, 124, 136, 148, 160, 172, then knit to Row 220.

ROWS 0 to 52: Knit even.

Cast on 90 sts. with color 1 and work stockinette st.



Move the Cam Box to the left side, turn the Row Counter back to 202 and complete the left half. Follow the instructions from*.

*ON CAM BOX SIDE, bind off 3 sts. after Rows 203, 205, 207; 2 sts. after Rows 209, 211, 213; 1 st. after Rows 215, 217, 219, 221, 223, 227, 231. For SHOULDER bind off 4 sts., after Rows 260, 262, 264; 5 sts. after Rows 266, 268, 270.

ON CAM BOX SIDE, bind off 4 sts. after Rows 174, 175; 3 sts. after Rows 176, 177, 178, 179; 2 sts. after Rows 180, 181, 182, 183; 1 st. after Rows 184, 185, 186, 187, 188, 189, 190, 191, then knit to Row 202, bind off the center 28 sts., put the needles on the left side into holding position and complete the right half first.


Work the front section the same as the back section to Row 144, then work Short Rows for the Bust Darts. ON OPPOSITE SIDE of CAM BOX put into holding position 7 needles after Rows 144, 145, 146, 147, 148, 149, 150, 151, 152, 153. ON OPPOSITE SIDE of CAM BOX bring back into working position all needles after Rows 154, 155, then knit to Row 174.

ON CAM BOX SIDE, bind off 3 sts. after Rows 76, 77, 78, 79, 80, 81; 2 sts. after Rows 82, 83, 84, 85, 86, 87, 88, 89; 1 st. after Rows 90, 91, 92, 93; 2 sts. after Rows 94, 95; 1 st. after Rows 96, 97, 98, 99; 2 sts. after Rows 100, 101; 1 st. after Rows 102, 103, 104, 105; 2 sts. after Rows 106, 107; 1 st. after Rows 108, 109, 110, 111; 2 sts. after Rows 112, 113; 1 st. after Rows 114, 115, 116, 117; 2 sts. after Rows 118, 119; 1 st. after Rows 120, 121, 122, 123; 2 sts. after Rows 124, 125, 126, 127, 128, 129; 4 sts. after Rows 130, 131, 132, 133; 13 sts. after Row 134.

ON EACH SIDE, increase 1 st. after Rows 28, 34, 40, 46, (Change to Stockinette Stitch after Row 46) 52, 58, 64, 70, then knit to Row 76.

ROWS 0 to 28: Knit even.

Cast on 103 sts. with color 2, work K1, P1, Ribbing and the color stripes as marked in the Diagram.



Move the Cam Box to the left side, turn the Row Counter back to 240 and complete the left half. Follow the instructions from*.


*ON CAM BOX SIDE, bind off 3 sts. after Rows 241, 243, 245 (ODD ROWS = NECK SHAPING); 2 sts. after Rows 247, 249; 4 sts. after Row 250 (EVEN ROWS = SHOULDER SHAPING); 2 sts. after Row 251; 4 sts. after Row 252; 1 st. after Row 253; 4 sts. after Row 254; 1 st. after Row 255; 5 sts. after Row 256; 1 st. after Row 257; 5 sts. after Rows 258, 260.

ON CAM BOX SIDE, bind off 4 sts. after Rows 164, 165; 3 sts. after Rows 166, 167, 168, 169; 2 sts. after Rows 170, 171, 172, 173; 1 st. after Rows 174, 175, 176, 177, 178, 179, 180, 181, then knit to Row 240, bind off the center 36 sts., put the needles on the left side into holding position and complete the right half first.

ON EACH SIDE, increase 1 st. after Rows 44, 58, 72, 86, 100, 114, 128, 142, then knit to Row 164. (For the Front Section knit to ROW 144).

ROWS 0 to 44: Knit even, then change to stockinette st. and continue working with color 1.

Cast on 146 sts. with color 2, work K1, P1, Ribbing and the color stripes as marked in the Diagram.



Move the Cam Box to the left side, turn the Row Counter back to 216 and complete the left half. Follow the instructions from*.

ON CAM BOX SIDE, bind off 5 sts. after Row 244 (EVEN ROWS = SHOULDER SHAPING); 9 sts. after Row 245 (ODD ROWS = NECK SHAPING); 5 sts. after Row 246; 3 sts. after Row 247; 5 sts. after Row 248; 3 sts. after Row 249; 5 sts. after Row 250; 3 sts. after Row 251; 5 sts. after Rows 252, 254.

*ROWS 217 to 244: Knit even.




ON CAM BOX SIDE, bind off 3 sts. after Rows 170, 171, 172, 173; 2 sts. after Rows 174, 175, 176, 177; 1 st. after Rows 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, then knit to Row 216, put 48 needles on the left side into holding position and complete the right half first. (For the Front Section knit to Row 216, but do not divide the sts.).

ON EACH SIDE, increase 1 st. after Rows 74, 86, 98, 110, 120, 130, 140, 150, 160, then knit to Row 170.

ROWS 19 to 74: Knit even.

ROWS 0 to 18: Knit even, then change to stockinette st.

Cast on 108 sts. with color 2, work K1, P1, Ribbing and the color stripes as marked in the Diagram.



ON CAM BOX SIDE, bind off 3 sts. after Rows 44, 45, 46, 47; 2 sts. after Rows 48, 49, 50, 51, 52, 53. ON EACH SIDE, hang the 1st st. onto the 2nd st. after Rows 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, 80, 82, 84. ON CAM BOX SIDE, bind off 2 sts. after Rows 86, 87; 3 sts. after Rows 88, 89, 90, 91, 92, 93; 9 sts. after Row 94.

ON EACH SIDE, increase 1 st. after Rows 12, 18, 24, 30, 36, then knit to Row 44.

ROWS 0 to 12: Knit even, then change to stockinette st.

Cast on 77 sts. with color 2 and work K1, P1, Ribbing.


Cast on 131 sts. with color 2 and work 12 rows K1, P1, Ribbing, then bind off all sts.

Move the Cam Box to the left side, turn the Row Counter back to 222 and complete the left half. Follow the instructions from*.

*ON CAM BOX SIDE, bind off 3 sts. after Row 223; 2 sts. after Rows 225, 227; 1 st. after Rows 229, 231, 233, 235, 237. For SHOULDER bind off 5 sts. after Rows 244, 246, 248, 250, 252, 254.

ROWS 217 to 222: Knit even, then bind off the center 12 sts., put the needles on the left side into holding position and complete the right half first.

Work the front section the same as the back section to Row 216.



DP 8145

SIZE:	10 (Bust 32"-33")	12 (Bust 34"-35")	14 (Bust 36"-37")
YARN:	Beatrice Crepe	Regia	Amore
50 gr. BALLS:	6 color 1 1 color 2 1 color 3 1 color 4	6 color 1 1 color 2 1 color 3 1 color 4	7 color 1 1 color 2 1 color 3 1 color 4
TENSION:	3 to 5	5 to 7	7 to 9
GAUGE:	2" 17 sts. 24 rows	16 sts. 23 rows	15 sts. 23 rows

The instructions are the same for all sizes. PATTERN: Stockinette Stitch and color stripes on sleeves, collar and bands as marked in the Diagrams. LOWER EDGE: K1, P1, Ribbing. INCREASES: Move the 2 end sts. 1 needle outward, then place the 3rd st. from the row below onto the empty needle. DECREASES: Hang the 3rd st. onto the 2nd st., then move the end sts. inward to fill the empty needle. To form the hem, hang the cast-on sts. back onto the machine behind the latches, then knit the following row with 1 or 2 tension settings higher.

FINISHING: Block all sections. Join front and back section at sides and shoulder. Sew the sleeves together and set in. Fold over the sleeve hem, having 4 rows of color 2, 4 rows of color 3 and 4 rows of color 4 showing. (The hem seam will be at the center of the hem on the wrong side). Sew 1 edge of the buttonhole band to the inside and 1 edge to the outside of the right front opening. Sew the button band to the left front opening in the same manner. Fold the collar in half, then sew the short open edges together. Sew 1 edge of the collar to inside and 1 edge to outside of neckline, leaving the front bands free. (See picture). Finish the buttonholes, sew on buttons.




ON CAM BOX SIDE, bind off 3 sts. after Rows 60, 61, 62, 63, 64, 65; 2 sts. after Rows 66, 67, 68, 69, 70, 71, 72, 73. ON EACH SIDE, hang the 1st st. onto the 2nd st. after Rows 74, 76, 78, 80, 82, 84, 86, 88, 90, 92, 94, 96, 98, 100, 102, 104, 106, 108, 110. ON CAM BOX SIDE, bind off 2 sts. after Rows 112, 113, 114, 115; 3 sts. after Rows 116, 117, 118, 119; 10 sts. after Row 120.

ON EACH SIDE, increase 1 st. after Rows 24, 28, 32, 36, 40, 44, 48, 52, 56, then knit to Row 60.

ROWS 0 to 24: Knit even, then form the hem and continue with color 1.

Cast on 84 sts. with color 2, work stockinette st. and the color stripes as marked in the Diagram.



Move the Cam Box to the left side, turn the Row Counter back to 122 and complete the left half. Follow the instructions from*.

ON CAM BOX SIDE, bind off 3 sts. after Row 271; 2 sts. after Rows 273, 275; 1 st. after Rows 277, 279, 281, 283, 287; For SHOULDER bind off 4 sts. after Rows 288, 290, 292, 294; 5 sts. after Rows 296, 298, 300, 302.

ON CAM BOX SIDE, bind off 3 sts. after Rows 200, 202; 2 sts. after Rows 204, 206, 208; 1 st. after Rows 210, 212, 214, 216, 218, then knit to Row 271.


*ON CAM BOX SIDE, increase 1 st. after Rows 122, 136, 150, 164, then knit to Row 169 and work Short Rows for the DART. ON OPPOSITE SIDE OF CAM BOX put into holding position 5 needles after Rows 169, 171, 173, 175, 177, 179, 181. After Row 183 bring all needles back into working position, then knit to Row 200.

ON EACH SIDE, increase 1 st. after Rows 94, 108, then knit to Row 122, bind off the center 17 sts., put the needles on the left side into holding position and complete the right half first.

ROWS 21 to 94: Knit even.

ROWS 0 to 20: Knit even, then change to stockinette st.

Cast on 135 sts. with color 1 and work K1, P1, Ribbing.



Move the Cam Box to the left side, turn the Row Counter back to 290 and complete the left half. Follow the instructions from *.

*ON CAM BOX SIDE, bind off 5 sts. after Row 290 (EVEN ROWS = SHOULDER SHAPING); 4 sts. after Row 291 (ODD ROWS = NECK SHAPING); 5 sts. after Row 292; 4 sts. after Row 293; 5 sts. after Row 294; 3 sts. after Row 295; 5 sts. after Row 296; 3 sts. after Row 297; 5 sts. after Rows 298, 300.

ON CAM BOX SIDE, bind off 3 sts. after Rows 206, 207, 208, 209; 2 sts. after Rows 210, 211, 212, 213, 214, 215; 1 st. after Rows 216, 217, 218, 219, 220, 221, then knit to Row 290, bind off the center 17 sts., put the needles on the left side into holding position and complete the right half first.

ON EACH SIDE, increase 1 st. after Rows 128, 144, 160, 176, 192, then knit to Row 206.

ON EACH SIDE, decrease 1 st. after Rows 40, 50, 60, 70, 80, 90, 100, 110, then knit to Row 128.

ROWS 37 to 40: Knit even.

ROWS 0 to 36: Knit even, then form the hem.




Cast on 141 sts. and work stockinette st.

ON CAM BOX SIDE, bind off 3 sts. after Rows 246, 247, 248, 249; 2 sts. after Rows 250, 251, 252, 253, 254, 255, 256, 257. ON EACH SIDE, hang the 1st st. onto the 2nd st. after Rows 258, 260, 262, 264, 266, 268, 270, 272, 274, 276, 278, 280, 282, 284, 286, 288, 290, 292. ON CAM BOX SIDE, bind off 2 sts. after Rows 294, 295; 3 sts. after Rows 296, 297, 298, 299, 300, 301; 11 sts. after Row 302.



ON EACH SIDE, increase 1 st. after Rows 80, 90, 100, 110, 120, 130, 140, 150, 158, 166, 174, 182, 190, 198, 206, 214, 222, 230, 238, then knit to Row 246.

ROWS 0 to 80: Knit even, then continue with stockinette st.

Cast on 59 sts. and work the Holding Position Design.





Cast on 105 sts. and work 80 rows the Holding Position Design, then bind off all sts.



Cast on 36 sts. with color 2, work stockinette st. and the color stripes as marked in the Diagram. Make buttonholes after Rows 28, 65, 102, 139 over the 4th-9th and 28th-33rd sts. counting from the left side. After Row 148 bind off all sts. Work the Button Band the same, but omit the buttonholes.

Continued on page 21



Work the second facing with reverse shapings, casting on from right to left. (Cam Box will be on the LEFT side at Row 0).

ON CAM BOX SIDE, bind off 5 sts. after Row 248; 3 sts. after Rows 250, 252; (253), 2 sts. after Rows 254, 256, 258; (259), 1 st. after Rows 260, 262, 264, (265), 266, 268, (271). For SHOULDER bind off 3 sts. after Rows 277, 279; 4 sts. after Row 281.

ON CAM BOX SIDE, increase 1 st. after Rows 175, 181, 187, 193, 199, 205, 211, 217, 223, 229, 235, 241, 247, then again after Rows in (). Knit to Row 248.

ROWS 0 to 175: Knit even.

Cast on 15 sts. and work stockinette st.

Work the second front section with reverse shapings, casting on from right to left. (Cam Box will be on the LEFT side at Row 0).

ON CAM BOX SIDE, bind off 5 sts. after Row 269; 3 sts. after Rows 271, 273; 2 sts. after Rows 275, 277, 279; 1 st. after Rows 281, 283, 285, 287, 289. For SHOULDER bind off 5 sts. after Rows 290, 292, 294, 296, 298, 300.

ON CAM BOX SIDE, bind off 3 sts. after Rows 206, 208; 2 sts. after Rows 210, 212, 214; 1 st. after Rows 216, 218, 220, then knit to Row 269.

ON CAM BOX SIDE, increase 1 st. after Rows 128, 144, 160, 176, 192, then knit to Row 206.

ON CAM BOX SIDE, decrease 1 st. after Rows 40, 50, 60, 70, 80, 90, 100, 110, then knit to Row 128.

ROWS 37 to 40: Knit even.

ROWS 0 to 36: Knit even, then form the hem.

Cast on 70 sts. and work stockinette st.

Work the second pants section with reverse shapings, casting on from right to left. (Cam Box will be on the LEFT side at Row 0).


Decrease 2 sts. for the DART after Row 404, then again after Rows in (). Continue to decrease 1 st. ON CAM BOX SIDE after Rows 406, 414, (414), 422, (424), 430, (434), 438, (444), 446, 454, (454), but do not knit after the last decreases. Work Short Rows. ON OPPOSITE SIDE of CAM BOX put into holding position 30 needles after Row 454; 9 needles after Rows 456, 458, 460, 462, 464, 466. After Row 468 bring all needles back into working position, then knit to Row 496 and bind off the remaining 103 sts.

ON CAM BOX SIDE, bind off 4 sts. after Row 340 (EVEN ROWS = CENTER BACK); 3 sts. after Rows 341 (ODD ROWS = CENTER FRONT), 342, 343, 344; 2 sts. after Rows 345, 346, 347, 348; 1 st. after Row 349; 2 sts. after Row 350; 1 st. after Rows 351, 352, 353, 354, 355, 356, 357, 358, 362, 366, 374, 382, 390, 398, then knit to Row 404.

Increase 2 sts. for the DART after (DART). ON OPPOSITE SIDE of CAM BOX increase 1 st. after Rows in (). ON CAM BOX SIDE, increase 1 st. after Rows 202, (202), (DART 202), 210, (214), 218, (DART 222), 226, (226), 234, (238), 242, (DART 242), 250, (250), 258, (260), (DART 262), 266, (270), 274, (280), 282, (DART 282), 290, (290), 298, (300), (DART 302), 304, 310, (310), 316, (320), 322, (DART 322), 328, (330), 334, then knit to Row 340.

Decrease 2 sts. for the DART and 1 st. ON EACH SIDE after Rows 46, 66, 86, 106, 126, 146, 166, then knit to Row 202.

Cast on 145 sts. and work stockinette st.



DK 8142

SIZE:	10 (Bust 32"-33")	12 (Bust 34"-35")	16 (Bust 37"-38")
YARN:	Subita Crepe 2 x 3	Beatrice Crepe	Crocus Crepe
50 gr. BALLS:	9 color 1 4 color 2 3 color 3	11 color 1 5 color 2 3 color 3	14 color 1 7 color 2 4 color 3
TENSION:	3 to 5	3 to 5	5 to 7
GAUGE:	2" 18 sts. 25 rows	17 sts. 24 rows	16 sts. 23 rows

The instructions are the same for all sizes. PATTERN: Stockinette Stitch and repeated color stripes as marked in the Diagrams. DECREASES: Sides: Hang the 3rd st. onto the 2nd st., then move the end sts. inward to fill the empty needle. Front Edges: Hang the 15th st. onto the 14th st., then move the end sts. inward to fill the empty needle. Begin the Darts by hanging the sts. together as marked on the Diagrams then move the sts. together to fill the empty needles. The following decreases for the Darts lie directly above. INCREASES: Move the 2 end sts. 1 needle outward, then place the 3rd st. from the row below onto the empty needle. To form the hems, hang the cast-on sts. back onto the machine behind the latches, then knit the following row with 1 or 2 tension settings higher.

FINISHING: Block all sections. SKIRT: Weave the sections together at sides, 1 st. in from each edge. Turn under 14 rows on upper edge and 19 rows on lower edge and hem to wrong side. Insert an elastic band into the upper hem. JACKET: Join back and front sections at sides and shoulders. Sew the sleeves together and set in. Weave the open sts. of the facing together, then sew the facing to neckline. Turn under 14 sts. on front edges and neckline and hem to wrong side. Turn under 14 rows on upper edges of pockets, then sew the pockets in place. (See picture). Finish the buttonholes, sew on buttons.



Move the Cam Box to the left side, turn the Row Counter back to 310 and complete the left half. Follow the instructions from*.

*ON CAM BOX SIDE, bind off 5 sts. after Row 310 (EVEN ROWS = SHOULDER SHAPING); 3 sts. after Row 311 (ODD ROWS = NECK SHAPING); 5 sts. after Row 312; 3 sts. after Row 313; 5 sts. after Row 314; 3 sts. after Row 315; 5 sts. after Row 316; 3 sts. after Row 317; 5 sts. after Row 318; 2 sts. after Row 319; 5 sts. after Row 320; 2 sts. after Row 321; 5 sts. after Row 322; 6 sts. after Row 324.

ON CAM BOX SIDE, bind off 3 sts. after Rows 214, 215, 216, 217; 2 sts. after Rows 218, 219, 220, 221, 222, 223; 1 st. after Rows 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, then knit to Row 310, bind off the center 15 sts., put the needles on the left side into holding position and complete the right half first.


ON EACH SIDE, increase 1 st. after Rows 136, 148, 160, 172, 184, 194, 204, then knit to Row 214.

ON EACH SIDE, decrease 1 st. after Rows 48, 56, 64, 72, 80, 88, 96, 104, 110, 116, then knit to Row 136.

ROWS 35 to 48: Knit even.

ROWS 0 to 34: Knit even, then form the hem and work the repeated color stripes as marked in the Diagram.

Cast on 169 sts. with color 2 and work stockinette st.



Work the second front section with reverse shapings, casting on from right to left. (Cam Box will be on the LEFT side at Row 0). Omit the buttonholes.

Continue to decrease 1 st. ON NECK SIDE after Rows in (). ON CAM BOX SIDE, bind off 3 sts. after Rows 214, 216; (217), 2 sts. after Rows 218, 220, (221), 222; 1 st. after Rows 224, (225), 226, 228, (229), 230, 232, (233). The Armhole Shaping is now completed. Continue to decrease 1 st. ON NECK SIDE after Rows 237, 241, 245, 249, 253, 257, 261, 265, 269, 273, 277, 281, 285, 389, 293, 297, 301, 307, then 1 more time after Row in (). For SHOULDER bind off 5 sts. after Rows 310, 312, (313), 314, 316, 318, 320, 322; 6 sts. after Row 324. Work over the remaining 14 sts. (FACING) to Row 358, then put these sts. onto a stitch holder.

ON CAM BOX SIDE, continue to INCREASE 1 st. after Rows in (). ON NECK SIDE, decrease 1 st. after Rows 193, (194), 197, 201, (204), 205, 209, 213, then knit to Row 214.

Make buttonholes after Rows in (). ON CAM BOX SIDE, increase 1 st. after Rows 136, (138), 148, 160, 172, 184, (184), then knit to Row 193.


Make buttonholes after Row in (). ON CAM BOX SIDE, decrease 1 st. after Rows 48, 56, 64, 72, 80, 88, (92), 96, 104, 110, 116, then knit to Row 136.

ROWS 35 to 48: Make buttonholes after Row 46 over the 3rd-8th and 21st-26th sts. counting from the left side. Knit to Row 48.

ROWS 18 to 34: Knit even, then form the hem (first 78 cast-on sts. only) and work the repeated color stripes as marked in the Diagram of the Back Section.

ROWS 0 to 17: Knit even, then cast on 28 sts. ON CAM BOX SIDE.

Cast on 77 sts. with color 2 and work stockinette st.




DK 8141



SIZE:	8 (Bust 31 1/2")	10 (Bust 32"-33")	14 (Bust 35"-36")
YARN:	Crocus Crepe	Amore	Dolly Crepe
50 gr. BALLS:	19	16	18
TENSION:	5 to 7	7 to 9	7 to 9
GAUGE:	2" 16 sts. 23 rows	15 sts. 23 rows	14 sts. 21 rows

The instructions are the same for all sizes. PATTERN: Stockinette Stitch. NECKBAND: K1, P1, Ribbing. DECREASES: Sides: Hang the 4th st. onto the 3rd st.; Skirt FRONT Edges: Hang the 25th st. onto the 24th st.; Darts: Begin the darts by hanging the sts. together as marked in the Diagrams. The following decreases for the dart lie directly above. Move the sts. together after ALL decreases to fill the empty needles. INCREASES: Move the 2 end sts. 1 needle outward, then place the 3rd st. from the row below onto the empty needle. To form the hem, hang the cast-on sts. back onto the machine behind the latches, then knit the following row with 1 or 2 tension settings higher.

FINISHING: Block all sections. SKIRT: Weave the sections together at center back and sides, 1 st. in from each edge. Turn under 18 rows on lower edge and 12 sts. on front edges and hem to wrong side. Turn under 14 rows on upper edge and hem to wrong side. Insert an elastic band into the upper edge and fasten band on front edges. Finish the buttonholes, sew on buttons. JACKET: Join the back and front sections at sides and shoulders. Sew the sleeves together and set in. Turn under 12 sts. on front edges and hem to wrong side. Sew the neckband sections together, then sew the band to neckline. Finish the buttonholes, sew on buttons.



Cast on 102 sts. with color 2, work stockinette st., Short Rows and the color stripes as marked in the Buttonhole Band Diagram. ON OPPOSITE SIDE of CAM BOX put into holding position 36 needles after Rows 0, 1. ON OPPOSITE SIDE of CAM BOX bring back into working position 6 needles after Rows 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13. ON EACH SIDE, increase 1 st. after Rows 20, 24, 28, 32, 36, 40, 44, 48, 52. ON EACH SIDE, decrease 1 st. after Rows 60, 64, 68, 72, 76, 80, 84, 88, 92. ON OPPOSITE SIDE of CAM BOX put into holding position 9 needles after Rows 98, 99, 100, 101, 102, 103, 104, 105. ON OPPOSITE SIDE of CAM BOX bring back into working position all needles after Rows 106, 107. After Row 108 bind off all sts.



Decrease 2 sts. for EACH DART after Rows in (). ON EACH SIDE, decrease 1 st. after Rows 82, 94, 106, 118, 130, 142, 154, 166, 178, 190, 202, 214, 226, 238, 250, 260, (262), 270, (272), 280, (282), 290, (292), 300, (302), 308, (312), 316, (322), 324, 332, (332), then knit to Row 360 and bind off the remaining 117 sts. (For the Front Section knit to ROW 250, but do not make the decreases after Row 250).

ROWS 0 to 82: Knit even.

Cast on 197 sts. with color 2, work stockinette st. and the repeated color stripes as marked in the Diagram.

Work the second front section with reverse shapings, casting on from right to left. (Cam Box will be on the LEFT side at Row 0). Omit the buttonholes.

ON CAM BOX SIDE, bind off 24 sts. after Row 235; 3 sts. after Rows 237, 239; 2 sts. after Rows 241, 243, 245, 247; 1 st. after Rows 249, 251, 253, 255, 257, 259, 261, 265, 269, 273, 277, 281. For SHOULDER bind off 3 sts. after Rows 294, 296, 298; 4 sts. after Rows 300, 302, 304.

ON CAM BOX SIDE, bind off 3 sts. after Rows 212, 214; 2 sts. after Rows 216, 218, 220; 1 st. after Rows 222, 224, 226. Make buttonholes after Row 228, then knit to Row 235.

Continue to make buttonholes after Rows in (). ON CAM BOX SIDE, increase 1 st. after Rows 110, (114), 124, 138, 152, (152), 166, 180, then knit to Row 183 and knit Short Rows for the DART. ON OPPOSITE SIDE of CAM BOX put into holding position 6 needles after Rows 183, 185, 187, 189, (190), 191. After Row 193 bring all needles back into working position, then knit to Row 212.

ON OPPOSITE SIDE of CAM BOX make buttonholes after Rows in (). ON CAM BOX SIDE, decrease 1 st. after Rows 44, 56, 68, (76), 80, 92, then knit to Row 110.

ROWS 37 to 44: Make buttonholes after Row 38 over the 3rd-7th and 18th-22nd sts. counting from the left side. Knit to Row 44.

ROWS 19 to 36: Knit even, then form the hem. (First 61 cast on sts. only).

ROWS 0 to 18: Knit even, then cast on 24 sts. ON OPPOSITE SIDE of CAM BOX. (Use a separate length of yarn).

Cast on 61 sts. and work stockinette st.



Cast on 109 sts. and work 14 rows K1, P1, Ribbing, then bind off all sts.

Move the Cam Box to the left side, turn the Row Counter back to 274 and complete the left half. Follow the instructions from*.

*ON CAM BOX SIDE, bind off 4 sts. after Row 274 (EVEN ROWS = SHOULDER SHAPING); 3 sts. after Row 275 (ODD ROWS = NECK SHAPING); 4 sts. after Row 276; 3 sts. after Row 277; 4 sts. after Row 278; 3 sts. after Row 279; 4 sts. after Row 280; 2 sts. after Row 281; 5 sts. after Row 282; 2 sts. after Row 283; 5 sts. after Row 284; 2 sts. after Row 285; 5 sts. after Rows 286, 288.



ON CAM BOX SIDE, bind off 3 sts. after Rows 186, 187, 188, 189; 2 sts. after Rows 190, 191, 192, 193, 194, 195; 1 st. after Rows 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, then knit to Row 274, bind off the center 11 sts., put the needles on the left side into holding position and complete the right half first.

ON EACH SIDE, increase 1 st. after Rows 94, 108, 122, 136, 150, 164, then knit to Row 186.


ROWS 21 to 94: Knit even.

ROWS 0 to 20: Knit even, then change to stockinette st.


Cast on 135 sts. with color 1 and work K1, P1, Ribbing.



Cast on 51 sts. with color 2, work stockinette st. and the color stripes as marked in the Diagram. Knit to Row 82, then bind off all sts.



Cast on 34 sts. with color 2, work stockinette st. and the color stripes as marked in the Diagram. Knit to Row 58, then bind off all sts.



Decrease 2 sts. for EACH DART after Rows in (). Continue to decrease 1 st. ON EACH SIDE after Rows 250, 260, 270, 280, (284), 290, (296), 300, 308, (308), 316, (320), 324, 332, (332), then knit to Row 360 and bind off the remaining 129 sts.


Work the front section the same as the back section to Row 250.


ON CAM BOX SIDE, bind off 4 sts. after Rows 214, 215, 216, 217; 3 sts. after Rows 218, 219, 220, 221; 2 sts. after Rows 222, 223, 224, 225. ON EACH SIDE, hang the 1st st. onto the 2nd st. after Rows 226, 228, 230, 232, 234, 236, 238, 240, 242, 244, 246, 248, 250, 252, 254, 256, 258, 260, 262, 264, 266, 268, 270, 272. ON CAM BOX SIDE, bind off 2 sts. after Rows 274, 275, 276, 277; 4 sts. after Rows 278, 279, 280, 281; 14 sts. after Row 282.

ON EACH SIDE, increase 1 st. after Rows 34, 44, 54, 64, 74, 84, 94, 104, 114, 124, 134, 142, 150, 158, 166, 174, 182, 190, 198, 206, then knit to Row 214.

ROWS 0 to 34: Knit even, then form the hem, and work the color stripes as marked in the Diagram of the Back Section.

Cast on 82 sts. with color 2 and work stockinette st.






ON CAM BOX SIDE, bind off 4 sts. after Rows 212, 213; 3 sts. after Rows 214, 215, 216, 217; 2 sts. after Rows 218, 219, 220, 221, 222, 223. ON EACH SIDE, hang the 1st st. onto the 2nd st. after Rows 224, 226, 228, 230, 232, 234, 236, 238, 240, 242, 244, 246, 248, 250, 252, 254, 256, 258. ON CAM BOX SIDE, bind off 2 sts. after Rows 260, 261, 262, 263; 3 sts. after Rows 264, 265; 4 sts. after Rows 266, 267; 12 sts. after Row 268.

ON EACH SIDE, increase 1 st. after Rows 36, 46, 56, 66, 76, 86, 96, 106, 116, 126, 136, 146, 156, 166, 176, 186, 196, 204, then knit to Row 212.

ROWS 0 to 36: Knit even, then form the hem.

Cast on 66 sts. and work stockinette st.




Work 1 more section the same.

Decrease 2 sts. for the DART after Rows in (). ON EACH SIDE, decrease 1 st. after Rows 66, 76, 86, 96, 106, 116, 126, 136, 146, 156, 166, 176, 186, 196, 206, 216, (216), 226, (232), 236, 246, (248), 256, (264), 266, 276, (280), 286, 296, (296), 306, (312), 316, 326, (326), then knit to Row 354 and bind off the remaining 55 sts.

ROWS 0 to 66: Knit even.

Cast on 125 sts. and work stockinette st.



Move the Cam Box to the left side, turn the Row Counter back to 274 and complete the left half. Follow the instructions from*.

*ON CAM BOX SIDE, bind off 4 sts. after Rows 275, 277 (ODD ROWS = NECK SHAPING); 3 sts. after Rows 279, 281; 2 sts. after Row 283; 3 sts. after Row 284 (EVEN ROWS = SHOULDER SHAPING); 2 sts. after Row 285; 3 sts. after Row 286; 2 sts. after Row 287; 3 sts. after Row 288; 2 sts. after Row 289; 4 sts. after Rows 290, 292, 294.

ON CAM BOX SIDE, bind off 3 sts. after Rows 202, 203, 204, 205; 2 sts. after Rows 206, 207, 208, 209, 210, 211; 1 st. after Rows 212, 213, 214, 215, 216, 217, then knit to Row 274, bind off the center 19 sts., put the needles on the left side into holding position and complete the right half first.

ON EACH SIDE, increase 1 st. after Rows 110, 124, 138, 152, 166, 180, then knit to Row 202.

ON EACH SIDE, decrease 1 st. after Rows 44, 56, 68, 80, 92, then knit to Row 110.

ROWS 37 to 44: Knit even.

ROWS 0 to 36: Knit even, then form the hem.


Cast on 133 sts. and work stockinette st.

KK 5401

SIZE:	4 (Chest 23")	6 (Chest 24")	8 (Chest 26"-27")
YARN:	Allegro Dralon	Dolly Dralon	Dolly Dralon
50 gr. BALLS:	Pants: 5 color 1 Pullover: 3 color 2 Jacket: 5 color 3	6 color 1 4 color 2 6 color 3	6 color 1 4 color 2 6 color 3
TENSION:	6 to 8	8 to 9	9 to 10
GAUGE:	2" 15 sts. 21 rows	14 sts. 20 rows	13 sts. 19 rows

The instructions are the same for all sizes. PATTERN: Stockinette Stitch. Pullover Edges: K1, P1, Ribbing. DECREASES: Pants: Hang the 3rd st. onto the 2nd st.; Jacket Front: Hang the 10th st. onto the 9th st.; Begin the Dart by hanging the sts. together as marked in the Diagram. The following decreases, then increases for the Dart lie directly above, Move the sts. together after ALL decreases to fill the empty needles. INCREASES: Move the 2 end sts. 1 needle outward, then place the 3rd st. from the row below onto the empty needle. To form the hem, hang the cast-on sts. back onto the machine behind the latches, then knit the following row with 1 or 2 tension settings higher.

FINISHING: Block all sections. PANTS: Join the inner leg seams. Join the sections at center back and about 3" at center front. Work 1 row of slip st. crochet around the opening. Turn under 20 rows on leg edges and 13 rows on upper edge and hem to wrong side. Insert an elastic band into the upper hem and sew the band to the front edges. Sew a zipper into the front opening. PULLOVER: Join front and back section at sides and right shoulder. Join the left shoulder for 1". Turn under a small amount around the opening and hem to wrong side. Sew the sleeves together and set in. Sew 1 edge of the collar to inside and 1 edge to outside of neckline. Sew a zipper into the opening. JACKET: Join the back and front sections at sides and shoulders. Sew the sleeves together and set in. Weave the open sts. of the facing together, then sew the facing to neckline. Turn under 9 sts. on front edges and neckline and hem to wrong side. Turn under 6 rows on the upper edges of the pockets, then sew the pockets in place. Finish the buttonholes, sew on buttons.



Move the Cam Box to the left side, turn the Row Counter back to 180 and complete the left half. Follow the instructions from*.

*ON CAM BOX SIDE, bind off 5 sts. after Rows 180 (EVEN ROWS = SHOULDER SHAPING), 181 (ODD ROWS = NECK SHAPING), 182; 3 sts. after Row 183; 5 sts. after Row 184; 3 sts. after Row 185; 5 sts. after Rows 186, 188.


ON CAM BOX SIDE, bind off 3 sts. after Rows 122, 123, 124, 125; 2 sts. after Rows 126, 127, 128, 129; 1 st. after Rows 130, 131, 132, 133, then knit to Row 180, bind off the center 14 sts., put the needles on the left side into holding position and complete the right half first.


ON EACH SIDE, increase 1 st. after Rows 50, 68, 86, 104, then knit to Row 122.

ROWS 27 to 50: Knit even.

ROWS 0 to 26: Knit even, then form the hem.

Cast on 102 sts. and work stockinette st.





Work the second front section with reverse shapings, casting on from right to left. (Cam Box will be on the LEFT side at Row 0). Omit the buttonholes.

ON OPPOSITE SIDE of CAM BOX make buttonholes over the 3rd-7th and 18th-22nd sts. counting from the left side after (B.H.) Decrease 2 sts. for the DART after Rows in (). ON EACH SIDE decrease 1 st. after Rows 66, 76, 86, 96, (B.H. 102), 106, 116, 126, 136, (B.H. 140), 146, 156, 166, 176, (B.H. 178), 186, 196, 206, 216, (216), (B.H. 216), 226, (232), 236, 246, (248), (B.H. 254), 256, (264), 266, 276, (280), 286, (B.H. 292), 296, (296), 306, (312), 316, 326, (326), BUT do not knit after the last decreases. ON OPPOSITE SIDE of CAM BOX bind off 12 sts., then make a buttonhole after Row 330 and Row 350 over the 3rd-7th sts. After Row 354 bind off the remaining 61 sts.

ROWS 19 to 66: Knit even.

ROWS 0 to 18: Knit even, then cast on 24 sts. ON OPPOSITE SIDE of CAM BOX (use a separate length of yarn).

Cast on 119 sts. and work stockinette st.

Work the second pants section with reverse shapings, casting on from right to left. (Cam Box will be on the LEFT side at Row 0).

ON CAM BOX SIDE, bind off 4 sts. after Row 202 (EVEN ROWS = CENTER BACK); 3 sts. after Row 203 (ODD ROWS = CENTER FRONT); 4 sts. after Row 204; 3 sts. after Row 205; 2 sts. after Rows 206, 207, 208, 209, 210; 1 st. after Row 211; 2 sts. after Row 212; 1 st. after Rows 213, 214, 216, 218, 220, 222, 226, 230, 242, 254, 266, then 1 more time after Row in (). Knit to Row 272 and work Short Rows. ON OPPOSITE SIDE of CAM BOX put into holding position 18 needles after Rows 272, 274, 276, 278, (278). After Row 280 bring all needles back into working position, knit to Row 306 and bind off the remaining 87 sts.

ON OPPOSITE SIDE of CAM BOX increase 1 st. after Rows in (). Increase 2 sts. for the DART after (DART). ON CAM BOX SIDE, increase 1 st. after Rows 122, (122), (DART 122), 126, 130, (130), 134, 138, (138), 142, (DART 142), 146, (146), 150, 154, (154), 158, (160), 162, (DART 162), 166, (166), 170, (172), 174, 178, (178), 182, (DART 182), (184), 186, 190, (190), 194, (196), 198, 200, then knit to Row 202.

Decrease 2 sts. for the DART and 1 st. ON EACH SIDE after Rows 46, 66, 86, 106, then knit to Row 122.

ROWS 0 to 46: Knit even.

Cast on 101 sts. and work stockinette st.

Work the LEFT front section with reverse shapings, casting on from right to left. (Cam Box will be on the LEFT side at Row 0). Work BUTTONHOLES over the 2nd-5th and 14th-17th sts. counting from the right side after Rows 46, 76, 106.

ON CAM BOX SIDE, bind off 3 sts. after Rows 122, (122), 124; (124), 2 sts. after Rows 126, (126), 128; (128), 1 st. after Rows 130, (130), 132, (132). The Armhole Shaping is now completed. Continue to decrease 1 st. ON NECK SIDE after Rows 134, 138, 142, 146, 150, 154, 158, 162, 166, 170, 174, 178, then again after Row in (). For SHOULDER bind off 5 sts. after Rows 180, 182, (182), 184, 186, 188. Knit over the remaining 9 sts. (FACING) to Row 214, then put the sts. onto a stitch holder.

ON OPPOSITE SIDE of CAM BOX, (NECK SIDE) decrease 1 st. after Rows 114, 116, 118, 120, then again after Rows in (). Knit to Row 122.

ON CAM BOX SIDE, increase 1 st. after Rows 50, 68, 86, 104, then knit to Row 114.

ROWS 27 to 50: Knit even.

ROWS 14 to 26: Knit even, then form the hem. (First 47 cast-on sts. only).

ROWS 0 to 13: Knit even, then cast on 18 sts. ON CAM BOX SIDE.


Do NOT work BUTTONHOLES in this section. Cast on 47 sts. and work stockinette st.

ON CAM BOX SIDE, bind off 3 sts. after Rows 30, 31; 2 sts. after Rows 32, 33, 34, 35, 36, 37, 38, 39. ON EACH SIDE, hang the 1st st. onto the 2nd st. after Rows 40, 42, 44, 46, 48, 50, 52, 54, 56. ON CAM BOX SIDE, bind off 2 sts. after Rows 58, 59, 60, 61; 3 sts. after Rows 62, 63; 9 sts. after Row 64.

ON EACH SIDE, increase 1 st. after Rows 10, 14, 18, 22, 26, then knit to Row 30.

ROWS 0 to 10: Knit even, then change to stockinette st.

Cast on 53 sts. and work K1, P1, Ribbing.



Cast on 101 sts. and work 36 rows K1, P1, Ribbing, then bind off all sts.

Move the Cam Box to the left side, turn the Row Counter back to 150 and complete the left half. Follow the instructions from*.


*ON CAM BOX SIDE, bind off 4 sts. after Row 150 (EVEN ROWS = SHOULDER SHAPING); 3 sts. after Row 151 (ODD ROWS = NECK SHAPING); 5 sts. after Row 152; 3 sts. after Row 153; 5 sts. after Row 154; 3 sts. after Row 155; 5 sts. after Rows 156, 158.

ON CAM BOX SIDE, bind off 3 sts. after Rows 100, 101; 2 sts. after Rows 102, 103, 104, 105; 1 st. after Rows 106, 107, 108, 109, then knit to Row 150, bind off the center 12 sts., put the needles on the left side into holding position and complete the right half first. (For the Front Section knit to ROW 134).

ROWS 21 to 100: Knit even.

ROWS 0 to 20: Knit even, then change to stockinette st.



Cast on 96 sts. and work K1, P1, Ribbing.




Move the Cam Box to the left side, turn the Row Counter back to 134 and complete the left half. Follow the instructions from*.

*ON CAM BOX SIDE, bind off 3 sts. after Row 135; 2 sts. after Rows 137, 139; 1 st. after Rows 141, 143, 145. For SHOULDER bind off 4 sts. after Row 150; 5 sts. after Rows 152, 154, 156, 158.


Work the front section the same as the back section to ROW 134, then bind off the center 10 sts., put the needles on the left side into holding position and complete the right half first.



Cast on 21 sts. and work 34 rows stockinette st., then bind off all sts.



Cast on 30 sts. and work 46 rows stockinette st., then bind off all sts.



ON OPPOSITE SIDE of CAM BOX, (NECK SIDE) decrease 1 st. after Rows 114, 116, 118, 120, then again after Rows in (). Knit to Row 122.


ON CAM BOX SIDE, increase 1 st. after Rows 50, 68, 86, 104, then knit to Row 114.

ROWS 27 to 50: Knit even.

ROWS 14 to 26: Knit even, then form the hem. (First 47 cast-on sts. only).

ROWS 0 to 13: Knit even, then cast on 18 sts. ON CAM BOX SIDE.

Do NOT work BUTTONHOLES in this section. Cast on 47 sts. and work stockinette st.



ON CAM BOX SIDE, bind off 3 sts. after Rows 144, 145, 146, 147; 2 sts. after Rows 148, 149, 150, 151, 152, 153. ON EACH SIDE, hang the 1st st. onto the 2nd st. after Rows 154, 156, 158, 160, 162, 164, 166, 168, 170, 172. ON CAM BOX SIDE, bind off 2 sts. after Rows 174, 175, 176, 177, 178, 179; 3 sts. after Rows 180, 181; 10 sts. after Row 182.

ON EACH SIDE, increase 1 st. after Rows 26, 38, 50, 62, 74, 88, 102, 116, 130, then knit to Row 144.

ROWS 0 to 26: Knit even, then form the hem.


Cast on 54 sts. and work stockinette st.

HP 3689

SIZE:	38 (Chest 37"-38")	40 (Chest 39"-40")	42 (Chest 41"-42")
YARN:	Subita Crepe 2 x 3	Beatrice Crepe	Crocus Crepe
50 gr. BALLS:	7 color 1 3 color 2	9 color 1 4 color 2	11 color 1 5 color 2
TENSION:	3 to 5	3 to 5	5 to 7
GAUGE:	2" 18 sts. 25 rows	17 sts. 24 rows	16 sts. 23 rows

The instructions are the same for all sizes. PATTERN: Stockinette Stitch and color stripes as marked in the Diagrams. EDGES: K1, P1, Ribbing. INCREASES: Move the 2 end sts. 1 needle outward, then place the 3rd st. from the row below onto the empty needle.

FINISHING: Block all sections. Join front and back section at sides and shoulders. Sew the sleeves together and set in. Sew 1 edge of the buttonhole band to the inside and 1 edge to the outside of the left front opening. Sew the buttonhole band to the right front opening in the same manner. Sew the neckband to the neckline in the same manner. Finish the buttonholes, sew on buttons.




Move the Cam Box to the left side, turn the Row Counter back to 158 and complete the left half. Follow the instructions from *.

ON CAM BOX SIDE, bind off 3 sts. after Rows 289, 291 (ODD ROWS = NECK SHAPING); 2 sts. after Rows 293, 295, 297, 299; 1 st. after Rows 301, 303, 305, 307, 309, 311; 5 sts. after Row 312 (EVEN ROWS = SHOULDER SHAPING); 1 st. after Row 313; 5 sts. after Row 314; 1 st. after Row 315; 5 sts. after Row 316; 1 st. after Row 317; 5 sts. after Rows 318, 320, 322; 6 sts. after Rows 324, 326.



ON CAM BOX SIDE, bind off 5 sts. after Row 210; 3 sts. after Rows 212, 214; 2 sts. after Rows 216, 218; 1 st. after Rows 220, 222, 224, 226, 228, then knit to Row 254, change to color 2 and knit to Row 289.

*ON CAM BOX SIDE, increase 1 st. after Rows 172, 190, then knit to Row 210.

Work the front section the same as the back section to ROW 158, then bind off the center 11 sts., put the needles on the left side into holding position and complete the right half first.



Cast on 175 sts. with color 2 and work 34 rows K1, P1, Ribbing, then bind off all sts.




Cast on 98 sts. with color 1 and work stockinette st. Make buttonholes after Rows 7 and 27 over the 8th-13th, 30th-35th, 52nd-57th, 74th-79th sts. counting from the left side. After Row 34 bind off all sts. Work the button band the same, but omit the buttonholes.

DK 8156

SIZE:	10 (Bust 32"-33")	12 (Bust 34"-35")	14 (Bust 36"-37")
YARN:	Subita Crepe 2 x 3	Crocus Crepe	Amore
50 gr. BALLS:	10 color 1 2 color 2	15 color 1 3 color 2	13 color 1 2 color 2
TENSION:	4 to 6	5 to 7	7 to 9
GAUGE:	2" 17 sts. 24 rows	16 sts. 23 rows	15 sts. 23 rows

The instructions are the same for all sizes. PATTERN: Stockinette Stitch. BELT: K1, P1, Ribbing. TRIM: Knitted cords. DECREASES: Hang the 3rd st. onto the 2nd st. Begin the Darts by hanging the sts. together as marked in the Diagram. The following decreases, then increases for the Darts lie directly above. Move the sts. together after ALL decreases to fill the empty needles. INCREASES: Move the 2 end sts. 1 needle outward, then place the 3rd st. from the row below onto the empty needle. To form the hem, hang the cast-on sts. back onto the machine behind the latches, then knit the following row with 1 or 2 tension settings higher.

FINISHING: Block all sections. Join front and back section at sides and shoulders. Sew the sleeves together and set in. Turn under 18 rows on lower edge and hem to wrong side. Apply press-on type pellon to the wrong side of the collar. Turn under about 1/2" on the outer edges of the collar and hem to wrong side. Work knitted cords with tension 2 over 5 needles. (See Practical Knitting Hints Book, page 58). For the collar knit 1100 rows with color 2 and for each sleeve knit 240 rows with color 1. The empty rows do count. Sew the trim to collar and sleeves as shown on the picture. Line the collar with taffeta. Sew the collar to neckline and front of dress as shown.




ON CAM BOX SIDE, bind off 3 sts. after Rows 68, 69, 70, 71, 72, 73; 2 sts. after Rows 74, 75, 76, 77, 78, 79, 80, 81. ON EACH SIDE, hang the 1st st. onto the 2nd st. after Rows 82, 84, 86, 88, 90, 92, 94, 96, 98, 100, 102, 104, 106, 108, 110, 112, 114, 116. ON CAM BOX SIDE, bind off 2 sts. after Rows 118, 119, 120, 121, 122, 123; 3 sts. after Rows 124, 125, 126, 127; 11 sts. after Row 128.

ON EACH SIDE, increase 1 st. after Rows 18, 24, 30, 36, 42, 48, 54, 60, then knit to Row 68.

ROWS 0 to 18: Knit even, then form the hem.

Cast on 89 sts. with color 1 and work stockinette st.



Move the Cam Box to the left side, turn the Row Counter back to 312 and complete the left half. Follow the instructions from*.

*ON CAM BOX SIDE, bind off 5 sts. after Row 312 (EVEN ROWS = SHOULDER SHAPING); 4 sts. after Row 313 (ODD ROWS = NECK SHAPING); 5 sts. after Row 314; 4 sts. after Row 315; 5 sts. after Row 316; 3 sts. after Row 317; 5 sts. after Row 318; 3 sts. after Row 319; 5 sts. after Row 320; 2 sts. after Row 321; 5 sts. after Row 322; 2 sts. after Row 323; 6 sts. after Rows 324, 326.


ON CAM BOX SIDE, bind off 5 sts. after Rows 210, 211; 3 sts. after Rows 212, 213, 214, 215; 2 sts. after Rows 216, 217, 218, 219; 1 st. after Rows 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, then knit to Row 254, change to color 2. Knit to Row 312, bind off the center 21 sts., put the needles on the left side into holding position and complete the right half first.

ON EACH SIDE, increase 1 st. after Rows 100, 118, 136, 154, 172, 190, then knit to Row 210. (For the Front Section knit to ROW 158).

ROWS 29 to 100: Knit even.

ROWS 0 to 28: Knit even, then change to stockinette st.

Cast on 169 sts. with color 1 and work K1, P1, Ribbing.



ON CAM BOX SIDE, bind off 4 sts. after Rows 226, 227, 228, 229; 3 sts. after Rows 230, 231, 232, 233, 234, 235; 2 sts. after Rows 236, 237, 238, 239, 240, 241, 242, 243. ON EACH SIDE, hang the 1st st. onto the 2nd st. after Rows 244, 246, 248, 250, 252, 254, 256, 258, 260, 262, 264, 266, 268, 270, 272, 274, 276, 278, 280, 282. ON CAM BOX SIDE, bind off 2 sts. after Rows 284, 285, 286, 287; 3 sts. after Rows 288, 289, 290, 291; 5 sts. after Rows 292, 293; 13 sts. after Row 294.

ON EACH SIDE, increase 1 st. after Rows 28, 36, 44, 52, 60, 68, 76, 84, 92, 100, 108, 116, 124, 132, 140, 148, 156, 164, 172, 180, 188, 196, 204, 212, 220, then knit to Row 226.

ROWS 0 to 28: Knit even, then change to stockinette st. and work the color stripes as marked in the Diagram.

Cast on 83 sts. with color 1 and work K1, P1, Ribbing.

Move the Cam Box to the left side, turn the Row Counter back to 102 and complete the left half. Follow the instructions from*.


*ON CAM BOX SIDE, increase 1 st. after Row 102, then again after Rows in (). Increases after Rows in () are always made on the outer edge of the collar. ON INNER EDGE bind off 3 sts. after Rows 103, 105; 2 sts. after Rows 107, (108), 109, 111, 113, (114), 115; 1 st. after Rows 117, 119, (120), 121, 123, 125, 127, 129, 131, (132), 133, 135, 137, 139, 141, 143, (144), 145, 147, 150, 153, 156, (156), 159, 162, 165, 168, (168), 171, 174, 177, 180, (180), 183, 186, 189, 192, (192), 195, 198, 201, 204, (204), 207, 210, 213, 216, (216), 219, 222, 225. After Row 230 bind off the remaining 9 sts.

ON EACH SIDE, increase 1 st. after Rows 18, 36, 54, 72, 78, 84, 90, 96. Knit to Row 102, bind off the center 29 sts., put the needles on the left side into holding position and complete the right half first.

ROWS 8 to 18: Knit even.

ROWS 0 to 7: Knit even, then cast on 9 sts. ON EACH SIDE. (Use a separate length of yarn for the right side).

Cast on 105 sts. with color 2 and work stockinette st.



Move the Cam Box to the left side, turn the Row Counter back to 454 and complete the left half. Follow the instructions from*.

*ON CAM BOX SIDE, bind off 3 sts. after Row 454 (EVEN ROWS = SHOULDER SHAPING); 4 sts. after Rows 455 (ODD ROWS = NECK SHAPING), 456, 457, 458; 2 sts. after Row 459; 4 sts. after Row 460; 2 sts. after Row 461; 4 sts. after Row 462; 2 sts. after Row 463; 4 sts. after Row 464; 2 sts. after Row 465; 4 sts. after Rows 466, 468.


ON CAM BOX SIDE, bind off 4 sts. after Rows 366, 367, 368, 369; 2 sts. after Rows 370, 371, 372, 373, 374, 375; 1 st. after Rows 376, 377, 378, 379, 380, 381, 382, 383, then knit to Row 454, bind off the center 16 sts., put the needles on the left side into holding position and complete the right half first.

Increase 2 sts. for EACH DART after Rows in (). ON EACH SIDE, increase 1 st. after Rows 284, (284), 298, (302), 312, (320), 324, 336, (338), 348, then knit to Row 366. (For the Front Section make the decreases after Row 348 but do not knit).

Decrease 2 sts. for EACH DART after Rows in (). ON EACH SIDE, decrease 1 st. after Rows 54, 68, 82, 96, 110, 124, 138, 152, 166, 180, 190, 200, 210, (212), 220, 230, (230), 236, 242, 248, (248), 254, 260, 266, (266), then knit to Row 284.

ROWS 0 to 54: Knit even.

Cast on 176 sts. with color 1 and work stockinette st.




Cast on 27 sts. with color 2 and work 350 rows K1, P1, Ribbing, then bind off all sts.

Move the Cam Box to the left side, turn the Row Counter back to 426 and complete the left half. Follow the instructions from*.

*ON OPPOSITE SIDE of CAM BOX (NECK SIDE), decrease 1 st. after Rows 426, 432, 438, 444, 450, 456, 462, then again after Rows in (). For SHOULDER bind off 3 sts. after Row 468; (468), 4 sts. after Rows 470, 472, 474, (474), 476, 478, 480, 482.

ON CAM BOX SIDE, bind off 4 sts. after Rows 380, 381, 382, 383; 2 sts. after Rows 384, 385, 386, 387, 388, 389; 1 st. after Rows 390, 391, 392, 393, 394, 395, 396, 397, then knit to Row 426, put all but the center 30 needles into holding position and with a separate ball of yarn knit over the center 30 sts. to Row 436, then bind off these sts. Move the Cam Box to the right side, bring the needles on the right side back into working position, turn the Row Counter back to 426 and complete the right half first.

Work the front section the same as the back section to ROW 348, then work Short Rows for the Bust Darts. ON OPPOSITE SIDE of CAM BOX put into holding position 5 needles after Rows 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361. ON OPPOSITE SIDE of CAM BOX bring back into working position all needles after Rows 362, 363, then knit to Row 380.




HP 3688

SIZE:	40 (Chest 39"-40")	42 (Chest 41"-42")	46 (Chest 45"-46")
YARN:	Sport Prima	Sport Prima	Sport Prima
50 gr. BALLS:	14	15	16
TENSION:	7 to 8	8 to 9	9 to 10
GAUGE:	2" 15 sts. 20 rows	14 sts. 19 rows	13 sts. 18 rows

The instructions are the same for all sizes. PATTERN: Stockinette Stitch. DECREASES: Side Edges: Hang the 3rd st. onto the 2nd st., then move the end sts. inward to fill the empty needle. Front Edges: Hang the 13th st. onto the 12th st., then move the end sts. inward to fill the empty needle. INCREASES: Move the 2 end sts. 1 needle outward, then place the 3rd st. from the row below onto the empty needle. To form the hem, hang the cast-on sts. back onto the machine behind the latches, then knit the following row with 1 to 2 tension settings higher.

FINISHING: Block all sections. Join back and front sections at sides and shoulders. Sew the sleeves together and set in. Weave the open sts. of the facing together, then sew the facing to neckline. Turn under 11 sts. on front edges and neckline and hem to wrong side. Turn under 11 rows on upper edges of pockets and hem to wrong side, then sew the pockets in place. Finish the buttonholes. Sew buttons and snaps in place. (See picture).



Work the left front section with reverse shapings, casting on from right to left. (Cam Box will be on the LEFT side at Row 0). Make **BUTTONHOLES** after Rows 95 and 160 over the 2nd-7th and 17th-22nd sts. counting from the right side.

ON CAM BOX SIDE, bind off 5 sts. after Row 196; (197), 3 sts. after Rows 198, (199), 200; (201), 2 sts. after Rows 202, (203), 204, (205), 206; (207), 1 st. after Rows 208, (209), 210, (211), 212, (213). The Armhole Shaping is now completed. Continue to decrease 1 st. ON NECK SIDE after Rows 215, 217, 219, 221, 225, 229, 233, 237, 241, 245, 249, 253, 257, 261, 265, 269, 273, 277, 281, then again after Rows in (). For **SHOULDER** bind off 4 sts. after Rows 284, (285), 286, 288, (289), 290, 292, (293), 294; 5 sts. after Rows 296, (297), 298, 300. Work over the remaining 11 sts. (FACING) to Row 330, then put these sts. onto a stitch holder.

ON NECK SIDE, decrease 1 st. after Rows 171, 173, 175, (176), 177, 179, 181, 183, 185, (186), 187, 189, 191, 193, 195, then again after Rows in ().

ON CAM BOX SIDE, increase 1 st. after Rows 132, 144, 156, 166, then again after Rows in (). Knit to Row 171.


ON CAM BOX SIDE, decrease 1 st. after Rows 54, 66, 78, 90, 102, 114, then knit to Row 132.

ROWS 31 to 54: Knit even.


ROWS 16 to 30: Knit even, then form the hem. (First 92 cast-on sts. only).

ROWS 0 to 15: Knit even, then cast on 23 sts. ON CAM BOX SIDE.

Do NOT make the **BUTTONHOLES** in the right front section. Cast on 92 sts. and work stockinette st.



Cast on 42 sts. and work 66 rows stockinette st., then bind off all sts.




Cast on 28 sts. and work 50 rows stockinette st., then bind off all sts.

DP 8161


SIZE:	10 (Chest 28")	12 (Chest 30")	14 (Chest 32")
YARN:	Allegro Dralon	Allegro Dralon	Dolly Dralon
50 gr. BALLS:	4 color 1 1 color 2	4 color 1 1 color 2	5 color 1 1 color 2
TENSION:	6 to 8	7 to 9	9 to 10
GAUGE:	2" 15 sts. 21 rows	14 sts. 20 rows	13 sts. 19 rows

The instructions are the same for all sizes. PATTERN: Stockinette Stitch. Lower Edge: K1, P1, Ribbing. INCREASES: Move the 2 end sts. 1 needle outward, then place the 3rd st. from the row below onto the empty needle. To form the hem, hang the cast-on sts. back onto the machine behind the latches, then knit the following row with 1 or 2 tension settings higher.

FINISHING: Block all sections. Join front and back section at sides and shoulders. Sew the sleeves together and set in. Weave the trim to shoulders and sleeves. (See picture). Fold over the sleeve edges. (The hem seam will be at the center of the hem on the wrong side). Sew 1 edge of the neckband to inside and 1 edge to the outside of neckline. Work 1 row of slip st. crochet around the back opening, then sew in a zipper. Sew a button to each sleeve band.



Cast on 93 sts. with color 1 and work 22 rows stockinette st., then bind off all sts.



Cast on 15 sts. with color 2 and work 126 rows stockinette st., then bind off all sts.

ON CAM BOX SIDE, bind off 3 sts. after Rows 64, 65, 66, 67, 68, 69; 2 sts. after Rows 70, 71, 72, 73. ON EACH SIDE, hang the 1st st. onto the 2nd st. after Rows 74, 76, 78, 80, 82, 84, 86, 88, 90, 92, 94, 96, 98, 100. ON CAM BOX SIDE, bind off 2 sts. after Rows 102, 103, 104, 105; 3 sts. after Rows 106, 107, 108, 109; 10 sts. after Row 110.

ON EACH SIDE, increase 1 st. after Rows 28, 34, 40, 46, 52, 58, then knit to Row 64.

ROWS 23 to 28: Knit even.

ROWS 0 to 22: Knit even, then form the hem and change to color 1.

Cast on 72 sts. with color 2 and work stockinette st.

Continued on page 28

DP 8143


SIZE:	12 (Bust 33"-34")	14 (Bust 35"-36")	16 (Bust 37"-38")
YARN:	Subita Crepe 2 x 3	Beatrice Crepe	Crocus Crepe
50 gr. BALLS:	6	7	9
TENSION:	4 to 6	5 to 7	7 to 9
GAUGE:	2" 17 sts. 30 rows	16 sts. 29 rows	15 sts. 28 rows

The instructions are the same for all sizes. PATTERN: Stockinette Stitch with crossed stitches in a Holding Position Design according to the Line Drawing. EDGES: K1, P1, Ribbing. INCREASES: Place the end st. from the row below onto the next empty needle.

FINISHING: Block all sections. Join front and back section at sides and shoulders. Sew the sleeves together and set in. Join the short ends of the collar, then sew 1 edge of collar to inside and 1 edge to outside of neckline.

Line Drawing

First cross the 3rd and 4th, the 11th and 12th, the 19th and 20th etc. st., then put the needles occupied by these sts. into holding position and knit 2 rows. Bring all needles into working position and knit 4 rows. Now cross the 7th and 8th, the 15th and 16th, the 23rd and 24th etc. sts., then put the needles occupied by these sts. into holding position and knit 2 rows. Bring all needles into working position and knit 4 rows. Repeat for pattern.



Bring the needles on the left side into working position, knit 1 row in PATTERN to the left side, turn the Row Counter back to 312 and complete the left half. Follow the instructions from*.

*ON CAM BOX SIDE, bind off 3 sts. after Rows 312 (EVEN ROWS = SHOULDER SHAPING), 313 (ODD ROWS = NECK SHAPING), 314, 315, 316, 317, 318, 319, 320; 2 sts. after Row 321; 3 sts. after Row 322; 2 sts. after Row 323; 3 sts. after Row 324; 2 sts. after Row 325; 3 sts. after Row 326; 2 sts. after Row 327; 4 sts. after Rows 328, 330.

ON CAM BOX SIDE, bind off 3 sts. after Rows 208, 209, 210, 211; 2 sts. after Rows 212, 213, 214, 215, 216, 217; 1 st. after Rows 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, then knit to Row 312, bind off the center 12 sts., put the needles on the left side into holding position and complete the right half first.

ON EACH SIDE, increase 1 st. after Rows 86, 110, 134, 158, 182, then knit to Row 208. (For the Front Section knit to ROW 184).

ROWS 35 to 86: Knit even.

ROWS 0 to 34: Knit even, then change to stockinette st. and work the Pattern Stitch.

Cast on 142 sts. and work K1, P1, Ribbing.

ON CAM BOX SIDE, bind off 4 sts. after Rows 194, 195, 196, 197; 3 sts. after Rows 198, 199, 200, 201, 202, 203; 2 sts. after Rows 204, 205, 206, 207, 208, 209. ON EACH SIDE, hang the 1st st. onto the 2nd st. after Rows 210, 212, 214, 216, 218, 220, 222, 224, 226, 228, 230, 232, 234, 236, 238. ON CAM BOX SIDE, bind off 2 sts. after Rows 240, 241; 3 sts. after Rows 242, 243, 244, 245; 5 sts. after Rows 246, 247; 13 sts. after Row 248.

ON EACH SIDE, increase 1 st. after Rows 30, 40, 50, 60, 70, 80, 90, 100, 110, 120, 130, 138, 146, 154, 162, 170, 178, 186, then knit to Row 194.

ROWS 0 to 30: Knit even, then form the hem.

Cast on 79 sts. and work stockinette st.

Move the Cam Box to the left side, turn the Row Counter back to 292 and complete the left half. Follow the instructions from*.

*ON CAM BOX SIDE, bind off 4 sts. after Row 292 (EVEN ROWS = SHOULDER SHAPING); 5 sts. after Row 293 (ODD ROWS = NECK SHAPING); 4 sts. after Row 294; 3 sts. after Row 295; 5 sts. after Row 296; 3 sts. after Row 297; 5 sts. after Rows 298, 300.

ON CAM BOX SIDE, bind off 4 sts. after Rows 284, 285, 286, 287, 288, 289, 290, 291, then knit to Row 292, bind off the center 23 sts., put the needles on the left side into holding position and complete the right half first.

ON CAM BOX SIDE, bind off 5 sts. after Rows 196, 197; 3 sts. after Rows 198, 199, 200, 201; 2 sts. after Rows 202, 203, 204, 205, 206, 207; 1 st. after Rows 208, 209, 210, 211, 212, 213, then knit to Row 284.


ON EACH SIDE, increase 1 st. after Rows 132, 144, 156, 166, 176, 186, then knit to Row 196.

ON EACH SIDE, decrease 1 st. after Rows 54, 66, 78, 90, 102, 114, then knit to Row 132.


ROWS 31 to 54: Knit even.

ROWS 0 to 30: Knit even, then form the hem.

Cast on 163 sts. and work stockinette st.



Cast on 149 sts. and work 68 rows K1, P1, Ribbing, then bind off all sts.



ON CAM BOX SIDE, bind off 3 sts. after Rows 70, 71, 72, 73; 2 sts. after Rows 74, 75, 76, 77, 78, 79. ON EACH SIDE, hang the 1st st. onto the 2nd st. after Rows 80, 82, 84, 86, 88, 90, 92, 94, 96, 98, 100, 102, 104, 106, 108, 110, 112, 114, 116, 118, 120, 122, 124, 126, 128, 130. ON CAM BOX SIDE, bind off 2 sts. after Rows 132, 133, 134, 135; 3 sts. after Rows 136, 137, 138, 139; 10 sts. after Row 140.

ON EACH SIDE, increase 1 st. after Rows 18, 26, 34, 40, 46, 52, 58, 64, then knit to Row 70.

ROWS 0 to 18: Knit even, then change to stockinette st. and work the Pattern Stitch.



Cast on 90 sts. and work K1, P1, Ribbing.

Bring the needles on the left side into working position, knit 1 row in PATTERN to the left side, turn the Row Counter back to 296 and complete the left half. Follow the instructions from*.

*ON CAM BOX SIDE, bind off 3 sts. after Rows 297, 299 (ODD ROWS = NECK SHAPING); 2 sts. after Rows 301, 303; 1 st. after Rows 305, 307, 309, 311, 315, 319, 323, 327; 3 sts. after Row 330 (EVEN ROWS = SHOULDER SHAPING); 1 st. after Row 331; 3 sts. after Rows 332, 334, 336, 338, 340, 342, 344; 4 sts. after Rows 346, 348.

ON CAM BOX SIDE, bind off 3 sts. after Rows 226, 227, 228, 229; 2 sts. after Rows 230, 231, 232, 233, 234, 235; 1 st. after Rows 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, then knit to Row 296, bind off the center 14 sts., put the needles on the left side into holding position and complete the right half first.

Work the front section the same as the back section to ROW 184, then work Short Rows for the DARTS. ON OPPOSITE SIDE of CAM BOX put into holding position 4 needles after Rows 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201. ON OPPOSITE SIDE of CAM BOX bring back into working position all needles after Rows 202, 203, then knit to Row 226.



Move the Cam Box to the left side, turn the Row Counter back to 192 and complete the left half. Follow the instructions from*.

ON CAM BOX SIDE, bind off 5 sts. after Row 226 (EVEN ROWS = SHOULDER SHAPING); 8 sts. after Row 227 (ODD ROWS = NECK SHAPING); 5 sts. after Row 228; 4 sts. after Row 229; 5 sts. after Row 230; 3 sts. after Row 231; 6 sts. after Row 232; 3 sts. after Row 233; 6 sts. after Row 234.

*ROWS 193 to 226: Knit even.

ON CAM BOX SIDE, bind off 3 sts. after Rows 158, 159; 2 sts. after Rows 160, 161, 162, 163, 164, 165; 1 st. after Rows 166, 167, 168, 169, 170, 171, then knit to Row 192, put 45 needles on the left side into holding position and complete the right half first. (For the Front Section knit to ROW 192, but do not divide the sts.).

ROWS 25 to 158: Knit even.

ROWS 0 to 24: Knit even, then change to stockinette st.


Cast on 114 sts. and work K1, P1, Ribbing.

Move the Cam Box to the left side, turn the Row Counter back to 208 and complete the left half. Follow the instructions from*.

*ON CAM BOX SIDE, bind off 3 sts. after Rows 209, 211; 2 sts. after Rows 213, 215; 1 st. after Rows 217, 219, 221, 223. For SHOULDER bind off 5 sts. after Rows 226, 228, 230; 6 sts. after Rows 232, 234.

ROWS 193 to 208: Knit even, then bind off the center 8 sts., put the needles on the left side into holding position and complete the right half first.

Work the front section the same as the back section to ROW 192.



MK 5399

SIZE:	3 (Chest 22")	4 (Chest 23")	6 (Chest 24"-25")
YARN:	Beatrice Crepe	Allegro Dralon	Allegro Dralon
50 gr. BALLS:	3 color 1 1 color 2 1 color 3	3 color 1 1 color 2 1 color 3	4 color 1 1 color 2 1 color 3
TENSION:	5 to 7	6 to 8	7 to 9
GAUGE:	2" 16 sts, 22 rows	15 sts, 21 rows	14 sts, 20 rows



The instructions are the same for all sizes. PATTERN: Stockinette Stitch and color stripes as marked in the Diagram of the back section. BANDS: K1, P1, Ribbing. DECREASES: ON EACH SIDE, hang the 3rd st. onto the 2nd st. Begin the DARTS by hanging the sts. together as marked in the Diagram. Always move the sts. together to fill the empty needles.

FINISHING: Block all sections. Join front and back section at sides and shoulders. Sew the sleeves together and set in. Turn under 2" at lower edge and hem to wrong side. Gather the lower edge of the sleeves to about 8", then sew the sleeve bands in place. Gather the upper edge of the sleeves to fit in armhole. Sew the sleeves together and set in. Sew the neckband to neckline. Work 1 row of slip st. crochet around the back opening, then sew in a zipper.

Move the Cam Box to the left side, turn the Row Counter back to 186 and complete the left half. Follow the instructions from*.

*ON CAM BOX SIDE, bind off 2 sts. after Rows 187, 189, 191; 1 st. after Rows 193, 195, 197, 199. For SHOULDER bind off 4 sts. after Rows 200, 202, 204, 206; 5 sts. after Row 208.




ON CAM BOX SIDE, bind off 3 sts. after Rows 150, 151; 2 sts. after Rows 152, 153, 154, 155, 156, 157; 1 st. after Rows 158, 159, 160, 161, 162, 163, then knit to Row 186, bind off the center 10 sts., put the needles on the left side into holding position and complete the right half first.

Work the front section the same as the back section to ROW 150.


ON CAM BOX SIDE, bind off 3 sts. after Rows 20, 21, 22, 23; 2 sts. after Rows 24, 25, 26, 27, 28, 29, 30, 31. ON EACH SIDE, hang the 1st st. onto the 2nd st. after Rows 32, 34, 36, 38, 40, 42, 44, 46, 48, 50. ON CAM BOX SIDE, bind off 2 sts. after Rows 52, 53, 54, 55, 56, 57; 4 sts. after Rows 58, 59, 60, 61; 14 sts. after Row 62.

ON OPPOSITE SIDE of CAM BOX put into holding position 30 needles after Rows 0, 1. ON OPPOSITE SIDE of CAM BOX bring back into working position 10 needles after Rows 2, 3, 4, 5, 6, 7, then knit to Row 20, change to color 2 and work the color stripes as marked in the Diagram of the back section.


Cast on 90 sts. with color 1, work stockinette st. and Short Rows.



Cast on 60 sts. with color 1 and work 12 rows K1, P1, Ribbing, then bind off all sts.



Cast on 81 sts. with color 1 and work 12 rows K1, P1, Ribbing, then bind off all sts.



Move the Cam Box to the left side, turn the Row Counter back to 150 and complete the left half. Follow the instructions from*.

ON CAM BOX SIDE, bind off 4 sts. after Row 200 (EVEN ROWS = SHOULDER SHAPING); 6 sts. after Row 201 (ODD ROWS = NECK SHAPING); 4 sts. after Row 202; 3 sts. after Row 203; 4 sts. after Row 204; 3 sts. after Row 205; 4 sts. after Row 206; 3 sts. after Row 207; 5 sts. after Row 208.

*ON CAM BOX SIDE, bind off 3 sts. after Row 150; 2 sts. after Rows 152, 154, 156; 1 st. after Rows 158, 160, 162, then knit to Row 200.

Decrease 2 sts. for EACH DART and 1 st. ON EACH SIDE after Rows 54, 74, 94, 114, 134, then knit to Row 150, put 48 needles on the left side into holding position and complete the right half first. (For the Front Section, knit to ROW 150, but do not divide the sts.)


ROWS 0 to 54: Knit even, then change to color 2 and work the color stripes as marked in the Diagram.

Cast on 146 sts. with color 1 and work stockinette st.

KG 1957

FLOWER CORSAGE

MATERIAL: 1 50 gr. ball color of your choice; 1 50 gr. ball Green; small amount of Yellow
KNITKING Melodie (will make 4 or 5 flowers) Soft Green Florists wire; Pin back — about 1".
TENSION 10: USE EVERY OTHER NEEDLE.



UNIT 1 - 7 Petals. Cast on 43 sts. over EVERY OTHER NEEDLE. Put the 1st and every 6th needle into holding position and knit 12 rows. Be sure to wrap the yarn around the end needle in holding position before knitting each row. Bring all the needles back into working position. (KNITKING MACHINE owners, push back the Left Retractor Button before knitting the 12th row, then release button). Bring the yarn UNDER the end needle, then over and knit this 1 st. by hand, then put it into holding position and knit 1 row over the rest of the needles. If you have a machine other than KNITKING, you may have to knit this one row by hand because of the many strands of yarn over each 6th needle. Break yarn, leaving a long end. Tie the cast-on yarn and the strand of yarn tightly against the last row. Thread a tapestry needle with end of yarn, release all sts. from under the sinkers and take each st. off onto end of yarn. Pull up and tie.

UNIT 2 - 5 Petals. Cast on 31 sts. and work the same as Unit 1, but knit only 10 rows.

UNIT 3 - 3 Petals. Cast on 19 sts. and work the same as Unit 1 and 2, but knit only 8 rows.

LEAVES: Cast on 9 sts. over every needle. Tension 10. Knit 4 rows. *Bring the center needle into holding position, knit 1 row, return the needle to working position, knit 1 row. Continue from * but at the same time, ON EACH SIDE, decrease 1 st. till one remains. Bind off. Pull up the cast on tightly. Make 2 more leaves, but cast on 11 sts. instead of 9.

STEM: Make a cord over 3 needles with Tension 3 (every needle). (KNITKING machine owners, push back the Right Cam Control Button to make cord) and knit 108 rows (empty rows do count). Bind off.


FINISHING: Pull Unit 3 through center of Unit 2, then both through Unit 1. Thread one of the strands into a sharp needle and take a few stitches through center of petals to hold them in place. With Yellow, make 5 french knots in center of flower. Arrange leaves under flower so they will peak out from petals (see picture) and sew in place. Run wire through center of cord, arrange pleasingly, then sew securely on back of flower. Sew on pin back.

KG 1957 — Need a quickie Gift . . ? then knit a Flower Corsage Pin in a jiffy . . . and be sure to make one for yourself too. One ball of KNITKING Melodie in Flower color, plus 1 ball of Green will make 5 or more.


*Travel
Light
Travel
Lovely*

DK 8142 — Shades of Violet!! Stripe a Sport Suit in your favorite shades and win the "Best of Fashion" at any port. It's quickly knitted in Stockinette stitch. For the Pullover, see DP 8143 in this issue. Size 10, KNITKING Subita Crepe 2 x 3; Size 12, Beatrice Crepe; Size 16, Crocus Crepe.

DK 8141 — Take your trip in stride . . . wearing a suit with free moving Skirt that buttons down the front. The Jacket is made for wearing with a collared Blouse and Tie. Knit it in Stockinette stitch with 1'x 1 Rib for the neckband. Size 8 is knitted with KNITKING Crocus Crepe; Size 10, Amore; Size 14, Dolly Dralon Crepe.







DP 8143 — It's a lovely Pullover (shown in color with Suit DK 8142) that is knitted in a Holding Position Design and cross over stitches. Knit it with KNIT-KING Subita 2 x 3 for a Size 12; Beatrice Crepe for a Size 14; Crocus Crepe for a Size 16.

MK 5399 — Perfect traveler . . . Any small girl will adore this pretty dress with colorful stripes on the skirt section and on the puffy sleeves. Knit it in Stockinette stitch with ribbed bands. Size 3 is made with KNITKING Beatrice Crepe; Sizes 4 and 6 with Allegro Dralon.

NEW! NEW!! NEW!!!

1. THREE COLOR YARN FEEDER

For Easy Multi-Color Knitting - Jacquard Designs, etc. Feeders are Self-Adjusting. Fits AM 3 Model KNITKING only. Price - \$17.50 plus \$1.50 Shipping costs (Calif. residents add 88 cents Sales Tax).

2. AUTOMATIC COMPENSATOR FOR INCREASING - DECREASING


Simple to use . . . Overcomes the need to reset Dial when increasing or decreasing . . .

Send your AM 3 Cam Box to KNITKING (pack it in a good sized box stuffed with tightly rolled sheets of newspaper). We will service it completely . . . fit new Controls and supply new set (eleven) of Cams. Your old Cams are not suitable for the new Controls.

Price - \$19.50 plus \$2.00 Shipping costs (Calif. residents add 98 cents Sales Tax).

Order Direct From KNITKING

1128 Crenshaw Blvd. • Los Angeles, California 90019







Ship Ahoy

DK 8156 — Always in fashion, the Sailor Dress is a favorite one . . . so choose two colors and knit one for yourself. It's simple to make in Stockinette stitch . . . Add a soft silk Scarf. Size 10 is knitted with KNITKING Subita Crepe 2 x 3; Size 12, Crocus Crepe; Size 14, Amore.


HP 3689 — Spring surprise for your man . . . a brand new Pullover uses contrast color for the Yoke and has great bold stripes for the Sleeves . . . It's perfect for sightseeing . . . for sailing . . . for him. Knit Size 38 with KNITKING Subita Crepe 2 x 3; Size 40 with Beatrice Crepe; Size 42 with Crocus Crepe.





HP 3688 — For him . . . for Town or Travel . . . He'll wear this simulated double breasted Jacket everywhere. It's quickly knitted in stockinette stitch and has 3 man-sized pockets. Use **KNITKING Sport Prima** for Sizes 40, 42, 46.

KK 5401 — Coordinate colors and knit a 3-piece suit for a young man on the go. Perfectly tailored pants, Pullover and Jacket . . . all knitted in Stockinette stitch with Ribbed bands. Size 4 is knitted with **KNITKING** machine wash and dry Allegro; Size 6 and 8 with **Dolly Dralon** (also machine wash and dry).



KNITTING NEWS

March/April, 1973

WHIZ KING PATTERN READER

Our fantastic new accessory is really setting the machine knitting world on its ear... Entire shipments are sold out before we receive them... The popularity of the Pattern Reader in all parts of the world is so great that our factory in West Germany is experiencing difficulty keeping up with orders... If you had to wait a couple of weeks for your WHIZ KING, please accept our apologies. All orders from owners of KNITTING machines are now being filled within a week of their arrival and we expect very shortly to ship within two days (see section 6 below if you own another brand of knitter)... So, please get you order in as soon as possible. Your WHIZ KING will immediately become your most used accessory.

Hundreds of letters are coming in with inquiries about Charts and Charting services, etc... We cannot answer them all individually without a great deal of delay, so we will try to cover the most frequent questions herewith.

1. Your WHIZ KING will arrive complete with Instruction Book and an illustrated Booklet with 50 pictures from past and future editions of KNITTING MAGAZINE plus four sets of Charts for practice work.
2. The practice Charts are for simple to make garments and they include:
 - A. Girl's Cardigan in sizes for 5 to 10 years.
 - B. Man's Sleeveless Pullover - Sizes 32 to 40.
 - C. Boy's Pullover - Sizes for ages from 6 to 10.
 - D. Women's or Teen's Pullover - Sizes from 6 to 16.

We think that the practice Charts include something for every WHIZ KING owner and that after one garment is completed using them, the making of garments from Pattern Reader Charts will be child's play....

3. After completing your practice garment, you should order any of the sets of Charts from the 50 illustrated in the Booklet. They each are in a range of sizes and will vary in price according to the number of pieces in a set. Prices are between \$1.00 and \$3.00... If you buy the KNITTING YARNS that the original garments were made with, sets of Charts will be furnished free of charge.
4. We are accumulating at KNITTING headquarters an assortment of equipment necessary to draw custom Charts speedily and accurately.. Speed is necessary in order to provide Charts at low prices... Again, Charts will be free where KNITTING YARNS are used... If you wish to use other brands of yarn, you will most likely need to send your knitted swatch to us, but watch this magazine for

full information as we are not yet set up for custom Charting.

5. If you like to do your own charting, the special graph paper needed is available from us at the introductory price of 8 sheets for \$2.00 plus 20¢ mailing costs... Because graph paper is drawn in stitches and rows, the drawing of your own charts becomes relatively simple.
6. WHIZ KING PATTERN READER accessories are made primarily for KNITTING machine, Model AM 3... but, its basic operating principal can be adapted to any brand of machine... We will make adaptors only for the most popular brands... When you order your WHIZ KING, you must tell us the brand and Model Number you are ordering it for... If we cannot provide adaptors for your machine, we will refund your money... In any case, there will be a small delay in supplying WHIZ KING'S for brands of machines other than KNITTING because of the adaptor problems, so please be patient with us and you will find your PATTERN READER well worth waiting for.

SHORT ROW KNITTING

We did not have space in our last issue of KNITTING MAGAZINE to complete the article on knitting Short Rows... so here are the two other methods..

METHOD NO. 2: This is a quickie method - not as good as the first one, but it is OK for making baby booties using a fine 2-ply yarn... for shaping Headbands... and a variety of household items such as round Potholders or placemats etc., etc. With a light weight yarn, using tension 3 or 4, cast on 31 sts. Knit 20 rows. ON SAME SIDE AS CAM BOX, put 1 needle into holding position before each of the next 24 rows. Wrap the yarn around the inside needle this ONE TIME ONLY, then ON OPPOSITE SIDE OF CAM BOX, bring back into working position, 1 needle before each of the next 24 rows (do not wrap the yarn). Knit 20 rows, then bind off. Pull sample into shape and look at the heel (or toe) you have just made... It looks a bit different than the other and has a tiny hole where the short rows are made.

METHOD NO. 3: SELF WRAP SHORT ROWS

This type of Short Row is almost as good as Method No. 1, but not quite. It is fine for knitting with heavy weight yarns especially and mohairs... good for socks and slippers. Cast on 40 sts. Knit 20 rows. ON SAME SIDE AS CAM BOX, put 1 needle into holding position before each of the next 34 rows. Wrap the yarn around the inside needle in holding position THIS ONE TIME ONLY. Now *ON OPPOSITE SIDE OF CAM BOX, bring 2 needles back into working position, knit across, then put the INSIDE NEEDLE BACK INTO HOLDING POSITION. REPEAT from * until all the needles are back in working position.

SELF WRAP SHORT ROWS can also be made when you are putting the needles into holding position, but this should only be used where you will immediately bind off the sts... such as in shoulder

or neck shaping. For example: Cast on 40 sts., knit 20 rows using tension 5 or 6. Now*ON OPPOSITE SIDE OF CAM BOX, Put 7 needles into holding position, knit across, then bring the inside needle that is in holding position, back into working position (6 are left in hold). REPEAT from * 3 times more. Now ON OPPOSITE SIDE OF CAM BOX, bring ALL the needles back into working position before knitting the next 2 rows and be sure to turn your tension UP at least 3 numbers so that you knit the LAST ROW with a loose tension and then bind off the crochet method.

TRIMS


Trims are fun to make and you can always add to your own collection. Here are three lovely ones that are quick and easy to make. Remember to begin and end using contrast waste yarn, then you can always add to, or take off rows if you need to. Some trims can be made wider by adding extra stitches... experiment a bit and you will come up with some new trims of your own.

SWIRL: Allegro Dralon. Tension 5 to 7. Bring 8 needles into working position. Counting from the right, put the 5th needle back into the out of work position and leave it there. Cast on over the remaining 7 needles. Knit 2 rows. *Counting from the right, put needles 2, 3, 4, 5, 6, 7 into holding position, knit 4 rows over 1

needle in work. Counting from the right, bring back into working position 1 needle, knit 4 rows 3 x (4 needles in work). Bring all the needles into working position and knit 6 rows. REPEAT from * for as long as you need. Pull into shape and press lightly.

ALI-LOOP: Allegro Dralon. Tension 6 to 8. Bring 11 needles into working position. Counting from the right, put back into the out of work position, needles 4, 7, 9 and leave them there. Cast on over the remaining 8 needles. Knit 2 rows. *Counting from the right, put needles 3, 4, 5, 6, 7, 8 into holding position, knit 6 rows. Bring back into working position needles 3, 4, 5, 7, 8. Knit 3 rows. Return needle 6 to working position and knit 3 rows. REPEAT from * for as long as you need. Press lightly.

REVERSIBLE (Plecrust on Purl side, Loops on Knit side). Subita 2 x 3: Tension 3 or 4... Allegro Dralon: Tension 5 to 7. Cast on 9 sts. Knit 2 rows. *ON OPPOSITE SIDE of CAM BOX, put 6 needles into holding position, knit 10 rows. Bring all the needles back into working position, knit 3 rows. ON OPPOSITE SIDE OF CAM BOX, put 6 needles into holding position, knit 10 rows. Bring all the needles into working position, knit 3 rows. REPEAT from * for as long as you need. Pull down strongly so that the plecrust forms on the purl side. No need to press.



ARE YOU UNHAPPY WITH YOUR PRESENT KNITTING MACHINE ?

- DOES IT REFUSE TO KNIT FANCY DRESS YARNS?
- DOES IT JAM UP WHEN YOU TRY TO KNIT LOOPED MOHAIR OR THICK AND THIN YARNS?
- DOES IT DROP STITCHES ALL OVER THE PLACE?
- ARE YOU CONTINUALLY HAVING TROUBLE WITH AWKWARD, CUMBERSOME WEIGHTS?
- ARE YOU UNABLE TO MAKE A LARGE GARMENT WITH BULKY YARNS?
- DO YOU HAVE TO SELECT PATTERN STITCHES MANUALLY?
- DO YOU HAVE TO LATCH YOUR RIBBING BY HAND?

IF YOU ARE HAVING ANY OF THESE PROBLEMS YOU SHOULD TRADE UP TO A NEW FANTASTIC PUSH BUTTON KNITTING WITH COORDINATED RIBBER AND ENJOY KNITTING WITH THE WORLDS FINEST, MOST VERSATILE AND MOST AUTOMATIC KNITTER.

YOU WILL BE SURPRISED AT OUR GENEROUS TRADE-IN ALLOWANCE AND YOU CAN, IF YOU WISH, USE YOUR PRESENT MACHINE AS A DOWN-PAYMENT AND PURCHASE A COMPLETE KNITTING FOR JUST PENNIES A DAY. WRITE TODAY FOR FULL INFORMATION AND TELL US WHAT MACHINE YOU NOW OWN. THE ADDRESS IS:

KNITTING, Dept. T-1, 1128 Crenshaw Blvd., Los Angeles, Calif. - 90019

NOTES TO KNIT BY . . .

STITCH AND ROW GAUGE

KNIT A SAMPLE SWATCH . . . before you begin to knit any garment . . . for this is the **MOST IMPORTANT STEP** toward the correct size and the proper fit of any garment you wish to make. You **MUST** use the **SAME YARN** for your sample swatch that you will use to knit your garment and your sample swatch must be knitted large enough and using several different tension numbers on your machine. When you have done this, then you can determine the number of stitches and the number of rows in a two-inch measure. **KNITTING MAGAZINE PATTERNS** give you 3 tensions to try and one of them should give you the correct stitch and row gauge if you are using the yarn we recommend or a similar weight yarn. Here is the way to make your sample swatch.

Cast on over a sufficient number of needles to produce a swatch at least 4 inches wide. (If the pattern calls for 16 stitches to 2", then 16 x 2 = 32 stitches to cast on). Now knit 4 inches of rows at the first suggested tension number. (If the pattern calls for 22 rows to 2", 22 x 2 = 44 rows to knit). Knit 2 rows using a contrast color, change to the next higher tension and with garment yarn knit another 4", knit 2 rows with contrast color, change to the 3rd higher tension and knit another 4" and then bind off.




Roll the swatch into a cylinder over its length and pull on both ends, unroll it and stretch it diagonally by pulling on the four corners. Allow the swatch to rest and settle (preferably overnight) and then using a stitch gauge or a ruler, count the number of stitches over a 2" width, then the number of rows over a 2" length in EACH of the 3 tensions. Select the tension number that produces the stitches and rows called for in the pattern. If none of them are correct, you are most likely using the wrong weight of yarn.




READING OF CHARTS


You will notice the instructions start at the bottom of the Chart and work UP. Follow the charts exactly as written and providing your sample stitch and row gauge is correct, your garment will come out the right size. Please remember that the section of garment as it is knitted on the machine, faces the same way as the Charts are in this magazine. Where two front pieces are needed, (or any other part of a garment that needs two sections) only one section is normally shown and the second section is usually made with reverse shaping. Set in sleeves are usually identical, but raglan sleeves have to be knitted with reverse shaping for the second sleeve.


READING OF SYMBOLS

To simplify Pattern Knitting, we use Symbols in the Line Drawings and the Chart Diagrams. In the Line Drawings the symbols are shown and are to be read as you look at them while knitting a garment. For instance, if

a Purl stitch faces you, the Purl stitch Symbol  is shown; if a knit stitch faces you (as when using the Ribber) then this Symbol  is shown. The Symbol  at the top of the Line Drawing is the center of the garment section and you use this as a guide for setting up the needles.

The following Symbols    are used for Eyelet Designs in the Line Drawings and also for Full Fashion shaping on the Charts. The Line Drawings have row numbers on the right side. Missing Row numbers are always knitted straight or plain.

In Holding Position Designs  selected needles are pushed into holding position for the stated number of rows. The numbers of rows appear at the right of the Line Drawings; Example: 1-4 means knit Rows 1 to 4; 5 to 7 means knit Rows 5 to 7, etc. This same Symbol is also shown on the Charts and is used for putting needles into holding position for Short Rows. The

Symbol  on the Charts is used to put needles back into working position when knitting Short Rows.

A number in a box stands for the number of rows to be knitted between shapings. Make shaping first, then knit the necessary number of rows. If for instance it reads:

1 st. 8 x



1 st. 10 x



As you will be reading the instructions from the bottom up, here is the way you will follow them: . . . Decrease or increase (depending on the direction of the garment outline) 1 st. at the row where the shaping begins, then knit 8 rows, make the next decrease, then knit 8 rows, until you have decreased (or increased) 1 st. 10 x and you have knitted 8 rows after each decrease (or increase) (1 st. 10 x +8 rows 10 x). Now begin the first decrease (or increase) for the shaping (which has to be made 8 x) in every 6th row. Decrease (or increase) 1 st. first, then knit 6 rows until you have decreased 1 st. 6 x and after each decrease (or increase) have knitted 6 rows (1 st. 8 x + 6 rows 8 x).

Where shapings are given without a boxed number as on most armholes, necklines, etc., make the shapings on every second row (on each side of course).

(See below for more Pattern Stitch Symbols.)

PATTERN STITCH SYMBOLS



= knit stitch



= purl stitch



= empty needle (leave in working position)



= needle not used (in the out of work position)



= needle in the holding position



= Needles back into working position.



= 2 stitches on 1 needle - either transferred from the right side or the left side, then put the needle into holding position



= needle holding 2 stitches. Stitch has been transferred from the LEFT



= needle holding 2 stitches. Stitch has been transferred from the RIGHT



= 3 stitches on 1 needle. The 1st and 3rd stitch in a group of 3 needles has been hung on the 2nd or center needle.



= Center of Garment Section.



= Number of rows to be knitted between shapings.

The diagrams (Line Drawings) for pattern work are followed just as they are shown and are to be read as you look at them while knitting the garment.

open darts



closed darts



