









knitking

magazine

july/aug '72





1. Treble Transfer Tools for rapid transfer of stitches and for Cable Stitch. \$1.80 pair plus 50¢ shipping.

2. 33 Needle Multi-Transfer Tool. For decreasing in the middle of a row. \$3.25 plus 50¢ shipping.

3. KNITKING Weaving Accessory (for AM 3 machine). Weaves an additional thread into your knitting and produces patterns with a woven appearance. \$7.95 plus 65¢ shipping.

4. Converta Tape. For simple and speedy charting of custom knits. \$7.95 plus 50¢ shipping.

accessories

5. Reversing Bar. For easy hem turning or reversing of knitting. \$18.95 plus \$1.50 shipping.

6. Adjustable Needle Selector. For setting unevenly spaced pattern stitches. \$3.50 plus 50¢ shipping.

7. KNITKING Pattern Stitch Cards (for AM 3 machine only). 48 Pattern Cards with 96 beautiful patterns in color and black and white. Simple row by row instructions. \$9.50 plus 95¢ shipping.

8. Yarn Winder and Skein Holder. Heavy cast frame and nylon gears. \$16.95 plus \$1.60 shipping. Without Skein Holder \$13.50 plus \$1.00 shipping.

California residents add 5% Sales Tax

KNITKING • 1128 Crenshaw Blvd., Los Angeles, California 90019

knitking

magazine

INDEX	PAGE NO.
DP 8122	Woman's Jacket and Pullover 14
DP 8124	Woman's Pullover and Shell 15
DP 8112	Woman's Pullover 17
DK 8111	Woman's Suit 18
DP 8099	Woman's Tunic 19
DK 8016	Woman's Pullover, Pants and Long Vest 20
DK 8052	Woman's Pullover, Skirt and Short Vest 22
DP 8103	Woman's Vest 24
DP 8100	Woman's Sleeveless Pullover 24
HP 3678	Man's Jacket 25
KK 5385	Child's Overalls, Pullover and Skirt 26
KK 5317	Boy's Jacket 28
HP 3649	Man's Jacket 29
MK 5347	Girl's Pullover and Skirt 29
KK 5346	Boy's Jacket, Pants and Pullover 30
KG 1946	Slipper Mocs 32
KG 1945	Baby Mocs 32



KNITKING
1128 Crenshaw Blvd.
Los Angeles, Calif. 90019

ORDER IT NOW!

Every reader of KNITKING MAGAZINE needs the new big beautiful KNITKING YARN CATALOGUE with 329 actual yarn samples . . . the finest from around the world in an unbelievable range of colors.



FRONTPIECE
KNITKING PREDICTS your Fashion Future . . . all beautiful easy to care for knits . . . and with the look you've always wanted. Knit our striking Cover Jacket DP 8122 with its coordinated short sleeved Pullover . . . Both softly fitted at the sides and so flattering to any figure. Three sizes; 10, 12, 16. See page 14

BACK COVER - DK 8124

Wear the Sleeveless Shell over any Skirt, then, when the winds blow, top it with a long sleeved Pullover. The Shell is knitted in stockinette stitch with Rib Collar . . . The Pullover is in a holding position design with a rib neckband in a contrasting color. Size 12, 14, and 16. See page 15

Publisher: KNITKING CORPORATION, 1128 Crenshaw Blvd., Los Angeles, Calif. 90019. Telephone: WEbster 8-2079. Published bi-monthly. Subscriptions: USA - \$6.00 annually, single copies \$1.50; Canada - \$7.00; other parts of the world - \$10.00. The entire contents of KNITKING MAGAZINE are copyright and must not be reproduced in any shape or form without the express permission, in writing of the publisher. COPYRIGHT © by KNITKING CORPORATION 1972.


Printed by George Rice & Sons, Los Angeles, California

I enclose one dollar
Please RUSH my beautiful new
KNITKING YARN CATALOGUE to me at:

Name _____

Address _____

City _____ State _____ Zip _____



BOOKS by KNITKING



NEW VOLUME AVAILABLE NOW

A complete eighth volume of KNITKING MAGAZINES with a flexible, transparent plastic cover and specially bound so that it will stay open at any page, is available at the special price of \$6.95 (plus 95 cents mailing costs).

If purchased separately the magazines would cost a total of \$9.00.

The volume contains over 120 fully illustrated complete stylish patterns for all members of the family together with many valuable, practical knitting hints.

There is a very limited number of these volumes available and it will undoubtedly become a collectors item.

If you already have the entire set it will almost certainly be well thumbed and marked. Why not purchase a perfect mint condition volume for your bookshelf and ready reference at any time.

Place your order today and avoid disappointment. Send it to KNITKING MAGAZINE, 1128 Crenshaw Boulevard, Los Angeles, California 90019.

PRACTICAL KNITTING HINTS

We call this book the TEXT BOOK for machine knitters because it answers the many questions that occur in machine knitting, from preparing to knit, taking measurements, shaping, making buttonholes, special effects, bindings, bands and edges, etc., through finishing and blocking. It sells for **\$2.95**

40 cents mailing
Calif. residents add 5% Sales Tax

I enclose \$7.90

Please RUSH my bound Eighth Volume of
KNITKING MAGAZINE to me at:

Name _____

Address _____

City _____ State _____ Zip _____

knitking

magazine

It can truthfully be said that 'There is never a dull moment at KNITKING' ... We never let up in our endeavors to improve services to our customers... It seems that every day something new is developing... In knitting machine techniques... in garment designs... in use of yarns... etc., etc., ... Our Instruction Center is usually filled with enthusiastic KNITKING owners eager to model their own creations and talk "knitting" ... The daily activity at KNITKING has in fact caused several customers to comment that KNITKING has Seminars every day.

This is the time of year when we have visitors from all over the country stopping by to say 'hello' and tell us of their likes and dislikes... and to join in the fun ..! For several years now, the most asked question by visitors and in correspondence has been "When are you going to have color inside KNITKING MAGAZINE ...?" We have always said that we looked forward to that day as eagerly as our readers ... and now ... at last ... it is going to happen ..! The next issue of KNITKING MAGAZINE will have a total of ten pages in full color ... A rough layout has already been made and we think it is beautiful ... Easily our best production to date and filled with stylish, easy to knit garments ... All created with the magnificent new range of KNITKING YARNS that will be available at the same time.

The new KNITKING YARN CATALOGUE should be ready during August and it will include many wonderful new yarns along with the finest from our present collection ... We honestly believe our yarns to be the finest available anywhere ... they are all exclusive to KNITKING and once you use them, you will get 'hooked' on their superb quality and the distinctive appearance they give to your knitted garments.

As we told you in the previous issue, yearly subscriptions starting September will be \$7.00 ... two year subscriptions \$12.00; Canada will be \$8.00 a year or \$14.00 for two years. Foreign subscriptions will continue to be \$10.00 a year ... so, if your subscription is running out, renew it now at the present rate of \$6.00 (Canada \$7.00) and make certain that you do not miss our first issue 'in color' ...

LETTER
from the
PUBLISHER



DK 8111

Women's clothing has more shaping for this season and Suit Jackets are shaped at the sides. Knit our lovely two-piece Suit and put some zip into your wardrobe. You will enjoy the plaid knitting which is easier to do than you think. Two colors of Subita Crepe 2 x 3 for a Size 14; Size 16, Fortissima; Size 18, Subita Crepe 2 x 4. See page 18





DP 8112


A classic Pullover is knitted quickly in stockinette stitch with ribbed bands. The short sleeves make it perfect to wear with the Suit DK 8111. Sizes 14, 16, 18 are all knitted with Subita Crepe 2 x 3. See page 17



DK 8016

Here is a fabulous three-piece ensemble with a way-ahead look. The Pants are made in 2 easy sections . . . The Pullover has a ribbed design down the center front and on a long cuff section of the

sleeve. The long Vest is brightened with wide bands of color and a swinging fringe. Size 10 is knitted with Subita Crepe 2 x 3; Size 12, Crocus Crepe; Size 16, Amore. See page 20



DP 8099

Wear a Tunic over Pants or a Skirt and tie some tassels at your waistline. 4 colors stripe the inset and lower edge of Sleeves. The stripes are worn on the Purl side (sometimes called reverse stockinette stitch). For Size 10, use Subita Dralon 3-ply; Size 12, Excelsior; Size 16, Lovely. See page 19



DK 8113

Our half size Friends will be ecstatic over a special Jumper designed just for them. It's perfect for any occasion and we won't be surprised if you order yarn for a second one. It is knitted in stockinette stitch with a contrast color for all bands. Size 14½ is knitted with Subita Crepe 2 x 4; 18½, Excelsior; 20½, Double Knitting. See page 23



DK 8052

For the young and fun loving set. A complete outfit consisting of Skirt, Skinny Rib Pullover . . . topped with a shortie Vest. Trim the Skirt with appliques . . . flowers . . . bugs . . . horses . . . whatever is her bag . . . and she'll adore it. Size 10, Fortissima; Size 12, Subita Crepe 2 x 4; Size 16, Crocus Crepe. See page 22



DP 8103

Knit a Vest with a simulated Aran Isle patterned front . . . It's not difficult . . . you need only to follow the Line Drawing for the small Cable design. Size 12 and 14 are knitted with Subita Crepe 2 x 3; Size 16 with Subita Crepe 2 x 4. See page 24



DP 8100

The perfect breeze stopper Topper . . . A Norwegian design sleeveless Pullover is gay and very much a fashion must . . . so knit this one in two colors. Follow the Line Drawing, or use your JAC 40 and Pattern No. 458. All bands are ribbed. Size 10, Subita Crepe 2 x 4; Size 12, Subita Dralon 3-ply; Size 16, Lovely. See page 24





HP 3678

He does not have to be a woodsman to wear this warm and comfortable Lumber Jacket styled for the great outdoors. Stockinette stitch is combined with a holding position design and two colors of Crocus Crepe are used for a Size 40; Lovely for Size 42; Double Knitting for Size 46. See page 25



HP 3680

Everything about this Pullover will please your man. The front and back is knitted in a holding position design . . . just follow the Line Drawing . . . The sleeves are in stockinette stitch and all bands are Ribbed. For a Size 40, use Subita Dralon 3-ply; Size 42, Sonika Dralon; Size 46, Amore. See page 26






**MK 5347 and
KK 5346**

Sister and Brother pose for pictures . . . HERS: MK 5347, a very attractive Skirt with a ribbed Pullover. Knit Size 8 with three colors of Subita Crepe 2 x 3; Size 10 and 12 with Fortissima. See page 29
HIS: KK 5346, Jacket, Pants and Pullover. Use three colors of Subita Crepe 2 x 3 for Size 6; Fortissima for Sizes 8 and 10. See page 30

KK 5317
A Boy's zippered Jacket is for all seasons and this one has a Rib pattern on the front and back sections with the sleeves and pockets in stockinette stitch. For Size 8, use Subita Crepe 2 x 4; Size 10, Lovely; Size 12, Double Knitting. See page 28





HP 3649
Excellent styling for a Man's warm zippered Jacket. It's knitted in stockinette stitch with the sleeves and pockets in a holding position design. The Collar and bands are a 1 x 1 Rib. Size 40, Crocus Crepe; Size 42, Subita Crepe 2 x 4; Size 46, Lovely. See page 29



KK 5385

Two outfits in one . . . Dress your small boy (or girl) in the ever popular Overalls and Pullover. The Skirt for a little girl is an added bonus Pattern and is knitted using Short Rows. Stripe the Pullover or make it plain. Size 2 and 3 are made with Subita Dralon 3-ply; Size 6, Sonika Dralon (both machine wash and dry). See page 26



**KG 1945 and
KG 1946**

BABY MOCS . . . Make great Shower gifts for that new Baby. Knit them in a jiffy . . . they are practically finished when you take them from the machine and pull them into shape. **SLIPPER MOCS** are for anyone . . . any size . . . and they are cozy when used as bed slippers too. Try a pair . . . or several pair. See page 32



SIZE: 10 (Bust 31"-32½") 12 (Bust 34"-35½") 16 (Bust 37"-38½")

JACKET: Double Knitting

YARN: Sonika Dralon
10 Color 1
1 Color 2
6 to 8
15 sts, 21 rows

TENSION: 2" 10 Color 1
16 Color 1

GAUGE: 2" 7 to 9
14 sts, 20 rows

PULLOVER: Subita Dralon 3 ply
6
4 to 6
16 sts, 22 rows

YARN: Lovely
12
8 to 10
14 sts, 20 rows

50 gr. BALLS: 6
4 to 6
16 sts, 22 rows

TENSION: 2" 12
8 to 10
14 sts, 20 rows

GAUGE: 2" 12
8 to 10
14 sts, 20 rows

The instructions are the same for all sizes. **PATTERN:** Stockinette Stitch, JACKET TRIM: Knitted Cords. (See Practical Knitting Hints Book, Page 58). **PULLOVER EDGES:** K1, P1, Ribbing, **DECREASES:** Side Seams: Hang the 2nd st. onto the 2nd st., then move the end sts. inward to fill the empty needle; Front Edge: Hang the 23rd st. onto the 22nd st., then move the end sts. inward to fill the empty needle. **INCREASES:** Move the 2nd st. onto the 2nd st., then place the 3rd st. from the row below onto the empty needle. To form the hem, hang the cast-on sts. back onto the machine behind the latches, then knit the following row with 1 to 2 tension settings higher.

FINISHING: Block all sections. **JACKET:** Join back and front sections at sides and shoulders. Sew the sleeves together and set in. Weave the open sts. on the neck facing together, then sew facing to neckline. Turn under 11 sts. around front edges and neckline and hem to wrong side. Turn under 16 rows on upper edge of pockets and hem to wrong side. For the cords knit 1800 rows for front, neckline and lower edge; 120 rows for each pocket; 170, 180 and 190 rows for each sleeve. Use Color 2, tension 1 and knit cords over 3 needles. The empty rows do count as rows. Sew the cords in place (See picture). Sew the pockets in place. Finish buttonholes, sew on buttons. **PULLOVER:** Join front and back section at sides and shoulders. Sew the sleeves together and set in. Join short ends of collar, then sew collar to neckline and fold to outside.



Move the Cam Box to the left side, turn the Row Counter back to 222 and complete the left half. Follow the instructions from*.

*ON CAM BOX SIDE, bind off 3 sts. after Rows 223, 225; 2 sts. after Rows 227, 229, 231; 1 st. after Rows 233, 235, 237, 241. For SHOULDER bind off 4 sts. after Rows 248, 250, 252, 254, 256, 258, 260.

ON CAM BOX SIDE, bind off 3 sts. after Rows 172, 173, 174, 175; 2 sts. after Rows 176, 177, 178, 179, 180, 181; 1 st. after Rows 182, 183, 184, 185, 186, 187, then knit to Row 222, bind off the center 19 sts., put the needles on the left side into holding position and complete the right half first.

Work the front section the same as the back section to Row 148, then work Short Rows for the DARTS. ON OPPOSITE SIDE of CAM BOX put into holding position 9 needles after Rows 148, 149, 150, 151, 152, 153, 154, 155. ON OPPOSITE SIDE of CAM BOX bring back into working position all needles after Rows 156, 157, then knit to Row 172.

Move the Cam Box to the left side, turn the Row Counter back to 240 and complete the left half. Follow the instructions from*.

*ON CAM BOX SIDE, bind off 4 sts. after Rows 240 (EVEN ROWS = SHOULDER SHAPING), 241 (ODD ROWS = NECK SHAPING), 242, 243, 244; 2 sts. after Row 245; 4 sts. after Row 246; 2 sts. after Row 247; 4 sts. after Row 248; 2 sts. after Row 249; 4 sts. after Rows 250, 252.


ON CAM BOX SIDE, bind off 3 sts. after Rows 164, 165, 166, 167; 2 sts. after Rows 168, 169, 170, 171, 172, 173; 1 st. after Rows 174, 175, 176, 177, 178, 179, then knit to Row 240, bind off the center 23 sts., put the needles on the left side into holding position and complete the right half first.

ON EACH SIDE, increase 1 st. after Rows 66, 82, 98, 114, 130, 146, then knit to Row 164. (For the FRONT Section knit to Row 148).

ROWS 27 to 66: Knit even.

ROWS 0 to 26: Knit even, then change to stockinette st.

Cast on 125 sts. and work K1, P1, Ribbing.



Work the second front section with reverse shapings, casting on from right to left. (Cam Box will be on the LEFT side at 0). Omit the buttonholes.

ON CAM BOX SIDE, bind off 4 sts. after Row 216; 3 sts. after Row 218; (218), 2 sts. after Rows 220, 222, 224; (224), 1 st. after Rows 226, 228, 230, (230), 232. The Armhole Shaping is now completed. Continue to decrease 1 st. ON NECK SIDE after Rows 236, 242, 248, 254, 260, 266, 272, 278, 284, 290, then again after Rows in (). For SHOULDER bind off 3 sts. after Row 296; (296), 4 sts. after Rows 298, 300, 302, (302), 304, 306, 308. Work over the remaining 22 sts. to Row 344, then put the sts. onto a stitch holder.

Decrease 1 st. ON NECK SIDE after Rows in (). Work Short Rows for the DART. ON OPPOSITE SIDE of CAM BOX put into holding position 5 needles after Rows 193, (194), 195, 197, (198), 199, 201, (202), 203. After Row 205 bring all needles back into working position, decrease 1 st. ON NECK SIDE after Rows 206, 212, then again after Rows in (). Knit to Row 216.

Make buttonholes after Rows in () over the same sts. as before. ON CAM BOX SIDE, increase 1 st. after Rows 132, (136), 144, 156, 168, 180, (184), 192, then knit to Row 193.


Make buttonholes after Row in () over the 2nd-6th and 16th-21st sts. counting from the left side. ON CAM BOX SIDE, decrease 1 st. after Rows 48, 56, 64, 72, 80, 86, (88), 92, 98, 104, 110, 116, then knit to Row 132.

ROWS 33 to 48: Knit even.

ROWS 17 to 32: Knit even, then form the hem.

ROWS 0 to 16: Knit even, then cast on 22 sts. ON OPPOSITE SIDE of CAM BOX. (Use a separate length of yarn).

Cast on 69 sts. and work stockinette st.







ON CAM BOX SIDE, bind off 4 sts. after Rows 58, 59; 3 sts. after Rows 60, 61, 62, 63; 2 sts. after Rows 64, 65, 66, 67, 68, 69, 70, 71. ON EACH SIDE, hang the 1st st. onto the 2nd st. after Rows 72, 74, 76, 78, 80, 82, 84, 86, 88, 90, 92, 94, 96, 98. ON CAM BOX SIDE, bind off 2 sts. after Rows 100, 101, 102, 103; 4 sts. after Rows 104, 105, 106, 107; 11 sts. after Row 108.

ON EACH SIDE, increase 1 st. after Rows 16, 22, 28, 34, 40, 46, 52, then knit to Row 58.

ROWS 0 to 16: Knit even, then change to stockinette st.

Cast on 85 sts. and work K1, P1, Ribbing.


Cast on 42 sts. and work 76. Rows stockinette st., then bind off all sts.



SIZE: 14 (Bust 35"-36") 16 (Bust 37"-38") 18 (Bust 39"-40")
YARN: Subita Crepe 2 x 3 Fortissima
50 gr. BALLS: Skirt Jacket
 7 Color 1 8 Color 1 9 Color 1 10 Color 1
 6 Color 2 7 Color 2 8 Color 2
TENSION: 3 to 5
GAUGE: 18 sts. 24 rows 17 sts. 23 rows 16 sts. 22 rows

The instructions are the same for all sizes. **PATTERN:** Skirt: Stockinette Stitch, Jacket: Norwegian Design according to the Line Drawing. Use the adjustable needle selector. In the instructions each row in the Norwegian Design is counted as 1 row, but several movements of the Cam Box are needed to complete 1 row. **SKIRT DECREASES:** Hang the 3rd st. onto the 2nd st., then move the end sts. inward to fill the empty needle. Begin the **DARTS** by hanging the sts. together as marked on the Diagrams, then move the sts. together to fill the empty needles. The following decreases for the darts lie directly above. **JACKET DECREASES:** Hang the end st. onto the next occupied needle. **INCREASES:** Place the end st. from the row below onto the next empty needle.

FINISHING: Block all sections. **SKIRT:** Weave the sections together, 1 st. in from each edge. Turn under 18 sts. on lower edge and 14 rows on upper edge and hem to wrong side. Insert an elastic band into upper hem. **JACKET:** Join back and front sections at sides and shoulders, easing in the fullness at bustline of the front sections. Sew the sleeves together and set in. Turn under 18 rows on lower edge and 9 rows on sleeve edges and hem to wrong side. Turn under 14 rows on upper edge of pockets, then sew pockets in place. Sew 1 edge of binding to inside and 1 edge to outside of front edges and neckline, leaving 3 open spaces on the right front edge for the buttonholes. Each buttonhole is 3/4" long. Make the first buttonhole about 7" from the lower edge, the following buttonholes are 4" apart. Sew on 8 buttons for a double breasted effect. (See picture). Sew snaps to the knit side of the left front edge and to the purl side of the right front edge. (In line with the buttons).




ON CAM BOX SIDE, bind off 4 sts. after Rows 202, 203; 3 sts. after Rows 204, 205, 206, 207, 208, 209; 2 sts. after Rows 210, 211, 212, 213, 214, 215; 1 st. after Rows 216, 217, 218, 219; 2 sts. after Rows 220, 221; 1 st. after Rows 222, 223, 224, 225; 2 sts. after Rows 226, 227; 1 st. after Rows 228, 229, 230, 231; 2 sts. after Rows 232, 233; 1 st. after Rows 234, 235, 236, 237; 2 sts. after Rows 238, 239; 1 st. after Rows 240, 241, 242, 243; 2 sts. after Rows 244, 245; 1 st. after Rows 246, 247, 248, 249; 2 sts. after Rows 250, 251; 1 st. after Rows 252, 253, 254, 255; 2 sts. after Rows 256, 257, 258, 259; 3 sts. after Rows 260, 261, 262, 263; 4 sts. after Rows 264, 265; 11 sts. after Row 266.

ON EACH SIDE, increase 1 st. after Rows 18, 26, 34, 42, 50, 58, 66, 74, 82, 90, 98, 106, 114, 122, 130, 138, 146, 154, 160, 166, 172, 178, 184, 190, 196, then knit to Row 202.


ROWS 0 to 18: Knit even, then begin the Norwegian Design.

Cast on 79 sts. with color 2 and work stockinette st.



Decrease 2 sts. for EACH DART after Rows in (). Continue to decrease 1 st. ON EACH SIDE after Rows 228, 238, (238), 246, (250), 254, 262, (262), 270, (274), 278, 286, (286), then knit to Row 314 and bind off the remaining 139 sts.

Work the front section the same as the back section to ROW 228.



ON CAM BOX SIDE, increase 1 st. after Rows 170, 182, 194, 204, 214, 224, then increase 1 st. more after Row in ().

ON CAM BOX SIDE, decrease 1 st. after Rows 54, 62, 70, 78, 86, 94, 102, 110, 116, 122, 128, 134, 140, 146, 152, then knit to Row 170.

ROWS 0 to 54: Knit even.

Cast on 190 sts. with color 2 and work the Norwegian Design.



ON CAM BOX SIDE, bind off 4 sts. after Rows 244, 245; 3 sts. after Rows 246, 247, 248, 249; 2 sts. after Rows 250, 251, 252, 253, 254, 255; 1 st. after Rows 256, 257, 258, 259, 260, 261, 262, 263, then knit to Row 340.

ON EACH SIDE, increase 1 st. after Rows 170, 182, 194, 204, 214, 224, 234, then knit to Row 244.

ON EACH SIDE, decrease 1 st. after Rows 54, 62, 70, 78, 86, 94, 102, 110, 116, 122, 128, 134, 140, 146, 152, then knit to Row 170.

ROWS 0 to 54: Knit even.

Cast on 190 sts. with color 2 and work the Norwegian Design.



Work the second front section with reverse shapings, casting on from right to left. (Cam Box will be on the LEFT side at Row 0).

ON CAM BOX SIDE, bind off 3 sts. after Rows 225, 227 (ODD ROWS = NECK SHAPING); 2 sts. after Rows 229, 231, 233, (234), 235, 237; 1 st. after Rows 239, 241, 243, 245, 247, 249, 251, 253, 255, 257; 4 sts. after Row 258 (EVEN ROWS = ARMHOLE SHAPING); 1 st. after Row 259; 3 sts. after Row 260; 1 st. after Row 261; 3 sts. after Row 262; 1 st. after Row 263; 2 sts. after Row 264; 1 st. after Row 265; 2 sts. after Rows 266, 268; 1 st. after Rows 269, 270, 272, 273, 274, 276, 277, 281, 285, 289, 293, 297, 301, 305, 309, then knit to Row 354. For **SHOULDER** bind off 4 sts. after Rows 354, 356, 358, 360, 362, 364, 366; 5 sts. after Rows 368, 370, 372.

ON CAM BOX SIDE, increase 1 st. after Rows 170, 182, 194, 204, 214, 224, then increase 1 st. more after Row in ().

ON CAM BOX SIDE, decrease 1 st. after Rows 54, 62, 70, 78, 86, 94, 102, 110, 116, 122, 128, 134, 140, 146, 152, then knit to Row 170.

ROWS 0 to 54: Knit even.

Cast on 112 sts. with color 2 and work the Norwegian Design.

Bring the needles on the left side into working position, knit 1 row in **PATTERN** to the left side, turn the Row Counter back to 348 and complete the left half. Follow the instructions from*.

*ON CAM BOX SIDE, bind off 4 sts. after Row 348 (EVEN ROWS = **SHOULDER SHAPING**); 3 sts. after Row 349 (ODD ROWS = **NECK SHAPING**); 4 sts. after Row 350; 3 sts. after Row 351; 4 sts. after Row 352; 2 sts. after Row 353; 5 sts. after Row 354; 2 sts. after Row 355; 5 sts. after Rows 356, 358.

ON CAM BOX SIDE, bind off 4 sts. after Rows 340, 341, 342, 343, 344, 345, 346, 347, then knit to Row 348, bind off the center 28 sts., put the needles on the left side into holding position and complete the right half first.

ON CAM BOX SIDE, bind off 4 sts. after Rows 244, 245; 3 sts. after Rows 246, 247, 248, 249; 2 sts. after Rows 250, 251, 252, 253, 254, 255; 1 st. after Rows 256, 257, 258, 259, 260, 261, 262, 263, then knit to Row 340.

ON EACH SIDE, increase 1 st. after Rows 170, 182, 194, 204, 214, 224, 234, then knit to Row 244.

ON EACH SIDE, decrease 1 st. after Rows 54, 62, 70, 78, 86, 94, 102, 110, 116, 122, 128, 134, 140, 146, 152, then knit to Row 170.

ROWS 0 to 54: Knit even.

Cast on 190 sts. with color 2 and work the Norwegian Design.

Work the second front section with reverse shapings, casting on from right to left. (Cam Box will be on the LEFT side at Row 0).

ON CAM BOX SIDE, bind off 3 sts. after Rows 225, 227 (ODD ROWS = **NECK SHAPING**); 2 sts. after Rows 229, 231, 233, (234), 235, 237; 1 st. after Rows 239, 241, 243, 245, 247, 249, 251, 253, 255, 257; 4 sts. after Row 258 (EVEN ROWS = **ARMHOLE SHAPING**); 1 st. after Row 259; 3 sts. after Row 260; 1 st. after Row 261; 3 sts. after Row 262; 1 st. after Row 263; 2 sts. after Row 264; 1 st. after Row 265; 2 sts. after Rows 266, 268; 1 st. after Rows 269, 270, 272, 273, 274, 276, 277, 281, 285, 289, 293, 297, 301, 305, 309, then knit to Row 354. For **SHOULDER** bind off 4 sts. after Rows 354, 356, 358, 360, 362, 364, 366; 5 sts. after Rows 368, 370, 372.

ON CAM BOX SIDE, increase 1 st. after Rows 170, 182, 194, 204, 214, 224, then increase 1 st. more after Row in ().

ON CAM BOX SIDE, decrease 1 st. after Rows 54, 62, 70, 78, 86, 94, 102, 110, 116, 122, 128, 134, 140, 146, 152, then knit to Row 170.

ROWS 0 to 54: Knit even.

Cast on 112 sts. with color 2 and work the Norwegian Design.



DP 8099

SIZE: 10 (Bust 32"—33") 12 (Bust 34"—35") 16 (Bust 37"—38")
YARN: Subita Dralon 3 ply Excelsior 14 Color 1
 7 Color 1 1 Color 2 1 Color 2 2 Color 3 1 Color 3 1 Color 4 1 Color 4 1 Color 5 1 Color 5
TENSION: 4 to 6 6 to 8 8 to 10
GAUGE: 2" 16 sts, 22 rows 15 sts, 21 rows 14 sts, 20 rows

The instructions are the same for all sizes. **PATTERN:** Stockinette Stitch, worn on the knit side, with Color Stripes on the Sleeve Edges and on the Inset, worn on the purl side. **DECREASES:** Hang the 3rd st. onto the 2nd st., then move the end sts. inward to fill the empty needle. **INCREASES:** Move the 2 end sts., 1 needle outward, then place the 3rd st. from the row below onto the empty needle. To form the hem, hang the cast-on sts. back onto the machine behind the latches, then knit the following row with 2 tension settings higher. To turn the knitting, knit several rows with contrast waste yarn, then remove the knitting from the machine. Turn the knitting over and with knit side facing you, hang the garments sts. back onto the machine. Remove the waste yarn, turn the Row Counter back to 42 and with color 1 continue knitting. (You may use your Reversing Bar to turn the Knitting).

FINISHING: Block all sections. Join front and back section at sides and shoulders. Sew the sleeves together and set in. Turn under 9 rows on sleeve edges and hem to wrong side. Turn under 8 rows on inner edges of the inset, hem to wrong side, then sew the inset in place. Crochet around neckline as follows. Row 1. Single crochet. Row 2. 4 half double crochets in 1st st., * skip 1 st., single crochet into next st. 4 half double crochets into next st. Repeat for pattern. Work 4 loops on the right and sew 4 buttons to the left side of the opening. Make a twisted cord, using 16 strands of color 3. Make 2 Tasseles, then sew 1 to each end of the cord. (See Practical Knitting Hints Book, Page 58 for the cord).




Move the Cam Box to the left side, turn the Row Counter back to 216 and complete the left half. Follow the instructions from*.

ON CAM BOX SIDE, bind off 4 sts. after Row 252; 3 sts. after Rows 254, 256; 2 sts. after Rows 258, 260; 1 st. after Rows 262, 264, then knit to Row 328. For SHOULDER bind off 4 sts. after Rows 328, 330, 332; 5 sts. after Rows 334, 336, 338, 340.

ON OPPOSITE SIDE OF CAM BOX put into holding position 8 needles after Rows 229, 231, 233, 235. After Row 237 bring all needles back into working position, increase 1 st. after Row 238, then knit to Row 252.

* ROWS 217 to 229: Increase 1 st. ON CAM BOX SIDE after Row 218, then knit to Row 229 and work Short Rows. Work the front section the same as the back section to Row 216, then bind off the center 45 sts., put the needle on the left side into holding position and complete the right half first.


(Continued on next page)



Decrease 2 sts. for EACH DART after Row 226, then again after Rows in (. Continue to decrease 1 st. ON EACH SIDE after Rows 228, (236), 238, 246, (246), 254, (254), 262, (262), 270, (270), 278, (278), 286, (286), then knit to Row 314 and bind off the remaining 127 sts.

ON EACH SIDE, decrease 1 st. after Rows 64, 82, 100, 118, 134, 150, 166, 182, 198, 208, 218, then knit to Row 226. (For the FRONT Section knit to Row 228).

ROWS 0 to 64: Knit even.
 Cast on 197 sts. with color 1 and work stockinette st.




ON CAM BOX SIDE, bind off 4 sts. after Rows 180, 181, 182, 183; 3 sts. after Rows 184, 185, 186, 187; 2 sts. after Rows 188, 189, 190, 191. ON EACH SIDE, hang the 1st st. onto the 2nd st. after Rows 192, 194, 196, 198, 200, 202, 204, 206, 208, 210, 212, 214, 216, 218. ON CAM BOX SIDE, bind off 2 sts. after Rows 220, 221, 222, 223, 224, 225; 3 sts. after Rows 226, 227, 228, 229; 11 sts. after Row 230.

ON EACH SIDE, decrease 1 st. after Rows 42, 56, 70, 82, 94, 106, 118, 130, then knit to Row 180.

ROWS 0 to 42: Knit even, then turn the knitting around. (Knit side is now facing you), and change to color 1.

Cast on 115 sts. with color 2, work stockinette st. and the color stripes as marked in the Diagram.



Move the Cam Box to the left side, turn the Row Counter back to 320 and complete the left half. Follow the instructions from*.


* ON CAM BOX SIDE, bind off 4 sts. after Rows 320 (EVEN ROWS = SHOULDER SHAPING), 321 (ODD ROWS = NECK SHAPING), 322, 323, 324; 3 sts. after Row 325; 5 sts. after Row 326; 3 sts. after Row 327; 5 sts. after Row 328, 330, 332.

ON CAM BOX SIDE, bind off 4 sts. after Rows 244, 245; 3 sts. after Rows 246, 247, 248, 249; 2 sts. after Rows 250, 251, 252, 253; 1 st. after Rows 254, 255, 256, 257, then knit to Row 320, bind off the center 17 sts., put the needles on the left side into holding position and complete the right half first.

ON EACH SIDE, increase 1 st. after Rows 170, 182, 194, 206, 218, 230, then knit to Row 244. (For the FRONT Section make the increases after Row 206, then knit to Row 216).

ON EACH SIDE, decrease 1 st. after Rows 52, 60, 68, 76, 84, 92, 100, 108, 116, 122, 128, 134, 140, 146, 152, then knit to Row 170.

ROWS 0 to 34: Knit even, then form the hem. Knit to Row 52.
 Cast on 159 sts. with color 1 and work stockinette st.



DK 8016

SIZE: 10 (Bust 32"-33") 12 (Bust 34"-35") 16 (Bust 37"-38")


YARN: Subita Crepe 2 x 3 Crocus Crepe Amore

50 gr. BALLS: Pullover 8 12 14 11
 Pants 9 11 Color 1 10 Color 1
 Vest 7 Color 1 1 Color 2 1 Color 3
 1 Color 2 1 Color 3
 4 to 6 5 to 7 7 to 9

TENSION: 2" Stk. 17 sts, 24 rows 15 sts, 23 rows
 Pattern 17 sts, 39 rows 16 sts, 37 rows

The instructions are the same for all sizes. **PATTERN:** Stockinette Stitch worn on the knit side. Pullover Center Panel and lower section of the Sleeves: Ribbed Design with omitted needles according to the Line Drawing. The purl side is the right side. When knitting the Pattern Stitch, place the Gate Cam Release Lever of the main machine AND the ribber to the needle heels. **DECREASES:** Hang the 4th st. onto the 3rd st., then move the end sts. inward to fill the empty needle. Begin the Pants Darts by hanging the sts. together as marked on the Diagram, then move the end sts. inward to fill the empty needles. The following decreases for the Darts lie directly above. **INCREASES:** Move the 2 end sts. 1 needle outward, then place the 3rd st. from the row below onto the empty needle. When knitting the Pattern Stitch, place the end st. from the row below onto the next empty needle and work the Pattern as established.

FINISHING: Block all sections. **PANTS:** Sew the inner leg seams together. Join the sections at center back and center front. Turn under 18 rows on leg edges and upper edge and hem to wrong side. Insert an elastic band into upper hem. **PULLOVER:** Weave the center panel to the side panels, 1 st. in from each edge. Join front and back section at sides and shoulders. Sew the sleeves together and set in. Turn under 18 rows on lower edge and hem to wrong side. Sew 1 edge of neckband to inside and 1 edge to outside of neckline. Work 1 row of single crochet around the back opening, then sew in a zipper. Sew buttons to sleeves as shown on the picture. **VEST:** Join back and front sections at sides and shoulders. Join the armhole bindings at short ends, then sew 1 edge of binding to inside and 1 edge to outside of armhole edges. Join front and neck binding, then sew 1 edge to inside and 1 edge to outside of neckline and front edges, leaving 5 spaces for buttonholes on the right front edge. Each buttonhole is about 2/3" long. Begin the first buttonhole about 8" from the lower edge. The following buttonholes are about 2 1/2" apart. Finish buttonholes, sew on buttons. Work fringe at lower edge. Knot 2 strands of yarn (about 12" long will make a fringe 6" finished) into every other cast-on st.





Move the Cam Box to the left side, turn the Row Counter back to 290 and complete the left half. Follow the instructions from*.

ON CAM BOX SIDE, bind off 4 sts. after Row 326 (EVEN ROWS = SHOULDER SHAPING); 10 sts. (11 sts. for the left half) after Row 327 (ODD ROWS = NECK SHAPING); 4 sts. after Row 328; 3 sts. after Row 329; 4 sts. after Row 330; 3 sts. after Row 331; 4 sts. after Row 332; 2 sts. after Row 333; 4 sts. after Row 334; 2 sts. after Row 335; 5 sts. after Row 336; 2 sts. after Row 337; 5 sts. after Rows 338, 340.

*ROWS 291 to 326: Knit even. ON CAM BOX SIDE, bind off 5 sts. after Rows 244, 245; 3 sts. after Rows 246, 247, 248, 249; 2 sts. after Rows 250, 251, 252, 253; 1 st. after Rows 254, 255, 256, 257, 258, 259, then knit to Row 290, put 58 needles on the left side into holding position and complete the right half first. ON EACH SIDE, increase 1 st. after Rows 164, 176, 188, 200, 212, 224, then knit to Row 244. ON EACH SIDE, decrease 1 st. after Rows 54, 64, 74, 84, 94, 104, 114, 122, 130, 138, 146, then knit to Row 164. ROWS 0 to 54: Knit even.

Cast on 161 sts. and work stockinette st.



Work the second section with reverse shaping, casting on from right to left. (Cam Box will be on the LEFT side at Row 0). Cast on 84 sts. with color 5 and work stockinette st. ON CAM BOX SIDE, bind off 3 sts. after Rows 2, 4; 2 sts. after Rows 6, 8, 10; 1 st. after Rows 12, 14, 16, 20, 22, then knit to Row 40 and bind off the remaining 66 sts. Work the color stripes as marked in the Diagram.

Work the second pants section with reverse shapings, casting on from right to left. (Cam Box will be on the LEFT side at Row 0).


Decrease 2 sts. for the Back DART after Row 388, then again after Rows in (.). Continue to decrease 1 st. ON CAM BOX SIDE after Rows 390, 394, (398), 402, (408), 410, then knit to Row 418. Decrease 2 sts. for EACH DART after Rows in (.). Continue to decrease 1 st. ON CAM BOX SIDE after Rows 418, (418), 426, (428), 434, (438), 442, (448), 450, 458, (458), then knit to Row 462 and work Short Rows. ON OPPOSITE SIDE of CAM BOX put into holding position 48 needles after Row 462; 8 needles after Rows 464, 466, 468, 470, 472, 474. After Row 476 bring all needles back into working position, then knit to Row 512 and bind off the remaining 113 sts.

ON CAM BOX SIDE, bind off 4 sts. after Row 352 (EVEN ROWS = CENTER BACK SHAPING); 3 sts. after Row 353 (ODD ROWS = CENTER FRONT SHAPING); 4 sts. after Row 354; 3 sts. after Rows 355, 356; 2 sts. after Row 357; 3 sts. after Row 358; 2 sts. after Rows 359, 360; 1 st. after Row 361; 2 sts. after Row 362; 1 st. after Row 363; 2 sts. after Row 364; 1 st. after Row 365; 366, 368, 369, 370, 372, 373, 374, 377, 378, 381, 382, 385, 386, then knit to Row 388.


ON OPPOSITE SIDE of CAM BOX increase 1 st. after Rows in (.). ON CAM BOX SIDE, increase 1 st. after Rows 196, (196), 202, (206), 208, 214, (216), 220, 226, (226), 232, (236), 238, 244, (246), 250, 256, (256), 262, (266), 268, 274, (276), 280, 286, (286), 292, (296), 298, 304, (306), 310, 316, (316), 320, 324, (326), 328, 332, 336, (336), 340, 344, (344), 348, then knit to Row 352.

ON EACH SIDE, decrease 1 st. after Rows 36, 62, 88, 112, 136, then knit to Row 196. ROWS 0 to 36: Knit even. Cast on 160 sts. and work stockinette st.

Work the second front section with reverse shapings, casting on from right to left. (Cam Box will be on the LEFT side at Row 0).




ON CAM BOX SIDE, bind off 5 sts, after Row 254; 3 sts, after Rows 256, 258; 2 sts, after Rows 260, 262; 1 st, after Row 264, 266, 268, then knit to Row 326. For SHOULDER bind off 4 sts, after Rows 336, 338, 340, 342, 344; 5 sts, after Rows 346, 348, 350, 352, 354.



ON CAM BOX SIDE, increase 1 st, after Row 170, 188, 206, 224, then knit to Row 231 and work Short Rows. ON OPPOSITE SIDE of CAM BOX put into holding position 7 needles after Rows 231, 233, 235, 237, 239. After Row 241 bring all needles back into working position and knit to Row 253.




ON OPPOSITE SIDE of CAM BOX decrease 1 st, after Rows in (). ON CAM BOX SIDE, decrease 1 st, after Rows 24, (24), 34, 44, (change to color 1 after Row 46), (50), 54, 64, 72, (76), 80, 88, 96, (102), 104, 112, 120, 128, (128), 136, 144, 152, (154), then knit to Row 170.



ROWS 0 to 23: Knit even, then change to color 2 and knit to Row 24. Cast on 96 sts, with color 3 and work stockinette st.




Work the second back section with reverse shapings, casting on from right to left. (Cam Box will be on the LEFT side at Row 0).




ON CAM BOX SIDE, bind off 4 sts, after Row 336 (EVEN ROWS = NECK SHOULDER SHAPING); 16 sts, after Row 337 (ODD ROWS = NECK SHAPING); 4 sts, after Row 338; 5 sts, after Row 339; 4 sts, after Row 340; 3 sts, after Row 341; 4 sts, after Row 342; 3 sts, after Row 343; 5 sts, after Row 344; 3 sts, after Row 345; 5 sts, after Row 346.




ON OPPOSITE SIDE of CAM BOX decrease 1 st, after Rows in (). ON CAM BOX SIDE, decrease 1 st, after Rows 24, (24), 34, 44, (change to color 1 after Row 46), (50), 54, 64, 72, (76), 80, 88, 96, (102), 104, 112, 120, 128, (128), 136, 144, 152, (154), then knit to Row 170.



ROWS 0 to 23: Knit even, then change to color 2 and knit to Row 24. Cast on 96 sts, with color 3 and work stockinette st.



Work the second back section with reverse shapings, casting on from right to left. (Cam Box will be on the LEFT side at Row 0).




ON CAM BOX SIDE, increase 1 st, after Row 170, 188, 206, 224, then knit to Row 231 and work Short Rows. ON OPPOSITE SIDE of CAM BOX put into holding position 7 needles after Rows 231, 233, 235, 237, 239. After Row 241 bring all needles back into working position and knit to Row 253.




ROWS 0 to 23: Knit even, then change to color 2 and knit to Row 24. Cast on 96 sts, with color 3 and work stockinette st.




Work the second back section with reverse shapings, casting on from right to left. (Cam Box will be on the LEFT side at Row 0).




ON CAM BOX SIDE, increase 1 st, after Row 170, 188, 206, 224, then knit to Row 231 and work Short Rows. ON OPPOSITE SIDE of CAM BOX put into holding position 7 needles after Rows 231, 233, 235, 237, 239. After Row 241 bring all needles back into working position and knit to Row 253.



ROWS 0 to 23: Knit even, then change to color 2 and knit to Row 24. Cast on 96 sts, with color 3 and work stockinette st.




Work the second back section with reverse shapings, casting on from right to left. (Cam Box will be on the LEFT side at Row 0).




ON CAM BOX SIDE, increase 1 st, after Row 170, 188, 206, 224, then knit to Row 231 and work Short Rows. ON OPPOSITE SIDE of CAM BOX put into holding position 7 needles after Rows 231, 233, 235, 237, 239. After Row 241 bring all needles back into working position and knit to Row 253.



ROWS 0 to 23: Knit even, then change to color 2 and knit to Row 24. Cast on 96 sts, with color 3 and work stockinette st.




Work the second back section with reverse shapings, casting on from right to left. (Cam Box will be on the LEFT side at Row 0).




ON CAM BOX SIDE, increase 1 st, after Row 170, 188, 206, 224, then knit to Row 231 and work Short Rows. ON OPPOSITE SIDE of CAM BOX put into holding position 7 needles after Rows 231, 233, 235, 237, 239. After Row 241 bring all needles back into working position and knit to Row 253.




ROWS 0 to 23: Knit even, then change to color 2 and knit to Row 24. Cast on 96 sts, with color 3 and work stockinette st.




Work the second back section with reverse shapings, casting on from right to left. (Cam Box will be on the LEFT side at Row 0).



ON CAM BOX SIDE, increase 1 st, after Row 170, 188, 206, 224, then knit to Row 231 and work Short Rows. ON OPPOSITE SIDE of CAM BOX put into holding position 7 needles after Rows 231, 233, 235, 237, 239. After Row 241 bring all needles back into working position and knit to Row 253.




ROWS 0 to 23: Knit even, then change to color 2 and knit to Row 24. Cast on 96 sts, with color 3 and work stockinette st.




Work the second back section with reverse shapings, casting on from right to left. (Cam Box will be on the LEFT side at Row 0).




ON CAM BOX SIDE, increase 1 st, after Row 170, 188, 206, 224, then knit to Row 231 and work Short Rows. ON OPPOSITE SIDE of CAM BOX put into holding position 7 needles after Rows 231, 233, 235, 237, 239. After Row 241 bring all needles back into working position and knit to Row 253.




ROWS 0 to 23: Knit even, then change to color 2 and knit to Row 24. Cast on 96 sts, with color 3 and work stockinette st.




Work the second back section with reverse shapings, casting on from right to left. (Cam Box will be on the LEFT side at Row 0).




ON CAM BOX SIDE, increase 1 st, after Row 170, 188, 206, 224, then knit to Row 231 and work Short Rows. ON OPPOSITE SIDE of CAM BOX put into holding position 7 needles after Rows 231, 233, 235, 237, 239. After Row 241 bring all needles back into working position and knit to Row 253.




ROWS 0 to 23: Knit even, then change to color 2 and knit to Row 24. Cast on 96 sts, with color 3 and work stockinette st.




Work the second back section with reverse shapings, casting on from right to left. (Cam Box will be on the LEFT side at Row 0).




ON CAM BOX SIDE, increase 1 st, after Row 170, 188, 206, 224, then knit to Row 231 and work Short Rows. ON OPPOSITE SIDE of CAM BOX put into holding position 7 needles after Rows 231, 233, 235, 237, 239. After Row 241 bring all needles back into working position and knit to Row 253.




ROWS 0 to 23: Knit even, then change to color 2 and knit to Row 24. Cast on 96 sts, with color 3 and work stockinette st.




Work the second back section with reverse shapings, casting on from right to left. (Cam Box will be on the LEFT side at Row 0).



ON CAM BOX SIDE, increase 1 st, after Row 170, 188, 206, 224, then knit to Row 231 and work Short Rows. ON OPPOSITE SIDE of CAM BOX put into holding position 7 needles after Rows 231, 233, 235, 237, 239. After Row 241 bring all needles back into working position and knit to Row 253.



ROWS 0 to 23: Knit even, then change to color 2 and knit to Row 24. Cast on 96 sts, with color 3 and work stockinette st.



Work the second back section with reverse shapings, casting on from right to left. (Cam Box will be on the LEFT side at Row 0).



SIZE: 10 (Bust 32"-33") 12 (Bust 34"-35") 16 (Bust 37"-38")
YARN: Fortissima Sublita Crepe 2 x 4 Crocus Crepe
50 gr. BALLS: Skirt & Vest Pullover 9 11 13 16 13
TENSION: 5 to 7 5 to 7 6 to 8
GAUGE: 2" Stk. Pattern 17 sts, 23 rows 16 sts, 21 rows 20 sts, 22 rows 19 sts, 22 rows

The instructions are the same for all sizes. **PATTERN:** Skirt, Vest and Bindings: Stockinette Stitch worn on the knit side; Pullover: Knit 1, Purl 3, Ribbing, according to the Line Drawing. Ribbing. The Flowers are felt appliques and are sewn on. **DECREASES:** Hang the 4th st. onto the 3rd st., then move the end sts. inward to fill the empty needle.

FINISHING: Block all sections. Skirt: Weave the sections together, 1 st. in from each edge. (If you would like to line the skirt, see practical hint in the news letter). Turn under 19 rows on upper edge and lower edge, then hem to wrong side. Insert an elastic band into the upper hem. Sew the appliques to the pockets, then sew the pockets in place. (See picture). **VEST:** Join back and front sections at sides and shoulders. Sew short ends of the armhole binding together, then sew 1 edge of the binding to inside and 1 edge to the outside of armholes. Sew the neck and front binding in place in the same manner. Finish buttonholes, sew on buttons. **PULLOVER:** Join front and back section at sides and shoulders. Sew sleeves together and set in. Sew the short ends of neckband together, then sew 1 edge of band to inside and 1 edge to outside of neckline.











Bring the needles on the left side into working position, knit 1 row in PATTERN to the left side, turn the Row Counter to 260 and complete the left half. Follow the instructions from*.
 *ON CAM BOX SIDE, bind off 4 sts. after Rows 261, 263 (ODD ROWS = NECK SHAPING); 3 sts. after Rows 265, 267; 2 sts. after Row 269; 6 sts. after Row 270 (EVEN ROWS = SHOULDER SHAPING); 2 sts. after Row 271; 6 sts. after Row 272; 1 st. after Row 273; 6 sts. after Row 274; 1 st. after Row 275; 6 sts. after Row 276; 1 st. after Row 277; 6 sts. after Rows 278, 280.
 ON CAM BOX SIDE, bind off 4 sts. after Rows 188, 189; 3 sts. after Rows 190, 191, 192, 193, 194, 195; 2 sts. after Rows 196, 197, 198, 199; 1 st. after Rows 200, 201, 202, 203, 204, 205, 206, 207, then knit to Row 260 (for the FRONT Section knit to Row 222) bind off the center 31 sts., put the needles on the left side into holding position and complete the right half first. (Always transfer the ribber sts. to the main machine before putting the needles into hold).

ROWS 0 to 188: Knit even.
 Cast on 187 sts. and work Knit 1, Purl 3 Ribbing.

ON CAM BOX SIDE, bind off 4 sts. after Rows 202, 203, 204, 205, 206, 207; 3 sts. after Rows 208, 209, 210, 211; 2 sts. after Rows 212, 213, 214, 215; 1 st. after Rows 216, 217, 218, 219; 2 sts. after Rows 220, 221; 1 st. after Rows 222, 223, 224, 225; 2 sts. after Rows 226, 227; 1 st. after Rows 228, 229, 230, 231; 2 sts. after Rows 232, 233; 1 st. after Rows 234, 235, 236, 237; 2 sts. after Rows 238, 239; 1 st. after Rows 240, 241, 242, 243; 2 sts. after Rows 244, 245; 1 st. after Rows 246, 247, 248, 249; 2 sts. after Rows 250, 251; 3 sts. after Rows 252, 253, 254, 255; 4 sts. after Rows 256, 257, 258, 259; 15 sts. after Row 260.
 ON EACH SIDE, increase 1 st. (place the end st. from the row below onto the next empty needle) after Rows 10, 18, 26, 34, 42, 50, 58, 66, 74, 82, 90, 98, 106, 112, 118, 124, 130, 136, 142, 148, 154, 160, 166, 172, 178, 184, 190, 196, then knit to Row 202.

ROWS 0 to 10: Knit even.
 Cast on 79 sts. and work Knit 1, Purl 3 Ribbing.

Bring the needles on the left side into working position, knit 1 row in PATTERN to the left side, turn the Row Counter to 222 and complete the left half. Follow the instructions from*.
 *ON CAM BOX SIDE, bind off 4 sts. after Row 223; 3 sts. after Rows 225, 227, 229; 2 sts. after Rows 231, 233; 1 st. after Rows 235, 237, 239, 241, 243, 245, 249, 253, 257. For SHOULDER bind off 6 sts. after Rows 270, 272, 274, 276, 278, 280.
 Work the front section the same as the back section to Row 222, then bind off the center 21 sts., put the needles on the left side into holding position and complete the right half first.



Cast on 49 sts. and work 56 rows stockinette st., then transfer every other st. to the ribber and work 14 rows K1, P1, Ribbing. After Row 70 bind off all sts. the crochet method for ribbing.

Cast on 11 sts. and work 550 rows stockinette st., then bind off all sts.

Cast on 11 sts. and work 180 rows stockinette st., then bind off all sts.

Work the second front section with reverse shapings, casting on from right to left. (Cam Box will be on the LEFT side at Row 0).

ON CAM BOX SIDE, bind off 4 sts. after Row 88 (EVEN ROWS = ARMHOLE SHAPING); 14 sts. after Row 89 (ODD ROWS = NECK SHAPING); 4 sts. after Rows 90, 91; 3 sts. after Row 92; 4 sts. after Row 93; 3 sts. after Rows 94, 95, 96, 97; 2 sts. after Rows 98, 99, 100, 101, 102, 103, 104; 1 st. after Rows 105, 106, 107, 108, 109, 110, 111, 112, 115, 119, then knit to Row 176 and bind off the 14 shoulder sts.

Make buttonholes after Rows 15, 38, then again after Row in () over the 3rd-7th sts. counting from the left side. Knit to Row 55 and work Short Rows. ON OPPOSITE SIDE OF CAM BOX put into holding position 7 needles after Rows 55, 57, 59, 61, (61), 63. After Row 65 bring all needles back into working position, make a buttonhole after Row 84, then knit to Row 88.

ROWS 0 to 14: Knit even, then change to stockinette st.
 Cast on 83 sts. and work K1, P1, Ribbing.

Work 3 more sections the same.

ON EACH SIDE, decrease 1 st. after Rows 54, 74, 94, 114, 134, 154, 174, 194, 214, 234, 254, 266, 272, 278, 284, 290, 296, 302, 308, 314, 320, then knit to Row 358 and bind off the remaining 58 sts.

ROWS 0 to 54: Knit even.
 Cast on 102 sts. and work stockinette st.


Cast on 183 sts. and work 28 rows K1, P1, Ribbing, then bind off all sts. the crochet method for ribbing.

DK 8113

SIZE: 14½ (Bust 37"-38") 18½ (Bust 40"-41") 20½ (Bust 43"-44")
 YARN: Subita Crepe 2 x 4 Excelsior Double Knitting
 11 Color 1 12 Color 1 15 Color 1
 2 Color 2 3 Color 2
 TENSION: 7 to 9 8 to 10 8 to 10
 GAUGE: 15 sts, 20 rows 14 sts, 19 rows 13 sts, 18 rows

The instructions are the same for all sizes. PATTERN: Stockinette Stitch, DECREASES: Hang the 3rd st. onto the 2nd st., then move the end sts. inward to fill the empty needle. INCREASES: Move the 2. and sts. 1 needle outward, then place the 3rd st. from the row below onto the empty needle.

FINISHING: Block all sections. Weave back sections together 1 st. in from each edge. Weave 20" on the lower front sections together. Join front and back section at sides and shoulders. Join short ends of armhole bindings together, then sew 1 edge of binding to inside and 1 edge to outside of armhole edge. Sew the pocket bindings and the neck and front edge binding in place in the same manner, leaving 5 open spaces on the right front edge for the buttonholes. Each buttonhole is 2/3" long. Make the first buttonhole about 1¼" from the beginning of the opening, the following buttonholes are about 2½" apart. Sew the pockets in place, finish the buttonholes, sew on buttons. Turn under 16 rows on lower edge and hem to wrong side.



Move the Cam Box to the left side, turn the Row Counter back to 134 and complete the left half. Follow the instructions from*.



*ON CAM BOX SIDE, bind off 3 sts. after Rows 135, 137, 139; 2 sts. after Rows 141, 143, 145, 147; 1 st. after Rows 149, 151, 153, 155, 157, 159. After Row 166 bind off the 14 shoulder sts.

ON CAM BOX SIDE, bind off 4 sts. after Rows 78, 79, 80, 81; 3 sts. after Rows 82, 83, 84, 85, 86, 87; 2 sts. after Rows 88, 89, 90, 91, 92, 93, 94, 95; 1 st. after Rows 96, 97, 98, 99, 100, 101, 102, 103, then knit to Row 134, bind off the center 29 sts., put the needles on the left side into holding position and complete the right half first.

ROWS 15 to 78: Knit even.

ROWS 0 to 14: Knit even, then change to stockinette stitch.

Cast on 161 sts. and work K1, P1, Ribbing.




Work the second front section with reverse shapings, casting on from right to left. (Cam Box will be on the LEFT side at Row 0).

ON CAM BOX SIDE, bind off 6 sts. after Row 322 (EVEN ROWS = ARM-HOLE SHAPING); 3 sts. after Rows 324, 326, 328; 10 sts. after Row 329 (ODD ROWS = NECK SHAPING); 2 sts. after Row 330; 3 sts. after Row 331; 2 sts. after Row 332; 3 sts. after Row 333; 1 st. after Row 334; 2 sts. after Row 335; 1 st. after Row 336; 2 sts. after Row 337; 1 st. after Row 338; 2 sts. after Row 339; 1 st. after Rows 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 351, 353, 355, then knit to Row 410. For SHOULDER bind off 4 sts. after Rows 410, 412, 414, 416; 5 sts. after Row 418.

ON CAM BOX SIDE, increase 1 st. after Rows 248, 258, 268, 278, 288, 298, then knit to Row 299 and work Short Rows. ON OPPOSITE SIDE of CAM BOX put into holding position 6 needles after Rows 299, 301, 303, 305, 307, 309. After Row 311 bring all needles back into working position, then knit to Row 322.

ON OPPOSITE SIDE of CAM BOX decrease 1 st. after Rows in (). ON CAM BOX SIDE, decrease 1 st. after Rows 54, (54), 82, (82), 110, (110), 138, (138), 166, (166), 174, 182, 190, (194), 196, 202, 208, 214, 220, 226, 232, then knit to Row 248.

ROWS 0 to 54: Knit even.
 Cast on 93 sts. and work stockinette st.



Cast on 42 sts. with color 1 and work 46 rows stockinette st., then bind off all sts.

Cast on 15 sts. with color 2 and work 54 rows stockinette st., then bind off all sts.

Cast on 15 sts. with color 2 and work 548 rows stockinette st., then bind off all sts.

Cast on 15 sts. with color 2 and work 190 rows stockinette st., then bind off all sts.


Work the second back section with reverse shapings, casting on from right to left. (Cam Box will be on the LEFT side at Row 0).

ON CAM BOX SIDE, bind off 12 sts. after Row 391 (ODD ROWS = NECK SHAPING); 4 sts. after Rows 393, 395, 397; 4 sts. after Row 398 (EVEN ROWS = SHOULDER SHAPING); 2 sts. after Row 399; 4 sts. after Row 400; 2 sts. after Row 401; 4 sts. after Row 402; 2 sts. after Row 403; 4 sts. after Row 404; 5 sts. after Row 406.


ON CAM BOX SIDE, bind off 6 sts. after Row 310; 3 sts. after Rows 312, 314, 316; 2 sts. after Rows 318, 320; 1 st. after Rows 322, 324, 326, 328, 330, 332, 334, 336, then knit to Row 391.

ON OPPOSITE SIDE of CAM BOX increase 1 st. after Rows in (). ON CAM BOX SIDE, increase 1 st. after Rows 248, (248), 258, 268, 278, (278), 288, 298, (308), then knit to Row 310.

ON OPPOSITE SIDE of CAM BOX decrease 1 st. after Rows in (). ON CAM BOX SIDE, decrease 1 st. after Rows 54, (54), 82, (82), 110, (110), 138, (138), 166, (166), 174, 182, (182), 190, 196, (198), 202, 208, 214, (214), 220, 226, (230), 232, then knit to Row 248.




Color 1 ■ Color 2



Cast on 127 sts. and work 10 rows K1, P1, Ribbing, then bind off all sts. Work 3 more bands the same.




HP 3678



40 (Chest 39"-40")	42 (Chest 41"-42")	46 (Chest 45"-46")
Crocus Crepe	Lovely	Double Knitting
16 Color 1	16 Color 1	16 Color 1
6 Color 2	8 Color 2	8 Color 2
6 to 8	8 to 10	8 to 10
2" Stk. Pattern	15 sts. 21 rows	13 sts. 19 rows
	15 sts. 40 rows	13 sts. 36 rows
	Zipper 21"	24"

Cast on 36 sts. with color 2 and work 104 rows stockinette st., then bind off all sts.

The instructions are the same for all sizes. PATTERN: Stockinette Stitch and Holding Position Design according to the Line Drawing. The knit side is the right side. Neckband: K1, P1, Ribbing. To form the hem, hang the cast-on sts. back onto the machine behind the latches. FINISHING: Block all sections. Join back and front sections at sides and shoulders. Sew the sleeves together and set in. Turn under 30 rows on sleeve edges and 8 sts. on front edges and hem to wrong side. Sew the shaped edges on lower edge of jacket together. Sew 1 edge of neckband to inside and 1 edge to outside of neckline. Turn under 28 rows on upper edge of pockets, hem to wrong side and close the open side edges. Sew the pockets in place, turning the upper edge of the pockets about 2" to the outside. Sew the Zipper in place. Finish the buttonholes, then sew on buttons. Sew buttons to pockets as shown in the picture.




Work the second front section with reverse shapings, casting on from left to right. (Cam Box will be on the RIGHT side at Row 0). Omit the buttonholes.

ON CAM BOX SIDE, bind off 16 sts. after Row 411; 3 sts. after Row 413; 2 sts. after Rows 415, 417, 419; 1 st. after Rows 421, 423, 425, 427, 429, 433. For SHOULDER bind off 4 sts. after Rows 436, 438, 440, 442, 444; 5 sts. after Rows 446, 448, 450, 452.

ROWS 361 to 411: Knit even. ON CAM BOX SIDE, bind off 3 sts. after Rows 330, 334, 338; 2 sts. after Rows 342, 346, 350; 1 st. after Rows 354, 358, then knit to Row 360, change to color 2 and work stockinette st. ROWS 51 to 330: Knit even.

Make buttonholes after Rows in () over the 10th-14th and 43rd-47th sts. counting from the right side. ON OPPOSITE SIDE of CAM BOX increase 1 st. after Rows 2, 4, 6, 8, 10, 12, (12). Decrease 1 st. after Rows 14, 16, 18, 20, 22, 24. Increase 1 st. after Rows 26, 28, 30, 32, 34, 36, (36). Decrease 1 st. after Rows 38, 40, 42, 44, 46, 48. After Row 49 bind off 19 sts. ON CAM BOX SIDE, then cast on 8 new sts. for the facing. Knit to Row 50, form the hem, change to color 1 and work the Holding Position Design.

From right to left, cast on 99 sts. with color 2 and work stockinette st. (Cam Box will be on the LEFT side at Row 0).



Move the Cam Box to the left side, turn the Row Counter back to 444 and complete the left half. Follow the instructions from*.

*ON CAM BOX SIDE, bind off 4 sts. after Row 444 (EVEN ROWS = SHOULDER SHAPING); 5 sts. after Rows 445 (ODD ROWS = NECK SHAPING), 446, 447, 448; 3 sts. after Row 449; 5 sts. after Rows 450, 452.


ON CAM BOX SIDE, bind off 4 sts. after Rows 436, 437, 438, 439, 440, 441, 442, 443, then knit to Row 444, bind off the center 19 sts., put the needles on the left side into holding position and complete the right half first.

ON CAM BOX SIDE, bind off 3 sts. after Rows 330, 331, 334, 335, 338, 339; 2 sts. after Rows 342, 343, 346, 347, 350, 351; 1 st. after Rows 354, 355, 358, 359, then knit to Row 360, change to color 2 and work stockinette st. Knit to Row 436.

ROWS 51 to 330: Knit even.


ROWS 0 to 50: Knit even, then form the hem, change to color 1 and work the Holding Position Design.

Cast on 159 sts. with color 2 and work stockinette st.




ON CAM BOX SIDE, bind off 4 sts. after Rows 198, 199, 200, 201; 3 sts. after Rows 202, 203, 204, 205, 206, 207; 2 sts. after Rows 208, 209, 210, 211. ON EACH SIDE, hang the 1st st. onto the 2nd st. after Rows 212, 214, 216, 218, 220, 222, 224, 226, 228, 230, 232, 234, 236, 238, 240, 242, 244, 246, 248, 250. ON CAM BOX SIDE, bind off 2 sts. after Rows 252, 253, 254, 255, 256, 257; 3 sts. after Rows 258, 259; 4 sts. after Rows 260, 261; 12 sts. after Row 262.

ON EACH SIDE, increase 1 st. after Rows 26, 34, 42, 50, 58, 66, 74, 82, 90, 98, 106, 114, 122, 130, 138, 146, 154, 162, 170, 178, 186, 192, then knit to Row 198.
ROWS 0 to 26: Knit even, then change to stockinette st.
Cast on 76 sts. and work K1, P1, Ribbing.




Cast on 17 sts. with color 1 and work 300 rows K1, P1, Ribbing, then bind off all sts.




Bring the needles on the right side (left side for the second section) into working position, knit 1 row to the right (left side for the second section) turn the Row Counter back to 270 and complete the section.
ON CAM BOX SIDE, bind off 8 sts. after Row 269 (ODD ROWS = FRONT NECK SHAPING); 3 sts. after Rows 270 (EVEN ROWS = ARM HOLE SHAPING); 271; 2 sts. after Rows 272, 273, 274, 275; 1 st. after Rows 276, 277, 278, 279, 280, 281, then knit to Row 328 and bind off the 12 shoulder sts.


ON CAM BOX SIDE, bind off 3 sts. after Rows 156 (EVEN ROWS = CENTER BACK SHAPING), 157 (ODD ROWS = CENTER FRONT SHAPING); 2 sts. after Rows 158, 159, 160, 161; 1 st. after Rows 162, 163, 164, 165, then knit to Row 269, bind off the center 13 sts., put the needles on the right side (left side for the second section) into holding position and complete the front section first.
ON EACH SIDE, increase 1 st. after Rows 84, 90, 96, 102, 108, 114, 120, 124, 128, 132, 136, 140, 144, 148, 152, then knit to Row 156.
ON EACH SIDE, decrease 1 st. after Rows 26, 48, 70, then knit to Row 84.
ROWS 0 to 26: Knit even.
Cast on 89 sts. and work stockinette st.



ON CAM BOX SIDE, bind off 3 sts. after Rows 120, 121, 122, 123; 2 sts. after Rows 124, 125, 126, 127. ON EACH SIDE, hang the 1st st. onto the 2nd st. after Rows 128, 130, 132, 134, 136, 138, 140, 142. ON CAM BOX SIDE, bind off 2 sts. after Rows 144, 145; 3 sts. after Rows 146, 147, 148, 149; 11 sts. after Row 150.
ON EACH SIDE, increase 1 st. after Rows 24, 44, 64, 84, 104, then knit to Row 120.
ROWS 0 to 24: Knit even, then change to stockinette st. and work the repeated color stripes as marked in the Diagram.
Cast on 53 sts. with color 1 and work K1, P1, Ribbing.



Move the Cam Box to the left side, turn the Row Counter back to 140 and complete the left half. Follow the instructions from*.
*ON CAM BOX SIDE, bind off 4 sts. after Row 140 (EVEN ROWS = SHOULDER SHAPING); 3 sts. after Row 141 (ODD ROWS = NECK SHAPING); 4 sts. after Row 142; 3 sts. after Row 143; 4 sts. after Row 144; 3 sts. after Row 145; 4 sts. after Row 146; 5 sts. after Row 148.
ON CAM BOX SIDE, bind off 2 sts. after Rows 90, 91, 92, 93, 94, 95; 1 st. after Rows 96, 97, 98, 99, 100, 101, then knit to Row 140, bind off the center 12 sts., put the needle on the left side into holding position and complete the right half first. (For the FRONT Section knit to Row 124).
ROWS 15 to 90: Knit even.
ROWS 0 to 14: Knit even, then change to stockinette st. and work the repeated color stripes as marked in the Diagram.
Cast on 90 sts. with color 1 and work K1, P1, Ribbing.



Move the Cam Box to the left side, turn the Row Counter back to 124 and complete the left half. Follow the instructions from*.
*ON CAM BOX SIDE, bind off 3 sts. after Rows 125, 127; 2 sts. after Rows 129, 131; 1 st. after Rows 133, 135. For SHOULDER bind off 4 sts. after Rows 140, 142, 144, 146; 5 sts. after Row 148.
Work the front section the same as the back section to Row 124, then bind off the center 6 sts., put the needles on the left side into holding position and complete the right half first.
ROWS 0 to 12: Knit even.
Cast on 87 sts. with contrast waste yarn. Knit several rows, ending with the Cam Box on the right side. Turn Row Counter to 0 and change to garment yarn.

Work the second pants section with reverse shapings, casting on from right to left. Cam Box will be on the LEFT side at Row 0).
ON CAM BOX SIDE, bind off 3 sts. after Row 271 (ODD ROWS = ARM-HOLE SHAPING); 2 sts. after Rows 273, 275; 1 st. after Rows 277, 279, 281. For Back Neck Shaping bind off 6 sts. after Row 306; 2 sts. after Rows 308, 310, 312; 1 st. after Rows 314, 316, 318, 320, 322, 324. After Row 328 bind off the 12 shoulder sts.


Bring the needles on the right side (left side for the second section) into working position, knit 1 row to the right (left side for the second section) turn the Row Counter back to 270 and complete the section.
ON CAM BOX SIDE, bind off 8 sts. after Row 269 (ODD ROWS = FRONT NECK SHAPING); 3 sts. after Rows 270 (EVEN ROWS = ARM HOLE SHAPING); 271; 2 sts. after Rows 272, 273, 274, 275; 1 st. after Rows 276, 277, 278, 279, 280, 281, then knit to Row 328 and bind off the 12 shoulder sts.

ON CAM BOX SIDE, bind off 3 sts. after Rows 156 (EVEN ROWS = CENTER BACK SHAPING), 157 (ODD ROWS = CENTER FRONT SHAPING); 2 sts. after Rows 158, 159, 160, 161; 1 st. after Rows 162, 163, 164, 165, then knit to Row 269, bind off the center 13 sts., put the needles on the right side (left side for the second section) into holding position and complete the front section first.
ON EACH SIDE, increase 1 st. after Rows 84, 90, 96, 102, 108, 114, 120, 124, 128, 132, 136, 140, 144, 148, 152, then knit to Row 156.
ON EACH SIDE, decrease 1 st. after Rows 26, 48, 70, then knit to Row 84.
ROWS 0 to 26: Knit even.
Cast on 89 sts. and work stockinette st.

Repeat Rows 0 to 50 10 times (11 times altogether), but the last time knit only to Row 49. (Cam Box will be on the LEFT side). Knit several rows with contrast waste yarn, then remove the knitting from the machine. (Knit 1 row without yarn).
ON OPPOSITE SIDE OF CAM BOX put into holding position 63 needles after Row 12. ON OPPOSITE SIDE OF CAM BOX bring back into working position 8 needles after Rows 14, 16, 18, 20, 22, 24. (15 needles remain in holding position). ON OPPOSITE SIDE OF CAM BOX put into holding position 8 needles after Rows 26, 28, 30, 32, 34. After Row 38 bring all needles back into working position, then knit over all 87 rows to Row 50.

ROWS 0 to 12: Knit even.
Cast on 87 sts. with contrast waste yarn. Knit several rows, ending with the Cam Box on the right side. Turn Row Counter to 0 and change to garment yarn.

Move the Cam Box to the left side, turn the Row Counter back to 124 and complete the left half. Follow the instructions from*.
*ON CAM BOX SIDE, bind off 3 sts. after Rows 125, 127; 2 sts. after Rows 129, 131; 1 st. after Rows 133, 135. For SHOULDER bind off 4 sts. after Rows 140, 142, 144, 146; 5 sts. after Row 148.
Work the front section the same as the back section to Row 124, then bind off the center 6 sts., put the needles on the left side into holding position and complete the right half first.



Cast on 96 sts. with color 1 and work 24 rows K1, P1, Ribbing, then bind off all sts.

SIZE: 8 (Chest 25"-26") 10 (Chest 27"-28") 12 (Chest 29"-30")
YARN: Subita Crepe 2 x 4 Lovely Double Knitting
50 gr. BALLS: 7 11 12
TENSION: 6 to 8 7 to 9 8 to 10
GAUGE: 15 sts, 21 rows 14 sts, 20 rows 13 sts, 19 rows
 18 sts, 21 rows 17 sts, 20 rows 16 sts, 19 rows
JACKET TYPE: Zipper 16" 17" 18"

The instructions are the same for all sizes. **PATTERN:** Back and Front Sections: Knit 1, Purl 3 ribbing according to the Line Drawing. The purl side is the right side. Sleeves and Pocket: Stockinette Stitch, worn on the knit side. Edges: K1, P1, Ribbing. **INCREASES:** Move the 2 end sts. 1 needle outward, then place the 3rd st. from the row below onto the empty needle. **FINISHING:** Block all sections. Join back and front sections at sides and shoulders. Sew the sleeves together and set in. Turn under 6 sts. on front edges and hem to wrong side. Sew 1 edge of the collar to inside and 1 edge to outside of neckline. Sew in the zipper. Sew a button to the pocket. (See picture).



ON CAM BOX SIDE, bind off 4 sts. after Rows 130, 131; 3 sts. after Rows 132, 133; 2 sts. after Rows 134, 135, 136, 137, 138, 139. **ON EACH SIDE,** hang the 1st st. onto the 2nd st. after Rows 140, 142, 144, 146, 148, 150, 152, 154, 156, 158. **ON CAM BOX SIDE, bind off 2 sts.** after Rows 160, 161, 162, 163; 3 sts. after Rows 164, 165, 166, 167; 7 sts. after Row 168.

ON EACH SIDE, increase 1 st. after Rows 16, 26, 36, 46, 56, 66, 76, 86, 96, 106, 114, 122, then knit to Row 130.

ROWS 0 to 16: Knit even, then change to stockinette st.

Cast on 49 sts. and work K1, P1, Ribbing.

Bring the needles on the left side into working position, knit 1 row in PATTERN to the left side, turn the Row Counter back to 180 and complete the left half. Follow the instructions from*.



***ON CAM BOX SIDE, bind off 4 sts.** after Row 180 (EVEN ROWS = SHOULDER SHAPING); 3 sts. after Row 181 (ODD ROWS = NECK SHAPING); 4 sts. after Row 182; 3 sts. after Row 183; 4 sts. after Row 184; 3 sts. after Row 185; 4 sts. after Row 186; 2 sts. after Row 187; 4 sts. after Row 188; 2 sts. after Row 189; 4 sts. after Row 190; 5 sts. after Row 192.

ON CAM BOX SIDE, bind off 3 sts. after Rows 122, 123, 124, 126, 127; 2 sts. after Rows 128, 129, 130, 131; 1 st. after Rows 132, 133, 134, 135, 136, 137, then knit to Row 180, bind off the center 15 sts., put the needles on the left side into holding position and complete the right half first. (Transfer the ribber sts. to the main machine before putting the needles into hold).



ROWS 17 to 122: Knit even.

ROWS 0 to 16: Knit even, then transfer the appropriate ribber sts. to the main machine and work Knit 1, Purl 3, Ribbing.

Cast on 131 sts. and work K1, P1, Ribbing.



Cast on 141 sts. and work 30 rows K1, P1, Ribbing, then bind off all sts. the crochet method for ribbing.



Work the second front section with reverse shapings, casting on from right to left. (Cam Box will be on the LEFT side at Row 0).

ON CAM BOX SIDE, bind off 12 sts. after Row 165; 3 sts. after Rows 167, 169; 2 sts. after Rows 171, 173, 175; 1 st. after Rows 177, 179; 4 sts. after Row 180; 1 st. after Row 181; 4 sts. after Rows 182, 184, 186, 188, 190; 5 sts. after Row 192.


ON CAM BOX SIDE, bind off 3 sts. after Rows 122, 124, 126; 2 sts. after Rows 128, 130; 1 st. after Rows 132, 134, 136, then knit to Row 165.

ROWS 17 to 122: Knit even.

ROWS 0 to 16: Knit even, then transfer the appropriate ribber sts. to the main machine and work Knit 1, Purl 3, Ribbing.

Cast on 72 sts. and work K1, P1, Ribbing.

Cast on 24 sts. and work 46 rows stockinette st., then bind off all sts.



Move the Cam Box to the left side, turn the Row Counter back to 280 and complete the left half. Follow the instructions from*.

***ON CAM BOX SIDE, bind off 4 sts.** after Row 280 (EVEN ROWS = SHOULDER SHAPING); 3 sts. after Row 281 (ODD ROWS = NECK SHAPING); 4 sts. after Row 282; 3 sts. after Row 283; 4 sts. after Row 284; 3 sts. after Row 285; 5 sts. after Row 286; 2 sts. after Row 287; 5 sts. after Row 288; 2 sts. after Row 289; 5 sts. after Row 290; 2 sts. after Row 291; 5 sts. after Row 292; 2 sts. after Row 293; 5 sts. after Rows 294, 296.


ON CAM BOX SIDE, bind off 4 sts. after Rows 188, 189; 3 sts. after Rows 190, 191, 192, 193; 2 sts. after Rows 194, 195, 196, 197; 1 st. after Rows 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, then knit to Row 280, bind off the center 14 sts., put the needles on the left side into holding position and complete the right half first.

ROWS 33 to 188: Knit even.

ROWS 0 to 32: Knit even, then form the hem.

Cast on 170 sts. and work stockinette st.

Cast on 37 sts. and work the Holding Position Design. After Row 58 transfer every other st. to the ribber and work 8 rows K1, P1, Ribbing, then bind off all sts. the crochet method for ribbing.




Bring the needles on the left side into working position, knit 1 row in PATTERN to the left side, turn the Row Counter back to 200 and complete the left half. Follow the instructions from*.

*ON CAM BOX SIDE, bind off 3 sts. after Rows 201, 203; 2 sts. after Rows 205, 207; 1 st. after Rows 209, 211, 215, 217. For SHOULDER bind off 5 sts. after Rows 220, 222, 224, 226, 228; 6 sts. after Row 230.

ON CAM BOX SIDE, bind off 3 sts. after Rows 150, 151, 152, 153; 2 sts. after Rows 154, 155, 156, 157; 1 st. after Rows 158, 159, 160, 161, 162, 163, then knit to Row 200 (For the BACK Section knit to Row 184), bind off the center 13 sts., put the needles on the left side into holding position and complete the right half first. (Transfer the ribber sts. to the main machine before putting the needles into hold).

ROWS 0 to 150: Knit even.

Cast on 129 sts. with color 1 and work Knit 1, Purl 3 Ribbing.




ON OPPOSITE SIDE OF CAM BOX increase 1 st. after Rows 184, 186, 188, 190, 192, then decrease 1 st. after Rows 194, 196, 198, 200, 202. Now increase 1 st. after Rows 204, 206, 208, 210, 212, then decrease 1 st. after Rows 214, 216, 218, 220, 222. After Row 224 bind off all 81 sts.

ON EACH SIDE, decrease 1 st. after Rows 70, 78, 86, 94, 102, 110, 118, 126, 134, 142, 150, 158, 166, 174, 182, then knit to Row 184, cast on 23 sts. ON OPPOSITE SIDE OF CAM BOX, (use a separate length of yarn) change to color 2 and work the color stripes as marked in the Diagram.


ROWS 0 to 70: Knit even.

Cast on 88 sts. with color 3 and work stockinette st.



Work the back section the same as the front section to Row 184, then put 52 needles on the left side into holding position and complete the right half first. (Transfer the ribber sts. to the main machine before putting the needles into hold).

*ROWS 185 to 220: Knit even.



ON EACH SIDE, decrease 1 st. after Rows 70, 78, 86, 94, 102, 110, 118, 126, 134, 142, 150, 158, 166, 174, 182. After Row 184 change to color 2 and work the color stripes as marked in the Diagram. Work 2 more sections in the same.

ROWS 0 to 70: Knit even.

Cast on 88 sts. with color 3 and work stockinette st.


KK 5346

- SIZE:** 6 (Chest 24"-25") 8 (Chest 26"-27") 10 (Chest 28"-29")
- YARN:** Subita Crepe 2 x 3 Fortissima
- 50 gr. BALLS:** Pants 5 Color 2
Pullover 3 Color 3
Jacket 5 Color 1
1 Color 2
4 to 6
- TENSION:** 2"
- GAUGE:** 18 sts, 24 rows



The instructions are the same for all sizes. PATTERN: Stockinette Stitch with Color Stripes on the Sleeves and Pockets of the Jacket. Pullover Edges and COLLAR: K1, P1, Ribbing. DECREASES: Hang the 3rd st. onto the 2nd st., then move the end sts. inward to fill the empty needle. Begin the DART by hanging the 2nd st., together as marked on the Diagram, then move the end sts. inward to fill the empty needles. The following decreases for the dart lie directly above. INCREASES: Move the 2 end sts. 1 needle outward, then place the 3rd st. from the row below onto the empty needle. To form the hem, hang the cast-on sts. back onto the machine behind the latches, then knit the following row with 2 tension settings higher.

FINISHING: Block all sections. PANTS: Sew the inner leg seams together. Join the sections at center back and center front, leaving about 8" on the front free for the zipper. Turn under a small amount around the opening and hem to wrong side. Turn under 16 rows on leg edges and upper edge and hem to wrong side. Insert an elastic band into upper hem and fasten on side edges. Set in the zipper. PULLOVER: Join front and back section at sides and shoulders. Sew the sleeves together and set in. Join short ends of collar, then sew 1 edge of collar to inside and 1 edge to outside of neckline. JACKET: Join back section and front sections at sides and shoulders. Sew the sleeves together and set in. Weave the open sts. of the neck facing together, then sew the facing to neckline. Turn under 10 sts. around front edges and neckline, then hem to wrong side. Turn under 1" at upper edge of pockets, hem to wrong side, then sew pockets in place. Weave 1 edge of the binding to the fold line of front edges and neckline, then turn under half and sew in place. Sew 6 buttons to front sections for a double breasted effect. Sew 3 buttons to each sleeve cuff.





ON CAM BOX SIDE, bind off 4 sts. after Rows 38, 39, 40, 41; 2 sts. after Rows 42, 43, 44, 45, 46, 47. ON EACH SIDE, hang the 1st st. onto the 2nd st. after Rows 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70. ON CAM BOX SIDE, bind off 2 sts. after Rows 72, 73, 74, 75; 3 sts. after Rows 76, 77, 78, 79; 13 sts. after Row 80.

ON EACH SIDE, increase 1 st. after Rows 16, 20, 24, 28, 32, then knit to Row 38.

ROWS 0 to 16: Knit even, then change to stockinette st.

Cast on 75 sts. with color 3 and work K1, P1, Ribbing.



Move the Cam Box to the left side, turn the Row Counter back to 164 and complete the left half. Follow the instructions from*.

*ON CAM BOX SIDE, bind off 3 sts. after Rows 165, 167; 2 sts. after Rows 169, 171; 1 st. after Rows 173, 175, 177, 179. For SHOULDER bind off 4 sts. after Rows 186, 188, 190; 5 sts. after Rows 192, 194, 196.

Work the front section the same as the back section to Row 164, then bind off the center 13 sts., put the needles on the left side into holding position and complete the right half first.



Move the Cam Box to the left side, turn the Row Counter back to 216 and complete the left half. Follow the instructions from *.

*ON CAM BOX SIDE, bind off 3 sts. after Row 216 (EVEN ROWS = SHOULDER SHAPING); 3 sts. after Row 217 (ODD ROWS = NECK SHAPING); 4 sts. after Row 218; 3 sts. after Row 219; 4 sts. after Row 220; 3 sts. after Row 221; 4 sts. after Row 222; 2 sts. after Row 223; 4 sts. after Row 224; 2 sts. after Row 225; 4 sts. after Row 226; 2 sts. after Row 227; 4 sts. after Row 228; 230.

ON CAM BOX SIDE, bind off 3 sts. after Rows 148, 149, 150, 151; 2 sts. after Rows 152, 153, 154, 155, 156, 157; 1 st. after Rows 158, 159, 160, 161, 162, 163, then knit to Row 216, bind off the center 11 sts., put the needles on the left side into holding position and complete the right half first.

ROWS 29 to 148: Knit even.
ROWS 0 to 28: Knit even, then form the hem.

Cast on 133 sts. with color 1 and work stockinette st.



Cast on 38 sts. with color 1 and work the color stripes as marked in the Diagram. After Row 62 bind off all sts.

Work the right front section with reverse shapings, casting on from left to right. (Cam Box will be on the RIGHT side at Row 0). Omit the buttonholes.

ON CAM BOX SIDE, bind off 3 sts. after Rows 148, (149), 150; (151), 2 sts. after Rows 152, (153), 154, (155), 156; 1 st. after Rows 158, (159), 160, 162, (163). The Armhole Shaping is now completed. Continue to decrease 1 st. ON NECK SIDE after Rows 167, 171, 175, 179, 183, 187, 191, 195, 199, 203, 207, 211, 215, then again after Rows in (). For SHOULDER bind off 3 sts. after Row 216; 4 sts. after Rows 218 (219), 220, 222, (223), 224, 226, 228, 230. Work over the remaining 10 sts. (Facing) to Row 258, then put the sts. onto a stitch holder.

ON NECK SIDE hang the 12th st. onto the 11th st. then move the end sts. inward to fill the empty needle after Rows 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 137, 139, 141, 143, 145, 147, then again after Rows in (). Knit to Row 148.


ROWS 29 to 122: Knit even AND make buttonholes after Rows 54, 84, 114, over the 2nd-6th and 15th-19th sts. counting from the right side.

ROWS 15 to 28: Knit even, then form the hem.

ROWS 0 to 14: Knit even, then cast on 20 sts. ON OPPOSITE SIDE of CAM BOX. (Use a separate length of yarn).

From right to left, cast on 77 sts. with color 1 and work stockinette st. (Cam Box will be on the LEFT side at Row 0).

Continued on next page



Cast on 11 sts. with color 2, and work 506 rows stockinette st. then bind off all sts.

Cast on 143 sts. with color 2 and work stockinette st.

ROWS 0 to 44: Knit even.

Cast on 143 sts. with color 2 and work stockinette st.




Move the Cam Box to the left side, turn the Row Counter back to 186 and complete the left half. Follow the instructions from *.

*ON CAM BOX SIDE, bind off 4 sts. after Row 186 (EVEN ROWS = SHOULDER SHAPING); 3 sts. after Row 187 (ODD ROWS = NECK SHAPING); 4 sts. after Row 188; 3 sts. after Row 189; 4 sts. after Row 190; 3 sts. after Row 191; 5 sts. after Row 192; 3 sts. after Row 193; 5 sts. after Rows 194, 196.

ON CAM BOX SIDE, bind off 3 sts. after Rows 122, 123, 124, 125; 2 sts. after Rows 126, 127, 128, 129, 130, 131, 1 st. after Rows 132, 133, 134, 135, then knit to Row 186. (For the FRONT Section knit to Row 164) bind off the center 17 sts., put the needles on the left side into holding position and complete the right half first.

ROWS 17 to 122: Knit even.
ROWS 0 to 16: Knit even, then change to stockinette st.

Cast on 123 sts. with color 3 and work K1, P1, Ribbing.



Work the second pants section with reverse shapings, casting on from right to left. (Cam Box will be on the LEFT side at Row 0).


Decrease 2 sts. for the DART after Row 312, then again after Rows in (). Continue to decrease 1 st. ON CAM BOX SIDE after Rows 314, (320), 326, (328), (336), 338, (344), but do not knit after the last decrease. Work Short Rows. ON OPPOSITE SIDE of CAM BOX put into holding position 45 needles after Row 344; 12 needles after Rows 346, 348, 350, 352. After Row 354 bring all needles back into working position, then knit to Row 386 and bind off the remaining 106 sts.

ON CAM BOX SIDE, bind off 4 sts. after Row 248 (EVEN ROWS = CENTER BACK SHAPING); 3 sts. after Row 249 (ODD ROWS = CENTER FRONT SHAPING); 4 sts. after Row 250; 2 sts. after Row 251; 3 sts. after Row 252; 2 sts. after Row 253; 3 sts. after Row 254; 1 st. after Row 255; 2 sts. after Row 256; 1 st. after Row 257; 2 sts. after Row 258; 1 st. after Rows 259, 260, 261, 262, 264, 265, 266, 269, 270, 273, 274, 278, 290, 302, then knit to Row 312.

ON OPPOSITE SIDE of CAM BOX increase 1 st. after Rows in (). ON CAM BOX SIDE, increase 1 st. after Rows 142, (142), 148, (152), 154, 160, (162), 166, 172, (172), 178, (182), 184, 190, (192), 196, 202, (202), 208, (212), 214, 220, (222), 226, 232, (232), 238, then knit to Row 248.

ON EACH SIDE, decrease 1 st. after Rows 44, 64, 84, 104, 124, then knit to Row 142.

ROWS 0 to 44: Knit even.
Cast on 143 sts. with color 2 and work stockinette st.





KNITTING NEWS

JULY/AUGUST 1972

OUR READERS WRITE

"How do I get my cast-on edge to look neat?" is a question we often receive from our readers....

As most of our experienced knitters know, there are different methods of casting on. The method you use should depend on what you are planning to do with your edge. Sometimes you will cast on and knit a specific number of rows and then hang a hem... sometimes you may want to use the open cast-on method so that you can pick up the open stitches later, perhaps to finish it with a fancy crochet edge... or weave the open stitches to another section on the other end of your knitting (such as weaving a circle together) etc., etc.... Some of you will use the automatic cast-on method. Most of the time, you will use the CLOSED CAST-ON method which is winding the yarn over the needles as though you were writing the small letter 'e'. This cast-on will vary in tightness according to the yarn used and you often need to adjust your cast-on edge to make it smooth and even with the rest of your knitting. Here is the way it is done...

When you remove a section of knitting from the machine, pull and stretch it into shape and BEFORE blocking, pull up the edge. Begin at the end OPPOSITE your yarn cast-on END. Hold the knitting in your left hand with the KNIT SIDE FACING you. Look at the edge stitches and you will see the loops on the very edge of the cast-on row. Place your left hand over the edge of the knitting with the fingers on the back of the piece and your thumb on the front of the knitting and OVER the SECOND stitch. Hold your thumb rather tightly and using a transfer needle (a large tapestry needle is OK too) push it through the first stitch and pull UP. Remove the needle and move your thumb to the next stitch, push the transfer needle through the second stitch and pull up.... Move your hand and thumb over one stitch at a time and pull up the released stitch each time... As you can see, your yarn loop is getting longer and longer - so bring that loop over your first finger and down between the first and second finger of your left hand and hold it in place until you are ready to pull it through the next stitch. Holding the yarn over your finger will prevent the yarn from tangling and keep it under your control. Keep moving along until you get to the last stitch, then pull the end through the loop and pull up to secure the yarn. Try this method on a sample for practice. At first you may feel that you are all thumbs, but before long you will catch on. Some yarns will need to be pulled up tighter than others, but don't pull too tight... just snug enough so that when you stretch the edge of your knitting, there is some give to it, but it still lies smoothly.

NEW KNITTING YARN CATALOGUE

An entirely new KNITTING YARN CATALOGUE is in production...!!! We expect it to be ready early in August. You can order it in advance if you wish

and your envelope will be typed and ready to fill with an exciting new catalogue immediately they are delivered to us.

Once again, even though each catalogue costs us over \$3.00 to produce, we are literally giving them away...You pay a \$1.00 fee that is deducted from your first yarn order in the amount of \$10.00 or more at retail prices...Many wonderful new yarns are included in the KNITTING YARN CATALOGUE and once again, our prices are as low as they can be for such top quality yarns...Order your catalogue now and be ready for the gorgeous display of garments - made with them - in the next issue (ten color pages!!) of KNITTING MAGAZINE.

We pay the postage so send \$1.00 (California residents add 5¢ sales tax) to KNITTING, Dept. YC, 1128 Crenshaw Blvd., Los Angeles, California 90019.

NEW KNITTING TOOLS

We have two new multi-transfer tools for KNITTING owners...one for four needles and one for six needles...both are just perfect for putting darts in or full fashion knitting, etc...The price for the pair is \$2.25 (California residents add 11¢ sales tax) plus 50¢ for first class postage and mailing costs.

PRACTICAL KNITTING HINTS

HOW TO LINE A SKIRT

The Skirt DK 8052 in this issue of KNITTING MAGAZINE can be lined. If you wish to line your skirt, you must make a tissue pattern after blocking the sections and before putting it together. Because the four sections of this particular skirt are exactly alike, you need only to use one of the sections for making a tissue pattern - or you can make the pattern using brown wrapping paper. Fold a piece of tissue (as wide and as long as the skirt section) in half lengthwise. Fold the section of skirt in half lengthwise and put a few pins in it to hold it together, then place the fold of the skirt section on the fold of the tissue and pin it flat. With a pencil draw around the outside edge, omitting the width of the waistband and the fold under hem allowance. Remove the skirt section from the tissue and draw a second line approximately 3/4" outside the first line, down the length of the skirt and 1/2" outside the line at the waistline and lower edge. Cut the pattern around the outside line. Open up the tissue and draw a straight line down the center fold. This is the straight of your pattern and must be placed on the straight of your fabric. You can use the pattern folded in half and placed on the fold of material, or you can use it opened up flat on a single thickness of material as long as you place the straight of the pattern on the straight of material. Cut four sections for your skirt lining.

Weave the sections of your skirt together leaving a 9 inch opening on the left side seam. Turn under 19 rows for the waistband and hem to the wrong side. Make hem on skirt. Fold under small seam allowance of opening in skirt and sew a 7" zipper into the opening, leaving the back of the waist-

band opening free. Please use matching sewing thread to sew in the zipper by hand. Work from the right side using a tiny back stitch. Run elastic through the hem at waist and sew firmly to each end on the back of the waistband only. Tack the elastic to the back of the band in several places with a large cross stitch. Close ends of waistband, covering the zipper tape on the wrong side.

Sew 5/8" seams in skirt lining leaving 8" open on the left side seam. Press seams open. Fold under 1/2" at waist edge, then with wrong sides together pin the lining into the skirt at the lower edge of the waistband only, matching the seams of the lining with seams of skirt and easing in any fullness at the waist. Sew lining into skirt at the waistband. The side seams and the hem of the lining should always hang free. Turn under and make hem at lower edge of lining. Fold under and tack the opening of lining to the zipper tape on the wrong side.

LINING A SKIRT WITH DARTS

To line a skirt that has DARTS, you will need a tissue pattern for the front and one for the back because of the difference in the width and the length of the darts.

Fold two pieces of tissue paper in half lengthwise and mark one 'front' and one 'back'. Fold the back section of the skirt in half lengthwise and place the fold edge of skirt onto the tissue and pin it in place. Draw a line on the tissue across the lower edge, omitting the turn under hem allowance. Draw another line on the tissue across the top of the skirt, omitting the waistband allowance. Draw a line down the side on the tissue following the outline of the skirt. Mark the tissue for the PLACEMENT of DARTS at the top of the pattern and also mark the tissue for the LENGTH of the DARTS. To mark for darts, you can push a pin through the skirt and the tissue. With a ruler, draw a straight line down the length of the dart and another straight line from the hip line to the waistline and another line down the center front. Mark the darts and the hip to waist line on the other half of your tissue pattern. Fold each dart on the dart line and pin each one 1" from the fold at the top of the dart, then taper it to nothing at the bottom of each dart. Now place your skirt section back on the tissue matching the darts and draw a new line along the edge from the hip up to the waist, rounding it smoothly. Remove skirt, fold tissue in half evenly and draw another line 3/4" away from the first line along the side and another line 1/2" away from the first line at the lower edge and top edge. Cut out pattern along the second line. Make the Front pattern in the same manner except place the front skirt section 5/8" from the folded tissue instead of 1". Open up the pattern and draw lines where the darts were folded and on each side of the fold as well, for the width of the dart. Mark the dart lines on the front and the back sections of pattern.

Now you are ready to cut your lining... You can use your pattern folded in half and placed on a fold of material, or open the pattern flat and place it on a single layer of material. Mark the darts on the lining, sew up the darts, then sew 5/8" on the side seams leaving an 8" opening on the left side for the zipper. Finish and sew the lining into the skirt in the same manner as for the skirt without darts.

READERS WRITE (continued)

We learn a lot about our readers likes and dislikes from the magazine questionnaires that go out with every renewal notice...Our readers help us decide what to include in KNITKING MAGAZINE... Sometimes criticisms are constructive...occasionally, there is nothing we can do about them...For example, some readers ask why we do not recommend other brands of yarn for our patterns...Obviously, we are in business to make a profit and a major part of our business is the selling of KNITKING YARNS...KNITKING MAGAZINE operates at a loss and is supported by profits on sales of yarns and other KNITKING products...If we didn't sell KNITKING YARNS, there would be no KNITKING MAGAZINE... Columbia Minerva, Spinnerin, Bernat, Brunswick, and other yarn companies would never be expected to publish hand knit patterns recommending competitive brand yarns...like KNITKING, they provide patterns as a service to their yarn customers and to help sell their own brands of yarns...so please keep buying KNITKING YARNS and support us in our endeavor to continually improve KNITKING MAGAZINE.

Many readers say very nice things and we will share them with you from time to time..for example J. Frumeric of Huntington, Connecticut writes.... "I am so pleased with your service, that I am writing to tell you how much I like your yarns. I'm an art student and I do a lot of weaving, crocheting and in general use a lot of yarns and twine. I was so pleased with everything about your company..the selection of yarns..the prices.. the service (my yarn was at by house in a week and a half after I ordered it) and the quality. Thank your for letting customers once again get what they bargain for."

Mrs. Calvin Bonzard of Tomah, Wisconsin writes "Would like to congratulate you on your home study course lesson book and also your yarn mail-order service. I can send an order and have it here in a week's time. I convinced our adult education hand knitting instructor that KNITKING was the best. I told her I'd help her when she got her machine to learn to use it. Needless to say, I haven't been called once. She's doing great with your Home Study Course. As soon as I use up all my old yarns, I am going to your yarns completely. It's so nice to wash your synthetics and have them come out new looking."

Mrs. J. Melchior of Miami, Florida writes "You have made me very happy. I would enjoy showing the world how easy it is to use the KNITKING. I am a female who can't remember how to adjust my sewing machine if it has lots of knobs. I like the KNITKING because all it takes are a few minor adjustments and you do beautiful work. I have shown it to many friends and they can't believe I don't have a least 30 minutes of setting up to do before knitting"...



NOTES TO KNIT BY . . .

STITCH AND ROW GAUGE

KNIT A SAMPLE SWATCH . . . before you begin to knit any garment . . . for this is the **MOST IMPORTANT STEP** toward the correct size and the proper fit of any garment you wish to make. You **MUST** use the **SAME YARN** for your sample swatch that you will use to knit your garment and your sample swatch must be knitted large enough and using several different tension numbers on your machine. When you have done this, then you can determine the number of stitches and the number of rows in a two-inch measure. **KNITTING MAGAZINE PATTERNS** give you 3 tensions to try and one of them should give you the correct stitch and row gauge if you are using the yarn we recommend or a similar weight yarn. Here is the way to make your sample swatch.

Cast on over a sufficient number of needles to produce a swatch at least 4 inches wide. (If the pattern calls for 16 stitches to 2", then $16 \times 2 = 32$ stitches to cast on). Now knit 4 inches of rows at the first suggested tension number. (If the pattern calls for 22 rows to 2", $22 \times 2 = 44$ rows to knit). Knit 2 rows using a contrast color, change to the next higher tension and with garment yarn knit another 4", knit 2 rows with contrast color, change to the 3rd higher tension and knit another 4" and then bind off.




Roll the swatch into a cylinder over its length and pull on both ends, unroll it and stretch it diagonally by pulling on the four corners. Allow the swatch to rest and settle (preferably overnight) and then using a stitch gauge or a ruler, count the number of stitches over a 2" width, then the number of rows over a 2" length in EACH of the 3 tensions. Select the tension number that produces the stitches and rows called for in the pattern. If none of them are correct, you are most likely using the wrong weight of yarn.




READING OF CHARTS


You will notice the instructions start at the bottom of the Chart and work UP. Follow the charts exactly as written and providing your sample stitch and row gauge is correct, your garment will come out the right size. Please remember that the section of garment as it is knitted on the machine, faces the same way as the Charts are in this magazine. Where two front pieces are needed, (or any other part of a garment that needs two sections) only one section is normally shown and the second section is usually made with reverse shaping. Set in sleeves are usually identical, but raglan sleeves have to be knitted with reverse shaping for the second sleeve.


READING OF SYMBOLS

To simplify Pattern Knitting, we use Symbols in the Line Drawings and the Chart Diagrams. In the Line Drawings the symbols are shown and are to be read as you look at them while knitting a garment. For instance, if

a Purl stitch faces you, the Purl stitch Symbol  is shown; if a knit stitch faces you (as when using the Ribber) then this Symbol  is shown. The Symbol  at the top of the Line Drawing is the center of the garment section and you use this as a guide for setting up the needles.

The following Symbols    are used for Eyelet Designs in the Line Drawings and also for Full Fashion shaping on the Charts. The Line Drawings have row numbers on the right side. Missing Row numbers are always knitted straight or plain.

In Holding Position Designs  selected needles are pushed into holding position for the stated number of rows. The numbers of rows appear at the right of the Line Drawings; Example: 1-4 means knit Rows 1 to 4; 5 to 7 means knit Rows 5 to 7, etc. This same Symbol is also shown on the Charts and is used for putting needles into holding position for Short Rows. The

Symbol  on the Charts is used to put needles back into working position when knitting Short Rows.

A number in a box stands for the number of rows to be knitted between shapings. Make shaping first, then knit the necessary number of rows. If for instance it reads:

1 st. 8 x



1 st. 10 x



As you will be reading the instructions from the bottom up, here is the way you will follow them: . . . Decrease or increase (depending on the direction of the garment outline) 1 st. at the row where the shaping begins, then knit 8 rows, make the next decrease, then knit 8 rows, until you have decreased (or increased) 1 st. 10 x and you have knitted 8 rows after each decrease (or increase) (1 st. 10 x + 8 rows 10 x). Now begin the first decrease (or increase) for the shaping (which has to be made 8 x) in every 6th row. Decrease (or increase) 1 st. first, then knit 6 rows until you have decreased 1 st. 6 x and after each decrease (or increase) have knitted 6 rows (1 st. 8 x + 6 rows 8 x).

Where shapings are given without a boxed number as on most armholes, necklines, etc., make the shapings on every second row (on each side of course).

(See below for more Pattern Stitch Symbols.)

PATTERN STITCH SYMBOLS



= knit stitch



= purl stitch



= empty needle (leave in working position)



= needle not used (in the out of work position)



= needle in the holding position



= Needles back into working position.



= 2 stitches on 1 needle - either transferred from the right side or the left side, then put the needle into holding position



= needle holding 2 stitches. Stitch has been transferred from the LEFT



= needle holding 2 stitches. Stitch has been transferred from the RIGHT



= 3 stitches on 1 needle. The 1st and 3rd stitch in a group of 3 needles has been hung on the 2nd or center needle.



= Center of Garment Section.



= Number of rows to be knitted between shapings.

The diagrams (Line Drawings) for pattern work are followed just as they are shown and are to be read as you look at them while knitting the garment.

open darts



closed darts



