

knitking

magazine

may/june '74




Another first from Knitking!!!

THE ~~WHIZ KING~~ PATTERN READER with complete Charting Service

- With **WHIZ KING** you know exactly what to do without reference to written instructions.
- With **WHIZ KING** you no longer have to count rows ... Your Pattern Chart turns automatically as you knit.
- With **WHIZ KING** you can knit even the most intricate patterns easily and speedily.
- With a **WHIZ KING** Pattern Reader, even the complete newcomer to machine knitting can immediately knit garments.
- With **WHIZ KING**, Charts are available from **KNITKING MAGAZINE** Patterns in the size of your choice.

PRICE: 59.50 Complete with instructions, practice Charts and illustrations of 50 complete Patterns for the entire family. (California residents add Sales Tax)
Shipping costs \$2.50.

ORDER DIRECT FROM **KNITKING** 1128 CRENSHAW BLVD. • LOS ANGELES, CALIFORNIA 90019



knitking

magazine

INDEX	PAGE NO.
DK 8340	Woman's Pullover Vest 9
DK 8265	Woman's 3-Piece Pantsuit 10
DP 8307	Woman's Bedjacket 12
DK 8316	Woman's Long Robe 13
HP 3725	Man's Norwegian Pullover 14
DK 8310	Woman's Short Robe 15
KG 1981	Pillow and Bedspread 16
KK 5511	Teen Boy's Jacket 17
DK 8272	Woman's Dress 18
KG 1980	Placemats 18
MK 5411	Little Girl's Dress 20
DK 8266	Woman's Skirt and Pullover 20
KK 5412	Little Boy's Suit 22
KK 5514	Young Man's Pullover 23
HP 3718	Man's Cardigan 24
HP 3716	Man's Sport Shirt 26
DK 8274	Woman's Skirt and Pullover 26



COVER DK 8340

DK 8340 — A Pullover Vest to wear over a Blouse or a Dress is knitted in a bright Norwegian Design using 3 colors. It's the perfect addition to your travel wardrobe. Instructions are for Sizes 12, 16 and 18.

The cost of ready made clothing soars higher and higher, but knitted garments, fashioned by you, keep your budget pretty low and your family happy. KNIT-KING knits go from morning till night . . . classic and timeless . . . they serve you well for many seasons.

editorial

We notice a strange phenomenon every time the country is experiencing a period of recession. Instead of a drop off in knitting machine and yarn sales, we always experience a boom in business. It seems that a shortage of money encourages people to make things for themselves. This analysis is substantiated by the fact that the relatively poor countries of the world buy many more knitting machines per capita than affluent countries like the U.S.A.

What a pity it is that the American consumer finds it too easy to go to a store and buy knits when she can so easily knit them herself . . . Once she is hooked however, there is no going back . . . Once she discovers the pleasure of making and wearing knits in the color and style of her choice . . . Knits that will always encourage the compliments of friends — and sometimes complete strangers . . . Knits that (even when the finest quality yarn is used) cost a mere fraction of the prices asked in custom Knit Shops and Department Stores.

We see dresses in Beverly Hills and Palm Springs stores selling for between \$150.00 and \$400.00, the yarn for which we know costs between \$15.00 and \$30.00 . . . You can have a wardrobe full of gorgeous custom knit clothes that would cost a fortune to buy . . . just for the cost of the yarn. We have among our Los Angeles customers, many famous celebrities who have grown tired of paying high prices for custom knits and who have learned that a few hours of enjoyable relaxing time spent with their KNITTING each week, results in a sense of accomplishment together with a savings of many hundreds of dollars . . .

Look at some of the lovely garments in this issue and resolve to knit some up for yourself . . . We have exciting new designs every issue . . . The July/August edition will feature a gorgeous evening Halter Pantsuit, an assortment of Blouses, a cocktail or party Dress, several summery Dresses and Suits, a lovely lacy Stole, two Shoulder Bags and a special plus . . . three Bikinis in three sizes . . . three Sweaters for the men in your life and some charming clothes for the youngsters . . .

Publisher: KNITTING CORPORATION, 1128 Crenshaw Blvd., Los Angeles, Calif. 90019. Telephone: 213-938-2079. Published bi-monthly. Subscriptions: USA — \$7.00 annually, single copies \$1.50; Canada — \$8.00; other parts of the world — \$10.00. The entire contents of KNITTING MAGAZINE are copyright and must not be reproduced in any shape or form without the express permission, in writing of the publisher. © COPYRIGHT 1974 by KNITTING CORPORATION.

Printed by William B. Wemyss Printing Associates, Los Angeles, Ca.



Knitking News

We had so much material for KNITKING NEWS this issue, it ran over to an additional page. Hope you enjoy it all...

OUR READERS WRITE

As you can well imagine, we receive daily, a substantial amount of mail... We enjoy hearing from our readers and their comments help tremendously in the preparation and contents of future editions of KNITKING MAGAZINE.

We will, from time to time, and starting with this issue, share with our readers, excerpts from some letters.

During January of 1972, we had a visit from a Mother Juliana who is the head of a Convent in Santiago, Chile... Mother Juliana and her helpers were responsible for the health and welfare of up to 50 orphans plus 200 day boys and girls, teachers and old ladies and she came to us investigating the possibilities of supplementing the income of the Convent by knitting items for resale. She claims that the only way she can succeed in her endeavors is to be very obstinate and work hard... Actually, Mother Juliana is a fine lady with a great sense of humor. We correspond regularly with her and are giving her address so that any reader who feels inclined can send a letter of encouragement or any surplus yarn that is laying around waiting to be put to good use.

During her visit in Los Angeles, Mother Juliana purchased and learned to use an AM 3 KNITKING knitter and RIBBING ATTACHMENT. Since that time, another complete machine has been added plus a BABY LOCK sewing machine and almost every accessory we market... We hope that you will enjoy reading these delightful excerpts from her letters written in long hand and in English.

May, 1972

Mother Juliana
Hogar de Ninas
San Juan de Kronstadt
Casilla 14493 Correo 21
SANTIAGO, CHILE

In Christ, dear Mr. Atkin and other ladies and gentlemen of the KNITKING office on Crenshaw Blvd.

It is time you hear of your pupil - the one who was among you, so anxious to do something for the orphanage.

Well, I arrived home safely in February, thank God, and the machine arrived two weeks later... God only knows how I suffer the day when I cannot knit. At first I couldn't because there were many other jobs and work to do. School days began in March. Finding teachers, writing and bringing every paper in order (I was out in the States in Columbia and Brazil for more than three months) then when I decided to knit and was very anxious, there was no wool in Chile, only the things I had before. So, when I go at 8:00 in the morning and stand in a very big line and my turn comes at 10:00, they give me four kilos of wool in one place. I come back to knit, but I am already tired. I have chance to receive four kilos and can never choose the color because every day are two colors only. If I don't

get them, then the machine is standing! Other people get one kilo only. How many times I come mentally to Crenshaw Boulevard to the lady who sold me wool...there it was, full, all colors and types.

Perhaps it is only for the moment, but we entered into Winter...Anyway, my poor machine and me are very good friends and the things she makes delights all our neighbors and sellers. I cannot stop praising my machine for the lovely work she does. Still, I cannot work as I ought to. Choose good colors, but have done already many good things and I write these lines to thank you all my good hearted people of the Crenshaw Boulevard for being so good and kind to me when I was there.

September, 1972

Dear Mr. Henry Atkin and all KNITKING people:
I have no words to thank you for all your kindness. I am so rich now. Thank you, I owe you very much.

At last the BABY LOCK is home and is so much esteemed. Tried to work on the same day when I brought it, but our electricity is 200 volts and I have to buy a transfer...anyway, we found transfer, but till now, we didn't get it to work. Don't be afraid, with me it must obey and work.

I am knitting, knitting and knitting. I had an idea to shut away all the magazines and knit one thing at a time only because with my eyes and thoughts, I could do all the KNITKING.

November, 1973

In Christ, Dear Sir Mr. Henry and our dear KNITKING people:
After receiving the last issue - September-October which arrived today, I thought again to write you.

First of all, I thank you for the beautiful work you do. We stopped selling until March when Winter begins in Chile (just imagine us all vice versa). Now we are having cherries, apricots and poor Santa Claus comes in shorts and doesn't melt. Anyway, we are accustomed to everything (sometimes poor Santa Claus comes playa vestment!) Now, thank God, all the shops are full of everything and ones gets mad (my majesty, of course, nobody else) to decide the colors and types of worsted wool

My dear old good friend, my KNITKING machine, so dear to me is all the time working faithfully, so my helper, the 17 year old Vera doesn't let me come near it (the KNITKING) now I get more time exercising, practicing and reading Practical Hints and have more and more ideas. I mentally thank God that I live in Chile (not in the place of the issue of this lovely magazine) and I can be happy to receive it later when my enthusiasm is a little cooler.


Mrs. Marcinko - Duryea, Pennsylvania writes... (shortly after receiving her new KNITKING machine) By the time I emptied the box and found the HOME STUDY COURSE, INSTRUCTION MANUAL, 2 KNITKING MAGAZINES, flyers for weave stitch patterns, yellow

Continued at back of magazine.

DK 8265 — A 3-piece Pantsuit takes you to any sporting event or weekends in the country. Smartly tailored Pants are topped with a turtleneck Pullover that is knitted in Stockinette stitch with Ribbed Bands. The attractive Vest is made in a Holding Position Design using 2 colors. Sizes 12, 14 and 16.

sweet
as
candy





DK 8316 and DK 8310 — Wrap up pretty in a cozy long Robe (DK 8316). It's knitted in Stockinette stitch that is worn on the Purl side with the Bands turned to the Knit side . . . The Sizes are 12, 16 and 20. The shortie Robe (DK 8310) combines Stockinette stitch with a Norwegian Design. You can knit it in Sizes 14, 16 and 18.






DP 8307 — Pamper yourself with a glamorous Bedjacket to take on your travels . . . or knit one for a friend. It's knitted over every other needle in a soft Holding Position Design. The Sleeves are in two colors combining the Pattern with Stockinette stitch. A change in tensions when knitting the sleeves gives depth and shows off the Design. Sizes 6, 8 and 10.



സ്വീഡിഷ് റെഡ്



HP 3725 — The Men are wearing brightly designed Norwegian Pull-overs. Knit this one in 2 colors and you can follow the Line Drawing or use JAC 40 and Pattern No. K615. Sizes 38, 40, and 42.

KK 5511 — Color stripes are great for a young man's Jacket that zips down the front. Plain Stockinette stitch is used for the sleeves and pocket. The lower edge of Jacket and sleeve bands are ribbed. Three colors are used. Sizes 12, 14 and 16.





Simple Skirt



DK 8266 — Any season is the season to look fresh and pretty in a simple skirt in Stockinette stitch with a feminine button-down the front Blouse knitted in a lovely Holding Position Design that is worn on the Purl side. (KNITKING machine owners can use Wheel No. 3). Knit Size 12 with Crocus Crepe; Sizes 14 and 16 with Melodie.

DK 8272 — For cool days and breezy summer evenings ... a simple dress scores high in fashion. Knitted in Stockinette stitch with 1 x 1 Rib for the sleeve cuffs. Sizes 18 and 20 are made with Subita Crepe; Size 22 with Beatrice Crepe.





Another first from KNITKING

Completely Self-Contained Motorized Table for KNITKING machines (wired for 110 volts) . . . Just locate your KNITKING on the Table, no clamps or fixing necessary . . .
Simple to operate . . .
Foot and Fingertip controls.
Built in Safety Device stops machine if knitting jams . . .
Can be used with Ball or Cone Yarn.



Price: **\$349.00**
(California residents add Sales Tax).
Freight charges — F.O.B. Los Angeles.
(Crated Table weighs approximately 150 pounds)

Order direct from KNITKING — 1128 Crenshaw Blvd., Los Angeles, California 90019

DK 8340

SIZE:	12 (Bust 35"-36")	16 (Bust 37"-38")	18 (Bust 39"-40")
YARN:	Sport Prima	Sport Prima	Melodie
50 gr. BALLS:	3 color 1 2 color 2 2 color 3	4 color 1 2 color 2 2 color 3	4 color 1 2 color 2 3 color 3
TENSION:	5 to 7	6 to 8	7 to 9
GAUGE:	16 sts. 20 rows	15 sts. 19 rows	14 sts. 19 rows

The instructions are the same for all sizes. PATTERN: Norwegian Design according to the Line Drawing or use JAC 40 and Pattern No. K612. In the instructions, each row in the Norwegian Design is counted as 1 row but several movements of the Cam Box are needed to complete 1 row. EDGES: K1, P1, Ribbing. (If you do not own a Ribber, you can use a Mock Rib - see Practical Knitting Hints in this issue). DECREASES: Place the 3rd st. onto the 2nd needle and move the end sts. inward to fill the empty needle. INCREASES: Move the 2 end sts. 1 needle outward then place the 3rd st. from the row below onto the empty needle.


FINISHING: Block all sections. Join front and back sections at sides and shoulders. Join short ends of neckband sections and armhole bands then sew 1 edge to inside and 1 edge to outside of neckline and armholes.








Bring the needles on the left side into working position, knit 1 row in Pattern to the left side, turn the Row Counter back to 148 and complete the left half. Follow the instructions from *.

* ON CAM BOX SIDE, bind off 3 sts. after Row 148 (EVEN ROWS = ARM-HOLE SHAPING); 1 st. after Row 149 (ODD ROWS = NECK SHAPING); 3 sts. after Row 150; 1 st. after Row 151; 3 sts. after Row 152; 1 st. after Row 153; 2 sts. after Row 154; 1 st. after Row 155; 2 sts. after Row 156; 1 st. after Row 157; 2 sts. after Row 158; 1 st. after Rows 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 173, 175, 179, 183, 187, 191, 195, 199, 203, 207, 211, 215, 219, 223, 227, 231, 233, 237; 4 sts. after Row 240; 1 st. after Row 241; 4 sts. after Rows 242, 244; 5 sts. after Rows 246, 248.


Work the Front section the same as the Back section to Row 148. Hang the 75th st. counting from each edge, onto the 74th needle, put the needles on the left side into holding position and complete the right half first.




-  COLOR 1
-  COLOR 2
-  COLOR 3



Cast on 99 sts. with color 1 and work K1, P1, Ribbing. ON CAM BOX SIDE, decrease 1 st. after Rows 2, 4, 6, 8. ON CAM BOX SIDE, increase 1 st. after Rows 10, 12, 14, 16. After Row 18, bind off all sts. the crochet method for Ribbing. Make another section with reverse shaping.



Cast on 143 sts. with color 1 and work K1, P1, Ribbing. ON EACH SIDE, decrease 1 st. after Rows 2, 4, 6, 8. ON EACH SIDE, increase 1 st. after Rows 10, 12, 14, 16. AFTER Row 18, bind off all sts. the crochet method for Ribbing. Make another section the same.



Bring the needles on the left side into working position, knit 1 row in Pattern to the left side, turn the Row Counter back to 232 and complete the left half. Follow the instructions from *.

* ON CAM BOX SIDE, bind off 3 sts. after Rows 233 (ODD ROWS = NECK SHAPING), 235, 237, 239; 4 sts. after Row 240 (EVEN ROWS = SHOULDER SHAPING); 3 sts. after Row 241; 4 sts. after Row 242; 3 sts. after Row 243; 4 sts. after Row 244; 3 sts. after Row 245; 5 sts. after Rows 246, 248.

ON CAM BOX SIDE, bind off 3 sts. after Rows 148, 149, 150, 151, 152, 153; 2 sts. after Rows 154, 155, 156, 157, 158, 159. ON EACH SIDE, decrease 1 st. after Rows 160, 162, 164, 166, 168, 170, then knit to Row 232, bind off the center 22 sts., put the needles on the left side into holding position and complete the right half first.

ROWS 15 to 148: Work even.

ROWS 0 to 14: Work even, then change to the Norwegian Design.

Cast on 150 sts. with color 1 and work K1, P1, Ribbing.




BE SURE TO NOTIFY US IMMEDIATELY OF ANY CHANGE OF ADDRESS. THE POST OFFICE WILL NOT FORWARD YOUR MAGAZINE TO YOU.

DK 8265

SIZE:	12 (Bust 33"-34")	14 (Bust 35"-36")	16 (Bust 37"-38")
YARN:	Pants: Beatrice Crepe Pullover: Beatrice Crepe Vest: Beatrice Crepe	Beatrice Crepe Dolly Dralon Dolly Dralon	Beatrice Crepe Dolly Dralon Dolly Dralon
50 gr. BALLS:	Pants: 10 color 1 Pullover: 8 color 1 Vest: 5 color 2 3 color 3	10 color 1 8 color 1 5 color 2 5 color 3	11 color 1 9 color 1 6 color 2 4 color 3
TENSION:			
Stock	Pants: 3 to 5	4 to 6	5 to 7
Stock	Pullover: 5 to 7	7 to 9	8 to 10
Pattern	Vest: 6 to 8	7 to 9	9 to 10
GAUGE:	2"		
Pants:	17 sts. 23 rows	16 sts. 22 rows	15 sts. 21 rows
Pullover:	15 sts. 20 rows	14 sts. 19 rows	13 sts. 18 rows
Vest (Pat.):	14 sts. 20 rows	13 sts. 28 rows	12 sts. 26 rows

The instructions are the same for all sizes. **PATTERN:** Pants: Stockinette stitch. Pullover: Stockinette stitch with edges and turtleneck in K1, P1 Ribbing. Vest: Holding Position Design in 2 colors worn on the knit side. Work according to the Line Drawing. Edges: K1 P1 Ribbing. **INCREASES:** Move the 2 end sts. 1 needle outward, then place the 3rd st. from the row below onto the empty needle. **DECREASES:** Hang the 3rd st. onto the 2nd st., then move the end sts. inward to fill the empty needle.

FINISHING: Block all sections. **PANTS:** Join front and back sections at sides. Close the inner leg seams. Join sections at center front and center back. Turn under 18 rows on lower edge and 13 rows on upper edge and hem to wrong side. Insert an elastic band into the upper hem. **PULLOVER:** Join front and back sections at sides and shoulder. Sew the sleeves together and set in. Sew the short ends of turtleneck together and sew to neck edge. **VEST:** Join front and back at shoulders and sides, easing in the fullness of front section at bustline. Join the short ends of armhole bands together and sew to armholes. Join the short ends of band sections together and sew to neckline and front edges of Vest, with buttonhole section on the right front. Sew on pockets.



Work the second back section with reverse shaping, casting on from right to left. Cam Box will be on the left side at Row 0.

ON OPPOSITE SIDE of CAM BOX, put into holding position 7 needles after Rows 462, 464, 466, 468, 470, 472, 474. After Row 476, bring all the needles back into working position, then knit to Row 502 and bind off the remaining 66 sts.


ON OPPOSITE SIDE of CAM BOX, decrease 1 st. after Rows in (). ON CAM BOX SIDE, bind off 4 sts. after Rows 362, 364; 3 sts. after Rows 366, 368; 2 sts. after Rows 370, 372; 1 st. after Rows 374, 376, 380, 384, 388, 392, 396, 401, 406, (410), 411, 416, (417), 421, (424), 426, 431 (431), 436, (438), 441, (445), 446, 451, (452), 456, (459), 461, then knit to Row 462 and work Short Rows.

ON OPPOSITE SIDE of CAM BOX, increase 1 st. after Rows in (). ON CAM BOX SIDE, increase 1 st. after Rows 212 (212), 218, 224, (228), 230, 236, 242, (244), 248, 254, 260 (260), 266, 272, (276), 278, 284, 290, (292), 296, 302, (306), 308, 314, 320 (320), 326, 332, (334), 338, 344, (348), 350, 354, 358, then knit to Row 362.


ON EACH SIDE, decrease 1 st. after Rows 42, 60, 78, 96, 114, 132, 150, 168, then knit to Row 212.

ROWS 0 to 42: Knit even.


Cast on 92 sts. and work Stockinette stitch.



Cast on 153 sts. and work 68 Rows K1, P1 Ribbing, then bind off all sts. the crochet method for Ribbing. (See Practical Knitting Hints Book, page 78).



Cast on 187 sts. with color 2 and work 12 rows K1, P1 Ribbing, then bind off all sts. the crochet method for Ribbing.



ON CAM BOX SIDE, bind off 4 sts. after Rows 164, 165; 3 sts. after Rows 166, 167, 168, 169, 170, 171; 2 sts. after Rows 172, 173; 1 st. after Rows 174 THROUGH Row 207; 2 sts. after Rows 208, 209; 4 sts. after Rows 210, 211, 212, 213; 11 sts. after Row 214.

ON EACH SIDE, increase 1 st. after Rows 20, 28, 36, 44, 52, 60, 68, 76, 84, 92, 100, 108, 116, 124, 132, 140, 148, 156, then knit to Row 164.

ROWS 0 to 20: Knit even, then change to Stockinette stitch.
Cast on 59 sts. and work K1, P1 Ribbing.

Work the second front section with reverse shaping, casting on from right to left. Cam Box will be on the left side at Row 0.

ON CAM BOX SIDE, decrease 1 st. after Rows 410, 417, 424, 431, 438, 445, 452, 459, then knit to Row 488 and bind off the remaining 66 sts.

ON CAM BOX SIDE, bind off 3 sts. after Rows 363, 365; 2 sts. after Rows 367, 369, 371; 1 st. after Rows 373, 375, 377, 379, then knit to Row 410.

ON OPPOSITE SIDE of CAM BOX, increase 1 st. after Rows in (). ON CAM BOX SIDE, increase 1 st. after Rows 212 (212), (224), 228, (236), 244, (248), 260 (260), (272), 276, (284), 292, (296), 306, (308), 320 (320), (332), 334, (342), 348, (352), then knit to Row 363.

ON EACH SIDE, decrease 1 st. after Rows 42, 60, 78, 96, 114, 132, 150, 168, then knit to Row 212.

ROWS 0 to 42: Knit even.
Cast on 83 sts. and work Stockinette stitch.

Move the Cam Box to the left side, turn the Row Counter back to 206 and complete the left half. Follow the instructions from *.

* ON CAM BOX SIDE, bind off 4 sts. after Row 206 (EVEN ROWS = SHOULDER SHAPING); 3 sts. after Row 207 (ODD ROWS = NECK SHAPING); 4 sts. after Row 208; 3 sts. after Row 209; 4 sts. after Row 210; 3 sts. after Row 211; 4 sts. after Row 212; 3 sts. after Row 213; 4 sts. after Row 214; 3 sts. after Row 215; 4 sts. after Rows 216, 218.


ON CAM BOX SIDE, bind off 3 sts. after Rows 134, 135, 136, 137; 2 sts. after Rows 138, 139, 140, 141. ON EACH SIDE, decrease 1 st. after Rows 142, 144, 146, 148, 150, then knit to Row 206, bind off the center 18 sts., put the needles on the left side into holding position and complete the right half first.

ON EACH SIDE, increase 1 st. after Rows 62, 76, 90, 104, 118, then knit to Row 134. (For the Front section, knit to Row 120).

ROWS 21 to 62: Knit even.

ROWS 0 to 20: Knit even, then change to Stockinette stitch.

Cast on 124 sts. and work K1, P1 Ribbing.



To work the second front section with reverse shaping, cast on and knit the same as the first section to Row 20. Now knit 1 row in Pattern to the left side, turn the Row Counter back to 20 and follow the instructions. (Cam Box will be on the left side at even numbered Rows.)


ON CAM BOX SIDE, bind off 4 sts. after Row 222 (EVEN ROWS = ARM-HOLE SHAPING); 1 st. after Row 223 (ODD ROWS = NECKLINE SHAPING); 4 sts. after Row 226; 1 st. after Row 227; 3 sts. after Row 230; 1 st. after Row 231; 3 sts. after Row 234; 1 st. after Row 235; 3 sts. after Row 238; 1 st. after Row 239; 2 sts. after Row 242; 1 st. after Row 243; 2 sts. after Row 246; 1 st. after Row 247; 2 sts. after Row 250; 1 st. after Rows 251, 254, 255, 258, 259, 262, 263. Armhole shaping is now completed. Continue to decrease 1 st. ON NECK SIDE after Rows 267, 271, 275, 279, 285, 291, 297, 303, 309, 315, 321, 327, 333, 339, 345, then knit to Row 350. Bind off the remaining 10 sts.

ON CAM BOX SIDE, increase 1 st. after Rows 82, 106, 130, 154, 178, then knit to Row 222.

ROWS 21 to 82: Knit even.

ROWS 0 to 20: Knit even, then change to the Holding Position Design.

Cast on 57 sts. with color 2 and work K1, P1 Ribbing.



Bring the needles on the left side into working position, knit 1 row in Pattern to the left side, turn the Row Counter back to 318 and complete the left half. Follow the instructions from *.

* ON CAM BOX SIDE, bind off 4 sts. after Rows 319, 321; 3 sts. after Rows 323, 325, 327; then knit to Row 334. After Row 334, bind off the remaining 10 sts.



ON CAM BOX SIDE, bind off 4 sts. after Rows 206, 207, 210, 211; 3 sts. after Rows 214, 215, 218, 219, 222, 223; 2 sts. after Rows 226, 227, 230, 231, 234, 235; 1 st. after Rows 238, 239, 242, 243, 246, 247, then knit to Row 318, bind off the center 23 sts., put the needles on the left side into holding position and complete the right half first.

ON EACH SIDE, increase 1 st. after Rows 82, 106, 130, 154, 178, then knit to Row 206.


ROWS 21 to 82: Knit even.

ROWS 0 to 20: Knit even, then change to the Holding Position Design.


Cast on 119 sts. with Color 2 and work K1, P1 Ribbing.



Cast on 136 sts. with color 2 and work K1, P1 Ribbing, making buttonholes after Row 6 over the 12th to 16th; 39th to 43rd; 66th to 70th; 93rd to 97th; 120th to 124th sts. counting from the LEFT side. After Row 12, bind off all sts. the crochet method for Ribbing. Work the Button band the same, but omit the buttonholes.




Cast on 34 sts. Work in Pattern to Row 50, then transfer every other stitch to the Ribber and with Color 2. work 12 rows of K1, P1 Ribbing. After Row 62, bind off all sts. the crochet method for Ribbing.



Cast on 108 sts. with color 2 and work 12 rows K1, P1 Ribbing, then bind off all sts. the crochet method for Ribbing.

Continued on page 12



Move the Cam Box to the left side, turn the Row Counter back to 196 and complete the left half. Follow the instructions from *.

* ON CAM BOX SIDE, bind off 3 sts. after Rows 197, 199; 2 sts. after Rows 201, 203; 1 st. after Rows 205, 207, 209, then knit to Row 218. For shoulder, bind off 4 sts. after Rows 218, 220, 222, 224, 226, 228, 230.

ON CAM BOX SIDE, bind off 3 sts. after Rows 146, 147, 148, 149; 2 sts. after Rows 150, 151, 152, 153; 1 st. after Rows 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, then knit to Row 196, bind off the center 22 sts., put the needles on the left side into holding position and complete the right half first.

ON OPPOSITE SIDE OF CAM BOX, put into holding position, 6 needles after Rows 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131. ON OPPOSITE SIDE OF CAM BOX, bring all the needles back into working position after Rows 132, 133, then knit to Row 146.

Work the front section the same as the back section to Row 120, then work Short Rows for the Bust Darts.

DK 8265

Continued from page 11



Change to color 2 and Stockinette stitch. ON EACH SIDE, decrease 1 st. after Rows 128, 132, 136. Change to color 1 and Pattern stitch and continue to decrease 1 st. ON EACH SIDE after Rows 140, 144, 148, 152, 156, 160, 164, 168. Change to color 2 and Stockinette stitch and decrease 1 st. ON EACH SIDE after Row 172. Knit to Row 176, then change to color 1 and Pattern stitch. Bind off 2 sts. after Rows 176, 177, 180, 181, 184, 185; 7 sts. after Row 188.

ON CAM BOX SIDE, bind off 3 sts. after Rows 116, 117; 2 sts. after Rows 120, 121, 124, 125, then knit to Row 128.

ROWS 97 to 116: Knit even.

ROWS 93 to 96: Knit even, then change Tension and with color 1, work the Pattern Stitch.

ROWS 89 to 92: Knit even, then take the work off the machine as before, decreasing 13 more sts. (2 sts. on every 5th needle - 57 sts. in working position).

ROWS 57 to 88: Knit even, then change Tension and with color 2 work Stockinette stitch.

ROWS 53 to 56: Knit even, then change Tension and with color 1 work Pattern stitch.

ROWS 49 to 52: Knit even. Knit 8 rows with contrast waste yarn and take the work off the machine. Push 13 needles to the out of work position and on remaining 70 needles, replace knitting, putting 2 sts. on every 6th needle.

ROWS 17 to 48: Knit even, then change Tension and with color 2 work Stockinette stitch.

ROWS 0 to 16: Knit even, then make a hem. Change Tension and with color 1, work Pattern stitch.

Cast on 83 sts. with color 2 and work Stockinette stitch.


DP 8307

SIZE:	6 (Bust 30 1/2"-31")	8 (Bust 31 1/2"-32")	10 (Bust 32 1/2"-33")
YARN:	Allegro	Flamingo	Alanda
50 gr. BALLS:	7 color 1 1 color 2	10 color 1 2 color 2	11 color 1 2 color 2
TENSION:			
Stock:	5 to 7	6 to 8	7 to 9
Pattern:	7 to 9	8 to 10	8 to 10
GAUGE:	2"		
Stock:	10 sts. 22 rows	9 sts. 21 rows	8 sts. 20 rows
Pattern:	10 sts. 36 rows	9 sts. 34 rows	8 sts. 32 rows


The out of work needles ARE NOT COUNTED in the stitch gauge or instructions.

The instructions are the same for all sizes. PATTERN: USE EVERY OTHER NEEDLE for all cast on stitches. Stockinette stitch and Holding Position Design. KNITTING machines owners can set up the pattern for first row then use the Needle Shifter after every 4 rows. See Sleeve Chart for color changes and stockinette stitch stripes. DECREASES: Hang the end st. onto the next needle.

FINISHING: Block all sections. Join back and front sections at sides and shoulders, easing in the fullness at bustline of the front sections. Sew the sleeves together and set in. Sew 1 edge of band to the inside and 1 edge to the outside of neckline, leaving long ends to be tied into a bow. Single crochet 1 row into open stitches around bottom and along front edges, then work 1 row of reverse single crochet. Remove contrast waste yarn.



Cast on over every other needle then follow line drawing.





Work the second front section with reverse shaping, casting on from right to left. Cam Box will be on the left side at Row 0.

ON CAM BOX SIDE, decrease 1 st. after Rows 205 (ODD ROWS = NECK SHAPING); 215, 225, 235, 245, 255, 265, 275, 285; 1 st. after Row 294 (EVEN ROWS = SHOULDER SHAPING); 1 st. after Rows 295, 296, 298, 300, 302, 304, 305; 2 sts. after Rows 306, 308, 310, 312, 314.

ON CAM BOX SIDE, bind off 2 sts. after Rows 186, 190, 194; 1 st. after Rows 198, 202, then knit to Row 205.

ROWS 173 to 186: Knit even.

Cast on 35 sts. and work as for the back section to Row 172.



DK 8316

SIZE:	12 (Bust 33"-34")	16 (Bust 37"-38")	20 (Bust 41"-42")
YARN:	Melodie color 1 Beatrice color 2	Dolly Dralon color 1 Beatrice color 2	Alanda Tweed color 1 Beatrice color 2
50 gr. BALLS:	19 color 1 3 color 2	18 color 1 3 color 2	23 color 1 3 color 2
TENSION:	5 to 7 color 1 4 to 6 color 2	7 to 9 color 1 4 to 6 color 2	8 to 10 color 1 5 to 7 color 2
GAUGE:	2" 15 sts. 21 rows C-1 16 sts. 22 rows C-2	14 sts. 20 rows C-1 16 sts. 22 rows C-2	13 sts. 19 rows C-1 15 sts. 21 rows C-2



The instructions are the same for all sizes. PATTERN: Stockinette stitch worn on the Purl side. BANDS: Stockinette stitch worn on the Knit side. DECREASES: Hang the 3rd st. onto the 2nd st., then move the end sts. in to fill the empty needle. To form the hem, hang the cast on sts. back onto the machine in front of the latches, push the right Cam Control Button towards the back and knit 2 rows without yarn, then push the Cam Control Button forward, turn the Row Counter back 2 numbers.

FINISHING: Block all sections. Join the center back, the front and back sections at sides and shoulders. Sew the sleeves together and set in. Turn under 1" on the upper edges of pockets and hem to wrong side. Sew the pockets in place (see picture). Sew 1 edge of band to the inside and 1 edge to the outside of the front edges and around the neck.

Work the second front section with reverse shaping, casting on from right to left. Cam Box will be on the left side at Row 0.


Decrease 1 st. OPPOSITE CAM BOX after Row in () and ON CAM BOX SIDE, SHAPE SHOULDER by binding off 5 sts. after Rows 588, 590, 592 (592), 594, 596.

Continue to decrease 1 st. OPPOSITE CAM BOX after Rows in () and ON CAM BOX SIDE, SHAPE ARMHOLE by binding off 4 sts. after Row 504; 3 sts. after Rows 506, 508, 510; 2 sts. after Rows 512 (512), 514; 1 st. after Rows 516, 518, 520 (520), 522. Armhole shaping is now completed. Continue to decrease 1 st. on NECK SIDE (OPPOSITE CAM BOX) after Rows 526, 532, 538, 544, 550, 556, 562, 568, 574, 580, 586.


ON OPPOSITE SIDE of CAM BOX, put into holding position 4 needles after Rows 469, 471, (472), 473, 475, 477, 479, (480), 481, 483. After Row 485, bring all the needles back into working position. Continue neck decreases of 1 st. after Rows (488), (496), (504).

ON OPPOSITE SIDE of CAM BOX (Neck side) decrease 1 st. after Rows 400, 408, 416, 424, 432, 440, 448, 456, 464, then knit to Row 469 and work Short Rows for BUST DART and continue neck decreases after Rows in ().



Work the front section the same as the back section to Row 400.




Cast on 27 sts. with color 2 and work 598 rows K1, P1, Ribbing, then bind off all sts. the crochet method for Ribbing.




Cast on 26 sts. with color 2 and work 1674 rows Stockinette stitch, then bind off all sts.



Cast on 39 sts. with color 1 and work 68 rows Stockinette stitch, then bind off all sts.



Cast on 10 sts. with color 2 and work 480 rows Stockinette stitch, then bind off all sts.



Work the second back section with reverse shaping, casting on from right to left. Cam Box will be on the left side at Row 0.

Bind off 11 sts. after Row 569 (ODD ROWS = NECK SHAPING); 4 sts. after Row 571; 5 sts. after Row 572 (EVEN ROWS = SHOULDER SHAPING); 4 sts. after Row 573; 5 sts. after Row 574; 3 sts. after Row 575; 5 sts. after Row 576; 3 sts. after Row 577; 5 sts. after Row 578; 3 sts. after Row 579; 5 sts. after Row 580.

ON CAM BOX SIDE, bind off 4 sts. after Row 488; 3 sts. after Rows 490, 492, 494; 2 sts. after Rows 496, 498; 1 st. after Rows 500, 502, 504, 506, then knit to Row 569.

ON OPPOSITE SIDE of CAM BOX, decrease 1 st. after Rows in (). ON CAM BOX SIDE, decrease 1 st. after Rows 40 (40), 52, (62), 64, 76, (84), 88, 100, (106), 112, 124, (128), 136, 148, (156), 160, 172, (178), 182, 192, (198), 202, 212, (218), 222, 232, (238), 242, 252, (258), 262, 272, (278), 282, 292, (298), 302, 312, (318), 322, 332, (338), 342, 352, (358), 362, 372, (378), 382, 392, (398), then knit to Row 488 (front section to Row 400).

ROWS 0 to 40: Knit even. Make hem, then change to color 1.

Cast on 126 sts. with color 2 and work Stockinette stitch.

Bring the needles on the left side into working position, knit 1 row in Pattern to the left side, turn the Row Counter back to 280 and complete the left half. Follow the instructions From *


* ON CAM BOX SIDE, bind off 1 st. after Rows 280, 282 (EVEN ROWS = SHOULDER SHAPING); 2 sts. after Row 283 (ODD ROWS = NECK SHAPING); 1 st. after Rows 284, 286; 2 sts. after Row 287; 1 st. after Rows 288, 290; 2 sts. after Rows 292, 294, 295, 296, 298, 300.

ON CAM BOX SIDE, bind off 2 sts. after Rows 172, 173, 176, 177, 180, 181; 1 st. after Rows 184, 185, 188, 189, then knit to Row 280, bind off the center 6 sts., put the needles on the left side into holding position and complete the right half first.

ROWS 0 to 172: Knit even. (Front section to Row 186.)

Cast on 70 sts. with contrast color waste yarn and work Stockinette stitch. Knit 8 rows then change to color 1 and Pattern stitch. Put the Row Counter to 0.

Continued on page 14




DK 8316
Continued from page 13

ON CAM BOX SIDE, bind off 4 sts. after Rows 184, 185; 3 sts. after Rows 186, 187, 188, 189; 2 sts. after Rows 190, 191, 192, 193, 194, 195; 1 st. after Row 196 THROUGH Row 229; 2 sts. after Rows 230, 231, 232, 233; 3 sts. after Rows 234, 235, 236, 237; 13 sts. after Row 238.

ROWS 41 to 184: Knit even.

ROWS 0 to 40: Knit even. Make hem, then change to color 1.

Cast on 99 sts. with color 2 and work Stockinette stitch.




□ COLOR 1 ■ COLOR 2

HP 3725

SIZE:	38 (Chest 38"-39")	40 (Chest 40"-41")	42 (Chest 42"-43")
YARN:	Crocus Crepe	Allegro	Allegro
50 gr. BALLS:	5 color 1 5 color 2	5 color 1 5 color 2	6 color 1 6 color 2
TENSION:	5 to 7	5 to 7	6 to 8
GAUGE:	16 sts. 21 rows	15 sts. 20 rows	14 sts. 19 rows

The instructions are the same for all sizes. PATTERN: Norwegian Design according to the Line Drawing or use JAC 40 and Pattern No. K615. In the instructions, each row in the Norwegian Design is counted as 1 row but several movements of the Cam Box are needed to complete 1 row. EDGES: K1, P1, Ribbing with color stripes as marked on the Chart. (If you do not own a Ribber, you can use a Mock Rib - see Practical Knitting Hints in this issue). DECREASES: Place the 3rd st. onto the 2nd needle and move the end sts. inward to fill the empty needle.

FINISHING: Block all sections. Join front and back sections at sides and shoulders. Join short ends of neckband sections and armhole bands, then sew 1 edge to the outside of neckline and armholes.



Bring the needles on the left side into working position, knit 1 row in Pattern to the left side, turn the Row Counter back to 246 and complete the left half. Follow the instructions from *.


* ON CAM BOX SIDE, bind off 4 sts. after Row 246 (EVEN ROWS = SHOULDER SHAPING); 6 sts. after Row 247 (ODD ROWS = NECK SHAPING); 4 sts. after Row 248; 6 sts. after Row 249; 4 sts. after Row 250; 6 sts. after Row 251; 5 sts. after Rows 252, 254.

ON CAM BOX SIDE, bind off 4 sts. after Rows 144, 145, 146, 147; 3 sts. after Rows 148, 149, 150, 151; 2 sts. after Rows 152, 153, 154, 155. ON EACH SIDE, decrease 1 st. after Rows 156, 158, 160, 162, 164, then knit to Row 246. Bind off the center 34 sts., put the needles on the left side into holding position and complete the right half first.

ROWS 41 to 144: Work even.

ROWS 0 to 40: Work even, then change to the Norwegian Design.

Cast on 160 sts. with color 1 and work K1, P1, Ribbing with color stripes as marked on the Chart.



Cast on 151 sts. with color 1 and work K1, P1, Ribbing with color stripes as marked on the Chart. ON CAM BOX SIDE, bind off 2 sts. after Rows 3, 5, 7, 9, 11, 13, 15, 17, 19. After Row 20, bind off all sts. the crochet method for Ribbing. Make another section with reverse shaping.


Bring the needles on the left side into working position, knit 1 row in Pattern to the right side, turn the Row Counter back to 128 and complete the left half. Follow the Instructions from *.

ON CAM BOX SIDE, bind off 4 sts. after Row 246 (EVEN ROWS = SHOULDER SHAPING); 4 sts. after Row 248; 1 st. after Row 249; 4 sts. after Row 250; 5 sts. after Rows 252, 254.


Continue to decrease 1 st. for NECK SHAPING on the ODD ROWS and SHAPE ARMHOLE on the EVEN ROWS. Bind off 4 sts. after Row 144; 1 st. after Row 145; 4 sts. after Row 146; 3 sts. after Row 148; 1 st. after Row 149; 3 sts. after Row 150; 2 sts. after Row 152; 1 st. after Row 153; 2 sts. after Row 154; 1 st. after Rows 156, 157, 158, 160, 161, 162, 164, 165, 169, 173, 177, 181, 185, 189, 193, 197, 201, 205, 209, 213, 217, 221, 225, 229, 233, 237, 241, 245.

* ON CAM BOX SIDE, decrease 1 st. after Row 129 (ODD ROWS = NECK SHAPING); 1 st. after Rows 131, 133, 135, 137, 139, 141.

Work the Front section the same as the Back section to Row 128. Hang the 80th st. (counting from each end) onto the 79th needle, put the needles on the left side into holding position and complete the right half first.



Cast on 176 sts. with color 1 and work 20 rows K1, P1, Ribbing with color stripes as marked on the Chart, then bind off all sts. the crochet method for Ribbing. Make another section the same.




DK 8310


SIZE:	14 (Bust 35"-36")	16 (Bust 37"-38")	18 (Bust 39"-40")
YARN:	Subita Crepe	Subita Crepe	Subita Crepe
50 gr. BALLS:	11 color 1 1 color 2 1 color 3 1 color 4	12 color 1 1 color 2 1 color 3 1 color 4	13 color 1 1 color 2 1 color 3 1 color 4
TENSION:	2 to 3	2 to 4	3 to 5
GAUGE:	2" 19 sts. 26 rows	18 sts. 25 rows	17 sts. 24 rows

The instructions are the same for all sizes. PATTERN: Stockinette stitch and a Norwegian Design on bodice and sleeves. Follow the Line Drawing. In the instructions, each row in the Norwegian Design is counted as 1 row, but several movements of the Cam Box are needed to complete 1 row. EDGES: Stockinette stitch. DECREASES: Hang the 3rd st. onto the 2nd st., then move the end sts. inward to fill the empty needle.

FINISHING: Block all sections. Sew center back seam, side seams and shoulders. Turn under 17 rows for hem on back, front and sleeves. Sew sleeves together and set in. Join the short ends of band and sew 1 edge to the inside and 1 edge to the outside of neck edge and fronts. Close front band with snaps. Sew buttons on top of front band over the snaps if desired.



- COLOR 4
- COLOR 3
- COLOR 2
- COLOR 1



Bring the needles on the left side into working position, knit 1 row in Pattern to the left side, turn the Row Counter back to 532 and complete the left half. Follow the instructions from *.

* ON CAM BOX SIDE, bind off 5 sts. after Row 532 (EVEN ROWS = SHOULDER SHAPING); 6 sts. after Row 533 (ODD ROWS = NECK SHAPING); 5 sts. after Row 534; 6 sts. after Row 535; 5 sts. after Row 536; 6 sts. after Row 537; 5 sts. after Row 538; 6 sts. after Row 539; 5 sts. after Row 540; 6 sts. after Row 542.

ON CAM BOX SIDE, bind off 5 sts. after Rows 432, 433; 3 sts. after Rows 434, 435, 436, 437; 2 sts. after Rows 438, 439, 440, 441, 442, 443, 444, 445; 1 st. after Rows 446, 447, 448, 449, 450, 451, 452, 453, 454, 455, 456, 457, then knit to Row 532, bind off the center 28 sts., put the needles on the left side into holding position and complete the right half first.

ROWS 403 to 432: Knit even.

Push up 188 needles into working position and hang the stitches of the 2 back sections onto them then knit to Row 402. Start the Norwegian Design.


Work the second back section with reverse shaping, casting on from right to left. Cam Box will be on the LEFT side at Row 0.

ON OPPOSITE SIDE of CAM BOX, decrease 1 st. after Rows in (). ON CAM BOX SIDE, decrease 1 st. after Rows 84 (84), 96, 108, (112), 120, 132, (138), 144, 156, (164), 168, 180, (190), 192, 204, (216), 228, 238, (242), 248, 258, 268 (268), 278, 288, (294), 298, 308, 318, (320), 328, 338, (346), 348, 358, 368, (372), 378, 388, 398 (398). Knit several rows with contrast color waste yarn (as a stitch holder) and drop the work off the machine.

ON OPPOSITE SIDE of CAM BOX, put 63 needles into holding position. ON OPPOSITE SIDE of CAM BOX, bring back into working position, 9 needles after Rows 37, 39, 41, 43, 45, 47, 49, then knit to Row 84.

ROWS 0 to 35: Knit even, then work Short Rows.

Cast on 137 sts. with color 1 and work Stockinette stitch.



Work the second front section with reverse shaping, casting on from right to left. Cam Box will be on the LEFT side at Row 0.

ON CAM BOX SIDE, for shoulder shaping, bind off 5 sts. after Rows 548, 550, 552, 554, 556; 6 sts. after Row 558.


ON CAM BOX SIDE, for Neck shaping, bind off 11 sts. after Row 503; 3 sts. after Rows 505, 507; 2 sts. after Rows 509, 511, 513; 1 st. after Rows 515, 517, 519, 521, 523, 525, 527, 529, then knit to Row 548.

ON CAM BOX SIDE, bind off 5 sts. after Row 448; 3 sts. after Rows 450, 452; 2 sts. after Rows 454, 456, 458, 460; 1 st. after Rows 462, 464, 466, 468, 470, 472, then knit to Row 503.

ROWS 419 to 448: Knit even.

ON OPPOSITE SIDE of CAM BOX, put 5 needles into holding position after Rows 399, 401, 403, 405, 407, 409, 411, 413. ON OPPOSITE SIDE of CAM BOX, bring back into working position all needles after Row 415, then knit to Row 418. Start the Norwegian Design.

Cast on 130 sts. with color 1 and work same as the back section to Row 398. DO NOT take the work off the machine. Work Short Rows for the Bust Dart.



Cast on 25 sts. with color 1 and work 488 rows Stockinette stitch, then bind off all sts. Make another band the same.

Cast on 197 sts. with color 1 and work 34 rows Stockinette stitch, then bind off all sts.

Continued page 16

ON CAM BOX SIDE, bind off 4 sts. after Rows 118, 119, 120, 121; 3 sts. after Rows 122, 123, 124, 125, 126, 127; 2 sts. after Rows 128, 129, 130, 131, 132, 133, 134, 135; 1 st. after Rows 136, 137; 2 sts. after Rows 138, 139, 140, 141; 1 st. after Rows 142, 143; 2 sts. after Rows 144, 145, 146, 147; 1 st. after Rows 148, 149; 2 sts. after Rows 150, 151, 152, 153; 1 st. after Rows 154, 155; 2 sts. after Rows 156, 157, 158, 159; 1 st. after Rows 160, 161; 2 sts. after Rows 162, 163, 164, 165; 1 st. after Rows 166, 167; 2 sts. after Rows 168, 169, 170, 171; 2 sts. after Rows 172, 173, 174, 175, 176, 177, 178, 179; 4 sts. after Rows 180, 181, 182, 183. After Row 184, bind off the remaining 27 sts.



DK 8310
Continued from page 15

ON OPPOSITE SIDE of CAM BOX, put 52 needles into holding position after Rows 56, 57. ON OPPOSITE SIDE of CAM BOX, bring back into working position 4 needles after Rows 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83. ON EACH SIDE, decrease 1 st. after Rows 84, 88, 92, 96, 100, 104, 108, 112, then knit to Row 118.

ON EACH SIDE, decrease 1 st. after Rows 34, 38, 42, 46, 50, 54, then change to Stockinette stitch and work Short Rows.

ROWS 0 to 34: Knit even, then change to the Norwegian Design.

Cast on 197 sts. with color 1 and work Stockinette stitch.




KG 1981 BEDSPREAD AND PILLOWS

SIZE: Pillow: 20" x 20" Bedspread: Approx. 74" x 102"
YARN: Regia
50 gr. BALLS: 14 color 1; 6 color 2
TENSION: 4 to 6
GAUGE: 2" 16 sts. 24 rows


2 Pillow Forms

PATTERN: Stockinette stitch with a Norwegian Design. Follow the Line Drawing, or use JAC 40 and Pattern No. K623. In the instructions, each row in the Norwegian Design is counted as 1 row, but several movements of the Cam Box are needed to complete 1 row.


FINISHING: Block each section. PILLOWS: Fold in half and sew up two sides. Insert Pillow form and close the remaining side. BEDSPREAD: Join the 3 Panels together. Join bands at mitered corners. Sew 1 edge of band to the inside and 1 edge to the outside of Bedspread.



Cast on 192 sts. with color 1 and work the Norwegian Design. After Row 1200, bind off all sts. Make 2 more sections the same.



Cast on 160 sts. with color 1 and work the Norwegian Design. After Row 480, bind off all sts.




ON OPPOSITE SIDE of CAM BOX, put into holding position, 1 needle before knitting the next 14 rows, then 2 needles before knitting the next 8 rows. After Row 912, bring all the needles into working position and bind off all sts. Make a second section the same.

ROWS 25 to 888: Knit even.

Knit 2 rows over the 3 needles in work (be sure to wrap the yarn). ON OPPOSITE SIDE of CAM BOX, bring back into working position, 2 needles before knitting the next 8 rows, then 1 needle before knitting the next 14 rows.

Cast on 33 sts. with color 1. (To knit the Border Bands all in one piece, see Practical Knitting Hints in this issue). Put all but the center 3 needles into holding position, then work Short Rows.



ON OPPOSITE SIDE of CAM BOX, put 1 needle into holding position before knitting the next 14 rows, then 2 needles before knitting the next 8 rows. After Row 1248, bring all the needles into working position and bind off all sts. Make a second section the same.

ROWS 25 to 1224: Knit even.

Knit 2 rows over the 3 needles in work (be sure to wrap the yarn). ON OPPOSITE SIDE of CAM BOX, bring back into working position, 2 needles before knitting the next 8 rows, then 1 needle before knitting the next 14 rows.

Cast on 33 sts. with color 1. (To knit the Border Bands in one piece, see Practical Knitting Hints in this issue). Put all but the center 3 needles into holding position, then work Short Rows.

Work the second front section with reverse shaping, casting on from right to left. Cam Box will be on the left side at Row 0.

ON CAM BOX SIDE, bind off 4 sts. after Rows 214, 216, 218; 5 sts. after Rows 220, 222, 224, 226.

ON CAM BOX SIDE, bind off 13 sts. after Row 189; 3 sts. after Rows 191, 193; 2 sts. after Rows 195, 197; 1 st. after Rows 199, 201, 203, then knit to Row 214.

ON CAM BOX SIDE, bind off 3 sts. after Rows 146, 148; 2 sts. after Rows 150, 152; 1 st. after Rows 154, 156, 158, then knit to Row 189.

ROWS 25 to 146: Knit even in striped Pattern as marked on the Chart.

ROWS 0 to 24: Knit even, then change to Stockinette stitch.


Cast on 71 sts. with color 1 and work K1, P1, Ribbing.

KK 5511


SIZE:	12 (Chest 29"-30")	14 (Chest 31"-32")	16 (Chest 33"-34")
YARN:	Crocus Crepe	Crocus Crepe	Sport Prima
50 gr. BALLS:	6 color 1 2 color 2 2 color 3	7 color 1 3 color 2 3 color 3	8 color 1 3 color 2 3 color 3
TENSION:	5 to 7	7 to 9	7 to 9
GAUGE:	2" 16 sts. 21 rows	15 sts. 20 rows	14 sts. 19 rows
1 Jacket type zipper	17"	18"	19"

The instructions are the same for all sizes PATTERN: Stockinette stitch with color stripes as marked on the Charts. EDGES: K1, P1, Ribbing. POCKET and SLEEVES: Stockinette stitch. INCREASES: Move the 2 end sts. 1 needle outward, then place the 3rd st. from the row below onto the empty needle.




FINISHING: Block all sections. Join back and front sections at sides and shoulder. Sew the sleeves together and set in. Turn back 3/4" on front edges for facing and sew in zipper. Fold the neckband in half and close the short ends. Sew 1 edge of band to inside and 1 edge to outside of neckline. Turn under 1" at upper edge of pocket and hem to wrong side. Sew the pocket on left front (See picture).



Cast on 26 sts. with color 1 and work 46 Rows Stockinette stitch, then bind off all sts.



□ Color 1 ■ Color 2



Move the Cam Box to the left side, turn the Row Counter back to 214 and complete the left half. Follow the instructions from *.

* ON CAM BOX SIDE, bind off 4 sts. after Row 214 (EVEN ROWS = SHOULDER SHAPING); 3 sts. after Row 215 (ODD ROWS = NECK SHAPING); 4 sts. after Row 216; 3 sts. after Row 217; 4 sts. after Row 218; 2 sts. after Row 219; 5 sts. after Row 220; 2 sts. after Row 221; 5 sts. after Row 222; 2 sts. after Row 223; 5 sts. after Rows 224, 226.

ON CAM BOX SIDE, bind off 3 sts. after Rows 146, 147, 148, 149; 2 sts. after Rows 150, 151, 152, 153; 1 st. after Rows 154, 155, 156, 157, 158, 159, then knit to Row 214. Bind off the center 14 sts., put the needles on the left side into holding position and complete the right half first.

ROWS 25 to 146: Knit even in striped pattern as marked on the Chart.

ROWS 0 to 24: Knit even, then change to Stockinette stitch.

Cast on 128 sts. with color 1 and work K1, P1, Ribbing.

ON CAM BOX SIDE, bind off 3 sts. after Rows 180, 181, 182, 183, 184, 185; 2 sts. after Rows 186, 187, 188, 189; 1 st. after Rows 190 THROUGH 217; 2 sts. after Rows 218, 219, 220, 221; 3 sts. after Rows 222, 223, 224, 225; 12 sts. after Row 226.

ON EACH SIDE, increase 1 st. after Rows 24, 36, 48, 60, 72, 84, 96, 108, 120, 132, 144, 156, 168, then knit to Row 180.

ROWS 0 to 24: Knit even, then change to Stockinette stitch and continue with color 1.

Cast on 60 sts. with color 1 and work K1, P1, Ribbing.

ON CAM BOX SIDE, bind off 11 sts. after Rows 28, 29, 30, 31, 32, 33. Bind off the remaining sts. after Row 34.


Cast on 115 sts. with color 1 and work Stockinette stitch and Short Rows. ON OPPOSITE SIDE OF CAM BOX, put into holding position 33 needles at Row 0 and after Row 1. ON OPPOSITE SIDE OF CAM BOX, bring back into working position, 11 needles after Rows 2, 3, 4, 5, 6, 7, then knit to Row 28.

DK 8272

SIZE: 18 (Bust 39"-40") 20 (Bust 41"-42") 22 (Bust 43"-44")
 YARN: Subita Crepe Subita Crepe Beatrice Crepe
 50 gr. BALLS: 11 12 13
 TENSION: 2 to 4 3 to 5 4 to 6
 GAUGE: 2" 18 sts. 24 rows 17 sts. 23 rows 16 sts. 22 rows

The instructions are the same for all sizes. PATTERN: Stockinette stitch. SLEEVE EDGES: K1, P1, Ribbing. INCREASES: Move the 2 end sts. 1 needle outward, then place the 3rd st. from the row below onto the empty needle. DECREASES: Place the 3rd st. onto the 2nd needle and move the sts. in to fill the empty needle.

FINISHING: Block all sections. Weave center seams of backs and fronts together leaving 6" to 8" unfinished for front opening. Sew side seams. Sew shoulder seams. Sew sleeves together and set in. Work 1 row of single crochet around neck edge and opening slit. Make 6 loops and sew on buttons. Sew ready made braid to dress as illustrated, or use any machine made trims (there are 3 in the KNITTING MAGAZINE Newsletter for March/April 1973). Hem bottom of dress.





Work the second front section with reverse shaping, casting on from right to left. Cam Box will be on the LEFT side at Row 0.

Bind off 4 sts. after Rows 457 (ODD ROWS = NECK SHAPING); 459; 3 sts. after Rows 461, 463; 2 sts. after Rows 465, 467, 469; 1 st. after Rows 471, 473, 475; 3 sts. after Row 478 (EVEN ROWS = SHOULDER SHAPING); 1 st. after Row 479; 3 sts. after Row 480; 4 sts. after Row 482; 1 st. after Row 483; 4 sts. after Rows 484, 486; 1 st. after Row 487; 4 sts. after Rows 488, 490, 492, 494, 496.

ON CAM BOX SIDE, bind off 5 sts. after Row 388; 4 sts. after Rows 390, 392; 3 sts. after Rows 394, 396; 2 sts. after Rows 398, 400; 1 st. after Rows 402, 404, 406, 408, then knit to Row 457.

ON CAM BOX SIDE, increase 1 st. after Rows 290, 298, 306, 314, 322, 330, 338, 346, then knit to Row 353 and work Short Row for Bust Dart. ON OPPOSITE SIDE OF CAM BOX, put into holding position, 4 needles after Rows 353, 355, 357, 359, 361, 363, 365, 367, 369, 371, 373. ON OPPOSITE SIDE OF CAM BOX, bring all the needles back into working position after Row 375, then knit to Row 388.

Cast on 115 sts. and work same as the back section to Row 290.



KG 1980 PLACE MATS

SIZE: 12" x 20"
 MATERIAL: Use left over Yarn in a light weight for the Knitting and heavier weight for the Weaving.
 TENSION: 6 to 8
 GAUGE: 2" 12 sts., 34 rows



Cast on 120 sts. with the light weight yarn. Knit in Pattern to Row 204, then bind off all sts.

PATTERN: All Place Mats are made using the KNITTING Weaver. Make Mat I with Cam Wheel No. 3; Mat II with Cam Wheel No. 6; Mat III with Cam Wheel No. 4 (to push out every 3rd needle); Mat IV with the Adjustable Needle Selector.

FINISHING: Block each Place Mat. Work 1 row of single crochet then 1 row of REVERSE single crochet around all edges.

Work the second back section with reverse shaping, casting on from right to left. Cam Box will be on the left side at Row 0.

ON CAM BOX SIDE, bind off 3 sts. after Row 456 (EVEN ROWS = SHOULDER SHAPING); 3 sts. after Row 458; 4 sts. after Rows 460, 462, 464; 12 sts. after Row 465 (ODD ROWS = NECK SHAPING); 4 sts. after Row 466; 6 sts. after Row 467; 4 sts. after Rows 468, 469, 470, 471, 472, 474.


ON CAM BOX SIDE, bind off 5 sts. after Row 364; 4 sts. after Rows 366, 368; 3 sts. after Rows 370, 372; 2 sts. after Rows 374, 376; 1 st. after Rows 378, 380, 382, 384, then knit to Row 456.

ON OPPOSITE SIDE of CAM BOX (center back) increase 1 st. after Rows in (). ON CAM BOX SIDE, (side seam) increase 1 st. after Rows 290 (290), 298, 306, 314, 322, (326), 330, 338, 346 (362) then knit to Row 364.

ON OPPOSITE SIDE of CAM BOX (center back) decrease 1 st. after Rows in (). ON CAM BOX SIDE, (side seam) decrease 1 st. after Rows 60 (60), 82, (84), 104, (108), 126, (132), 148, (156), 170, (180), 192, 198, 204 (204), 210, 216, 222, 228 (228), 234, 240, 246, 250 (250), 254, 258, 262, (272), then knit to Row 290.

ROWS 0 to 60: Knit even.

Cast on 112 sts. and work Stockinette stitch.



R
250
224
Take the work off onto contrast waste yarn (stitch holder). Double up the stitches onto 77 needles. Remove the contrast waste yarn, then transfer every other stitch to the Ribber and set the Row Counter at 224, then knit to Row 250. Bind off all stitches the crochet method for Ribbing (Page 78 in KNITTING Practical Knitting Hints Book).

(NOTE: You can work the Cap with Short Rows. Cast on 122 sts., then put all but the center 16 sts. into holding position. After Row 2, and always ON OPPOSITE SIDE of CAM BOX, bring the specified needles back into working position in the same order as on the cast on stitches given below.)

Starting at the top of sleeve (be sure to read paragraph above before working the sleeve) cast on 16 sts. Knit 2 rows. ON CAM BOX SIDE, cast on 4 sts. after Rows 2, 3; 3 sts. after Rows 4, 5, 6, 7; 2 sts. after Rows 8, 9, 10, 11; 1 st. after Rows 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47; 2 sts. after Rows 48, 49, 50, 51; 3 sts. after Rows 52, 53, 54, 55, 56, 57; 4 sts. after Rows 58, 59, 60, 61, then knit to Row 224.

CHART ONE




CHART TWO




CHART THREE






CHART FOUR



Jac 40 is a must

for fast easy knitting of
Jaquard and Ski-sweater
designs



Jac 40's are made for most brands of machines. When ordering be sure to specify your brand of knitter as needle spacings vary. Simple to use and an essential tool for the modern knitter, Jac 40's are \$29.50 complete with 3 cards for practicing the 3 techniques, plus complete instructions.


Shipping Cost \$1.50 - California residents add sales tax.

Order direct from KNITTING -

1128 Crenshaw Blvd., Los Angeles, California 90019



DK 8266

SIZE:	12 (Bust 33"-34")	14 (Bust 35"-36")	16 (Bust 37"-38")
YARN:	Crocus Crepe	Melodie	Melodie
50 gr. BALLS:	18	18	18
TENSION:			
Stock:	5 to 7	6 to 8	7 to 9
Pattern:	6 to 8	7 to 9	8 to 10
GAUGE: 2"			
Stock:	16 sts. 21 rows	15 sts. 20 rows	14 sts. 19 rows
Pattern:	15 sts. 29 rows	14 sts. 28 rows	13 sts. 27 rows



The instructions are the same for all sizes. PATTERN: SKIRT: Stockinette stitch worn on the knit side. BLOUSE: Holding Position Design worn on the Purl side. Holding Position Design using Wheel No. 3. Follow the Line Drawing. INCREASES: Place the end st. from the row below onto the empty needle. SKIRT DECREASES: Hang the 3rd st. onto the 2nd st., then move the end st. inward to fill the empty needle. Begin the DARTS by hanging the sts. together as marked on the Diagram, then move the sts. together to fill the empty needles. The following decreases for the DARTS lie directly above.


FINISHING: Block all sections. SKIRT: Weave the front and back sections together, 1 st. in from each edge. Turn under 16 rows on lower edge and 12 rows at upper edge and hem to wrong side. Insert elastic band into upper hem. BLOUSE: Join front and back sections at sides and shoulders, easing the fullness of the front section at bust level. Sew sleeves together and set in. Sew short edges of cuffs together, then fold in half. Gather lower edges of sleeves and sew 1 edge of cuff to inside and 1 edge to outside of sleeves. Turn under front edges for facing and hem. Fold collar in half lengthwise and sew short ends. Sew 1 edge of collar to inside and 1 edge to outside of neckline leaving about 7/8" on each front edge free. Finish buttonholes and sew on buttons.



Decrease 2 sts. for EACH DART after Row 196, then again after Rows in (). Continue to decrease 1 st. ON EACH SIDE after Rows 206 (206); 216 (216); 224 (224); 232 (232); 240 (240); 248 (248), then knit to Row 272 and bind off the remaining 111 sts.

ON EACH SIDE, decrease 1 st. after Rows 56, 68, 80, 92, 104, 116, 126, 136, 146, 156, 166, 176, 186, then knit to Row 196.
ROWS 0 to 56: Knit even.
Cast on 179 sts. and work Stockinette stitch.

Work the front section the same as the back section to Row 196, then decrease 2 sts. for EACH DART after Rows in (). Continue to decrease 1 st. ON EACH SIDE after Rows 206 (206), 216 (220), 224, 232, (234), 240, 248 (248), then knit to Row 272 and bind off the remaining 123 sts.



Cast on 56 sts. and work 24 rows Stockinette stitch, then bind off all sts.


MK 5-111

SIZE:	1 to 2 years (Chest 20"-21")	3 (Chest 22"-23")
YARN:	Allegro	Allegro
50 gr. BALLS:	2 color 1 1 color 2 1 color 3	3 color 1 1 color 2 1 color 3
TENSION:	4 to 6	5 to 7
GAUGE: 2"	15 sts. 23 rows	14 sts. 22 rows



The instructions are the same for both sizes. PATTERN: Stockinette stitch and a Norwegian Design according to the Line Drawing. In the instructions, each row in the Norwegian Design is counted as 1 row, but several movements of the Cam Box are needed to complete 1 row. NECK and ARMHOLE BANDS: Stockinette stitch. DECREASES: Place the 3rd st. onto the 2nd needle, then move the sts. inward to fill the empty needle.

FINISHING: Block all sections. Join side seams. Sew shoulders for 3/4", then turn under and sew narrow hem on opening. Join short ends of armhole bands, then sew 1 edge to inside and 1 edge to outside of armhole. Sew 1 edge of front neckband and back neckband on the outside and 1 edge to the inside of neckline, then make 3 loops on each front shoulder and sew 3 buttons to each back shoulder. Make 2" hem on Dress.




Bring the needles on the left side into working position, knit 1 row in Pattern to the left side, turn the Row Counter back to 170 and complete the left half. Follow the instructions from *.

ON CAM BOX SIDE, bind off 3 sts. after Rows 184 (EVEN ROWS = SHOULDER SHAPING) 186; 4 sts. after Row 188, 190, 192.

* ON CAM BOX SIDE, bind off 2 sts. after Rows 171 (ODD ROWS = NECK SHAPING) 173, 175; 1 st. after Rows 177, 179, 181.

Work the front section the same as the back section to Row 170, bind off the center 12 sts., put the needles on the left side into holding position and complete the right half first.



Work the right front section with reverse shaping, casting on from right to left. Cam Box will be on the LEFT side at Row 0. Make Buttonholes over the 3rd to 7th and 17th to 21st needles counting from the right after Rows 12, 54, 96, 138, 180, 222, 264.

ON CAM BOX SIDE, bind off 3 sts. after Rows 304, 306, 308, 310; 4 sts. after Rows 312, 314, 316, 318, 320.




ON CAM BOX SIDE, bind off 23 sts. after Row 273; 2 sts. after Rows 275, 277; 1 st. after Rows 279, 281, 283, 287, 291, 295, 299, then knit to Row 304.

ON CAM BOX SIDE, bind off 3 sts. after Rows 198, 200; 2 sts. after Rows 202, 204, 206; 1 st. after Rows 208, 210, 212, 214, 216, then knit to Row 273.

ON CAM BOX SIDE, increase 1 st. after Rows 70, 86, 102, 118, 134, 150, 166, then knit to Row 198.

ROWS 0 to 14: Knit even, then transfer the ribber stitches to main machine and work the Holding Position Design.

LEFT FRONT: Do NOT make Buttonholes on this section. Cast on 78 sts. and work K1, P1, Ribbing.




ON CAM BOX SIDE, bind off 4 sts. after Rows 218, 219, 222, 223; 3 sts. after Rows 226, 227, 230, 231, 234, 235; 2 sts. after Rows 238, 239, 242, 243, 246, 247; 1 st. after Rows 250, 251, 254, 255, 258, 259, 262, 263, 266, 267, 270, 271, 274, 275; 2 sts. after Rows 278, 279, 282, 283; 4 sts. after Rows 286, 287, 290, 291; 14 sts. after Row 292.

ON EACH SIDE, increase 1 st. after Rows 56, 96, 136, 176, then knit to Row 218.

ROWS 0 to 56: Knit even.

Cast on 90 sts. and work the Holding Position Design.



Cast on 120 sts. and work Stockinette stitch and Short Rows. ON OPPOSITE SIDE of CAM BOX, put into holding position 36 needles at Row 0 and after Row 1. ON OPPOSITE SIDE of CAM BOX, bring back into working position, 12 needles after Rows 2, 3, 4, 5, 6, 7. ON EACH SIDE, increase 1 st. after Rows 12, 16, 20, 24, 28, 32, 36. ON EACH SIDE, decrease 1 st. after Rows 44, 48, 52, 56, 60, 64, 68. After Row 72, bind off all stitches.

Bring the needles on the left side into working position, knit 1 row in Pattern to the left side, then turn the Row Counter back to 184 and complete the left half. Follow the instructions from *.



* ON CAM BOX SIDE, bind off 3 sts. after Row 184 (EVEN ROWS = SHOULDER SHAPING); 4 sts. after Row 185 (ODD ROWS = NECK SHAPING); 3 sts. after Rows 186, 187; 4 sts. after Row 188; 3 sts. after Row 189; 4 sts. after Rows 190, 192.

ON CAM BOX SIDE, bind off 3 sts. after Rows 134, 135; 2 sts. after Rows 136, 137; 1 st. after Rows 140, 141, 142, 143, 144, 145, then knit even to Row 184 (170 for front section). Bind off the center 10 sts., put the needles on the left side into holding position and complete the right half first.


ON EACH SIDE, decrease 1 st. after Rows 46, 54, 62, 70, 78, 86, 92, 98, 104, 110, 116, 122, then knit even to Row 134.

ROWS 0 to 46: Work even, then begin the Norwegian Design.


Cast on 110 sts. with color 1 and work Stockinette stitch.



Cast on 31 sts. with color 1 and work 14 rows Stockinette stitch, then bind off all sts.



Cast on 86 sts. with color 1 and work 14 rows Stockinette stitch, then bind off all sts.



Cast on 43 sts. with color 1 and work 14 rows Stockinette stitch, then bind off all sts.


KK5412

SIZE:	1 to 2 years (Chest 20"-21")	3 (Chest 22"-23")
YARN:	Allegro	Allegro
50 gr. BALLS:	3 color 1 1 color 2 1 color 3	4 color 1 1 color 2 1 color 3
TENSION:	4 to 6	5 to 7
GAUGE:	2" 15 sts. 23 rows	14 sts. 22 rows




The instructions are the same for both sizes. PATTERN: Pullover: Stockinette stitch and a Norwegian Design according to the Line Drawing. In the instructions each row in the Norwegian Design is counted as 1 row, but several movements of the Cam Box are needed to complete 1 row. EDGES: K1, P1, Ribbing. PANTS: Stockinette stitch. DECREASES on the Pants and Sleeves of Pullover: Place the 3rd st. onto the 2nd needle, then move the sts. inward to fill the empty needle.

FINISHING: Block all sections. PULLOVER: Join side seams and right shoulder seam. Join left shoulder seam for 3/4", then turn under small amount and hem around opening. Sew sleeves together and set in. Beginning at open shoulder, sew on Neckband. Make 3 loops on front open shoulder, then sew 3 buttons to the back. PANTS: Join sides and crotch. Sew short ends of leg bands together then sew to leg openings. Make hem at waist and insert elastic.



□ COLOR 1 ○ COLOR 2 ⊕ COLOR 3



Bring the needles on the left side into working position, knit 1 row in Pattern to the left side, turn the Row Counter back to 124 and complete the left half. Follow the instructions from *.


* ON CAM BOX SIDE, bind off 3 sts. after Row 124 (EVEN ROWS = SHOULDER SHAPING); 4 sts. after Row 125 (ODD ROWS = NECK SHAPING); 3 sts. after Rows 126, 127; 4 sts. after Row 128; 3 sts. after Row 129; 4 sts. after Rows 130, 132.

ON CAM BOX SIDE, bind off 3 sts. after Rows 78, 79; 2 sts. after Rows 80, 81, 82, 83; 1 st. after Rows 84, 85, 86, 87, 88, 89, then knit to Row 124 (112 for front section). Bind off the center 10 sts., put the needles on the left side into holding position and complete the right half first.

ROWS 17 to 78: Work even.

ROWS 0 to 16: Work even, then change to the Norwegian Design.

Cast on 86 sts. with color 1 and work K1, P1, Ribbing.




ON CAM BOX SIDE, bind off 3 sts. after Rows 18, 19, 20, 21; 2 sts. after Rows 22, 23, 24, 25. ON EACH SIDE, decrease 1 st. after Rows 26, 28, 30, 32, 34, 36, 38, 40, 42. ON CAM BOX SIDE, bind off 2 sts. after Rows 44, 45, 46, 47, 48, 49. After Row 50, bind off the remaining 10 sts.


ROWS 11 to 18: Work even.

ROWS 0 to 10: Work even, then change to the Norwegian Design.

Cast on 60 sts. with color 1 and work K1, P1, Ribbing.



Cast on 93 sts. with color 1 and work 10 rows K1, P1, Ribbing, then bind off all sts. the crochet method for Ribbing.




Bring the needles on the left side into working position, knit 1 row in Pattern to the left side, turn the Row Counter back to 112 and complete the left half. Follow the instructions from *.

ON CAM BOX SIDE, bind off 3 sts. after Row 124 (EVEN ROWS = SHOULDER SHAPING); 3 sts. after Row 126; 4 sts. after Rows 128, 130, 132.

* ON CAM BOX SIDE, bind off 3 sts. after Row 113 (ODD ROWS = NECK SHAPING); 2 sts. after Rows 115, 117; 1 st. after Rows 119, 121, 123.


Work the Front section the same as the Back section to Row 112. Bind off the center 10 sts., put the needles on the left side into holding position and complete the right half first.




ON CAM BOX SIDE, bind off 12 sts. after Rows 46, 47; 4 sts. after Rows 48, 49, 50, 51, 52, 53; 2 sts. after Rows 54, 55, 56, 57. ON EACH SIDE, decrease 1 st. after Rows 58, 60, 62, 64, 66. Knit even to Row 102, then bind off the remaining 12 sts.

ROWS 0 to 46: Work even.

Cast on 78 sts. with color 1 and work Stockinette stitch.



Cast on 123 sts. with color 1 and work 10 rows K1, P1, Ribbing, then bind off all sts. the crochet method for ribbing.



ON EACH SIDE, decrease 1 st. after Rows 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, 80, 82, 84, 86, 88, 90, 92, 94, 96, 98, 100. ON CAM BOX SIDE, bind off 2 sts. after Rows 102, 103, 104, 105, 106, 107, 108, 109, 110, 111. After Row 112, bind off the remaining 12 sts.

ROWS 24 to 56: Work even.

ON OPPOSITE SIDE of CAM BOX, put into holding position 28 needles after Rows 14, 15. ON OPPOSITE SIDE of CAM BOX, bring back into working position 7 needles after Rows 16, 17, 18, 19, 20, 21, 22, 23.

ROWS 0 to 14: Knit even, then work Short Rows.


Cast on 78 sts. with color 1 and work Stockinette stitch.

KK 5514

SIZE:	Teen	16 (Chest 33"-34")	36 (Chest 35"-36")	38 (Chest 37"-38")
YARN:		Regia	Regia	Subita Crepe
50 gr. BALLS:		9 color 1 1 color 2 1 color 3	10 color 1 1 color 2 1 color 3	10 color 1 1 color 2 1 color 3
TENSION:		3 to 5	4 to 6	5 to 7
GAUGE:	2"	18 sts. 24 rows	17 sts. 23 rows	16 sts. 22 rows

The instructions are the same for all sizes. PATTERN: Cable stitch according to the Line Drawing. EDGES and COLLAR: K1, P1, Ribbing. INCREASES: Move the 2 end sts. 1 needle outward, then place the 3rd st. from the row below onto the empty needle.

FINISHING: Block all sections. Join Front and Back section at sides and shoulders. Sew the sleeves together and set in. Sew on Collar with short ends overlapping over the center front as shown in picture.



Bring the needles on the left side into working position, knit 1 row in pattern to the left side, then turn the Row Counter back to 312 and complete the left half. Follow the instructions from *.



* ON CAM BOX SIDE, bind off 5 sts. after Row 312 (EVEN ROWS = SHOULDER SHAPING); 4 sts. after Row 313 (ODD ROWS = NECK SHAPING); 5 sts. after Row 314; 4 sts. after Row 315; 5 sts. after Row 316; 2 sts. after Row 317; 5 sts. after Row 318; 2 sts. after Row 319; 5 sts. after Row 320; 2 sts. after Row 321; 5 sts. after Row 322; 2 sts. after Row 323; 5 sts. after Row 324, 326.

ON CAM BOX SIDE, bind off 3 sts. after Rows 216, 217, 218, 219; 2 sts. after Rows 220, 221, 222, 223, 224, 225, 226, 227; 1 st. after Rows 228, 229, 230, 231, 232, 233, 234, 235, then knit to Row 312, bind off the center 18 sts., put the needles on the left side into holding position and complete the right half first. (For the front section, knit to Row 250).

ROWS 57 to 216: Knit even in Cable Pattern.

ROWS 0 to 56: Knit even, then change to Cable Pattern.

Cast on 166 sts. with color 1 and work K1, P1, Ribbing.




ON CAM BOX SIDE, bind off 3 sts. after Rows 216, 217, 218, 219, 220, 221; 2 sts. after Rows 222, 223, 224, 225, 226, 227, 228, 229, 230, 231; 1 st. after Rows 232 THROUGH 269; 2 sts. after Rows 270, 271, 272, 273; 4 sts. after Rows 274, 275; 6 sts. after Rows 276, 277; 18 sts. after Row 278.

ON EACH SIDE, increase 1 st. after Rows 44, 54, 64, 74, 84, 94, 104, 112, 120, 128, 136, 144, 152, 160, 168, 176, 184, 192, 200, 208 then knit to Row 216.

ROWS 0 to 44: Knit even, then change to Cable Pattern.

Cast on 82 sts. with color 1 and work K1, P1, Ribbing.




Bring the needles on the left side into working position, knit 1 row in Pattern to the left side, turn the Row Counter back to 250 and complete the left half. Follow the instructions from *.

ON CAM BOX SIDE, bind off 5 sts. after Rows 312, 314, 316, 318, 320, 322, 324, 326.

* ROWS 251 to 312: Knit even.

Work the front section the same as the back section to Row 250. Bind off the center 50 sts., put the needles on the left side into holding position and complete the right half first.




Cast on 183 sts. with color 2 and work K1, P1, Ribbing. ROWS 0 to 4, rib with color 2. ROWS 5 to 8, rib with color 3. ROWS 9 to 56, rib with color 1, then bind off all sts. the crochet method for Ribbing. (Page 78 in KNITTING Practical Knitting Hints Book).

baby lock

MODEL NO. 605. Fabulous Cut, Sew and Overlock machine.

Perfect for the entire Family.

List Price \$349.00



MODEL NO. 405. New Style Cut and Overlock Machine.

Specially for knit materials.

List Price: \$329.00

(California residents add Sales Tax)


Shipping charges: F.O.B. Los Angeles

HP 3718

SIZE:	38 (Chest 38"-39")	40 (Chest 40"-41")	44 (Chest 44"-45")
YARN:	Beatrice	Regia	Allegro
50 gr. BALLS:	12 color 1 1 color 2 1 color 3	12 color 1 1 color 2 1 color 3	14 color 1 1 color 2 1 color 3
4 Buttons			
TENSION:	4 to 6	5 to 7	6 to 8
GAUGE:	16 sts. 22 rows	15 sts. 21 rows	14 sts. 20 rows

The instructions are the same for all sizes. **PATTERN:** Stockinette stitch with every 9th needle placed in the out of work position. **SLEEVE EDGES and LOWER EDGE:** K1, P1, Ribbing with color stripes as marked on the Chart. **Front, Neck and Buttonhole band:** Stockinette stitch with color stripes as marked on the Chart. **INCREASES:** Move the 2 end sts. 1 needle outward, then place the 3rd st. from the row below onto the empty needle. **DECREASES:** Place the 3rd st. onto the 2nd needle, then move the end sts. inward to fill the empty needle. **BE SURE TO WATCH PATTERN.** The empty needles **DO COUNT** when increasing or decreasing.

FINISHING: Block all sections. Join Front and Back sections at sides. Sew sleeves together and set in. Sew short ends of bands together, then fold in half lengthwise and sew 1 edge to inside and 1 edge to the outside of front and neck edge being sure the buttonhole band is on the **LEFT** side. Finish buttonholes and sew on buttons.





ON CAM BOX SIDE, bind off 2 sts. after Rows 262, 263, 264, 265, 266, 267; 3 sts. after Rows 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293; 30 sts. after Row 294.

ON CAM BOX SIDE, bind off 5 sts. after Rows 182, 183; 3 sts. after Rows 184, 185, 186, 187; 2 sts. after Rows 188, 189, 190, 191, 192, 193; 1 st. after Rows 194, 195, 196, 197, 198, 199, 200, 201, then knit to Row 262.

ROWS 41 to 182: Work even.

ROWS 0 to 40: Work even, then transfer the ribber sts. to main machine and set up Pattern by transferring every 9th stitch to the neighboring needle and place the empty needles into the out of work position. Continue with color 1.

Cast on 162 sts. with color 1 and work K1, P1, Ribbing with color stripes as marked on the Chart.




Knitkng Weaving Accessory

**DRESSES, SUITS, COATS,
PILLOWS, BLANKETS, ETC.**

By knitting an additional thread into your basic knitting you will obtain patterns with a woven appearance. With a Knitkng Weaver, you can increase tremendously the pattern potential of your Knitkng Knitter.

Price \$8.95 plus 80 cents shipping cost.
California Residents add Sales Tax.



Work the second front section with reverse shaping, casting on from RIGHT to LEFT. Cam Box will be on the LEFT side at Row 0.

ON CAM BOX SIDE, bind off 3 sts. after Row 262 (EVEN ROWS = SHOULDER SHAPING); 4 sts. after Rows 264, 266, 268, 270; 1 st. after Row 271; 4 sts. after Rows 272, 274, 276, 278, 280.



ON CAM BOX SIDE, decrease 1 st. after Row 155 (ODD ROWS = NECK SHAPING), 163, 171, 179; bind off 5 sts. after Row 182 (EVEN ROWS = ARMHOLE SHAPING); 3 sts. after Rows 184, 186; 1 st. after Row 187; 2 sts. after Rows 188, 190, 192; 1 st. after Rows 194, 195, 196, 198, 200, 203, 211, 219, 227, 235, 243, 251, 261.

ROWS 41 to 155: Work even.

ROWS 0 to 40: Work even, then transfer the ribber sts. to main machine and set up Pattern by transferring every 9th stitch to the neighboring needle and place the empty needles into the out of work position. Continue with color 1.

Cast on 75 sts. with color 1 and work K1, P1, Ribbing with color stripes as marked on the Chart.

Cast on 119 sts. with color 1 and work Stockinette stitch with color stripes as marked on the Chart. After Row 10, make buttonholes over needles 8 to 13, 42 to 47, 76 to 81, 110 to 115 counting from the left edge. After Row 30, make buttonholes over the same needles as before, then knit to Row 40 and bind off all sts.



Make the second sleeve with reverse shaping, casting on from RIGHT to LEFT. Cam Box will be on the LEFT side at Row 0.

Work Short Rows. ON OPPOSITE SIDE of CAM BOX, put into holding position 4 needles after Rows 316, 318, 320, 322, 324, 326. After Row 328, bring all the needles into working position and bind off all sts.

ON CAM BOX SIDE, bind off 4 sts. after Rows 192, 193; 3 sts. after Rows 194, 195, 196, 197; 2 sts. after Rows 198, 199, 200, 201, 202, 203, 204, 205. ON EACH SIDE, decrease 1 st. after Rows 206, 208, 210, 212, 214, 216, 218, 220, 222, 224, 226, 228, 230, 232, 234, 236, 238, 240, 242, 244, 246, 248. ON CAM BOX SIDE, bind off 2 sts. after Rows 250, 251, 252, 253, 254, 255; 3 sts. after Rows 256, 257, then knit to Row 316.

ON EACH SIDE, increase 1 st. after Rows 24, 32, 40, 48, 56, 64, 72, 80, 88, 96, 102, 108, 114, 120, 126, 132, 138, 144, 150, 156, 162, 168, 174, 180, 186, then knit to Row 192.

ROWS 0 to 24: Work even, then transfer the ribber sts. to main machine and set up Pattern as you did before. (Every 9th needle out of work).

Cast on 75 sts. with color 1 and work K1, P1, Ribbing with color stripes as marked on the Chart.

are you unhappy with your present knitting machine?

- DOES IT REFUSE TO KNIT FANCY DRESS YARNS?
- DOES IT JAM UP WHEN YOU TRY TO KNIT LOOPED MOHAIR OR THICK AND THIN YARNS?
- DOES IT DROP STITCHES ALL OVER THE PLACE?
- ARE YOU CONTINUALLY HAVING TROUBLE WITH AWKWARD, CUMBERSOME WEIGHTS?
- ARE YOU UNABLE TO MAKE A LARGE GARMENT WITH BULKY YARNS?
- DO YOU HAVE TO SELECT PATTERN STITCHES MANUALLY?
- DO YOU HAVE TO LATCH YOUR RIBBER BY HAND?
- IF YOU ARE HAVING ANY OF THESE PROBLEMS YOU SHOULD TRADE UP TO A NEW FANTASTIC PUSH BUTTON KNITTING WITH COORDINATED RIBBER AND ENJOY KNITTING WITH THE WORLDS FINEST, MOST VERSATILE AND MOST AUTOMATIC KNITTER.


Send for your color brochure to: KNITKING — 1128 Crenshaw Blvd., Los Angeles, California 90019

HP 3716

SIZE:	42 (Chest 41"-42")	46 (Chest 45"-46")	50 (Chest 50"-51")
YARN:	Cotton Flake	Cotton Flake	Cotton Flake
2 lb. cone (ap)	1 (will make 2)	1 (will make 2)	1 (will make 2)
7 Buttons			
TENSION:	5 to 7 5 for neckband	6 to 8 6 for neckband	7 to 9 7 for neckband
GAUGE:	2" 14 sts. 24 rows	13 sts. 24 rows	12 sts. 23 rows

The instructions are the same for all sizes. **PATTERN:** Holding Position Design according to the Line Drawing. The Purl side is the right side. (KNITTING machine owners, use the Adjustable Needle Selector). **NECKBAND:** Stockinette stitch using 1 tension number lower than main section of garment. **INCREASES:** Make increases on the edges by picking up a stitch from the row below and hang it onto the next empty needle. **DECREASES:** Hang the end st. onto the next needle.

FINISHING: Block all sections. Join front and back sections at sides and shoulders. Sew sleeves together and set in. Fold neckband in half lengthwise and sew 1 edge to inside and 1 edge to outside of neckline, leaving a small part of seam open on the left side for buttonhole. Fold over 1 1/4" on lower edge of skirt and front edges and hem to the wrong side. Turn under 1 1/4" on sleeve edges and hem. Finish buttonholes and sew on buttons.




ON CAM BOX SIDE, bind off 4 sts. after Rows 80, 81, 82, 83; 3 sts. after Rows 84, 85, 86, 87, 88, 89; 2 sts. after Rows 92, 93, 96, 97, 100, 101, 104, 105, 108, 109, 112, 113, 116, 117, 120, 121, 124, 125; 3 sts. after Rows 128, 129, 132, 133; 4 sts. after Rows 136, 137, 140, 141; 14 sts. after Row 144.

ON EACH SIDE, increase 1 st. after Rows 30, 38, 46, 54, 62, 70, then knit to Row 80.

ROWS 0 to 30: Knit even.

Cast on 100 sts. and work the Holding Position Design.






DK 8274

SIZE:	8 (Bust 31"-32")	10 (Bust 32"-33")	12 (Bust 34"-35")
YARN:	Subita Crepe	Regia	Regia
50 gr. BALLS:	11 color 1 3 color 2	11 color 1 4 color 2	12 color 1 4 color 2
TENSION:	3 to 5	4 to 6	5 to 7
GAUGE:	17 sts. 24 rows	16 sts. 23 rows	15 sts. 22 rows

Zipper and lining optional.

The instructions are the same for all sizes. **PATTERN:** Stockinette stitch with a Holding Position Design according to the Line Drawing for the Skirt and Sleeves of Pullover. **KNITTING machine owners,** use Automatic Wheel 3 and Needle Shifter. **EDGES:** K1, P1, Ribbing. **INCREASES:** Move the 2 end sts. 1 needle outward, then place the 3rd st. from the row below onto the empty needle. **DECREASES:** Place the 3rd st. onto the 2nd needle, then move the sts. inward to fill the empty needle.


FINISHING: Block all sections. **PULLOVER:** Join front and back at sides and shoulders. Gather lower edge of sleeves to measure 11" then sew cuff to sleeve edges. Gather top of sleeve cap lightly. Join sleeve seams, then set in sleeves. Work 1 row single crochet around neck edge, then 1 row of reverse single crochet. **SKIRT:** Join the skirt sections, leaving the left seam open for zipper. Work 1 row slip stitch crochet around opening. Fold upper edge to the inside to form casing and hem, then insert elastic. Turn under 1 1/4" for hem. Line the skirt and sew in zipper.



ON EACH SIDE, decrease 1 st. after Rows 48, 72, 96, 120, 144, 168, 192, 204, 216, 228, 240, 252, 264, 276, 288, 300, then knit even to Row 336. Bind off the remaining 55 sts. Make 3 more sections the same.

ROWS 0 to 48: Work even.

Cast on 87 sts. with color 1 and work the Holding Position Design.



Work the second front section with reverse shaping, casting on from RIGHT to LEFT. Cam Box will be on the LEFT SIDE at Row 0. Omit buttonholes.

ON CAM BOX SIDE, bind off 3 sts. after Rows 330, 332, 334, 336, 338; 4 sts. after Rows 340, 342, 344, 346, 348, 350.

ON CAM BOX SIDE, bind off 24 sts. after Row 305; 3 sts. after Rows 307, 309; 2 sts. after Rows 311, 313, 315; 1 st. after Rows 317, 319, 321, 323, 325. Knit to Row 330.


ON CAM BOX SIDE, bind off 3 sts. after Rows 220, 222, 224; 2 sts. after Rows 228, 232; 1 st. after Rows 236, 240. Make buttonhole after Row 260 then knit to Row 305.

ON CAM BOX SIDE, increase 1 st. after Rows 116, (buttonhole after Row 125) 132, 148, 164, (buttonhole after Row 170) 178, 192, 206, (buttonhole after Row 215). Knit to Row 220.

ROWS 20 to 116: Work in Pattern, making buttonholes over the 3rd to 7th and 19th to 23rd needles (counting from the left edge) after Rows 35, 80.

ROWS 0 to 19: Work even, then cast on 24 sts. on the left side (right for second section).

Cast on 64 sts. and work the Holding Position Design.



Bring the needles on the left side into working position, knit 1 row to the left in Pattern, turn the Row Counter back to 340 and complete the left half. Follow the instructions from *.


* ON CAM BOX SIDE, bind off 4 sts. after Row 340 (EVEN ROWS = SHOULDER SHAPING); 3 sts. after Row 341 (ODD ROWS = NECK SHAPING); 4 sts. after Row 342; 3 sts. after Row 343; 4 sts. after Row 344; 2 sts. after Row 345; 4 sts. after Row 346; 2 sts. after Row 347; 4 sts. after Rows 348, 350.

ON CAM BOX SIDE, bind off 3 sts. after Rows 330, 331, 332, 333, 334, 335, 336, 337, 338, 339. After Row 340, bind off the center 26 sts., put the needles on the left side into holding position and complete the right half first.


ON CAM BOX SIDE, bind off 3 sts. after Rows 220, 221, 222, 223, 224, 225; 2 sts. after Rows 228, 229, 232, 233; 1 st. after Rows 236, 237, 240, 241, then knit to Row 330.

ON EACH SIDE, increase 1 st. after Rows 116, 132, 148, 178, 192, 206, then knit to Row 220.

ROWS 0 to 116: Work even. Cast on 140 sts. and work the Holding Position Design.



7-8
5-6
3-4
1-2




Cast on 136 sts. (use Tension 1 number lower than used for garment) and work 20 rows Stockinette stitch, then bind off all sts.

ON CAM BOX SIDE, bind off 3 sts. after Rows 48, 49, 50, 51; 2 sts. after Rows 52, 53, 54, 55, 56, 57. ON EACH SIDE, decrease 1 st. after Row 58 and on EVERY OTHER ROW 31x more. ON CAM BOX SIDE, bind off 2 sts. after Rows 122, 123, 124, 125, 126, 127; 3 sts. after Rows 128, 129, 130, 131. After Row 132, bind off the remaining 23 sts.

ON OPPOSITE SIDE of CAM BOX, put into holding position 45 needles at Row 0 and after Row 1. ON OPPOSITE SIDE of CAM BOX, bring back into working position 2 needles after Rows 2, 3, 4, 5, 6, 7; 3 needles after Rows 8, 9, 10, 11, 12, 13; 6 needles after Rows 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, then knit to Row 48.

Cast on 135 sts. with Color 1 and work the Holding Position Design and Short Rows.




Cast on 89 sts. with color 1 and work 30 rows K1, P1, Ribbing then bind off all sts. the crochet method for Ribbing.

Move the Cam Box to the left side, turn the Row Counter back to 164 and complete the left half. Follow the instructions from *.

ON CAM BOX SIDE, bind off 4 sts. after Row 214 (EVEN ROWS = SHOULDER SHAPING); 5 sts. after Rows 216, 218, 220, 222, 224.

* ON CAM BOX SIDE, bind off 3 sts. after Rows 165, 167 (ODD ROWS = NECK SHAPING); 2 sts. after Rows 169, 171; 1 st. after Rows 173, 175, 179, 183, then knit to Row 214.

Work the Front section the same as the Back section to Row 164. Bind off the center 17 sts., put the needles on the left side into holding position and complete the right half first.



Move the Cam Box to the left side, turn the Row Counter back to 214 and complete the left half. Follow the instructions from *.

* ON CAM BOX SIDE, bind off 4 sts. after Row 214 (EVEN ROWS = SHOULDER SHAPING); 4 sts. after Row 215 (ODD ROWS = NECK SHAPING); 5 sts. after Row 216; 4 sts. after Row 217; 5 sts. after Row 218; 3 sts. after Row 219; 5 sts. after Row 220; 3 sts. after Row 221; 5 sts. after Rows 222, 224.

ON CAM BOX SIDE, bind off 3 sts. after Rows 136, 137, 138, 139; 2 sts. after Rows 140, 141, 142, 143; 1 st. after Rows 144, 145, 148, 149, 152, 153. Knit even to Row 214, bind off the center 23 sts., put all the needles on the left side into holding position and complete the right half first.

ON EACH SIDE, increase 1 st. after Rows 30, 44, 58, 72, 86, 100, 112, 124, then knit even to Row 136.

ROWS 0 to 30: Work even, then change to Stockinette stitch.

Cast on 121 sts. with color 1 and work K1, P1, Ribbing.

CANADIAN READERS

Please note that KNITKING dealers based in the U.S.A. are unable to sell machines and accessories to residents of Canada. They are also unable to sell parts and service. Would all Canadian readers please contact the following appointed KNITKING dealer.


KNITKING Sales and Service

2243 Danforth Ave.

Toronto 13, Ontario


M4C 1K4

New products from KNITKING



New design Yarn Winder with 'Waxamajig' and Skein Holder. As you can see from the illustration, this clever New Winder with Nylon Helical Gears winds a perfectly symmetrical ball. . . ! If you like to wax yarn (for easier knitting) you use the 'Waxamajig'. If waxing is not necessary, you bypass it . . . The Skein Holder is self adjusting. You will not find a better Hand Winder anywhere.

Complete price **\$23.95**
(California residents add Sales Tax)
 Shipping charges: \$1.75



New design electric winder

Self-contained Motorized Winder (110/120 Volts) with Push Button on and off Switch . . . Special Clutch device to stop Winder if yarn bunches up or jams in the guide eye . . . Another excellent easy to use KNITKING product.

Price: Complete with Skein Holder **\$44.95**
(California residents add Sales Tax).
 Shipping Charges: \$2.50




knitking carrying bags

Completely new design in heavy duty canvas with waterproof interior. For AM 3 Knitter and Yarn Container.

List Price: **\$29.50**
 For Ribber only: **\$15.50**
(California residents add Sales Tax)
 Shipping Costs: \$1.75 and \$1.00


Order direct from KNITKING —
 1128 Crenshaw Blvd., Los Angeles, California 90019



knitking magnifier lamp

A perfect-gift item for any knitter. It has a large (5") magnifying lens and a cool fluorescent tube light. It stays in any position and is wonderful for general illumination for you to work under when joining seams, etc. Color: light grey.

List Price: **\$49.50**
(California residents add Sales Tax)
 Shipping Costs: \$3.00




KG 1981
— Pillow and Bedspread and KG 1980 —
Placemats — Give your home the new decorator look with hand fashioned accents you make yourself. The elegant Bedspread and Pillow are knitted in a Norwegian Design with 2 colors of Regia. The attractive and useful Placemats are weaving Patterns (use your KNITTING Weaver), and all of them are made using left over yarns.






KK 5412 — A small boy's Suit is knitted with 3 colors for the Norwegian Design on the Pull-over. Stockinette stitch is used for the Pants. All bands are ribbed. When made with Allegro, it goes into your washer and dryer and comes out like new. Sizes 1 to 2 years and 3 years.



For Brother and Sister



MK 5411
— For any occasion
... the same Norwegian Design for the boy's Suit is used for this sweet little girl's Dress. 3 colors of Allegro (always perfect for childrens garments) washes and dries quickly in your machine. Sizes 1 to 2 years and 3 years.

HP 3718 — A very easy to knit man's Cardigan in a simulated Rib stitch (every 9th needle is out of work), will make any sportsman happy. Bands are a 1 x 1 Rib and are striped. You may use a Mock Rib for the bands if you do not own a Ribber. Sizes 38, 40 and 44.

KK 5514 — A man's Pullover is knitted in a new Cable Design with stripes on sleeves and collar. The bands and collar can be knitted in a Mock Rib or a 1 x 1 Rib. Teen Size 16; Men's Sizes 36 and 38.







HP 3716 — Here's your chance to knit a Man's sport Shirt using our Cotton Flake Yarn. One cone will make 2 shirts (it really goes a long way). It's very good looking in a Holding Position Design that is worn on the Purl side. Hurry and place your order for the Cotton Flake . . . the price is RIGHT. Sizes 42, 46 and 50.


DK 8274 — Feminine Puff Sleeves are in fashion . . . and this Skirt and Pullover is sooo attractive with its Holding Position Design resembling Polka Dots for the Skirt and Sleeves. You can knit it in Sizes 8, 10 and 12.



1960s
Lovers
: :
Cousins



knitking table



Special Designed Table for KNITKING machines only. Sturdy All Steel construction with Tray in the rear for Tools, Books, etc., and Slots for inserting Pattern Cards. Storage box for yarns . . . Special spot welded brackets on the back legs for storing Ribbing Attachment . . . Heavy duty Rubber Feet to prevent Table from moving around.

List Price: **\$39.50**

(California residents add Sales Tax)

Shipping — F.O.B. Los Angeles

(Shipping weight approximately 25 pounds)

Order direct from KNITKING — 1128 Crenshaw Blvd., Los Angeles, California 90019




converta tape

For simple and speedy charting of custom knits.

List Price **\$9.50**

(California residents add Sales Tax)

Shipping charges: F.O.B. Los Angeles



Order direct from KNITKING — 1128 Crenshaw Blvd., Los Angeles, California 90019

Continued from front of magazine.

sheets with words of caution, a guarantee and oiling instructions, I was scared. Truly, I know absolutely nothing about knitting and here I am knee deep in styrofoam, manuals, boxes and machines. The only purl (pearl) I ever knew was associated with an oyster, but thanks to your HOME STUDY COURSE, I am now wearing a sweater made by the KNITKING. I am an impatient individual, but I read your first page and forced myself to go step by step. The manual is really descriptive and I can only say one thing, It's great. The machine arrived on January the 18th and I didn't believe it could be done. Thanks to your well written manual, KNITKING is a success. Today is February 20th.

A KNITKING convert,
Sincerely, Mrs. Marcinko

Mrs. Gookin, Jr. of Loveland, Colorado! "Gentlemen, I have a few questions I've been saving up and sure could use some help with. First, let me comment however, on your fantastic March-April, 1974 KNITKING edition. It truly has some of the most delightful fashions I've seen in a long time..."

Mrs. Lichak of Innisfree, Alberta, Canada writes: "I really don't know how I could get along without my KNITKING. My children and husband all wear knit underwear and would not want to go without it any more. For myself and little girl, I knit nearly all our own clothes, pant suits, dresses as well as sweaters, jackets, etc., for my bigger boys. The magazine is just great. I wait for every issue and many times make a special trip into town to pick up the mail (9 miles) just to see if KNITKING MAGAZINE has come in. The Editorials and Newsletter make me feel as if I am part of a family who share my interest in knitting. If I ever met Betty Atkin, I would greet her like an old friend."

Carol B. Morgan of Arcadia, California writes.... "How can you keep improving on the perfect!!?" Truly look forward to finding KNITKING MAGAZINE in my mailbox - can't imagine any "knitter" not subscribing!!

Mrs. Babcock of Burnaby, Canada writes... Keep up the good work and pass along all your hints and shortcuts - we need "em" all - Thank You.

Miss Williamson of Glenrothes in Fife, Scotland writes... "The KNITKING MAGAZINE is the best production of its kind that I have ever encountered. It is not so very well known over here, but I am sure that if there were any way in which it could be brought to notice of knitting machine owners, it's circulation would certainly increase."

NEW BOOK OF MACHINE KNIT CLASSICS...

We receive many requests from readers for CLASSIC STYLE garments and are happy to tell you that one of our yarn suppliers in England has come up with an excellent little book that includes full instructions for twenty one classic sweaters and cardigans for men, women, children and toddlers in a full range of sizes.

All garments have raglan sleeves and are in basic Stockinette stitch. They are just what you have been asking for... crew neck sweaters, cardigans, V-neck pullovers, even some with fancy panels down the front and all with the most wanted best fitting sleeves ever. The stitch and row gauge for every garment in the book is 14 stitches - 20 rows to 2 inches. A stitch gauge which you can readily obtain with KNITKING FLAMINGO, ALANDA, or DOLLY DRALON.... take your pick.

The price of this priceless book is \$1.25 plus 40¢ shipping (First Class). California residents, be sure to include Sales Tax.

Present supplies are limited, so be sure to get your order in the mail today and avoid disappointment.

SPECIAL ON WHIZ KING PATTERNS THIS ISSUE

Pattern Reader Charts are available for 3 garments in this issue... remember, that if you buy KNITKING YARNS, you get the Charts free. WHIZ KING PATTERN READER owners are so enthusiastic about our Chart Service, we are going to reward them by discounting the yarn for these three garments only, but you must place your order before the end of JUNE in order to take advantage of the special savings.

If you wish to buy the Charts without using our yarns, KK 5514 CHART SET costs \$2.00 plus 50¢ shipping... DK 8307 - \$2.00 plus 50¢ shipping and DK 8316 - \$3.00 plus 50¢ shipping. The prices of all Kits including Yarns and Charts are...

<u>KK 5514 - Yarn - Regia</u>			
SIZES:	12	14	16
50gr. balls	7-C1	8-C1	9-C1
	1-C2	1-C2	1-C2
	1-C3	1-C3	1-C3
Regular price	\$10.43	\$11.92	\$13.41
	1.49	1.49	1.49
	1.49	1.49	1.49
Total	\$13.41	\$14.90	\$16.39
SALE PRICE:	\$ 8.33	\$ 9.52	\$10.71
	1.19	1.19	1.19
	1.19	1.19	1.19
TOTAL	\$10.71	\$11.90	\$13.09

<u>DK 8316 - Yarn - Alanda Tweed & Beatrice Crepe</u>			
SIZES:	10/12	14/16	18/20
50gr. balls	20-C1	21-C1	23-C1
	3-C2	3-C2	3-C2
Regular price	\$21.80	\$22.89	\$25.07
	5.67	5.67	5.67
Total	\$27.47	\$28.56	\$30.74
SALE PRICE	\$17.40	\$18.27	\$20.01
	4.50	4.50	4.50
TOTAL	\$21.90	\$22.77	\$24.51

<u>DK 8307 - Yarn - Alanda</u>			
SIZES:	10	14	18
	11-C1	13-C1	15-C1
	2-C2	3-C2	4-C2
Regular price	\$11.99	\$14.17	\$16.35
	2.18	3.27	4.36
Total	\$14.17	\$17.44	\$20.71
SALE PRICE	\$ 9.57	\$11.31	\$13.05
	1.74	2.61	3.48
TOTAL	\$11.31	\$13.92	\$16.53

Shipping costs for Kits KK5514 and DK 8307 are \$1.00 for each Kit and for DK 8316, \$1.35 for each Kit. (California residents please add Sales Tax on merchandise only.)

If you still wish to order Yarn and receive Charts FREE, for the garments in our March/April edition, we are extending the Special Sale price on them until the end of JUNE.

If you do not yet own a WHIZ KING PATTERN READER, order one as soon as you can. You will wonder how you ever did without it and if you wish to buy the

special Graph Paper, (in stitches and rows) for PATTERN READERS, the price is \$2.00 for eight sheets plus 20¢ postage. California residents, be sure to add Sales Tax.

Buy yourself a package of liquid crayons from the local drug store and you can draw all sections of a garment on one piece of graph paper using a different color for each section.

PRACTICAL KNITTING HINTS

MOCK RIBBING

If you do not own a Ribbing attachment for your machine, you can use a Mock Rib for any bands that call for ribbing. Just remember to use 1 or 2 Tension settings tighter (lower) for knitting the bands and of course, you must knit all Mock Rib bands double... for instance, if a band calls for 20 rows of Ribbing at Tension 6... for a Mock Rib you will use Tension 4 or 5 and knit 40 rows. Always bring the number of needles called for in the Pattern into working position FIRST (the cast on sts.) then push back to the out of work position, every 3rd needle which will give you a 2 x 1 Rib. A good way to do when you knit this type of band - especially if you will hang a hem... is to knit 19 rows at the lower tension, then knit 1 row to the right side with the garment Tension, turn the Tension back again to the lower number and knit 19 more rows, then hang the hem by bringing the empty needles into working position, pick up each cross thread, give it a twist (to prevent a tiny hole) and hang it onto the empty needle....

KG 1981 - TO KNIT THE BORDER BANDS IN ONE PIECE

With waste yarn, cast on 33 sts. Knit 6 to 8 rows then change to main yarn. Turn the Row Counter to 24, then knit even to Row 888. Work Short Rows. *ON OPPOSITE SIDE OF CAM BOX, put into holding position, 1 needle before knitting the next 14 rows, then 2 needles before knitting the next 8 rows. ON OPPOSITE SIDE OF CAM BOX, bring back into working position, 2 needles before knitting the next 8 rows, then 1 needle before knitting the next 14 rows.**

Turn the Row Counter to 24, then knit even to Row 1224. REPEAT the Short Rows from * to **. Turn the Row Counter to 24 and knit even to Row 888. REPEAT the Short Rows from * to **. Turn the Row Counter to 24 and knit even to Row 1224. REPEAT the Short Rows from * to **, then remove the sts. onto contrast waste yarn. Weave the sts. together that are held on the contrast yarn, then remove the contrast. Fold border band in half and pin, then sew to Bedspread with the mitered corners of band at each corner of Spread.

SPECIAL ON COTTON FLAKE FOR MEN'S SHIRTS

Cotton Flake was used for the Man's Shirt HP 3716 illustrated on page 34 of this issue. Cotton Flake is not one of our Catalogue yarns, but we have a quantity of it on cones... each cone weighs in excess of 2 1/2 pounds and will make two complete shirts (why not make yourself one to match his). The price for each cone is \$9.00 plus \$1.35 for shipping. Cotton Flake only comes in natural color, but it takes dyeing beautifully. Imagine.. 40 ounces of this difficult to obtain yarn for the low low price of \$9.00. When it is gone, there will be no more. Cotton Flake is also ideal for cool summer dresses, pant suits, etc....

STITCH AND ROW CALCULATORS

Remember the handy Stitch and Row Calculators we used to sell for \$4.95 each... well, the world shortage of plastic materials and the limitations on the production of plastic have resulted in this tool being withdrawn from the market. We thought that we were completely sold out of them, but during a recent inventory check in our warehouse, we found several hundred of them hiding in a corner. We obviously won't have enough to satisfy the demand, but while they last, our Special Price is \$3.50 each plus 50¢ mailing costs. This is a very useful tool to have and it will save you many headaches by doing all your calculating for you... with 100% accuracy. If you live in California, don't forget the Sales Tax.

SALE OF USED KNITTING MACHINES

SALE OF DEMO AND TRADED MACHINES

We have some fabulous buys listed below... You can depend on them all to be in excellent working condition... If you want a second machine at a low price, this is your chance... or, perhaps you have a friend who is looking for a good buy... Get your order in early, phone it in and have the machine of your choice held while you send payment. All prices F.O.B. Los Angeles, California. California residents, be sure to add Sales Tax.

SINGLE BED MACHINES

		Selling Price	Sale Price
<u>BROTHER</u>	588 Lacemaker - Demo - Like brand new	\$259.00	\$199.00
	588 Lacemaker - Excellent	259.00	150.00
	580 and Ribber - Excellent	249.00	110.00
<u>EMPISAL</u>	(Same as Studio)		
	305 - like new	200.00	100.00
<u>GENIE</u>	1500 with Ribber - like new	180.00	95.00
	1500 - like new	99.50	59.50
	1800 - like new	139.50	89.50
	1800 with Ribber - like new	219.50	125.00
<u>MEMORY KING 1300 LACEMAKER - PUNCH CARD</u>			
	DEMO - like brand new	349.00	279.00
<u>JUKI 1200 LACEMAKER - very good condition</u>		349.00	175.00
<u>MITSUBISHI - COLOR 7 - Excellent condition</u>		139.50	65.00
<u>KNITKING AM3 - Complete with Ribbing Attachment</u>			
and new machine guarantee - Demo - like new		449.00	299.00
<u>KNITKING AM2 - Rebuilt like new with Ribber</u>		399.00	199.00
<u>KNITKING ELECTRIC TABLE FOR AM3 MACHINES - like new</u>		349.00	279.00
<u>ELECTRIC YARN WINDER - for 220 volts only - new</u>		44.50	25.00

DOUBLE BED MACHINES

<u>DUOMATIC</u>	Excellent	449.00	200.00
	Very good	449.00	150.00
<u>ORION 440</u>	ELECTRIC - Excellent	779.00	350.00
<u>ORION 444</u>	Excellent	429.00	150.00
<u>ORION 360</u>	Excellent	329.00	75.00
<u>SWIFTOMATIC</u>	400 NEEDLE STRIGO - like new	399.00	125.00
	400 NEEDLE STRIGO - Excellent	399.00	75.00
<u>TURMIX</u>	400 Needles - Excellent	399.00	75.00

NOTES TO KNIT BY . . .

STITCH AND ROW GAUGE

KNIT A SAMPLE SWATCH . . . before you begin to knit any garment . . . for this is the MOST IMPORTANT STEP toward the correct size and the proper fit of any garment you wish to make. You MUST use the SAME YARN for your sample swatch that you will use to knit your garment and your sample swatch must be knitted large enough and using several different tension numbers on your machine. When you have done this, then you can determine the number of stitches and the number of rows in a two-inch measure. KNITTING MAGAZINE PATTERNS give you 3 tensions to try and one of them should give you the correct stitch and row gauge if you are using the yarn we recommend or a similar weight yarn. Here is the way to make your sample swatch.

Cast on over a sufficient number of needles to produce a swatch at least 4 inches wide. (If the pattern calls for 16 stitches to 2", then $16 \times 2 = 32$ stitches to cast on). Now knit 4 inches of rows at the first suggested tension number. (If the pattern calls for 22 rows to 2", $22 \times 2 = 44$ rows to knit). Knit 2 rows using a contrast color, change to the next higher tension and with garment yarn knit another 4", knit 2 rows with contrast color, change to the 3rd higher tension and knit another 4" and then bind off.




Roll the swatch into a cylinder over its length and pull on both ends, unroll it and stretch it diagonally by pulling on the four corners. Allow the swatch to rest and settle (preferably overnight) and then using a stitch gauge or a ruler, count the number of stitches over a 2" width, then the number of rows over a 2" length in EACH of the 3 tensions. Select the tension number that produces the stitches and rows called for in the pattern. If none of them are correct, you are most likely using the wrong weight of yarn.




READING OF CHARTS


You will notice the instructions start at the bottom of the Chart and work UP. Follow the charts exactly as written and providing your sample stitch and row gauge is correct, your garment will come out the right size. Please remember that the section of garment as it is knitted on the machine, faces the same way as the Charts are in this magazine. Where two front pieces are needed, (or any other part of a garment that needs two sections) only one section is normally shown and the second section is usually made with reverse shaping. Set in sleeves are usually identical, but raglan sleeves have to be knitted with reverse shaping for the second sleeve.


READING OF SYMBOLS

To simplify Pattern Knitting, we use Symbols in the Line Drawings and the Chart Diagrams. In the Line Drawings the symbols are shown and are to be read as you look at them while knitting a garment. For instance, if

a Purl stitch faces you, the Purl stitch Symbol  is shown; if a knit stitch faces you (as when using the Ribber) then this Symbol  is shown. The Symbol  at the top of the Line Drawing is the center of the garment section and you use this as a guide for setting up the needles.

The following Symbols    are used for Eyelet Designs in the Line Drawings and also for Full Fashion shaping on the Charts. The Line Drawings have row numbers on the right side. Missing Row numbers are always knitted straight or plain.

In Holding Position Designs  selected needles are pushed into holding position for the stated number of rows. The numbers of rows appear at the right of the Line Drawings; Example: 1-4 means knit Rows 1 to 4; 5 to 7 means knit Rows 5 to 7, etc. This same Symbol is also shown on the Charts and is used for putting needles into holding position for Short Rows. The

Symbol  on the Charts is used to put needles back into working position when knitting Short Rows.

A number in a box stands for the number of rows to be knitted between shapings. Make shaping first, then knit the necessary number of rows. If for instance it reads:

1 st. 8 x



1 st. 10 x



As you will be reading the instructions from the bottom up, here is the way you will follow them: . . . Decrease or increase (depending on the direction of the garment outline) 1 st. at the row where the shaping begins, then knit 8 rows, make the next decrease, then knit 8 rows, until you have decreased (or increased) 1 st. 10 x and you have knitted 8 rows after each decrease (or increase) (1 st. 10 x + 8 rows 10 x). Now begin the first decrease (or increase) for the shaping (which has to be made 8 x) in every 6th row. Decrease (or increase) 1 st. first, then knit 6 rows until you have decreased (or increased) 1 st. 6 x and after each decrease (or increase) have knitted 6 rows (1 st. 8 x + 6 rows 8 x).

Where shapings are given without a boxed number as on most armholes, necklines, etc., make the shapings on every second row (on each side of course).

(See below for more Pattern Stitch Symbols.)



KNITTING PATTERN SYMBOLS



1. Cast on
2. Stockinette stitch - worn on the Knit side
3. Stockinette stitch - worn on the Purl side
4. Knit 1, Purl 1, Ribbing
5. Ribbing Pattern - worn on the Purl side
6. Ribbing Pattern - worn on the Knit side
7. Put on a stitch holder
8. Pattern Stitch
9. Knit Stitch
10. Purl Stitch
11. Needles back into working position
12. Empty needle (leave in working position)
13. Needle not used (in the out of work position)
14. Needle in holding position
15. Two stitches on 1 needle - either transferred from the right side or the left side, then put into holding position
16. Needle holding 2 stitches. Stitch has been transferred from the LEFT
17. Needle holding 2 stitches. Stitch has been transferred from the RIGHT
18. 3 stitches on 1 needle. The 1st and 3rd stitch in a group of 3 needles has been hung on the 2nd or center needle
19. Row
20. Bind off
21. Number of rows to be knitted between shapings
22. Bind off
23. Tension



24. Gauge
25. Reverse one section
26. On every other needle
27. & 28. Open Dart
29. & 30. Closed Dart
31. Short Row increase or decrease, for instance on flared skirt knitted sideways
32. Pattern stitch - worn on the Knit side
33. Pattern stitch - worn on the Purl side
34. Center of garment section
35. Work 1 (2 etc.) rows single crochet around edges
36. Turn to the wrong side and hem
37. Ease
38. Match numbers on sections for assembling
39. Hem
40. Fold line
41. Color number (example - C1 = Color 1)

The Roman numeral numbers shown on each garment section are as follows:

- I = Front
- II = Back
- III = Sleeve
- IV = Skirt Front
- V = Skirt Back
- VI = Collar
- VII = Pocket
- VIII = Band
- IX = Belt
- X = Cuff



it's a knitting table! it's a desk!

Your knitting machine folds away inside this handsome desk and it rises easily, on a spring loaded platform, anytime you wish to use it . . . The desk top slides back out of sight when you are knitting.

No need to dismantle your knitting machine when guests arrive unexpectedly . . . Just fold it back into the desk and you have instant, good looking furniture . . .

Beautifully made by West German craftsmen, KNITKING desks are available in three finishes: Natural Walnut, Natural Oak or Natural Fruitwood.

Measurements:

Length - 56½"

Height - 30"

Width 17"

Price F.O.B. Los Angeles

\$189.50

(california residents add sales tax); Freight Charges — F.O.B., Los Angeles.

