


TOYOTA

DECIMAL | £ s d
68p
WEAVERS

Your fashion
factory




BOOK No.103 TODDLER KNITS

TOYOTA Knitting Machine

How to use THIS
tension sample GAUGE

With your main yarn and in the pattern required, knit sample using the tension recommended for your machine and for the thickness of the wool being used.

Holding GAUGING SQUARE on to knitted sample, count the number of stitches and rows within the 5 cm square cutout.



To INCREASE the number of stitches and rows, use a TIGHTER TENSION.

To DECREASE the number of stitches and rows, use a LOOSER TENSION.

DO NOT FORGET!

Give knitted sample time to pull back into shape before counting stitches and rows.

A special message from Helga Guyot, Toyota's own Fashion Consultant:—

The tension mentioned in each pattern is to be used as a guide only and may have to be varied from one machine to another and definitely if other types of wool are to be used.

The tension you set actually changes the size of the garment. That is why I suggest that you always knit at least one tension sample. The method of doing this is as follows: Use the wool that you have selected and the tension that I have recommended for that particular pattern, knit 40 stitches and 40 rows, remove the sample from the machine and allow it to settle for a few hours so that the wool resumes its original shape. The next step is to measure the number of stitches and rows in a 5 cm square. Providing you have the same number of stitches and rows as I have listed in my pattern, then your garment will finish up the correct size. On the other hand, if you have more stitches and more rows than I have indicated, then the tension should be loosened, otherwise your garment will be too small. If you have too few stitches and rows within the square, your tension should be tightened, otherwise your garment will finish up too large. In both these cases, I would suggest that you alter the tension accordingly and knit a further sample. As soon as your sample ends up with the same number of stitches and rows as I have indicated in my pattern, then you know that the tension you have used for that sample should be the tension you use for the body of the garment. For rib bands, use tensions as set out in the pattern.

I suggest that you make the tension sampling easy for yourself by copying the gauge illustrated on this page.

ABBREVIATIONS

alt	= alternate	k	= knit
approx	= approximately	m	= main
beg	= beginning	opp	= opposite
c	= contrast	pos	= position
1st c	= first contrast	r/c	= row counter
2nd c	= second contrast	rem	= remaining
cm	= centimetres	rep	= repeat
cont	= continue	req	= required
dec	= decrease	st (sts)	= stitch(s)
fol	= following	st st	= stocking stitch
g	= grams	tens	= tension
inc	= increase		

Pattern No. 1
3-PIECE TODDLER SUIT
(Illus. Front Cover)

MEASUREMENTS:

To fit: 45 (50-55) cm chest
Length of Jumper centre back: 28 (31-34) cm
Length of sleeve seam: 18 (22-26) cm
Side length of pants: 45 (50-55) cm
Beanie to fit: 40 (50) cm head.

MATERIALS:

PATONS Bluebell 5 ply
16 (18-20) 25 g balls main colour (m)
6 (7-8) 25 g balls first contrast colour (1st c)
3 (4-4) 25 g balls second contrast colour (2nd c)
Elastic for waist on pants, buttons for back opening on jumper.

TENSION:

7.0 = 14 sts and 20 rows to 5 cm.

PANTS

RIGHT SIDE:

With waste yarn cast on 70 (77-84) sts, k some rows with waste yarn then use ravelling cord for 1 row. With main yarn, tens 6.0, k 16 rows. Close hem. Tens 7.0, k 2 rows and pull ravelling cord.

Shape extra length on back: Press in both buttons 1, with carriage on right, bring 50 (57-64) needles from left end to E pos. K 1 row, lay yarn under first inner needle in E pos, k 1 row. * Push first 10 inner needles from E to B pos, k 1 row. Lay yarn under first inner needle in E pos, k 1 row. * Rep from * to * twice more. Release both buttons 1, r/c on 0, k 8 rows. Inc 1 st at right end next and every foll 8th row 3 times. K to row 62 (70-80).

Shape Crotch: Inc 1 st at each end next and every foll alt row 6 times. K 2 rows after last inc.

Shape leg: R/c on 0, k 6 rows. Dec 1 st at each end next and every foll 5th row until 49 (54-57) sts rem. K to row 96 (108-118) and cast off.

LEFT SIDE:

Cast on sts and work as right side, reversing all shapings.

TO MAKE UP:

Sew up front and back seam leaving inside of hem open. Sew up both leg seams. Using 3.50 crochet hook, crochet 3 rows of double crochet around each leg edge. Pull elastic through hem on waist.

JUMPER

BACK:

With m, cast on 73 (79-87) sts in 1 x 1 rib. Tens 3.0, work 10 rows in rib. Transfer sts to main bed and cont in st st. Tens 6.2, r/c on 0, k to row 40 (48-56). Alter length here if req.

* With 2nd c, k 2 rows. With 1st c, k 2 rows. * Rep from * to * once, then, with 2nd c, k 2 rows, cont with 1st c only.

Divide for back opening: Bring half of sts on opp side of carriage to E pos, press in both buttons 1 and work half of back only.

* *Shape raglan:* R/c on 0, cast off 2 sts at raglan edge, k 2 rows. Dec 1 st at raglan edge next and every foll alt row to row 52 (56-60). Take sts off with waste knitting.

Release both buttons 1 and work other side of back to correspond as from *.

FRONT:

Cast on sts and knit as back to row 38 (42-46) over raglan shaping, omitting back opening.

Shape neck: Cont to shape raglan as before. AT SAME TIME take off the 11 (13-15) centre sts with waste knitting. Pull all needles on opp side of carriage to E pos, press in both buttons 1 and work on one side of neck only. * Dec 1 st at neck edge next and every foll alt row 4 (4-5) times, then dec raglan only to last st and fasten off. Release both buttons 1 and k other side of neck to correspond as from *.

SLEEVES:

With m, cast on 43 (47-51) sts in 1 x 1 rib. Tens 3.0, work 10 rows in rib. Transfer sts to main bed and cont in st st. Tens 6.2, r/c on 0, inc 1 st at each end next and every foll 6th row to 65 (69-73) sts. AT SAME TIME k contrast stripes as on back, starting at row 52 (68-84), ending at row 62 (78-94). Cont with 1st c.



Shape raglan: R/c on 0, cast off 2 sts at beg of the next 2 rows, then dec 1 st at each end next and every foll alt row to row 52 (56-60). Take sts off with waste knitting.

NECKBAND:

First join all raglan seams. With wrong side facing, pick up loops of last row in 1st c and make sts on each side of front neck. With tens 6.2, k 1 row. Arrange sts for 1 x 1 rib, hang in cast on combs and weights. Tens 3.0, k 16 rows in rib and cast off loosely.

TO MAKE UP:

Sew up both side seams. Turn neckband to inside and slipstitch into position. With 1st c and 3.50 crochet hook, crochet 3 rows of double crochet along each side of neck opening, working chain buttonholes on to left side in even intervals. Sew on buttons.

BEANIE

With m, cast on 149 sts in 1 x 1 rib. Tens 3.0, r/c on 0, with m, k 6 rows. With 2nd c, k 2 rows. With 1st c, k 2 rows. With 2nd c, k 2 rows. Cont with 1st c, k to row 80. With tapestry needle, pull double thread of main yarn through all sts, then take sts off machine.

TO MAKE UP:

Sew up back seam, then pull thread holding sts very tight and fasten. Make pom-pom and sew on.

Pattern No. 2 SMOCK DRESS (Illus. Page 4)

Photograph with the courtesy of the Publisher of 'Woman's World'.

MEASUREMENTS:

To fit: 50 (55) cm in chest
Underarm length of dress: 23 cm or length req.
Underarm length of sleeves: 19 cm or length req.

MATERIALS:

PATONS Harmony 3 ply.
2 - 100 g balls main colour (m)
1 - 100 g ball contrast colour (c)

TENSION:

5.0 = 16 sts and 22 rows to 5 cm over stocking stitch.

PATTERN:

Two colour tuck pattern with punchcard No. 2. "Punchcard pattern supplement": * Press in both buttons 2, pull lever, with c, k 4 rows. Release button 2 closest to knitting, with m, k 2 rows. * Rep from * to *.

BACK & FRONT:

With waste yarn cast on 119 sts. K some rows with waste yarn, then use ravelling cord for 1 row. With m, k 1 row. Tens 3.0, k 19 rows. Tens 5.0, k 1 row and close hem. K 2 rows and pull ravelling cord. Tens 6.0, k pattern from * to * 10 times. R/c on 0, tens 5.0, with m, k to row 50 or length req in plain st. *Shape armhole:* R/c on 0, cast off 4 sts at beg of next 2 rows. Dec 1 st at each end next and every foll alt row 6 times. K to row 24 and take off on waste knitting.

SLEEVES:

With waste yarn cast on 67 sts, k some rows with waste yarn, then work hem as on back. K 2 rows and pull ravelling cord. Transfer 3rd and every foll 4th st to adjacent needle, leaving empty needles in B pos. K 2 rows. Tens 6.0, k pattern from * to * 10 times. R/c on 0, tens 5.0, with m, k 34 rows or length req. *Shape armhole:* Work same as on back.

YOKE:

With purl side facing, pick up sts from waste of sleeve, front, sleeve and back. * Put 2 sts on to first and second needle, 1 st on to 3rd needle. * Rep from * to * over all sts. Tens 5.0, with m, k 1 row. Arrange sts for 2 x 2 rib, hang in cast on comb and weights. Tens 1.0 work 30 rows in rib. Transfer sts to main bed. With tens 5.0, k 1 row. Transfer 3rd and every foll 4th st to adjacent needle, leaving empty needles in B pos. K 2 rows. Mark row on each end. Tens 3.0, k 16 rows and cast off.

STRING:

With wind on method cast on 4 sts, press in left empty button. Tens 1.0, k for req length to pull through holes on neck edge of yoke. Fasten off.

STRING FOR SLEEVES:

Cast on sts and k same as string for neck.

TO MAKE UP:

Sew sleeves into armholes and join back seam of yoke. Turn neck edge to inside down to marker and slipstitch down. Sew up side and sleeve seams. Pull string through holes on neck and sleeves. Press seams and hem only.

**Pattern No. 3
GIRL'S PONCHO**
(Illus. Page 9)

MEASUREMENTS:

To fit: girl 3 to 4 years.

MATERIALS:

PATONS Bluebell 5 ply.
7 - 25 g balls main colour (m)
2 - 25 g balls contrast colour (c)

TENSION:

7.0 = 14 sts and 20 rows to 5 cm.

PATTERN:

Fair Isle pattern with punchcard No. 20 "Punchcard Pattern Supplement".

PONCHO IS KNITTED IN FOUR PARTS.**PART ONE AND TWO:**

With waste yarn cast on 43 sts, k some rows with waste yarn, then use ravelling cord for 1 row. With m, tens 7.0, k 6 rows. Work picot row: Press NSB 1, 3, 5, 7, 9, 11, move LC from left to right, k 7 rows and close hem. Pull ravelling cord. K 1 row, make row of holes same as for picot row, k 1 row. R/c on 0, inc 1 st at left end next and every foll alt row. AT SAME TIME inc 1 st at right end next and every foll 4th row. K with shaping on both ends to row 80. Cont shaping, AT SAME TIME insert punchcard upside down and k 21 rows in pattern. Cont with shaping on both ends, with m, k 11 rows. Make row of holes: transfer the 4th st from left and every foll 4th st to adjacent needle, leave empty needles in B pos, k 2 rows and cast off loosely.

PART THREE AND FOUR:

Work same as part one and two, reversing shaping.

TO MAKE UP:

Sew together the 2 short seams and the 2 long seams. Pull fringe through each hole on hem. Make string and pull through holes at neck and attach a tassel to each end of string. Press seams if necessary.

**Pattern No. 4
BOY'S SUIT**
(Illus. Back Cover)

MEASUREMENTS:

To fit: 45 (50-55) cm in chest
Length of jumper centre back: 32 (36-39) cm
Length of sleeve seams: 20 (23-26) cm or length req.
Side length of pants: 44 (50-54) cm or length req.
Inside leg length: 24 (27-29) cm or length req.

MATERIALS:

PATONS Katie 6 ply.
7 (8-9) 50 g balls main colour (m).
1 - 50 g balls each of first and second contrast colour (1st c and 2nd c).
6 buttons for jumper, elastic for pants.

TENSION:

8.0 = 13 sts and 18 rows to 5 cm.

PATTERN:

Fair Isle pattern over 12 sts and 20 rows.

NOTE:

Pull lever before every row.

** Zig zag dial to 1,

* Press NSB 1, 2, 3, 4, with 2nd c for Fair Isle, k 2 rows.

Press NSB 1, 4, k 2 rows.

Press NSB 1, 2, 3, 4, k 2 rows.

With m only, k 4 rows plain *.

Zig zag dial to 7, with 1st c for Fair Isle, rep from * to *.

Rep from ** to **.

JUMPER

BACK:

With m, cast on 69 (75-83) sts in 1 x 1 rib. Tens 4.0, work 14 rows in rib. Transfer sts to main bed and cont in stocking st. R/c on 0, tens 8.0 inc 1 st on right end. K 2 rows. With 1st c, k 2 rows. With m, k 4 rows. Start with pattern, k to row 54 (64-72).

Shape armhole: R/c on 0, cast off 3 sts at beg of next 2 rows, then cast off 2 sts at beg of foll 2 rows. Dec 1 st at each end next and every foll alt row 3 (3-4) times. K until 3 (3½-4) patterns are completed. With 1st c, k 2 rows. Cont with m only to row 40 (44-48).

Shape shoulders: Cast off 5 sts at beg of next 4 rows, then cast off 6 (8-10) sts at beg of next 2 rows. Take rem sts off with waste yarn.

FRONT:

Cast on sts and k as back to row 30 (34-38) over armhole.

Shape neck: With waste knitting take off the 12 (14-16) centre sts. Pull all needles on opp side of carriage to E pos, press in both buttons 1 and k one side of neck only. * Dec 1 st at neck edge next and every foll alt row 5 times. K 2 rows after last dec.

Shape shoulder: Cast off 5 sts at shoulder edge next and every foll alt row twice, then cast off rem sts. To k other side of neck, release both buttons 1 and k to correspond with first side as from *.

SLEEVES:

With m, cast on 45 (45-47) sts in 1 x 1 rib. Tens 4.0, work 14 rows in rib. Transfer sts to main bed and cont in st st. R/c on 0, Tens 8.0, k 2 rows. Inc 1 st at each end next and every foll 8th row to 55 (59-63) sts. K to row 64 (72-82).

Shape top: Cast off 3 sts at beg of next 2 rows. Dec 1 st at each end next and every foll alt row 7 times. Dec 1 st at each end next and every foll row 10 times. Cast off rem sts.

NECKBAND BACK:

With wrong side facing, pick up sts from waste yarn on neck. Tens 8.0, k 1 row. Arrange sts for 1 x 1 rib. Tens 4.0, work 20 rows in rib and cast off loosely.

NECKBAND FRONT:

With wrong side facing, make 13 sts on side of neck. Pick up all sts from waste and make 13 sts on other side of neck. Tens 8.0, k 1 row. Arrange sts for 1 x 1 rib. Tens 4.0, work 20 rows in rib and cast off loosely.

PANTS

RIGHT SIDE:

With waste yarn, cast on 67 (73-81) sts. K some rows with waste yarn, then use ravelling cord for 1 row. Tens 8.0, k 1 row. Tens 6.0, k 12 rows. Tens 8.0, k 1 row and close hem. K 2 rows, pull ravelling cord. With carriage on right, bring 57 (63-71) sts from left end to E pos. Press in both buttons 1, k 1 row. Lay yarn under first inner needle in E pos, k 1 row. * Push right 10 needles on right from E to C pos, k 1 row, lay yarn under first inner needle in E pos, k 1 row. * Rep from * to * 3 more times. Release both buttons 1. R/c on 0, inc 1 st at right end next and every foll 8th row 3 times altog. K to row 42 (52-58). Alter side length here if req.

Crotch: Inc 1 st at each end next and every foll 4th row 3 times. K 4 rows after last inc, then inc 1 st at each end next and every foll alt row 5 times. K 2 rows after last inc.

Leg: R/c on 0, Dec 1 st at each end next and every foll 4th row until 50 (50-54) sts rem. K to row 72 (84-92). Alter length here if req. Arrange sts for 1 x 1 rib. Tens 4.0, k 10 rows in rib. Transfer sts to main bed and k 4 rows in st st with tens 8.0. Cast off 30 (30-32) sts from right end. K 20 rows over rem sts. Dec 1 st at each end next and every foll row 6 times. Cast off.

LEFT SIDE:

Cast on sts and k same as right side, reversing all shapings.

TO MAKE UP JUMPER:

Sew up side and sleeve seams. Join 1 cm of each shoulder seam. Set in top of sleeves. Turn neckband to inside and slipstitch down. With No. 4.00 crochet hook, crochet 1 row of doubles on to each back shoulder. For each front shoulder, crochet 1 row of doubles along edge, then turn and crochet 1 row of

doubles with chain buttonholes evenly divided over shoulder. Turn and finish with one more row of doubles. Sew on buttons.

TO MAKE UP PANTS:

Sew up front and back seam to end of crotch, then both leg seams. With No. 4.00 crochet hook, crochet 1 row of doubles around edge of heel and front flap. Sew on elastic to fit under shoe. Press if necessary.

Pattern No. 5 BLAZER

(Illus. Back Cover)

MEASUREMENTS:

To fit: 50 (55-60) cm in chest.

Length centre back: 30 (33-36) cm or length req.

Length of sleeve seams: 20 (25-30) cm or length req.

MATERIALS:

PATONS Bluebell 5 ply

7 (8-9) 25 g balls main colour (m)

1 (1-2) 25 g balls dark contrast colour (1st c)

1 (1-1) 25 g ball light contrast colour (2nd c)

TENSION:

7.0 = 14 sts and 20 rows to 5 cm.

BACK:

With waste yarn cast on 77 (84-91) sts. K some rows with waste yarn, then use ravelling cord for 1 row. Tens 7.0, with m, k 1 row. Tens 5.0, k 8 rows. Tens 9.0, k 1 row. Tens 5.0, k 8 rows. Tens 7.0, k 1 row and close hem. R/c on 0, k 2 rows, pull ravelling cord, k to row 60 (66-72) or length req.

Shape armhole: R/c on 0, cast off 4 sts at beg of next 2 rows, then cast off 2 (3-4) sts at beg of foll 2 rows. Dec 1 st at each end next and every foll alt row 3 (4-5) times. K to row 42 (46-50).

Shape shoulders: Cast off 5 sts at beg of next 6 rows, then cast off 3 (4-5) sts at beg of the foll 2 rows. Take rem sts off with waste knitting.

RIGHT FRONT:

With waste yarn, cast on 53 (56-60) sts. K some rows

with waste yarn, then use ravelling cord for 1 row. Tens 7.0, with m, work hem as on back. R/c on 0, k 2 rows, pull ravelling cord. K to row 16 (22-28). (If length is altered, add rows here). Make buttonholes over the 4th to 7th sts and the 14th to 17th sts from left. (For boy, work buttonholes in LEFT FRONT over same needles but from right end). K to row 46 (52-58). Make buttonholes over same needles as before. K to row 50 (56-62).

Shape neck: Dec 2 sts at left end next and every foll 4th row. K with shaping to row 60 (66-72).

Shape armhole: Cont to shape neck as before, AT SAME TIME cast off 4 sts at armhole edge (right) k 2 rows. Cast off 2 (3-4) sts at armhole edge, k 2 rows. Dec 1 st at armhole edge next and every foll alt row 3 (4-5) times. Cont to shape neck only until 18 (19-20) sts rem. K to row 42 (46-50).

Shape shoulder: Cast off 5 sts at armhole edge next and every foll alt row 3 times, then cast off rem sts.

LEFT FRONT:

Cast on sts and k same as right front, omitting buttonholes and reversing all shapings.

SLEEVES:

With waste yarn cast on 38 (42-46) sts. K some rows with waste yarn, then use ravelling cord for 1 row. Tens 7.0, with 1st c, k 1 row. Tens 5.0, k 8 rows. Tens 9.0, k 1 row. Tens 5.0, k 6 rows. With 2nd c, k 2 rows. Tens 7.0, k 1 row and close hem. R/c on 0, with m, k 2 rows and pull ravelling cord. K 4 rows. Inc 1 st at each end next and every foll 6th row to 62 (66-72) sts. K to row 82 (92-102) or length req. *Shape armhole:* Cast off 3 sts at beg of the next 4 rows, then dec 1 st at each end next and every foll alt row to row 26 (30-34). Dec 1 st at each end next and every foll row to row 32 (36-40). Cast off rem sts.

LEFT FRONT BAND:

First join both shoulders. With wrong side facing, make sts along left front, 3 sts in every 4 rows knitted and pick up sts from waste to centre of back. Tens 7.0, with 2nd c, k 1 row. Tens 5.0, k 2 rows. With 1st c, k 6 rows. Tens 9.0, k 1 row. Tens 5.0, k 9 rows and cast off.



RIGHT FRONT BAND:

K as left front band.

POCKET:

With m, cast on 18 sts with wind on method. K 2 rows. Inc 1 st at each end next and every foll alt row 3 times. AT SAME TIME work one motif only with punchcard No. 170, "Colour Figured Knitting Punchcard Pattern Supplement". K 3 rows with 1st c in "colour" yarnfeeder, then k 20 rows with 2nd c in

"colour" yarnfeeder. K 2 rows with 1st c in "colour" yarnfeeder. With m only, k 1 row. Tens 5.0, k 4 rows. Tens 9.0, k 1 row. Tens 5.0, k 5 rows and cast off.

TO MAKE UP:

Sew up back seam of front bands, then turn band to inside and slipstitch down. Set in top of sleeves. Sew up side and sleeve seams. Press lightly if necessary and sew on buttons. Slipstitch hem of pockets to inside. Pin pocket into place and fasten.

World Copyright by Toyota
Designed by Helga Guyot
Produced and Printed by ART-VUE Printing Pty. Limited

