

BOY'S V-NECK PULLOVER WITH LONG SLEEVES

FOR USE ON THE

PASSAP KNITTING MACHINE



PASSAP PATTERN No. 276

BOY'S V-NECK PULLOVER WITH LONG SLEEVES

MATERIALS: 8 oz. "Lee Target" Dunraven 4-ply wool.

MEASUREMENTS: To fit a 26-28 inch chest. Length from shoulder, 17 ins. Sleeve seam, 14 ins.

TENSION: 7 sts. and 10 rows to 1 inch on Tension No. 5.

ABBREVIATIONS: K., knit; p., purl; st.(s), stitch(es); st. st., stocking stitch; inc., increase; dec., decrease; beg., beginning; tog., together; alt., alternate; rem., remain; in.(s), inch(es); cont., continue; foll., following.

N.B.—Knitters should knit a tension square to take tension before proceeding with garment.

Important: Automatic Lock users please set your dial half a gauge lower.

THE BACK: With Tension No. 4 cast on 97 sts. and work in k.1, p.1, rib for $1\frac{1}{2}$ ins. by dropping every alt. st. and crocheting it up, or on the Ribbing Attachment. Inc. 1 st. on last row of rib (98 sts.). Change to Tension No. 5 and cont. in st. st. until back measures $10\frac{1}{2}$ ins.

Shape Raglan Armholes (Lock on right): Dec. 1 st. at each end of the next and every foll. alt. row until 28 sts. rem. Cast off.

THE FRONT: Work exactly as for the Back until armhole shapings are reached.

Shape Raglan Armholes and Front V (Lock on right): Place first 49 sts. on right of machine into Rest Position and join on a second ball of wool to other needles, dec. 1 st. at armhole edge on the next and every foll. alt. row until 35 sts. have been decreased at armhole edge, AT THE SAME TIME dec. 1 st. at neck edge on-

the next and foll. 2 alt. rows, then dec. 1 st. at same edge on every foll. 5th row until 14 sts. in all have been decreased. Place needles in Rest Position into Working Position and work as for the left side.

THE SLEEVES (Two Alike): With Tension No. 4 cast on 45 sts. and work in rib as for main part for $1\frac{1}{2}$ ins. Inc. 1 st. on last row of rib (46 sts.). Change to Tension No. 5 and cont. in st. st., inc. 1 st. at each end of the next and every foll. 10th row until there are 68 sts. Cont. without shaping until sieeve measures 14 ins.

Shape Top (Lock on right): Dec. 1 st. at each end of the next and every foll. alt. row until 6 sts. rem., then dec. 1 st. at each end of every foll. 3rd row until 2 sts. rem. Fasten off.

THE NECK RIBBING: With Tension No. 4 pick up 28 sts. along back of neck and work in k.1, p.1, rib for 12 rows. Cast off loosely in rib. With Tension No. 4 pick up 62 sts. evenly down right side of V-neck and work in k.1, p.1, rib for 12 rows, dec. 1 st. at V-neck edge on every alt. row. Cast off loosely in rib. Pick up 62 sts. down left side of V and work to match.

TO MAKE UP: Press work with a hot iron over a damp cloth. Sew up side and sleeve seams. Set sleeves into position. Sew neck ribbing together. Press all seams.

Brian - 90 back a Book a Book.