

KNITKING YARN



NOW: KNITKING IS ABLE TO OFFER COMPLETE SERVICE TO THE MACHINE

KNITTER WITH THE IDEAL Knitking TRIO.

KNITKING KNITTING MACHINES — The finest and most versatile automatic knitters available anywhere in the world — KNITKING is the worlds most honored machine with five gold medals for excellence. KNITKING Push-Button knitters produce a range of patterns and knit a variety of yarns unequalled by other machines.

KNITKING YARNS — We searched the world over for the finest yarns obtainable: Beautiful wools from Australia in a range of colors that will dazzle you. The finest quality yarns from West Germany including a new synthetic, soft as a feather pillow, yet able to withstand all the punishment your washing machine can give it, plus superb Satin-Cotton and Linen-Cotton. Excellent Shetlands, Bri-nylon and wools from world famous English mills.

KNITKING MAGAZINE — Without a doubt the finest Knitting machine magazine in the English language published anywhere in the world. Twenty original patterns in each issue and for all members of the family. Stylish designs photographed on world famous models. High fashion garments, handsome sweaters, sports outfits, baby clothes, plus accessories and knitting machine hints. All available to you in KNITKING MAGAZINE.

1

2

3

For yarn catalogue, send \$2.00 (you deduct it from your first order of \$10.00 or more) to:

KNITKING YARNS • 1128 CRENSHAW BOULEVARD, LOS ANGELES, CALIF. 90019

KNITKING

MAGAZINE

Vol. 2 No. 5

May-June 1966

INDEX

Contents						Patt	ern No.			Pag	ge	No.
Woman's Pullover	S*S					DP	7313	и,				13
Woman's Pullover			2			DP	7318					14
Woman's Pullover						DP	7319					15
Woman's Dress		÷	*			DK	7320		¥			16
Woman's Pullover						DP	7315					17
Woman's Pullover				ç		DP	7317					18
Woman's Pullover		18				DP	7314					19
Woman's Pullover						DP	7356			×		19
Woman's Cardigan						DP	7359					20
Woman's Sweater					43	DP	7352					22
Woman's Jacket						DP	7355		ì			23
Woman's Pullover						DP	7308					24
Man's Pullover	*					HP	3414		ì			25
Man's Jacket						HP	3412					26
Man's Cardigan						HP	3421					26
Man's Pullover						HP	3413		¥			27
Girl's Pullover						MK	4740					28
Boy's Pullover and Cardigan		4				KK	4741					28
Practical Knitting H	ints			*								32
Notes to Knit By								Insid	le	Back	C	over



OUR COVER PICTURE

DP 7313

"Spring into Summer" in our delightful turquoise pullover. An easily combined holding position and eyelet design. We give you several popular sizes.

Publisher: Henry J. Atkin, 1128 Crenshaw Blvd., Los Angeles, Calif. 90019, Telephone: WEbster 8-2079. Published bi-monthly. Subscriptions: USA—\$6.00 annually, single copies \$1.50; Canada—\$7.00; other parts of the world—\$10.00. The entire contents of KNITKING MAGAZINE are copyright and must not be reproduced in any shape or form without the express permission, in writing, of the publisher.

Printed by: George Rice & Sons, Los Angeles, Calif.



Letter from the Publisher

Letters praising our last issue (March/April) have been coming in with every mail. It appears to be the most popular issue of KNITKING MAGAZINE since the first one in September of 1964, and our new section, "Notes to Knit By" came in for a large share of the praise.

We enjoy hearing from our readers and we especially like to know what your own particular knitting needs are. We continually endeavor to improve KNITKING MAGAZINE and to produce patterns that our readers need most.

In line with this policy, we introduce in this issue, a completely new Beginners Section. Each issue, from now on, will have at least two very stylish, but easy to knit patterns in a wide range of sizes and with the instructions printed so that anybody and everybody irrespective of the brand of machine they own, can easily follow them on a row to row basis.

Only very simple to knit patterns can be printed in this manner. If we attempted to use the same method with all patterns, they would take up more than twice the amount of space and we would have to reduce the number of patterns published.


It does seem that only the complete newcomer to knitting and knitting machines experiences problems following printed instructions and that most readers of KNITKING MAGAZINE find our instructions easy to follow, but if you experience any problem with any part of them please drop us a line. If following printed instructions comes hard to you, do as we suggest on page 32 of the last issue. Make a rough sketch of the pattern and list for yourself, every row number where an increase or decrease takes place. Do this for two or three patterns and you will discover that it is easy to follow the instructions exactly as written.

Several readers have written to say that they have converted many of our ladies pullover patterns into dress patterns just by adding the necessary number of rows to the bottom of the garments. Some readers use the collar of one garment on the body of another. Some prefer sleeveless dresses to ones with sleeves and so they do not knit the sleeves shown in the patterns. Some knitters introduce stripes into plain patterns. Others prefer and use a different pattern stitch to the one recommended. In fact, with a little imagination, it is possible to adjust any pattern to suit your own requirements. Experiment a little, it will help you toward complete understanding of machine knitting. If you make a mistake no harm is done for you can easily rewind your yarn and begin again.

BEGINNERS SECTION

Here it is, an exciting new beginners section. Simple as the garments are to make, they still reflect the good design and style of all KNITKING patterns.






DP 7319

A beginners delight and flattery in the many sizes given. Our model was knitted in stockinette stitch with KNITKING Satin-Cotton, and accented with bands of blue. (Directions on page 15).

← DP 7318


A change in your tension dial makes this good-looking pattern stitch and lovely pullover. By increasing the number of rows, it could also be made into an attractive dress. (Directions on page 14).






DP 7315


"Delightfully Dressy." Our pullover with its diagonally knitted collar. The ribber is used in addition to a holding position design on the main knitter. (Directions on page 17).



DP 7317

Unusually lovely is our stockinette pullover with a very very new and easily knit hemstitch as an added bonus. You will adore this one. If you do not want to do the hemstitching, it can easily be left out. (Directions on page 18).





Sheer flattery for the slightly fuller figure. This lovely pullover is easily knit in sizes 14/16 and 18/20. Take note of the slimming cables down the front and around the neckline. (Directions on page 19).


DP 7359

Tiny pleats down the front of this simply knit cardigan, plus a pointed collar is more than becoming to a size 16/18 figure. (Directions on page 20).

FOR THE FULLER FIGURE




DP 7356



DP 7355

By Special Request! A warm jacket, knitted on every other needle in a heavy weight yarn. Note the interesting front closing and staggered buttoning. (Directions on page 23).






DP 7308

Another elegant pullover. Our model is knitted in white with an attractive Norwegian border design in three colors. A JAC 40 Pattern No. 38a. (Directions on page 24).

HP 3414


Nothing, but nothing tops our Linen-Cotton for this comfortable and hard wearing pullover for your man. He'll insist you knit him several. (Directions on page 25).





HP 3412

An unusual Fisherman's rib pattern stitch for this handsome jacket for your handsome man. Our model is knitted in a grey and red tweed yarn. (Directions on page 26).




HP 3413

A very sporty boat necked pullover he'll wear and wear. Our model is knitted in bright green, the stripes are in white and charcoal. (Directions on page 27).





Knit a plain stockinette stitch in a tweed type yarn for a change in a man's classic style cardigan. Our model wears his in a green tweed mixture. (Directions on page 26).





A JOY FOR JUNIOR





KK 4741

A 'small fry' raglan pullover and cardigan for the 4/5 and 6/7 year old. Our model is knitted for a boy, but it can also be knitted for a little girl by simply changing the left buttoning to the right side on the cardigan. (Directions on page 28).


KNITTING INSTRUCTIONS

WOMAN'S PULLOVER, No. DP 7313



SIZES: 12/14 and 16/18. MATERIAL: 12/14, 9 oz. 16/18, 10 oz. Blue. FOR EXAMPLE: KNITKING Subita 2 x 3. Diamond Velnette. Fleisher. Evermatch. TENSION: KNITKING Pattern Stitch 3 or 4, Stockinette 2 or 3. GAUGE: Pattern Stitch 17 sts. 2", 35 rows 2". Stockinette 17 sts. 2", 35 rows 2". PATTERN: Eyelet design worn on purl side. To do this, put the 5th, 15th, 25th, etc., sts. on the neighboring needles, and put the empty needles into holding position. Work 5 rows. Bring all needles


into working position. Work one row. Continue work according to chart. Edging and Collar: Stockinette.



SIZE: 12/14. BACK: (Figure II). Cast on 149 sts. Rows 1-40: Work in Stockinette with Tension 2 (3). To make the hem, put the cast on sts. back on the machine. Continue with Tension 3 (4). Rows 41-44: Stockinette. Now begin the pattern. Rows: 45-272: Increase 1 st. at beginning of Row 111 and 112 and again on each side every 22nd row 6 x. (163 sts.). Rows 273-308: Armhole Shaping. Bind off 3 sts. beginning of next 2 rows; then on each side on every other row bind off 3 sts. 1 x, 2 sts. 2 x, decrease 1 st. 2 x; then decrease 1 st. every 4th row 3 x and every 6th row 2 x. (129 sts.). Rows 309-404: Work even. Rows 405-432: Shoulder and Neck Shaping. On each shoulder side, on every other row bind off 2 sts. 1 x and 3 sts. 14 x. At the same time, at beginning of Row 419 bind off the 15 center sts. with a separate yarn. Put needles on the left into holding position and complete right side first. When cam box is on neck side bind off 4 sts. 1 x, 3 sts. 1 x, 2 sts. 2 x, and decrease 1 st. 2 x. Put row counter back to 218 and complete the left side.

FRONT: (Figure I): Cast on 165 sts. Rows 1-40 Work in Stockinette with Tension 2 (3). To make the hem, put the cast on sts. back on the machine. Continue with Tension 3 (4). Rows: 41-44: Stockinette. Now begin the pattern, putting the 8th, 18th, 28th, etc. sts. on the neighboring needles. Rows 45-286: Increase 1 st. at Row 111 and 112 and again on each side every 22nd row 6 x. (179 sts.). Rows 287-322: Armhole Shaping. Bind off 6 sts. beginning next 2 rows; then on every other row, on each side bind off 4 sts. 1 x, 3 sts. 2 x, 2 sts. 1 x, decrease 1 st. 3 x; then decrease 1 st. every 4th row 2 x and every 6th row 2 x. (129 sts.). Rows 323-340: Work even. Then, on the left side put 65 needles into holding position and continue work on the right section. Rows 341-397: To make the facing for the neck opening, cast on 4 sts. at Row 342. To do this, put 4 sts. from the left section onto a double pointed needle or contrast yarn. Rows 398-446: Neck and Shoulder Shaping. On the neck side, bind off 8 sts.; then on every other row bind off 3 sts. 2 x, 2 sts. 1 x, decrease st. 2 x; then decrease 1 st. every 4th row 3 x and every 6th row 3 x. AT THE SAME TIME, at Row 419, for the shoulder shaping, on every other row bind off 2 sts. 1 x and 3 sts. 14 x. (44 sts. for shoulder). Then put the cam box on the left side, turn the row counter back to 340, bring all needles into working position, put the sts. from the double pointed needle back onto the machine, and work the left section.

SLEEVE: (Figure III). Cast on 103 sts. Rows 1-26: Work in Stockinette with Tension 2 (3). To make the hem put the cast on sts. back on the machine. Continue with Tension 3




(4). Rows 27-30: Stockinette. Now begin the pattern. Rows 31-82: Increase 1 st. at beginning of Row 31 and 32 and again on each side every 6th row 7 x. (119 sts.). Rows 83-100: Underarm Shaping. On every other row on the back side of the sleeve bind off 3 sts. 2 x, 2 sts. 4 x, decrease 1 st. 3 x; on the front side bind off 5 sts. 1 x, 3 sts. 2 x, 2 sts. 5 x, and decrease 1 st. 1 x. Rows 101-156: Decrease 1 st. on each side of every other row 2 x and then on the 4th row 1 x. Repeat these 3 decreases 6 x. Rows 157-172: On each side of every other row decrease 1 st. 4 x, bind off 2 sts. 2 x, 3 sts. 2 x, and the remaining 10 sts. Make another sleeve with reverse shapings.

COLLAR: See Notes to Knit By on inside back cover (short Rows). Cast on 129 sts. working stockinette with tension 2 (3). Rows 1-14: On the left side put 48 needles in holding position and work I row. On the right side put 48 needles in holding position and work I row. Now, on each side, one after another, bring 9 needles back into working position 3 x and 7 needles 3 x. Rows 15-38: Work even. Rows 39-54: On each side put I needle in holding position at Row 39, again at Row 43, then on every other row put 1 needle in holding position 2 x, 2 needles 1 x and 3 needles 2 x. Rows 55-70: On each side, one after another, bring these same needles back into working position. Rows 71-98: Work even. Rows 99-112: On each side, one after another, put 6 needles into holding position 2 x, 7 needles 2 x, and 8 needles 3 x. Rows 113-114: On the left side, bring all needles into working position and work I row. On the right side bring all needles into working position and work 1 row. Bind off all sts.

FINISHING: Join front and back sections at side and shoulder seams, easing in the fullness at bustline of front section. Sew sleeve edges together and sew sleeves to sweater. Make a hem 4 sts. wide around front neck opening. Fold collar in half lengthwise and sew front edges together. Place open end of collar around sweater neckline and attach. Sew a loop and a button to top of opening.

SIZE: 16/18. BACK: (Figure II). Cast on 165 sts. Rows 1-40: Work in Stockinette with Tension 2 (3). To make the hem, put the cast on sts. back on the machine. Continue with Tension 3 (4). Rows 41-44: Stockinette. Now begin the pattern, at first putting the 8th, 18th, 28th, etc. sts. on the



neighboring needle. Rows **45-272:** Increase 1 st. at beginning of Row 111 and 112 and again **on each side** every 22nd row 6 x. (179 sts.). Rows **273-312: Armhole Shaping.** Bind off 4 sts. beginning of next 2 Rows; then **on each side** on every other row bind off 3 sts. 1 x, 2 sts. 3 x, decrease 1 st. 3 x, then decrease 1 st. on every 4th row 3 x and on every 6th row 2 x. (137 sts.). Rows **313-412:** Work even. Rows **413-440:**

Shoulder and Neck Shaping. On each shoulder side, on every other row bind off 3 sts. $14 \times and 4$ sts. $1 \times$

FRONT: (Figure I). Cast on 177 sts. Rows 1-40: Work in Stockinette with Tension 2 (3). To make the hem, put the cast on sts. back on the machine. Continue with Tension 3 (4). Rows 41-44: Stockinette. Now begin the pattern, at first putting the 4th, 14th, 24th, etc. sts. on the neighboring needles. Rows 45-292: Increase 1 st. at beginnig of Row 111 and 112 and again on each side every 22nd row 6 x. (191 sts.). Rows 293-332: Armhole Shaping. Bind off 6 sts. beginning of next 2 rows; then on every other row **on each side** bind off 4 sts. 1 x, 3 sts. 2 x, 2 sts. 2 x, decrease 1 st. 2 x; then decrease st. every 4th row 3 x and every 6th row 2 x. (137 sts.). Rows 333-354: Work even. Then, on the left side put 69 needles in holding position and work the right section first. Rows 355-411: To make the facing for the neck opening cast on 4 sts. at Row 356. To do this, put 4 sts. from the left section onto a double pointed needle or contrast yarn. Rows 412-460: Neck and Shoulder Shaping. On the neck side, bind off 8 sts.; then on every other row bind off 3 sts. 2 x, 2 sts. 2 x, decrease 1 st. 3 x; then decrease 1 st. every 4th row 2 x and every 6th row 3 x. AT THE SAME TIME, at Row 433 for the shoulder shaping, on every other row bind off 3 sts. 14 x and 4 sts. 1 x. (46 sts. for shoulder). Put the cam box on the left side, turn the row counter back to 354, bring all needles into working position, put the sts. from the double pointed needle back onto the machine, and work the left section.

SLEEVE: (Figure III). Cast on 109 sts. Rows 1-26: Work in Stockinette with Tension 2 (3). To make the hem, put the cast on sts. back on the machine. Continue with Tension 3 (4). Rows 27-30: Stockinette.Now begin the pattern. Rows 31-82: Increase 1 st. at beginning of Rows 31 and 32 and again on each side every 6th row 7 x. (125 sts.). Rows 83-100: Underarm Shaping. On every other row on the back side of the sleeve bind off 3 sts. 2 x, 2 sts. 4 x, decrease 1 st. 3 x; on the front side bind off 5 sts. 1 x, 3 sts. 3 x, 2 sts. 4 x, and decrease 1 st. 1 x. Rows 101-172: Decrease 1 st. on each side of every other row 2 x and then on the 4th row 1 x. Repeat these 3 decreases 6 x. Rows 173-180: On each side of every other row bind off 2 sts. 2 x, 3 sts. 1 x, 4 sts. 1 x, and the remaining 9 sts. Make another sleeve with reverse shapings.

COLLAR: See Notes to Knit By on inside back cover (short Rows). Cast on 135 sts. Work in Stockinette with Tension 2 (3). Rows 1-14: On the left side put 48 needles in holding position and work 1 row. On the right side put 48 needles in holding position and work I row. Now, on each side, one after another, bring 9 needles back into working position 3 x and 7 needles 3 x. Rows 15-38: Work even. Rows 39-54: On each side put I needle in holding position at Row 39, again at Row 43, then on every other row put 1 needle in holding position 2 x, 2 needles 1 x and 3 needles 2 x. Rows 55-70: On each side, one after another, bring these same needles back into working position. Rows 71-98: Work even. Rows 99-112: On each side, one after another, put 6 needles into holding position 2 x, 7 needles 2 x, and 8 needles 3 x. Rows 113-114: On the left side, bring all needles into working position and work I row. On the right side bring all needles into working position and work I row. Bind off


FINISHING: Follow directions for Size 12/14.

BE SURE TO USE YOUR ZIP CODE IN ALL CORRESPONDENCE.

BEGINNERS SECTION

WOMAN'S PULLOVER, No. DP 7318





GAUGE: 8 sts. 10 rows to 1". **TENSION:** Pattern Stitch of 4 rows tension 10 and 6 rows Tension 4.

PATTERN: 4 Rows Tension 10. 6 rows Tension 4.

SIZE	8/10	12/14	16/18	20/22
MATERIAL: KNITKING Mutella	8 oz.	9 oz.	10 oz.	ll oz.
BACK: Cast on Stitches	132	140	156	172
ALL SIZES: Knit 30 rows Tension 4. Hang hem by putting each cast on stitch back on machine. Continue in Pattern Stripe beginning with 4 rows Tension 10. Increase 1 stitch when counter reads 72,73 - 80,81 - 88-89 - 96,97 - 104,105, - 114,115 - 124,125 - 134,135 - 144,145 - 154,155				
Number of stitches Knit till row counter reads	152 162	160 162	176 168	192 168
ARMHOLE SHAPING: Bind				
off sts. when row counter reads	2 162,163 164,165	2 162,163 164,165	4 468,169 170,171	5 168,169 170,171
Decrease 1 st. on each				
side when counter reads	166,168 170,174	166,168 170,174	172,174 176,180	172,174 176,180
number of stitches	136	144	152	164
Increase I stitch when				
counter reads	182,183 186,187 190,191 194,195 198,199 202,203 206,207 208,209 210,211 212,213	184,185 190,191 194,195 198,199 202,203 206,207 210,211 212,213 214,215 216,217	190,191 194,195 198,199 202,203 206,207 210,211 214,215 216,217 218,219 220,221	196,197 200,201 204,205 208,209 212,213 216,217 220,221 222,223 224,225 226,227
COUNTER WILL READ Number of stitches	214 156	218 164	222 172	228 184
SHOULDER SHAPING. On Each side of every other row bind off stitches	2-19x	2-20x	2-21x	3-2x 2-20x
Bind off remaining sts.	80	84	88	92
FRONT: Work same as back to row	214	218	222	228

SHOULDER SHAPING: On each side of every other	8/10	12/14	16/18	20/22
row bind off stitches	1-1x	l-1×	1-2x	lx3x
	2-2x	2-3x	2-3x	2-4x
	3-1x	3-1x	3-1x	3-1x
	4-2x	4-2x	4-2x	4-2x
	5-1x	5-1x	6-1x	6-1x
Bind off remaining stitches	114	118	122	128

FINISHING: Join front and back sections at side seams. Make a hem 8 rows wide at top of sweater. Sew shoulder seams in slip stitch 5 or 6 inches on each shoulder. Make a hem 1/2 inch wide at sleeves.

WOMAN'S PULLOVER, No. DP 7319



Chart for Size 10/12 only

248 - 5.5 -	280 271 - 254 245 + 1184 174 +	-5.5 -2	7 262 1 206
1 I	74 174 188	9%5-	171%
85/8	14	85/8	<u> </u>

TENSION: 5 or 6. GAUGE: 8 sts. 11 row	rs to l".		
SIZE:	10/12	14/16	18/20
MATERIAL: KNITKING Satin- Cotton, Yellow Small amount Blue for all sizes	9 oz.	11 oz.	13 oz.
BACK: Cast on Blue-stitches Knit rows Hang hem by putting each cast on stitch back on machine. Change to yellow ALL SIZES: Increase 1 stitch when counter reads 74,75 - 90,91 - 106,107 - 122,123 - 138,139 - 154,155 Knit to row 174	142 14	158 14	174 14
ARMHOLE: Bind off when counter reads 174,175 stitches 176,177 178,179 180,181 Decrease 1 stitch on each side when	4 3 2 2	5 4 3 2	5 5 4 3
counter reads 182, 184, 186, 190, 194 Stitches remaining Work even till counter reads Divide work in half, put right side needles in hold. Remove 3 sts. from the right side (center) and put or a double pointed needle or contrast yarn. With a new ball of yarn, cast on these 3 center needles for facing, put stitches behind the latches and continue to knit the left side. Increase 1 st. at arm edge when counter reads		132 212 66 221 231 241	142 220 71 229 239 249
	245 245 1 st 3x 2 st 3x 3 st 2x	251 1 st 4x	259

5 st 6x

5 st 6x

5 st 6x

At the same time shape neck When counter reads Bind off neck side stitches	10/12 262 10	14/16 268 11	18/20 272 12
Then on neck side (every other row) bind off Stitches	5 st 1x 3 st 1x 2 st 2x	5 st 1x 4 st 1x 2 st 2x	5 st lx 4 st lx 2 st 3x
Put cam box on right side, all needles in work, put 3 sts. from double pointed needle or contrast yarn back on machine. Put row counter back to complete the right side.	206	212	220
FRONT: Follow directions for front u to row 174. Knit 10 rows (Row 184)	р		
ARMHOLE: Bind off when counter reads 184,185 stitch 186,187 188,189 190,191	es 4 3 2 2	5 4 3 2	5 5 4 3
ALL SIZES: Decrease 1 stitch each side when counter reads 192, 194, 196, 200, 204. Inchease 1 stitch when counter reads Stitches remaining	224,225 234,235 244,245 128	228,229 238,239 248,249 138	234,235 244,245 254,255 148
Ontones Terraning			
NECK AND SHOULDER SHAPING. When counter reads Bind off center stitches with a separate yarn, put needles on the left into holding position and knit the right side first. When cam box is on neck side (ever other row) Bind off 3 sts. 1 x, 2 sts. 2 1 st. 3 x. Then every 4th row on neck side, decrease 1 stitch 3 x.	248 12	252 16	256 20
NECK AND SHOULDER SHAPING. When counter reads Bind off center stitches with a separate yarn, put needles on the left into holding position and knit the right side first. When cam box is on neck side (ever other row) Bind off 3 sts. 1 x, 2 sts. 2 1 st. 3 x. Then every 4th row on neck side, decrease 1 stitch 3 x. At the same time when counter rea Shape shoulder (every other row)	248 12		
NECK AND SHOULDER SHAPING. When counter reads Bind off center stitches with a separate yarn, put needles on the left into holding position and knit the right side first. When cam box is on neck side (ever other row) Bind off 3 sts. 1 x, 2 sts. 2 1 st. 3 x. Then every 4th row on neck side, decrease 1 stitch 3 x. At the same time when counter rea	248 12 ry x, ads 254 1 st 3x 2 st 3x 3 st 2x	258 1 st 3x 2 st 3x 3 st 3x	262 1 st 4x 3 st 3x 4 st 2x
NECK AND SHOULDER SHAPING. When counter reads Bind off center stitches with a separate yarn, put needles on the left into holding position and knit the right side first. When cam box is on neck side (ever other row) Bind off 3 sts. 1 x, 2 sts. 2 1 st. 3 x. Then every 4th row on neck side, decrease 1 stitch 3 x. At the same time when counter rea Shape shoulder (every other row) Put needles on the left into working position. Put counter back to row	248 12 ry x, ads 254 1 st 3x 2 st 3x 3 st 2x 5 st 6x	258 1 st 3x 2 st 3x 3 st 3x 5 st 6x	262 1 st 4x 3 st 3x 4 st 2x 5 st 6x
NECK AND SHOULDER SHAPING. When counter reads Bind off center stitches with a separate yarn, put needles on the left into holding position and knit the right side first. When cam box is on neck side (ever other row) Bind off 3 sts. 1 x, 2 sts. 2 1 st. 3 x. Then every 4th row on neck side, decrease 1 stitch 3 x. At the same time when counter rea Shape shoulder (every other row) Put needles on the left into working position. Put counter back to row and complete the left side. NECK EDGING: Cast on with Blue stitches Work 12 rows stockinette 3 rows tension 5 6 rows tension 4 3 rows tension 5	248 12 ry x, ads 254 1 st 3x 2 st 3x 3 st 2x 5 st 6x 248	258 1 st 3x 2 st 3x 3 st 3x 5 st 6x	262 1 st 4x 3 st 3x 4 st 2x 5 st 6x


FINISHING: Join front and back sections at side and shoulder. seams, easing in the fullness at bustline of front section. Make a hem 3 sts. wide at back opening slit. Fold neck edging around sweater neckline and attach. Sew in zipper. Sew ends of armhole edging together and fold edging around armhole and attach.

WOMAN'S DRESS, No. DK 7320




SIZES: 10/12 and 14/16. MATERIAL: 10/12, 20 oz.; 14/16, 23 oz. natural colored cotton yarn with white linen effect. FOR EXAMPLE: KNITKING, Linen-Cotton. TENSION: KNITKING 4 or 5. GAUGE: 18 sts. 2", 23 rows 2". PATTERN: Stockinette Stitch with holding position design stripe on front sections according to chart. SIZE: 10/12. BACK: (Figure II). Cast on 151 sts. Rows 1-144: Increase 1 st. at beginning of Row 43 and 44 and again on each side every 20th

row 5 x. (163 sts.) Rows 145-222: Work even. Rows 223-304: Decrease 1 st. on each side at Row 223, again every 10th row 4 x, every 6th row 3 x, every 4th row 4 x, and every other row 3 x. (133 sts.). Rows 305-318:



Work even. Rows 319-392: Increase 1 st. at beginning of Row 319 and 320 and again on each side every 4th row 9 x and every 6th row 5 x. (163 sts.) Rows 393-412: Armhole Shaping. Bind off 4 sts.

peginning of next 2 rows, then on every other row on each side bind off 3 sts. 1 x, 2 sts. 2 x, decrease 1 st. 2 x; then on every 4th row decrease 1 st. 2 x. (133 sts.). Rows 413-474: Work even. Rows 475-492: Shoulder and Neck Shaping. On each shoulder side on every other row bind off 4 sts. 7 x and 5 sts. 3 x. (43 sts. for each shoulder). AT THE SAME TIME, at beginning of Row 483 bind off the 17 center sts. with a separate yarn. Put needles on the left into holding position and complete the right side first. When cam box is on neck side, bind off 6 sts. 1 x, 4 sts. 1 x, 3 sts. 1 x, and 2 sts. 1 x. Put row counter back to 482, needles on the left into working position and complete the left side.




FRONT: (Figure I). Cast on 79 sts. Work the pattern stripe over the 13th-27th needles, counting from the left edge. Rows 1-19: Work even. Then on the left side cast on 29 sts. Rows 20-144: Increase 1 st. on the right side at Row 43 and again on every 20th row 5 x. (114 sts.). Rows 145-222: Work even. Rows 223-304: Decrease 1 st. on the right side at Row 223 and again every 10th row 4 x, every 6th row 3 x, every 4th row 4 x, and every other row 3 x. (99 sts.). Rows 305-318: Work even. Rows 319-406: On the right side increase 1 st. at Row 319, again every 4th row 9 x and every 6th row 5 x. AT THE SAME TIME, make BUTTONHOLES at Rows 330 and 376, over the 3rd-8th and 22nd-27th needles. (114 sts.). Rows 407-430: Armhole Shaping. Bind off 6 sts.; then on every other row bind off 5 sts. 1 x, 4 sts. 1 x, 3 sts. 1 x, 2 sts. 2 x, decrease 1 st. 2 x; then decrease 1 st. every 4th row 2 x. AT THE SAME TIME, make a BUTTONHOLE at Row 422. (88 sts.). Rows 431-473: Work even, making a BUTTONHOLE at Row 468. Rows 474-506: Neck and Shoulder Shaping. For the neck shaping, bind off 29 sts.; then on every other row bind off 4 sts. 1 x, 3 sts. 1 x, 2 sts. 2 x, decrease 1 st. 2 x; then decrease 1 st. every 4th row 3 x. AT THE SAME TIME, at Row 489, for the shoulder Shaping, on every other row bind off 4 sts. 7 x and 5 sts. 3 x. (43 sts. for shoulder). Make another front section with reverse shapings, minus buttonholes.

SLEEVE: (Figure III) Cast on 108 sts. Rows 1-14: Decrease 1 st. on each side at Row 3 and again every 4th row 2 x. (102 sts.). Rows 15-60: Increase 1 st. at beginning of Row 19 and 20, again on each side every 4th row 8 x and every other row 3 x. (126 sts.). Rows 61-72: Underarm Shaping. On every other row on the back side of the sleeve bind off 4 sts. 2 x, 3 sts. 1 x, 2 sts. 2 x, decrease 1 st. 1 x; on the front side bind off 6 sts. 1 x, 5 sts. 1 x, 4 sts. 1 x, 3 sts. 2 x, and 2 sts. 1 x. Rows 73-112: On each side of every other row decrease 1 st. 3 x and bind off 2 sts. 1 x. Repeat these 4 decreases 4 x. Rows 113-120: On each side of every other row bind off 2 sts. 1 x, 3 sts. 2 x, 4 sts. 1 x and the remaining 13 sts. Make another sleeve with reverse shapings.

COLLAR: See Notes to Knit By on inside back cover (Short Rows). Cast on 119 sts. Rows 1-12: On the left side put 46 needles in holding position and work 1 row. On the right side put 46 needles in holding position and work 1 row. Now, on each side, one after another, put 10 needles in working position 3 x and 8 needles 2 x. Rows 13-86: Work even, working Rows 25-72 with Tension 5 (6). Rows 87-94: On each side, one after another, put 9 needles in holding position 2 x and 14 needles in holding position 2 x and 14 needles in holding position 2 x. Rows 95-96: On the left side bring all needles into working position and work 1 row. On the right side bring all needles into working position and work 1 row. Bind off all sts.

FINISHING: Sew darts on front section as illustrated. Join front and back sections at side and shoulder seams. Sew sleeve edges together and sew sleeves to dress. Make a $11\frac{1}{2}$ " hem at front edges and bottom of dress, and $11\frac{1}{4}$ " hem at bottom of sleeves. Fold collar in half lengthwise and sew front edges together. Place open end of collar around dress neckline and attach. On the wrong side, join the front button and buttonhole edges together, sewing up from the bottom approximately $23\frac{1}{2}$ ". Finish buttonholes and sew on buttons.

SIZE: 14/16. BACK: (Figure II). Cast on 172 sts. Rows 1-144: Increase 1 st. at beginning of Row 43 and 44 and again on each side every 20th row 5 x. (184 sts.). Rows 145-222: Work even. Rows 223-308: Decrease 1 st. on each side at Row 223 and again every 10th row 4 x, every 6th row 3 x, every 4th row 4 x, and every other row 5 x. (150 sts.). Rows 309-322: Work even. Rows 323-396: Increase 1 st. at beginning of Row 323 and 324 and again on each side every 4th row 9 x and every 6th row 5 x. (180 sts.) Rows 397-424: Armhole Shaping. Bind off 4 sts. beginning of next 2 rows; then on every other row on each side bind off 3 sts. 2 x, 2 sts. 2 x, decrease 1 st. 3 x and then on every 4th row decrease 1 st. 3 x. (140 sts.).



Rows 425-484: Work even. Rows 485-502: Shoulder and Neck Shaping. On each shoulder side on every other row bind off 4 sts. 5 x and 5 sts. 5 x. (45 sts. each shoulder). AT THE SAME TIME, at beginning of Row 493 bind off the 18 center sts. with a separate yarn, put needles on the left into holding position and complete right side first. When cam box is on **neck side** bind off 7 sts. 1 x, 4 sts. 1 x, 3 sts. 1 x and 2 sts. 1 x. Put row counter back to 492, all needles on the left into working position and complete left side.

FRONT: (Figure I). Cast on 86 sts. Work the pattern stripe over the 13th-27th needles, counting from the left edge. Rows 1-19: Work even. Then on the left side cast on 29 sts. Rows 20-144: Increase 1 st. on the right side at Row 43 and again every 20th row 5 x. (121 sts.). Rows 145-222: Work Even. Rows 223-308: Decrease 1 st. on the right side at Row 223 and again every 10th row 4 x, every 6th row 3 x, every 4th row 4 x and every other row 5 x. (104 sts.). Rows 309-322: Work even. Rows 323-410: Increase 1 st. on the right side at Row 323 and again every 4th. row 9 x and every 6th row 5 x. AT THE SAME TIME make BUTTONHOLES at Rows 331 and 380 over the 3rd-8th and 22nd-27th needles (119 sts.). Rows 411-438: Armhole Shaping. Bind off 6 sts. Then on every other row bind off 5 sts. 1 x, 4 sts. 1 x, 3 sts. 1 x, 2 sts. 2 x, decrease 1 st. 2 x; then on every 4th row decrease 1 st. 3 x. AT THE SAME TIME make a BUTTONHOLE at Row 429. (92 sts.). Rows 439-483: Work even, making a BUTTONHOLE at Row 478. Rows 484-516: Neck and Shoulder Shaping. For the Neck shaping, bind off 29 sts.; then on every other row bind off 5 sts. 1 x, 3 sts. 2 x, 2 sts. 1 x, decrease 1 st. 2 x; then on every 4th row decrease 1 st. 3 x. AT THE SAME TIME, at Row 499, for the shoulder shaping, on every other row bind off 4 sts. 5 x and 5 sts. 5 x. (45 sts. for shoulder). Make another front section with reverse shapings, minus button-

SLEEVE: (Figure III): Cast on 115 sts. Rows 1-14: Decrease 1 st. on each side at Row 3 and again every 4th row 2 x. (109 sts.) Rows 15-60: Increase 1 st. at beginning of Row 19 and 20 and again on each side every 4th row 8 x and every other row 3 x. (133 sts.) Rows 61-72: Underarm shaping. On every other row on the back side of the sleeve bind off 4 sts. 2 x, 3 sts. 1 x, 2 sts. 2 x, decrease 1 st. 1 x; on the **front** side bind off 7 sts. 1 x, 5 sts. 1 x, 4 sts. 2 x, 3 sts. 1 x and 2 sts. 1 x. Rows 73-112: On each side of every other row decrease 1 st. 3 x and bind off 2 sts. 1 x. Repeat these 4 decreases 4 x. Rows 113-124: On each side of every other row decrease 1 st. 2 x, bind off 2 sts. 1 x, 3 sts. 2 x, 4 sts. 1 x, and the remaining 14 sts. Make another sleeve with reverse shapings.

COLLAR: See Notes to Knit By on inside back cover (short rows). Cast on 126 sts. Rows 1-12: On the left side put 46 needles in holding position and work I row. On the right side put 46 needles in holding position and work 1 row. Now, on each side, one after another, put 10 needles in working position 3 x and 8 needles 2 x. Rows 13-86: Work even, working Rows 25-72 with Tension 5 (6). Rows 87-94: On each side, one after another, put 9 needles in holding position 2 x and 14 needles in holding position 2 x. Rows 95-96: On the left side bring all needles into working position and work I row. On the right side bring all needles into working position and work I row. Bind off all sts.

FINISHING: Follow directions for size 10/12.

CHANGE OF ADDRESS . . .

If you change your address be sure to notify us immediately. The Post Office will not forward your magazine from your old address and it will not be returned to us.

WOMAN'S PULLOVER, No. DP 7315





SIZE: 14/16.MATERIAL: 8 oz. red. FOR EXAMPLE: KNITKING Subita. 2x3 Bearbrand, Deluxe Sock and Sport. Columbia Minerva, Fingering. TENSION: KNITKING Pattern Stitch 3 or 4 Kl, Pl Ribbing 2 or 3. **GAUGE:** Pattern Stitch 19 sts. 2", 35 rows 2". K.l, P.l Ribbing 19 sts. 2", 27 rows PATTERN: Holding Position Design on purl side with RIBBER according to chart. Edging: Kl, Pl Ribbing. Collar: Stockinette. BACK: (Figure II). Cast on 183 sts.

Rows 1-16: Kl, Pl Ribbing with Tension 2 (3). Now put the 1st, 2nd, 5th, 6th, 7th, etc., sts. from the RIBBER onto the empty needles of the main machine, and continue in Holding Position Design with Tension 3 (4).



Rows 17-240: Increase 1 st. at beginning of Row 87 and 88 and again on each side every 22nd row 6 x. (197 sts.). Rows 241-274: Armhole Shaping. Bind off 4 sts. beginning of next 2 rows; then on every other row on each side bind off 3 sts. 3 x, 2 sts. 3 x, decrease 1 st. 4 x; then on every 4th row on each side decrease 1 st. 3 x. (145 sts.). Rows 275-374: Work even. Rows 375-402: Shoulder and Neck Shaping. On each shoulder side, on every other row bind off 3 sts. 14 x and 4 sts. 1 x. (46 sts. for each shoulder). AT THE SAME TIME, at beginning of Row 389 bind off the 17 center sts. with a separate yarn. (Transfer all the ribber sts. to main machine first before binding off). Transfer all the ribber sts. on the left to main machine and put all needles on the left into holding position and complete the right side first. When cam box is on neck side, bind off 4 sts. 2 x, 3 sts. 2 x and 2 sts. 2 x. Put all needles on the left into working position, transfer the proper rib stitches to ribber, put row counter back to 388 and complete the left side.





FRONT: (Figure I). Cast on 183 sts. Rows 1-16: Kl, Pl Ribbing with Tension 2 (3). Now put the 1st, 2nd, 5th, 6th, 7th, etc. sts. from the RIBBER onto the empty needles of the main machine and continue in Holding Position Design with Tension 3 (4). Rows 17-254: Increase 1 st. at beginning of Row 87 and 88 and again on each side every 22nd row 6 x. (197 sts.). Rows 255-262: Armhole Shaping. Bind off 6 sts. beginning of next 2 rows, then on every other row on each side, bind off 4 sts. 1 x, 3 sts. 1 x and 2 sts. 1 x, then bind off the 3 center sts. Transfer all ribber sts. on the left to main machine and put all needles on the left into holding position and continue work in two sections as on the back. Rows 263-416: Neck, Armhole, and Shoulder Shaping. When cam box is on Neck side bind off 2 sts. at Rows 265 and 267 and then decrease 1 st. every other row 2 x, every 4th row 4 x, and every 8th row 15 x. AT THE SAME TIME, for the armhole shaping, bind off 2 sts at beginning of Row 263 and then on every other row bind off 2 sts. 1 x, decrease 1 st. 3 x and on every 4th row decrease 1 st. 3 x; and at beginning of Row 389, and when cam box is on shoulder side, bind off

3 sts. 14 x and 4 sts. 1 x. (46 sts. for shoulder). Put all needles on the left into working position. Transfer the proper rib sts. to ribber. Put row counter back to 388 and complete the left side.

SLEEVE: (Figure III). Cast on 115 sts. Rows 1-12: K1, Pl ribbing with Tension 1 (2). Now put the lst., 2nd, 5th, 6th, 7th, etc. sts. from the RIBBER onto the empty needles of the main machine and continue in Holding Position Design with Tension 3 (4). Rows 13-68: Increase 1 st. at beginning of Row 17 and 18 and again on each side every 4th row 12 x. (141 sts.). Rows 69-92: Underarm Shaping. On every 4th row on the back side of the sleeve bind off 6 sts. 1 x, 4 sts. 2 x, 3 sts. 1 x, 2 sts. 2 x; and on the front side bind off 7 sts. 1 x, 5 sts. 1 x, 4 sts. 1 x, and 3 sts. 3 x. Rows 93-144: Bind off 2 sts. on each side of every 4th row 13 x. Rows 145-160: On each side of every 4th row bind off 3 sts. 2 x, 4 sts. 1 x, 5 sts. 1 x, and the remaining 13 sts. Make another sleeve with reverse shapings.

COLLAR: Cast on 3 sts., beginning on the left side of the machine with the 29th needle. Rows 1-29: Increase 2 sts. on the left side at Row 2 and again every other row 13 x. AT THE SAME TIME on the right side increase 1 st. at Row 3 and again every other row 13 x more (45 sts.). Rows 30-479: Decrease 1 st. on the left side at Row 30 and again every other row continuously. AT THE SAME TIME, increase 1 st. on the right side at Row 31 and again every other row continuously. Rows 480-507: Decrease 1 st. on the left side at Row 480 and again every other row 14 x. AT THE SAME TIME on the right side bind off 2 sts. at Row 481 and again every other row 14 x are the same time.

FINISHING: Join front and back at side and shoulder seams, easing in the fullness at bustline of front section. Sew sleeve edges together and sew sleeves to sweater. Sew collar to the neck opening. Make a narrow hem around outer collar edges, and hem the front ends so that they are pointed.

WOMAN'S PULLOVER, No. DP 7317





SIZE: 12/14.MATERIAL: 10 oz. blue and 8 oz. gold. FOR EXAMPLE: KNIT-KING, Satin-Cotton. TENSION: KNIT-KING 5 or 6. GAUGE: 17 sts. 2", 22 rows 2". PATTERN: Stockinette Stitch with hem stitched stripe. (See Practical Knitting Hints on Page 32 for hem stitching directions). The hem stitched stripe is not counted in the gauge or the directions, but it is included in the length of the sweater. Every stripe is 1/2" wide.

BACK: (Figure II). Cast on 156 sts.

with blue. Rows 1-52: Work even. To

make the hem put the cast on sts. back on the machine, and, using the gold yarn, make a hem stitch row. Rows 53-74: Increase 1 st. at beginning of Row 63 and 64. Then with





gold, make a hem stitch row. Rows **75-158:** Increase 1 st. at beginning of Row 77 and 78 and again **on each side** every 14th row 5 x, changing to the gold yarn at Row 97 (170 sts.). Rows **159-202:** Raglan Shaping. Decrease 2 sts. **on each side** at Row 159 and again every 4th row 11 x. To do this, put the 3rd and 4th sts. on the 5th and 6th needles and move the edge sts. over to fill the empty needles; changing to blue

yarn at Row 181. Then make a hem stitch row with gold. Rows 203-211: Decrease 2 sts. on each side at Rows 207 and 210. Now on the right side put 57 needles in holding position and work the left section. Rows 212-224: To make the facing for the back opening slit, cast on 3 sts. at Row 213. To do this put 3 sts. from the right section onto a double pointed needle or contrast yarn. For the raglan shaping decrease 2 sts. at Row 213 and again every 3rd row 3 x. Now work a hem stitch row with gold. Rows 225-264: Raglan Shaping and Neck Shaping. For the ragian shaping decrease 2 sts. at Row 225 and again every 3rd row 12 x. AT THE SAME TIME, for the neck shaping, bind off 12 sts. at Row 261; then on every other row bind off 8 sts. 1 x and 6 sts. 1 x. Now put the cam box on the right side and turn the row counter back to 211. Bring all the needles into working position, put the sts. from the double pointed needle back on the machine, and work the right section.

FRONT: (Figure I). The front is worked the same as the back to Row 260; however, omit the back opening slit, and for the neck shaping, at Row 243 bind off the 10 center sts. with a separate yarn and continue in two sections. When cam box is on neck side bind off 4 sts. 1 x, 3 sts. 2 x, 2 sts. 2 x, and decrease 1 st. 3 x. Then, on each side, hang the 3 remaining sts. together, by putting the 2 outside sts. on the center needle and binding off. Put needles on the right into working position, Row counter to 243 and complete the right side.

SLEEVE: (Figure III). Cast on 108 sts. with gold. Rows 1-14: Decrease 1 st. on each side of every other row 5 x. (98 sts.). Rows 15-40: Increase 1 st. at beginning of Row 17 and 18 and again on each side every other row 4 x and then increase 2 sts. on each side every other row 7 x. (136 sts.). Rows 41-142: Raglan Shaping. Decrease 2 sts. on each side at Row 41 and again every 4th row 12 x and every 3rd row 17 x. To do this, put the 3rd and 4th sts. on the 5th and 6th needles and move the 2 edge sts. over to fill the empty needles. AT THE SAME TIME, change to blue yarn at Row 63 and make hem stitch rows at Rows 85 and 107 with gold. Rows 143-146: On the right side bind off 2 sts. at Row 143. AT THE SAME TIME, on the left side, one after another, put 5 needles in holding position 2 x. Bind off 14 sts. Make another sleeve with reverse shapings.

NECK EDGING: Cast on 116 sts. with blue. Work 12 rows Stockinette and bind off all sts.

FINISHING. Finish the hem stitch rows. Join front and back sections at side seams. Sew sleeve edges together and sew sleeves to sweater with slip stitch, overlapping l st. from each section. Make a hem l l/4" wide at bottom of sleeves. Make a hem 3 sts. wide at back opening slit. Fold neck edging around sweater neckline and attach. Sew in zipper.

CANADIAN READERS

Please note that KNITKING dealers based in the U.S.A. are unable to sell machines and accessories to residents of Canada. They are also unable to sell parts and service. Would all Canadian readers please contact any of the following appointed KNITKING dealers.

Knittax Handknitting Machines Sales and Service Reg'd H. Cieslewicz 3059 Estelle, Fabreville, P.Q.

Winnipeg Knitting Machines Ltd. 202 Confederation Building 457 Main St., Winnipeg 2, Manitoba Easy Knit of Canada Ltd. 272, Yonge Street Toronto 1, Ontario


Knit-King Agency Hand Knitting Machines Mrs. M. Gross 5316 - 90th Ave., Edmonton, Alberta

WOMAN'S PULLOVER, No. DP 7314



SIZE: 14/16. MATERIAL: 14 oz. bronze. FOR EXAMPLE: KNITKING, Satin Cotton. TENSION: KNITKING 6 or 7. GAUGE: Pattern Stitch 15 sts. 2", 28 rows 2". K1, P1 Ribbing 15 sts. 2", 24 rows 2". PATTERN: Holding Position Design on knit side according to chart. To do this, put the 4th and 6th sts. on the 5th needle, the 12th and 14th sts. on the 13th needle, the 20th and 22nd sts. on the 21st needle, etc. Put the empty needles out of working position, and work 1 row. Then put the 5th,


13th, 21st, etc. needles in holding position and work 5 rows. Bring all the needles into working position and work 1 row. Continue work according to chart. Edging: K1, Pl Ribbing.



BACK: (Figure II). Cast on 145 sts. Rows 1-20: Kl, Pl Ribbing. Continue in holding position design. Rows 21-200: Increase 1 st. at beginning of Row

77 and 78 and again **on each side** every 20th row 5 x (157 sts.). Rows **201-230: Armhole Shaping.** Bind off 5 sts. beginning of next 2 rows; then on every 4th row **on each side** bind off 4 sts. 1 x, 3 sts. 2 x, 2 sts. 2 x, and decrease 1 st. 2 x. (115 sts.). Rows **231-306:** Work even. Rows **307-322: Shoulder and Neck Shaping. On each shoulder side** of every other row bind off 2 sts. 3 x and 3 sts. 6 x. (24 sts. each shoulder). **AT THE SAME TIME,** at beginning of row 307 bind off the 23 center sts. with a separate yarn, put the needles on the left into holding position and complete the right side first. When cam box is on neck side bind off 5 sts. 1 x, 4 sts. 1 x, 3 sts. 3 x and 2 sts. 2 x. Put needles on the left into working position, row counter back to 306 and complete the left side.

FRONT: (Figure 1). Cast on 145 sts. Rows 1-20: K1, P1 Rib. bing. Continue in holding position design. Rows 21-210: Increase 1 st. at beginning of Row 77 and 78 and again on each side every 20th row 5 x. (157 sts.). Rows 211-236: Armhole Shaping: Bind off 6 sts. beginning of next 2 rows; then on every 4th row on each side bind off 4 sts. 2 x, 3 sts. 1 x, and decrease 1 st. 2 x. (115 sts.). Rows 237-294: Work even.



Rows 295-332. **Neck and Shoulder Shaping.** Bind off the 21 center sts. with a separate yarn. Put needles on the left into holding position and complete the right side first. When cam box is on **neck side** on every 4th row bind off 5 sts. 2 x, 4 sts. 1 x, 3 sts. 1 x, 2 sts. 2 x and decrease 1 st. 2 x. **AT THE SAME TIME,** at Row 317, for the **shoulder shaping,** when cam box is on **shoulder side,** bind off 2 sts. 3 x and 3 sts. 6 x. (24 shoulder sts.). Put needles on the left into working position, row counter back to 316 and complete the left side.

SLEEVE: (Figure III). Cast on 91 sts. Rows 1-14: K1, Pl Ribbing. Continue in holding position design. Rows 15-54: Increase 1 st. at beginning of Row 14 and 15 and again on each side every 4th row 9 x (111 sts.). Rows 55-74: Under arm Shaping. On every 4th row on the back side of the sleeve bind off 5 sts. 1 x, 4 sts. 1 x, 3 sts. 3 x; on the front

side bind off 7 sts. 1 x, 4 sts. 2 x, and 3 sts. 2 x. Rows **75-118:** Bind off 2 sts. **on each side** of every 4th row 11 x. Rows **119-126: On each side** of every 4th row bind off 3 sts. 1 x, 4 sts. 1 x, and the remaining 14 sts. Make another sleeve with reverse shapings.

NECK EDGING: Cast on 105 sts. for the front section and 93 sts. for the back section. Work 14 rows K1, P1 Ribbing and bind off all sts.

FINISHING: Join front and back sections at side seams in slip st., overlapping 1 st. from each section. Sew shoulder seams. Sew sleeve edges together and sew sleeves to sweater. Sew neck edgings together, so that back section overlaps the front section, and sew to sweater.

WOMAN'S PULLOVER, No. DP 7356




SIZES: 14/16 and 18/20. MATERIAL: 14/16, 13 oz. 18/20, 15 oz. rose. FOR EXAMPLE: KN1TKING, Subita 2x3. Bearbrand, Evermatch Redheart, Nylon and Wool Sport. TENSION: KNITKING 5 or 6. GAUGE: 17 sts. 2", 24 rows 2". PATTERN: Stockinette. Inset: Stockinette on purl side. Cable Stripe: (1). Work 8 rows. (2). With 2 double transfer tools, cross the sts. so that the 4th and 5th sts. are on the 2nd and 3rd needles and the 2nd and 3rd sts. are on the 4th and 5th needles. Repeat steps 1 and 2

throughout. Sleeve Edging: Kl, Pl, Ribbing.

SIZE: 14/16. BACK: (Figure III). Made in 2 sections. Cast on 81 sts. Rows 1-186: Increase 1 st. on the right side at Row 77 and again every 22nd row 4 x. (86 sts.). Rows 187-212: Armhole Shaping. Bind off 4 sts.; then on every other row bind off 3 sts. 1 x, 2 sts. 3 x, decrease 1 st. 2 x; then decrease 1 st. every 4th row 3 x. (68 sts.). Rows 213-278: To make the facing for the back opening slit, cast on 2 sts. at Row 232. Rows 279-298: Shoulder and Neck Shaping. On the shoulder side, on every other row bind off 3 sts. 3 x and 4 sts. 8 x. AT THE SAME TIME, for the neck shaping, at Row 290, bind off 12 sts.; then on every other row bind off 7 sts. 1 x, 5 sts. 1 x, 3 sts. 1 x, and 2 sts. 1 x. (17 sts. for shoulder). Make another back section with reverse shapings.

FRONT: (Figure II). Made in 3 sections. Cast on 63 sts. Work the cable stripe on the left side, over the 2nd-5th needles. Rows 1-200: Increase 1 st. on the right side at Row 77 and again every 22nd row 4 x. (68 sts.) Rows 201-224: Armhole Shaping. Bind off 6 sts.; then on every other row bind off 5 sts. 1 x, 4 sts. 1 x, 3 sts. 1 x, 2 sts. 2 x, decrease 1 st. 2 x; then decrease 1 st. every 4th row 2 x. Rows 225-292: Work even. Rows 293-312: Shoulder Shaping. On every other row bind off 3 sts. 3 x, 4 sts. 7 x, and 5 sts. 1 x (42 sts. for shoulder). Make the second front section with reverse shapings.

INSET: (Figure I). Cast on 54 sts. Rows 1-274: Work even. Rows 275-302: Neck Shaping. Bind off the 18 center sts. with a separate yarn, put needles on the left into holding position and complete the right side first. When cam box is on neck side, bind off 5 sts. 1 x, 3 sts. 1 x, 2 sts. 1 x, decrease 1 st. 2 x; then decrease 1 st. on every 4th row 3 x. Now, on




each side hang the 3 remaining sts. together by putting the 2 outside sts. on the center needle and binding off. Put needles on the left into working position, row counter back to 274 and complete the left side.

SLEEVE: (Figure IV). Cast on 103 sts. Rows 1-16: K1, P1 Ribbing. Continue in Stockinette. Rows 17-50: Increase 1 st. at beginning of Row 20 and 21 and again **on each side** every 4th row 3 x and every other row 8 x. (127 sts.). Rows 51-64: **Underarm Shaping.** On every other row on the back side of the sleeve, bind off 4 sts. 1 x, 3 sts. 2 x, 2 sts. 4 x; on the **front side** bind off 6 sts. 1 x, 4 sts. 2 x, 3 sts. 2 x, and 2 sts. 2 x. Rows 65-104: **On each side** of every other row decrease 1 st. 3 x and bind off 2 sts. 1 x. Repeat these 4 decreases 4 x. Rows 105-112: **On each side** of every other row bind off 2 sts. 2 x, 3 sts. 1 x, 4 sts. 1 x, and the remaining 13 sts. Make another sleeve with reverse shapings.

NECK EDGING: Cast on 9 sts. Work as follows: 1 knit st., 4 crossed sts., 4 knit sts. Always cross the sts. on every 7th row. Work 168 rows and bind off all sts.

FINISHING: Sew darts in front section as illustrated. Sew inset to each front section in slip st., overlapping 1 st. from each section. The purl side of the inset should be toward the outside. Join the 2 back sections in slip st., overlapping 1 st. from each section. Make a hem 3 sts. wide around back opening. Join front and back sections at side and shoulder seams. Sew sleeve edges together and sew sleeves to sweather. Fold neck edging around neck opening and attach. Sew in zipper.



SIZE: 18/20: BACK: (Figure III). Made in 2 sections. Cast on 88 sts. Rows 1-186: Increase 1 st. on the right side at Row 77 and again every 22nd row 4 x. (93 sts.). Rows 187-216: Armhole Shaping. Bind off 4 sts.; then on every other row bind off 3 sts. 2 x, 2 sts. 3 x, decrease 1 st. 3 x; then de-

DO YOU HAVE A...

REVERSING BAR?

- With it you can turn a hem in one movement instead of lifting stitches one at a time.
- You can reverse your knitting, so that the knit side faces you, easily and speedily.
- Available for all KNITKING machines with 197 needles. Order from your dealer or direct from

KNITKING

1128 Crenshaw Blvd., Los Angeles, Calif. 90019
Price \$16.95 (California residents add 4% tax)
Plus \$1.50 shipping cost.

crease l st. every 4th row 3 x. (71 sts.). Rows 217-288: To make the facing for the back opening slit, cast on 2 sts. at Row 242. Rows 289-308: Shoulder and Neck Shaping. On the shoulder side, on every other row bind off 4 sts. l1 x. AT THE SAME TIME, for the neck shaping, at Row 300, bind off 12 sts.; then when cam box is on neck side bind off 7 sts. l x, 3 sts. l x, and 2 sts. l x. Make the second back section with reverse shapings.

FRONT: (Figure II). Made in 3 sections. Cast on 70 sts. Work the cable stripe of the left side over the 2nd-5th needles. Rows 1-206: Increase 1 st. on the right side at Row 77 and again every 22nd row 4 x. (75 sts.). Rows 207-236: Armhole Shaping. Bind off 7 sts.; then on every other row bind off 5 sts. 1 x, 4 sts. 1 x, 3 sts. 1 x, 2 sts. 3 x, decrease 1 st. 2 x; then decrease 1 st. every 4th row 3 x. Rows 237-308: Work even. Rows 309-328: Shoulder Shaping. On every other row bind off 4 sts. 10 x and 5 sts. 1 x. Make the second front section with reverse shapings.

INSET: (Figure 1). Cast on 54 sts. Rows **1-288:** Work even. Rows **289-318: Neck Shaping.** Bind off the 18 center sts. with a separate yarn. Put needles on the left into holding position and complete the right side first. When cam box is on **neck side,** bind off 5 sts. 1 x, 3 sts. 1 x, 2 sts. 1 x, decrease 1 st. 2 x; then decrease 1 st. on every 4th row 3 x. Now, on each side, hang the 3 remaining sts. together by putting the 2 outside sts. on the center needle and binding off. Put needles on the left into working position, row counter back to 288 and complete the left side.

SLEEVE: (Figure IV). Cast on 109 sts. Rows 1-16: K1, P1, Ribbing. Continue in Stockinette. Rows 17-50: Increase 1 st. at beginning of Row 21 and 22 and again on each side every 4th row 3 x and every other row 8 x. (133 sts.). Rows 51-64: Underarm Shaping. On every other row on the back side of the sleeve bind off 4 sts. 1 x, 3 sts. 2 x, 2 sts. 4 x; and on the front side bind off 6 sts. 1 x, 4 sts. 2 x, 3 sts. 2 x, and 2 sts. 2 x. Rows 65-112: On each side of every other row decrease 1 st. 3 x and bind off 2 sts. 1 x. Repeat these 4 decreases 5 x. Rows 113-118: On each side of every other row bind off 2 sts. 1 x, 3 sts. 1 x, and the remaining 13 sts. Make another sleeve with reverse shapings.

NECK EDGING and FINISHING: Follow directions for Size 14/16.


WOMAN'S PULLOVER, No. DP 7359



SIZE: 16/18.MATERIAL: 20 oz. beige. FOR EXAMPLE: Diamond, Laine Ecossaise, Fine 2-ply yarn. TENSION: KNITKING 2 or 3. GAUGE: 19 sts. 2", 27 rows 2". PATTERN: Stockinette.

BACK: (Figure II). Made in 2 sections. Cast on 91 sts. Rows 1-34: Work even with Tension 1 (2). To make the hem, put the cast on sts. back on the machine. Continue with Tension 2 (3). Rows 35-206: On the right side, increase 1 st. at Row 83 and again every 16th row 7 x. (99

sts.). Rows 207:234: Armhole Shaping. Bind off 5 sts.; then on every other row bind off 4 sts. 1 x, 3 sts. 2 x, 2 sts. 1 x, decrease 1 st. 3 x; then decrease 1 st. every 4th row 3 x. (76 sts.). Rows 235-314: On the left side, to make the facing



for the back opening slit, cast on 3 sts. at Row 260. Rows 315-336: Shoulder and Neck Shaping. For the shoulder shaping, on every other row bind off 4 sts. $11 \times and 5 \text{ sts. } 1 \times (49 \text{ shoulder sts.})$. AT THE SAME TIME, for the neck shaping, at Row 326 bind off 15 sts.; then when cam box is on neck side bind off 5 sts. $1 \times and 3 \text{ sts. } 2 \times and 3 \text{ sts. } 3 \times and 3 \times and 3 \times and 3 \text{ sts. } 3 \times and 3 \times and 3 \text{ sts. } 3 \times and 3 \times and 3 \text{ sts. } 3 \times and 3 \times and 3 \text{ sts. } 3 \times and 3$

FRONT: (Figure I). Cast on 91 sts. Work with Tension 1 (2). Rows 1-34: On the left side cast on 26 sts. at Row 18. To make the hem, put the 91 cast on sts. back on the machine. Continue work with Tension 2 (3). Rows 35-228: On the right side, increase 1 st. at Row 83 and again every 16th row 7 x. (125 sts.). Rows 229-256: Armhole Shaping. Bind off 8 sts., then on every other row bind off 6 sts. 1 x, 4 sts. 1 x, 3 sts. 1 x, 2 sts. 2 x, decrease 1 st. 2 x; then decrease 1 st. every 4th row 3 x. (95 sts.) Rows 257-315: Work even. Rows 316-358: Neck and Shoulder Shaping. For the neck shaping, bind off 26 sts.; then when cam box is on neck side bind off 4 sts. 1 x, 3 sts. 1 x, 2 sts. 3 x, decrease 1 st. 3 x; then decrease 1 st. on every 4th row 3 x and on the 6th row 1 x.

AT THE SAME TIME, at Row 337, for the Shoulder Shaping. when cam box is on shoulder side bind off 4 sts. 11 x and 5 sts. 1 x. (49 shoulder sts.). Make the second front section with reverse shapings; however, at Row 18 cast on only 12 sts., and at Row 316, for the neck shaping, bind off only

SLEEVE: (Figure III). Cast on 95 sts. Rows 1-34: Work even: 10 rows with Tension 2, 14 rows with Tension 1, and 9 rows with Tension 2. To make the hem, put the cast on sts. back on the machine. Continue with Tension 2 (3). Rows 35-180: Increase 1 st. at Row 39 and 40 and again on each side every 4th row 7 x and every 6th row 17 x. (145 sts.). Rows 181-198: Underarm shaping. On every other row on the back side of the sleeve bind off 4 sts. 2 x, 3 sts. 2 x, 2 sts. 4 x, decrease 1 st. 1 x; on the front side bind off 7 sts. 1 x, 5 sts. 1 x, 4 sts. 1 x, 3 sts. 2 x, and 2 sts. 4 x. Rows 199-248: On each side of every other row decrease 1 st. 25 x. Rows 249-

PLEASE NOTE THAT WE DO NOT SEND TOOLS AND YARNS OUT ON A C.O.D. BASIS. YOU MUST SEND PAYMENT INCLUDING MAILING COSTS WITH EACH ORDER.

256: On each side of every other row bind off 3 sts. 2 x, 4 sts. 1 x, 5 sts. 1 x, and the remaining 12 sts. Make another sleeve with reverse shapings.

COLLAR: Cast on 72 sts. Rows **1-84:** To shape the point, on every other row on the **right side** increase 2 sts. 1 x, and 1 st. 1 x. Repeat these 2 increases 9 x and at Row 47, on every other row on the **right side** decrease 1 st. 1 x and bind off 2 sts. 1 , and repeat these 2 decreases 9 x. Bind off all sts. Make the second collar section with reverse shapings.

FINISHING: Join the two back sections up to the opening slit in slip st., overlapping 1 st. from each section. Make a hem 3 sts. wide at back opening slit. Sew darts in front section as illustrated. Join the two front sections in slip st., overlapping 1 st. from each section. Make 4 pleats on the 36 center sts. To do this, on the wrong side, in slip st., join the 4th and 9th; 13th and 18th, 19th and 24th, 28th and 33rd sts. Then on the right side, fold 2 pleats to the right of the center seam and 2 pleats to the left. Join front and back sections at side and shoulder seams. Sew sleeve edges together and sew sleeves to sweater. Fold the collar sections in half lenghtwise and sew the ends together. Place the open edge of the collar sections around the sweater neckline and attach. Sew in zipper. Sew buttons to the center seam as illustrated.

ARE YOU UNHAPPY WITH YOUR PRESENT KNITTING MACHINE

DOES IT REFUSE TO KNIT FANCY DRESS YARNS?

DOES IT JAM UP WHEN YOU TRY TO KNIT LOOPED MOHAIR OR THICK AND THIN YARNS?
DOES IT DROP STITCHES ALL OVER THE PLACE?

ARE YOU CONTINUALLY HAVING TROUBLE WITH AWKWARD, CUMBERSOME WEIGHTS?
ARE YOU UNABLE TO MAKE A LARGE GARMENT WITH BULKY YARNS?

DO YOU HAVE TO SELECT PATTERN STITCHES MANUALLY?

DO YOU HAVE TO LATCH YOUR RIBBING BY HAND?

IF YOU ARE HAVING ANY OF THESE PROBLEMS YOU SHOULD TRADE UP TO A NEW FAN-TASTIC PUSH BUTTON KNITKING WITH COORDINATED RIBBER AND ENJOY KNITTING WITH THE WORLDS FINEST, MOST VERSATILE AND MOST AUTOMATIC KNITTER.

YOU WILL BE SURPRISED AT OUR GENEROUS TRADE-IN ALLOWANCE AND YOU CAN, IF YOU WISH, USE YOUR PRESENT MACHINE AS A DOWN-PAYMENT AND PURCHASE A COMPLETE KNITKING FOR JUST PENNIES A DAY. WRITE TODAY FOR FULL INFORMATION AND TELL US WHAT MACHINE YOU NOW OWN. THE ADDRESS IS:

KNITKING, Dept. T-1, 1128 Crenshaw Blvd., Los Angeles, Calif. - 90019


WOMAN'S BLOUSE, No. DP 7352



SIZES: 14/16 and 18/20. MATERIAL: Both sizes, 11 oz. cherry red. FOR EXAMPLE: Unger. Crisp Crepe. Diamond. Laine Ecossaise. TEN-SION: KNITKING 2 or 3. GAUGE: 19 sts. 2", 26 rows 2". PATTERN: Stockinette.

SIZE: 14/16. BACK: (Figure II). Made in 2 sections. Cast on 82 sts. Rows 1-15: Work even. Then, on the left side, cast on 23 sts. Rows 16:29: Work even. To make the hem, put the 82 cast on sts. back on the machine. Row 30: Work the sts.

together with Tension 3 (4). Rows **31-198:** Increase 1 st. on the **right side** at Row 79 and again every 14th row 7 x. (113 sts.). Rows **199-224: Armhole Shaping.** Bind off 5 sts., then on every other row bind off 4 sts. 1 x, 3 sts. 1 x, 2 sts. 2 x, decrease 1 st. 2 x; then on every 4th row decrease 1 st.



3 x. (92 sts.). Rows 225-298: Work even. Rows 299-318: Shoulder Shaping and Neck Shaping. When cam box is on shoulder side, bind off 4 sts. 7 x and 5 sts. 4 x. AT THE SAME TIME, for the neck shaping, at Row 308 bind off 23 sts.; then when cam box is on neck side bind off 6 sts. 2 x, 5 sts. 1 x, and 4 sts. 1 x. Make the second back section with reverse shapings, making BUTTONHOLES at Rows 23, 54, 85, 116, 147, 178, 209, 240, 271, and 302; over the 3rd-7th and 17th-21st needles.

FRONT: (Figure I). Cast on 95 sts. Rows 1-29: Work even. To make the hem, put the cast on sts. back on the machine. Row 30: Work the sts. together with Tension 3 (4). Rows 31-212: On the left side cast on 19 sts. at Row 32, and on the right side, increase 1 st. at Row 79 and again every 14th row 7 x. (122 sts.). Rows 213-238: Armhole Shaping. Bind off 7 sts.; then on every other row bind off 5 sts. 1 x, 4 sts. 1 x, 3 sts. 1 x, 2 sts. 2 x, decrease 1 st. 3 x; then decrease 1 st. every 4th row 2 x. (94 sts.). Rows 239-295: Work even. Rows 296-332: Neck and Shoulder Shaping. On the neck side bind off 27 sts.; then when cam box is on neck side bind off 4 sts. 2 x, 3 sts. 1 x, 2 sts. 1 x, decrease 1 st. 3 x; then decrease 1 st. every 4th row 2 x and on the 6th row 1 x. AT THE SAME TIME, at Row 313, for the shoulder shaping, when cam box is on shoulder side bind off 4 sts. 7 x and 5 sts. 4 x. (48 sts. for shoulder). Make the second front section with reverse shapings.

SLEEVE: (Figure III). Cast on 87 sts. Rows 1-29: Work even: 7 rows with Tension 2, 15 rows with Tension 1, and 7 rows with Tension 2. To make the hem, put the cast on sts. back on the machine. Row 30: Work the sts. together with Tension 3 (4). Row 31-176: Increase 1 st. at beginning of Row 31 and 32, and again on each side every 4th row 14 x and every 6th row 14 x. (145 sts.). Rows 177-192: Underarm Shaping. On every other row on the back side of the sleeve bind off 4 sts. 2 x, 3 sts. 2 x, 2 sts. 3 x, decrease 1 st. 1 x; on the front side bind off 6 sts. 1x, 5 sts. 1 x, 4 sts. 1 x, 3 sts. 3 x, and 2 sts. 2 x. Rows 193-232: On each side of every other row decrease 1 st. 3 x and bind off 2 sts. 1 x, Repeat these 4 decreases 4 x. Rows 233-244: On each side of every other row bind off 2 sts. 3 x, 3 sts. 2 x, 4 sts. 1 x, and the remaining 14 sts. Make another sleeve with reverse shapings.


COLLAR: Make 2. Cast on 70 sts. Work 84 rows Stockinette:

14 rows with Tension 1, 14 with Tension 2, 28 with Tension 3, 14 with Tension 2, and 14 with Tension 1. Bind off all sts.

FINISHING: Join the 2 front sections in slip stitch, overlapping 1 st. from each section. On each side of the center seam, make a pleat 1" wide. The two pleats should come together at the center. Then, with white, make 2 rows of saddle stitching on each side of the center. The stitching is done on the 4th and 9th sts. from the center. Join the front and back sections at side and shoulder seams, easing in the fullness at bustline of front section. Sew sleeve edges together and sew sleeves to blouse. At back edges make a hem $1\frac{1}{4}$ " wide. Fold each collar section in half lenghtwise and sew the ends together. Place open edge of collar around blouse neckline and attach. Finish buttonholes and sew on buttons.

SIZE: 18/20. BACK: Knitted in 2 sections. (Figure II). Cast on 91 sts. Rows 1-15: Work even. Then on left side cast on 23 sts. Rows 16-29: Work even. To make the hem, put the 91 cast on sts. back on the machine. Row 30: Work the sts. together with Tension 3 (4). Rows 31-198: Increase 1 st. on the right side at Row 79 and again every 14th row 7 x. (122 sts.). Rows 199-228: Armhole Shaping. Bind off 5 sts.; then on every other row bind off 4 sts. 1 x, 3 sts. 2 x, 2 sts. 2 x, decrease 1 st. 3 x and then decrease 1 st. every 4th row 3 x. (97 sts.). Rows 229-308: Work even. Rows 309-328: Shoulder Shaping and Neck Shaping. When cam box is on shoulder side, bind off 4 sts. 4 x and 5 sts. 7 x. AT THE SAME TIME, for the neck shaping, bind off 24 sts. at Row 318, then when cam box is on neck side bind off 7 sts. 1 x, 6 sts. 1 x, 5 sts. 1 x, and 4 sts. 1 x. Make the second back section with reverse shapings, making buttonholes at Rows 23, 55, 87, 119, 151, 183, 215, 247, 279, and 311, over the 3rd-7th and 17th-21st needles.

FRONT: (Figure I). Cast on 104 sts. Rows 1-29: Work even. To make the hem, put the cast on sts. back on the machine. Row 30: Work the sts. together with Tension 3 (4). Rows 31-218: On the left side cast on 19 sts. at Row 32, and on the right side increase 1 st. at Row 79 and again every 14th



row 7 x. (131 sts.). Rows 219-248: Armhole Shaping. Bind off 8 sts.; then on every other row bind off 5 sts. 1 x, 4 sts. 1 x, 3 sts. 2 x, 2 sts. 2 x, decrease 1 st. 2 x and on every 4th row decrease 1 st. 3 x. (99 sts.). Rows 249-307: Work even. Rows 308-348: Neck Shaping and Shoulder Shaping. For the neck shaping, bind off 27 sts. When cam box is on neck side bind off 4 sts. 2 x, 3 sts. 1 x, 2 sts. 2 x, decrease 1 st. 3 x; then decrease 1 st. every 4th row 2 x and on the 6th row 1 x. AT THE SAME TIME, at Row 329, for the Shoulder Shaping, when cam box is on shoulder side bind off 4 sts. 4 x and 5 sts. 7 x. (51 sts. for shoulder). Make the second section of front with reverse shapings.

SLEEVE: (Figure III). Cast on 94 sts. Rows 1-29: Work even: 7 rows with Tension 2, 15 rows with Tension 1, and 7 rows with Tension 2. To make the hem, put the cast on sts. back on the machine. Row 30: Work the sts. together with Tension 3 (4). Rows 31-176: Increase 1 st. at beginning of Row 31 and 32 and again every 4th row 14 x and every 6th row 14 x. (152 sts.). Rows 177-192: Underarm Shaping. On every other row on the back side of the sleeve bind off 4 sts. 2 x, 3 sts. 2 x, 2 sts. 3 x, decrease 1 st. 1 x; and on the front side bind off 7 sts. 1 x, 5 sts. 1 x, 4 sts. 1 x, 3 sts. 3 x and 2 sts. 2 x. Rows 193-240: On each side of every other row decrease

l st. 3 x and bind off 2 sts. 1 x. Repeat these 4 decreases 5 x. Rows **241-250. On each side** of every other row bind off 2 sts. 2 x, 3 sts. 2 x, 4 sts. 1 x, and the remaining 14 sts. Make another sleeve with reverse shapings.

COLLAR: (Make 2). Cast on 74 sts. Work 84 rows Stockinette: 14 rows with Tension 1, 14 rows with Tension 2, 28 rows with Tension 3, 14 rows with Tension 2 and 14 rows with Tension 1. Bind off all sts.

FINISHING: Follow directions for Size 14/16.

WOMAN'S JACKET SWEATER, No. DP 7355




SIZE:: 16/18 MATERIAL: 32 oz. turquoise and white tweed, and a small amount of white for the decorative stitiching. FOR EXAMPLE: KNITKING, Frigate. Unger, Les Bouquets. Knitting Worsted 4-ply. TENSION: KNITKING 10. GAUGE: 9 sts. 2", 12 rows 2". The non-working-position sts. are not counted in the gauge or the directions. PATTERN: Stockinette, over every other needle.

BACK: (Figure II). Cast on 88 sts. over every other needle. Rows 1-102:

Increase 1 st. at Row 41 and 42 and again on each side every 20th row 2 x. (94 sts.). Rows 103-114: Armhole Shaping. Bind off 3 sts. beginning of next 2 Rows; then on every other row on each side bind off 3 sts. 1 x, 2 sts. 1 x, and decrease 1 st. 3 x. (72 sts.). Rows 115-150: Work even. Rows 151-160: Shoulder Shaping and Neck Shaping. For the Shoulder Shaping, on each side of every other row bind off 3 sts. 1 x and 4 sts. 5 x. (23 sts. each shoulder). AT THE SAME TIME, for the neck shaping, at beginning of Row 155 bind off the 12 center sts. with a separate yarn, put needles on the left into holding position and complete the right side first. When cam box is on neck side bind off 4 sts. 1 x and 3 sts. 1 x. Put needles on the left into working position, row counter back to 155 and complete the left side.

FRONT: (Figure I). Cast on 40 sts. over every other needle. Rows 1-13: Work even. Then, on the left side, cast on 18 sts. Rows 14-110: On the right side increase 1 st. at Row 41 and again every 20th row 2 x. (61 sts.). Rows 111-122: Armhole Shaping. Bind off 5 sts. and then, on every other row, bind off 4 sts. 1 x, 3 sts. 1 x, 2 sts. 1 x, and decrease 1 st. 2 x. (45 sts.). Rows 123-149: Work even. Rows 150-168: Neck and Shoulder Shaping. For the Neck Shaping, bind off 18 sts.; then decrease 1 st. on every other row 2 x and on every 4th row 2 x. AT THE SAME TIME, at Row 159, for the Shoulder Shaping, when cam box is on shoulder side bind off 3 sts. 1 x and 4 sts. 5 x. Make the second front section with reverse shapings.



SLEEVE: (Figure III). Cast on 46 sts. over every other needle. Rows 1-108: Increase 1 st. at beginning of Row 29 and 30 and again on each side every 6th row 12 x. (72 sts.). Rows 109-118: Underarm Shaping. On every other row, on the back side of the sleeve bind off 4 sts. 1 x, 3 sts. 1 x, 2 sts. 2 x, decrease 1 st. 1 x; and on the front side bind off 5 sts. 1 x, 4 sts. 1 x, 3 sts. 1 x, and 2 sts. 2 x. Rows 119-136: Decrease 1 st. on each side of every other row 9 x. Rows 137-142: On

The World famous German Stitchbooks have been translated into English and are now available to the American Knitting Machine owner. The majority of these beautiful fancy stitches do not require tedious stitch transferring but are stitches made through the automatic selection of needles.

THE 4 STITCHBOOKS

STITCHBOOK NO. 1. Illustrates and gives complete instructions for knitting 59 beautiful fancy stitches that can be easily made on most modern knitting machines.

STITCHBOOK NO. 2. Does the same for 50 lovely rib pattern designs all knitted automatically on the Ribber. They can be made on most good brand name machines with ribbers.

STITCHBOOK NO. 3. Illustrates and explains 49 new pattern stitches, many in multicolors, all automatically made with the push-button KNITKING or with the automatic selector on other models.

STITCHBOOK NO. 4 Is completely new and written especially for the latest coordinated KNITKING ribber. 55 outstanding and beautiful stitches are fully explained. Many of them are not possible on other brands of machines. We only recommend it to people who own the latest model KNITKING and Coordinated Ribber.

STITCHBOOKS are \$3.50 each, plus 20 cents mailing costs or any 3 for \$10.00 plus 35 cents mailing costs, or the set of 4 for \$12.00 plus 40 cents mailing costs. California residents add 4% tax.

Order from your local dealer or direct from KNITKING 1128 Crenshaw Blvd., Los Angeles, Calif. 90019 **each side** of every other row bind off 2 sts. 1 x, 3 sts. 1 x, 4 sts. 1 x, and the remaining 8 sts. Make another sleeve with reverse shapings.

COLLAR: See notes to Knit By on inside back cover (short rows). Cast on 61 sts. over every other needle. Rows 1-6: Work even. Now, on each side, cast on 8 sts. Rows 7-32: Work even. Rows 33-36: On each side, one after another, put 18 needles in holding position 1 x and 11 needles 1 x. Rows 37-38: On the left side, bring all needles back into working position and work 1 row. On the right side bring all needles into working position and work 1 row. Bind off all sts.

FINISHING: Join front and back sections at side and shoulder seams, easing in the fullness at bustline of front sections. Sew sleeve edges together and sew sleeves to sweater. Make a hem 2" wide at the front edges of sweater and sleeve bottoms. Make a hem 34" wide around collar edges. Make the decorative stitching in outline stitch on the front and collar edges with white. Sew collar to neck opening. Sew buttons to jacket front as illustrated. For the closing, crochet 6 loops and sew these alternately to the fronts of the jacket.


WOMAN'S PULLOVER, No. DP 7308




SIZES: 10/12 and 14/16. MATERIAL: 10/12 16 oz. and 14/16, 20 oz. white; Both, 3 oz. yellow and 3 oz. green. FOR EXAMPLE: KNITKING, Starlite Crepe, Diamond, Elegance D'Aoust. TENSION: KNITKING Stockinette 7 or 8, Norwegian Pattern Stitch 6 or 7. GAUGE: 31 sts. 4", 40 rows 4". PATTERN: Stockinette stitch with Norwegian border according to chart. Every row with the Norwegian Pattern Stitch is counted singly in the directions; however, for each row several motions of the cam box are

required. (Using JAC 40, Pattern No. 38a.)

SIZE: 10/12. BACK: (Figure II). Cast on 147 sts. Work with Tension 6 (7) at first. Rows 1-23: Stockinette. To make the hem, put the cast on sts. back on the machine. Row 24: Work the sts. together with Tension 8 (9). Rows 25-62: Work the Norwegian border. Continue in Stockinette with Tension 7 (8). Rows 63-164: Increase 1 st. at beginning of Row 75 and 76 and again on each side every 30th row 2 x. (153 sts.). Rows 165-186: Armhole Shaping. Bind off 4 sts. beginning next 2 rows, then on every other row on each side bind off 3 sts. 2 x, 2 sts. 2 x, decrease 1 st. 4 x and then on the 4th row decrease 1 st. 1 x. (115 sts.). Rows 187-195: Work even. On the right side, put 57 needles in holding position and work the left section first. Rows 196-237: To make the facing for the back opening slit cast on 3 sts. at Row 197. To do this, put 3 sts. from the right section on a double pointed needle or contrast yarn. Rows 238-253: Shoulder and Neck Shaping. For the shoulder shaping, on every other row bind off 4 sts. 6 x and 5 sts. 3 x. AT THE SAME TIME, for the neck shaping, bind off 10 sts. at Row 245 and then on every other row bind off 5 sts. 1 x, 4 sts. 1 x and 3 sts. 1 x. Now put the cam box on the right side and turn the row counter back to 195. Bring all the needles into working position, put the sts. from the double pointed needle back on the machine, and work the right section.





= WHITE = GREEN = YELLOW

FRONT: (Figure I). Cast on 147 sts. Work with Tension 6 (7) at first. Rows 1-23: Stockinette. To make the hem, put the cast on sts. back on the machine. Row 24: Work the sts. together with Tension 8 (9). Rows 25-62: Work the Norwegian border. Continue in Stockinette with Tension 7 (8). Rows 63-176: Increase 1 st. at beginning of Row 75 and 76 and again on each side every 30th row 2 x. (153 sts.). Rows 177-194: Armhole Shaping. Bind off 5 sts. beginning of next 2 rows; then on every other row on each side bind off 4 sts. 1 x. 3 sts. 1 x, 2 sts. 2 x, decrease 1 st. 2 x; then on the 4th row decrease 1 st. 1 x. (115 sts.). Rows 195-236: Work even. Rows 237-264: Neck and Shoulder Shaping. Bind off the 9 center sts. with a separate yarn. Put needles on the left into holding position and complete the right side first. When cam box is on neck side bind off 4 sts. 1 x, 3 sts. 1 x, 2 sts. 1 x, decrease 1 st. 3 x and then on every 4th row decrease 1 st. 2 x. AT THE SAME TIME, at Row 249, for the shoulder shaping, when cam box is on shoulder side, bind off 4 sts. 6 x and 5 sts. 3 x. Put all needles on the left into working position, row counter back to 248 and complete the left side.


SLEEVE: (Figure III). Cast on 90 sts. with white. Work in Stockinette with Tension 7 (8). Rows 1-16: Work even. Rows 17-44: Work 2 rows green and 2 rows yellow, then continue with white, increasing 1 st. at beginning of row 19 and 20 and again on each side every 4th row 4 x and every other row 4 x. (108 sts.). Rows 45-56: Underarm Shaping. On every other row on the back side of the sleeve bind off 4 sts. 1 x, 3 sts. 3 x, 2 sts. 2 x, and on the front side bind off 5 sts. 1 x, 4 sts. 2 x, 3 sts. 1 x and 2 sts. 2 x. Rows 57-80: On each side of every other row decrease 1 st. 3 x and bind off 2 sts. 1 x. Repeat these 4 decreases 2 x. Rows 81-96: On each side of every other row decrease 1 st. 5 x, bind off 2 sts. 1 x, 3 sts. 1 x, 4 sts. 1 x, and the remaining 13 sts. Make another sleeve with reverse shapings.

NECK EDGING. Cast on 91 sts. with green. In Stockinette, work 2 rows green, 2 rows yellow and 12 rows white with Tension 7 (8). Bind off all sts.

FINISHING: Joint front and back at side seams in slip stitch, overlapping $1\frac{1}{2}$ sts. from each section. Sew shoulder seam. Sew sleeve edges together and sew sleeves to sweater. Make a hem $3\frac{1}{4}$ " wide at sleeve bottoms. Make a hem 3 sts. wide at back opening slit. Fold neck edging around sweater neckline and attach. Sew in zipper.

SIZE: 14/16. BACK: (Figure II). Cast on 157 sts. Work with Tension 6 (7) at first. Rows 1-23: Stockinette. to make the hem, put the cast on sts. back on the machine. Row 24: Work the sts. together with Tension 8 (9). Rows 25-62: Work the Norwegian border, beginning with the 14th square of the chart. Continue in Stockinette with Tension 7 (8). Rows 63-164: Increase 1 st. at beginning of Row 75 and 76 and again on each side every 30th row 2 x. (163 sts.). Rows 165-188: Armhole Shaping. Bind off 4 sts. beginning of next 2 rows; then on every other row on each side bind off 3 sts. 2 x, 2 sts 3 x, decrease 1 st. 4 x, and then on the 4th row decrease 1 st. 1 x. (121 sts.). Rows 189-199: Work even. Now on the right side put 60 needles in holding position and work the left section first. Rows 200-241: To make the facing for the back opening slit, cast on 3 sts. at Row 201. To do this, put 3 sts. from the right section on a double pointed needle or contrast yarn. Rows 242-257: Shoulder and Neck Shaping. For the shoulder shaping, when cam box is on shoulder side, bind off 4 sts. 3 x and 5 sts. 6 x. AT THE SAME TIME, for the neck shaping, at Row 249 bind off 10 sts., and then when cam box is on neck side bind off 5 sts. 1 x, 4 sts. 1 x, and 3 sts. 1 x. Now put the cam box on the right side and turn the row counter back to 199. Bring all needles into working position and put the sts. from the double pointed needle back on the machine. Work the right section.

FRONT: (Figure I). Cast on 157 sts. Work with Tension 6 (7). Rows 1-23: Stockinette. To make the hem, put the cast on sts. back on the machine. Row 24: Work the sts. together with Tension 8 (9). Rows 25-62: Work the Norwegian Border. Continue in Stockinette with Tension 7 (8). Rows 63-176: Increase 1 st. beginning of Row 75 and 76 and again on each side every 30th row 2 x. (163 sts.). Rows 177-196: Arm-



hole Shaping. Bind off 5 sts. beginning next 2 Rows; then on every other row on each side bind off 4 sts. 1 x, 3 sts. 1 x, 2 sts. 3 x, decrease 1 st. 2 x, and then on the 4th row decrease 1 st. 1 x. (121 sts.). Rows 197-240: Work even. Rows 241-268: Neck and Shoulder Shaping. Bind off the 9 center sts., with a separate yarn, put needles on the left into holding position and complete the right side first. When cam box is on neck side bind off 4 sts. 1 x, 3 sts. 1 x, 2 sts. 1 x, decrease 1 st. 3 x and then on every 4th row decrease 1 st. 2 x. AT THE SAME TIME, at Row 253, for the Shoulder Shaping, when cam box is on shoulder side bind off 4 sts. 3 x and 5 sts. 6 x.

SLEEVE: (Figure III). Cast on 96 sts. with white. Work in Stockinette wih Tension 7 (8). Rows 1-16: Work even. Rows 17-44: Work 2 rows green and 2 rows yellow, then continue with white, increasing 1 st. at beginning of row 19 and 20 and again on each side every 4th row 4 x and every other row 4 x. (114 sts.). Rows 45-56: Underarm Shaping. On every other row on the back side of the sleeve bind off 4 sts. 1 x, 3 sts. 3 x, 2 sts. 2 x, and on the front side bind off 5 sts. 1 x, 4 sts. 2 x, 3 sts. 1 x, and 2 sts. 2 x. Rows 57-96: On each side of every other row decrease 1 st. 3 x and bind off 2 sts. 1 x. Repeat these 4 decreases 4 x. Rows 97-100: On each side of every other row bind off 3 sts. 1 x, 4 sts. 1 x, and the remaining 13 sts. Make another sleeve with reverse shapings.

NECK EDGING and FINISHING. Follow directions for size 10/12.

THE JAC 40 IS A MUST

for fast easy knitting of Jaquard and Ski-sweater designs





Patterns are selected—row by row—through a pre-stamped card that is fed into the Jac.

There are over 140 cards available and illustrations of them are included with each Jac.

Jac 40's are made for most brands of machines (with the exception of Japanese machines). When ordering be sure to specify your brand of knitter as needle spacings vary. Simple to use and an essential tool for the modern knitter, Jac 40's are \$24.95 complete with 3 cards for practicing the 3 techniques, plus complete instructions.

Order from your dealer or direct from

KNITKING

1128 Crenshaw Boulevard, Los Angeles, Calif. 90019
Shipping Cost \$1.50. California residents add 4% sales tax.

MAN'S PULLOVER, No. HP 3414




SIZE: 42/44. MATERIAL: 15 oz. natural colored cotton yarn with white linen effect. FOR EXAMPLE: KNIT-KING, Linen-Cotton. TENSION: KNIT-KING 5 or 6. GAUGE: Stockinette 17 sts. 2", 20 rows 2". K1, P1 Ribbing 22 sts. 2", 23 rows 2". PATTERN: Stockinette. Neck Edging: K1, P1 Ribbing.

BACK: (Figure II). Cast on 183 sts. Rows 1-31: Work even. To make the hem, put the cast on sts. back on the machine. Row 32: Work the sts. together with Tension 7 (8). Rows

33-192: Work even. Rows 193-214: Armhole Shaping. Bind off 5 sts. beginning next 2 rows; then on every other row on each side bind off 3 sts. l x, 2 sts. 2 x, decrease l st. 3 x; then on every 4th row decrease l st. 2 x. (149 sts.). Rows 215-280: Work even. Rows 281-296: Shoulder and Neck Shaping. On each shoulder side, on every other row, bind off 4 sts. 8 x and 5 sts. l x. (37 sts. for each shoulder). AT THE SAME TIME, at beginning of Row 289 bind off the 37 center sts. with a separate yarn, put needles on the left into holding position and complete the right side first. When cam box is on neck side bind off 8 sts. l x, 6 sts. l x, and 5 sts. l x. Put needles on the left into working position, row counter back to 289 and complete the left side.

FRONT: (Figure I). Cast on 197 sts. Rows 1-31: Work even. To make the hem, put the cast on sts. back on the machine. Row 32: Work the sts. together with Tension 7 (8). Rows 33-192: Work even. Rows 193-214: Armhole Shaping. Bind off 6 sts. beginning of next 2 rows; then on every other row on each side bind off 5 sts. 1 x, 4 sts. 1 x, 3 sts. 1 x, 2 sts. 1 x, decrease 1 st. 2 x; then on every 4th row decrease 1 st. 2 x. (149 sts.). Rows 215-268: Work even. Rows 269-296: Neck





and Shoulder Shaping. Bind off the 25 center sts. with a separate yarn, put needles on the left into holding position and complete the right side first, when cam box is on neck side bind off 4 sts. 2 x, 3 sts. 2 x, 2 sts 3 x, and decrease 1 st. 5 x. AT THE SAME TIME, at Row 281, for the Shoulder Shaping, when cam box is on shoulder side bind off 4 sts. 8 x and 5 sts. 1 x. (37 shoulder sts.)

SLEEVE: (Figure III). Cast on 122 sts. Rows 1-23: Decrease 1 st. on each side at Row 3 and again every 4th row 2 x; then increase 1 st. at beginning of Row 15 and 16 and again on each side every 4th row 2 x. To make the hem, put the cast on sts. back on the machine. Row 24: Work the sts. together with Tension 7 (8). Rows 25-56: Increase 1 st. at beginning of Row 27 and 28 and again on each side every 4th row 6 x and every other row 2 x. (140 sts.). Rows 57-70: Underarm Shaping. On every other row on the back side of the sleeve bind off 5 sts. 1 x, 3 sts. 1 x, 2 sts. 4 x, decrease 1 st. 1 x; on the front side bind off 6 sts. 1 x, 4 sts. 2 x, 3 sts. 2 x, and 2 sts. 2 x. Rows 71-106: On each side of every other row bind off 2 sts. 2 x and decrease 1 st. 1 x. Repeat these 3 decreases 5 x. Rows 107-112: On each side of every other row bind off 3 sts. 1 x, 4 sts. 1 x, 5 sts. 1 x, and the remaining 15 sts. Make another sleeve with reverse shapings.

NECK EDGING (2 pieces). Cast on 113 sts. for the front section and 99 sts. for the back section. Work 14 rows K1, Pl ribbing and bind off all sts.

FINISHING: Join front and back sections at side and shoulder seams. Sew sleeve edges together and sew sleeves to sweater. Sew sections of neck edging together so that the back section overlaps the front section, and sew edging to sweater.


MAN'S CARDIGAN, No. HP 3412



SIZE: 40/42. MATERIAL: 36 oz. green tweed. FOR EXAMPLE: KNITKING, Regal, Bearbrand, Casa Laine. 41/2 yards dark green woolen braid, 11/4" wide. TENSION: KNITKING 9 or 10. GAUGE: 17 sts. 2", 28 rows 2". PATTERN: 4 rows Fisherman's Rib on the purl side, with the Gate Cam release lever on main machine toward the needle heels, and 2 rows K1, P1 Ribbing.

BACK: (Figure II). Cast on 183 sts. Rows 1-236: Work even. Rows 237-268: Armhole Shaping. On each side

of every other row decrease 1 st. 16 x. (151 sts.). Rows 269-370: Work even. Rows 371-392: Shoulder and Neck Shap-





FRONT: (Figure I). Cast on 99 sts. Rows 1-236: Work even, making BUTTONHOLES at the 13th, 77th, 141st, and 205th rows over the 7th-11th needles. Rows 237-268: Armhole Shaping. On every other row decrease 1 st. 16 x. Rows 269-341: Work even, making BUTTONHOLES at rows 269 and 333. Rows 342-392: Neck and Shoulder Shaping. For the neck shaping, bind off 12 sts.; then on every other row bind off 5 sts. 1 x, 4 sts. 1 x, 3 sts. 1 x, 2 sts. 2 x, decrease 1 st. 2 x; then on every 4th row decrease 1 st. 5 x. AT THE SAME TIME, at Row 371, for the Shoulder Shaping, on every other row bind off 4 sts. 12 x. (48 shoulder sts.). Make another front section with reverse shapings, minus buttonholes.

SLEEVE: (Figure III). Make two. Cast on 89 sts. Rows 1-258: Increase 1 st. at beginning of Row 9 and 10 and again on each side every 8th row 23 x and every 6th row 10 x. (157 sts.). Rows 259-324: Underarm Shaping. On each side of every other row decrease 1 st. 19 x, bind off 2 sts. 4 x, 3 sts., 5 x, 4 sts. 5 x, and the remaining 33 sts. POCKETS: (Make 2). Cast on 51 sts. Work 68 rows even and bind off all sts.

FINISHING: Join front and back sections at side and shoulder seams. Sew sleeve edges together and sew sleeves to sweater. Sew woolen braid around all edges. Sew on pockets, finish buttonholes, and sew on buttons.


MAN'S CARDIGAN, No. HP 3421



SIZES: 42/44 and 46/48. MATERIAL: 42/44, 25 oz. 46/48 28 oz. green tweed. Both sizes: 3 oz. Black. FOR EXAMPLE: KNITKING, Regal, Columbia Minerva, Featherweight knitting worsted. TENSION: KNITKING Cardigan 9 or 10. Edging 8 or 9. GAUGE: Cardigan 13 sts. 2", 17 rows 2". Edging 13 sts. 2", 19 rows 2". PATTERN: Stockinette.

SIZE: 42.44. BACK: (Figure II). Cast on 133 sts. with green tweed. Continue with Tension 9 (10). Rows 1-27:

Work even. To make the hem, put the cast on sts. back on the machine. Row 28: Work the sts. together with Tension 10. Rows 29-164: Increase 1 st. at beginning of Row 67 and



68 and again on each side every 24th row 3 x. (141 sts.). Rows 165-182: Armhole Shaping. Bind off 4 sts. beginning next 2 rows; then on every other row on each side bind off 3 sts. 1 x, 2 sts. 1 x, decrease 1 st. 2 x; then decrease 1 st. on every 4th row 2 x. (115 sts.). Rows 183-238: Work even. Rows 239-252: Shoulder and Neck Shaping. On each side of every other row bind off 4 sts. 3 x, and 5 sts. 5 x. (37 sts. for each shoulder). AT THE SAME TIME, at beginning of row 245, bind off the 15 center sts. with a separate yarn. Put needles on the left into holding position and complete the right side. When cam box is on neck side bind off 6 sts. 1 x, 4 sts. 1 x, and 3 sts. 1 x. Put all needles on the left

into working position, row counter back to 245 and complete the left side.

FRONT: (Figure I). Cast on 67 sts. with green tweed. Rows 1-27: Work even. To make the hem, put the cast on sts. back on the machine. Row 28: Work the sts. together with Tension 10. Rows 29-153: On the right side increase 1 st. at Row 67 and again every 24th row 3 x. (71 sts.). Rows 154-252: Neckline, Armhole, and Shoulder Shaping. For the neckline shaping, decrease 1 st. at Row 154 and again every 6th row 15 x. AT THE SAME TIME, at Row 165, for the armhole shaping bind off 6 sts., and then on every other row bind off 4 sts. 1 x, 3 sts. 1 x, 2 sts. 1 x, decrease 1 st. 2 x; then on the 4th row decrease 1 st. 1 x. At Row 239, for the Shoulder shaping, on every other row bind off 4 sts. 3 x and 5 sts. 5 x. (37 shoulder sts.). Make another front section with reverse shapings.


SLEEVE: (Figure III). Cast on 67 sts. with green tweed. Rows 1-27: Work even. To make the hem, put the cast on sts. back on the machine. Row 28: Work the sts. together with Tension 10. Rows 29-170: Increase 1 st. at beginning of Row 29 and 30 and again on each side every 8th row 8 x and every 6th row 12 x. (109 sts.) Rows 171-182: Underarm Shaping. On every other row, on the back side of the sleeve, bind off 4 sts. 1 x, 3 sts. 1 x, 2 sts. 3 x, decrease 1 st. 1 x; on the front side of the sleeve bind off 5 sts. 1 x, 4 sts. 1 x, 3 sts. 2 x, and 2 sts. 2 x. Rows 183-210: On each side of every other row bind off 2 sts. 1 x and decrease 1 st. 1 x. Repeat these 2 decreases 6 x. Rows 211-218: On each side of every other row bind off 2 sts. 1 x, 3 sts. 2 x, 4 sts. 1 x, and the remaining 10 sts. Make another sleeve with reverse shapings.

POCKET: (Make 2), cast on 41 sts. with green tweed. Rows 1-34: Stockinette with Tension 9 (10). Rows 35-36: Work with black and Tension 8 (9). Bind off all sts.

BUTTON and BUTTONHOLE STRIPS: With black, cast on 108 sts. 1 x and 96 sts. 2 x. Work 30 rows Stockinette with Tension 8 (9) and bind off all sts. To make the buttonhole strip, cast on 108 sts., and work 30 rows Stockinette, making Buttonholes at Rows 9 and 22, over the 4th-9th, 36th-41st, 68th-73rd, and 100th-105th needles. Bind off all sts.

FINISHING: Join front and back sections at side and shoulder seams. Sew sleeve edges together and sew sleeves to sweater. Fold the top pocket edging in half toward the inside, and hem. Sew pockets to sweater. Sew button and buttonhole strips together, fold around front and neck edges of sweater and attach. Finish buttonholes and sew on buttons.

SIZE: 46/48. BACK: (Figure II). Cast on 143 sts. with green tweed. Work with Tension 9 (10). Rows 1-27: Work even. To make the hem, put the cast on sts. back on the machine. Row 28: Work the sts. together with Tension 10. Rows 29-164: Increase 1 st. at beginning of Row 67 and 68 and again on each side every 24th row 3 x. (151 sts.). Rows 165-184: Armhole Shaping. Bind off 4 sts. beginning next 2 rows; then on every other row on each side bind off 3 sts. 2 x, 2 sts. 1 x, decrease 1 st. 2 x; then on every 4th row decrease 1 st. 2 x. (119 sts.). Rows 185-242: Work even. Rows 243-256: Shoulder and Neck Shaping. On each side, on every other row bind off 4 sts. 1 x, and 5 sts. 7 x. (39 shoulder sts.). AT THE SAME TIME, at beginning of Row 249 bind off the 15 center sts. with a separate yarn, put needles on the left into holding position and complete the right side first. When





cam box is on **neck side**, on every other row bind off 6 sts. 1×4 sts. 1×4

FRONT: (Figure I). Cast on 72 sts. with green tweed. Rows 1-27: Work even. To make the hem, put the cast on sts. back on the machine. Row 28: Work the sts. together with Tension 10. Rows 29-153: Increase 1 st. on the right side at Row 67 and again every 24th row 3 x. (76 sts.). Rows 154-256: Neckline, Armhole, and Shoulder Shaping. For the neckline shaping, decrease 1 st. at Row 154 and again every 6th row 15 x. AT THE SAME TIME, at Row 165, for the armhole shaping, bind off 6 sts.; then on every other row bind off 4 sts. 1 x, 3 sts. 1 x, 2 sts. 2 x, decrease 1 st. 3 x; then on the 4th row decrease 1 st. 1 x. At Row 243, for the shoulder shaping, on every other row bind off 4 sts. 1 x, and 5 sts. 7 x. (39 shoulder sts.). Make another front section with reverse shapings.

SLEEVE: (Figure III). Cast on 73 sts. with green tweed. Rows 1-27: Work even. To make the hem, put the cast on sts. back on the machine. Row 28: Work the sts. together with Tension 10. Rows 29-170: Increase 1 st. at beginning of Row 29 and 30 and again on each side every 8th row 8 x and every 6th row 12 x. (115 sts.) Rows 171-182: Underarm Shaping. On every other row on the back side of the sleeve bind off 4 sts. 1 x, 3 sts. 1 x, 2 sts. 3 x, decrease 1 sts. 1 x; and on the front side bind off 5 sts. 1 x, 4 sts. 1 x, 3 sts. 2 x, and 2 sts. 2 x. Rows 183-214: On each side of every other row bind off 2 sts. 1 x and decrease 1 st. 1 x. Repeat these 2 decreases 7 x. Rows 215-222: On each side of every other row bind off 2 sts. 1 x, 3 sts. 2 x, 4 sts. 1 x, and the remaining 10 sts. Make another sleeve with reverse shapings.

BUTTON and BUTTONHOLE STRIPS: With black, cast on 108 sts. 1 x and 99 sts. 2 x. Work 30 rows Stockinette with Tension 8 (9) and bind off all sts. To make the Buttonhole Strip, cast on 108 sts. Work 30 rows Stockinette, making butonholes at the 9th and 22nd rows over the 4th-9th, 36th-41st, 68th-73rd, and 100th-105th needles. Bind off all sts.

POCKETS and FINISHING: Follow directions for size 42/44.

MAN'S PULLOVER, No. HP 3413




SIZE: 42/44. MATERIAL: 15 oz. green and small amounts of white and charcoal. FOR EXAMPLE: KNIT-KING, Mutella, Bearbrand, Deluxe Sock and Sport. TENSION: KNIT-KING 5 or 6. GAUGE: Stockinette 17 sts. 2", 23 rows 2". Kl, Pl Ribbing 17 sts. 2", 28 rows 2". PATTERN: Stockinette. Edging: Kl, Pl Ribbing. BACK: (Figure II). Cast on 191 sts. Rows 1-28: Kl, Pl Ribbing. Continue in Stockinette. Rows 29-190: Work even. Rows 191-212: Armhole Shaping. Bind off 2 sts. beginning of next

2 rows; then on every other row, on each side, decrease l st. l x and bind off l sts. l x. Repeat these 2 decreases l x. (157 sts.). Rows 213-314: Work even. Rows 315-332: Shoulder Shaping. See Notes to Knit By on inside back cover (short rows). On each side, one after another, put l needles in holding position l x and l needles in holding position l x and l needles in holding position l x and l needles in holding position and work l row. On the right side bring all needles into working position and work l row. Rows 335-346: Work even, and then bind off all sts.

FRONT: (Figure I). The front is worked the same as the back to Row 290. Rows 291-322: Work 4 rows white, 2 rows charcoal, 4 rows white and 22 rows green and bind off all sts.

SLEEVE: (Figure III). Make two. Cast on 95 sts. Rows 1-28: Work in K1, Pl Ribbing. Continue in Stockinette. Rows 29-216: Increase 1 st. at beginning of Row 31 and 32 and again on each side every 10th row 13 x, and every 4th row 13 x. (149 sts.). Rows 217-266: Underarm Shaping. Bind off 2 sts. beginning next 2 rows; then on every other row on each side de-



crease 1 st. 1 x and bind off 2 sts. 1 x. Repeat these last 2 decreases 4 x; then bind off 2 sts. 4 x, 3 sts. 7 x, 4 sts. 3 x, and the remaining 33 sts.


FINISHING: Join front and back at side seams. Make a hem $1\frac{1}{4}$ wide at top of sweater. Sew shoulder seams in slip st., $4\frac{3}{4}$ on each shoulder side. Sew sleeve edges together and sew sleeves to sweater.

GIRL'S PULLOVER, No. MK 4740



SIZE: 11-12 years. MATERIAL: 9 oz. pale yellow. FOR EXAMPLE: KNIT-KING, Mutella, Bearbrand, Deluxe Sock and Sport. Red Heart, Super Fingering. TENSION: KNITKING Pattern Stitch 5 or 6, Stockinette 6 or 7. GAUGE: Pattern Stitch 12 sts. 2", 36 rows 2". Stockinette 12 sts. 2", 21 rows 2". PATTERN: Holding Position Design on knit side according to chart. The gate cam release lever is placed at the needle heels. (1). Following the chart, put the designated needles in holding position and work


l row. (2). Put the needles in holding position back into working position and work l row. Repeat steps l and 2 throughout. Use Automatic Needle Selector or Dial-A-Stitch



and Wheel III. This pattern must be pulled and stretched in all directions to get it into shape, so it is recommended that aiter every 100 rows, while the garment is still on

the machine, you pull and stretch it in all directions. Edging: Stockinette.

BACK: (Figure II). Cast on 106 sts. Rows 1-25: Work in Stockinette with Tension 6 (7). To make the hem, put the





cast on sts. back on the machine. Row 26: Work the sts. together with Tension 8 (9). Continue in Pattern Stitch with Tension 5 (6). Rows 27-236: Work even. Rows 227-264: Armhole Shaping. Bind off 3 sts. beginning next 2 rows; then on every other row on each side bind off 2 sts. 1 x, decrease 1 st. 2 x and then decrease 1 st. on every 4th row 2 x and every 6th row 2 x. (84 sts.). Rows 265-358: Work even. Rows 359-372: Shoulder Shaping. On each side of every other row bind off 3 sts. 3 x, 4 sts. 4 x, (25 sts. for each shoulder), and the remaining 34 sts.

FRONT: (Figure 1). The front is worked the same as the back; however, at beginning of Row 285 divide the work in the center, put needles on the left into holding position and continue working in two sections. Do not use retractor knob from this point on and watch your pattern. At row 322, for the neck shaping, bind off 4 sts., then on every other row bind off 3 sts. l x, 2 sts. l x, decrease l st. 2 x and then decrease l st. every 4th row 3 x and every 6th row 3 x. Put row counter back to 285 and complete the left side

SLEEVE: (Figure III). Make two. Cast on 66 sts. Rows 1-17: Stockinette with Tension 6 (7). To make the hem, put the cast on sts. back on the machine. Row 18: Work the sts. together with Tension 8 (9). Continue in Pattern Stitch with Tension 5 (6). Rows 19-54: Increase 1 st. at beginning of Row 19 and 20 and again on each side every 6th row 5 x. (78 sts.). Rows 55-132: Underarm Shaping. On each side of every 4th row bind off 3 sts. 2 x, 2 sts. 3 x, decrease 1 st. 1 x, bind off 2 sts. 1 x, decrease 1 st. 1 x, bind off 2 sts. 1 x, decrease 1 st. 2 x, 2 sts. 1 x, 3 sts. 1 x, 4 sts. 1 x, and the remaining 8 sts.

NECK EDGING: Cast on 100 sts. Work 10 rows Stockinette with Tension 6 (7) and bind off all sts.


FINISHING: Join front and back sections at side seams in slip stitch, overlapping 1 st. from each section. Sew shoulder seams. Sew sleeve edges together and sew sleeves to sweater. Sew around front opening slit with buttonhole stitch. Fold neck edging around sweater neckline and attach. Make a round cord over 5 sts. and pull through the neck edging.

CHILD'S SWEATER SET, No. KK 4741




SIZES: 4-5 years and 6-7 years. MATERIAL: 4-5 years, Pullover 5 oz. white, Cardigan 8 oz. blue. 6-7 years, Pullover 6 oz. white, cardigan 10 oz. blue. Both sizes — a small amount of Red. FOR EXAMPLE: KNITKING, Mutella, Bearbrand, Deluxe Sock and Sport. Red Heart, Nylon Wool Sport. TENSION: KNITKING 4 or 5. GAUGE: Stockinette 17. sts. 2", 23 rows 2"; K1, P1 Ribbing 17 sts. 2", 27 rows 2". PATTERN: Stockinette. Edging: K1, P1 Ribbing.

SIZE: 4-5 years. PULLOVER BACK: (Figure II). Cast on 115 sts. with blue. Rows 1-22: K1, P1 Ribbing: 4 rows blue, 4 rows red, and 14 rows white. Continue in Stockinette. Rows 23-96: Work even. Rows 97-170: Raglan Shaping. Decrease 1 st. on each side at Row 97 and again every other row 36 x. To do this, put the 3rd st. on the 4th needle and move the 2 edge sts. over to fill the empty needles. Bind off 41 sts.



PULLOVER FRONT: (Figure I). The front is worked the same as the back to Row 164: however, for the **neck shaping**, at beginning of Row 147 bind off the 11 center sts. with a separate yarn, put needles on the left into holding position and complete the right side first. When cam box is on **neck side** bind off 4 sts. 1 x, 3 sts. 1 x, 2 sts. 3 x, and decrease 1 st. 2 x. Then, **on each side**, hang the 3 remaining sts. together, by putting the 2 outside sts. on the center needle and bind-




Automatic Needle Selector fits all model Knitkings prior to the pushbutton



ACCESSORIES

\$6.95 Shipping 20¢




Adjustable Selector



\$5.95 Shipping 15¢



Converta Tape




Treble Transfer Tools




\$2.95 Shipping 12¢

\$14.95 Shipping \$1.00




Yarn Winder with Skein Holder



Multi-transfer Tool



\$16.95



Reversing Bar





The perfect tool for automatic selection of Jacquard and ski-sweater designs. Over 125 patterns available.

YOU'LL JUST LOVE . . .


Push-Button Dial-A-Stitch

KNIKING

the modern handknitter with the new Coordinated Ribber

K Easiest, by far, to learn to use efficiently Does more jobs, takes less time, requires less space K Needs no weights, clamps, or combs in its operation & Will not drop stitches (it has springlatch needles) & Automatically creates Jacquard, Fair Isle and Argyle patterns K Takes all kinds of yarns (even mohair, looped or plain; straw, ribbon, angora, synthetics, cotton, wool, etc.) Arrives complete with Home Study Course, instruction books, tools & Designs and patterns for the whole family come to you monthly in Knitking's magazines \ Does a multitude of fancy ribs for you K Floating row-counter can be pre-set and signals when knitting is complete \ Dial-A-Stitch gives you a choice of stitches (multicolor, if you wish) with the push of a button & New Coordinated Ribber and self-adjusting yarn-feeder knits and purls at the same time, with one movement of the slide K With the new fully automatic push-button KNITKING, you can knit sweaters. socks, coats, dresses, rugs K It's so easy to knit a dress and wear it, all in a single day

Write to Knitking for more information 1128 Crenshaw Boulevard, Los Angeles 19, Calif.,



ing off. Put needles on the left into working position, row counter back to 147 and complete the left side.

PULLOVER SLEEVE: (Figure III) Cast on 65 sts. with blue. Rows 1-12: Kl, Pl, Ribbing: 4 rows blue, 4 rows red, and 4 rows white, increasing 1 st. at beginning of Row 9 and 10 and 11 and 12. Continue in Stockinette. Rows 13-30: Increase 1 st. at beginning of Row 13 and 14 and again on each side every other row 7 x. (85 sts.). Rows 31-98: Raglan Shaping: Decrease 1 st. on each side at Row 31 and again every other row 33 x. To do this, put the 3rd st. on the 4th needle and move the 2 edge sts. over to fill the empty needles. Rows 99-104: On the left side, one after another, put 4 needles in holding position 2 x and 3 needles 1 x. AT THE SAME TIME, on the right side decrease 1 st. at Row 99 and again every other row 2 x. Bind off 14 sts. Make another sleeve with reverse shapings.

NECK EDGING: Cast on 135 sts. with blue. Work 10 rows K1, P1 Ribbing: 3 rows blue, 4 rows red, and 3 rows white. Bind off all sts.

CARDIGAN BACK: (Figure V). Cast on 123 sts. with white. Rows 1-22: Kl, Pl Ribbing: 4 rows white, 4 rows red, and 14 rows blue. Continue in Stockinette. Rows 23-100: Work even. Rows 101-102: Bind off 3 sts. beginning of each row. Rows

103-184: Raglan Shaping. Decrease l st. on each side at Row 103 and again every other row 40 x. To do this, put the 3rd st. on the 4th needle and move the 2 edge sts. over to fill the empty needles. Bind off 35 sts.


CARDIGAN FRONT: (Figure IV). Cast on 77 sts. with white. Rows 1-22: K1, P1 Ribbing: 4 rows white, 4 rows red, and 14 rows blue. Continue in Stockinette. Rows 23-100: Work even. Rows 101-102: Bind off 3 sts. on the right side. Rows 103-178: Raglan Shaping and Neck Shaping. For the raglan shaping, decrease 1 st. in same way as on the back at Row 103 and again every other row 37 x. AT THE SAME TIME, for the neck shaping, bind off 20 sts. at Row 166, then on every other row bind off 4 sts. 1x, 3 sts. 1 x, 2 sts. 2 x, and decrease 1 st. 2 x. Then, on each side, hang the 3 remaining sts. together by putting the 2 outside sts. on the center needle and binding off. Make another front section with reverse shapings, making buttonholes at Rows 11, 49, 85, 121, and 157, over the 2nd-6th and 14th-19th needles.

SLEEVE: (Figure VI). Cast on 61 sts. with white. Rows 1-22: K1, P1 Ribbing: 4 rows white, 4 rows red, and 14 rows blue. Continue in Stockinette. Rows 23-132: Increase 1 st. at beginning of Row 27 and 28 and again on each side every 6th row 15 x and every 4th row 3 x. (99 sts.) Rows 133-134: Bind off

3 sts. beginning of each row. Rows 135-210: Raglan Shaping. Decrease 1 st. on each side at Row 135 and again every other row 37 x. To do this, put the 3rd st. on the 4th needle and move the 2 edge sts. over to fill the empty needles. Rows 211-216: On the left side, one after another, put 4 needles in holding position 2 x and 3 needles 1 x. AT THE SAME TIME, on the right side decrease 1 st. at Row 211 and again every other row 2 x. Bind off 14 sts. Make another sleeve with reverse shapings.

COLLAR: Cast on 135 sts. with white. Work 44 rows K1, P1, Ribbing: 4 rows white, 4 rows red, and 36 rows blue — 22 rows with Tension 5 and 22 rows with Tension 4. Bind off all sts.

FINISHING: Pullover. Join front an back at side seams. Sew sleeve edges together and sew sleeves to sweater in slip st., overlapping 1 st. from each section. Sew ends of neck edging together and sew to sweater neckline. Cardigan: Join front and back sections at side seams. Sew sleeve edges together and sew sleeves to sweater in slip stitch. At the front edges make a hem 11/4" wide. Sew collar to neckline of sweater. Finish buttonholes and sew on buttons.



SIZE: 6-7 years. PULLOVER BACK: (Figure II). Cast on 123 sts. with blue. Rows 1-22: K1, P1 Ribbing: 4 rows blue, 4 rows red, and 14 rows white. Continue in Stockinette. Rows 23-110: Work even. Rows 111-112: Bind off 3 sts. beginning each row. Rows 113-188: Raglan Shaping. Decrease 1 st. on each side at Row 113 and again every other row 37 x. To do this, put the 3rd st. on the 4th needle and move the 2 edge sts. over to fill the empty needles. Bind off 41 sts.

PULLOVER FRONT: (Figure I). The front is worked the same as the back to Row 182; however, for the neck shaping, at beginning of Row 167, bind off the 11 center sts. with a separate yarn, put needles on the left into holding position and complete the right side first. When cam box is on **neck side** bind off 4 sts. 1 x, 3 sts. 1 x, 2 sts. 3 x, and decrease 1 st. 2 x. Then, **on each side**, hang the 3 remaining sts. together by putting the 2 outside sts. on the center needle and binding off. Put needles on the left into working position, row counter back to 167 and complete the left side.

PULLOVER SLEEVE: (Figure III). Cast on 71 sts. with blue. Rows 1-12: K1, P1 Ribbing: 4 rows blue, 4 rows red, and 4 rows white, increasing 1 st. at beginning of Rows 7 and 8, 9 and 10 and 11 and 12. Continue in Stockinette. Rows 13-30: Increase 1 st. at beginning of Row 13 and 14 and again on each side every other row 7 x. (93 sts.). Rows 31-32: Bind off 3 sts. beginning of each row. Rows 33-102: Raglan Shaping. Decrease 1 st. on each side at Row 33 and again every other row 34 x. To do this, put the 3rd st. on the 4th needle and move the 2 edge sts. over to fill the empty needles. Rows 103-108: On the left side, one after another, put 4 needles in holding position 2 x and 3 needles 1 x. AT THE SAME TIME, on the right side decrease 1 st. at Row 103 and again every other row 2 x. Bind off 14 sts. Make another sleeve with reverse shapings.

NECK EDGING: Follow directions for size 4-5.

CARDIGAN BACK: (Figure V). Cast on 129 sts. with white.

Rows 1-22: K1 P1 Ribbing: 4 rows white, 4 rows red, and 14 rows blue. Continue in Stockinette. Rows 23-114: Work even. Rows 115-116: Bind off 4 sts. beginning of each row. Rows 117-202: Raglan Shaping. Decrease 1 st. on each side at Row 117 and again every other row 42 x. To do this, put the 3rd st. on the 4th needle and move the 2 edge sts. over to fill the empty needles. Bind off all sts.

CARDIGAN FRONT: (Figure IV). Cast on 81 sts. with white. Rows 1-22: K1, P1 Ribbing: 4 rows white, 4 rows red, and 14 rows blue. Continue in Stockinette. Rows 23-114: Work even. Rows 115-116: On the right side bind off 4 sts. Rows 117-196: Raglan Shaping and Neck Shaping. For the raglan shaping, decrease 1 st. at Row 117 and again every other row 39 x. AT THE SAME TIME, for the neck shaping, at Row 184 bind off 21 sts. and then on every other row bind off 4 sts. 1 x, 3 sts. 1 x, 2 sts. 2 x, and decrease 1 st. 2 x. Then, on each side, hang the 3 remaining sts. together, by putting the 2 outside sts. on the center needle and binding off. Make another front section with reverse shapings, making buttonholes at Rows 11, 53, 94, 135, and 176 over the 2nd-6th and 14th-19th needles.

SLEEVE: (Figure VI). Cast on 67 sts. with white. Rows 1-22: K1, P1 Ribbing: 4 rows white, 4 rows red, and 14 rows blue. Continue in Stockinette. Rows 23-152: Increase 1 st. at beginning of Row 31 and 32 and again on each side every 8th row 3 x and every 6th row 15 x. (105 sts.). Rows 153-154: Bind off 4 sts. beginning of each row. Rows 155-234: Raglan Shaping. Decrease 1 st. on each side at Row 155 and again every other row 39 x. To do this, put the 3rd st. on the 4th needle and move the 2 edge sts. over to fill the empty needle. Rows 235-240: On the left side, one after another, put 4 needles in holding position 2 x and 3 needles 1 x. AT THE SAME TIME, on the right side decrease 1 st. at Row 235 and again every other row 2 x. Bind off 14 sts. Make another sleeve with reverse shapings.

COLLAR and FINISHING: Follow directions for Size 4-5.

THE JAC 40 IS A MUST

for fast easy knitting of Jaquard and Ski-sweater designs





Patterns are selected—row by row—through a pre-stamped card that is fed into the Jac.

There are over 140 cards available and illustrations of them are included with each Jac.

Jac 40's are made for most brands of machines (with the exception of Japanese machines). When ordering be sure to specify your brand of knitter as needle spacings vary. Simple to use and an essential tool for the modern knitter, Jac 40's are \$24.95 complete with 3 cards for practicing the 3 techniques, plus complete instructions.

Order from your dealer or direct from

KNITKING


1128 Crenshaw Boulevard, Los Angeles, Calif. 90019
Shipping Cost \$1.50. California residents add 4% sales tax.

PRACTICAL KNITTING HINTS

PATTERN FOR DP 7313

The photo shows an enlargement of the design for the Woman's Pullover, DP 7313. It is knitted in a combination of an eyelet and holding position design that knits up very well with a fine yarn. When knitting the pattern sitch, remember that after the stitches are transferred, the empty needles are immediately put into the holding position as the directions state.

THIS IS HOW THE PATTERN STITCH FOR DP 7313 SHOULD LOOK



Hem Stitched Stripe for DP 7317

The hemstitching for the Woman's Pullover DP 7317 is worked as a wide row of knitting with gold yarn as follows: The yarn is placed on the needles by hand from right to




Fig. 1

left over the needles in working position. Now beginning on the right side, with your hand, pull the needles one at a time and one after another back to the back needle rail. The stitches are held in the latches of the needles. After you have completed the row and all the needles are in the out of work position and holding a long stitch in the latches, bring the needles forward carefully and with your hand guide the stitches so that they do not come off the needles. A reversing bar can be used to knit this one row, then you can pull all the needles forward and down and the reversing bar will hold the stitches. Put the stitches behind the latches and needles into working position. Knit the next row carefully and see that the knitting is once again held down by the sinkers. Machines other than KNITKING machines can use weights to hold the stitches down. This row should be 1/2 inch wide. (See figure I). The hemstitching of this stripe is worked by crossing the yarns of the stitches in two separate operations as shown in Figure II. Work the blue yarn through the upper half first, and then through the bottom half. Working from left to right, put the needle under the 2nd stitch, then over the 1st stitch and then pull the yarn through.

Figure 3 shows a complete pattern stripe.




Fig. 2




Fig. 3

WANTED

SALESPEOPLE AND KNITKING OWNERS TO SELL AND TEACH KNITKING KNITTING. IF YOU CAN DO EITHER OR BOTH WRITE TO KNITKING, 1128 CRENSHAW BLVD., LOS ANGELES, CALIF. 90019, FOR FULL INFORMATION.



KNITKING NEWS

May-June 1966

How do you like the new format for the Newsletter? Some readers told us that they stapled their old Newsletters to the magazines in order to avoid losing them. We are making sure that nobody can misplace them, by including them as part of the magazine.

Commencing January 1st of 1967, every piece of bulk mail has to have a zip code in the address....so be sure to include your zip number with your address when you renew your subscription.

Renewal notices are now being sent out under separate cover....you will automatically be notified regarding the expiration of your subscription approximately six weeks before it expires....you will also receive a brief questionnaire with your notification and we ask that you be good enough to answer the few questions listed. Your answers will help us tremendously in the preparation of patterns and material for future issues of KNITKING MAGAZINE.

We have received several letters from readers who own double bed machines asking us to publish special patterns for double bed machines....actually there really is little difference between single bed and double bed patterns except in the making of socks or tubular skirts and as such articles can only be made in stockinette stitch on double bed machines, there would be no advantage in publishing them....any good patterns for double bed machines are designed to be made on the back bed only, and with the front bed used when ribbing is needed. KNITKING patterns are designed for and made on the more versatile and easier to use single bed machines with ribbing attachments, but if you own a good, brand name, double bed machine and you understand its operation, you should have no problem in following KNITKING MAGAZINE patterns.

SPECIALS for MAY and JUNE

We recently sent out vast quantities of bulk mail which included a letter to all KNITKING MAGAZINE subscribers offering \$150.00 in trade for any make of knitting machine on the purchase of a fantastic PUSH BUTTON DIAL-A-STITCH KNITKING with COORDINATED RIBBER....unfortunately, railway workers chose to go on strike at the time when the mailing was ready for dispatch and all of our out of state mail was refused by the Post Office. Consequently, many of our readers did not get our letters until after the second week in April.

Because of this, we are extending the offer through the month of May.... this is a sensational offer and an opportunity to obtain the finest machine in the world for a lower price than many inferior machines. You can, if you wish, use your old machine as a down payment and we can finance the balance for any period up to 24 months.

YARN SPECIAL

This issue features some handsome garments in beautiful KNITKING LINEN-COTTON and SATIN-COTTON. If you have not yet made a garment with these gorgeous yarns, try at least one and you will become addicted like other users....

Many knitters avoid knitting with LINEN-COTTON because of its tendency to stretch out in wear....this does not happen to KNITKING LINEN-COTTON which retains its shape and size during wear and through many, many washings. Additionally, its beautiful texture is always a joy to behold.

KNITKING SATIN-COTTON bears no resemblance to any other cotton you have ever used. It actually has a sheen and the soft feel of pure satin.... SATIN-COTTON is the ideal material for knitting cool summer garments. Try some and discover its beauty for yourself.

To encourage you, we are offering all SATIN-COTTON and LINEN-COTTON at an extra special 20% discount. California residents must add 4% sales tax.

JAC 40's

The JAC 40 is a must for knitting Jacquard or Norwegian multicolored designs. We have them for most brands of machines, but not for any Japanese makes....the normal price is \$24.95, you save \$5.00 at our special price of \$19.95 plus \$1.00 postage. California residents add 4% sales tax.

We are putting JAC 40 punch cards on special for people who already own JAC's. The normal price of a card is 65¢....for the months of May and June they will be on special at 12 for \$5.00, a saving of \$2.80 on the single card price. Please suggest at least three alternates and include 50¢ mailing costs. California residents add 4% sales tax.

JAC 40 straps, to hang the JAC around your neck for convenient handling, are normally \$1.50 each. Our special price \$1.25 including mailing costs. California residents add 5¢ sales tax.

* * * * * * * * * * *

NOTES TO KNIT BY . .

STITCH AND ROW GAUGE

The stitch and row gauge is the number of stitches and the number of rows you get to the inch with the yarn recommended for any particular garment. To arrive at the correct number of stitches and rows, you must prepare a sample swatch as follows: Cast on the number of stitches that will give you a finished width of at least 4 inches. Using the suggested stitch tension in your pattern, knit a length of at least 4 inches. Knit 2 rows of a contrast yarn. Set your tension one number higher and knit another 4 inches. Knit 2 rows of contrast color. Set your tension 1 number lower than the suggested one and knit a further 4 inches. Now bind off.

For years people have been told to steam their sample swatch and for years we have been getting reports from people telling us that although the sample swatch was correct, the finished garment was too small or too large. Others have complained that even when they used the suggested yarns they had to use a much larger or smaller tension to make a swatch and then the finished garment came out the wrong size anyway.

Obviously it is possible for two people to pin an identical swatch and steam it and get a totally different result. One will stretch the sample before pinning it, and the other will squeeze it in. We have discovered a way that produces the same result with everybody, and we recommend that you get into the habit of always using it.

After knitting the sample and removing it from the machine, roll it into a cylinder over its length, then pull on both ends. Unroll the cylinder and stretch the sample diagonally by pulling on the four corners. Now let it rest — give it an opportunity to resettle for at least a few hours, preferably over night. After you and your swatch have rested, lay your stitch gauge on it and count the number of stitches in your 2 inch marking. Do the same for the number of rows. If you did not get the correct gauge in your first section of knitting, try the section either 1 tension higher or lower as the case may be. If you cannot get the correct gauge, then you are using the wrong type of yarn for the garment.

NON-WORKING POSITION

The needles are in the non-working position when they are as far back on the needle bed as they will go.

HOLDING POSITION

The Holding Position is as far forward on the needle bed as your needles will go. The Holding Position is used for producing pattern designs, fancy stitches and the knitting of short rows.

SHORT ROWS

Short rows are used for shaping of all kinds such as toes and heels of socks, collars, darts and sometimes in the shaping of shoulders, borders and full skirts. To knit short rows you push the needles forward into the holding position as specified in the pattern instructions, usually working from the outside in, which in effect narrows the width of the knitting as you proceed. Before knitting each row, you **must** place the yarn between the first and second inside needles that are in the holding position.

INCREASING, DECREASING, BINDING OFF

See the Instruction Manual for your own machine.

INCREASING AND DECREASING WHEN USING THE RIBBER When increasing, increase on the main knitter first, knit one row and then transfer the necessary stitches from the knitter to the ribber and continue.

When decreasing or binding off, you must transfer the ribber stitches to the main machine before decreasing or binding off.

ADJUSTING SKIRT LENGTHS, ETC., TO SUIT YOUR OWN SIZE

If you are shorter or taller than average, you will need to adjust certain of the garment lengths. You do this by reducing or increasing the number of rows called for in the pattern. The reduction in the rows is usually made at the bottom of a skirt or dress. The procedure is very simple. If for example you need a skirt length 2 inches shorter than the one shown in our pattern, and the yarn called for produces 9 rows to the inch, you will need to reduce the number of rows by 18. Many of our patterns are shaped to curve in a small amount toward the bottom and the bottoms frequently have a turned hem. In such cases, the reduction or increase in the number of rows required should be made immediately after the turned hem. If you are long waisted or short waisted you may have to make an adjustment at the waistline.

READING OF KNITTING PATTERNS AND SYMBOLS

Certain holding position and eyelet designs are sketched in the knitting patterns. The pattern should be read as the work comes toward you from the machine, that is, if you have purl stitches before you, it will say purl stitches in the pattern. If you have knit stitches before you it will say knit stitches in the pattern. On the sides of the pattern are the row numbers. Missing row numbers indicate that the rows are to be worked evenly. In eyelet design patterns, specified stitches are transferred to another needle and the empty needles are returned to the knitting position each time. In holding position designs, selected needles are pushed into the holding position for the stated number of rows.

MISSING ROW NUMBERS

When there are row numbers missing in the instructions as for instance when you have completed the designated increases or decreases on a section of garment, continue straight knitting until you reach the next given row number.

Control Knobs (Under the slide handle — one on each side on KNITKING and certain other machines.)

- 1. When BOTH Control Knobs are UP, knit one row going from right to left. The needles knit and move back just beyond the front of the needle bed and the yarn hangs on the front of the needles. The slide will now move freely in either direction with the needles remaining in a "SAFE POSITION." When you wish to resume knitting, press down BOTH Control Knobs. The first movement of the slide is made without yarn and will bring the needles into working position, you then continue knitting.
- 2. Right Control Knob UP. Knit from right to left. The row knits, moves the needles back and the yarn is held in front of the latches. Knit from left to right, the yarn goes under the needles without knitting as the needles move into the working position. This is the operation used for making round cords (with 3 or 4 needles only) and also for knitting single rows of one color.
- 3. Left Control Knob UP. The same as above but moving from left to right.

	SYMBOLS
	 knit stitch purl stitch empty needle (still in working position) needle out of operation needle in hold position stitch put on neighboring needle. Needle in hold position stitch put on neighboring needle – to the right stitch put on neighboring needle – to the left 3 stitches hung together
$\left(\right)$	open dart closed dart

Available in many wood finishes





KNITTING DESK . . .

A knitting machine cabinet that automatically lifts your machine into the knitting position just by pulling a lever. The cabinet converts in seconds into a handsome desk suitable for any decor or any room in your house. Beautifully made in a variety of woods by craftsmen in West Germany.

