

# KNITTING

MAGAZINE



Yarns  
by

# Knitking

*The Finest From Around the World . . .*

If you want your garments to look as good as those in KNITKING MAGAZINE and keep their appearance through dozens of washes, you must knit them with gorgeous KNITKING yarns. KNITKING yarns are the finest quality obtainable anywhere and the prices cannot be beaten. Try them once and you will always use them.

Your orders will be filled the same day they arrive. Be sure to state your color preferences and alternates.



Pattern Numbers	YARN	Price Including Shipping
DK 7686	Subita Dralon 3 ply	\$15.10
DP 7682	Subita Dralon 3 ply	\$13.90
DK 7684	Subita Dralon 3 ply	\$11.50
DK 7679	Subita Dralon 3 ply	\$12.70
DP 7675	Subita Crepe 2 x 3	\$ 6.70*
DP 7681	Subita Dralon 2 ply	\$ 6.70
DK 7680	Subita Crepe 2 x 3	\$15.10
DP 7674	Satin Cotton 2 x 8 ply	\$ 7.90
DP 7673	Subita Crepe 2 x 3	\$ 7.90
HP 3552	Linen Cotton	\$12.85
HP 3553	Subita Dralon 3 ply	\$ 9.10*
DP 7678	Subita Crepe 2 x 4	\$15.10
HP 3550	Subita Crepe 2 x 4	\$16.30
DP 7677	Subita Crepe 2 x 4	\$12.70*
DP 7676	Subita Crepe 2 x 4	\$13.70
MK 5029	Subita Dralon 3 ply	\$ 9.10
MK 5027	Subita Dralon 3 ply	\$ 7.90
KK 5026	Subita Dralon 2 ply	\$ 5.50
HP 3551	Subita Crepe 2 x 4	\$16.30
MK 5028	Subita Dralon 3 ply	\$ 7.90
MK 5030	Subita Dralon 3 ply	\$ 9.10
KK 5031	Subita Dralon 3 ply	\$ 5.50

Items marked with a \* do not include the small amounts of contrast yarns used in the pattern.

California Residents please add 5% Sales Tax.

Send \$2.00 for **LARGE COMPLETE YARN CATALOGUE.**  
(Refunded on your first \$10.00 order) to:

**KNITKING YARNS, Dept. 19**  
**1128 Crenshaw Blvd.**  
**Los Angeles, California 90019**

# KNITKING

## MAGAZINE

Vol. 5, No. 5

May/June 1969

### INDEX

Contents	Pattern No.	Page No.
Beach Dress and Bag	DK 7686	19
Beach Coat	DP 7682	17
Beach Dress	DK 7684	18
Woman's Dress	DK 7679	19
Woman's Shell	DP 7675	19
Summer Dress	DK 7683	20
Woman's Shell	DP 7681	21
Woman's Dress	DK 7680	21
Woman's Shell	DP 7674	22
Woman's Pullover	DP 7673	22
Man's Pullover Shirt	HP 3552	23
Man's Shirt	HP 3553	24
Woman's Pullover	DP 7678	24
Man's Pullover	HP 3550	25
Woman's Pullover	DP 7677	25
Woman's Pullover	DP 7676	26
Girl's Pullover	MK 5029	27
Girl's Dress	MK 5027	27
Boy's Pullover	KK 5026	28
Man's Cardigan	HP 3551	29
Girl's Shell	MK 5028	30
Girl's Pullover	MK 5030	30
Boy's Pullover	KK 5031	31



OUR COVER MODEL  
DK 7686

Take your place in the Sun dressed in any of our vacation knits . . . They'll travel well to any sunny shore or mountain top and our Cover Beach Dress with bag to match heads the Safari . . .

Publisher: KNITKING CORPORATION, 1128 Crenshaw Blvd., Los Angeles, Calif. 90019, Telephone: WEbster 8-2079. Published bi-monthly. Subscriptions: USA—\$6.00 annually, single copies \$1.50; Canada—\$7.00; other parts of the world—\$10.00. The entire contents of KNITKING MAGAZINE are copyright and must not be reproduced in any shape or form without the express permission, in writing, of the publisher. COPYRIGHT © by KNITKING CORPORATION 1969.

Printed by: George Rice & Sons, Los Angeles, California.


## Letter from the Publisher

THIS issue follows our established practice of publishing, once a year, an issue devoted to Beach and Holiday wear. We think this is one of the best such issues to date and we hope that readers agree with us . . . You will notice that we made up many of our models in the new "all purpose" synthetic KNITKING DRALON . . . Users of KNITKING YARNS write many letters praising the versatility, excellent color range, outstanding yardage and hard wearing qualities of this superior quality yarn that washes and dries so easily . . . If you have not yet tried it, we suggest you take this opportunity and make yourself at least one of our fun pieces in KNITKING DRALON.

As sure as we know that this will be a popular issue with many readers, we are also sure that we will receive letters from readers who wear the larger sizes complaining that we are neglecting them. Be patient girls . . . ! We do our best to satisfy all tastes and needs each year and the next issue has been prepared entirely with the larger reader in mind . . . It will include some three piece suits, two piece and one piece dresses plus pullovers and cardigans ranging in size up to 24. Several handsome pullovers for men in sizes up to 46 inches will be featured and a group of very charming outfits for the youngsters.

As we told you in the previous issue, our September/October KNITKING MAGAZINE will be in an ENTIRELY NEW FORMAT, with what we believe will prove to be the easiest to follow instructions ever produced by any knitting machine company anywhere in the world.

The majority of our readers have expressed their contentment with the existing format, but our questionnaires do show a small percentage that experience problems in following all the instructions. We aim at 100% satisfaction and get more excited as we see the new layout taking shape . . . We can hardly wait to hear your comments when you receive the first issue of our 6th volume in September of this year.





## For Sun and Fun

DP 7682



Stripe it wide on the sleeves for a high style Beach Jacket with a very smart neckline. It's pretty enough to serve double duty as a summer Coat. Size 12/14. See page 17.



DK 7679

Knit this Summer Dress today . . . then wear it tomorrow. We used Subita Dralon 3-ply and striped it in White, Red and Blue. Size 10/12. See page 19.

DK 7684

Zip into this easy-on (and off) Beach Dress knitted in White Subita Dralon 3-ply with Red trim. Low pockets and side slits are the latest fashion news. Size 8/10. See page 18.

DK 7680 →

Stunning! Frosty white Subita Crepe 2 x 3 is used for this lovely dress. The flattering V Neckband and Belt are a 1 x 1 rib with stripes of Red and Blue. Size 10/12. See page 21.


DK 7683


Look smart . . . be comfortable in a two color softly shaped Dress knitted in Pauline Denham Nomotta Splendour. Stockinette stitch worn on the purl side. Size 10/12. See page 20.



DP 7675

Instant Favorite! A simple Shell is knitted in stockinette stitch then trimmed with stripes at front neckline and shoulders. Size 12/14. See page 19.





DP 7674 →

Fresh as the daisies embroidered in the center of a diamond eyelet design . . . Knit this pretty Shell of pale Yellow Satin-Cotton and wear it all Summer long. Size 10/12. See page 22.




DK 7686

Sand and Sea takes to this lovely Beach Dress with bag to match. Color it Red, White and Blue and knit it in easy-care Subita Dralon 3-ply. Size 8. See page 17.


DP 7681 →

Make any scene in a simple Shell striped in different widths of 3 colors using Subita Dralon 2-ply, then knit another one with one color only. Size 10/12. See page 21.











DP 7673


Add this sleeveless Pullover to your Summer collection of knits. Stockinette stitch with a dainty Eyelet Design at lower edge. Size 14/16. See page 22.

← HP 3552

Gladden his heart with this Summer Sport Shirt knitted in a jiffy . . . Expensive? Not when you use our Linen-Cotton . . . Size 42/44. See page 23.

HP 3553

Turn him on happy with this zippered Shirt knitted in White Subita Dralon 3-ply and trimmed with Red. Sew the tape of a blue zipper so that the edges are showing down the front. Size 40/42. See page 24.







DP 7677

You're on camera . . . when wearing a high necked Pullover knitted with bold rectangular design (contrasting colors) on front section. Size 10/12. See page 25.

← DP 7678


A Raglan sleeved Pullover has a very new Rib spacing. The clever pocket treatment holds a purchased belt in place. Size 14/16. See page 24.

HP 3551

A man's very handsome Cardigan knitted in stockinette stitch has small cable stripes on front and back sections and vertical buttonholes. Size 40/42. See page 27.



Ship ahoy! A Sailor Shirt Pullover for a young lady will meet with her approval. White and Blue Subita Dralon 3-ply is knitted in stockinette stitch with 1 x 1 rib. Size 13-14. See page 27.



HP 3550

Focus his sight on this V necked Pullover knitted in stockinette stitch with stripes at lower edge. All bands are a 1 x 1 rib. Size 38/40. See page 25.

DP 7676

For cool or stormy days, keep warm in this attractive Pullover knitted in white Subita Crepe 2 x 4. All edges and high neckline are ribbed in Blue and Red. Size 12/14. See page 26.





MK 5028 


Present her with this easy to knit two-color striped Shell that buttons at shoulders. Stockinette stitch with Subita Dralon 3-ply. Size 13-14. See page 30.

MK 5027


Softly feminine . . . Subita Dralon 3-ply is knitted into this delightful easy-care Dress with Eyelet and Cable design on the Yoke . . . Size 12-13. See page 27.

KK 5026

For the dip and dash set . . . an easy Pullover knitted in two colors of Subita Dralon 2-ply. It has a zipper closure at neck. Size 13-14. See page 28.









KK 5031

Brother likes stripes too . . . so give him a chance to show off in a special Pullover made just for him. The sleeves are knitted in . . . so it's fast and easy finishing. Size 8-9. See page 31.

MK 5030

She'll be thrilled if you knit her this "really neat" Pull-over. It is knitted sideways on the machine and will truly "send her." Size 12-13. See page 30.

# KNITTING INSTRUCTIONS

## BEACH DRESS AND BAG, DK 7686



**SIZE:** 8. **MATERIAL:** 12¼ oz. (7 balls) red, 5¼ oz. (3 balls) white and 3½ oz. (2 balls) blue KNITKING Subita Dralon 3 ply, Color #436, #401 and #416. **TENSION:** KNITKING 4 to 6. **STITCH and ROW GAUGE:** 16 sts. 2", 23 rows 2". **PATTERN:** Stockinette Stitch. **BACK:** (Figure II). Cast on 179 sts. with blue. **ROWS 1-36:** Work even, then hang the cast-on sts. back on the machine behind the latches to form the hem. **ROWS 37-54:** Work even with white.

**ROWS 55-72:** Working with blue, decrease 1 st. on each side after ROWS 54 and 66 by always hanging the 3rd st. on each side onto the 2nd needle, then moving the 2 end sts. inward to fill the empty needle. After ROW 72 continue with red.

**ROWS 73-284:** Decrease 1 st. on each side after ROW 78, then again every following 12th row 14 x and every following 10th row 2 x as you did before. (141 sts.)

**ROWS 285-298:** ARMHOLE SHAPING: Bind off 3 sts. beginning next 4 rows, 2 sts. beginning next 4 rows and 1 st. beginning next 6 rows. (115 sts.)

**ROWS 299-354:** Work even.

**ROWS 355-368:** SHOULDER SHAPING: Bind off 4 sts. beginning next 4 rows and 5 sts. beginning next 2 rows. After ROW 360 bind off the 15 center sts. for NECK. (See Notes to Knit By, inside back cover). Bind off 5 sts. on Shoulder Side and continue to shape shoulder on every other row by binding off 5 sts. 4 x. AT THE SAME TIME, Shape Neck on every other row by binding off 5 sts. 1 x, 4 sts. 1 x and 3 sts. 1 x.

**FRONT:** (Figure I). Cast on 83 sts. with blue.

**ROWS 1-18:** Work even, then cast on 26 sts. on the left side, using a separate length of yarn.

**ROWS 19-36:** Work even, then hang the first 83 cast-on sts. back on the machine behind the latches to form the hem.

**ROWS 37-54:** Work even with white.

**ROWS 55-72:** Working with blue, decrease 1 st. on the right side after ROWS 54 and 66 as you did on the back. After ROW 72 continue with red.

**ROWS 73-284:** Decrease 1 st. on the right side after ROW 78, then again every following 12th row 14 x and every following 10th row 2 x as you did before. AT THE SAME TIME, work buttonholes after ROWS 92, 152, 212 and 272 over the 2nd-8th and 19th-25th needles counting from the left side. (90 sts.)

**ROWS 285-298:** ARMHOLE SHAPING: Bind off 3 sts. on the right side, then on every other row bind off 3 sts. 1 x, 2 sts. 2 x and 1 st. 3 x. (77 sts.)

**ROWS 299-341:** Work even and make buttonholes after ROW 332.

**ROWS 342-368:** NECK SHAPING: Bind off 26 sts. on the left side, then on every other row bind off 3 sts. 1 x, 2 sts. 3 x, 1 st. 2 x and 1 st. on the next 4th and following 4th row. AT THE SAME TIME, after ROW 354, then on every other row SHAPE SHOULDER by binding off 4 sts. 2 x and

5 sts. 6 x. Work the second front section with reverse shapings and omit the buttonholes.

**NECK FACING:** Cast on 92 sts. with red and work 3 rows with tension 4 and 3 rows with tension 5. After 6 rows bind off all sts.

**BAG:** (Figure III). Cast on 96 sts. with red.

**ROWS 1-144:** Work the first 36 rows with red, then always alternate 18 rows blue, 18 rows white and 18 rows red.

**ROWS 145-162:** Working with blue, knit short rows. (See Notes to Knit By, inside back cover). On opposite side after rows 144 and 145, 148 and 149 put 1 needle into holding position, then alternately on each side of every other row put 1 needle 2 x, 2 needles 2 x and 3 needles 2 x into holding position.

**ROWS 163-180:** Reverse the sequence and bring the needles back into working position.

**ROWS 181-324:** Work even, always knitting 18 rows red, 18 rows white and 18 rows blue and the last 36 rows red. After ROW 324 bind off all sts.

**FINISHING: DRESS:** Join front and back section at sides and shoulders. Turn under 13 sts. on front edges, matching buttonholes. With right sides together sew facing to neckline, then turn to wrong side and hem. Turn under 3 sts. around armhole and hem to wrong side. Finish buttonholes, sew on buttons.

**BAG:** Attach press-on type interfacing on wrong side of bag section, then fold section in half and join sides. Turn under 18 rows on upper edge and hem to wrong side. Line the bag with water proof material. Knot a cord using 2 x 20 strands of yarn. (See Practical Knitting Hints Book—Page 60). Join cord to bag at sides. (See picture).

## BEACH COAT, DP 7682



**SIZE:** 12/14. **MATERIAL:** 14 oz. (8 balls) green and 5¼ oz. (3 balls) red. KNITKING Subita Dralon 3 ply, Color #432 and #436. **TENSION:** KNITKING 4 to 6. **STITCH and ROW GAUGE:** 16 sts. 2", 21 rows 2". **PATTERN:** Stockinette stitch.

**BACK:** (Figure II). Cast on 186 sts. with green.

**ROWS 1-34:** Work even, then hang the cast-on sts. back on the machine behind the latches to form the hem.

**ROWS 35-226:** Decrease 1 st. on each side after ROW 46, then again every following 10th row 14 x and every following 8th row 4 x by always hanging the 3rd st. on each side onto the 2nd needle, then moving the end sts. inward to fill the empty needle. (148 sts.)


**ROWS 227-310:** RAGLAN SHAPING: Decrease 1 st. on each side after ROW 226, then again every other row 37 x by always hanging the 3rd st. on each side onto the 2nd needle, then moving the end sts. inward to fill the empty needle. After ROW 302 bind off the center 24 sts. for NECK. (See Notes to Knit By, inside back cover). Decrease 1 st. on the right side and continue to Shape Raglan on every other row by decreasing 1 st. 3 x as you did before. AT THE SAME TIME, Shape Neck on every other row by binding off 7 sts. 1 x, 5 sts. 1 x and 4 sts. 2 x.

**FRONT:** (Figure I). Cast on 104 sts. with green.

**ROWS 1-17:** Work even. After ROW 17 cast on 26 sts. on the left side.

**ROWS 18-34:** Work even, then hang the first 104 cast-on sts. back on the machine to form the hem.

**ROWS 35-226:** Decrease 1 st. on the right side after ROW 46, then again every following 10th row 14 x and every following 8th row 4 x as you did on the back. AT THE SAME TIME, for the FRONT SHAPING, decrease 1 st. on the left side after ROW 46, then again every following 10th row 17 x by always hanging the 28th st. on the left side onto the 27th needle, then moving the end sts. inward to fill the empty needle. (93 sts.)



**ROWS 227-302: RAGLAN SHAPING:** Decrease 1 st. on the right side after ROW 226, then again every other row 36 x as you did on the back AT THE SAME TIME, continue to Shape Front by decreasing 1 st. on the left side after ROW 226, then again every following 10th row 5 x as you did before. After ROW 285, then on every other row SHAPE NECK by binding off 26 sts. 1 x, 5 sts. 1 x, 4 sts. 1 x, 3 sts. 2 x, 2 sts. 2 x, 1 st. 2 x and after ROW 302 hang the remaining 3 sts. together, (2 outside sts. onto center st.) then bind off. Work the second front section with reverse shapings.


**SLEEVE:** (Figure III). Cast on 140 sts. with red.

**ROWS 1-42:** Work even, then hang the cast-on sts. back on the machine behind the latches to form the hem. Now always work 20 rows green and 18 rows red.

**ROWS 43-150:** Decrease 1 st. on each side after ROW 42, then again every following 10th row 10 x. (118 sts.)

**ROWS 151-226: RAGLAN SHAPING:** Decrease 1 st. on each side, then again every other row 37 x as you did on the back.

**ROWS 227-234:** Work short rows. (See Notes to Knit By). On the left side put 13 needles 1 x, 8 needles 1 x, 7 needles 1 x and 6 needles 1 x into holding position. AT THE SAME TIME continue to Shape Raglan on the right side on every other row by decreasing 1 st. 4 x more. After ROW 234 bring all needles into working position and bind off all 38 sts. Work the second sleeve with reverse shaping.



**NECKBAND:** The Neckband is worked in 2 sections. For the first section cast on 112 sts. with green and work 52 rows stockinette st., 9 rows with tension 6, 9 rows with tension 5, 16 rows with tension 4, 9 rows with tension 5 and 9 rows with tension 6. AT THE SAME TIME, make DARTS as follows: For each Dart decrease 2 sts. after ROW 6, then again every following 6th row 3 x. For the first decrease hang the 28th and 30th sts. counting from the right side onto the 29th needle and the 66th and 68th sts., also counting from the right side onto the 67th needle, then move the sts. together to fill the empty needles. The next decreases lie directly above. After ROW 30 increase 2 sts. for each Dart, then again every following 6th row 3 x. The increases lie directly above the decreases. After ROW 52 bind off all sts. the crochet method. For the second section cast on the same amount of sts. and use the same tensions. Make the DARTS as for the first section, but reverse the sides. (Count from the left side). AT THE SAME TIME, for the POINTED SHAPING, increase 1 st. after ROW 2, then again every other row 5 x. Decrease 1 st. after ROW 16, then again every other row 5 x. Increase 1 st. after ROW 28, then again every other row 5 x. Decrease 1 st. after ROW 40, then again every other row 5 x. AT THE SAME TIME, work buttonholes after ROWS 13 and 37 over the 13th-21st needles. After row 52 bind off all sts. the crochet method. **FINISHING:** Join front and back sections at sides. Sew sleeves together, then weave to front and back sections, 1 st. in on each edge. Turn under 13 sts. on each front edge and hem to wrong side. Join neckband sections at center back, then sew 1 edge of neckband to inside and 1 edge to outside of neckline, leaving about 1 1/2" on each side of neckband free. Sew pointed edge and straight edge of neckband. Finish buttonhole, sew on button.

## BEACH DRESS, DK 7684



**SIZE:** 8/10. **MATERIAL:** 14 oz. (8 balls) white and 1 3/4 oz. (1 ball) red KNITTING Subita Dralon 3 ply, Color #401 and #427. **TENSION:** KNITTING 4 to 6. **STITCH and ROW GAUGE:** 16 sts. 2", 21 rows 2". **PATTERN:** Stockinette Stitch.

**BACK:** (Figure II). Cast on 153 sts. **ROWS 1-12:** Work even, then cast on 20 sts. on each side. (Use a separate length of yarn for the left side).

**ROWS 13-92:** Work even, then bind off 9 sts. on each side. (Use a separate length of yarn for the left side).

**ROWS 93-276:** Decrease 1 st. on each side after ROW 106, then again every following 12th row 13 x by always hanging the 3rd st. on each side onto the 2nd needle, then moving the end sts. inward to fill the empty needle. (147 sts.)

**ROWS 277-292:** ARMHOLE SHAPING: Bind off 4 sts. beginning next 2 rows, 3 sts. beginning next 2 rows, 2 sts. beginning next 2 rows, 1 st. beginning next 6 rows and 1 st. on each side of the following 4th row. (121 sts.)

**ROWS 293-344:** Work even.

**ROWS 345-360:** SHOULDER SHAPING: Bind off 4 sts. beginning next 8 rows. After ROW 352 bind off the center 17 sts. for NECK. (See Notes to Knit By, inside back cover). Bind off 4 sts. on Shoulder Side and continue to shape shoulder on every other row by binding off 4 sts. 2 x and 5 sts. 2 x. AT THE SAME TIME, Shape Neck on every other row by binding off 5 sts. 2 x and 4 sts. 1 x.

**FRONT:** (Figure I). Work the front the same as the back to ROW 92, then bind off 9 sts. on each side as you did on the back.

**ROWS 93-112:** Decrease 1 st. on each side after ROW 106 as you did on the back. After ROW 112 bind off the center 11 sts., put the sts. on the left side onto a stitch holder and complete the right side first.

**ROWS 113-284:** Decrease 1 st. on the right side after ROW 118, then again every following 12th row 12 x as you did before.


**ROWS 285-300:** ARMHOLE SHAPING: Bind off 4 sts. on the right side, then on every other row bind off 3 sts. 1 x, 2 sts. 1 x, 1 st. 3 x and 1 st. on the following 4th row 1 x.

**ROWS 301-321:** Work even.

**ROWS 322-368:** NECK SHAPING: Decrease 1 st. on the left side, then again every other row 13 x and every following 4th row 3 x. AT THE SAME TIME, after ROW 352, then on every other row SHAPE SHOULDER by binding off 4 sts. 7 x and 5 sts. 2 x. Now hang the sts. from the stitch holder back on the machine, turn the Row Counter back to 112 and complete the left half. Follow the instructions from ROWS 113-386 reversing the sides, starting the ARMHOLE SHAPING after ROW 285, the NECK SHAPING after ROW 322 and the SHOULDER SHAPING after ROW 353.

**COLLAR:** (Figure III). Cast on 121 sts. with white.

**ROWS 1-16:** Work short rows. (See Notes to Knit By). On the left side put 118 needles into holding position, knit 2 rows. Now in succession, bring 3 needles 1 x, 4 needles 2 x, 5 needles 2 x and 7 needles 2 x back into working position.



After ROW 16 put all needles into holding position, move the Cam Box to the **left side** and turn the Row Counter to 0. **ROWS 1-16:** On the **left side** in succession, bring 3 needles 2 x, 4 needles 2 x, 5 needles 2 x and 7 needles 2 x back into working position. Put all needles into holding position, move the Cam Box to the right side, bring all needles back into working position and continue working over all needles.

**ROWS 17-56:** Increase 1 st. on **each side** after ROW 16, then again on the following 6th row 1 x, every following 4th row 5 x and every other row 6 x. **AT THE SAME TIME**, continue working with red after ROW 48.

**ROWS 57-61:** Decrease 1 st. on **each side** after ROWS 56, 58 and 60. After ROW 61 bind off all sts. the crochet method.

**POCKET:** Make two. Cast on 45 sts. with white. Work 50 rows white and 14 rows red, then bind off all sts.

**FRONT BAND:** Make two. Cast on 11 sts. with red and work with tension 3.

**ROWS 1-256:** Work even.

**ROWS 257-262:** For the pointed shaping bind off 2 sts. beginning next 2 rows and 1 st. beginning 4 rows. After ROW 262 hang the remaining 3 sts. together, (2 outside sts. onto center st.), then bind off.

**FINISHING:** Weave front and back section together at sides, 1 st. in on each edge. Turn under 12 rows on lower edge and 10 rows on slit edges and hem to wrong side. Join shoulders. Turn under 3 sts. around armholes and hem to wrong side. Sew collar to neckline. Join pointed ends of front bands to collar corners. Sew bands to collar and front opening, then turn under half, and hem to wrong side. Sew in zipper. (See Picture) Turn under half of pocket edging and hem to wrong side. Sew pockets in place.

## WOMAN'S DRESS, DK 7679



**SIZE:** 10/12. **MATERIAL:** 7 oz. (4 balls) white, 5¼ oz. (3 balls) blue and 5¼ oz. (3 balls) red KNITKING Subita Dralon 3 ply. Color #401, #416 and #427. **TENSION:** KNITKING 4 to 6. **STITCH and ROW GAUGE:** 16 sts. 2", 23 rows 2". **PATTERN:** Stockinette Stitch with repeated Stripes of 6 rows blue, 14 rows red, 6 rows blue and 20 rows white.

**BACK:** (Figure II). Cast on 147 sts. with red.

**ROWS 1-20:** Working even, knit 14 rows red and 6 rows blue. After ROW 20 cast on 19 sts. on **each side**, using a separate length of yarn for the left side.

**ROWS 21-40:** Working even, knit 6 rows blue and 14 rows red. After ROW 40 hang the first 147 cast-on sts. back on the machine behind the latches to form the hem.

**ROWS 41-76:** Working even, knit 6 rows blue and 20 rows white, then work the repeated Color Stripes as explained. After ROW 76 bind off 9 sts. on **each side**, using a separate length of yarn for the left side.

**ROWS 77-274:** Decrease 1 st. on **each side** after ROW 112, then again every following 18th row 3 x, every following 10th row 6 x and every following 8th row 6 x by always hanging the 3rd st. on **each side** onto the 2nd needle, then moving the end sts. inward to fill the empty needle. (135 sts.)

**ROWS 275-288:** Work even.

**ROWS 289-380:** Increase 1 st. on **each side** after ROW 288, then again every following 10th row 7 x. (151 sts.)

**ROWS 381-390:** **ARMHOLE SHAPING:** Bind off 5 sts. beginning next 2 rows, 4 sts. beginning next 2 rows, 3 sts. beginning next 2 rows and 2 sts. beginning next 4 rows. (119 sts.)

**ROWS 391-426:** Decrease 1 st. on **each side** after ROW 390, then again every following 4th row 8 x by always hanging the 7th st. on **each side** onto the 6th needle, then moving the end sts. inward to fill the empty needle. After ROW 426 divide the sts. in the center of the opening, put the needles on the left side into holding position and complete the right half first.



**ROWS 427-453:** Continue to Shape Armhole after ROW 426, then on every following 4th row by decreasing 1 st. 7 x as before.

**ROWS 454-466:** **NECK SHAPING:** Bind off 7 sts. (or 8 sts.) on the left side, then on every other row bind off 5 sts. 1 x, 3 sts. 2 x and 2 sts. 2 x. **AT THE SAME TIME**, decrease 1 st. on the **right side** after ROW 454. After ROW 458, then on every other row **SHAPE SHOULDER** by binding off 4 sts. 5 x. Now turn the Row Counter back to 426, bring all needles back into working position and complete the left half. Follow the instructions from ROWS 427-466 but reverse the sides and start the **NECK SHAPING** after ROW 454 and the **SHOULDER SHAPING** after ROW 459.

**FRONT:** (Figure I). Work the front the same as the back, but omit the opening and after ROW 430 bind off the center 13 sts. for **NECK** (See Notes to Knit By, inside back cover) then on every other row on Neck Side bind off 3 sts. 2 x, 2 sts. 2 x, 1 st. 3 x and 1 st. on every following 4th row 3 x.

**NECKBAND:** Cast on 129 sts. with blue and work stockinette st., 6 rows blue, 6 rows red, 12 rows blue, 6 rows red and 6 rows blue. After 36 rows bind off all sts.

**FINISHING:** Weave front and back section together at sides, 1 st. in from each edge. Turn under 10 sts. on slit edges and hem to wrong side. Join shoulder seams. Turn under 3 sts. around armholes and hem to wrong side. Sew 1 edge of neckband to inside and 1 edge to outside of neckline. Work 1 row of single crochet around back opening. Work 2 loops on 1 side and sew 2 button to other side of opening.

## WOMAN'S SHELL, DP 7675



**SIZE:** 12/14. **MATERIAL** 8¾ oz. (5 balls) white and small amounts of blue and red KNITKING Subita Crepe 2 x 3. Color #104, #137 and #115. **TENSION:** KNITKING 3 to 5. **STITCH and ROW GAUGE:** 18 sts. 2", 25 rows 2". **PATTERN:** Stockinette Stitch. **EDGES:** K1, P1, Ribbing.


**BACK:** (Figure II). Cast on 165 sts. **ROWS 1-16:** K1, P1, Ribbing. After ROW 16 transfer the ribber sts. to the main machine and continue with stockinette st.

**ROWS 17-192:** Increase 1 st. on **each side** after ROW 66, then again every following 20th row 5 x. (177 sts.)

**ROWS 193-216:** **ARMHOLE SHAPING:** Bind off 3 sts. beginning next 4 rows, 2 sts. beginning next 4 rows, 1 st. beginning next 8 rows and 1 st. on **each side** of the next 4th and following 4th row. (145 sts.)

**ROWS 217-272:** Work even.

**ROWS 273-292:** **SHOULDER SHAPING:** Bind off 8 sts. beginning next 2 rows and 4 sts. beginning next 8 rows. After ROW 282 bind off the center 15 sts. for **NECK**. (See Notes to Knit By, inside back cover) Bind off 4 sts. on Shoulder Side and continue to shape shoulder on every other row by binding off 4 sts. 2 x and 5 sts. 3 x. **AT THE SAME TIME**, Shape Neck on every other row by binding off 5 sts. 1 x, 4 sts. 1 x, 3 sts. 1 x and 2 sts. 1 x.



**FRONT:** (Figure I). Work the front the same as the back to ROW 192.

**ROWS 193-202:** Work even.

**ROWS 203-226:** ARMHOLE SHAPING: Bind off 3 sts. beginning next 4 rows, 2 sts. beginning next 4 rows, 1 st. beginning next 8 rows and 1 st. on each side of the next 4th and following 4th row. (145 sts.)

**ROWS 227-240:** Work even. After ROW 240 divide the sts. in the center for the opening, put the needles on the left side into holding position and complete the right half first.

**ROWS 241-271:** Work even.

**ROWS 272-302:** NECK SHAPING: Bind off 5 sts. (6 sts.) on the left side, then on every other row bind off 4 sts. 1 x, 3 sts. 1 x, 2 sts. 2 x, 1 st. 2 x and 1 st. on every following 4th row 3 x. AT THE SAME TIME, after ROW 282, then on every other row SHAPE SHOULDER by binding off 8 sts. 1 x, 4 sts. 7 x and 5 sts. 3 x. Now move the Cam Box to the left side, turn the Row Counter back to 240, bring the needles back into working position and complete the left half. Follow the instructions from ROWS 241-302, reversing the sides.

**FRONT BAND:** Cast on 42 sts. with blue and work 96 rows stockinette st. changing the color every 12 rows in the following order: beginning with blue, then white, red, white, blue, white, red and white. AT THE SAME TIME, make vertical buttonholes after ROWS 24 and 72 by dividing the work in the center and knitting for 11 rows in 2 sections. After 96 rows bind off all sts.

**SHOULDER FLAPS:** Make two. Cast on 36 sts. with blue and work 60 rows stockinette st., changing the color every 10 rows as follows: beginning with blue, then white, red, white, blue and white. AT THE SAME TIME, make a vertical buttonhole after ROW 40 by dividing the work in the center and knitting for 9 rows in 2 sections. After 60 rows bind off all sts. (For buttonholes, see Practical Knitting Hints Book, page 35).

**NECK FACING:** Cast on 115 sts. with white and work 10 rows stockinette st., 5 rows with tension 4 and 5 rows with tension 5. After 10 rows bind off all sts.

**FINISHING:** Join front and back section at sides and shoulders, easing in the fullness at bustline of front section. With right sides together sew facing to neckline, then turn to wrong side and hem. Work 1 row of single crochet around front opening, making a small loop on upper right edge and sewing a button to upper left edge. Turn under 4 sts. around armhole and hem to wrong side. Join long edges of front band, leaving 2 openings for buttonholes. (Seam will be in center back of band). Finish shoulder flaps in the same manner. Finish buttonholes. Sew buttons to front and shoulders of shell. Button front band and shoulder flaps in place. Attach shoulder flaps at armhole edge.

## CANADIAN READERS

Please note that KNITTING dealers based in the U.S.A. are unable to sell machines and accessories to residents of Canada. They are also unable to sell parts and service. Would all Canadian readers please contact the following appointed KNITTING dealer.

KNITTING Sales and Service  
272 Yonge Street  
Toronto 1, Ontario

## SUMMER DRESS, DK 7683



**SIZE:** 10/12. **MATERIAL:** 13 oz. light blue, 3 oz. white and 1 oz. yellow Pauline Denham Nomotta Splendor. **TENSION:** KNITTING 4 to 6. **STITCH and ROW GAUGE:** 16 sts. 2", 24 rows 2". **PATTERN:** Stockinette Stitch, worn on the purl side.


**BACK:** (Figure II). Cast on 173 sts. with blue.  
**ROWS 1-284:** Decrease 1 st. on each side after ROW 68, then again every following 16th row 7 x, every following 12th row 4 x and every following 8th row 7 x. (135 sts.)

**ROWS 285-298:** Work even.

**ROWS 299-358:** Increase 1 st. on each side after ROW 298, then again every following 8th row 7 x. (151 sts.)

**ROWS 359-394:** Work even and AT THE SAME TIME after Row 358 work 6 rows yellow, 10 rows blue, 10 rows white and 6 rows yellow. After ROW 390 continue working with white.

**ROWS 395-412:** ARMHOLE SHAPING: Bind off 6 sts. beginning next 2 rows, 4 sts. beginning next 2 rows, 3 sts. beginning next 2 rows, 2 sts. beginning next 4 rows and 1 st. beginning next 8 rows. (109 sts.)



**ROWS 413-436:** Work even.

**ROWS 437-494:** NECK SHAPING: Bind off the center 23 sts., (See Notes to Knit By, inside back cover) then on every other row on Neck Side bind off 6 sts. 1 x, 5 sts. 1 x, 4 sts. 1 x, 3 sts. 1 x, 2 sts. 1 x, 1 st. 2 x and 1 st. on the next 4th and following 4th row. Now work even to ROW 494, then bind off the remaining 19 st.

**FRONT:** (Figure I). Work the front the same as the back to ROW 356.

**ROWS 357-366:** BUST DARTS: Work short rows. (See Notes to Knit By) Alternately on each side put 7 needles 5 x into holding position.

**ROWS 367-368:** On the left side bring all needles into working position, knit 1 row. On the right side bring all needles into working position, knit 1 row.

**ROWS 369-404:** Work even and AT THE SAME TIME after ROW 368 work 6 rows yellow, 10 rows blue, 10 rows white and 6 rows yellow. After ROW 400 continue working with white.

**ROWS 405-422:** ARMHOLE SHAPING: Bind off 6 sts. beginning next 2 rows, 4 sts. beginning next 2 rows, 3 sts. beginning next 2 rows, 2 sts., beginning next 4 rows and 1 st. beginning next 8 rows. (109 sts.)

**ROWS 423-466:** NECK SHAPING: Bind off the center 31 sts. as you did on the back, then on every other row on Neck Side bind off 5 sts. 1 x, 4 sts. 1 x, 3 sts. 1 x, 2 sts. 2 x, 1 st. 2 x and 1 st. on the next 4th and following 4th row. Now work even to row 466, then bind off the remaining 19 sts.

**NECK FACING:** Cast on 112 sts. with white and work 3 rows with tension 4 and 3 rows with tension 5. After 6 rows bind off all sts. Work the second section the same, but cast on only 86 sts.

**FINISHING:** Join front and back section at sides. Turn under 20 rows on lower edge and hem to wrong side. Turn under 3 sts. around armholes and hem to wrong side. Fold under back shoulder edges forming points and hem in place. With right sides together sew facings to front and back neckline then turn to wrong side and hem. Join back and front shoulder by sewing a button to each shoulder, sewing through both edges.

### WOMAN'S SHELL, DP 7681



**SIZE:** 10/12. **MATERIAL:** 3½ oz. (2 balls) turquoise, 1¾ oz. (1 ball) red, 1¾ oz. (1 ball) yellow and 1¾ oz. (1 ball) green KNITKING Subita Dralon 2 ply. Color #444, #427, #409 and #432. **TENSION:** KNITKING 1 to 3. **STITCH and ROW GAUGE:** 18 sts. 2", 26 rows 2". **PATTERN:** Stockinette Stitch with repeated Color Stripes of 16 rows red, 8 rows green, 30 rows turquoise, 8 rows green and 16 rows yellow.


**BACK:** (Figure II). Cast on 159 sts. with yellow.

**ROWS 1-48:** Work 16 rows yellow, 16 rows green and 16 rows Yellow. Now hang the cast-on sts. back on the machine behind the latches to form the hem and continue with the repeated Color Stripes.

**ROWS 49-226:** Increase 1 st. on each side after ROW 96, then again every following 26th row 4 x. (169 sts.)

**ROWS 227-252:** ARMHOLE SHAPING: Bind off 5 sts. beginning next 2 rows, 4 sts. beginning next 2 rows, 3 sts. beginning next 2 rows, 2 sts. beginning next 6 rows, 1 st. beginning next 6 rows and 1 st. on each side of the next 4th and following 4th row. (123 sts.)

**ROWS 253-302:** Work even.



**ROWS 303-346:** NECK SHAPING: Bind off the center 15 sts., (See Notes to Knit By, inside back cover) then on every other row on Neck Side bind off 6 sts. 2 x, 4 sts. 2 x, 3 sts. 2 x, 2 sts. 2 x, 1 st. 2 x and then work even to ROW 346.

**ROWS 347-360:** SHOULDER SHAPING: Bind off 2 sts. on Shoulder Side, then on every other row bind off 2 sts. 1 x and 3 sts. 6 x.

**FRONT:** (Figure I). Work the front the same as the back to ROW 276.

**ROWS 277-314:** NECK SHAPING: Bind off the center 21 sts. as you did on the back, then on every other row on Neck Side bind off 5 sts. 2 x, 4 sts. 2 x, 2 sts. 2 x, 1 st. 4 x and 1 st. on every following 4th row 3 x. AT THE SAME TIME, work vertical buttonholes after ROW 300 by dividing the work between the 11th and 12th needles and working for 9 rows in 2 sections. (See Practical Knitting Hints Book, page 35.)

**ROWS 315-328:** Work short rows for the pointed shaping. (See Notes to Knit By) Alternately on each side put 1 needle 5 x and 2 needles 2 x into holding position. After ROW 328 bring the needles back into working position and using a separate length of yarn, bind off all sts. the crochet method.

**FINISHING:** Join front and back section at sides. With green, work 2 rows of single crochet around all edges. Finish buttonholes, sew buttons to back shoulders.

### WOMAN'S DRESS, DK 7680



**SIZE:** 10/12. **MATERIAL:** 17½ oz. (10 balls) white, 1¾ oz. (1 ball) red and 1¾ oz. (1 ball) blue KNITKING Subita Crepe 2 x 3. Color #104, #115 and #137. **TENSION:** KNITKING 3 to 5. **STITCH and ROW GAUGE:** 18 sts. 2", 24 rows 2". **PATTERN:** Stockinette Stitch. **EDGES and BELT:** K1, P1, Ribbing.

**BACK:** (Figure II). Cast on 195 sts. and work stockinette st.

**ROWS 1-282:** Decrease 1 st. on each side after ROW 48, then again every following 18th row 8 x, every follow-

ing 8th row 6 x and every following 6th row 7 x by always hanging the 3rd st. on each side onto the 2nd needle, then moving the end sts. inward to fill the empty needle. (151 sts.)

**ROWS 283-296:** Work even.

**ROWS 297-360:** Increase 1 st. on each side after ROW 296, then again every following 6th row 4 x and every following 8th row 4 x. (169 sts.)

**ROWS 361-470:** RAGLAN SHAPING: Bind off 3 sts. beginning next 2 rows. After ROW 363 decrease 2 sts. on each side then again every following 3rd row 9 x and every following 4th row 17 x by always hanging the 3rd and 4th sts. on each side onto the 5th and 6th needles, then moving the 2 end sts. 2 needles inward to fill the empty needles. After ROW 460 bind off the center 13 sts. for NECK, (See Notes to Knit By, inside back cover) then on every other row on Neck Side bind off 4 sts. 2 x and 3 sts. 3 x. AT THE SAME TIME, decrease 2 sts. after ROWS 462 and 466 for Raglan Shaping as you did before

**FRONT:** (Figure I). Work the front the same as the back to ROW 360.


**ROWS 361-368:** Work even.

**ROWS 369-374:** RAGLAN SHAPING: Bind off 3 sts. beginning next 2 rows, then decrease 2 sts. on each side after ROW 371 by hanging the 3rd and 4th sts. on each side onto the 5th and 6th needles, then moving the 2 end sts. 2 needles inward to fill the empty needles. After ROW 374 hang the center st. onto the neighboring needle, put all needles on the left side into holding position and complete the right half first.

**ROWS 375-470:** RAGLAN and FRONT SHAPING: Continue to Shape Raglan by decreasing 2 sts. on the right side as you did before, then again every following 3rd row 8 x and every following 4th row 17 x. AT THE SAME TIME, Shape Front by decreasing 1 st. on the left side after ROW 376, then again every other row 9 x, every following 4th row 5 x and every following 6th row 9 x. For these decreases always hang the 3rd st. on the left side onto the 2nd needle, then move the end sts. inward to fill the empty needle. After ROW 470 hang the remaining 3 sts. together (the 2 outside sts. onto the center st.) then bind off. Now turn the Row Counter back to 374, bring the needles back into working position and complete the left half. Follow the instructions from ROWS 375-470 but reverse the sides.

**SLEEVE:** (Figure III). Cast on 108 sts.

**ROWS 1-10:** K1, P1, Ribbing. After ROW 10 transfer the ribber sts. to the main machine and continue with stockinette st.



**ROWS 11-54:** Increase 1 st. on each side after ROW 10, then again every following 4th row 8 x and every other row 4 x. (134 sts.)

**ROWS 55-156:** RAGLAN SHAPING: Bind off 2 sts. beginning next 2 rows. After ROW 57 decrease 2 sts. on each side then again every following 3rd row 9 x and every following 4th row 17 x as you did on the back.

**ROWS 157-164:** Work short rows. (See Notes to Knit By, inside back cover). On the left side put 6 needles 1 x, 4 needles 1 x and 3 needles 2 x into holding position. AT THE SAME TIME, decrease 2 sts. on the right side after ROWS 156 and 160. After ROW 164 bring all needles back into working position, then bind off all remaining 18 sts. Make the second sleeve with reverse shaping.

**NECKBAND:** Cast on 137 sts. with blue and work K1, P1, Ribbing, 6 rows blue, 12 rows white and 6 rows red and AT THE SAME TIME, for the Pointed Shaping, bind off 2 sts. on the right side, after ROW 2, then again every other row 10 x. After 24 rows bind off all sts. the crochet method for ribbing. Work the second section with reverse shaping, casting on from right to left.

**BELT:** Make two. Cast on 115 sts. with blue and work K1, P1, Ribbing, 8 rows blue, 8 rows white and 8 rows red. After 24 rows bind off all sts. the crochet method for ribbing.

**FINISHING:** Weave front and back section together at sides, 1 st. in from each edge, easing in the fullness at bustline of front section. Sew sleeves together and weave to front and back section, 1 st. in from each edge. Turn under 20 rows on lower edge and hem to wrong side. Join neckband at front and back, then sew to neckline. Join belt at center back and line with grosgrain ribbon. Sew a buckle to one end.

## WOMAN'S SHELL, DP 7674



**SIZE:** 10/12. **MATERIAL:** 10½ oz. (6 balls) pale yellow KNITKING Satin Cotton 2 x 8 ply. Color #709. **TENSION:** KNITKING 5 to 7. **STITCH and ROW GAUGE:** 15 sts. 2", 20 rows 2". **PATTERN:** Stockinette Stitch with Eyelet Design according to chart.

**BACK:** (Figure II). Cast on 131 sts.

**ROWS 1-12:** Work even, then hang the cast-on sts. back on the machine behind the latches to form the hem.

**ROWS 13-60:** Work even and AT THE SAME TIME, begin the Eyelet Design after ROW 14 by hanging

first the center st. and the 2nd st. on each side onto the left neighboring needle.

**ROWS 61-156:** Increase 1 st. on each side after ROW 60, then again every following 18th row 4 x. AT THE SAME TIME, begin the second Diamond Design after ROW 62 by hanging the 35th st. on each side onto the left neighboring needle. After ROW 110 begin the 3rd Diamond Design by hanging the center st. and the 5th st. on each side onto the left neighboring needle. (141 sts.)

**ROWS 157-176:** ARMHOLE SHAPING: Bind off 6 sts. beginning next 2 rows, 4 sts. beginning next 2 rows, 3 sts. beginning next 2 rows, 2 sts. beginning next 2 rows, 1 st. beginning next 4 rows and 1 st. on each side of the next 4th and following 4th row. AT THE SAME TIME, begin the 4th Diamond Design after ROW 158 by hanging the 33rd st. on each side onto the left neighboring needle. (103 sts.)



**ROWS 177-220:** Work even.

**ROWS 221-232:** NECK SHAPING: Bind off the center 23 sts., (See Notes to Knit By, inside back cover) then on every other row on Neck Side bind off 7 sts. 1 x, 6 sts. 1 x, 5 sts. 1 x, 4 sts. 1 x and 3 sts. 1 x. AT THE SAME TIME, after ROW 224, then on every other row SHAPE SHOULDER by binding off 3 sts. 5 x.

**FRONT:** (Figure I). Work the front the same as the back to ROW 156.

**ROWS 157-164:** Work even and AT THE SAME TIME, begin the 4th Diamond Design after ROW 158 by hanging the 39th st. on each side onto the left neighboring needle.

**ROWS 165-184:** ARMHOLE SHAPING: Bind off 6 sts. beginning next 2 rows, 4 sts. beginning next 2 rows, 3 sts. beginning next 2 rows, 2 sts. beginning next 2 rows, 1 st. begin-



ning next 4 rows and 1 st. on each side of the next 4th and following 4th row. (103 sts.)

**ROWS 185-208:** Work even.

**ROWS 209-240:** NECK SHAPING: Bind off the center 17 sts. as you did on the back, then on every other row on Neck Side bind off 7 sts. 1 x, 5 sts. 1 x, 4 sts. 1 x, 3 sts. 1 x, 2 sts. 2 x, 1 st. 3 x and 1 st. on the next 4th and following 4th row. AT THE SAME TIME, after ROW 232, then on every other row SHAPE SHOULDER by binding off 3 sts. 5 x.

**NECKBAND:** Cast on 141 sts. and work stockinette st., 4 rows with tension 6, 6 rows with tension 5 and 4 rows with tension 6. After 14 rows bind off all sts. the crochet method.

**ARMHOLE BAND:** Make two. Cast on 103 sts. and work stockinette st., using the same tensions as for the neckband. After 14 rows bind off all sts. the crochet method.

**FINISHING:** Embroider a flower in the center of each Diamond, using a lazy daisy stitch. Join front and back section at sides and shoulders, easing in the fullness at bustline of front section. Join neckband, then armhole bands at short ends. Sew 1 edge of neckband to inside and 1 edge to outside of neckline. Sew armhole bands to armholes in the same manner.

## WOMAN'S PULLOVER, DP 7673



**SIZE:** 14/16. **MATERIAL:** 10½ oz. (6 balls) pink KNITKING Subita Crepe 2 x 3. Color # 117. **TENSION:** KNITKING 3 to 5. **STITCH and ROW GAUGE:** 18 sts. 2", 25 rows 2".

**PATTERN:** Stockinette Stitch with Eyelet Design according to chart. **BACK:** (Figure II). Cast on 171 sts. and work stockinette st.

**ROWS 1-16:** Work even, then hang the cast-on sts. back on the machine behind the latches to form the hem.

**ROWS 17-18:** Work even.

**ROWS 19-110:** Work the Eyelet Design and increase 1 st. on each side after ROWS 76 and 96. After ROW 110 continue with plain stockinette st.

**ROWS 111-200:** Increase 1 st. on each side after ROW 116, then again every following 20th row 3 x. (183 sts.)





**NECKBAND:** The neckband is worked in 2 sections. For the front section cast on 135 sts. and for the back section cast on 101 sts. Work 32 rows K1,P1, Ribbing, then bind off the crochet method for ribbing.

**FINISHING:** Join front and back section at sides and shoulders. Sew sleeves together and set in. Join neckband at short ends, then sew 1 long edge to inside and 1 long edge to outside of neckline. Sew pocket to pullover as illustrated.

### MAN'S SHIRT, HP 3553



**SIZE:** 40/42. **MATERIAL:** 12¼ oz. (7 balls) white and a small amount of red KNITKING Subita Dralon 3 ply, Color #401 and #436 and a 24" blue Jacket type zipper. **TENSION:** KNITKING 4 to 6. **STITCH and ROW GAUGE:** 16 sts. 2", 21 rows 2". **PATTERN:** Stockinette Stitch. **EDGES:** K1, P1, Ribbing. **BACK:** (Figure II). Cast on 177 sts. **ROWS 1-16:** K1, P1, Ribbing. After ROW 16 transfer the ribber sts. to the main machine and continue with stockinette st.

**ROWS 17-180:** Work even.

**ROWS 181-202: ARMHOLE SHAPING:** Bind off 5 sts. beginning next 2 rows, 4 sts. beginning next 2 rows, 3 sts. beginning next 2 rows, 2 sts. beginning next 4 rows, 1 st. beginning next 4 rows and 1 st. on each side of the next 4th and following 4th row. (137 sts.)

**ROWS 203-272:** Work even.

**ROWS 273-288: SHOULDER SHAPING:** Bind off 5 sts. beginning next 8 rows. After ROW 280 bind off the center 21 sts. for NECK. (See Notes to Knit By, inside back cover). Bind off 5 sts. on Shoulder Side and continue to Shape Shoulder on every other row by binding off 5 sts. 3 x and 6 sts. 1 x. AT THE SAME TIME, Shape Neck on every other row by binding off 5 st. 1 x, 4 sts. 1 x and 3 sts. 1 x.

**FRONT:** (Figure I). Cast on 79 sts.

**ROWS 1-16:** K1, P1, Ribbing. After ROW 16 transfer the ribber sts. to the main machine and continue with stockinette st.

**ROWS 17-180:** Work even.

**ROWS 181-202: ARMHOLE SHAPING:** Bind off 5 sts. on the right side, then on every other row bind off 4 sts. 1 x, 3 sts. 1 x, 2 sts. 2 x, 1 st. 2 x and 1 st. on the next 4th and following 4th row. (59 sts.)

**ROWS 203-255:** Work even.


**ROWS 256-288: NECK SHAPING:** Bind off 3 sts. on the left side, then on every other row bind off 2 sts. 2 x, 1 st. 3 x and on every following 4th row 1 st. 3 x. AT THE SAME TIME, after ROW 272, then on every other row SHAPE SHOULDER by binding off 5 sts. 8 x and 6 sts. 1 x. Work the second front section with reverse shapings.

**SLEEVE:** (Figure III). Make two. Cast on 109 sts.

**ROWS 1-16:** K1, P1, Ribbing. After ROW 16 transfer the ribber sts. to the main machine and continue with stockinette st.

**ROWS 17-58:** Increase 1 st. on each side after ROW 16, then again every following 4th row 9 x. (129 sts.)

**ROWS 59-72: CAP SHAPING:** Bind off 5 sts. beginning next 2 rows, 4 sts. beginning next 2 rows, 3 sts. beginning next 4 rows and 2 sts. beginning next 6 rows.



**ROWS 73-120:** Bind off 1 st. beginning next 6 rows and 2 sts. beginning next 2 rows. Repeat these bind-offs 4 x, then bind off 2 sts. beginning next 2 rows, 3 sts. beginning next 2 rows, 4 sts. beginning next 4 rows and after ROW 120 bind off the remaining 11 sts.

**COLLAR:** (Figure IV). Cast on 122 sts. and work stockinette st.

**ROWS 1-22:** Work short rows. (See Notes to Knit By, inside back cover). On the left side put 40 needles into holding position, knit 1 row. On the right side put 40 needles into holding position, knit 1 row. Now alternately on each side bring 7 needles 4 x and 2 needles 6 x back into working position.

**ROWS 23-72:** Work even.

**ROWS 73-86:** Alternately on each side put 3 needles 4 x and 9 needles 3 x into holding position.

**ROWS 87-88:** On the left side bring all needles back into working position, knit 1 row. On the right side bring all needles back into working position, knit 1 row. After ROW 88 bind off all sts.

**POCKET:** Cast on 37 sts. and work 56 rows stockinette st., then bind off all sts.

**FRONT BAND:** Make two. Cast on 8 sts. with red and with tension 3 work 254 rows stockinette st., then bind off all sts.

**FINISHING:** Join front and back sections at sides and shoulders. Sew sleeves together and set in. Weave front bands to front edges, 1 st. in on each edge, then turn under half to wrong side and hem. On wrong side, sew outer zipper band edges close to the fold line of front edges leaving the blue of the zipper band visible on the right side. (Outside) Fold collar in half lengthwise and sew short ends. Sew cast-on edge of collar to inside and bound-off edge to outside of neckline. Turn under 8 rows on upper pocket edge and hem to wrong side, then sew to shirt as illustrated.

### WOMAN'S PULLOVER, DP 7678



**SIZE:** 14/16. **MATERIAL:** 21 oz. (12 balls) white KNITKING Subita Crepe 2 x 4, Color #4. **TENSION:** KNITKING 5 to 7. **STITCH and ROW GAUGE:** Pattern Stitch 19 sts. 2", 19 rows 2".

**PATTERN:** Pattern Ribbing according to chart.

**BACK:** (Figure II). Cast on 197 sts., having the 7th, 9th, 11th, 17th, 19th, 21st, etc. sts. on the ribber and work in Pattern Ribbing.

**ROWS 1-168:** Work even.

**ROWS 169-270: RAGLAN SHAPING:**

Decrease 2 sts. on each side after ROW 168, then again every other row 12 x and every following 3rd row 25 x by always hanging the 3rd and 4th sts. on each side onto the 2nd needle, then moving the end sts. inward to fill the empty needles. After ROW 270 bind off the remaining 45 sts.


**FRONT:** (Figure I). Work the front the same as the back to ROW 168.

**ROWS 169-262: RAGLAN SHAPING:** Decrease 2 sts. on each side after ROW 168, then again every other row 12 x and every following 3rd row 15 x as you did on the back. After ROW 240 bind off the center 13 sts. for NECK. (See Notes to Knit By, inside back cover and transfer all ribber sts. to the main machine before putting them in holding position.) Decrease 2 sts. on Raglan Side and continue to Shape Raglan on every following 3rd row by decreasing 2 sts. 6 x as you did before. AT THE SAME TIME, Shape Neck on every other row by binding off 4 sts. 1 x, 3 sts. 2 x, 2 sts. 3 x, 1 st. 2 x and 1 st. on the following 4th row 1 x. After ROW 262 hang the remaining 3 sts. together (the 2 outside st. onto the center st.) then bind off.

**SLEEVE:** (Figure III). Cast on 83 sts., having the 2nd, 4th, 10th, 12th, 14th, etc. sts. on the ribber and work in Pattern Ribbing.

**ROWS 1-168:** Increase 1 st. on each side after ROW 30, then again every following 4th row 31 x and every other row 5 x. (157 sts.) (Stay in Pattern when increasing).





**ROWS 169-262: RAGLAN SHAPING:** Decrease 2 sts. on each side after ROW 168, then again every other row 6 x and every following 3rd row 26 x as you did on the back, then decrease 2 sts. on the right side after ROW 261.

**ROWS 263-270:** Work short rows. (See Notes to Knit By). On the left side put 5 needles 2 x and 3 needles 2 x into holding position. AT THE SAME TIME, decrease 2 sts. on the right side after ROWS 264 and 267. After ROW 270 bring all needles back into working position then bind off all 19 sts. Work the second sleeve with reverse shaping, casting on from right to left.

**POCKET:** Make two. Cast on 46 sts., having the 3rd, 5th, 7th, 13th, 15th, 17th, 23rd, 25th and 27th sts. on the ribber and all remaining sts. on the main machine. Work 54 rows even and AT THE SAME TIME work buttonholes after ROW 26 over the 9th-14th and 28th-35th needles counting from the right side. After ROW 54 bind off all sts.


**COLLAR:** Cast on 183 sts. and work K1, P1, Ribbing with tension 7.

**ROWS 1-6:** K1, P1, Ribbing. After ROW 6 continue in Pattern Ribbing. Set up Pattern by transferring first the 3rd and 4th ribber sts. to the main machine.

**ROWS 7-48:** Work even and knit ROWS 17-32 with tension 6 and ROWS 33-48 with tension 5. After ROW 48 bind off all sts. the crochet method.

**FINISHING:** Join front and back section at sides. Sew sleeves together, then weave to front and back section, 1 st. in from each edge. Turn under 15 rows on lower edge and sleeve edges and hem to wrong side. Join short ends of collar and sew to neckline, then fold collar to outside. Fold pockets in half having the ribbed pattern on the outside, sew side edges, then sew to pullover as shown on picture. Finish buttonholes. Sew on buttons. Pull a belt through pockets.

## MAN'S PULLOVER, HP 3550



**SIZE:** 38/40. **MATERIAL:** 21 oz. (12 balls) white and 1 3/4 oz. (1 ball) blue KNITKING Subita Crepe 2 x 4, Color #4 and #3. **TENSION:** KNITKING 6 to 8. **STITCH and ROW GAUGE:** 16 sts. 2", 22 rows 2". **PATTERN:** Stockinette Stitch; **EDGES:** K1, P1, Ribbing.


**BACK:** (Figure II). Cast on 173 sts. **ROWS 1-30:** K1, P1, Ribbing. After ROW 30 transfer the ribber sts. to the main machine and continue with stockinette st.

**ROWS 31-198:** Work even and AT THE SAME TIME, work ROWS 33-44 and ROWS 57-68 with blue.

**ROWS 199-220:** ARMHOLE SHAPING: Bind off 5 sts. beginning next 2 rows, 4 sts. beginning next 2 rows, 3 sts. beginning next 2 rows, 2 sts. beginning next 2 rows, 1 st. beginning next 6 rows and 1 st. on each side of the next 4th and following 4th row (135 sts.)

**ROWS 221-294:** Work even.

**ROWS 295-312:** SHOULDER SHAPING: Bind off 4 sts. beginning next 4 rows. After ROW 298 bind off the center 17 sts. for NECK. (See Notes to Knit By, inside back cover). Bind off 4 sts. on Shoulder Side and continue to Shape Shoulder on every other row by binding off 4 sts. 5 x and 5 sts. 2 x. AT THE SAME TIME, Shape Neck on every other row by binding off 5 sts. 1 x, 3 sts. 2 x and 2 sts. 3 x.



**FRONT:** (Figure I). Work the front the same as the back to ROW 180, then hang the center st. onto the neighboring needle, put the needles on the left side into holding position and complete the right half first.

**ROWS 181-312:** Decrease 1 st. on the left side after ROW 182, then again every other row 3 x, every following 4th row 8 x and every following 6th row 13 x by always hanging the 3rd st. on the left side onto the 2nd needle, then moving the end sts. inward to fill the empty needle. AT THE SAME TIME, after ROW 198, then on every other row SHAPE ARMHOLE by binding off 5 sts. 1 x, 4 sts. 1 x, 3 sts. 1 x, 2 sts. 1 x, 1 st. 3 x and 1 st. on the next 4th and following 4th row. After ROW 294, then on every other row SHAPE SHOULDER by binding off 4 sts. 8 x and 5 sts. 2 x. Now move the Cam Box to the left side, turn the Row Counter back to 180, bring all needles back into working position and complete the left half. Follow the instructions from ROWS 181-312, reversing the sides.

**SLEEVE:** (Figure III). Make two. Cast on 80 sts.

**ROWS 1-26:** K1, P1, Ribbing. After ROW 26 transfer the ribber sts. to the main machine and continue with stockinette st.

**ROWS 27-206:** Increase 1 st. on each side after ROW 28, then again every following 8th row 7 x and every following 6th row 19 x. (134 sts.)

**ROWS 207-218:** CAP SHAPING: Bind off 5 sts. beginning next 2 rows, 4 sts. beginning next 2 rows, 3 sts. beginning next 4 rows and 2 sts. beginning next 4 rows.

**ROWS 219-268:** Bind off 1 st. beginning next 4 rows and 2 sts. beginning next 2 rows. Repeat these bind-offs 6 x, then bind off 2 sts. beginning next 2 rows, 3 sts. beginning next 2 rows, 4 sts. beginning next 2 rows, 5 sts. beginning next 2 rows and after ROW 268 bind off the remaining 12 sts.

**NECKBAND:** Cast on 159 sts. and work K1, P1, Ribbing. **ROWS 1-17:** Bind off 2 sts. on the right side after ROW 2, then again every other row 7 x. After ROW 17 bind off all sts. the crochet method for ribbing. Work the second neckband section with reverse shaping, casting on from right to left.

**FINISHING:** Join front and back section at sides and shoulders. Sew sleeves together and set in. Join neckband sections at center back and pointed shaping, then sew to neckline.

## WOMAN'S PULLOVER, DP 7677



**SIZE:** 10/12. **MATERIAL:** 17 1/2 oz. (10 balls) white and small amounts of red and blue KNITKING Subita Crepe 2 x 4, Color #4, #15 and #1. **TENSION:** KNITKING 6 to 8. **STITCH and ROW GAUGE:** 16 sts. 2", 21 rows 2". **PATTERN:** Stockinette Stitch with red and blue half stripes on the front section. **EDGES and COLLAR:** K1, P1, Ribbing.

**BACK:** (Figure II). Cast on 156 sts. **ROWS 1-20:** K1, P1, Ribbing. After ROW 20 transfer the ribber sts. to the main machine and continue with stockinette st.

**ROWS 21-172:** Work even.

**ROWS 173-194:** ARMHOLE SHAPING: Bind off 5 sts. beginning next 2 rows, 4 sts. beginning next 2 rows, 3 sts. beginning next 2 rows, 2 sts. beginning next 2 rows, 1 st.

beginning next 6 rows and 1 st. on each side of the next 4th and following 4th row. (118 sts.)

**ROWS 195-252:** Work even.


**ROWS 253-268:** SHOULDER SHAPING: Bind off 3 sts. beginning next 4 rows. After ROW 256 bind off the center 20 sts. for NECK. (See Notes to Knit By, inside back cover). Bind off 3 sts. on Shoulder Side and continue to Shape Shoulder on every other row by binding off 4 sts. 6 x. AT THE SAME TIME, Shape Neck on every other row by binding off 4 sts. 2 x, 3 sts. 2 x and 2 sts. 1 x.

**FRONT:** (Figure I). Cast on 156 sts.

**ROWS 1-20:** K1, P1, Ribbing. After ROW 20 transfer the ribber sts. to the main machine and continue with stockinette st.

**ROWS 21-54:** Work even. After ROW 54 begin the two toned color stripe. Using 1 ball of white and 1 ball of blue and hand feeding the yarn, work over the first 78 needles with white and over the remaining 78 needles with blue, always crossing the yarn at point of color change to prevent a hole.

**ROWS 55-96:** Work even. After ROW 96 work over the first



78 needles with red and over the remaining 78 needles with white.

**ROWS 97-138:** Work even. After ROW 138 continue working over all needles with white.

**ROWS 139-180:** Work even.

**ROWS 181-202:** ARMHOLE SHAPING: Bind off 5 sts. beginning next 2 rows, 4 sts. beginning next 2 rows, 3 sts. beginning next 2 rows, 2 sts. beginning next 2 rows, 1 st. beginning next 6 rows and 1 st. on each side of the next 4th and following 4th row. (118 sts.)

**ROWS 203-242:** Work even.

**ROWS 243-276:** NECK SHAPING: Bind off the center 20 sts. as you did on the back, then on every other row on Neck Side bind off 3 sts. 2 x, 2 sts. 2 x, 1 st. 4 x and 1 st. on the next 4th and following 4th row. AT THE SAME TIME, after ROW 260, then on every other row SHAPE SHOULDER by binding off 3 sts. 3 x and 4 sts. 6 x.

**SLEEVE:** (Figure III). Make two. Cast on 67 sts.

**ROWS 1-20:** K1, P1, Ribbing. After ROW 20 transfer the ribber sts. to the main machine and continue with stockinette st.

**ROWS 21-176:** Increase 1 st. on each side after ROW 28, then again every following 6th row 23 x. (115 sts.)

**ROWS 177-190:** CAP SHAPING: Bind off 5 sts. beginning next 2 rows, 4 sts. beginning next 2 rows, 3 sts. beginning next 2 rows and 2 sts. beginning next 8 rows.

**ROWS 191-230:** Bind off 1 st. beginning next 6 rows and 2 sts. beginning next 2 rows. Repeat these bind-offs 3 x, then bind off 2 sts. beginning next 4 rows, 3 sts. beginning next 2 rows, 4 sts. beginning next 2 rows and after ROW 230 bind off the remaining 13 sts.

**COLLAR:** Cast on 163 sts. and work 68 rows K1, P1, Ribbing, 12 rows with tension 7, 12 rows with tension 6, 20 rows with tension 5, 12 rows with tension 6 and 12 rows with tension 7. After 68 rows bind off all sts. the crochet method for ribbing.

**FINISHING:** Join front and back section at sides and shoulders, easing in the fullness at bustline of front section. Sew sleeves together and set in. Join short ends of collar, then sew 1 long edge of collar to inside and 1 long edge to outside of neckline.

## WOMAN'S PULLOVER, DP 7676



**SIZE:** 12/14. **MATERIAL** 14 oz. (8 balls) white, 3 1/2 oz. (2 balls) red and 1 3/4 (1 ball) blue **KNITTING** Subita Crepe 2 x 4, Color #4, #10 and #1. **TENSION:** KNITTING 6 to 8. **STITCH** and **ROW GAUGE:** 16 sts. 2", 22 rows 2". **PATTERN:** Stockinette Stitch. **EDGES:** K1, P1, Ribbing. **BACK:** (Figure II). Cast on 161 sts. with red.

**ROWS 1-46:** K1, P1, Ribbing, working 20 rows red, 6 rows blue and 20 rows red. After ROW 46 transfer the ribber sts. to the main machine and continue with stockinette st. and work with white.

**ROWS 47-182:** Work even.

**ROWS 183-204:** ARMHOLE SHAPING: Bind off 5 sts. beginning next 2 rows, 4 sts. beginning next 2 rows, 3 sts. beginning next 2 rows, 2 sts. beginning next 4 rows, 1 st. beginning next 4 rows and 1 st. on each side of the next 4th and following 4th row. (121 sts.)

**ROWS 205-266:** Work even.


**ROW 267-284:** SHOULDER SHAPING: Bind off 3 sts. beginning next 4 rows. After ROW 270 bind off the center 17 sts. for NECK. (See Notes to Knit By, inside back cover) Bind off 3 sts. on Shoulder Side and continue to Shape Shoulder on every other row by binding off 3 sts. 2 x and 4 sts. 5 x. AT THE SAME TIME, Shape Neck on every other row by binding off 4 sts. 2 x, 3 sts. 1 x and 2 sts. 3 x.

**FRONT:** (Figure I). Work the front the same as the back to ROW 182.

**ROWS 183-192:** Work even.

**ROWS 193-214:** ARMHOLE SHAPING: Bind off 5 sts. beginning next 2 rows, 4 sts. beginning next 2 rows, 3 sts. beginning next 2 rows, 2 sts. beginning next 4 rows, 1 st. beginning next 4 rows and 1 st. on each side of the next 4th and following 4th row (121 sts.)

**ROWS 215-258:** Work even.



**ROWS 259-294:** NECK SHAPING: Bind off the center 13 sts. for Neck as you did on the back, then on every other row on Neck Side bind off 4 sts. 2 x, 3 sts. 1 x, 2 sts. 1 x, 1 st. 3 x and 1 st. on every following 4th row 3 x. AT THE SAME TIME, after ROW 276, then on every other row SHAPE SHOULDER by binding off 3 sts. 5 x and 4 sts. 5 x.

**SLEEVE:** (Figure III). Make two. Cast on 77 sts. with red.

**ROWS 1-46:** K1, P1, Ribbing, working 20 rows with red, 6 rows with blue and 20 rows with red. After ROW 46 transfer the ribber sts. to the main machine and continue with stockinette st. and work with white.

**ROWS 47-186:** Increase 1 st. on each side after ROW 46, then again every following 8th row 13 x and every following 6th row 5 x. (115 sts.)

**ROWS 187-244:** CAP SHAPING: Bind off 5 sts. beginning next 2 rows, 4 sts. beginning next 2 rows, 3 sts. beginning next 4 rows, 2 sts. beginning next 6 rows, 1 st. beginning next 36 rows, 2 sts. beginning next 2 rows, 3 sts. beginning next 4 rows, 4 sts. beginning next 2 rows and after ROW 244 bind off the remaining 13 sts.

**COLLAR:** Cast on 195 sts. with red and work 78 rows K1, P1, Ribbing, knitting 16 rows red and 6 rows blue with tension 7, 34 rows red with tension 6, 6 rows blue and 16 rows red with tension 7. After 78 rows bind off all sts. the crochet method for ribbing.

**FINISHING:** Join front and back section at sides and shoulders, easing in the front section at bustline. Sew sleeves together and set in. Join short ends of collar, then sew 1 long edge to inside and 1 long edge to outside of neckline.

### GIRL'S PULLOVER, MK 5029



**SIZE:** 13-14. (Chest 31"-32"). **MATERIAL:** 10½ oz. (6 balls) white and 1¾ oz. (1 ball) blue KNITKING Subita Dralon 3 ply, Color #401 and #416. **TENSION:** KNITKING 4 to 6. **STITCH and ROW GAUGE:** 15 sts. 2", 23 rows 2". **PATTERN:** Stockinette Stitch. **EDGES:** K1, P1, Ribbing.

**BACK:** (Figure II). Cast on 130 sts. **ROWS 1-20:** K1, P1, Ribbing. After ROW 20 transfer the ribber sts. to the main machine and continue with stockinette st.

**ROWS 21-172:** Work even.

**ROWS 173-190:** ARMHOLE SHAPING: Bind off 5 sts. beginning next 2 rows, 3 sts. beginning next 2 rows, 2 sts. beginning next 2 rows, 1 st. beginning next 4 rows and 1 st. on each side of the next 4th and following 4th row. (102 sts.)

**ROWS 191-250:** Work even.

**ROWS 251-264:** SHOULDER SHAPING: Bind off 3 sts. beginning next 4 rows. After ROW 254 bind off the center 20 sts. for NECK. (See Notes to Knit By, inside back cover). Bind off 4 sts. on Shoulder Side and continue to Shape Shoulder on every other row by binding off 4 sts. 5 x. AT THE SAME TIME, Shape Neck on every other row by binding off 4 sts. 1 x, 3 sts. 1 x and 2 sts. 2 x.

**FRONT:** (Figure I). Cast on 130 sts.

**ROWS 1-20:** K1, P1, Ribbing. After ROW 20 transfer the ribber sts. to the main machine and continue with stockinette st.

**ROWS 21-92:** Work even, then bind off the center 10 sts., put the 60 stitches on the left side onto a stitch holder and complete the right half first.


**ROWS 93-172:** Cast on 5 sts. on the left side after ROW 93 and increase 1 st. on the left side after ROW 171.

**ROWS 173-190:** ARMHOLE SHAPING: Bind off 5 sts. on the right side, then on every other row bind off 3 sts. 1 x, 2 sts. 1 x, 1 st. 2 x and 1 st. on the next 4th and following 4th row. AT THE SAME TIME, increase 1 st. on the left side after ROW 175, then again every following 4th row 3 x.

**ROWS 191-236:** Increase 1 st. on the left side after ROW 191, then again every following 4th row 11 x.

**ROWS 237-264:** NECK SHAPING: Bind off the 43rd-51st sts. counting from the right side, put the needles on the left side into holding position and complete the right side first. After ROW 237, then on every other row on Neck Side bind off 3 sts. 1 x, 2 sts. 2 x, 1 st. 3 x and 1 st. on the next 4th and following 4th row. AT THE SAME TIME, after ROW 250, SHAPE SHOULDER by binding off 3 sts. 2 x and 4 sts. 6 x. Now bring the needles on the left side into working position, turn the Row Counter back to 236 and complete the left part of the Neck Shaping.

**ROWS 237-263:** Bind off 3 sts. on the right side for Neck after ROW 238, then on every other row on Neck Side bind off 2 sts. 2 x, 1 st. 3 x and 1 st. on the next 4th and following 4th row. AT THE SAME TIME, increase 1 st. on



the left side after ROW 239, then again every following 4th row 3 x and after ROW 259, then on every other row bind off 3 sts. 3 x. Now move the Cam Box to the left side, turn the Row Counter back to ROW 92, hang the sts. from the stitch holder back on the machine and complete the left half. Follow the instructions from ROWS 93-264 and ROWS 237-263, reversing the sides.

**SLEEVES:** (Figure III). Make two. Cast on 75 sts. with white and work stockinette st.

**ROWS 1-56:** Increase 1 st. on each side after ROW 6, then again every following 6th row 3 x and decrease 1 st. on each side after ROW 34, then again every following 6th row 3 x and AT THE SAME TIME, work ROWS 23-36 with blue.

**ROWS 57-106:** Increase 1 st. on each side after ROW 58, then again every following 6th row 5 x and every following 4th row 3 x. (93 sts.)

**ROWS 107-160:** CAP SHAPING: Bind off 4 sts. beginning next 2 rows, 3 sts. beginning next 2 rows, 2 sts. beginning next 6 rows, 1 st. beginning next 36 rows, 2 sts. beginning next 4 rows, 3 sts. beginning next 2 rows, 4 sts. beginning next 2 rows and after ROW 160 bind off the remaining 9 sts.

**COLLAR:** (Figure IV) Cast on 99 sts. and work stockinette st.

**ROWS 1-24:** Work short rows. (See Notes to Knit By) On the left side put 28 needles into holding position, knit 1 row. On the right side put 28 needles into holding position, knit 1 row. Alternately on each side, bring 3 needles 6 x and 2 needles 5 x back into working position.

**ROWS 25-70:** Decrease 1 st. on each side after ROW 28, then again every following 4th row 4 x and increase 1 st. on each side after ROW 50, then again every following 4th row 4 x.

**ROWS 71-86:** Alternately on each side put 3 needles 4 x and 4 needles 4 x into holding position.

**ROWS 87-88:** On the left side bring all needles into working position, knit 1 row. On the right side bring all needles into working position, knit 1 row. After ROW 88 bind off all sts.

**FRONT BAND:** Make two. Cast on 11 sts. with blue and work 116 rows stockinette st. with tension 3, then bind off all sts.

**FINISHING:** Join front and back section at sides and shoulders. Sew sleeves together and set in. Turn under 28 rows on sleeve edges, hem to wrong side and fold over to outside. Fold under facing at front opening. Fold collar in half length wise and sew side edges. Sew cast-on edge of collar to inside and bound-off edge to outside of neckline. Weave front bands to foldline of front opening, and to side edges of collar, 1 st. in on the band. Fold bands in half and hem against seamline on wrong side. Knit a round cord over 3 needles with tension 2, 600 rows long (the empty rows are counted). Pull cord through front, then tie, as shown on picture.

### GIRL'S DRESS, MK 5027



**SIZE:** 12-13, (Chest 30"-31"). **MATERIAL:** 10½ oz. (6 balls) pink KNITKING Subita Dralon 3 ply, Color #405. **TENSION:** KNITKING 4 to 6. **STITCH and ROW GAUGE:** 16 sts. 2", 21 rows 2". **PATTERN:** Stockinette Stitch and Cable Stripes with Eyelets at the yoke. 1. Transfer the 5th, 14th, 23rd, 32nd etc. sts. to the left neighboring needles, leave empty needles in working position.

2. Knit 3 rows. 3. Drop the 3rd, 7th, 12th, 16th, 21st, 25th, etc. sts. from the needles, leave the empty needles in working position. With 2 single transfer tools cross sts. as follows: Going behind the 5th needle, transfer the 4th st. to the 6th needle and the 6th st. to the 4th needle. (It is best to lift the 5th st. of the needle while crossing the sts. Cross the 13th and 15th, the 22nd and 24th, and etc. sts. in the same manner. 4. Knit 2 rows. Repeats steps 1 to 4 throughout. After each 20-30 rows drop the 3rd, 7th, 12th, 16th, 21st, 25th, etc. sts. from the needles and latch up into knit stitches.



## MAN'S CARDIGAN, HP 3551



**SIZE:** 40/42. **MATERIAL:** 22 $\frac{3}{4}$  oz. (13 balls) white KNITKING Subita Crepe 2 x 4, Color #4. **TENSION:** KNITKING 6 to 8. **STITCH and ROW GAUGE:** 16 sts. 2", 22 rows 2". **PATTERN:** Stockinette Stitch with Cable Stripes on front and back sections. **1.** Knit 10 rows. **2.** Using 2 double transfer tools, cross the sts. by hanging on each side, first the 6th and 7th sts. onto the 8th and 9th needles, then the 8th and 9th sts. onto the 6th and 7th needles.

Cross the 19th-22nd, the 32nd-35th, the 45th-48th, the 58th-61st, the 71st-74th, and the 84th-87th sts. on each side in the same manner. Repeat Steps 1 and 1 throughout. **SLEEVES:** Stockinette Stitch. **EDGES:** K1, P1, Ribbing.

**BACK:** (Figure II). Cast on 183 sts.

**ROWS 1-20:** K1, P1, Ribbing. After ROW 20 transfer the ribber sts. to the main machine and continue with stockinette st. and the Cable Pattern, crossing the sts. the first time after ROW 26.

**ROWS 21-196:** Work even.


**ROWS 197-218:** ARMHOLE SHAPING: Bind off 6 sts. beginning next 2 rows, 4 sts. beginning next 2 rows, 3 sts. beginning next 2 rows, 2 sts. beginning next 4 rows, 1 st. beginning next 4 rows and 1 st. on each side of the next 4th and following 4th row. (141 sts.)

**ROWS 219-298:** Work even.

**ROWS 299-316:** SHOULDER SHAPING: Bind off 4 sts. beginning next 8 rows. After ROW 306 bind off the center 11 sts. for NECK. (See Notes to Knit By, inside back cover). Bind off the 4 sts. on Shoulder Side and continue to Shape Shoulder on every other row by binding off 5 sts. 5 x. AT THE SAME TIME, Shape Neck on every other row by binding off 8 sts. 1 x, 6 sts. 1 x, 4 sts. 1 x and 2 sts. 1 x.

**FRONT:** (Figure I). Cast on 108 sts.

**ROWS 1-20:** K1, P1, Ribbing. After ROW 20 transfer the



ribber sts. to the main machine and continue with stockinette st. and the Cable Pattern, working the Pattern from right to left (7 cables) and crossing the sts. the first time after ROW 26.

**ROWS 21-174:** Work even.

**ROWS 175-316:** FRONT SHAPING: Decrease 1 st. on the left side after ROW 174, then again every following 4th row 8 x and every following 6th row 17 x by always hanging the 18th st. on the left side onto the 17th needle, then moving the end sts. inward to fill the empty needle. AT THE SAME TIME, after ROW 196, SHAPE ARMHOLE by binding off 6 sts. on the right side, then on every other row bind off 4 sts. 1 x, 3 sts. 1 x, 2 sts. 2 x and 1 st. on the next 4th and following 4th row. After ROW 298, then on every other row SHAPE SHOULDER by binding off 4 sts. 5 x and 5 sts. 5 x. After ROW 316 cast on 1 st. on the right side then work the back Neckband over the remaining 17 sts.

**ROWS 317-352:** Work even, then put all sts. on a stitch holder. Work the second front section with reverse shapings, casting on from right to left and working the Cable Pattern counting from left to right. (7 Cables). Make vertical buttonholes after ROWS 22, 68, 114 and 160 by dividing the work between the 16th and 17th needles counting from the right side and working for 9 rows in 2 sections. (See Practical Knitting Hints Book, Page 35)

## ARE YOU UNHAPPY WITH YOUR PRESENT KNITTING MACHINE ?

DOES IT REFUSE TO KNIT FANCY DRESS YARNS?

DOES IT JAM UP WHEN YOU TRY TO KNIT LOOPED MOHAIR OR THICK AND THIN YARNS?

DOES IT DROP STITCHES ALL OVER THE PLACE?

ARE YOU CONTINUALLY HAVING TROUBLE WITH AWKWARD, CUMBERSOME WEIGHTS?

ARE YOU UNABLE TO MAKE A LARGE GARMENT WITH BULKY YARNS?

DO YOU HAVE TO SELECT PATTERN STITCHES MANUALLY?

DO YOU HAVE TO LATCH YOUR RIBBING BY HAND?

IF YOU ARE HAVING ANY OF THESE PROBLEMS YOU SHOULD TRADE UP TO A NEW FANTASTIC PUSH BUTTON KNITKING WITH COORDINATED RIBBER AND ENJOY KNITTING WITH THE WORLDS FINEST, MOST VERSATILE AND MOST AUTOMATIC KNITTER.

YOU WILL BE SURPRISED AT OUR GENEROUS TRADE-IN ALLOWANCE AND YOU CAN, IF YOU WISH, USE YOUR PRESENT MACHINE AS A DOWN-PAYMENT AND PURCHASE A COMPLETE KNITKING FOR JUST PENNIES A DAY. WRITE TODAY FOR FULL INFORMATION AND TELL US WHAT MACHINE YOU NOW OWN. THE ADDRESS IS:

**KNITKING, Dept. T-1, 1128 Crenshaw Blvd., Los Angeles, Calif. - 90019**

**SLEEVE:** (Figure III). Make two. Cast on 84 sts.

**ROWS 1-20:** K1, P1, Ribbing. After ROW 20 transfer the ribber sts. to the main machine and continue with stockinette st.

**ROWS 21-200:** Increase 1 st. on each side after ROW 22, then again every following 8th row 7 x and every following 6th row 19 x. (138 sts.)

**ROWS 201-214:** CAP SHAPING Bind off 5 sts. beginning next 2 rows, 4 sts. beginning next 2 rows, 3 sts. beginning next 4 rows and 2 sts. beginning next 6 rows.

**ROWS 215-266:** Bind off 1 st. beginning next 6 rows and 2 sts. beginning next 2 rows. Repeat these bind-offs 4 x, then bind off 1 st. beginning next 4 rows, 2 sts. beginning next 2 rows, 3 sts. beginning next 2 rows, 4 sts. beginning next 2 rows, 5 sts. beginning next 2 rows and after ROW 266 bind off the remaining 14 sts.

**FINISHING:** Join front and back sections at sides and shoulders. Sew sleeves together and set in. Weave neckband together at center back. Sew neckband to neckline. Turn under 1" at front edges and neckband and hem to wrong side, leaving buttonholes free. Finish buttonholes. Sew on buttons.

### GIRL'S SHELL, MK 5028



**SIZE:** 13-14, (Chest 31"-32"). **MATERIAL:** 5¼ oz. (3 balls) red and 5¼ oz. (3 balls) white KNITKING Subita Dralon 3 ply, Color #427 and #401. **TENSION:** KNITKING 4 to 6. **STITCH and ROW GAUGE:** 16 sts. 2", 21 rows 2". **PATTERN:** Stockinette Stitch with repeated color stripes of 12 rows white and 4 rows red.

**BACK:** (Figure II). Cast on 138 sts. with red.

**ROWS 1-34:** Work even, then hang the cast-on sts. back on the machine

behind the latches to form the hem. Continue working the repeated color stripes.


**ROWS 35-180:** Work even.

**ROWS 181-198:** ARMHOLE SHAPING: Bind off 5 sts. beginning next 2 rows, 4 sts. beginning next 2 rows, 3 sts. beginning next 2 rows, 2 sts. beginning next 2 rows, 1 st. beginning next 6 rows and 1 st. on each side of the following 4th row. (102 sts.)

**ROWS 199-206:** Work even, then continue working with red. **ROWS 207-208:** Bind off 3 sts. on the right side, then cast on 13 sts. Knit to the left side, bind off 3 sts. and cast on 13 sts.

**ROWS 209-223:** Work even, then put 95 needles on the right side into holding position.

**ROWS 224-294:** For the SHOULDER STRAP work even and AT THE SAME TIME, after ROW 278, make vertical buttonholes by dividing the work on each side between the 7th and 8th needles and working for 7 rows in 3 sections. (See practical Knitting Hints Book, page 35). After ROW 294 bind off all sts. the crochet method. Now bring 68 needles on the left side into working position and for the facing work 17 rows even, then bind off these sts. Move the Cam Box to the right side, turn the Row Counter back to 223, bring the remaining needles back into working position and work the second SHOULDER STRAP. Follow the instructions from ROWS 224-294.



**FRONT:** (Figure I). Work the front the same as the back to ROW 206, then continue working with red.

**ROWS 207-208:** Bind off 3 sts. beginning next 2 rows.

**ROWS 209-240:** Work even, then bind off all sts. the crochet method.

**FINISHING:** Join front and back section at sides. Join long edges of each shoulder strap and sew open edges together. Turn under 17 rows around neck edge for facing. Join back neck facing side edges to shoulder straps. Turn under 3 sts. around armhole and hem to wrong side. Finish buttonholes, sew on buttons. (See Picture)

### GIRL'S PULLOVER, MK 5030



**SIZE:** 12-13, (Chest 30"-31"). **MATERIAL:** 7 oz. (4 balls) blue and 5¼ oz. (3 balls) white KNITKING Subita Dralon 3 ply, Color #416 and #401. **TENSION:** KNITKING 4 to 6. **STITCH and ROW GAUGE:** 15 sts. 2", 23 rows 2". **PATTERN:** Stockinette Stitch. The Pullover is knitted sideways and begins at the sleeve.

**BACK:** Cast on 30 sts. with blue, beginning with the 40th needle counting from the right side.

**ROWS 1-50:** Work 32 rows blue, 4 rows white and 14 rows blue and AT THE SAME TIME, increase 1 st. on the left side after ROWS 37 and 47.

**ROWS 51-212:** Alternately work 6 rows white and 6 rows blue and AT THE SAME TIME, increase 1 st. on the left side after ROW 57, then on every following 10th row 6 x, every following 8th row 6 x and every following 4th row 5 x and after ROW 187, then on every other row increase 1 st. 7 x, 2 sts. 5 x and 3 sts. 1 x.

**ROWS 213-227:** Work 14 rows blue and 1 row white and AT THE SAME TIME, cast on 3 sts. on the left side after ROW 213, then on every other row cast on 4 sts. 2 x, 5 sts. 2 x, 10 sts. 1 x, 16 sts. 1 x and after ROW 227 cast on 60 sts. (177 sts.)

**ROWS 228-276:** Work even, first 3 rows white and 14 rows blue then continue working alternately 6 rows white and 6 rows blue.


**ROWS 277-326:** NECK SHAPING: Bind off 2 sts. on the right side, then on every other row bind off 1 st. 2 x, on every following 4th row 1 st. 2 x, on every following 6th row 1 st. 2 x and on the following 8th row 1 st. 1 x. AT THE SAME TIME, after ROW 310, work 14 rows blue and 2 rows white. After ROW 326 the first half of the back section is completed and the second half is continued in reverse.

**ROWS 327-376:** NECK SHAPING: Work 2 rows white and 14 rows blue, then continue working alternately 6 rows white and 6 rows blue and AT THE SAME TIME, after ROW 344, increase 1 st. on the right side, then again on the following 8th row 1 x, every following 6th row 2 x, every following 4th row 2 x, on the following 2nd row 1 x and after ROW 376 increase 2 sts.

**ROWS 377-425:** Work even and AT THE SAME TIME, after ROW 408 work 14 rows blue and 3 rows white.

**ROW 426:** Bind off 60 sts. on the left side and work 1 row with white.

**ROWS 427-440:** Work 14 rows blue and AT THE SAME TIME, bind off 16 sts. on the left side after ROW 427, then on every other row bind off 10 sts. 1 x, 5 sts. 2 x, 4 sts. 2 x and 3 sts. 1 x. After ROW 440 continue working 6 rows white and 6 rows blue.





**ROWS 441-652:** Bind off 3 sts. on the left side after ROW 441, then on every other row bind off 2 sts. 5 x, 1 st. 8 x, then on every following 4th row bind off 1 st. 5 x, on every following 8th row 1 st. 6 x and 1 st. on every following 10th row 8 x, then work even. AT THE SAME TIME, after ROW 602 work 14 rows blue, 4 rows white and 32 rows blue. After ROW 652 bind off the remaining 30 sts.

**THE FRONT SECTION** is started on the left side of the machine and is worked like the back, but for the NECK SHAPING, after ROW 276 bind off 5 sts., then on every other row bind off 4 sts. 1 x, 3 sts. 2 x, 2 sts. 1 x, 1 st. 2 x, on every following 4th row bind off 1 st. 3 x and on every following 6th row 1 st. 2 x. Increase 1 st. for the Neck Shaping after ROW 340, then again every following 6th row 1 st. 2 x, and every following 4th row 1 st. 3 x. Now on every other row increase 1 st. 1 x, 2 sts. 1 x, 3 sts. 2 x, 4 sts. 1 x and 5 sts. 1 x.

**NECKBAND:** Cast on 138 sts. with white and work 28 rows stockinette st., 4 rows white, 6 rows blue, 8 rows white, 6 rows blue and 4 rows white, working 4 rows with tension 6, 4 rows with tension 5, 12 rows with tension 4, 4 rows with tension 5 and 4 rows with tension 6. After 28 rows bind off all sts.

**FINISHING:** Join front and back section at sides and shoulders. (Sleeves) Turn under  $1\frac{3}{4}$ " at lower edge and sleeve edges and hem to wrong side. Join short ends of neckband, then sew 1 long edge of neckband to inside and 1 long edge to outside of neckline.

### BOY'S PULLOVER, KK 5031

**SIZE:** 8-9, (Chest 26"-27"). **MATERIAL:**  $3\frac{1}{2}$  oz. (2 balls) blue and  $3\frac{1}{2}$  oz. (2 balls) white KNITKING Subita Dralon 3 ply, Color #416 and #401. **TENSION:** KNITKING 4 to 6. **STITCH and ROW GAUGE:** 15 sts. 2", 23 rows 2". **PATTERN:** Stockinette Stitch.

**BACK:** (Figure 11). Cast on 112 sts. with blue.

**ROWS 1-20:** Work even, then hang the cast-on sts. back on the machine behind the latches to form the hem, then change to white.

**ROWS 21-114:** Alternately work 4 rows white and 2 rows blue.



**ROWS 115-142:** Work 12 rows blue, 4 rows white and 12 rows blue and AT THE SAME TIME, increase 1 st. on each side after ROWS 120, 124, 128, 132, 136, 138 and 2 sts. on each side after ROW 140. After ROW 142 continue working alternately 4 rows with white and 2 rows with blue.

**ROWS 143-144:** Cast on 8 sts. beginning next 2 rows. (144 sts.)

**ROWS 145-194:** Increase 1 st. on each side after ROW 150, then again every following 6th row 4 x and every following 4th row 4 x. (162 sts.)

**ROWS 195-216: SHOULDER SHAPING:** Bind off 3 sts. beginning next 4 rows, 4 sts. beginning next 4 rows and 5 sts. beginning next 4 rows. After ROW 206 bind off the center 12 sts. for NECK. (See Notes to Knit By, inside back cover). Bind off 5 sts. on Shoulder Side and continue to Shape Shoulder on every other row by binding off 6 sts. 3 x and 8 sts. 2 x. AT THE SAME TIME, Shape Neck on every other row by binding off 4 sts. 1 x, 3 sts. 2 x and 2 sts. 1 x.

**FRONT:** Work the front the same as the back to ROW 188.

**ROWS 189-216: NECK and SHOULDER SHAPING:** Bind off the center 10 sts. as you did on the back, then on every other row on Neck side bind off 3 sts. 2 x, 2 sts. 1 x, 1 st. 2 x and on every following 4th row 1 st. 3 x. AT THE SAME TIME, after ROW 194, then on every other row SHAPE SHOULDER by binding off 3 sts. 2 x, 4 sts. 2 x, 5 sts. 3 x, 6 sts. 3 x and 8 sts. 2 x.

**NECKBAND:** Cast on 87 sts. with blue and work stockinette st., 2 rows with tension 6, 2 rows with tension 5, 6 rows with tension 4, 2 rows with tension 5 and 2 rows with tension 6. After 14 rows bind off all sts. the crochet method.

**ARM BAND:** Make two. Cast on 57 sts. with blue and work 14 rows stockinette st., using the same tensions as you did for the neckband, then bind off all sts.

**FINISHING:** Join front and back section at sides and shoulders, leaving 4" of the left shoulder seam free for the opening. Make a narrow hem around this opening. Join short ends of arm bands. Sew 1 long edge of neckband to inside and 1 long edge to outside of neckline. Sew arm bands to armholes in the same manner. Sew zipper to opening.

## PRACTICAL KNITTING HINTS

### RETRACTOR BUTTONS on Knitkng Machines (AM3, AM 2)

The Retractor Buttons are used in combination with your Pattern Wheels and they do exactly what their name implies . . . retract (or push back) the needles that are in holding position to the working position. If you are knitting a pattern stitch where one row is in pattern and the next in stockinette stitch, push in the RIGHT Retractor button and leave it there throughout your pattern knitting. If you are knitting two rows in pattern and changing the dial number every two rows or knitting plain rows between, push in the LEFT Retractor Button and leave it in. If you are changing the number on the dial every 4th row, then BEFORE knitting the 4th row push in the LEFT Retractor Button, knit the 4th row and IMMEDIATELY RELEASE the Retractor Button, then change the number on the dial and knit 3 rows, push in the LEFT Retractor Button and knit the 4th row then RELEASE the Button, etc., etc. Remember that when you are knitting any "Pattern Set" using the Retractor Buttons, and you want the needles to go back into working position as you knit the next row and your Cam Box is on the Right Side, push in the Right Retractor Button. If the Cam Box is on the left side, push in the left button. In other words—you will push in the button on the side that is farthest away from the direction the Cam Box will move on the next row . . .


### 4D 7688 — How to Line the Beach Bag.

You will need one piece of press-on type interfacing, plus one piece of plastic material or waterproof canvas approximately  $11\frac{1}{2}$ " x 25". Block the bag first, and when dry cut the interfacing slightly smaller than bag section and press on to the wrong side. Using the bag as a pattern, cut lining material allowing  $\frac{1}{4}$ " for seams at sides and cut 1" smaller at top edges. Fold bag in half and weave or sew sides together. Fold in half and sew sides of lining  $\frac{3}{8}$ " from edges beginning at top, down to  $1\frac{1}{2}$ " above fold. Bring the center of fold up to seam to form a "T" and then stitch on both sides. Be sure to use a large stitch on sewing machine if you are working with plastic or it will tear. Insert lining into bag. Fold over 18 rows at top and slip stitch to lining.


*Another First from Knitking . . .*

## **A TEXT BOOK FOR MACHINE KNITTERS**

**\$2.95**



**PRACTICAL**  **HINTS**



At long last . . . **PRACTICAL KNITTING HINTS** . . . the answer to requests from knitting machine owners from over the whole of the U.S.A. . . . "Give us **PRACTICAL** help with our knitting . . . **SHOW** us **HOW** we can end up with the kind of garments we can be proud of. . . . Now **KNITKING** presents you with just **THAT** and **MORE** besides . . . There is not another knitting machine book available anywhere that will give you anything like the information in "**PRACTICAL KNITTING HINTS**". . . Looking for hints on how to put your garment together? . . . then turn to the Index and the heading "**Finishing Your Garment**". . . find the pages and the photographs or line drawings combined with simple instructions will literally **SHOW YOU HOW**. Want to know about "**Short Rows**"? . . . the Index gives you the page number and your problem is solved . . . Need a Mitered corner for a Collar? . . . Want to know how to have a perfect Cast-on Edge? . . . How to knit and finish Buttonholes? . . . Want to Chart and knit a **BASIC PATTERN**? . . . make a Twisted or Knotted Cord? . . . how to keep in Pattern when shaping? . . . knit a Norwegian Design? . . . make every type of full fashioning? . . . All this information and much more is given together with photographs and line drawings to make it so easy you won't believe it. Every Knitting Machine owner regardless of the machine they have will be thrilled with our **PRACTICAL KNITTING HINTS** book . . . so . . . **PLEASE** don't wait another minute to place your order or you might find that our very first printing is completely sold out . . .

Be sure to include 40 cents mailing costs and California residents add 15 cents Sales Tax.

Order direct from:

**KNITKING, 1128 Crenshaw Boulevard, Los Angeles, California 90019**



# KNITKING NEWS

May-June 1969

## OUR READERS WRITE

HELP!..... "I do very well when using the Pattern Wheels on my KNITKING machine except when I begin any shaping... then the pattern gets mixed up and I do not know just what to do...."

When you are dialing a Pattern Design using a Cam Wheel, you invariably CHANGE THE NUMBER when you increase or decrease or bind off...and here is the way to do it.

Let us take for example Wheel No. 2 which will push out every 6th needle into holding position. With this Wheel you can dial ANY NUMBER from 1 to 6, which simply means that if you dial the number 1, the FIRST needle will move into holding position and then every following 6th needle will move into holding position as you push the Cam Box across the needles while holding down the Pattern Knob. If you dial the number 2, then the second needle and every following 6th will move into the holding position.... If you dial 3, the 3rd and every following 6th move into holding....etc...etc...

Suppose you are knitting a garment in two colors using Wheel 2 and the Pattern is 4 rows white and 4 rows blue. Each time you change color you must change the dial number... With white you dial the number 3, with blue you dial the number 6. If there has been no increasing up to the underarm shaping, you are fine and your pattern moves along perfectly. Now you are at the Armhole Shaping and your pattern says to bind off 7 sts. beginning next 2 rows. You are supposed to dial the number 3 and use white. Before you can knit this next row, you must set up some needles by hand on the right side - so you will put the 3rd needle and the following 6th into holding position. Now bind off the 7 stitches. You will see that the needle left in holding position is the 2nd needle - push it back into work and dial the number 2. If you are decreasing 1 stitch on every other row, you should keep a slip of paper handy and write down the change in dial number BEFORE knitting the 4th row of the pattern set, then you won't forget or become confused. As you become more and more familiar with your pattern you will find that by looking carefully at the knitting on machine (the last rows you have knitted) you will be able to see what you have completed and know exactly what number to dial for knitting the next 4 rows should you forget to write it down. Remember, you can use this method for ANY PATTERN STITCH using a Wheel no matter whether it is knitted in one or several colors.

## CANADIAN READERS

Since our last issue when we included KNITKING NEWS for the first time in magazines sent to Canada, we have received many letters wanting to know why we cannot send special sale items to Canada...

KNITKING machines and accessories are sold in Canada by authorized dealers only and we cannot sell in their territories any more than they can sell in ours.... Sorry....!

#### BACK ISSUES OF KNITKING MAGAZINE

We have no more bound volumes of back issues at all.... They are completely sold out. All single copy back issues available are listed below and you can buy any six of them for \$6.00 or \$1.50 for any single copy postage paid.

Volume 1 - Numbers 1, 2, 4, 5, 6

Several large sizes in - 1, 2, 4, 5, 6; Small sizes in 1, 2, 5

Volume 2 - Numbers 1, 2

Several large sizes in - 2; Ski sweaters in 2

Volume 3 - None available

Volume 4 - Numbers 3, 4, 5, 6

Several large sizes in - 3, 4, 6; Small sizes in - 5, 6

Volume 5 - Numbers 1, 2, 3

Several large sizes in - 1, 2; Small sizes in - 1, 3  
Ski sweaters in - 2

#### NEW CAM WHEELS

Our very clever engineers in West Berlin have designed four additional Cams for use with the AM 3 KNITKING....They are illustrated for you below and you will notice that they are designed to push 2 needles at a time into holding position permitting you to knit a wide variety of so-called weave stitches in vertical designs, alternating designs, zig-zag designs, etc., etc...


Single Wheels sell for \$1.00 each, but you can get all four of them at the special price of \$3.50 plus 12¢ mailing costs. (California residents add 18¢ Sales Tax). They come with instructions for several interesting pattern stitches. Please remember these are only available for the AM 3 machine.




**Wheel W 1**  
(1 large double tooth)  
every 11th and 12th needle



**Wheel W 3**  
(3 large double teeth)  
every 3rd and 4th needle




**Wheel W 2**  
(2 large double teeth)  
every 5th and 6th needle



**Wheel W 4**  
(4 large double teeth)  
every 2nd and 3rd needle

## Special Yarn Sale

We have something really outstanding in yarn specials for KNITKING MAGAZINE subscribers only.



We have purchased from the foremost yarn company in France a very large quantity of beautiful, softly blended synthetic yarns. Because of the volume purchase, we are able to offer them to you at a fraction of the price you would normally pay for yarn of this quality... Because they are normally sold in stores throughout the U.S.A. at regular price, we have been asked not to give the name of our suppliers, but they are world famous for the beauty and quality of their yarns and the company is the largest hand knitting yarn company in Europe... We can offer a clue to their name however, and we do so in the illustration at left.

These special synthetics are 73% acrylic, 10% polyamide, 10% viscose and 7% chlorofibre. Their texture is soft and luxurious and yet garments made with them are hard wearing and can be washed in your washing machine without fear of shrinking or stretching... They are light in weight which means that the yardage is excellent and can be easily knitted over a wide range of tensions.

Tension number 7 on the KNITKING approximately produces 7 stitches and 10 rows to the inch. Tension 8 produces  $6\frac{1}{2}$  stitches and  $9\frac{1}{2}$  rows and Tension 9 will knit 6 stitches and 9 rows to the inch.








It comes in ten different colors, every one of which is lovely... The colors are Pink Parfait, Pearl Grey, Butterscotch Yellow, Camel-tone, Cornflower Blue, Sea Foam Green, Cloud White, Watermelon Red, Charcoal Blue, Sand Beige.

The minimum quantity you can order of any color is 1 kilo (35 ounces). The minimum quantity you can purchase is also 1 kilo and the price for a single kilo is \$9.00. The price for a second kilo and every following kilo ordered at the same time is \$8.00. \$17.00 for two kilos, \$25.00 for 3 kilos, etc... Just think of it, 70 ounces of yarn for \$17.00... less than 25¢ an ounce. You will pay up to 3 times this price for comparable yarns in your local store.... Remember you can order as many colors as you wish, but we cannot break packages at these prices...the minimum quantity you can get in any one

color is 1 kilo. Don't forget to include shipping costs, 70¢ for the first kilo and 50¢ for each additional kilo. California residents must add 5% Sales Tax on the yarn prices.

Please be sure to send the correct amount with your order... If it is not correct, your order will be held up and you may not be able to get the colors of your choice... Although we have a very large quantity of this yarn, it is undoubtedly one of the finest yarn specials we have ever offered and will sell very fast, so don't delay your order...and be sure to suggest at least two alternate color choices. Please don't ask for color samples, we can only keep the prices this low by handling the yarns as little as possible.....

\* \* \* \* \*



# Knitking

## ACCESSORIES

1. Yarn Winder and Skein Holder. Heavy cast frame and nylon gears. \$14.95 plus \$1.00 shipping.
2. Converta Tape. For simple and speedy charting of custom knits. \$5.95 plus 25c shipping.
3. Adjustable Needle Selector. For setting unevenly spaced pattern stitches. \$2.95 plus 20c shipping.
4. 33 Needle Multi-transfer Tool. For decreasing in the middle of a row. \$2.75 plus 20c shipping.
5. Automatic Pattern Selector. For all KNITKING machines prior to the push-button. \$6.95 plus 30c shipping.
6. Treble Transfer Tools. For rapid transfer of stitches and for cable stitch. \$1.50 pair plus 15c shipping.
7. Reversing Bar. For easy hem turning or reversing of knitting. \$16.95 plus \$1.50 shipping.

California residents add 5% sales tax.



**KNITKING**  
 1128 Crenshaw Boulevard  
 Los Angeles, California 90019

# NOTES TO KNIT BY . . .

## STITCH AND ROW GAUGE

Every KNITTING pattern calls for a specific number of stitches and rows for 2 inches and in order to obtain the correct size finished garment, you must be sure to knit at the correct tension. This means that before starting a garment, you must knit a sample swatch with the yarn you intend using for the garment.

Cast on over a sufficient number of needles to produce a swatch 4 inches wide. (If the pattern calls for 16 stitches to 2", 16 x 2 = 32 stitches) then knit 4 inches of rows at the first suggested tension (if the pattern calls for 22 rows to 2", 22 x 2 = 44 rows) knit 2 rows with a contrast color, change to the next higher tension, knit another 4", knit 2 rows with contrast color, change to a third higher tension and knit another 4", then bind off.

Roll the swatch into a cylinder over its length and pull on both ends. Unroll it and stretch it diagonally by pulling on the four corners. Allow the swatch to rest and settle (preferably overnight) then using a stitch gauge or ruler, count the number of stitches and rows over a 2" length in each of your 3 tensions. Select the tension that produces the stitches and rows called for in the pattern. If none of them are correct, you are most likely using the wrong weight of yarn.

## HOLDING POSITION

The needles are as far forward on the needle bed as they will go.

## NON-WORKING POSITION

The needles are as far back on the needle bed as they will go.

## BINDING OFF

See Instruction Manual for your own machine.

## CROCHET BIND OFF

Use this method for binding off neck and armbands, edgings, facings or collars. Knit a bind off row using 5 tensions higher than tension used for section and then with latch needle tool, and working from the opposite side of the yarn end, pull the second stitch through the first stitch, the 3rd through 2nd, the 4th through 3rd, etc. . . . When you reach the end of row, pull the loose end of yarn through the last stitch. If you are unable to turn the tension up 5 numbers because you already are working with a large tension, lay the yarn over the needles by hand and knit this one row by pulling each needle back and forward again completing a stitch. Leave approximately 1/4" loop for each stitch (depending on type of yarn used) then bind off crochet method.

## SHORT ROWS

Used for shaping of all kinds. Push the specified number of needles opposite the Cam Box into holding position and knit across to them. Now you must place the yarn OVER and UNDER the first inside needle that is in the holding position. Place the specified needles opposite Cam Box into holding position (other side) and knit across to these needles, and again place the yarn OVER and UNDER the first inside needle in the holding position. Repeat as many times as your pattern states. When you return these needles to the working position, the same procedure is used — bring the needles into work opposite the Cam Box, knit across to them, place the yarn OVER and UNDER the first inside needle in holding position and repeat for other side. Continue in this manner until all the needles are back in the working position.

## INCREASING, DECREASING

See the Instruction Manual for your own machine.

## INCREASING AND DECREASING WHEN USING RIBBER

When increasing, increase on the main knitter first, knit one row and then transfer the necessary stitches from the knitter to the ribber and continue.

When decreasing or binding off, you must transfer the ribber stitches to the main machine before decreasing or binding off.

**CONTROL KNOBS** (Under the slide handle — one on each side on KNITTING and certain other machines.)

1. When BOTH Control Knobs are UP, (or IN on the latest KNITTING) knit one row going from right to left. The needles knit and move back just beyond the front of the needle bed and the yarn hangs on the front of the needles. The slide will now move freely in either direction

with the needles remaining in a "SAFE POSITION". When you wish to resume knitting, press down (Out on the latest KNITTING) BOTH Control Knobs. The first movement of the slide is made without yarn and will bring the needles into working position, you then continue knitting.

2. **RIGHT CONTROL KNOB UP** (IN on latest KNITTING). Knit from right to left. The row knits, moves the needles back and the yarn is held in front of the latches. Knit from left to right, the yarn goes under the needles without knitting as the needles move into the working position. This is the operation used for making round cords (with 3 or 4 needles only) and also for knitting single rows of one color.

3. **LEFT CONTROL KNOB UP** (IN for latest KNITTING). The same as above but moving from left to right.

## NECK SHAPING

When the directions state to bind off the center stitches for NECK, one correct way is as follows: With a new ball of yarn, bind off the given number of stitches working from right to left. Leave this ball of yarn hanging to one side (to be picked up later) and put all the needles on the left side into holding position and complete the right side first as directed. When you have completed the right side, pick up the yarn that you used for the neck bind off, put it in the wool feeder, bring all the needles into working position and knit 1 row to the left side. Turn row counter back to the number on which you started your neck shaping and complete the left half with reverse shaping, making the same number of decreases and on the same row numbers as on the right half.

You may also use the SHORT ROW method for shaping your neck and shoulders provided the decreasing is made on every other row. When the shaping is completed, knit 1 row over all the neck stitches (or shoulder stitches) with tension set at least 5 numbers higher, and then bind off all stitches using the **crochet method**.

If you are hand feeding a Norwegian design, bind off the center neck stitches with a new ball of yarn, then work both sides of neck shaping at the same time, using two balls of yarn for each color.










## MISSING ROW NUMBERS

When there are row numbers missing in the instructions as for instance when you have completed the designated increases or decreases on a section of garment, continue knitting until you reach the next given row number.

## READING OF SYMBOLS

Certain holding position and eyelet designs are sketched in the knitting patterns. The Chart with symbols is read as the work comes toward you from the machine. Where purl stitches are facing you, the purl symbol will be shown and where knit stitches are facing you, the knit symbol will be shown. On the sides of the chart are the row numbers, i.e. 1-8 indicates the first and last row number. In eyelet design patterns, specified stitches are transferred to another needle and the empty needles are returned to the knitting position each time. In holding position designs, selected needles are pushed into the holding position for the stated number of rows.

### PATTERN STITCH SYMBOLS

-  = knit stitch
-  = purl stitch
-  = empty needle (leave in working position)
-  = needle not used (in the out of work position)
-  = needle in holding position
-  = 2 stitches on 1 needle — either transferred from the right side or the left side, then put the needle into holding position
-  = needle holding 2 sts. Stitch has been transferred from the LEFT
-  = needle holding 2 sts. Stitch has been transferred from the RIGHT
-  = 3 stitches on 1 needle. The 1st and 3rd stitch in a group of 3 needles has been hung on the 2nd or center needle.

The diagrams for pattern work are followed just as they are shown, and on your knitting as it comes towards you on the machine.



*Available in many wood finishes*



## **KNITTING DESK . . .**

A knitting machine cabinet that automatically lifts your machine into the knitting position just by pulling a lever. The cabinet converts in seconds into a handsome desk suitable for any decor or any room in your house. Beautifully made in a variety of woods by craftsmen in West Germany.



Order from your local dealer or direct from **KNITKING**, 1128 Crenshaw Blvd., Los Angeles, California 90019