

MODERN KNITTING



THE KONE HANDKNITTER PATTERN BOOK

Ten designs
for the whole
family.

KNITMASTER
KONE



For **KNITMASTER** HK160
HANDKNITTER knitting machines.



THE KONE HANDKNITTER PATTERN BOOK

Ten designs for the whole family

Contents (See overleaf for key to garment numbers)	Page
1. Fair Isle V sweater with collar3
2. Slashed neck sweater with Fair Isle chevrons.4
3. Batwing shawl collar jacket6
4. Man's Fairisle and cable sweater8
5. Batwing shawl collar sweater9
6. Child's striped sweater.10
7. Child's pompom sweater12
8. Checked mohair sweater with embroidery13
9. Fair Isle sweater with cross-over collar13
10. Cross-over V-neck Fair Isle sweater15

Abbreviations





Alt	— Alternate	Ev	— Every	Pos	— Position
Beg	— Beginning	Foll	— Following	Rept	— Repeat
Carr	— Carriage	Grms	— Grammes	Rem	— Remaining
Cm(s)	— Centimetre(s)	Inc	— Increase	St	— Stitch
Col	— Colour	N(s)	— Needle(s)	Sts	— Stitches
Dec	— Decrease	Pattern	— Pattern	Tog	— Together

All measurements are in centimetres

Hats by The Hat Shop, Neal St., London; Leather skirts and trousers by Leather Rat; Jewellery by Corocraft; Shoes by Medway Shoes.

Although every reasonable care has been taken to ensure that the instructions and designs in this pattern book are correct, Knitmaster Ltd. cannot accept responsibility for any errors which may have occurred in spite of such precautions.

All rights reserved. Reproduction in whole or part without written permission is strictly prohibited.
A Modern Knitting Publication © 1984.
Modern Knitting is a Registered Trade Mark.



1 FAIR ISLE V SWEATER WITH COLLAR

SIZE:

To fit 81-106 cms/32-42 inch bust.

MATERIALS:

Double Knitting.

400(450,500,550,600,650) grms in col 1 (grey)

90(100,110,120,130,140) grms in col 2 (yellow)

40(50,60,70,80,90) grms in col 3 (red)

40(50,60,70,80,90) grms in col 4 (turquoise)

90(100,110,120,130,140) grms in col 5 (black)

7 buttons - special card (page 78 - HK160 Pattern Collection)

TENSIONS:

25 sts and 36 rows to 10 cms measured over stockinet. Tension Dial at approximately 8. 26 sts and 32 rows to 10 cms measured over Fair Isle. Tension Dial at approximately 8.

ABBREVIATIONS:

See page 1.

NOTES:

Figures in brackets refer to the larger sizes respectively. All increasings should be worked by using a single transfer tool and moving the end st 1 N out, then pick up loop below adjacent st and place onto empty N. All decreasings should be worked by using a double transfer tool and moving the 2 end sts 1 N in.

Fair Isle Pattern

With col 5 in feeder 1 and col 2 in feeder 2, knit 6 rows




With col 5 in feeder 1 and col 3 in feeder 2, knit 6 rows.

With col 5 in feeder 1 and col 4 in feeder 2, knit 6 rows.

Rept throughout.

BACK FAIR ISLE PANEL

Insert special card into machine and lock on row 1. Push 1 N at left and right of centre 0 to B pos (2 Ns altog). Using col 5 cast on by hand. Row Counter 000. Tension Dial at 8, knit 2 rows. Release card. Set carr for Fair Isle. Working in colour sequence as given in notes, inc 1 st at both ends of next and ev foll 4th row 10(12,16,18,22,26) times in all, knit 2 rows*. Inc 1 st at both ends of next and ev foll 3rd row 46(44,40,38,34, 30) times in all. 114 sts. Knit 3 rows. Row Counter 180(182,186,188,192,196). Carr at right.



Shape Shoulders

Set carr for partial knitting. Always taking yarn round first inside N in D pos, push 10 Ns at opposite end to carr to D pos on next 6 rows. 54 Ns rem in B pos. Break off yarn. Using a transfer tool bring all Ns in D pos back to B pos. Using col 1 knit 1 row stockinet. Push 30 Ns at left and right to D pos. 54 Ns rem in B pos. Using waste yarn knit 8 rows and release from machine. Using a transfer tool bring 30 Ns at left from D pos back to B pos. Cast off. Using a transfer tool, bring rem 30 Ns from D pos back to B pos. Cast off.

FRONT FAIR ISLE PANEL

Foll instructions for Back Fair Isle Panel to *. Inc 1 st at both ends of next and ev foll 3rd row 45(43,39,37,33,29) times in all. 112 sts. Knit 2 rows. Row Counter 176(178,182,184,188,192). Carr at right.

Shape Neck

Set carr for partial knitting. Push 72 Ns at left to D pos. Note row number showing on pattern panel.

Knit Right Part as follows:-

Always taking yarn round first inside N in D pos, inc 1 st at beg of next row, knit 1 row. Push 3 Ns at opposite end to carr to D pos on next and foll alt row.


Shape Shoulder

Push 10 Ns at opposite end to carr to D pos on next row, 3 Ns on next row, 10 Ns on next row and 2 Ns on next row.

**Push rem 10 Ns to D pos. Break off yarn. Carr at right. Set card to number previously noted and lock. Take carr to left. Using a transfer tool bring 40 Ns at left from D pos back to B pos. Release card. Knit left part as for right part to **. Using a transfer tool, bring all Ns in D pos back to B pos. Using col 1, knit 1 row stockinet. Cast off 84 sts at right. 30 Ns rem. Using waste yarn knit 8 rows and release from machine.

LEFT FRONT SHOULDER BAND

With plain side of front facing, pick up sts from below waste yarn on left shoulder and place onto Ns. Row Counter 000. Using col 2. Inc 1 st at right edge on the next 3 rows. Make buttonholes over Ns 6 & 7, 15 & 16, 24 & 25 (3 buttonholes altog). Inc 1 st at right edge on the next 3 rows. Dec 1 st at right edge on the next 3 rows. Make buttonholes over the same Ns as before. Dec 1 st at right edge on the next 3 rows. Knit 1 row. Cast off with waste yarn. Fold in half onto the outside and backstitch into pos.



RIGHT FRONT AND LEFT BACK SLEEVE AND SIDE PANELS (both alike)

Push Ns 36 to 68 (36 to 70, 36 to 73, 36 to 75, 36 to 78, 36 to 80) inclusive at right of centre 0 to B pos. 33(35,38,40,43,45) Ns altog. Using waste yarn cast on and knit several rows ending with carr at left. Row Counter 000. Tension Dial at 8. Using col 1, knit 4

rows. Inc 1 st at beg of next and ev foll 6th row 15 times in all, knit 1 row. Inc 1 st at beg of next and ev foll alt row 4 times in all, knit 1 row. Cast on 2 sts at beg of next and ev foll alt row 18 times in all, knit 1 row. Cast on 45 sts at beg of next row. 133(135,138,140,143,145) sts. Row Counter 135. Carr at right. Knit 4(6,3,6,4,6) rows. Inc 1 st at left edge on next and ev foll 8th(8th,9th, 9th,10th,10th) row 6(6,6,6,6,7) times in all, knit 0(2,4,7,8,0) rows. Row Counter 180(184,188,194,198,202). Carr at left. Shape Front Edge

Set carr for partial knitting. Inc 1 st at left edge on the 8th(6th,5th,2nd,2nd, 10th) and ev foll 8th(8th,9th 9th,10th, 10th) row 4(4,4,4,4,3) times in all, AT THE SAME TIME, always taking yarn round first inside N in D pos, push 8(8,8,8,9,9) Ns at opposite end to carr to D pos on next and ev foll alt row 10(12,15,16,2,3) times in all, knit 1 row. Push 7(7,7,7,8,8) Ns at opposite end to carr to D pos on next and ev foll alt row 8(6,3,2,16,15) times in all, knit 1 row. 7(7,7,8,7,8) Ns rem in B pos. Set russel levers to II. Using col 2, inc 1 st at right edge on next 6 rows. Dec 1 st at right edge on next 6 rows. Do not break yarn. Using waste yarn knit 8 rows and release from machine. Leave Ns in B pos. Carr at left. With plain side of matching Fair Isle panel facing, pick up sts along diagonal edge and place onto Ns. With purl side of col 2 facing, place sts onto same Ns. Pick up alt sts from first row knitted in col 2 and place onto Ns. Tension Dial at 10, knit 2 rows. Cast off with Linker.

LEFT FRONT AND RIGHT BACK SLEEVE AND SIDE PANELS (both alike)

Foll instructions for Right Front and Left Back Sleeve and Side Panels but reverse the shapings by reading left for right and vice versa.

COLLAR

Join right shoulder and upper sleeve seam (including hem). Push 61 Ns at left and 48 Ns at right of centre 0 to B pos. (109 Ns altog). Push the 4th and ev foll 3rd N back to A pos, ending with 3 Ns in B pos. With plain side facing, pick up sts around neck and place onto Ns. Tension Dial at 4. Using col 1, knit 9 rows. Make a buttonhole over Ns 41,42 at right of centre 0. Knit 13 rows. Tension Dial at 5, knit 5 rows. Make a buttonhole over same Ns as before. Knit 18 rows. Make a buttonhole over same Ns as before, knit 2 rows. Tension Dial at 6, knit 16 rows. Make a buttonhole over same Ns as before, knit 9 rows. Tension Dial at

8, knit 1 row. Tension Dial at 6, knit 9 rows. Make a buttonhole over same Ns as before, knit 16 rows. Tension Dial at 5, knit 2 rows. Make a buttonhole over same Ns as before. Knit 18 rows. Make a buttonhole over same Ns as before. Knit 5 rows. Tension Dial at 4, knit 13 rows. Make a buttonhole over same Ns as before. Knit 9 rows. Push empty Ns to B pos. Pick up a loop from adjacent st and place onto empty Ns. Tension Dial at 7, knit 1 row. Using waste yarn, knit 8 rows and release from machine.

WELTS

Push 104(110,116,122,128,134) Ns to B pos. Arrange Ns for 2x1 mock rib. With purl side facing, pick up sts along lower edge and place onto Ns. *Tension Dial at 5. Using col 1, knit 21 rows. Tension Dial at 8, knit 1 row. Tension Dial at 5, knit 21 rows. Push empty Ns to B pos. Pick up first row of welt and place onto corresponding Ns. Tension Dial at 10, knit 1 row. Cast off with Linker*.

CUFFS

Join left upper sleeve seam. Push 47(50, 53,56,59,62) Ns to B pos. Arrange Ns for 2x1 mock rib. With purl side of sleeve facing, pick up sts from below waste yarn and place onto Ns gathering evenly. Work as for welts from *to*. Remove waste yarn.

TO MAKE UP

Pin out to size and steam carefully. Join side and sleeve seams. Fold collar in half onto outside and backstitch into pos. Remove waste yarn. Join left shoulder band and left hem. Finish buttonholes and sew on buttons to correspond. Finish hem edges. Give final light steam.

2 SLASHED NECK SWEATER WITH FAIR ISLE CHEVRONS

SIZE:

To fit 81-86(91-96) cms/32-34(36-38) inch bust.

MATERIALS:

Double Knitting
400 (450) grms in col 1 (grey)
100 grms in col 2 (black)
100 grms in col 3 (yellow)
100 grms in col 4 (red)
50 grms in col 5 (turquoise)

Special card (page 78 - HK160 Pattern Collection)

TENSIONS:

25 sts and 36 rows to 10 cms measured over stockinet. Tension Dial at approximately 8.

26 sts and 32 rows to 10 cms measured over Fair Isle pattern. Tension Dial at approximately 8.

ABBREVIATIONS:

See page 1.

NOTES:

Figures in brackets refer to the larger sizes respectively. All increasings should be worked by using a single transfer tool and moving the end st 1 N out, then pick up loop below adjacent st and place onto empty N. All decreasings should be worked by using a double transfer tool and moving the 2 end sts 1 N in.

Fair Isle Pattern

With col 2 in feeder 1 and col 4 in feeder 2, knit 6 rows.

With col 2 in feeder 1 and col 5 in feeder 2, knit 6 rows.

With col 2 in feeder 1 and col 3 in feeder 2, knit 6 rows.

FAIR ISLE PANELS (both alike)

Insert special card into machine and lock on row 1. Push 1 N at left and right of centre 0 to B pos. (2 Ns altog). Using col 2 cast on by hand. Row Counter 000. Tension Dial at 8, knit 2 rows. Release card. Set carr for Fair Isle. Working in colour sequence as given in notes, inc 1 st at both ends of next and ev foll 4th row 11 times in all, knit 3 rows. Inc 1 st at both ends of next and ev foll 3rd row 18 times in all. 60 sts. Knit 2 rows. Row Counter 100. Carr at right.

Divide for V insert





Using ravel cord hold 30 sts at left. Note row number showing on pattern panel.

Knit Right Part as follows:-

Inc 1 st at right edge and dec 1 st at left edge on next and ev foll 3rd row 27 times in all. Carr at left.

Shape Shoulder

Set carr for partial knitting. Always taking yarn round first inside N in D pos, push 5 Ns at opposite end to carr to D pos on next row, knit 1 row. Push 5 Ns at opposite end to carr to D pos, dec 1 st at beg of next row, knit 1 row. Push 5 Ns at opposite end to carr to D pos on next row. Dec 1 st at left edge on next row. Push 5 Ns at opposite end to carr to D pos on next and foll alt row, knit 1 row. 3 Ns rem in B pos. Using a transfer tool, bring Ns in D pos back to B pos, cast off. Carr at right. Set card to number previously



Tension Dial at 8. Using col 1, knit 1 row. Inc 1 st at right edge and dec 1 st at left edge on next and ev foll 3rd row 6 times in all, knit 2 rows. Inc 1 st at right edge and dec 1 st at left edge on next and ev foll 4th row 24 times in all, knit 2 rows. Row Counter 114. Carr at right.

Shape Armhole

Cast off 5 sts at beg of next row. Dec 1 st at left edge on next and ev foll 4th row 23 times in all. Cast off rem 2 sts.

RIGHT BACK AND LEFT FRONT 'OFF CENTRE' PANELS (both alike)
Foll instructions for Left Back and Right Front off centre Panels but reverse the shapings by reading right for left and left for right.

SIDE PANELS

Push 66(78) Ns to B pos. Using waste yarn cast on and knit several rows ending with carr at right. Row Counter 000. Tension Dial at 8. Mark centre with waste yarn. Using col 1, knit 1 row. Dec 1 st at both ends of next and ev foll 4th row 21 times in all, knit 3 rows. Dec 1 st at both ends of next and ev foll 3rd row 10 times in all. 4(16) sts. Knit 1 row. Row Counter 114. Cast off.

noted and lock. Take carr to left. Undo ravel cord bringing Ns back to B pos. Release card. Knit left part as for right part but read left for right and vice versa.

BACK V INSERT

Using col 1 cast on 2 sts by hand. Row Counter 000. Tension Dial at 8, knit 1 row. Inc 1 st at both ends of next and ev foll 4th row 20 times in all, knit 3 rows*. Inc 1 st at both ends of next and ev foll 3rd row 7 times in all. 56 sts. Knit 2 rows. Row Counter 102. Using waste yarn knit 8 rows and release from machine.

FRONT V INSERT

Foll instructions for Back to *. Inc 1 st at both ends of next and ev foll 3rd row 3 times in all. 48 sts. Knit 1 row. Row Counter 89. Carr at left.

Shape Neck

Set carr for partial knitting. Push 39 Ns at right to D pos.

Knit Left Part as follows:-



Always taking yarn round first inside N in D pos, knit 1 row. Inc 1 st at left edge on next row. Push 2 Ns at opposite end to carr to D pos on next row, knit 1 row. Push 2 Ns at opposite end to carr to D pos, inc 1 st at beg of next row, knit 1 row. Push 2 Ns at opposite end to carr to D pos on next row. Inc 1 st at left

edge of next row. Push 2 Ns at opposite end to carr to D pos on next row, knit 1 row. Push 2 Ns at opposite end to carr to D pos, inc 1 st at beg of next row, knit 1 row**. Push rem 3 Ns to D pos. Break off yarn. Carr at right. Using a transfer tool bring 9 Ns at right from D pos back to B pos. Knit right part as for left part to ** but read right for left. Push all Ns from D pos back to C pos, knit 1 row. Using waste yarn knit 8 rows and release from machine.

LEFT BACK AND RIGHT FRONT 'OFF CENTRE' PANELS (both alike)
Push 30 Ns to B pos. Using waste yarn cast on and knit several rows ending with carr at right. Row Counter 000.

SLEEVES

Push 66 Ns at left and 48(54) Ns at right of centre 0 to B pos. (114(120) Ns altog). Using waste yarn cast on and knit several rows ending with carr at left. Row Counter 000. Tension Dial at 8. Using col 1, knit 1 row. Set carr for partial knitting. Always taking yarn round first inside N in D pos, push 108 Ns at opposite end to carr to D pos on next row, knit 1 row. *Push 6 inside Ns at opposite end to carr from D pos to C pos, inc 1 st at beg of next row, knit 1 row. Push 6 inside Ns at opposite end to carr from D pos to C pos on next row, knit 1 row*. Rept from *to* 8 more times. Inc 1 st at beg of next and



ev foll 4th row 9 times in all. 132(138) sts. Knit 15 rows. Using col 4, knit 12 rows. Pick up loops from last row knitted in col 1 and place onto Ns. Using col 1, knit 16 rows. Dec 1 st at beg of next and ev foll 4th row 9 times in all, knit 1 row. *Push 6 Ns at opposite end to carr to D pos on next row, knit 1 row. Push 6 Ns at opposite end to carr to D pos, dec 1 st at beg of next row, knit 1 row*. Rept from *to* 8 more times. Push 108 Ns at opposite end to carr from D pos to C pos on next row. Using waste yarn, knit 8 rows and release from machine. Knit second sleeve as for first sleeve but reverse the shapings by reading left for right and vice versa.

HEM TO JOIN SIDE PANELS TO OFF CENTRE PANELS (4 alike)

Push 76 Ns to B pos. With carr at left and purl side of side panel facing, pick up sts along one diagonal edge and place onto Ns. Tension Dial at 8. Using col 4, knit 12 rows. Do not break yarn. Using waste yarn knit 8 rows and release from machine. Leave Ns in B pos. Carr at left. With plain side of matching off centre panel facing, pick up sts along short diagonal edge and place onto Ns. With purl side of col 4 facing, place sts onto same Ns. Pick up alt sts from first row knitted in col 4 and place onto Ns. Tension Dial at 10, knit 2 rows. Cast off using Linker.

HEM TO JOIN OFF CENTRE PANELS TO FAIR ISLE PANELS (4 alike)

Push 140 Ns to B pos. With carr at left and purl side of off centre panel facing, pick up sts along long diagonal edge and place onto Ns. Tension Dial at 8. Using col 3, knit 12 rows. Do not break yarn. Using waste yarn knit 8 rows and release from machine. Leave Ns in B pos. Carr at left. With plain side of Fair Isle Panel facing, pick up sts along matching long diagonal edge and place onto Ns. With purl side of col 3 facing, place sts onto same Ns. Pick up alt sts from first row knitted in col 3 and place onto Ns. Tension Dial at 10, knit 2 rows. Cast off using Linker.

HEM TO JOIN FAIR ISLE PANELS TO V INSERTS (4 alike)

Push 66 Ns to B pos. With carr at left and purl side of Fair Isle Panel facing, pick up sts along one short diagonal edge and place onto Ns. Tension Dial at 8. Using col 5, inc 1 st at V on next 6 rows. Dec 1 st at V on next 6 rows. Do not break yarn. Using waste yarn knit 8 rows and release from machine. Leave Ns in B pos. Carr at left. With plain side of

V insert facing, pick up sts along matching diagonal edge and place onto Ns. With purl side of col 5 facing, place sts onto same Ns. Pick up alt sts from first row knitted in col 5 and place onto Ns. Tension Dial at 10, knit 2 rows. Cast off using Linker.

WELTS

Push 110(122) Ns to B pos. Arrange Ns for 2x1 mock rib. With purl side facing, pick up sts between marked points and place onto Ns gathering evenly. *Tension Dial at 5. Using col 1, knit 21 rows. Tension Dial at 8, knit 1 row. Tension Dial at 5, knit 21 rows. Push empty Ns to B pos. Pick up a loop from adjacent st and place onto empty Ns. Tension Dial at 10, knit 1 row. Cast off using Linker*. Remove waste yarn.

CUFFS

Push 50(56) Ns to B pos. Arrange Ns for 2x1 mock rib. With purl side of sleeve facing, pick up sts and place onto Ns. Work as for Welts from *to*.

NECKBAND (2 pieces)

Push 56 Ns to B pos. With plain side facing, pick up sts and place onto Ns. Tension Dial at 5. Using col 3, dec 1 st at both ends of next 6 rows. Inc 1 st at both ends of next 6 rows. Knit 1 row. Using waste yarn knit 8 rows and release from machine.

TO MAKE UP

Pin out to size and steam carefully. Join shoulder and neckband seams (including hems). Set in sleeves. Graft sleeve seams. Join welt and cuff seams, fold in half and catch down on inside. Join ends of hems at V. Fold neckband in half onto the outside and backstitch into pos. Remove waste yarn. Give final light steam.

3

BATWING SHAWL COLLAR JACKET

SIZES:

To fit 81-106 cms/32-42 inch bust.


MATERIALS:

Double Knitting
550(600,650,700,750,800) grms in col 1 (black)
275(325,375,425,515,625) grms in col 2 (turquoise)
2 buttons; 4 press studs

TENSION:

25 sts and 32 rows to 10 cms measured

Finish with 2 rows of holes



Special card for patterns No.s 3 and 5

over Fair Isle. Tension Dial at approximately 8.

ABBREVIATIONS:

See page 1.

NOTES:



Figures in brackets refer to the larger sizes respectively. When working in Fair Isle, push the first N to D pos on ev row.

LEFT BACK

Insert special card the right way round into the machine and lock on row 1. Push 55(58,61,64,67,70) Ns at right of centre 0 to B pos. Using col 1 cast on by hand. Row Counter 000. Tension Dial at 7, knit 11 rows. Tension Dial at 10, knit 1 row. Row Counter 000. Tension Dial at 8. Release card. Set carr for Fair Isle. With col 1 in feeder 1 and col 2 in feeder 2, knit 55(51,47,45,41,39) rows. Mark right edge with waste yarn. Note pattern row on card for sleeves. Knit 156(160,164,166,170,172) rows. Row Counter 211. Carr at left.

Shape Shoulder

Set carr for partial knitting. Always taking yarn round first inside N in D pos, push 5(6,6,7,7,8) Ns at opposite end to carr to D pos on next row, knit 1 row. Push 5(6,6,7,7,7) Ns at opposite end to carr to D pos on next row, knit 1 row. Push 5(6,6,6,7,7) Ns at opposite end to carr to D pos on next row, knit 1 row.



RIGHT FRONT

Insert special card the right way round into the machine and lock on row 1. Push 28 Ns at left and 55(58,61,64,67, 70) Ns at right of centre 0 to B pos. (83(86,89,92,95,98) Ns altog). Using col 1 cast on by hand. Row Counter 000. Tension Dial at 7, knit 11 rows. Tension Dial at 10, knit 1 row. Row Counter 000. Tension Dial at 8. Release card. Set carr for Fair Isle. With col 1 in feeder 1 and col 2 in feeder 2, knit 6 rows. Mark left edge with waste yarn. Knit 49(45,41,39,35,33) rows. Mark right edge with waste yarn. Knit 156(160,164,166,170,172) rows. Row Counter 211. Carr at left.

Shape Shoulder

Set carr for partial knitting. Always taking yarn round first inside N in D pos. Push 5(6,6,7,7,8) Ns at opposite end to carr to D pos on next row, knit 1 row. Push 5(6,6,7,7,7) Ns at opposite end to carr to D pos on next row, knit 1 row. Push 5(6,6,6,7,7) Ns at opposite end to carr to D pos on next row, knit 1 row. Push 5(5,6,6,7,7) Ns at opposite end to carr to D pos on next and foll alt row, knit 1 row. Push 5(5,6,6,6,7) Ns at opposite end to carr to D pos, cast off 3(3,3,2,2,1) sts at beg of next row, knit 1 row. Push 5(5,5,6,6,7) Ns at opposite end to carr to D pos, cast off 5(5,5,6,6,7) sts at beg of next row, knit 1 row. 40 Ns rem in B pos. Without taking yarn round first inside N in D pos, knit 29 rows without shaping. Set carr for stockinet. Using waste yarn knit 8 rows and release from machine. Push Ns from D pos to C pos. Tension Dial at 10, using col 1, knit 1 row. Cast off with Linker.

LEFT FRONT

Insert special card back to front into the machine and lock on row 1. Work as given for Right Front but reverse the shapings by reading left for right and vice versa.

LEFT FRONT & RIGHT BACK SLEEVES (both alike)

Insert special card back to front into the machine and lock on row number previously noted on Left Back. Push Ns 63to64(66to67, 69to70, 72to73, 75to76, 78to79) inclusive at right of centre 0 to B pos. (2 Ns). Using col 1 cast on by hand. Row Counter 000. Tension Dial at 8. Release card. Set carr for Fair Isle. With col 1 in feeder 1 and col 2 in feeder 2, knit 1 row. Inc 1 st at beg of next and ev foll alt row 16 times in all, knit 1 row. Cast on 2 sts at beg of next and ev foll alt row 3 times in all, knit 1 row.

Cast on 3 sts at beg of next and ev foll alt row 15 times in all, knit 1 row. Cast on 4 sts at beg of next and ev foll alt row 3 times in all, knit 1 row. Cast on 8 sts at beg of next and ev foll alt row 5 times in all. 122 sts. Row Counter 84. Carr at right.

Shape lower edge of sleeve


Knit 3(2,4,1,3,4) rows. Using a three pronged transfer tool, inc 1 st (fully fashioned) at left edge on next and ev foll 3rd(4th,4th,5th,5th,5th) row 8 times in all. 130 sts. Knit 3(1,3,1,3,4) rows. Row Counter 112(116,120,122, 126,128). Carr at right.

Shape upper sleeve

Set carr for partial knitting. Always taking yarn round first inside N in D pos, push 5 Ns at opposite end to carr to D pos on next and ev foll alt row 8 times in all, knit 1 row. Push 6 Ns at opposite end to carr to D pos on next and ev foll alt row 14 times in all, knit 1 row. 6 Ns rem in B pos. Set carr for stockinet. Push Ns from D pos to C pos. Tension Dial at 10, using col 1, knit 1 row. Cast off with Linker.

RIGHT FRONT & LEFT BACK SLEEVES (both alike)

Insert special card the right way round into the machine and lock on row previously noted on Left Back. Work as given for Left Front and Right Back Sleeves but reverse the shapings by reading right for left and vice versa.



Push 5(5,6,6,7,7) Ns at opposite end to carr to D pos on next and foll alt row, knit 1 row. Push 5(5,6,6,6,7) Ns at opposite end to carr to D pos on next row, knit 1 row. Push 5(5,5,6,6,7) Ns at opposite end to carr to D pos on next row, knit 1 row. 20 Ns rem in B pos. Set carr for stockinet. Push Ns from D pos to C pos. Tension Dial at 10, using col 1, knit 1 row. Cast off with Linker.

RIGHT BACK

Insert special card back to front into the machine and lock on row 1. Work as given for Left back but reverse the shapings by reading right for left and vice versa.

TO MAKE UP

Pin out to size and steam carefully. Join centre back, shoulder and upper sleeve seams. Set in sleeves between marked points. Join side and under sleeve seams. Turn up hem at lower edge and catch down on the inside. Graft sts at back neck. Sew under collar into pos. Sew press studs inside to fasten. Sew on buttons as shown.

4

MAN'S FAIRISLE AND CABLE SWEATER

SIZES:

To fit 91-106 cms/36-42 inch chest.

MATERIALS:

Knitmaster Kone 4-ply
1(1,1,2) x 340 grm cones in col 1 (Fashion Flip)
1 x 340 grm cone in col 2 (grey)

TENSION:


25 sts and 32 rows to 10 cms measured over Fair Isle and cable pattern. Tension Dial at approximately 7.

ABBREVIATIONS:

See page 1.

NOTES:

Figures in brackets refer to the larger sizes respectively.




Special card for pattern No. 4

Fair Isle and Cable Pattern (Back & Front)
Release card. Set carr for Fair Isle. With col 1 in feeder 1 and col 2 in feeder 2, knit 6 rows. Work a cable over each set of 4 sts in col 2 by crossing 2 sts at right in front of 2 sts at left.

Fair Isle and Cable Pattern (Sleeves)
Release card. Set carr for Fair Isle. With col 1 in feeder 1 and col 2 in feeder 2, knit 2 rows. *Work a cable over each set of 4 sts in col 2 by crossing 2 sts at right in front of 2 sts at left. Knit 6 rows*. Rept from * to *.

BACK
Insert special card into machine and lock on row 1. Push 70(73, 76, 79) Ns at left and right of centre 0 to B pos. (140(146, 152, 158) Ns altog. *Using waste yarn cast on and knit several rows ending with carr at left. Arrange Ns for 2x1 mock rib. Using ravel cord, knit 1 row. Carr at right. Row Counter 000. Tension Dial at 3. Using col 1, knit 23 rows. Tension Dial at 5, knit 1 row. Tension Dial at 3, knit 23 rows. Turn up a hem. Carr at left. Remove ravel cord*. Row Counter 000. Tension Dial at 7. Working in pattern as given in notes throughout, knit 109 rows. Carr at right.

Shape Raglan Armholes
Cast off 5 sts at beg of next 2 rows. Knit 1 row. Dec 1 st at both ends of next and ev foll alt row 29(28,23,22) times in all. **Knit 1 row. Dec 1 st at both ends of next 2 rows**. ***. Rept from ** to ** 9(11,15,17) more times. Cast off rem 32 sts.



FRONT
Foll instructions for Back to ***. Rept from ** to ** 3(5,9,11) more times. Knit 1 row. Dec 1 st at both ends of next row. 54 sts.

Shape Neck
Using a length of col 1, cast off centre 30 sts. Using ravel cord, hold 12 sts at left.

Note row number showing on pattern panel.

Knit Right Part as Follows:-
Dec 1 st beg next 3 rows. Dec 1 st at both ends of next and foll alt row. Dec 1 st at beg of next 3 rows. Fasten off rem 2 sts. Carr at right. Set card to number previously noted and lock. Take carr to left. Release card. Undo ravel cord bringing Ns back to B pos. Knit left part as for right part.

RIGHT SLEEVE

Lock card on row 35. Push 30(30,31,33) Ns at left and 29(29,31,32) Ns at right of centre 0 to B pos. (59(59,62,65) Ns altog. Work as given for Back from * to *.

1st, 2nd & 4th Sizes Only

Inc 1 st at right edge.


All Sizes

60(60,62,66) sts. Row Counter 000. Tension Dial at 7. Working in pattern as given in notes throughout, knit 2 rows. Inc 1 st at both ends of next and ev foll 4th(3rd,3rd,3rd) row 30(33,34,35) times in all. 120(126,130,136) sts. Knit 4(24, 21,18) rows. Row Counter 123.

Carr at right.

Shape Raglan Top

Cast off 5 sts at beg of next 2 rows. Knit 1 row. Dec 1 st at both ends of next and ev foll alt row 29(28,26,25) times in all. **Knit 1 row. Dec 1 st at both ends of next 2 rows**. Rept from ** to ** 6(8,10, 12) more times. Knit 1 row. Dec 1 st at both ends of next row. 22 sts. Carr at left. Cast off 5 sts at beg and dec 1 st at end of next and foll alt row. Dec 1 st at beg of next row. Cast off 3 sts at beg of next row. Dec 1 st at beg of next row. Cast off 2 sts at beg and dec 1 st at end of next row. Fasten off rem 2 sts.



LEFT SLEEVE

Work as given for Right Sleeve but reverse the shapings by reading left for right and vice versa.

NECKBAND

Join raglan seams leaving left back raglan open. Push 113 Ns to B pos. Arrange Ns for 2x1 mock rib. With plain side facing, pick up sts around neckedge and place onto Ns in B pos. Tension Dial at 3. Using col 1, knit 34 rows. Tension Dial at 5, knit 1 row. Tension Dial at 3, knit 34 rows. Push empty Ns to B pos. Pick up a loop from adjacent st and place onto empty Ns. Tension Dial at 7, knit 1 row. Using waste yarn knit 8 rows and release from machine.

TO MAKE UP

Pin out to size and steam carefully. Join left back raglan and neckband seams. Join side and sleeve seams. Fold neckband in half onto the outside, pin into pos and backstitch through the open loops of last row knitted in col 1. Unravel waste yarn.

5 BATWING SHAWL COLLAR SWEATER

SIZES:

To fit 81-106 cms/32-42 inch bust

MATERIALS:

Knitmaster Kone 4ply.

1(2,2,2,2,2) x 340 grm cones in col 1 (grey)


1x340 grm cone in col 2 (cowslip)

TENSION:

27 sts and 34 rows to 10 cms measured over Fair Isle. Tension Dial at approximately 4.

ABBREVIATIONS:

See page 1.



NOTES:

Figures in brackets refer to the larger sizes respectively. When working in Fair Isle, push first N to D pos on ev row.

LEFT BACK

Insert special card the right way round into the machine and lock on row 1. Push 18 Ns at left and 47(50,53,57,60, 63) Ns at right of centre 0 to B pos. (65(68,71,75,78,81) Ns altog). Using waste yarn cast on and knit several rows ending with carr at right. Row Counter 000. Tension Dial at 4. Using col 1, knit 1 row. Release card. Set carr for Fair Isle. With col 1 in feeder 1 and col 2 in feeder 2, knit 30(26,22, 20,16,12) rows. Mark right edge with waste yarn. Note pattern row on card for sleeves*. Knit 156(160,164,166, 170,174) rows. Row Counter 187. Carr at left.

Shape Shoulder

Set carr for partial knitting. Always taking yarn round first inside N in D pos, push 6(7,7,7,8,8) Ns at opposite end to carr to D pos on next row, knit 1 row. Push 6(6,7,7,8,8) Ns at opposite end to carr to D pos on next and foll alt row, knit 1 row. Push 6(6,7,7,8) Ns at opposite end to carr to D pos on next row, knit 1 row.

Shape Back Neck

Push 6(6,6,7,7,8) Ns at opposite end to carr to D pos, cast off 15 sts at beg of next row, knit 1 row. Push 6(6,6,7,7,8) Ns at opposite end to carr to D pos, cast off 2 sts at beg of next row, knit 1 row. Push 5(6,6,7,7,7) Ns at opposite end to carr to D pos, cast off 2 sts at beg of next row, knit 1 row. 5(6,6,7,7,7) Ns rem in B. pos. Set carr for stockinet. Push Ns from D pos to C pos. Tension Dial at 10, using col 1, knit 1 row. Cast off with Linker.

RIGHT BACK

Insert special card back to front into the machine and lock on row 1. Work as given for Left Back but reverse the shapings by reading right for left and vice versa.

RIGHT FRONT

Foll instructions for Left Back to *. Knit 98(102,106,108,112,116) rows. Row Counter 129. Carr at left.

Shape Neck

Cast off 8 sts at beg of next row. Mark left edge with waste yarn. Knit 4 rows. Dec 1 st at neck edge on next and ev foll 5th row 11 times in all.

46(49,52,56,59,62) sts. Knit 2 rows. Carr at left.

Shape Shoulder


Set carr for partial knitting. Always taking yarn round first inside N in D pos push 6(7,7,7,8,8) Ns at opposite end to carr to D pos on next row, knit 1 row. Push 6(6,7,7,8,8) Ns at opposite end to carr to D pos on next and foll alt row, knit 1 row. Push 6(6,7,7,8) Ns at opposite end to carr to D pos on next row, knit 1 row. Push 6(6,6,7,7,8) Ns at opposite end to carr to D pos on next and foll alt row, knit 1 row. Push 5(6,6,7,7,7) Ns at opposite end to carr to D pos on next row, knit 1 row. 5(6,6,7,7,7) Ns rem in B pos. Set carr for stockinet. Push Ns from D pos to C pos. Tension Dial at 10, using col 1, knit 1 row. Cast off with Linker.

LEFT FRONT

Insert special card back to front into the machine and lock on row 1. Work as given for Right Front but reverse the shapings by reading left for right and vice versa.

LEFT FRONT AND RIGHT BACK SLEEVES (both alike)

Insert special card back to front into the machine and lock on row number previously noted on Left Back. Push Ns 66 to 68 inclusive at right of centre 0 to B pos. (3 Ns altog). Using col 1 cast on by hand. Row Counter 000. Tension Dial 4. Release card. Set carr for Fair Isle. With col 1 in feeder 1 and col 2 in feeder 2, knit 1 row. Inc 1 st at beg of next and ev foll alt row 15 times in all, knit 1 row. Cast on 2 sts at beg of next and foll alt row, knit 1 row. Cast on 4 sts at beg of next and ev foll alt row 12 times in all, knit 1 row. Cast on 10 sts at beg of next and ev foll alt row 4 times in all, knit 1 row. Cast on 9 sts at beg of next row. 119 sts. Row Counter 68. Carr at right.



6 CHILD'S STRIPED SWEATER



SIZES:
To fit 56-76 cms/22-30 inch chest

MATERIALS:
Knitmaster Kone 4-ply
1 x 340 grm cone in col 1 (mink)
1 x 340 grm cone in col 2 (matador)
3 buttons

TENSION:
29 sts and 33 rows to 10 cms measured over Fair Isle pattern. Tension Dial at approximately 4

ABBREVIATIONS:
See page 1.


NOTES: Figures in brackets refer to the larger sizes respectively.




alt row 6 times in all, knit 1 row. Push 3 Ns at opposite end to carr to D pos on next and ev foll alt row 4 times in all, knit 1 row. Push Ns from D pos to C pos, knit 1 row. Push empty Ns to B pos. Pick up a loop from below adjacent st and place onto empty Ns. Tension Dial at 5, knit 1 row. Using waste yarn knit 8 rows and release from machine.

LEFT COLLAR
Follow instructions for Right Collar but reverse the shapings by reading left for right and vice versa.

WELTS
Join centre back and centre front seams. Push 119(125,131,137,146,152) Ns to B pos. Arrange Ns for 2x1 mock rib. Carr at left. With purl side facing, pick up sts from lower edge and place onto Ns gathering evenly. *Tension Dial at 2. Using col 1, knit 20 rows. Tension Dial at 5, knit 1 row. Tension Dial at 2, knit 20 rows. Push empty Ns to B pos. Pick up first row of welt and place onto corresponding Ns. Tension Dial at 10, knit 1 row. Cast off with Linker*. Remove waste yarn.



CUFFS
Join upper sleeve seams. Push 50(53, 56, 59, 62, 65) Ns to B pos. Arrange Ns for 2x1 mock rib. Carr at left. With purl side facing, pick up sts from lower edge and place onto Ns. Work as given for welts from *to*.




TO MAKE UP
Pin out to size and steam carefully, Set in sleeves between marked points. Join side and sleeve seams. Join centre back seam in collar. Fold in half onto outside and backstitch into pos. Unravel waste yarn. Sew ends of bands into pos overlapping as shown. Give final light steam.

Shape lower edge of sleeve
Knit 1(3,5,1,3,5) rows. Inc 1 st at left edge on next and ev foll 4th(4th,4th, 5th,5th,5th) row 11 times in all. 130 sts. Knit 2(4,6,2,4,6) rows. Row Counter 112(116,120,122,126,130). Carr at right.

Shape upper sleeve
Set carr for partial knitting. Always taking yarn round first inside N in D pos, push 5 Ns at opposite end to carr to D pos on next and ev foll alt row 8 times in all, knit 1 row. Push 6 Ns at opposite end to carr to D pos on next and ev foll alt row 14 times in all, knit 1 row. 6 Ns rem in B pos. Set carr for stockinet. Push Ns from D pos to C pos. Tension Dial at 10, using col 1, knit 1 row. Cast off with Linker.

RIGHT FRONT AND LEFT BACK SLEEVES (both alike)
Insert special card the right way round into the machine and lock on number previously noted on Left Back. Work as given for Left Front and Right Back Sleeves but reverse the shapings by reading right for left and vice versa.

RIGHT COLLAR
Join right shoulder seam. Push 80 Ns to B pos. Arrange Ns for 2x1 mock rib. Carr at right. With plain side facing, pick up sts from centre back to marked point on front and place onto Ns. Row Counter 000. Tension Dial at 2. Using col 1, knit 1 row. Set carr for partial knitting. Always taking yarn round first inside N in D pos and counting Ns in B pos only, push 36 Ns at opposite end to carr to D pos on next row, knit 1 row. Push 3 inside Ns at opposite end to carr from D pos to C pos on next and ev foll alt row 4 times in all, knit 1 row. Push 4 inside Ns at opposite end to carr from D pos to C pos on next and ev foll alt row 6 times in all, knit 19 rows. Tension Dial at 5, knit 1 row. Tension Dial at 2, knit 19 rows. Push 4 Ns at opposite end to carr to D pos on next and ev foll



Special card for pattern No. 6

BACK

Insert special card into machine and lock on row 1. Push 48(52,55,59,63) Ns at left and 47(52,55,60,62) Ns at right of centre 0 to B pos. (95(104,110,119,125) Ns altog). *Using waste yarn cast on and knit several rows ending with carr at left. Arrange Ns for 2x1 mock rib. Using ravel cord, knit 1 row. Carr at right. Row Counter 000. Tension Dial at 2. Using col 1, knit 14 rows. Tension Dial at 4, knit 1 row. Tension Dial at 2, knit 14 rows. Turn up a hem. Carr at left. Remove ravel cord*.


1st, 4th & 5th Sizes Only
Inc(dec, inc) 1 st at right edge.

All Sizes

96(104,110,118,126) sts. Row Counter 000. Tension Dial at 4. Release card. Set carr for Fair Isle**. With col 1 in feeder 1 and col 2 in feeder 2, knit 55(67,75,87, 101) rows. Carr at right.

Shape Raglan Armholes

Cast off 6 sts at beg of next 2 rows. Knit 1(0,0,1,0) row. Dec 1 st at both ends of next 1(1,2,2,0) rows. Knit 1(0,0,1,0) row. ***Dec 1 st at both ends of next 2(2,2, 3,3) rows. Knit 1 row***. Rept from ***to*** 12(14,15,11,13) more times. Dec 1 st at both ends of next 2 rows. Cast off rem 26 sts.



FRONT

Foll instructions for Back to **. With col 1 in feeder 1 and col 2 in feeder 2, knit 51(67,75,87,101) rows. Carr at right.

3rd, 4th & 5th Sizes Only

Shape Raglan Armholes

Cast off 6 sts beg next 2 rows. Knit (0,1,0) row. Dec 1 st at both ends of next 2 rows. Knit (0,1,0) row.

All Sizes

Front Opening

Using a length of col 1, cast off centre 8 sts. Using ravel cord, hold 44(48,43,47,51) sts at left. Note row number showing on pattern panel.

Knit Right Part as Follows:-

Knit 4(0,0,0,0) rows.

1st & 2nd Sizes Only

Shape Raglan Armhole

Cast off 6 sts at beg of next row. Knit 2(1) rows. Dec 1 st at raglan edge of next row. Knit 1(0) row.

5th Size Only

Dec 1 st at raglan edge of next row, knit 1 row.

All Sizes

Dec 1 st at raglan edge of next 2(2,2, 3,3) rows, knit 1 row. Rept from ***to*** 7(9,10,7,8) more times.

4th & 5th Sizes Only

Dec 1 st at raglan edge of next row.

All Sizes

21(21,21,22,22) sts. Carr at left.

Shape Neck

Cast off 2 sts at beg and dec 1 st at end of next row. Dec 1 st at beg of next row. Cast off 2 sts at beg of next row. Dec 1 st at beg of next row. Dec 1 st at both ends of next row.

1st, 2nd & 3rd Sizes Only

Knit 1 row. Dec 1 st at both ends of next row. Dec 1 st at beg of next 3 rows. Dec 1 st at both ends of next and foll alt row. Dec 1 st at beg of next row.

4th & 5th Sizes Only


Dec 1 st at beg of next 3 rows. Dec 1 st at both ends of next row. Rept the last 4 rows once more. Dec 1 st at beg of next row.

All Sizes

Fasten off rem 2 sts. Carr at right. Set card to number previously noted and lock. Take carr to left. Release card. Undo ravel cord bringing Ns back to B pos. Knit left part as for right part but read right for left.

RIGHT SLEEVE

Lock card on row 1. Push 25(25,25,25,26)



Ns at left and 25(25,25,25,27) Ns at right of centre 0 to B pos. (50(50,50,50,53) Ns altog). Work as given for Back from *to*. 5th Size Only

Dec 1 st at right edge.

All Sizes

50(50,50,50,52) sts. Row Counter 000. Tension Dial at 4. Release card. Set carr for Fair Isle. With col 1 in feeder 1 and col 2 in feeder 2, knit 2 rows. Inc 1 st at both ends of next and ev foll 4th row 14 (17,20,23,25) times in all. 78(84,90,96, 102) sts. Knit 6(10,12,6,12) rows. Row Counter 61(77,91,97,111). Carr at right.

Shape Raglan Top

Cast off 6 sts beg next 2 rows. **Dec 1 st at both ends of next 2(2,2,3,3) rows. Knit 1 row**. Rept from **to** 9(11, 13,8,9) more times. Dec 1 st at both ends of next and ev foll alt row 6(5,4,8,8) times in all. 14 sts. Carr at left. Cast off 7 sts at beg of next row. Dec 1 st at beg of next row. Cast off 3 sts at beg of next row. Cast off rem 3 sts.

LEFT SLEEVE

Work as given for Right Sleeve but reverse the shapings by reading left for right and vice versa.

COLLAR (2 pieces)

Join raglan seams. Push 38 Ns to B pos. Arrange Ns for 2x1 mock rib. With plain side facing, pick up sts from front neck to centre back neck and place onto Ns in B pos. Inc 1 st at centre back neck. Tension Dial at 2. Using col 1, inc 1 st at front edge on next 28 rows. Tension Dial at 4, knit 1 row. Tension Dial at 2, dec 1 st at front edge on next 28 rows. Push empty Ns to B pos. Pick up a loop from below adjacent st and place onto empty Ns. Tension Dial at 4, knit 1 row. Using waste yarn knit 8 rows and release from machine.

BUTTONHOLE BAND

Push 32(32,32,32,38) Ns to B pos. Arrange Ns for 2x1 mock rib. With plain

side facing, pick up sts along left edge of front opening for boy(right edge for girl) and place onto Ns in B pos. Tension Dial at 2. Using col 1, knit 4 rows. Make buttonholes over Ns 4,5,16,17,28 and 29 (4,5,16,17,28 and 29; 4,5,16,17,28 and 29; 4,5,16,17,28 and 29; 4,5,19,20,34 and 35). Knit 4 rows. Tension Dial at 4, knit 1 row. Tension Dial at 2, knit 4 rows. Make buttonholes over same Ns as before, knit 4 rows. Push empty Ns to B pos. Pick up a loop from adjacent st and place onto empty Ns. Tension Dial at 4. Knit 1 row. Using waste yarn knit 8 rows and release from machine.

BUTTON BAND

Work as for buttonhole band but read left for right and vice versa and omit buttonholes.

TO MAKE UP

Pin out to size and steam carefully. Join centre back collar, side and sleeve seams. Fold collar and bands in half onto the outside, pin into pos and backstitch through the open loops of last row knitted in col 1. Unravel waste yarn. Lap buttonhole band over button band and sew into pos. Neaten open ends of collar and bands. Finish buttonholes and sew on buttons to correspond.

Pompom Pattern for Back & Front

*Knit 34 rows. Make pockets as given above over Ns 1,2,3 at left and right of centre 0 and Ns 27,28,29,30,31 & 32 at left and right of centre 0. Carr at right. Set russel levers to 11. Start Row Counter**. Knit 34 rows. Make pockets as given above over Ns 13,14,15,16,17 & 18 at left and right of centre 0. Carr at right. Set russel levers to 11. Start Row Counter*. Rept from *to* once more then from *to** 0(0,1,1,1) more time. Continue in stockinet.

Pompom Pattern for Sleeves


Knit 34 rows. Make pocket as given above over centre 6 Ns. Carr at right. Set russel levers to 11. Start Row Counter. *Knit 34 rows. Make pockets as given above over Ns 12,13,14,15,16 & 17 at left and right of centre 0. Carr at right. Set russel levers to 11. Start Row Counter*. Knit 34 rows. Make pockets as given above over Ns 1,2 & 3 at left and right of centre 0 and Ns 27,28,29,30,31 & 32 at left and right of centre 0. Carr at right. Set russel levers to 11. Start Row Counter.

3rd, 4th & 5th Sizes Only

Rept from *to*

All Sizes

Continue in stockinet



All Sizes

88(96,102,110,116) sts. Row Counter 000. Tension Dial at 4. Working in pompom pattern as given in notes, knit 84(92, 102,110,122) rows. Mark both ends with waste yarn, knit 68(72,76,80,84) rows. Row Counter 152(164,178,190,206). Carr at right.

Shape Shoulders

Cast off 19(23,26,30,33) sts at beg of next 2 rows. 50 sts. Knit 57 rows without shaping. Cast off.

SLEEVES

Push 24(24,25,27,28) Ns at left and 23(23,25,26,28) Ns at right of centre 0 to B pos. (47(47,50,53,56) Ns altog). Work as given for Back and Front from *to*.

1st, 2nd & 4th Sizes

Inc 1 st at right edge.

All Sizes

48(48,50,54,56) sts. Row Counter 000. Tension Dial at 4. Working in pompom pattern as given in notes, knit 2 rows. Inc 1 st at both ends of next and ev foll 5th(5th,5th,5th,6th) row 21(24,26,26,28) times in all. 90(96,102,106,112) sts. Knit 5(8,18,26,9) rows. Row Counter 108(126, 146,154,174). Mark centre with waste yarn. Cast off.

TO MAKE UP

Pin out to size and steam carefully. Join shoulder and collar seams. Set in sleeves between marked points. Join side and sleeve seams. Fold collar in half to the inside and catch down into pos, then fold in half to the outside. Insert pompoms in pockets, run sts around edge of pockets and pull up slightly. Fasten off.

7 CHILDS POMPOM SWEATER

SIZES:

To fit 56-76 cms/22-30 inch chest

MATERIALS:

Knitmaster Kone 4-ply

1 x 340 grm cone in col 1(grey)

32(32,42,42,42) pompoms in a variety of colours, approximately 5 cms in diameter.

TENSION:

28 sts and 42 rows to 10 cms measured over stockinet. Tension Dial at approximately 4.

ABBREVIATIONS:


See page 1.

NOTES:

Figures in brackets refer to the larger sizes respectively.

Pockets for Pompoms

Set russel levers to 1. Stop Row Counter. Push all Ns to D pos except first 6 selected Ns. Using col 1, knit 14 rows. Break yarn. Push Ns to D pos. Rept pockets along the row by pushing next 6 selected Ns to C pos.



BACK & FRONT ALIKE

Push 44(48,51,55,58) Ns at left and 45(47,50,55,58) Ns at right of centre 0 to B pos. (89(95,101,110,116) Ns altog). *Using waste yarn cast on and knit several rows ending with carr at right. Arrange Ns for 2x1 mock rib. Using ravel cord, knit 1 row. Carr at left. Row Counter 000. Tension Dial at 2. Using col 1, knit 18 rows. Tension Dial at 4, knit 1 row. Tension Dial at 2, knit 18 rows. Turn up a hem. Carr at right. Remove ravel cord*.

1st, 2nd & 3rd Sizes

Dec(inc,inc) 1 st at right edge.

8

CHECKED MOHAIR SWEATER WITH EMBROIDERY

SIZES:

To fit 81-106 cms/32-42 inch bust.

MATERIALS:

1 x 340 gm cone Knitmaster Kone 4ply in col 1 (grey); 22(23,23,24,25,25) x 25 grm balls Lister Lee Target Tahiti in col 2(black); 1 x 25 grm ball of Lister Lee Target Tahiti in col 3 (red) and col 4(yellow).

TENSION:

23 sts and 35 rows to 10 cms measured over Fair Isle. Tension Dial at approximately 7.

ABBREVIATIONS:

See page 1.

NOTES:


Figures in brackets refer to the larger sizes respectively.

Fair Isle Pattern (special card)

With col 1 in feeder 1 and col 2 in feeder 2, knit 12 rows. Knit 2 rows col 1 only.

BACK & FRONT ALIKE

Insert special card onto machine and lock on row 1. Push 58(61,64,67,70,73) Ns at left and right of centre 0 to B pos. (116 (122,128,134,140,146) Ns altog). Using waste yarn cast on and knit several rows ending with carr at left. Arrange Ns for 2x1 mock rib. Using ravel cord, knit 1 row. Row Counter 000. Tension Dial at 3.



Using col 1, knit 24 rows. Tension Dial at 5, knit 1 row. Tension Dial at 3, knit 24 rows. Turn up a hem. Carr at left. Remove ravel cord. Inc 1 st at right edge. 117(123,129,135,141,147) sts. Row Counter 000. Tension Dial at 7, knit 1 row. Release card. Set carr for Fair Isle. Work in Fair Isle pattern as given in notes, knit 142(139,135,132,128,125) rows. Mark both edges with waste yarn. Knit 94(97,101,104,108,111) rows. Row Counter 237. Carr at right.

Shape Neck

Using col 1 cast off centre 57 sts. Using ravel cord hold sts at left. Note row number showing on pattern panel. Knit Right Part as follows:-

Knit 1 row. Dec 1 st at beg of next and ev foll alt row 4 times in all. Cast off rem 26(29,32,35,38,41) sts. Carr at right. Set card to number previously noted and lock. Take carr to left. Release card. Undo ravel cord bringing Ns back to B pos. Knit left part as for right part.

SLEEVES (both alike)

Lock card on row 1. Push 34(35,36,38, 39,40) Ns at left and 34(36,38,39,41,40) Ns at right of centre 0 to B pos.


68(71,74,77,80,80) Ns altog. Using waste yarn cast on and knit several rows ending with carr at left. Arrange Ns for 2x1 mock rib. Using ravel cord knit 1 row. Row Counter 000. Tension Dial at 3. Using col 1, knit 38 rows. Tension Dial at 5, knit 1 row. Tension Dial at 3, knit 38 rows. Turn up a hem. Carr at left. Remove ravel cord.

1st,3rd,5th & 6th Sizes only


Inc(dec,dec,inc) 1 st at right edge.

All Sizes

69(71,73,77,79,81) sts. Row Counter 000. Tension Dial at 7, knit 1 row. Release card. Set carr for Fair Isle. Work in Fair Isle pattern as given in notes. Inc 1 st at both ends of next and ev foll alt row 5(7,8,8,10,11) times in all, knit 1 row. Inc 1 st at both ends of next and ev foll 3rd row 8 times in all, knit 2 rows. Inc 1 st at both ends of



Rept twice more. Finish with 2 rows of holes



Special card for pattern No. 8

next and ev foll 4th row 4 times in all, knit 3 rows. Inc 1 st at both ends of next and ev foll 5th row 8 times in all, knit 4 rows. Inc 1 st at both ends of next and ev foll 8th row 7 times in all. 133(139,143,147,153,157) sts. Knit 15(11,9,9,5,3) rows. Row Counter 155. Mark centre with waste yarn. Cast off loosely.

NECKBAND

Push 137 Ns to B pos. Arrange Ns for 2x1 mock rib. Carr at right. Using col 1 cast on by hand. Tension Dial at 3, knit 12 rows. Tension Dial at 5, knit 1 row. Tension Dial at 3, knit 12 rows. Push empty Ns to B pos. Pick up a loop from below adjacent st and place onto empty Ns. Tension Dial at 7, knit 1 row. Using waste yarn knit 8 rows and release from machine.

TO MAKE UP

Brush mohair. Pin out to size and steam carefully. Join shoulder seams. Set in sleeves between marked points. Join side, sleeve and neckband seams. Sew cast on edge of neckband into pos, fold in half onto outside and backstitch into pos. Embroider dots using col 3 and col 4 as shown.

9

FAIR ISLE SWEATER WITH CROSS-OVER COLLAR

SIZES:

To fit 81-106 cms/32-42 inch bust.

MATERIALS:

1(1,1,1,2,2) x 340 gm cones Knitmaster Kone 4ply in col 1 (grey); 2(2,3,3,3,3) x 50 grm balls Pingouin laine et Mohair in col 2 (black); 1x50 grm ball Pingouin laine et Mohair in cols 3(cream);col 4(red); col 5 (yellow)

TENSION:

26 sts and 33 rows to 10 cms measured over Fair Isle pattern. Tension Dial at approximately 6.

ABBREVIATIONS:

See page 1.

NOTES:


Figures in brackets refer to the larger sizes respectively.

Pattern Note:

(special card) - Do not release card. Set carr for Fair Isle. *With col 1 in feeder 1 and col 2 in feeder 2, knit 10 rows. With col 1 in feeder 1 and col 3 in feeder 2, knit 2 rows. With col 1 in feeder 1 and col 2 in feeder 2, knit 10 rows. With col 1 in feeder 1 and col 4 in feeder 2, knit 2 rows. With col 1 in feeder 1 and col 2 in feeder 2, knit 10 rows. With col 1 in feeder 1 and col 5 in feeder 2, knit 2 rows. With col 1 in feeder 1 and col 2 in feeder 2, knit 10 rows. With col 1 in feeder 1 and col 4 in feeder 2, knit 2 rows*. Rept from *to* throughout.

BACK & FRONT ALIKE

Insert special card into machine and lock. Push 62(65,68,71,74,77) Ns at left and 63(66,69,72,75,78) Ns at right of centre 0 to B pos. (125(131,137,143,149,155) Ns altog). *Using waste yarn cast on and knit several rows ending with carr at left. Arrange Ns for 2x1 mock rib. Using ravel cord knit 1 row. Row Counter 000. Tension Dial at 3. Using col 1, knit 27 rows. Tension Dial at 5, knit 1 row.




Tension Dial at 3, knit 27 rows. Turn up a hem. Remove ravel cord. Carr at left*. Dec 1 st at right edge. 124(130, 136,142,148,154) sts. Row Counter 000. Tension Dial at 6, knit 1 row. Work in pattern given in notes, knit 126 rows. Carr at right.

Shape Raglan Armholes


Cast off 5(5,5,5,5,6) sts beg next 2 rows. *Dec 1 st at both ends of next and foll alt row, knit 2 rows (5 rows altog)*. Rept from *to* 11(9,5,3,1,1) more times. Dec 1 st at both ends next and ev foll alt row 10(17,28,35,42,44) times in all, knit 1 row. Row Counter 209 (213,215,219,223,227). Cast off rem 46 sts.

SLEEVES (both alike)

Push 31 Ns at left and right of centre 0 to B pos. (62 Ns altog). Work as given for Back and Front from *to*. Row Counter 000. Tension Dial at 6, knit



1 row. Work in pattern as given in notes, knit 3 rows. Inc 1 st at both ends of next and ev foll 3rd row 22(28,24,20,14, 10) times in all, knit 3,(1,1,1,1,1) rows. Inc 1 st both ends next and ev foll 4th(alt,alt,alt,alt,alt) row 6(2,9,15,24,30) times in all. 118(122,128,132,138,142) sts. Knit 9(11,9,9,9,9) rows without shaping. Row Counter 101. Carr at right.



Special card for pattern No. 9

Shape Raglan Top

Cast off 5(5,5,5,6,6) sts beg next 2 rows. *Dec 1 st both ends next and foll alt row (3 rows altog)*. Rept from *to* 19(21,22,23,24,25) more times.

1st Size Only

Dec 1 st both ends next row, knit 1 row.

3rd & 5th Sizes only

Dec 1 st both ends next row.

All Sizes

26(24,24,26,24,26) sts. Row Counter 165(169,173,175,179,181). Carr at right. Cast off centre 4 sts. Using ravel cord hold sts at left. Note pos in colour sequence.

Knit Right Part as follows:-

Knit 1 row. Cast off 2 sts beg next row, dec 1 st beg next row. Cast off 2 sts beg and dec 1 st end next row, dec 1 st beg next row, dec 1 st both ends next row, dec 1(0,0,1,0,1) st beg next row, knit 1 row. Fasten off rem st. Take carr to left. Undo ravel cord bringing Ns back to B pos. Keeping colour sequence correct knit left part as for right part.


COLLAR

Back Piece

Push 95 Ns to B pos. *Using col 1 cast on by hand. Tension Dial at 6, knit 1 row. Transfer sts for 2x1 mock rib. Row Counter 000. Tension Dial at 3* knit 4 rows. Inc 1 st both ends next and ev foll 4th row 15 times in all. 125 sts. Knit 1 row. Row Counter 62. Tension Dial at 5, knit 1 row. Tension Dial at 3, knit 2 rows. Dec 1 st both ends next and ev foll 4th row 15 times in all. 95 sts. Knit 3 rows. Row Counter 125. Push empty Ns to B pos. Pick up loop from below adjacent st and place onto empty Ns. Tension Dial at 6, knit 1 row. Cast off loosely.

Front Piece

Push 50 Ns to B pos. Work as given for Back Piece from *to*. Knit 2 rows. Inc 1 st at right edge on the next and ev foll 5th row 12 times in all. 62 sts. Knit 4 rows. Row Counter 62. Tension Dial at 5, knit 1 row. Tension Dial at 3,



knit 5 rows. Dec 1 st at right edge on the next and ev foll 5th row 12 times in all. 50 sts. Knit 1 row. Row Counter 125. Push empty Ns to B pos. Pick up a loop from below adjacent st and place onto empty Ns. Tension Dial at 6, knit 1 row. Cast off loosely. Knit another piece in the same way but reverse the shapings by reading left for right.

TO MAKE UP

Pin out to size and steam carefully. Join raglan, side and sleeve seams. Fold back collar in half and sew into pos. Fold front pieces in half and sew into pos overlapping as shown. Give final light steam.

10 CROSS-OVER V-NECK FAIR ISLE SWEATER

SIZES:

To fit 91-96 cms/36-38 inch chest.

MATERIALS:

Knitmaster Kone 4-ply
1 x 340 grm cone in col 1(grey)
1 x 340 grm cone in col 2(opal)
1 x 340 grm cone in col 3(fashion flip)
1 x 340 grm cone in col 4(burgundy)

TENSION:

29 sts and 39 rows to 10 cms measured over Fair Isle Pattern. Tension Dial at approximately 3

ABBREVIATIONS:

See page 1.

NOTES:

Figures in brackets refer to the larger sizes respectively.

Fair Isle Pattern (special card)

With col 1 in feeder 1 and col 2 in feeder 2, knit 8 rows.

With col 1 in feeder 1 and col 3 in feeder 2, knit 8 rows.



With col 1 in feeder 1 and col 2 in feeder 2, knit 8 rows.

With col 1 in feeder 1 and col 4 in feeder 2, knit 8 rows.

These 32 rows form 1 complete pattern.

BACK

Insert special card into machine and lock on row 1. Push 75(79) Ns at left and 74(79) Ns at right of centre 0 to B pos. (149(158) Ns altog). *Using waste yarn cast on and knit several rows ending with carr at right. Arrange Ns for 2x1 mock rib. Using ravel cord, knit 1 row. Carr at left. Row Counter 000. Tension Dial at 1. Set



russel levers to II and push Ns to D pos on ev row of welt. Using col 1, knit 29 rows. Tension Dial at 3, knit 1 row. Tension Dial at 1, knit 29 rows. Turn up a hem. Carr at right. Remove ravel cord*.

1st Size Only
Inc 1 st at right edge.


All Sizes

150(158) sts. Row Counter 000. Tension Dial at 3. Release card. Set carr for Fair Isle. Working in colour sequence as given in notes, knit 146 rows. Mark both edges with waste yarn**. Knit 100 rows. Row Counter 246. Carr at right.

Shape Back Neck

Using col 1, cast off centre 56 sts. Using ravel cord hold 47(51) sts at left. Note row number showing on pattern panel.

Rept once more. Finish with 2 rows of holes



Special card pattern No. 10

Knit Right Part as Follows:-

Knit 1 row. Dec 1 st at beg of next and ev foll alt row 4 times in all. Cast off rem 43(47) sts. Carr at right. Set card to number previously noted and lock. Take carr to left. Release card. Undo ravel cord bringing Ns back to B pos. Knit left part as for right part.

FRONT

Foll instructions for Back to **. Knit 10 rows. Carr at right.

Shape Neck

Using ravel cord, hold 75(79) sts at left. Note row number showing on pattern panel.

Knit Right Part as Follows:-

Dec 1 st at neck edge on next and ev foll 3rd row 32 times in all. 43(47) sts rem. Knit 4 rows. Cast off. Carr at right. Set card to number previously noted and lock. Take carr to left. Release card. Undo ravel cord bringing Ns back to B pos. Knit left part as for right part.

SLEEVES (both alike)

Lock card on row 1. Push 35 Ns at left and 36 Ns at right of centre 0 to B pos. (71 Ns altog). Work as given for Back from * to *. Dec 1 st at right edge. 70 sts. Row Counter 000. Tension Dial at 3. Release card. Set carr for Fair Isle. Working in colour sequence as given in notes, knit 4 rows. Inc 1 st at both ends of the next and ev foll 4th row 45 times in all. 160 sts. Knit 3 rows without shaping. Row Counter 184. Mark centre with waste yarn. Cast off.

COLLAR

Join one shoulder seam.

1st Piece

Push 146 Ns to B pos. Arrange Ns for 2x1 rib. With plain side facing, pick up along one front edge and across back of neck and place onto Ns in B pos. *Tension Dial at 1. Set russel levers to 11 and push Ns

to D pos on ev row. Using col 1, knit 33 rows. Tension Dial at 3, knit 1 row. Tension Dial at 1, knit 33 rows. Push empty Ns to B pos. Pick up a loop from adjacent st and place onto empty Ns. Tension Dial at 5, knit 1 row. Using waste yarn, knit 8 rows and release from machine*.

2nd Piece

Push 74 Ns to B pos. Arrange Ns for 2x1

rib. With plain side facing, pick up along second front edge and place onto Ns in B pos. Work as given for 1st Piece from *to*.

TO MAKE UP

Pin out to size and steam carefully. Join remaining shoulder and collar seam. Set in sleeves between marked points. Join side and sleeve seams. Fold collar in half

onto the outside. Pin into pos and back-stitch through the open loops of last row knitted in col 1. Overlap ends of collar and sew into pos.

What Next?

I hope that by the time you reach this page, you'll have knitted your way through the Free beginner's patterns, and at least a couple of the tops featured in this book. You should be feeling quite confident and happy with your Knitmaster Handknitter, and asking yourself, "Right, what shall I knit next?"

Well, you could have a look at the pattern book which Knitmaster and Emu produced especially for the Handknitter. This contains twelve patterns, which are a good mix of men's, women's and children's tops, and some are knitted in tuck or slip stitch. It's a good idea to knit up quite a few woollies on a new machine, to really get a feel for it, and so you know exactly what you're doing.

Have Fun with Yarn and Punchcards!

Perhaps you're eager to get on to the next stage, and you're not quite sure how to go about it. You might like to concentrate on just one aspect of machine knitting. You could start experimenting with yarn and colour, or with stitch patterns, or with garment shapes. Let's start with yarn first of all. Knitmaster Kone has been developed by the experts for machine knitters, so it really is the ideal yarn to use. Probably all the garments you've knitted so far have been in 4 ply. Why not try something thinner, or even thicker? Knitmaster Kone also comes in 2 ply, and an aran weight. Treat yourself to a couple of Kones – sorry, cones – of each – there are some lovely colours available, and try a Fair Isle pattern in 2 ply and Aran. Or how about a tuck stitch pattern in 2 ply? Use the punch cards which come with the machine. Try card 703. Lock the card on row 7 and knit six rows 2 ply, turn the cam lever back to stockinet and knit two rows Aran. Keep repeating this, or lock the card on a dif-

ferent row for each section of tuck stitch. Mix different textures of yarn together, for example, mohair and Kone 4 ply, like the two ladies sweaters on the back cover.

Be a D.I.Y. Designer

The next step after this could be to try punching out your own designs onto blank cards. Your Knitmaster stockist can supply a handy punch and blank cards specially for your Handknitter. If you're feeling a bit nervous to start with, there is a book full of punchcard designs, just for your machine. It's called *Lecle*, and is full of designs for Fair Isle, slip and tuck stitch. Why not choose a Fair Isle design,

cable and lace patterns. Using these techniques as a starting point, see how many variations you can think of. How about doing cables and lace all in the same piece.

Knit your favourite Stitch Patterns

Now, you've assembled lots of swatches and ideas, which, incidentally have all given you plenty of practice on your Handknitter, so the next stage is to take all these ideas – and turn them into a garment. One way to do this is to find a written pattern with the same number of stitches and rows to 10cm, as you read from your new tension square. Then, if



Knitmaster Kone comes in 2 ply, 4 ply and Aran.


and punch a new card for the child's sweater on the back cover? All you have to do is make sure that you get the same number of stitches and rows with your new card as the original pattern tells you, and the sweater will have a completely new look.

As well as patterns for punchcards, the *Lecle* pattern book also has ideas for

the garment is the shape and size you want, you can start knitting your very own design.

Knit your Favourite shapes

You've probably found out by now that unless you can get exactly the same tension as a pattern says, the garment you knit can be quite disastrous! Fortunately,



Knitmaster's 360 punchcard machine — your next step.

there is a way round this, which means you can knit any shape you like, in your own choice of yarn and stitch pattern. Knitmaster produce an attachment called a KR6 Knitradar, which is available through your local stockist. This sits on the back of your Handknitter, and a diagram shows you how many stitches to cast on, and exactly where to increase and decrease.

Start by knitting a tension square exactly as your instruction book tells you. Use the green ruler to measure the stitches and rows. Set the Knitradar with this information, choose the garment shape you want from the set supplied free, and off you go! Using the Knitradar means you don't ever have to search around for patterns the size and shape you want to knit. The diagrams supplied with the Knitradar cover men's, women's and children's garments in a range of sizes, and because you can see the shape you're going to knit, it's really easy to alter it.

Your local Knitmaster stockist can supply you with some useful accessories

to help you alter the basic diagrams, and you can even make your own patterns, starting from scratch. Put all these ideas and accessories together, and I can guarantee that you'll never see anyone else in knitwear like yours! Another accessory you'll find really useful is the SC7 linker. This will cast off, and also help you put your garments together quickly, and with a really professional finish. You can also use it to do some really interesting patterns on the surface of your knitting. Use it to turn a plain stockinet sweater into something unique.

So what happens next?

The Handknitter can give you hours of pleasure, and you'll find that new ideas for stitch patterns and garment shapes keep popping into your head. Or perhaps you'd like to knit other types of stitch patterns? The Handknitter is the ideal machine for beginners, because it's easy to use, and with just three types of stitch pattern to choose from, you won't get confused by too much choice!

However, if you keep an eye on the


knitwear in shops (which is a good way of getting ideas!), you'll have seen all the pretty lacy garments which are always so popular. Lace is just one of the stitch patterns that Knitmaster's 260 punchcard machine will knit. You can also knit punch lace, plating and knitweave, so you've more than doubled your choice of stitch patterns. And don't forget about single motifs. If you choose a Knitmaster 260 with lace carriage, you get a total of thirty new punchcards, and the same Knitradar will fit on this machine.

Or you may prefer a Knitmaster 360, which has the Knitradar built in already. Don't forget, you can add a ribbing attachment to either of these machines, so you can not only knit real ribs, but also even more exciting new stitch patterns.


Pass on your Handknitter to a friend or relative, and they too can have an exciting and creative new hobby.

Happy Knitting

Your Editor



Use the handy punch to design your own stitch patterns.



Knitmaster's Knitradar makes garment knitting easy.

MODERN KNITTING

THE KONE HANDKNITTER PATTERN BOOK

Ten designs
for the whole
family.

KNITMASTER
KONE



For **KNITMASTER** HK160
HANDKNITTER knitting machines.

