Bear All,

Most of the styles in this book are just what I like to wear myself and you will notice that the sweaters are really clingy. To get this really clingy look we have allowed for just the right amount of stretch and you will see from the measurement charts at the end of the patterns that the sweaters themselves are much smaller than the actual bust size. Well, this is the way I like them and I'm thrilled to bits because this is the first time I have been able to get knitting patterns to fit like these do. I realise, however, that some of you may prefer not to feel as if you have been poured into your clothes! If so, make a size larger or adjust the tension ever so slightly (a half-stitch less to every 2 ins will be enough).

I found it much easier to go through the pattern before I started knitting and mark the stitches for my size and sometimes, where you have to remember a pattern stitch and shapings at the same time, I even wrote out a list of the row numbers on which shapings have to be worked. It takes a few minutes extra in the beginning, but it saved me an awful lot of mistakes in the end. Another thing I found a great help was always to wax the yarn. This makes the yarn flow more smoothly and often makes it more economical in use.

Coming back to that question of tension it is important to get it right regardless of which machine you have, and nearly all the patterns can be knitted on most makes of machine. The tension numbers have not generally been given as there are so many different machines it would be impossible to cover them all, and in any case individual machines sometimes vary so that tension numbers at best are only a guide. You will notice in fact that the lacy dress, which can only be made on one particular make of machine has tension numbers given, but these are really only a guide and may have to be varied to achieve the correct tension.

My mum says the Dress and Cardigan shown on pages 17 and 24 are great, so I hope one way or another there will be something here for all us girls!

I hope you enjoy knitting these,

Yours ever, Twiggy

contents and materials

gypsy skirt and sweater for all machines	page 3
Skirt: $\frac{1}{2}(\frac{3}{4};\frac{3}{4};1)$ cone each in A, B, C and D. 1 oz black and crochet hook size C (3mm), or 3 yards fringe to be sewn on for edging if preferred. Waist length of $\frac{3}{4}$ inch elastic.	
Sweater: $1(1:1:1\frac{1}{4})$ cones. Shirring elastic for sleeves. stripe me colored for Juki K 881 (or all 8-st repeat machines)	page 4
Midi Coat: $\frac{3}{4}(\frac{3}{4}:1:1)$ cone Main Colour, $\frac{3}{4}(\frac{3}{4}:\frac{3}{4}:\frac{3}{4})$ cone each in Contrasts A, B and C. Tunic Coat: $\frac{1}{2}(\frac{3}{4}:\frac{3}{4}:\frac{3}{4})$ cone Main Colour, $\frac{1}{2}(\frac{1}{2}:\frac{1}{2}:\frac{1}{2})$ cone each in Contrasts A, B and C. Buckle for Belt. acy dresses for Juki K 881 (with lace carriage accessory)	page 7
TAMM 2/15 Astracryl Lustrafil or 3/18 Astracryl Perla Maxi Dress: $1\frac{3}{4}(1\frac{3}{4}:2:2)$ cones. Mini Dress: $1(1\frac{1}{4}:1\frac{1}{4}:1\frac{1}{2})$ cones. Shirring elastic for sleeves if required.	

All photographs of Twiggy by Justin de Villeneuve.

Please read Notes on page 23 before commencing work.

Tights by Twiggy.

continued on page 23



TAMM° YARNS on 9 ounce CONES

are recommended for all the garments in this book. You may purchase TAMM yarn from your local dealer or directly from: Dept. Y, George L. Sturman Co. Inc. 542 S. Dearborn Street Chicago, Illinois 60605.

The garments in this book were designed for Tamm yarns. The amount of yarn required is given in the list of Contents and Materials.

Other brands of yarn can be used. However since they vary in thickness and weight the amount of yarn required may vary from the quantity given. It is recommended that you make a swatch on your knitting machine to the tension given at the beginning of each pattern.

Glossary of Terms

Cast off=bind off; stocking stitch or st st=stockinette; double crochet (dc)=single crochet (sc).

Needle positions (for Juki machines): N.W.P.=A position; W.P.=B position; H.P.=F position.

Ask your knitting machine dealer for a demonstration of the latest

JUKI KNITTING MACHINES

"The Worlds most advanced Knitters" with HI-MEMORY™ and Select 'O' Vision™ or write: The George Sturman Co. Inc.



gypsy skirt and sweater shown on front cover

measurements

Sweater: To fit bust sizes 30(32:34:36) ins. Length to top of shoulder $22\frac{1}{2}(23:23\frac{1}{2}:24)$ ins. Sleeve seam 5 ins.

Skirt: To fit hip sizes 33(35:37:39) ins. Finished length 33 ins.

main tension

15 sts and $19\frac{1}{2}$ rows = 2 ins.

Fully fashioned decreases at raglan edges are worked by placing 3rd st on 4th needle and moving 2 end sts 1 needle in. Decreases at neck edge and on neckband are worked by placing 2nd st on 3rd needle and moving end st 1 needle

sweater

Cast on 123(129:135:141) sts for 1×1 rib. 000. Using 1 tension finer than main knit 2 rows. Dec 1 st each end on next and every following 3rd row 23 times in all. 77(83:89: 95) sts remain. Knit 1 row. Transfer sts for stocking stitch. 000. Using main tension knit 6 rows ★. Inc 1 st each end of next and every 7th row 11 times in all. 99(105:111:117) sts. Knit straight until 96 rows have been worked.

Shape Raglan

Cast off 2(2:3:3) sts at beg of next 2 rows. Knit 1 row. Dec 1 st at each end of next and every 3rd row 6(10:12:16) times in all, then every alt row until 41(45:47:51) sts remain. Knit 1 row. Cast off.

front

Knit as given for Back to ★. Inc 1 st at each end of next and every 7th row 10 times in all. Work 4 rows straight.

Shape Neck

Transfer centre st on to adjacent needle and push needles at left to H.P. Complete right side first. Knit 2 rows. Inc 1 st at side edge of next row only and at the same time dec 1 st at neck edge of next and every 4th row until 96 rows have been worked.

Shape Raglan

Continuing neck decs as before cast off 2(2:3:3) sts at beg of next row. Knit 2 rows. Dec 1 st at raglan edge of next and every 3rd row 6(10:12:16) times in all, then every alt row until 5(4:4:4) sts remain. Continue raglan dec only until 3 sts remain. Dec 1 st at neck edge of following alt row. Work 1 row. Cast off.

Return needles at left to W.P. and knit left side to match right side reversing all shapings.

sleeves

Cast on 150(166:182:198) sts by hand. Using 1 tension looser than main knit 3 rows. Push every 4th needle to H.P. and knit 5 rows. Return needles to W.P. and knit 1 row. 000. Transfer every 8th st on to adjacent needle and push empty needle to N.W.P. Change to 2 tensions looser than main.

1st row: Push 4th and every following 7th needle (centre one of each group) to H.P. and knit the row.

2nd row: Return H.P. needles to W.P. and knit the row.

Rep these 2 rows for 46 rows. Slip sts on to a knitting needle. Press piece according to instructions on page 00 then fold into pleats and press again. Push 66(74:80:88) needles to W.P. Transfer sts to needles as follows:-

1st and 3rd sizes: Place 2 sts on each needle.

2nd and 4th sizes: 1 st on first needle, 2 sts on every following needle to last needle, 1 st on last needle.

Change to main tension and knit 6 rows taking care that all sts are properly knitted on the first of these rows.

Shape Top


Cast off 2(2:3:3) sts at beg of next 2 rows. Knit 1 row. Dec 1 st at each end of next and every following 3rd row 6(4:4:2) times in all, then every alt row until 8 sts remain. Knit 1 row. Cast off.

neckband

Cast on 159(167:175:183) sts by hand. Using 1 tension finer than main knit 1 row. Dec 1 st (see Note) at each end of next 3 rows. Still decreasing as before make a row of holes by transferring every alternate st on to adjacent needle and knit the row. Inc 1 st at each end of next row by moving 2 end sts 1 needle out. Pick up loop and place on empty needle. Repeat this row twice more. Cast off

to finish

Press pieces according to instructions on page 23. Join side seams. Fold hem of sleeve to wrong side and slip st in place. Press pleats. Join sleeve and raglan seams. Join mitred ends of neckband and sew band in place. Fold band to inside and slip st in place. Press seams. Thread shirring elastic through sleeves at top of pleats if required.



midi skirt

panel

Cast on 60(62:64:66) sts in colour A by hand, 000. Using main tension knit 7 rows. Dec 1 st each end of next and every 8th row 6 times in all, then every 14th row 14 times. 20(22:24:26) sts remain. Mark ends with coloured yarn. Knit 28(28:20:20) rows. (This will give a finished length of 33 ins. Adjust length here if required.) Dec 1 st each end of next and following 28th(28th:20th:20th) row. Knit 12 rows straight. Slip sts on to a safety pin.

Knit 2 more panels in A, then knit 3 panels each in B, C and D.

to finish

Press pieces according to instructions on page 23. Sew 6 panels together arranging colours thus A, B, C, D, A, B. ★★ Transfer sts on to machine for 1×1 rib and using required colour and 2 tensions finer than main knit 14 rows. Cast off. ** Sew the other 6 panels thus C, D, A, B, C, D and repeat from ★★ to ★★.

Sew side seams. Cut elastic to fit waist and join firmly into a ring. Place elastic inside waistband and work herringbone st over elastic on to every alt st of ribbing thus enclosing the elastic.

Crochet Border (optional)

Using size 11 hook join Black yarn to lower edge.

1st round: *Work 1 dc into each of next 3 sts, miss 1 st; rep from * all round bottom of skirt, sl st to join.

2nd round: 1 dc into each st to end, sl st to join.

3rd round: 3 ch, *[yo, insert hook into next st, yo and draw loop through up to \{\} inch height] 3 times into same st, yo and draw this loop through all 7 loops on hook (1 bobble made), 1 ch, miss 1 dc; rep from * to end replacing final ch with a sl st under 3 ch at beg of round.

4th round: 3 ch, *work a bobble into first space, 1 ch; rep from * to end, sl st into top of bobble at beg of round. 5th round: *2 ch, [yo, insert hook into space, yo and draw

loop through up to \(\frac{1}{2}\) inch height] twice into same space, yo and draw this loop through all 5 loops on hook, 2 ch, sl st into same space, sl st into next space, 2 ch, sl st into 2nd ch from hook, sl st into same space, sl st into next space; rep from * to end.

Fasten off.

stripe me coloured

shown opposite

measurements

To fit bust sizes 30(32:34:36) ins.

Sweater: Length to shoulder $25(25\frac{1}{2}:26:26\frac{1}{2})$ ins.

Sleeve seam 18 ins.

Midi Coat: Length to shoulder $45(45\frac{1}{2}:46:46\frac{1}{2})$ ins. Tunic Coat: Length to shoulder $28\frac{1}{2}(29:29\frac{1}{2}:30)$ ins.

tension

Sweater: 15 sts and $19\frac{1}{2}$ rows=2 ins.

Coats: 16 sts and 20 rows=2 ins over zig-zag st.

sweater

Stripe Pattern: Knit 12 rows each in Main Colour (M), then Contrasts A, B and C.

back

Using M cast on 100(108:114:120) sts by hand. Tension 1 finer than main. Knit 11 rows. Knit 1 very loose row for hemline. 000. Change to main tension and starting with M work in stripe pattern as given above and knit 18(12:12:12) rows. Dec 1 st at each end of next and every following 6th row 12(13:13:13) times in all. 76(82:88:94) sts. Knit 14 rows straight. Inc 1 st each end of next and every following 8th row 11 times in all. 98(104:110:116) sts. Knit straight until 186 rows have been worked. (This will give a length of 19 ins from hemline. Adjust length here if required.)

Shape Armholes

000. Cast off 2(2:3:3) sts at beg of next 2 rows, then 2 sts at beg of next 4 rows. Dec 1 st at each end of next and every alt row 4 times in all. 78(84:88:94) sts ★. Knit straight until 58(62:68:72) rows have been worked.

Shape Shoulders

Cast off 3 sts at beg of next 8 rows and 3(4:5:6) sts at beg of next 2 rows. Cast off remaining 48(52:54:58) sts.

front

Knit as given for Back to ★. Knit 1 row. (Carriage is at right.)

Shape Neck

Cast off 18(20:22:24) sts at centre and push sts at left to H.P. Knit the right side first. Knit 1 row. Cast off 3 sts at beg of next row and 2 sts on following alt row. Knit 1 row. Dec 1 st at beg of next and every alt row 10(11:11:12) times in all. 15(16:17:18) sts. Knit straight until 58(62:68:72) rows have been worked.

Shape Shoulder

Cast off 3 sts at beg of next and every alt row until 3(4:5:6) sts remain. Cast off.

Return needles to W.P. Knit to match right side reversing all shaping.

sleeves

Beginning with colour A cast on 44(48:50:54) sts. Tension 1 finer than main. Knit 11 rows then knit 1 very loose row for hemline. 000. Main tension. Working 12 rows each in colours A, B, C then M knit 14 rows. Inc 1 st at each end of next and every 14th(13th:11th:10th) row until there are 66(72:78:84) sts. Knit straight until 174 rows have

been worked. (This gives a sleeve seam length of 18 ins. Adjust length here if required. If body has been adjusted, adjust sleeves so that stripes will match.)

Shape Top

Cast off 2(2:3:3) sts at beg of next 2 rows. Dec 1 st at each end of next and every following 3rd row 7 times in all and then every alt row 9(10:12:13) times in all. Knit 1 row. Cast off 4 sts at beg of next 2 rows and 4(5:5:6) sts at beg of next 2 rows. Cast off remaining sts.

neck edging

Using M and starting at left side of needle bed cast on 16 sts by hand. Tension 1 finer than main. 000. (Note: Count rows, or trip row-counter by hand, where necessary.) Knit 1 row. Inc 1 st at right and dec 1 st at left on next and every alt row until 162(174:188:202) rows have been worked. Slip sts on to a holder.


belt

Cast on 33 sts by hand in colour required for Belt. Tension 1 finer than main. Knit 240(250:260:270) rows. Place centre st on to adjacent needle and push sts at left to H.P. Knit the right part first. Dec 1 st at both ends of next and alt rows until 2 sts remain. Cast off. Push needles back to W.P. and knit to match right half.

to finish

Press pieces according to instructions on page 23. Join shoulder, side and sleeve seams. Starting at centre back neck and with right sides together pin neckband in place evenly round neck, stretching band very slightly to fit. (Note: Do not stretch too tightly as sweater also stretches slightly in wear.) Adjust rows to exact required length. Join ends of band securing every st and back stitch band in place. Fold band in half to inside and slip-stitch. Insert

continued on page 6





sleeves. Fold hems to wrong side and slip stitch in place. Fold belt in half lengthways with right side inwards. Sew round point and along seam, leaving cast on edge open. Turn to right side. Press. Sew buckle to cast on end. Press all edgings and seams.

midi coat

★ [Note: Figures in square brackets indicate rows registered on row counter for machines which feed each colour in separately. On these machines 22 rows show on row counter for every 14 rows actually knitted. Work 2 rows at a time in each colour during the 8 pattern rows.]

back

Using M cast on 120(128:136:144) sts by hand. Tension 1 finer than main. Knit 7 rows. Knit 1 very loose row for hemline \bigstar . 000. Using main tension and following chart knit 386 rows, [610 rows]. (This will give a finished length to shoulder of $45(45\frac{1}{2}:46:46\frac{1}{2})$ ins. Adjust length here if required but note difference in rows worked as same difference will have to be made to sleeve seam length.)

zig-zag stripes for coat

Knitmaster 302 or 305 Automatic: follow chart 1 All other machines: follow chart 2

Chart 1

DROER		OUR	PATTE	RN PA	NEL	CAM LEV	PUSH B	UTTONS	PATTERN	NO OF ROWS	DIRE - CTION
1	S	C	3-	8	3	Knit-in	H		Knit-in	2	‡ ‡
2	S	C	2-	8	4		**			2	±
3	С	S	← 2	8	4	**				2	+
	С	S	→ 1	8	3		**			2	+
5	С	-		**		Stock- ing St				6	111

YF = Yarn in feeder YN = Yarn on needles

Chart 2

	-			_	_	_	-			Knit 2 rows at a
×	×	×	×	×	×	×	×	14		
X	X	X	×	X	×	X	X	13		time in each colour
×	×	×	×	×	×	×	×	12	6 plain	during the 8 pat-
×	×	×	×	×	×	×	×	11	rows	tern rows. Row
×	×	×	×	X	×	×	×	10		counter will regis-
×	×	×	×	×	×	×	×	9)	8	ter 22 rows for
×	×	×	×	×	×	×		8	ř	every complete 14
X	×	×	×	×	×	×		7		rows knitted.
	×	×	×	×	×			6		
	×	×	×	×	×			5	8 pattern	
		×	×	×				4	rows	
		×	×	×				3		Contrast (C)
	Г		×		Г	Г		2		= Contrast (C)
			X					1	=	Stripe colour (S)

key and instructions for both charts

S=Stripe colour C=Contrast colour

For 1st Stripe S = Main colour	C=Colour A
For 2nd Stripe \dots S = Colour A	C=Colour B
For 3rd StripeS = Colour B	C=Colour C
For 4th Stripe S = Colour C	C=Main colour
Rep these 56 rows	

★★ Shape Armholes

000. Cast off 3(4:5:6) sts at beg of next 2 rows and 2 sts at beg of next 2 rows. Dec 1 st at each side of next and alt rows 7 times in all. 96(102:108:114) sts. Knit straight until 66(70:76:80) rows have been worked, [102(110:116:124) rows].

Shape Shoulders

Cast off 5 sts at beg of next 8 rows and 4(5:6:7) sts at beg of next 2 rows. Cast off remaining 48(52:56:60) sts.

right front

★ Using M cast on 56(64:64:72) sts by hand. Using 1 tension finer than main knit 7 rows. Knit 1 row at very loose tension for hemline. 000. Using main tension and following chart ★ knit 246 rows, [390 rows]. (Carriage is at right.) Break yarn.

Pocket Edging and Lining

Push 4(8:8:12) needles at each side to H.P. and knit on centre 48 sts. Change to 1 tension finer than main and main colour only and knit 12 rows. Pick up loops of first row of edging and place on corresponding needles. Change to main tension and knit 1 row, then knit 120 rows for lining. Break yarn. Reset row counter to 246, [or 390].

Return needles at each side to W.P. and continue in zig-zag pattern (starting with the 6 rows in st st) until 386 rows have been worked, [610 rows].

★★ Shape Armhole

000. Cast off 3(4:5:6) sts at beg of next row and 2 sts at beg of following alt row. Knit 1 row. Dec 1 st at beg of next and alt rows 7 times in all. 44(51:50:57) sts. Knit straight until 46(50:54:58) rows have been worked, [70(76:84:90) rows]. (Carriage is at right.)

Shape Neck

Using odd lengths of yarn cast off 6(10:8:12) sts at left side on next row, then 3(4:4:5) sts on following alt rows twice, and 2 sts on following alt rows twice. Knit 2 rows. Dec 1 st at neck edge of next and alt rows 4 times in all. Knit 2(2:4:4) rows.

Shape Shoulder

Cast off 5 sts at beg of next and alt rows until 4(5:6:7) sts remain. Cast off.

left front

Knit as given for Right Front reversing all shapings.

sleeves

Using colour B cast on 76(80:84:88) sts by hand. Using 1 tension finer than main knit 7 rows. Knit 1 very loose row for hemline. 000. Change to main tension and using colour C as Contrast and colour B as Stripe Colour knit 8 rows. Keeping pattern correct inc 1 st each end of next and every following 6th(6th:4th:4th) row until there are 96(104:112:120) sts. Knit straight until 78 rows have been worked, [126 rows].

Shape Top

Cast off 3(4:5:6) sts at beginning of next 2 rows and 3 sts at beginning of next 2 rows. Dec 1 st each end of next and alt rows until 42(48:54:60) sts remain. Knit 1 row. Cast off 2 sts at beginning of next 4(6:6:8) rows and 3 sts on following 6(6:8:8) rows. Cast off remaining 16(18:18:20)

front bands and neckband

Using M cast on 15 sts. Using 1 tension finer than main knit straight until band measures 2 ins less than front of coat to neck, (about 386(390:392:396) rows if no adjustment was made to length of Midi Coat, 238(242:244:248) rows on Tunic Coat.

Mitred Corner: Always winding yarn round 1st needle in H.P. put 2 sts into H.P. at side opposite carriage on next 6 rows. Return 2 sts to W.P. at side opposite carriage on next 6 rows. 000.

Neckband: Push centre st to H.P. and knit 1 row. Push st back to W.P. and knit 1 row. Rep these 2 rows until 72(80:88:96) rows have been worked. Cast off.

Work another piece the same.

to finish

Press pieces according to instructions on page 23. Join side, shoulder and sleeve seams. Insert sleeves slightly easing top of sleeve into armhole without gathering armhole. Turn hems up to wrong side and slip stitch in place. Join ends of neckband. With right sides together pin band to coat, placing mitres at start of neck shaping and stretching band evenly to fit. Sew band in place, fold in half to wrong side and slip stitch. Sew side edges of pocket tops in place. Slip stitch round sides of pocket lining. Press seams.

tunic length coat

back

Knit as given for Back of Midi Coat from \bigstar to \bigstar . 000. Using main tension and following chart, knit 218 rows, [346 rows]. (This will give a length to shoulder of $28\frac{1}{2}(29:29\frac{1}{2}:30)$ ins. Adjust length here if required but note difference in rows worked as same difference will have to be made to sleeve seam length.) Continue as given for Back of Midi Coat from $\bigstar \bigstar$ to end.

right front


Knit as given for Right Front of Midi Coat from ★ to ★. Knit 218 rows, [346 rows]. Continue as Right Front of Midi Coat from ★★ to end.

left front

Knit as Right Front reversing all shapings.

sleeves, front band, neckband and finishing

Work as given for Midi Coat omitting instructions for finishing pockets.



shown on page 8

lacy dresses

measurements

To fit bust sizes 30(32:34:36) ins; hip sizes 32(34:36:38) ins.

Length from top of shoulder Maxi: $53\frac{1}{2}(54:54\frac{1}{2}:55)$ ins, Mini: $33\frac{1}{2}(34:34\frac{1}{2}:35)$ ins.

main tension

9 sts and 12 rows=1 inch measured over st st, (T.4).

note 1: Tension for lace patterns

a. Skirt of Maxi dress: Change to T.7 on row 40, T.6 on row 60, T.5 on row 80 and T.4 on row 100.

b. Skirt of Mini dress: Change to T.7 on row 10, T.6 on row 20, T.5 on row 30 and T.4 on row 40.

note 2: Fully fashioned shapings

Decreases for raglan armholes, front neck and top of sleeves are worked by transferring the 2nd st onto the 3rd needle and moving end sts 1 needle in.

maxi dress

back

Cast on 200 sts by hand. T.7. Knit 5 rows. Make picot edge by making holes on alt needles. Knit 5 rows. T.8. Knit 2 rows. 000. Working from chart A knit 10(10:40:40) rows, (see Note 1a). Dec 1 st at each end of next and every following 10th(12th:14th:18th) row and at the same time when 60 rows have been worked ★ begin lace points:—

T.6. Set needles for first row of pattern but do not move lace carriage. Push centre needle and every following 7th needle each side back to B position, thus taking the centre and every following 7th diamond out of the pattern. Move lace carriage and knit 2 rows. Leaving these diamonds unworked complete the pattern.

T.5. Change needle selection and set needles for first row of next pattern. Counting from centre push 1st and then every following 6th and 7th needles back into B position. Complete the pattern omitting these 2 diamonds.

T.4. Keeping decs at side edges correct continue to work 1 diamond less in each point until all sts are in st st ★. 180 rows worked, 166(170:180:184) sts remain. Continue decreasing as before until 140(150:160:170) sts remain. Knit straight until 320 rows have been worked. (This will give a finished length to top of shoulder of 53½(54:54½:55) ins, adjust length here if required.) Mark each end of work with coloured yarn.

* Shape Hips


000. Dec 1 st each end of next and every following 6th

Chart A

STEPS	KNITTING CARR-	TENSION DIAL	H.C.L.LEFT D	Û	CAR	U	PART UU GE	H.C.L.RIGHT	2222		E SE	JS	1 2		4 5	6	7	8	LACE CARRIAGE DIRECTION
	LO				-	フ			1	2	3	4	5	6	7	8	П	1	GE
1	C		I					I			3						Α	7	-
2	C		•			11		19			3						"	ч	-
3			**			17		**				4					11	u	-
4	~		"			,,		11		2							11	11	-
5			11			11		11	Г			4					11	11	-
6	Č		"			**		"		2							"	11	-
7			11			,1		"					5				"	11	-
8	~					,,		*	1								"	11	-
9	_		**					**					5					11	-
10	~		**			11		**	1								"	Ħ	-
11	_		**			,,	\top	**		2							"	11	-
12	~		**					**				4					"	11	-
13	_		**	\neg		,,		"	\vdash	-		4					11	11	-
14	~		tı.	\neg	T	"		11	\vdash	2								11	-
15	<u>_</u>		**		\neg	**					3						11	"	-
16	ŋ		**			**		**			3						11	11	-

Work 20 rows of chart A on SD7, change to SD3 and rep the 20 rows. These 40 rows form 1 complete pattern.

Chart B



Work 10 rows of chart B on SD3 then change to SD7 and rep the 10 rows. These 20 rows form 1 complete pattern.

continued on page 10





row 6 times in all, then every 4th row 15 times. 98(108:118: 128) sts remain. T.3. Knit 5 rows and mark each end for waist line.

Shape Bodice

000. Knit 19 rows. T.3-1. Inc 1 st each end of next and every following 8th row at the same time change to T.3-2 on row 52 and T.4 on row 76. 114(124:134:144) sts ★★. Continue to inc on every following 8th row 3 times more, then work 20 rows straight. 120(130:140:150) sts, 120 rows.

Shape Raglan

Cast off 2 sts at beg of next 2 rows. Dec 1 st (see Note 2) each end of next and every following 3rd row 13 times in all, (159 rows) then every alt row 19(22:25:28) times. Knit 1 row on remaining 52(56:60:64) sts. Cast off.

front

Knit as Back to ★★★. Knit 2 rows.

Divide for Neck

Push 57(62:67:72) needles at left to E position, and set Holding Cam Levers to III. Knit 1 row. Dec 1 st at neck edge (see Note 2) on next and following alt row. Knit 1 row. Continuing to dec at neck edge of next and every alt row at the same time in 1 st at side edge of next and every 8th row 3 times in all. Now dec at neck edge every following 3rd row 6 times. 43(48:53:58) sts remain. Knit 2 rows. 120 rows.

Shape Raglan

Cast off 2 sts at beg of next row. Knit 1 row. Dec 1 st at raglan edge of next and every following 3rd row, at the same time dec 1 st at neck edge on next and every following 6th row 7 times in all. Continuing to dec at neck edge on every 6th row 1(3:5:7) times more now dec at raglan edge on every alt row until 3 sts remain. Knit 2 rows. Dec 1 st at neck edge of next row. Cast off.

Set Holding Cam Levers to I. Reset row counter to 78. Knit to match right side reversing all shapings.

sleeves

Cast on 160(180:200:200) sts by hand. T.7. Knit 5 rows. Make picot edge as for Back. Knit 5 rows. T.8. Knit 2 rows. 000. Working from chart B and beginning on row 5 knit 26 rows.

Begin lace points

Set needles for first row of pattern but do not move lace carriage. Push centre needle and every following 5th needle each side back to B position. Leaving this diamond unworked complete the pattern. Change needle selection and set needles for first row of next pattern. Counting from centre push 1st and every following 4th and 5th needles back into B position. Continue in this way working 1 diamond less in each point until all sts are in st st. 66 rows.

Remove work from machine slipping sts on to knitting needles. Press piece out to full width according to instructions on page 23. Push 80(90:100:110) needles to B position.

Sizes 30, 32 and 34 only: Transfer sts to machine, placing 2 sts on each needle.

Size 36 only: Transfer sts to machine as follows:— *2 sts on each of first 9 needles, 1 st on each of next 2 needles; rep from * to end.

All sizes: 80(90:100:110) sts. T.4. Knit 16 rows, taking care that all sts knit properly on first row.

Shape Top

000. Cast off 2 sts at beg of next 2 rows. Dec 1 st (see Note 2) each end of next and every following 3rd row 13(12:11:10) times in all, 39(36:33:30) rows, then dec each end of every alt row until 14(18:22:26) sts remain, then every row 3(4:5:6) times. Cast off remaining 8(10:12:14) sts.

neckband

Cast on 110(118:126:134) sts by hand. T.3. Knit 2 rows.

Dec 1 st at left on next and following alt row. Make picot edge as for Back. Inc 1 st at left on next and following alt row. Knit 2 rows. Cast off. Knit another piece placing shapings at right.

to finish

Read pressing instructions on page 23. Press back and front out to following widths and required length:—Hem: 46 ins. Skirt at top of lace points: $18\frac{1}{2}(19:20:20\frac{1}{2})$ ins. Hip: $15\frac{1}{2}(16\frac{3}{4}:17\frac{3}{4}:19)$ ins. Waist: 10(11:12:13) ins. Bust: $13\frac{1}{2}(14\frac{1}{2}:15\frac{1}{2}:16\frac{1}{2})$ ins.

Press top of sleeve lightly without stretching. Join raglan, side and sleeve seams. Fold picot edges to wrong side and slip stitch in place. Join mitred points of neckband and centre back seam. Sew band to neck, fold in half to inside and sl st in place. Press seams. Sew shirring elastic through sleeves at top of lace pattern if required.

mini dress

hack

Cast on 170(180:190:200) sts by hand. T.7. Knit 5 rows. Make a picot edge by making holes on alt needles. Knit 5 rows. T.8. Knit 2 rows. 000. Working from chart B knit 6 rows. (see Note 1b). Dec 1 st each end of next and every 6th row at the same time when 20 rows have been worked work as given for Maxi dress from ★ to ★. 80 rows. 144(154:164:174) sts remain. Continue decreasing as before until 140(150:160:170) sts remain. Knit straight until 90 rows have been worked. (This will give a finished length to top of shoulder of 33½(34:34½:35) ins, adjust length here if required.) Mark each end of work with coloured yarn. Complete as given for Maxi Dress from ★★ to end.

front


Knit as Back to ★★★. Complete as given for Front of Maxi Dress.

sleeves and neckband

Work as given for Maxi Dress.

to finish

Read pressing instructions on page 23. Press back and front out to following widths and to required length:— Hem: 40(42:44:46) ins. Hip: $15\frac{1}{2}(16\frac{3}{4}:17\frac{3}{4}:19)$ ins. Waist: 10(11:12:13) ins. Bust: $13\frac{1}{2}(14\frac{1}{2}:15\frac{1}{2}:16\frac{1}{2})$ ins. Complete as for Maxi Dress.



For all machines with ribbing attachments

measurements

To fit bust sizes 30(32:34:36) ins. Length to shoulder $24\frac{1}{2}(25:25\frac{1}{2}:26)$ ins. Sleeve seam 18 ins.

main tension

17 sts and 20 rows=2 ins square over coloured patterns.

note

Any of Twiggy's Sweaters on page 9 can be knitted from the following pattern by using the appropriate chart.

Machines which feed colours in separately: Work 2 rows at a time in each colour. Row counter will register 4 rows for every 2 rows knitted.

back

Using Colour A cast on 110(118:126:134) sts for 2×2 rib. 000. Set tension 1 tighter than main and knit 4 rows. Dec 1 st at each end of next and every following 8th row 5 times in all, then every 6th row 7 times. 86(94:102:110) sts. Knit 6 rows. Transfer sts for stocking stitch. 000. Main tension. Following one of the chart patterns knit

Knitmaster 302 or 305 automatic

YF = Yarn in feeder YN = Yarn on needles

Chart 1

ORDER	COL	DUR	PATTE	RN PA	NEL	CAM LEV	PUSH B	UTTONS	PATTERN LEV	NO OF ROWS	DIRE - CTION
	В	С	→3	8	2	Knit-in			Knit-in	2	4
2	В	С	2	n	•	-			**	10	te
3	В	C	→1	•	2	•	**	**		*	•
1	В	С	2-	8	•		**	"	**	*	
5	В	C	1 🕳	**	2			"			
6	В	Α	→ 3	n	**		*	"			
1	В	Α	→ 2	u	•	**		**		4	*
8	В	Α	→ 3	**	2			"			
9	В	С	1 -	**				"		•	*
10	В	C	2-	**	•						-
11	В	С	3-	•	2			tı	-		
12	В	C	→ 2	8	•			"			-
13	В	C	→ 3		2		*				14
14	В	Α	1 🖛		н		м	**		**	
15	В	Α	2 🖛	·	•		н			н	
16	В	Α	1 -		2			**			fe .

Chart 2

ORDER	COL YF	OUR	PATTE	RN PA	NEL	CAM LEV	PUSH B	UTTONS	PATTERN	NO OF ROWS	DIRE - CTION
1	Α	В	0	8	3	Knit-in			Knit-in	2	1
2	Α	В		0	1	0.	11	.0		11	11
3	Α	В	0	8	3	11	11			"	
	Α	С	→ 4	8	3	"			**	"	
5	Α	C	← 3	0	1		"	"	"	· ·	***
6	Α	C	← 4	8	3	- 11	17		. 11	- tr	

Chart 3 (This pattern is slightly different from the illustration but is the nearest that can be obtained without selecting the needles by hand.)

ORGER	COL	OUR YN	PATTE	RN PA	NEL	CAM LEV	PUSH B	UTTONS [1]2	LEV LEV	NO OF ROWS	DIRE - CTION
1	Α	В	1 🕶	•	3	Knit-in	B		Knit-in	2	ļ
2	Α	В	→1	•	2	**	17	**	**		"
3	Α	В	2	•	2	11		**		**	"
	Α	В	← 2	8	4	tr					"
5	Α	В	0	8				111	"	"	te
6	Α	В	← 2	8	4	47		11		11	н
7	Α	В	2	•	2	- 63	- 11	.0	"	"	ır
-	Α	В	1	•	2	11	***	ţi.	11	11	"

12 rows. Inc 1 st at each end of next and every following 6th row 13 times in all. 112(120:128:136) sts. Knit until 96 rows have been worked. (This will give a length to shoulder of 24½(25:25½:26) ins from beginning. Adjust length here.)

Shape Armholes

000. Cast off 3 sts at beg of next 4 rows. Dec 1 st at each end of next and every alt row 5(6:7:8) times in all. 90(96: 102:108) sts remain. ★ Knit straight until 60(66:70:76) rows have been worked.

Shape Shoulders

Cast off 6(6:7:7) sts at beg of next 6 rows and 6(8:6:8) sts at beg of next 2 rows. Cast off.

front

Knit as given for Back to ★. Knit straight until 40(46:50: 56) rows have been worked. Carriage is at right.

Shape Neck

Chart 1

××

XX

Cast off 20(22:26:28) sts at centre. Using oddments of continued on page 13

all other machines

 $\times \times$

.

. .

• • •

0000

.

.

•

. .

x x x x x

		Chart	2

18

X 16

10

R

X X 14

× × 12

×

x x	12
××	
X O	10
× •	
XX	8
XX	ı
XX	6
××	I
×	4
×	I
××	2
XX	I
7 8	•
	X

Chart 3

X			X	X			×	1
X			×	×			×	ı
X	×				×	×		1
X	×				×	×		ı
X	×	×					×	1
X	×	×					×	
	×	×	×					1
	×	×	×					
×	×	×					×	8
×	×	×					×	
X	×				×	×		6
X	×				×	×		
X			×	×			×	4
×			×	×			×	
	×	×	×		×	×	×	2
	×	×	×			×	×	

Chart 4

.

. .

.

	×				×			8
	×				×			
	×	×	×		×	×	×	6
	×	×	×		×	X	X	
×	×	×		×	×	×		4
×	×	×		×	×	×		
		×				×		2
		×				×	П	

key

 \mathbf{X} = Colour A \Box = Colour B

Colour C

Work 2 rows at a time in each colour. Row counter will register 4 rows for every complete 2 rows knitted.



yarn and knitting each stitch by hand knit sts at left and take back to N.W.P. Knit the right side first. Knit 1 row. Cast off 2 sts at neck edge on next and following alt row. Dec 1 st at neck edge on alt rows 7 times. 24(26:27:29) sts remain. Knit straight until 60(66:70:76) rows have been worked.

Shape Shoulders

Cast off 6(6:7:7) sts at beg of next and every alt row until 6(8:6:8) sts remain. Knit 1 row. Cast off.

Unravel yarn from sts in N.W.P. and complete to match right side reversing shaping.

sleeves

Using Colour A cast on 68(72:76:80) sts for 2×2 rib. 000. Set tension 1 tighter than main and knit 50 rows. Transfer sts for stocking stitch. 000. Following chart knit 40(30:20:10) rows. Inc 1 st at each end of next and every following 30th(22nd:16th:14th) row 3(5:7:9) times in all. 74(82:90:98) sts. Knit straight until 136 rows have been worked. (This will give a sleeve seam length of 18 ins. Adjust length here if required.)

Shape Top

000. Cast off 3 sts at beg of next 2 rows. Dec 1 st at each end of next and every following 3rd row 3 times in all, then every alt row 14(16:18:20) times. Knit 1 row. Cast off 5 sts at beginning of next 4 rows. Cast off.

neckband


Using Colour A cast on 126(132:138:144) sts for 1×1 rib. Set tension 1 tighter than main and knit 20 rows. Cast off in rib.


to finish

Press pieces according to instructions on page 23. Join side and sleeve seams and right shoulder seam. Sew neckband in place, fold in half to inside and slip stitch. Join 1 inch at armhole edge of left shoulder seam. Sew in sleeves. Using size 11 crochet hook and Colour A work 2 rows of dc round opening, making 4 loops on one side in 2nd row. Press seams. Sew on buttons.

diagram for classic sweaters shown on page 9 and for the sweater under the tunic on this page.

Note: Ribbing on sleeves of Sweater under Tunic is shorter than on Classic Sweaters, but sleeve seam length is the same.







jacket and skirt

measurements

Jacket: To fit bust sizes 30(32:34:36) ins. Length to shoulder $21\frac{1}{2}(22:22\frac{1}{4}:23\frac{3}{4})$ ins.

Skirt: To fit hip sizes 33(35:37:39) ins. Maxi length 39 ins. Midi length 33 ins.

tension

15 sts and $19\frac{1}{2}$ rows=2 ins square.

jacket

peplum

Using M cast on 32 sts by hand. Main tension, carriage at left. Knit 1 row.

000. Note: Always take yarn round nearest needle in H.P. to avoid making a hole.

1st dart: Put 8 needles furthest from carriage into H.P. and *knit 2 rows. Return all needles to W.P. and knit 2 rows*

2nd dart: Put 16 needles into H.P. and rep from * to *.
3rd dart: Put 24 needles into H.P. and rep from * to *.

4th dart: Work as 3rd dart. 5th dart: Work as 2nd dart. 6th dart: Work as 1st dart.

Rep the last 24 rows until 384(408:432:456) rows have been worked. Cast off.

back bodice

Using C cast on 74(82:90:98) sts by hand. Main tension. 000. Knit 6 rows. Change to M. Inc 1 st at each end of next and every following 6th row 12 times in all, 98(106:114: 122) sts. Work straight until 94 rows have been worked. (This will give a length from centre waist to back neck of $16\frac{1}{2}(17:17\frac{1}{4}:17\frac{3}{4})$ ins. Adjust length here if required.)

Shape Armholes

000. Cast off 3(4:5:6) sts at beg of next 2 rows and 2 sts at beg of next 4 rows. Dec 1 st at each end of next and every alt row 4 times in all. 76(82:88:94) sts remain. Knit straight until 58(62:66:70) rows have been worked.

Shape Shoulder

Cast off 3 sts at beg of next 8 rows and 3(4:6:7) sts at beg of next 2 rows. Cast off.

right front bodice

Using C cast on 37(41:45:49) sts by hand. Main tension. Carriage at left. 000. Knit 6 rows. Change to M. Inc 1 st at beg of next and every following 6th row until there are 49(53:57:61) sts. Knit straight until 87 rows have been worked or 7 rows less than required length to armhole ending with carriage at right.

Shape Neck

Cast off at beg of next and alt rows 12(13:14:15) sts once, 7(8:8:9) sts once and 2 sts twice. Carriage is at left. 26(28:31:33) sts remain.

Shape Armhole

000. Cast off 3(4:5:6) sts at beg of next row and 2 sts at beg of alt rows twice. Dec 1 st at beg of alt rows 4 times. 15(16:18:19) sts remain. Knit straight until 58(62:66:70) rows have been worked.

Shape Shoulder

Cast off 3 sts at beg of next and every alt row until 3(4:6:7) sts remain. Knit 1 row. Cast off.

left front bodice

Work as given for Right Front reversing all shapings.

sleeves

Using M cast on 44(46:48:50) sts by hand. Main tension. 000. Knit 40(40:29:24) rows. Inc 1 st at each end of next and every following 10th(8th:7th:6th) row 9(11:14:17)

times in all. 121 rows have been worked. Continuing to inc as before 3(4:4:4) times more knit 6 rows in C and 12 rows in M. Rep these 18 rows until sleeve is completed, at the same time when there are 68(76:84:92) sts knit straight until 176 rows have been worked. (This will give a sleeve seam length of 18 ins. Adjust length here if required.)

Shape Top

000. Continuing stripe pattern cast off 3(4:5:6) sts at beg of next 2 rows. Dec 1 st at each end of every following 12th(10th:10th:8th) row 5(6:6:8) times then every 4th(4th:6th:6th) row 3(4:4:4) times. 74(78:86:90) rows. Cast off 3 sts at beg of next 6 rows. Cast off.

to finish

Press pieces according to instructions on page 23. Join side and shoulder seams. Sew peplum evenly to waist. Using crochet hook and M and starting above C stripe on right front edge work 1 row double crochet evenly up front (working about 11 dc to every 2 ins), round neck and down front to top of C stripe. Join in $\frac{3}{4}$ yd length of C, twist the 2 colours together and work 4 dc across stripe, join 2nd ball of M, twist the 2 colours together and continue in M all round edge of peplum. Join another length of C as before and finish row with 4 dc across other edge of stripe, sl st into first dc of round and turn. Keeping colours correct throughout and twisting at colour change, work 1 more row of dc decreasing 3 or 4 sts evenly on curved parts of neck and working 3 dc into corner sts at neck and bottom of peplum.

3rd row: 1 dc into first dc, *3 ch, sl st into the first of the 3 ch, miss 1 dc, 1 dc into next dc; rep from * to end. Fasten off.

Join sleeve seams leaving 4 ins open at lower edge. Work 1 row of dc all round opening and lower edge. Work 2nd row of dc making 4 loops on one side by working 2 ch in place of 2 dc. Fasten off.

Cut stiffening for sleeve heading and gather straight edge to measure 6 ins. Fasten off securely.

Using strong thread work a fine running st round edge of upper half of each sleeve top, draw up evenly until sleeve will fit into armhole easing more of the fullness to the top of the sleeve. Sew gathered edge of stiffening to top of sleeve and insert sleeves firmly without gathering armhole. Press all seams. Sew on buttons using holes in edging for buttonholes.

maxi skirt

Using M cast on 164(172:180:188) sts by hand. Using 1 tension finer than main knit 4 rows. Inc 1 st at each end of next and every following 4th row 3 times in all. 170(178: 186:194) sts. Knit 1 row then knit 1 very loose row for hemline. 000. Change to main tension. Knit 2 rows. Dec 1 st at each end of next and every following 5th row 7 times in all. Change to C. Working stripes of 6 rows in C then 12 rows in M, dec 1 st at each end of every following 6th row 7 times in all. 142(150:158:166) sts remain. Continuing in M only knit 1 row. Always taking yarn round nearest needle in H.P. push 20(22:24:26) needles furthest from carriage into H.P. on next 6 rows and back into W.P. on following 6 rows. Knit 6 rows. Dec 1 st at both ends of next and following 8th row. 138(146:154:162) sts ★. Knit 10 rows. Dec 1 st at both ends of next and every following 28th(28th:24th:24th) row 7(7:8:8) times in all. 124(132:138:146) sts. Knit straight until 294 rows have been worked. (This will give a finished length to top of waistband of 39 ins, adjust length here if required.)


★★ Shape Hips

000. Dec 1 st at each end of next and every following 8th row 8 times in all, 108(116:122:130) sts. Knit straight until 70 rows have been worked.

Transfer sts for 1×1 rib and work 16 rows. Cast off in rib. Work another piece the same.

to finish


Press pieces according to instructions on page 23. Join side seams. Fold hem up and slip-st in place. Cut elastic to fit waist and join firmly into a ring. Place elastic inside waistband and work a herringbone st over elastic on to every alt st of ribbing thus enclosing the elastic. Press seams.



midi skirt

Knit as given for Maxi Skirt to ★. Knit 12(12:8:8) rows. Dec 1 st at both ends of next and every following 18th(18th: 16th:16th) row 7(7:8:8) times in all. 124(132:138:146) sts remain. Knit straight until 234 rows have been worked. (This will give a finished length to top of waistband of 33 ins, adjust length here if required.) Complete as given for Maxi Skirt from ★★ to end.

Work another piece the same, then complete as given for Maxi Skirt.



sweater and tunic

shown on page 13

For double bed machines or machines with ribbing attachments

measurements

To fit bust sizes 30(32:34:36) ins.

Sweater: Length to shoulder $24\frac{1}{2}(25:25\frac{1}{2}:26)$ ins. Sleeve seam 18 ins.

Tunic: Length to shoulder $28\frac{1}{4}(28\frac{3}{4}:29\frac{1}{4}:29\frac{3}{4})$ ins.

main tensions

Sweater: 15 sts and $19\frac{1}{2}$ rows=2 ins over st st.

Tunic: 26 rows=2 ins in length measured over 3×1 slip-st rib. (See Notes at beginning of instructions for Tunic.)

sweater

back

Cast on 114(120:126:132) sts for 1×1 rib. 000. Using tension 1 finer than main knit 4 rows. Dec 1 st at each end of next and every 5th row 19 times in all. 76(82:88:94) sts. Knit 6 rows. Transfer sts for stocking stitch. 000. Using main tension knit 6 rows. Inc 1 st at each end of next and every 8th row 11 times in all. 98(104:110:116) sts. Knit straight until 92 rows have been worked. (This gives a length of $18\frac{1}{2}$ ins from beginning. Adjust length here if required.)

Shape Armholes

000. Cast off 2(2:3:3) sts at beg of next 2 rows, then 2 sts at beg of next 4 rows. Dec 1 st at each end of next and every alt row 4 times in all. 78(84:88:94) sts remain ★. Knit straight until 58(62:68:72) rows have been worked.

Shape Shoulders

Cast off 5(6:6:6) sts at beg of next 6 rows and 6(5:6:8) sts at beg of next 2 rows. Cast off remaining 36(38:40:42) sts.

front

Knit as given for Back to ★. Knit straight until 38(42:48: 52) rows have been worked.

Shape Neck

Cast off centre 20(22:24:26) sts. Push needles at left to H.P. and knit the right side first. Knit 1 row. Dec 1 st at neck edge on next and alt rows 8 times in all. 21(23:24:26) sts. Knit 4 rows.

Shape Shoulder

Cast off at beg of next and alt rows 5(6:6:6) sts 3 times. Knit 1 row. Cast off.

Return remaining needles to W.P. Knit to match right side reversing all shaping.

continued on page 17



sleeves

Cast on 52(56:60:64) sts for 1×1 rib. Using tension 1 finer than main knit 24 rows. Transfer sts for stocking stitch, 000. Using main tension knit 14(12:10:12) rows. Inc 1 st at each end of next and every 20th(18th:16th:14th) row until there are 66(72:78:84) sts. Knit straight until 150 rows have been worked. (This gives a sleeve seam length of 18 ins. Adjust here if required.)

Shape Top

Cast off 2(2:3:3) sts at beg of next 2 rows. Dec 1 st at each end of next and every following 3rd row 7 times in all, then every alt row 9(10:12:13) times. Knit 1 row. Cast off 4 sts at beg of next 2 rows and 4(5:5:6) sts at beg of next 2 rows. Cast off remaining sts.

neckband

Cast on 98(106:114:122) sts for 1×1 rib. Using tension 1 finer than main, knit 30 rows. Cast off in rib.

to finish

Press pieces according to instructions on page 23. Join side and sleeve seams and right shoulder seam. With right sides together sew neckband in place evenly round neck. Fold in half to wrong side and slip stitch in place. Join 1 inch of left shoulder seam at armhole edge and insert sleeves. Using size 11 hook work 2 rows of dc round opening, making 4 loops on one side on 2nd row. Press seams. Sew on buttons.

tunic (for measurement diagram see page 18.)

notes

Needle Setting and Shapings

III.III.III.III Decs on Tunic are worked by ...I...I...I...I... moving edge st 1 needle in. When this results in a F.B. st remaining at edge transfer this st to an empty needle on B.B.

Slip-stitch rib: Set F.B. tension 2 tighter than B.B., with F.B. needles knitting on every alt row only. Twiggy's tunic was knitted with B.B. tension one number tighter than was required for st st tension of sweater, but machines vary and the tension should be carefully checked.

back

Cast on 147(155:163:171) sts for 3×1 rib. Set tension and needle-beds as given above. 000. Knit 8 rows. Dec 1 st each end of next and every 8th row 18 times in all. 111(119:127:135) sts. Knit 14 rows. Inc 1 st each end of next and every 8th row 9 times in all. 129(137:145:153) sts. Knit straight until 244 rows have been worked. (This gives a length of $18\frac{3}{4}$ ins from beginning. Adjust length here if required.)

Shape Armholes

000. Cast off 8 sts at beg of next 2 rows and 5 sts at beg of next 4 rows. Dec 1 st each end of next and every alt row 7 times in all. 79(87:95:103) sts. ★ Knit straight until 124(130:136:144) rows have been worked.

Shape Shoulders

Cast off 4 sts at beg of next 2 rows and 5 sts at beg of next 2 rows. Cast off remaining 61(69:77:85) sts.

front

Knit as given for Back to ★. Knit 1 row.

Neck Shaping

Cast off 21(25:29:33) sts in centre and push needles at left to H.P. Knit the right side first. Keeping armhole edge straight knit 1 row. Cast off 2 sts at beg of next and alt rows 4(5:6:7) times in all. Knit 1 row. Dec 1 st at beg of next and alt rows 8 times in all then every following 4th row 4 times. 9 sts remain. Knit straight until 124(130: 136:144) rows have been worked.

Shape Shoulder

Cast off 4 sts at beg of next row. Knit 1 row. Cast off remaining 5 sts. Push needles back to W.P. by hand. Rejoin yarn at neck edge. Knit 2 rows. Now knit to match right side reversing all shaping.



pockets (Make 2 the same)

Cast on 51 sts for 3×1 rib, (see Needle Setting). Using main tension knit 64 rows. Transfer sts for 1×1 rib and change both beds to 1 tension tighter than main of B.B., and knit 20 rows. Cast off in rib.

finishings and edgings

Back Neckband: Cast on 60(68:76:84) sts for 1×1 rib. Using tension 1 finer than main knit 20 rows. Cast off in rib.

Front Neckband: Cast on 162(174:186:198) sts for 1×1 rib and knit as given for back neckband.

Armbands: Cast on 162(170:178:186) sts for 1×1 rib and work as given for back neckband.

Press pieces according to instructions on page 23. Join side and shoulder seams. Join narrow ends of neckband and armbands together. Sew bands in place, fold in half to inside and slip stitch. Sew pockets in place. Fold ribbing at top in half to inside and slip stitch loosely in place. Press seams.

poncho skirt

main tension

14 sts and $18\frac{1}{2}$ rows=2 ins.

note

Fully fashioned shaping is worked by transferring the 3rd st on to 4th needle and moving 2 end sts 1 needle in.

stripe pattern

Colours are worked in the same order throughout:-A, B, C, D and E.

The number of rows to be worked in each stripe is as follows:— 13, 5, 3, 15, 7, 3, 7, 9, 1. Rep these 63 rows at the same time keeping order of colours correct.

Cast on 122 sts by hand. Using main tension and following stripe pattern knit 2 rows. Dec 1 st at right side (see Note) of next and every following 3rd row until 85 sts remain,

then every alt row until 48 sts remain. Knit 3 rows. 198 rows in all. Slip sts on to a knitting needle.

Work 1 more piece the same, then work 2 more pieces reversing the shaping by decreasing at left side.

to finish

Press pieces according to instructions on page 23. Join 3 seams.

Neckband or Waistband: Transfer sts to machine for 1×1 rib. 192 sts. Set tension 2 finer than main. Using required colour knit 18 rows.

Next row (eyelets): Transfer every 4th st on to adjacent needle leaving all needles in W.P. and knit the row.

Work 18 more rows then cast off in rib.

Join remaining seam. Sew lampshade fringe to lower edge. Make cord for use when poncho is worn as skirt.

trousers and knickerbockers

shown on pages 5 and 13

measurements

To fit hip sizes 32(34:36:38) ins.

tension

15 sts and $19\frac{1}{2}$ rows=2 ins square measured over st st.

trousers

left back leg

Cast on 76(80:84:88) sts by hand. ★ 1 tension finer than main. Knit 9 rows. Knit 1 very loose row for hemline. 000. Main tension. Knit 28 rows. Dec 1 st at each end of next and every following 28th row 4 times in all. Knit straight until 300 rows have been worked. (This will give an inside leg seam of 33 ins. Adjust here if required.) ★★ Inc 1 st at left side of next and every following 4th row 3 times in all and then every alt row 5 times in all. Knit 2 rows. (Carriage is at left.) ★★★ 76(80:84:88) sts.

Shape Crutch

000. Cast off 4(4:5:5) sts at beg of next row and 3 sts on following alt row. Knit 1 row. Cast off 3 sts at left side and dec 1 st at right side on next row. Cast off 2 sts at left side on every alt row 3 times. Knit 1 row. Dec 1 st at right side on next and following 8th row and at the same time dec 1 st at left on next and every alt row 5 times in all. Continuing to dec 1 st at right side on every following 8th row now dec 1 st at left side on every following 4th row 4 times in all. Dec 1 st at each side on every following 8th row 3 times. 40(44:47:51) sts remain. Knit straight until 88(92:96:100) rows have been worked. (Carriage is at left.)

Shape Back

Always winding yarn round first inside needle in H.P. push 4(4:5:5) needles at right to H.P. on next and alt rows 7 times in all. Knit 1 row. Push all needles back to W.P. and knit 1 row. Slip sts on to a knitting needle.

right back leg

Knit to match Left Back Leg reversing all shaping.

left front leg

Using 1 tension finer than main cast on 72(76:80:84) sts by hand. Work as given for Left Back Leg from ★ to ★★. 72(76:80:84) sts.

Shape Crutch

000. Cast off 2(3:4:5) sts at beg of next row and 2(2:3:3) sts on following alt row. Knit 1 row. Dec 1 st at right side and cast off 2 sts at left side on next row. Dec 1 st at left

side on alt rows 4 times in all and at the same time dec 1 st at right side on every 8th row until 54(57:59:62) sts remain. Knit straight until 90(94:98:102) rows have been worked. Slip sts on to a knitting needle.

right front leg

Knit to match Left Front Leg reversing all shaping.

waistband and finishing


Press pieces according to instructions on page 23. Push 94(101:106:113) needles to W.P. Transfer sts from Right Front Leg and Right Back Leg to machine with side seams together at centre. Transfer sts for 1×1 rib. Using tension 1 finer than main knit 12 rows. Cast off in rib.

Work left side in same way.

Join side seams and inside leg seams up to crutch. Join body seam. Join elastic into a ring and holding elastic inside waistband sew a herringbone casing stitch over elastic on to every alt stitch of ribbing. Press seams.

continued on next page

diagram for tunic (Instructions on page 17.)



knickerbockers

left back leg

Using oddments of yarn cast on 68(72:76:80) sts and knit 4 rows. 000. Change to main yarn and main tension and knit 150 rows. (This will give an inside leg seam of 20½ ins. Adjust length here if required.) Complete as given for Left Back Leg of Trousers from ★★ to end.

right back leg

Knit to match Left Back Leg reversing all shaping.

left front leg

Using oddments of yarn cast on 64(68:72:76) sts. Knit 4 rows. 000. Change to main yarn and main tension and knit 150 rows. Work as given for Left Back Leg of Trousers from **\dark*, then shape crutch and complete as given for Left Front Leg of Trousers.

right front leg

Knit to match Left Front Leg reversing all shaping.


to finish

Press pieces according to instructions on page 23.

Leg Ribbing: Push 99(105:111:117) needles to W.P. Unravelling odd yarn transfer sts from Right Front and Back Leg to machine, with side seams together at centre, at the same time decreasing 33(35:37:39) sts evenly along row by placing 2 sts on every 3rd needle. Knit 1 row. Set sts for 1×1 rib. Using 2 tensions finer than main knit 34 rows. Cast off in rib.

Work Left Leg in same way.

Complete as given for Waistband and Finishing of Trousers.



lady's dress

measurements

To fit bust sizes 34(36:38:40:42) ins and hip sizes 36(38:40:42:44) ins. Finished measurements, bust 36(38:40:42:44) ins and hips 38(40:42:44:46) ins. Length to shoulder $36(36\frac{1}{4}:36\frac{3}{4}:36\frac{3}{4}:37)$ ins. Sleeve seam 12 ins.

tension

15 sts and $19\frac{1}{2}$ rows = 2 ins over st st.

back

Cast on 141(149:157:165:173) sts by hand. Using 1 tension finer than main knit 9 rows. Knit 1 very loose row for hemline. 000. Using main tension knit 20 rows. Change to 1 tension finer and following chart for pattern stitch knit 33 rows. 000. Change to main tension and st st knit 87 rows. (This will give a length to shoulder of 36(36\frac{1}{4}:36\frac{1}{4}:37) ins. Adjust length here if required.) Mark ends with coloured yarn.

Commence Shaping

Dec 1 st each end of next and every following 6th row 11 times in all. Knit 13 rows then inc 1 st each side of next and every following 10th row 7 times in all. 133(141:149: 157:165) sts. Knit straight until 234 rows have been worked.

Shape Armholes

000. Cast off 4(5:6:6:7) sts at beg of next 2 rows and 4(4:4:5:5) sts at beg of next 2 rows. Dec 1 st at each end of next and every alt row 7 times in all. 103(109:115:121: 127) sts \star . Knit straight until 62(64:66:70:72) rows have been worked.

Shape Neck


Cast off 21(25:29:33:37) sts in centre and push needles at left to H.P. Knit the right side first. Knit 1 row. Cast off 4 sts at beg of next and alt rows 3 times in all. Carriage is at right.

Shape Shoulder


Cast off 2(3:4:5:6) sts at beg of next row. Continue to

cast off 4 sts at neck edge on next and alt rows and 5 sts at shoulder edge on alt rows until 5 sts remain. Cast off. Return needles at left to W.P. and knit to match right side reversing the shaping.

chart for Jones lacemaker



all other machines



Transfer st onto needle at left leaving empty needle in W.P.

shown on page 17

Transfer st onto needle at right leaving empty needle in W.P.

Edge stitches should not be worked into pattern during shaping.

front

Knit as given for Back to ★. Knit straight until 38(40:42: 46:48) rows have been worked.

Shape Neck

Cast off 25(29:33:37:41) sts in centre and push needles at left to H.P. Knit the right side first. Knit 1 row. Cast off at beg of next and alt rows 4 sts once, 3 sts once and 2 sts 4 times. Knit 1 row. Dec 1 st at beg of next and alt rows 5 times in all then every following 4th row twice.

Shape Shoulder

Cast off 2(3:4:5:6) sts at beg of next row, and 5 sts on following alt rows twice. Cast off remaining 5 sts.

Return needles at left to W.P. and knit to match right side reversing the shaping.

sleeves

Cast on 73(77:81:85:89) sts by hand. Using 1 tension finer than main knit 9 rows. Knit 1 very loose row for hemline. 000. Using main tension knit 10 rows. Change to 1 tension finer and follow chart for 21 rows increasing 1 st at each end of 10th row. Change to main tension and st st. Knit 3 rows. Inc 1 st each end of next and every following 7th row until there are 97(101:105:109:113) sts. Knit straight until 122 rows have been worked. (This will give a sleeve seam length of 12 ins. Adjust here if required.)

Shape Top

Cast off 4(5:6:6:7) sts at beg of next 2 rows and 4(4:4:5:5) sts at beg of next 2 rows. Dec 1 st at each end of next and alt rows 14(15:16:17:18) times in all. Cast off 2 sts at beg of next 6 rows, 3 sts at beg of next 4 rows and 4 sts at beg of next 2 rows. Cast off.

front neck trimming

Cast on 85(89:93:97:101) sts by hand. Using main tension knit 2 rows. Following chart for pattern stitch and decreasing 1 st each end of next and every alt row knit 21 rows, at the same time changing to 1 tension finer than main on row 11 and 2 tensions finer than main on row 21. Knit 7 rows in st st then knit 1 very loose row for foldline. Using 2 tensions finer than main inc 1 st each end of next and alt rows 3 times in all. Knit 1 row. Cast off loosely.

back neck trimming

Cast on 61(63:69:73:77) sts by hand. Knit as given for Front Trimming.

belt

Cast on 6 sts by hand. Using 3 tensions finer than main, knit 1 row.


Next row: Push carriage across without knitting.

Next row: Knit

Rep these 2 rows until long enough to go round waist and knot in front. Cast off.

to finish

Press pieces according to instructions on page 23. Join side and sleeve seams. Sew trimmings to front and back neck, stretching to fit neckline. Join shoulder seams, leaving left shoulder open at neck edge for 4 ins. Turn neck edging to wrong side and slip-st in place. Sew in zip. Sew in sleeves. Fold hems to inside and slip-st. Tie a knot at each end of belt. Press seams.



round and v-neck cardigans

measurements

Sizes 24 to 32

To fit chest sizes 24(26:28:30:32) ins. Finished measurements 26(28:30:32:34) ins. Length to top of shoulder $15\frac{1}{4}(16\frac{3}{4}:18\frac{1}{2}:20\frac{1}{4}:22)$ ins. Sleeve seam $11(12\frac{1}{2}:14:15\frac{1}{2}:17)$ ins.

Sizes 34 to 44

To fit bust sizes 34(36:38:40:42:44) ins. Finished measurements 36(38:40:42:44:46) ins. Length to top of shoulder $23(23\frac{1}{2}:24\frac{1}{4}:24\frac{3}{4}:25\frac{1}{2}:25\frac{3}{4})$ ins. Sleeve seam $17\frac{1}{2}(17\frac{1}{2}:18:18:18\frac{1}{2}:18\frac{1}{2})$ ins.

tension

15 sts and $19\frac{1}{2}$ rows = 2 ins square over st st.

notes

- 1. When counting sts include needles pushed into N.W.P.
- 2. Decreases at raglan and neck are worked by transferring 3rd st on to 4th needle and moving 2 end sts 1 needle in. When dec reaches an empty needle push needle to W.P. and transfer st on to it.

cable pattern (Worked on 12 sts between needles in N.W.P.)

1st cable: Counting from right cross sts 3 and 4 over 1 and 2; 7 and 8 over 5 and 6; 11 and 12 over 9 and 10. *Push needles forward so that sts lay behind open latches to ease first row of knitting and knit 4 rows*.

2nd cable: Counting from right cross sts 3 and 4 over 5 and 6; 7 and 8 over 9 and 10. Rep from * to *.

These 8 rows form the pattern.

sizes 24 ins to 32 ins

back

Cast on 102(110:118:126:134) sts for 1×1 rib. Using 1 tension finer than main knit 16 rows. Transfer sts for st st. Place cable pattern as follows:— counting from each side transfer 29th(32nd:35th:38th:41st) st and following 13th st on to adjacent needles and return empty needles to N.W.P. 000. Using main tension knit 4 rows then commence cable pattern and knit until 72(82:92:102:112) rows have been worked.

Shape Raglan

Cast off 3 sts at beginning of next 2 rows. Dec 1 st (see Notes) at each end of next and every following alt row until 42(44:46:48:50) sts remain, then dec 1 st at each end of next 5 rows. Cast off remaining 32(34:36:38:40) sts.

sleeves

Cast on 48(50:54:56:58) sts for 1×1 rib. Using 1 tension finer than main knit 16 rows. Transfer sts for st st. 000. Using main tension knit 6 rows. Inc 1 st at each end of next and every following 8th row until there are 68(74:80:86:92) sts. Knit straight until 92(108:122:136:150) rows have been worked. (This gives a sleeve seam of $11(12\frac{1}{2}:14:15\frac{1}{2}:17)$ ins. Adjust length here if required.)

Shape Raglan Top

000. Cast off 3 sts at beginning of next 2 rows. Dec 1 st (see Notes) at each end of every following 4th row twice then every alt row until 8 sts remain. Cast off.

v-neck right front

Cast on 47(51:55:59:63) sts for 1×1 rib. Using 1 tension finer than main knit 16 rows. Transfer sts for st st. Place cable pattern as follows:—counting from right (side edge) transfer 29th(32nd:35th:38th:41st) st and following 13th st on to adjacent needles and return empty needles to N.W.P. 000. Using main tension knit 4 rows, then commence cable pattern and knit until 72(82:92:102:112) rows have been worked. Carriage at right side. ★

Shape Raglan and Neck

Cast off 3 sts at beg and dec 1 st at end of next row, (see Notes). Dec 1 st at right side of every following alt row and at the same time dec 1 st at left side of every following 6th row until 7 sts remain. Dec 1 st at right side only on next 5 rows. Cast off.

left front

Knit as given for Right Front but reversing all shapings.

front band

Cast on 13 sts for 1×1 rib. Using 2 tensions finer than main knit 4 rows. *Make a buttonhole over centre 3 sts then knit 23(25:21:23:25) rows; rep from * 2(2:3:3:3) times more, then make final buttonhole. Knit straight until band fits up front, across sleeve tops and back neck and down other front when band is slightly stretched. Cast off in rib.

to finish

Press pieces according to instructions on page 23. Join raglan, side and sleeve seams. Sew band in place. Neaten buttonholes and sew on buttons. Press seams.

round neck

Knit as given for Right Front of V-Neck to *.

Shape Raglan

000. Cast off 3 sts at beg of next row. Knit 1 row. Dec 1 st (see Notes) at beg of next and every alt row until 20(22:24: 26:28) sts remain. Carriage at left side.

Shape Neck


Cast off 6 sts at beg of next row. Dec 1 st at right side of next row. Cast off 2 sts at beg of next row. Keeping decs at right side correct at the same time dec 1 st at left side of next and every alt row 2(3:4:5:6) times in all. 7 sts remain. Keeping neck edge straight dec 1 st at raglan edge of next 5 rows. Cast off.

left front

Knit as given for Right Front reversing all shapings.

bands

Buttonhole Band: Cast on 13 sts for 1×1 rib. Using 2 tensions finer than main knit 3 rows. *Make a buttonhole



over centre 3 sts then knit 20(22:21:23:25) rows; rep from * 4(4:5:5:5) times more. Make final buttonhole. Knit 3 rows. Cast off in rib.

Button Band: Cast on and set tension as given for buttonhole band, 000. Knit 106(116:132:144:156) rows. Cast off in rib.

Neckband: Cast on 86(90:94:98:102) sts for 1×1 rib. Using 1 tension finer than main knit 12(12:14:14:16) rows. Cast off in rib.

to finish

Press pieces according to instructions on page 23. Join raglan, side and sleeve seams. Sew neckband in position, fold in half to wrong side and slip stitch in place. Sew front bands in place. Neaten buttonholes and sew on buttons. Press seams.

sizes 34 ins to 44 ins

back

Cast on 140(148:156:164:170:178) sts for 1×1 rib. Using 1 tension finer than main knit 24 rows. Transfer sts for st st and place cable pattern as follows:— counting from each side transfer 43rd(46th:49th:52nd:54th:57th) st and following 13th st on to adjacent needles and return empty needles to N.W.P. 000. Using main tension knit 4 rows then commence cable pattern and knit until 118(118:122:122:126:126) rows have been worked.

Shape Raglan

000. Cast off 3(4:5:4:5:6) sts at beginning of next 2 rows. Dec 1 st (see Notes) at each end of next and every alt rows until 52(54:56:66:68:70) sts remain then dec 1 st at each end of next 5(5:5:9:9:9) rows. Cast off.



sleeves

Cast on 60(62:64:66:68:70) sts for 1×1 rib. Using 1 tension finer than main knit 24 rows. Transfer sts for st st. 000. Using main tension knit 8 rows. Inc 1 st at each end of next and every following 7th(7th:7th:6th:6th:6th) row until there are 98(102:106:110:114:118) sts. Knit straight until 150(150:156:156:160:160) rows have been worked. (This will give a sleeve seam of $17\frac{1}{2}(17\frac{1}{2}:18:18:18\frac{1}{2}:18\frac{1}{2})$ ins. Adjust length here if required.)

Shape Raglan Top

Cast off 3(4:5:4:5:6) sts at beg of next 2 rows. Knit 3 rows. Dec 1 st (see Notes) at each end of next and every following 4th row 2(3:4:3:3:4) times in all and then every alt row until 10 sts remain. Cast off.

v-neck: right front

Cast on 66(70:74:78:81:85) sts for 1×1 rib. Using 1 tension finer than main knit 24 rows. Transfer sts for st st and place cable pattern as follows:— counting from right transfer 43rd(46th:49th:52nd:54th:57th) st and following 13th st on to adjacent needles and return empty needles to N.W.P. 000. Using main tension-knit 4 rows then commence cable pattern and knit until 118(118:122:122:126:126) rows have been worked. Carriage at right. ★

Shape Raglan and Neck

000. Cast off 3(4:5:4:5:6) sts at beg of next row. Knit 1 row. Dec 1 st (see Notes) at right side of next and every alt row and at the same time dec 1 st at left side of next and every following 4th row 7(8:9:12:14:15) times in all and then every following 6th row 9(9:9:7:6:6) times. 7(7:7:11:11:11) sts. Knit 1 row. Keeping neck edge straight dec 1 st at raglan edge of next 5(5:5:9:9:9) rows. Cast off.

left front

Knit as given for Right Front reversing all shapings.

front band

Cast on 13 sts for 1×1 rib. Using 1 tension finer than main knit 5 rows. *Make a buttonhole over 3 centre sts, knit 26(26:27:27:28:28) rows; rep from * 3 times more, then make final buttonhole. Now knit straight until band fits up front, across sleeve top and back neck and down other front when band is slightly stretched. Fasten off.

to finish

Press pieces according to instructions on page 23. Join raglan, side and sleeve seams. Sew front band in place, neaten buttonholes and sew on buttons. Press seams.

round neck: right front

Knit as given for V-Neck Cardigan to ★.

Shape Raglan

000. Cast off 3(4:5:4:5:6) sts at beg of next row. Knit 1 row. Dec 1 st (see Notes) at beg of next and every following alt row until 32(33:34:37:38:39) sts remain. (Carriage is at left.)

Shape Neck

Keeping raglan decs correct cast off 6(7:8:10:11:12) sts at beg of next row and 3(3:3:4:4:4) sts on following alt row. Dec 1 st at neck edge on next and every alt row until 8(8:8:12:12:12) sts remain. Keeping neck edge straight dec 1 st at raglan edge on alt rows twice and then every row until 3 sts remain. Dec 1 st at neck edge on next row. Cast off.

left front

Knit as given for Right Front reversing shapings.


bands

Neckband: Cast on 112(116:120:124:128:132) sts for 1×1 rib. Using 1 tension finer than main knit 18 rows. Cast off **Buttonhole Band:** Cast on 13 sts for 1×1 rib. Using 1 tension finer than main knit 6 rows. *Make a buttonhole over 3 centre sts, knit 27(28:29:29:30:31) rows; rep from *5 times more. Make final buttonhole. Knit 4 rows. Cast off in rib.

Button Band: Cast on and set tension as given for Buttonhole Band. Knit 172(178:184:184:190:196) rows. Cast off.

to finish

Press pieces according to instructions on page 23. Join raglan, side and sleeve seams. Sew neckband in position, fold in half to wrong side and slip st in place. Sew front bands in position, neaten buttonholes and sew on buttons. Press seams.



cardigan with roll collar

shown on back cover

measurements

To fit bust sizes 34(36:38:40:42) ins. Finished measurement 36(38:40:42:44) ins. Length to top of shoulder $22\frac{1}{2}(23:23\frac{3}{4}:23\frac{3}{4}:24\frac{1}{4})$ ins. Sleeve seam 17 ins.

tension

Pattern stitch for main part: 12 sts and 28 rows=2 ins. Stocking stitch for collar: 16 sts and 20 rows=2 ins.

note

Do NOT count needles in N.W.P. as stitches.

pattern stitch

III . III . III . III


Knitmaster 302 Automatic: Follow pattern card 20.

Jones: Follow chart . Leave comb on work.

All other machines: Push 2nd and every following 6th

needle to H.P. Knit 3 rows. Push needles back to W.P. Push 5th and every following 6th needle to W.P. Knit 3 rows. Push needles back to W.P. Rep these 6 rows.

pattern stitch for Jones machines



continued on back cover

Continued from page 2	
classics in color for Juki K 881 (or all 8-st repeat machines)	page 11
TAMM Esplendor	
Chart 1: $1(1:1:1\frac{1}{4})$ cones A, $\frac{3}{4}(\frac{3}{4}:1:1)$ cone B, $\frac{1}{2}(\frac{1}{2}:\frac{1}{2}:\frac{1}{2})$ cone C.	
Chart 2: $1\frac{1}{4}(1\frac{1}{2}:1\frac{1}{2}:1\frac{3}{4})$ cones A, $\frac{1}{2}(\frac{1}{2}:\frac{1}{2}:\frac{1}{2})$ cone each in B and C.	
Chart 3: $1\frac{1}{4}(1\frac{1}{2}:1\frac{3}{2}:1\frac{3}{4})$ cones A, $\frac{3}{4}(\frac{3}{4}:\frac{3}{4}:1)$ cone B.	
Chart 4: $1\frac{1}{4}(1\frac{1}{4}:1\frac{1}{2}:1\frac{1}{2})$ cones A, $\frac{3}{4}(\frac{3}{4}:\frac{3}{4}:1)$ cone B.	
4 buttons for each sweater.	11
jacket and skirt for all machines	page 14
TAMM Perla Tammcril or Carino.	
Jacket: $\frac{3}{4}(1:1:1)$ cone Main, $\frac{1}{4}(\frac{1}{4}:\frac{1}{4}:\frac{1}{4})$ cone Contrast. 20 buttons.	
Midi Skirt: $1\frac{1}{4}(1\frac{1}{4}:1\frac{1}{4}:1\frac{1}{2})$ cones Main, $\frac{1}{4}(\frac{1}{4}:\frac{1}{4}:\frac{1}{4})$ cone Contrast. Waist length $\frac{1}{2}$ " elastic Maxi Skirt: $1\frac{1}{4}(1\frac{1}{2}:1\frac{1}{2}:1\frac{3}{4})$ cones Main, $\frac{1}{4}(\frac{1}{4}:\frac{1}{4}:\frac{1}{4})$ cone Contrast. Waist length $\frac{1}{2}$ " elastic	
sweater and tunic for all machines with ribbing attachments	page 15
TAMM Esplendor	
Tunic: $1\frac{1}{2}(1\frac{1}{2}:1\frac{3}{4})$ cones. Sweater: $1\frac{1}{4}(1\frac{1}{4}:1\frac{1}{2}:1\frac{1}{2})$ cones. 4 buttons. Crochet hook size C(3mm).	
poncho skirt for all machines	page 18
	page 10
TAMM 3/15 Astracryl Lustrafil $\frac{1}{2}$ cone each in A, B, C, D and E plus $\frac{1}{4}$ cone extra in 2 colours for Neck or Waistband	
2 yards lampshade fringe for edging.	
trousers and knickerbockers for all machines	page 18
TAMM Perla Tammcril or Carino	page 10
Trousers: $1\frac{1}{2}(1\frac{3}{4}:1\frac{3}{4}:2)$ cones. Knickerbockers: $1\frac{1}{4}(1\frac{1}{2}:1\frac{1}{2}:1\frac{1}{2})$ cones	
Waist length $\frac{1}{2}$ inch elastic.	
lady's dress for all machines (Transfer stitches by hand if you do not have a lace	page 19
TAMM Esplendor carriage)	page .e
$2\frac{1}{2}(2\frac{3}{4}:2\frac{3}{4}:3:3)$ cones.	
4 inch zip.	
round and V neck cardigans for all machines	page 20
TAMM Perla Tammcril or Carino	page Lo
Sizes 24 to 32: $\frac{3}{4}(1:1:1\frac{1}{4}:1\frac{1}{4})$ cones.	
V Neck: 5(5:6:6:6) buttons. Round Neck: 6(6:7:7:7) buttons.	
Sizes 34 to 44: $1\frac{1}{2}(1\frac{1}{2}:1\frac{1}{2}:1\frac{1}{2}:1\frac{3}{4}:1\frac{3}{4})$ cones.	
V Neck: 5 buttons. Round Neck: 7 buttons.	
cardigan with roll collar for all machines	page 22
TAMM 3/15 Astracryl Lustrafil	
$1\frac{1}{2}(1\frac{1}{2}:1\frac{1}{2}:1\frac{3}{4}:1\frac{3}{4})$ cones.	

contents and materials continued from page 2

general notes

tension

5 buttons.

The number of sts and rows per inch required for each garment are given at the beginning of each pattern. In order to obtain the correct measurements the tension must be correct. To check your tension cast on about 30 sts, set the tension at the most likely number according to your make of machine and knit 30 rows, knit 1 row in contrast yarn, set tension ½ point lower and knit 30 rows, knit 1 row in contrast yarn, set tension ½ point higher than most likely number and knit 30 rows. Take the knitting off the machine and press according to instructions given below, then allow it to rest for a few hours. Count the number of rows and sts to the inch and use the tension setting that gives the required number. It is most important to work to the correct tension and even a slight variation can make a difference of an inch or more to the size of the finished garment.

pressing

Always press pieces on wrong side of work omitting ribbed welts or cuffs.

Wool: Steam each piece thoroughly using a hot iron and a wet cloth, allowing the steam to penetrate the material without letting the weight of the iron rest on the work. Pin out to correct measurements while still damp, press again lightly and allow to dry. Do not remove pins until piece is completely dry.

Synthetic yarns: Press as follows except when ball band states that yarn should not be pressed. Press lightly on wrong side using a warm iron and a dry cloth. Do not stretch the material but ease it in to the correct measurements and allow the pieces to lay unpinned for as long as possible before sewing.

abbreviations

Alt = alternate; B.B. = back bed; beg = beginning; C = contrast; ch = chain; dc = double crochet; dec = decrease; F.B. = front bed; H.P. = holding position; inc = increase; ins = inches; M = main; N.W.P. = nonworking position; rep = repeat; sl = slip; st = stitch; sts = stitches; tog = together; W.P. = working position; yo = yarn over.

back

Cast on 143(151:159:167:175) sts for 1×1 rib. [Note: Machines with automatic needle selection should have 74(78:82:86:90) sts at left and 69(73:77:81:85) sts at right.] ★ Using 1 tension finer than main knit 20 rows. Transfer sts for st st. Arrange needles for pattern as follows:- transfer every 4th st on to adjacent needle and push empty needles to N.W.P. ★ 108(114:120:126:132) sts. 000. Using main tension knit 162 rows in pattern stitch.

Shape Raglan Armholes

000. Cast off 1 st at beg of next 2 rows. Knit 1 row. Dec 1 st each end of next and every following 6th row 4 times in all (22 rows knitted) then dec at each end of every 3rd row until 30(32:34:36:38) sts remain. Knit 2 rows. Cast off loosely.

right front

Cast on 67(71:75:79:83) sts for 1×1 rib. [Machines with automatic needle selection should have 34(34:38:38:42) sts at left and 33(37:37:41:41) sts at right.] Work as given for Back from \bigstar to \bigstar . 51(54:57:60:63) sts. 000. Using main tension knit 162 rows in pattern stitch. Carriage is at right.

Shape Armhole and Neck

000. Cast off 1 st at beg of next row. Knit 2 rows. Dec 1 st at right side (raglan edge) of next and every following 6th row 4 times in all, (22 rows) then on following 3rd row once. Knit 2 rows. Dec 1 st at right on next and every following 3rd row and at the same time dec 1 st at left on next and every following 6th row 2(2:2:3:4) times in all, then every following 9th row until 20(15:10:10:10) sts remain. Dec 1 st at left side of following 12th row 3(2:1:1:1) times in all, at the same time continuing decs at right on every 3rd row until 2 sts remain. Knit 1 row. Cast off.

left front


Knit as Right Front reversing all shapings. [Note: Needles at left and right of centre should not be reversed.]

sleeves

Cast on 67(71:75:79:83) sts for 1×1 rib. [Machines with automatic needle selection should have 34(34:38:38:42) sts at left and 33(37:37:41:41) sts at right.] Work as given for Back from \bigstar to \bigstar . 51(54:57:60:63) sts. 000. Using main tension and following chart, knit 12 rows. Inc 1 st each end of next and every following 12th row until there are 81(84:87:90:93) sts. Knit straight until 210 rows have been worked. (This will give a sleeve seam of 17 ins. Adjust length here if required.)

Shape Top

000. Cast off 1 st at beg of next 2 rows. Knit 1 row. Dec 1 st each end of next and every following 6th row 6(7:7:8:8)





times in all, 67(68:71:72:75) sts remain, and then every following 3rd row until 7(8:7:8:7) sts remain. Knit 2 rows. Cast off loosely.

half collar and front band

Cast on 18(18:18:22:22) sts by hand at left side of machine leaving 12 spare needles empty at extreme left. Using tension for collar knit 2 rows. Cast on 6(7:8:8:9) sts at beg of next and alt rows 4 times in all, then cast on 3 sts at beg and inc 1 st at end of every alt row 11 times in all. 86(90:94:98:102) sts. Knit 1 row. Cast on 97 sts at beg and inc 1 st at end of next row. 184(188:192:196:200) sts. Knit 7 rows. Counting from right side make buttonholes over needles 7-10 and every following 17th-20th needles 5 times in all. Knit 6 rows. Knit 1 very loose row for fold line then change back to collar tension and knit 6 rows. Make buttonholes as before. Knit 7 rows. Carriage is at right side. Cast off 97 sts at beg and dec 1 st at end of next row. Knit 1 row. Cast off 3 sts at beg and dec 1 st at end of next and alt rows 11 times in all. Cast off 6(7:8: 8:9) sts on following alt rows 4 times, 18(18:18:22:22) sts remain. Knit 2 rows. Cast off.

Knit a second piece the same omitting buttonholes.

to finish

Press pieces according to instructions on page 23. Join raglan, side and sleeve seams. Join short ends of collar together. Sew collar and front bands in position matching start of neck shaping on band and front. Fold in half to wrong side and slip stitch in place. Neaten buttonholes and sew on buttons. Press seams.