


Brother

Chunky
Knits





4



5



6



7

8

PATTERN NUMBERS

- 1 Tuck stitch sweater
- 2 Ladies Polo neck sweater
- 3 Slash neck Aran sweater
- 4 Roll neck Mohair sweater
- 5 Gents English rib sweater
- 6 Baggy Batwing sweater & Leg warmers
- 7 Chunky V neck sweater
- 8 Gents Intarsia sweater
- 9 Ladies DK. V neck sweater
- 10 Collared Mohair sweater
- 11 English rib Mohair sweater
- 12 Three coloured Tuck stitch sweater
- 13 His 'n' Hers Round neck sweaters
- 14 Dolman sweater & Leg warmers
- 15 Slash neck sweater & Leg warmers

ABBREVIATIONS


Alt.	Alternate
Approx.	Approximate
Beg.	Beginning
C. on	Cast on
C/off	Cast off
Cms.	Centimetres
Col.	Colour
Cont.	Continue
Dec.	Decrease
Ev.	Every
Foll.	Following
HP	Hold Position
Ins.	Inch (es)
Inc.	Increase
K.	Knit
Mac.	Machine
M/bed	Main bed
MT	Main Tension
Ns.	Needle(s)
NWP	Non working position
Oppos.	Opposite
Patt.	Pattern
Rs.	Row(s)
Rel.	Release
Rem.	Remainder
Rep.	Repeat
Rev.	Reversing
Sts.	Stitch(es)
S/s	Stocking stitch
Trans.	Transfer
WY	Waste Yarn
WP	Working Position

Note:-
Rib Tension 3/3
T 3 on both beds.

If you have any difficulty in obtaining any of the yarns used in this pattern book please write to:-

BSK. Ltd.
Murdock Road,
Manton Industrial Estate,
Bedford.
MK41 7LE

for the name and address of your nearest stockist.



1 TUCK STITCH SWEATER

SIZES:- 34 (36 38 40 42 44) ins.
86 (91 97 102 107 112) cms.

MATERIALS:- 1 (2 2 2 2 2) cones
B.K. Double Knitting
3 Buttons

TENSION:- 18 sts. x 22 rs. = 10 cms.
Tension dial approx. 4

NOTE:- Work Tuck stitch pattern
throughout. See machine instruction
book.

FOR ABBREVIATIONS:- SEE PAGE 5

BACK

C. on in 1 x 1 rib 82 (86 90 94 98 102) sts.
R/C 000, T 0/0, K. 20 rs.
Trans. sts. to M/bed. R/C000
MT working in pattern
K. 112 (116 120 128 128 128) rs.

SHAPE ARMHOLE

C/off 2 sts. beg. next 6 rs.
Dec. 1 st. both ends next 4 rs.
until 62 (66 70 74 78 82) sts. rem.*
K.52 (56 58 60 62 64) rs.
R/C reads 174 (182 188 198 200 202)
Carr. at right

SHAPE SHOULDERS

Using length of yarn c/off cent. 16 sts.
place all ns. left of cent. 0 into HP or knit
back on nylon cord.

KNIT RIGHT PART

C/off 5 (5 6 6 6 6) sts. beg. next r.
K. 1 r.
C/off 4 (4 5 5 5 6) sts. beg. next r.
C/off 3 sts. beg. next r.
C/off 4 (5 5 6 6 7) sts. beg. next r.
C/off 3 sts. beg. next r.
C/off 4 (5 5 6 7 7) sts. beg. next r.
Rep for left side. rev. shapings

FRONT

Knit as for back to*
K. 38 (42 44 46 48 50) rs.

SHAPE NECK

Using length of main yarn c/off cent.
10 sts.
Place all ns. left of cent. 0 into HP or knit
back on nylon cord.

KNIT RIGHT PART

K. 1 r., carr. at left
C/off 2 sts. beg. next and ev. foll. alt. r.
3 times in all.
K. 1 r. Dec. 1 st. beg. next and foll. alt. r.
K. until R/C reads
174 (182 188 198 200 202) rs.

SHAPE SHOULDER

C/off 5 (5 6 6 6 6) sts. beg. next r.
Dec. 1 st. beg. next r.
C/off 4 (4 5 5 5 6) sts. beg. next r.
K. 1 r. C/off 4 (5 5 6 6 7) sts. beg. next r.
K. 1 r. C/off 4 (5 5 6 7 7) sts.
Knit left side as for right, rev. all shapings.

SLEEVES

C. on in 1 x 1 rib 30 (34 38 42 42 42) sts.
R/C 000, T 0/0, K. 20 rs.
Trans. sts. to M/bed. Working in Pattern
MT, R/C 000, inc. 1 st. both ends next and
ev. foll. 6 (6 6 5 5 4) rs.
until 62 (66 70 72 76 78) sts.
Knit straight until R/C reads
132 (138 140 148 148 148) rs.

SHAPE TOP

C/off 2 sts. beg. next 10 rs.
Dec. 1 st. both ends next and ev. foll. 3rd r.
7 (7 7 8 8) times in all.
K. 1 r. C/off 2 sts. beg. next 2 (2 2 4 4 4) rs.
C/off 3 (4 5 4 4 5) sts.
beg. next 4 (4 4 2 2 4) rs.
4th and 5th SIZES ONLY
C/off 5 sts. beg. next 2 rs.

ALL SIZES

C/off 2 sts. beg. next 6 (6 6 7 8 8) rs.

NECKBAND

C. on in 1 x 1 rib 90 sts.
R/C 000, T 0/0, K. 59 rs.
T 10/10, K 1 r.
Trans. sts. to M/bed.
C/off with latch tool.

TO MAKE UP

Join shoulder, side and sleeve seams.
Set in sleeves, join neckband to garment
leaving seam open and fold to right side.
Attach 3 buttons. Press lightly on wrong
side.



2 LADIES POLO NECK SWEATER

SIZES:- 34 (36 38 40 42) ins.
81 (86 91 97 102) cms.

MATERIALS:- 1 (2 2 2 2) cones B.K.
Double Knitting 3 buttons

TENSION:- 16 sts. x 30 rs. = 10 cms.
Tension Dial approx. 2/2

FOR ABBREVIATIONS:- SEE PAGE 5

BACK

C. on in 1 x 1 rib 73 (77 81 85 89) sts.
R/C 000, T 0/0, K. 20 rs.
R/C 000, T 2/2 set mach. for English rib.
K. 128 rs.

SHAPE RAGLAN

C/off 3 sts. beg. next 2 rs.*
Dec. 1 st. both ends next and ev. foll. 4th r.

until 31 (31 35 37 39) sts. rem.

K. 1r.

Dec. 1 st. both ends next and ev. foll. alt. r.

until 25 (27 29 31 33) sts. rem.

K. 1 r. C/off rem. sts.

FRONT

Work as for back to*

Dec. 1 st. both ends next and ev. foll. 4th r.

until 41 (41 45 47 49) sts. rem.

DIVIDE FOR NECK

Place 28 (28 32 34 36) sts. at left
onto nylon cord in NWP.
14 (14 16 17 18) sts. rem. in WP.

KNIT RIGHT PART

Dec. 1 st. both ends next r.

Cont. to dec. at raglan
ev. foll. 4th r.

AT SAME TIME

Dec. 1 st. at neck edge

ev. foll. alt. r. until

8 (6 7 6 6) sts. rem.

Cont. to dec. at raglan

ev. 4th r. until 5 (4 5 5 5) sts. rem

Dec. 1 st. at raglan ev. foll. alt. r.

until 2 sts. rem.

K. 1 r. Fasten off.

C/off cent. 13 sts.

Work left part as for right

rev. all shapings

SLEEVES

C. on in 1 x 1 rib 35 (35 37 39 39) sts.

R/C 000, T 0/0, K. 20 rs.

R/C 000, T 2/2 set mach. for English rib.

Inc. 1st. both ends of 11th r.

and ev. foll. 12 (11 11 11 12) rs.

until 53 (55 57 59 61) sts. rem.

K. until R/C reads 128 (132 132 136 136) rs.

SHAPE RAGLAN

C/off 3 sts. beg. next 2 rs.

Dec. 1 st. both ends next

and ev. foll. 4th r. until

9 (7 9 9 9) sts. rem.

1ST, 3RD, 4TH AND 5TH SIZES ONLY

Dec. 1st. both ends next r.

K. 1 r.

ALL SIZES C/off rem. sts.

POLO NECK

C. on in 1 x 1 rib 76 (78 80 82 84) sts.

R/C 000, T 1/1, K. 30 rs.

T 2/2 k. 10 rs.

T 3/3 k. 9 rs.

T 10/10 k. 1r.

Trans sts. to M/bed.

C/off with latch tool.

TO MAKE UP

Join raglans, side and sleeve seams.

Attach neck starting 2 ins. (5 cms.) left
of centre of sweater.

Fold in half, attach 3 buttons to polo
neck at front.

Ribbed Knitwear

COMPLETE RANGE OF
ENGLISH RIB Round & V Neck Sweaters



CABLE CARDIGANS
2 X 2 RIBBED JUMPERS
PLUS
TUCK RIB &
PUNCHCARD DESIGNS

Available From Your
Local Stockist Or

BEDFORD SEWING &
KNITTING MACHINES
Murdock Road, Manton Lane
Bedford MK41 7LE



3 SLASH NECK ARAN SWEATER

SIZES:- 24/26 (28/30, 32/34, 36/38, 40/42) ins.
61/66 (71/76, 81/86, 91/97, 102/107) cms.

TENSION:- 28 sts. x 16 rs. = 10 cms.
Tension dial approx. 6

MATERIAL:- 1 cone Argyll Aran

NOTE:- Cables are worked over 6 sts. between ns. in NWP

NEEDLE ARRANGEMENT:- Centre 16 (18 22 24 30) ns. in WP each side push (1 n. into NWP. leave 6 ns. in WP 1 n. into NWP).

FOR ABBREVIATIONS:- SEE PAGE 5

FRONT

C on in 2 x 2 rib 58 (66 78 82 94) sts.
R/C 000, T 2/2 rib 16 (20 24 24 24) rs.
Trans. sts. to M/bed. MT, K 2 rs.

Work cable next and ev. foll. 8th rs.
until R/C reads 126 (140 158 164 168)
Trans. sts. to 2 x 2 rib.
T 3/3 rib 7 (9 11 11 13) rs.
T 10/10 rib 1 r.
C. off with latch tool.

BACK

Work as for front omitting cables.

SLEEVES

C on in 2 x 2 rib 34 (34 38 38 42) sts.
R/C 000, T 2/2 rib 16 (20 24 24 24) rs.
Trans. sts. to M/Bed.
MT, Inc. 1 st. both ends next and ev. foll.
4th rs. until 60 (66 80 82 90) sts.
K until R/C reads 80 (96 112 116 124) rs.
Trans. sts. to 2 x 2 rib.

T 4/4 rib 7 (9 11 11 13) rs.
T 10/10 rib 1 r.
Cast off with latch tool.

TO MAKE UP

Leaving enough space for head opening, sew back rib over front rib for shoulder seam. Sew sleeve seam and join to main pieces. Sew side seams.

4 ROLL NECK MOHAIR SWEATER

SIZES:- 32 (34 36 38 40) ins.
81 (86 91 97 102) cms.

MATERIALS:- 16 (17 18 19 20) balls
Argyll Finesse Tweed Mohair

TENSION:- 16 sts. x 22 rs. = 10 cms.
Tension dial approx. 8

NOTE:- Purl side is right side of garment
FOR ABBREVIATIONS:- SEE PAGE 5

BACK

C. on in 1 x 1 rib 66 (70 74 78 82) sts.
R/C 000, T 1/1, k. 20 rs.
Trans. sts. to M/bed
R/C 000, MT, k. 66 rs.

SHAPE ARMHOLE

C/off 6 (7 8 9 10) sts. beg. next 2 rs.*
Cont. to k. until R/C reads
112 (112 116 120 124) rs.

SHAPE SHOULDER

C/off 5 sts. beg. next 4 rs.
C/off 5 (6 6 7 7) sts. beg. next 2 rs.
C/off rem. sts.

FRONT

Work as for back to*
K. until R/C reads 96 (96 100 104 108) rs.

SHAPE NECK

DIVIDE WORK - place 30 (31 33 34 36) sts.
at left into HP or knit back on nylon cord.
WORK ON RIGHT PART
Carr. at right, K. 1 r.
C/off 2 sts. beg. next and
ev. foll. alt. rs. 4 times in all.
K. 1 r. Dec. 1 st. beg. next r.
K. 6 rs.

SHAPE SHOULDERS

C/off 5 sts. beg. next and foll. alt. r. K. 1 r.
C/off 5 (6 6 7 7) sts. beg. next r.
C/off cent. 6 (6 8 8 10) sts.
Knit left part as for right, rev. all shapings.

SLEEVES

C. on by hand 50 (50 50 52 52) sts.
R/C 000, MT, k. 6 rs.
Inc. 1 st. both ends next



and ev. foll. 6th r. until
74 (74 74 76 76) sts.
Cont. to k. until R/C reads
96 (96 100 100 100). rs.

SHAPE TOP

C/off 6 (8 9 11 12) sts. beg. next 2 rs.
Dec. 1 st. both ends next and ev. foll. alt.
0 (2 4 6 8) rs.
Dec. 1 st. both ends ev. r. until 8 sts. rem.
C/off.

CUFFS

C. on in 1 x 1 rib 30 (30 30 34 34) sts.
R/C 000, T 1/1, k. 20 rs.
Trans. sts. to M/bed
Pick up 30 (30 30 34 36) sts.
evenly from sleeve edge.
MT, k. 1 r. C/off.
Join right shoulder seam.

COLLAR

Bring forward 70 (70 74 74 78) ns. to WP.
with knit side of work facing out
pick up 24 (24 26 26 28) sts. from
back neck, 20 sts. down front,
6 (6 8 8 10) sts. at cent.
20 sts. up front.
R/C 000, T 8, k. 10 rs.
T 9, K. 10 rs.
T 10, k. 14 rs.
C/off very loosely.

TO MAKE UP

Join shoulder side and sleeve seams.
Fold collar in half to front.
Press lightly with warm iron.



4 ROLL NECK MOHAIR SWEATER

B.K. YARNS

A COMPLETE RANGE OF YARNS FOR MACHINE KNITTING

4 Ply ACRYLIC – 4 Ply WOOL-ACRILAN

4 Ply SUPERWASH WOOL – 4 Ply SPECTRUM

DOUBLE KNITTING – 3 Ply CREPE

HAYFIELD'S – 3 PLY ACRYLIC-NYLON – ARGYLL'S COMPLETE RANGE

SEND 50p FOR SHADE CARD – OVER 200 SHADES.

REFUNDABLE ON FIRST ORDER OF 4 CONES OR MORE.

B.S.K. LTD., 13 LIME STREET, BEDFORD MK40 1LD PHONE: (0234 52323)



5 GENTS ENGLISH RIB SWEATER

SIZES:- 38 (40 42 44 46) ins.
97 (102 107 112 117) cms.

MATERIALS:-
1000 (1100 1200 1300 1400) gms. B.K.
Double Knitting Using two ends
throughout

TENSION:- 14 sts. x 30 rs. = 10 cms.
Tension dial approx. 5/5

FOR ABBREVIATIONS:- SEE PAGE 5

BACK

C. on in 1 x 1 rib 73 (77 81 85 89) sts.
R/C 000, T 2/2, k. 24 rs.
R/C 000, T 5/5, set mach. for English rib.
K. 110 rs.

SHAPE RAGLAN

C/off 3 sts. beg. next 2 rs.*
Dec 1 st. both ends next
and ev. foll. 4th r.
until 31 (31 35 37 39) sts. rem.
K. 1 r.
Dec. 1 st. both ends next
and ev. foll. alt. r.
until 25 (27 29 31 33) sts. rem.
K. 1 r. C/off rem. sts.

FRONT

Work as for back to*
Dec. 1 st. both ends next
and ev. foll. 4th r.
until 41 (41 45 47 49) sts. rem.
DIVIDE FOR NECK
Place 28 (28 32 34 36) sts. at left
onto nylon cord in NWP.
14 (14 16 17 18) sts. rem. in WP.

KNIT RIGHT PART

Dec. 1 st. both ends next r.
Cont. to dec. at raglan
ev. foll. 4th r.
AT SAME TIME
Dec. 1 st. at neck edge
ev. foll. alt. r. until
8 (6 7 6 6) sts. rem.
Cont. to dec. at raglan ev. 4th r. until
5 (4 5 5 5) sts. rem.
Dec. 1 st. at raglan ev. foll. alt. r.
until 2 sts. rem.
K. 1 r. Fasten off.
C/off cent. 13 sts.
Work left part as for right,
rev. all shapings.

SLEEVES

C. on in 1 x 1 rib 35 (35 37 39 39) sts.
R/C 000, T 2/2, K. 24 rs.
R/C 000, T 5/5, set mach. for English rib.
Inc. 1 st. both ends of 11th r.
and ev. foll. 12 (11 11 11 12) rs. until
53 (55 57 59 61) sts. rem.
K. until R/C reads 128 (132 132 136 136) rs.

SHAPE RAGLAN

C/off 3 sts. beg. next 2 rs.
Dec. 1 st. both ends next
and ev. foll. 4th r. until
9 (7 9 9 9) sts. rem.
1ST, 3RD, 4TH AND 5TH SIZES ONLY
Dec. 1 st. both ends next r.
K. 1 r.
ALL SIZES C/off rem. sts.

POLO NECK

C. on in 1 x 1 rib 76 (78 80 82 84) sts.
R/C 000, T 2/2, K. 30 rs.
T 3/3, k. 10 rs.
T 4/4, k. 9 rs.
T 10/10, k. 1 r.
Trans. sts. to M/bed.
C/off with latch tool

TO MAKE UP

Join raglan, side and sleeve seams.
Attach neck, fold in half to front.



CLASSIC KNITWEAR

RAGLANS-INSETS-LONG SLEEVE-
SHORT SLEEVE-CARDIGANS-
SWEATERS-SIZES 22-44

Available from your local stockist.

Basic pattern book for
beginners & experts.



6 BAGGY BATWING SWEATER AND LEG WARMERS

SIZES:— 32/36 (38/42) ins.
81/91 (97/107) cms.

MATERIALS:— 2 cones Col. 1 and 100 gms. Col. 2
Argyll Chevalier
Use two ends throughout

TENSION:— 16 sts. x 24 rs. = 10 cms.
Tension Dial 8 approx.

NOTE:— Purl side is right side of garment
FOR ABBREVIATIONS:— SEE PAGE 5

BACK

C. on by hand 76 (80) sts.
R/C 000, MT, Col. 1 k. 14 rs.
Col. 2 k. 10 rs. Work in stripes
until R/C reads 48 rs.

Cont. in Col. 1 k 0(10) rs.
Dec. 1 st. at right edge on next 4 rs.
K. 42 rs. Inc. 1 st. at right edge on next 4 rs.
R/C 98 (108) rs.
Col. 2, k. 10 rs. (Col. 1, k. 10 rs.)
Cont. in stripes until
R/C reads 146 (166) C/off.

FRONT

Work as for back until R/C reads 48 (58)
rs.
Dec. 1 st. at right edge on next 10 rs.
K. 30 rs. Inc. 1 st. at right edge on next
10 rs.
R/C reads 98 (108)
Col. 2, k. 10 rs. (Col. 1 k. 10 rs.)
Cont. in stripes until R/C reads 146 (166)
C/off.

SLEEVES

Join shoulder seams Bring forward 90
(100) ns. to WP.
With seam at cent. 0 pick up 90 (100) sts.
R/C 000, MT,
Col. 2, k. 10 rs.
Cont. working in stripes —
AT SAME TIME
Dec. 1 st. both ends next and ev. foll. 4th r.
until 56 (64) sts. rem.
K. until R/C reads 96 rs.
Change to WY.
K. few rs.
Rel. from mach.

CUFFS

Bring forward 28 (32) ns. to WP.
Pick up 28 (32) sts. placing 2 sts. on
each n.
MT, Col. 1 k. 1 r. Trans. sts. to 1 x 1 rib.
Weight: R/C 000, T 1/1, k. 20 rs.
T 10/10, k. 1 r. Trans. sts. to M/bed.
C/off with latch tool.

WELTS

Bring forward 72 (76) sts.
Pick up 72 (76) sts. from front
MT, Col. 1, k. 1 r.
Trans. sts. to 1 x 1 rib.
Weight: R/C 000, T 1/1, k. 20 rs.
T 10/10, k. 1 r.
Trans. sts. to M/bed.
C/off with latch tool.

NECKBAND

C. on in 1 x 1 rib 76 sts.
R/C 000, T 1/1, k. 30 rs. T 2/2, k. 9 rs.
T 10/10, k. 11 rs. Trans. sts. to M/bed.
C/off with latch tool with a crochet st.
between each n.

TO MAKE UP

Join sleeve and side seams. With cast on
edge to garment, backstitch neckband to
garment, fold in half to front.

LEG WARMERS

Using Col 1
C. on in 1 x 1 rib 40 (50) sts.
K. 5 rs. circular
R/C 000, T 1/1, k. 6 rs.
Trans. sts. to M/bed.
T. 8, (work 14 rs. Col. 1, 10 rs. Col. 2),
until R/C reads 144 rs.
Trans. sts. to 1 x 1 rib,
Weight: T. 1/1 k. 20 rs.
T 10/10 k. 1 r.
Trans. sts. to M/bed.
C/off with latch tool.

TO MAKE UP

Join side seam. Fold back top.



7 CHUNKY V NECK SWEATER

SIZES:- 32 (34 36 38 40) ins.
81 (86 91 97 102) cms.

MATERIALS:- 1 cone Argyll Ferndale
Chunky Col. 1
50 (100 150 150 150) gms. Argyll Ferndale
Chunky Col. 2

TENSION:- 15 sts. x 20 rs. = 10 cms.
Tension dial approx. 10

FOR ABBREVIATIONS:- SEE PAGE 5

BACK

Using Col. 2 c. on in 1 x 1 rib
60 (64 68 72 76) sts.
R/C 000, T 2/2, k. 20 rs.
Trans. sts. to M/bed.*
Using Col. 1, MT, k. 60 rs.

SHAPE RAGLAN

C/off 1 (2 2 3 4) sts. beg. next 2 rs.
Dec. 1 st. both ends next and
ev. foll. alt. r. until 18 (18 20 20 22) sts. rem.
R/C reads 102 (104 106 108 108) rs. C/off.

FRONT

Work as for back to*
Using Col. 1, MT, k. 46 rs.
DIVIDE WORK
Place 30 (32 34 36 38) sts. at
left into HP or knit back on nylon cord.
WORK RIGHT SIDE ONLY
K. 2 rs.
Dec. 1 st. at neck edge next and
ev. foll. 6th r. 8 (8 9 9 10) times in all
AT SAME TIME
at R/C 60 rs.

SHAPE RAGLAN

C/off 1 (2 2 3 4) sts. beg. next r.
K. 1 r. Dec 1 st. at raglan next and
ev. foll. alt.
r. until only 1 st. rem.
LEFT PART
rejoin yarn at cent. K. 1 r.
rep. as for right side
rev. all shapings.

SLEEVES

Using Col. 2
c. on in 1 x 1 rib 30 (32 34 36 38) sts.
R/C 000, T 2/2, k. 20 rs.
Trans. sts. to M/bed.
Using Col. 1, MT, R/C 000,
K. 4 rs.
Inc. 1 st. both ends next and ev. foll.
5th r. until 42 (44 46 48 50) sts.
Inc. 1 st. both ends ev. foll.
5 (5 4 4 4) rs. until
54 (58 60 64 66) sts.
Cont. to k. until R/C reads
74 (76 78 80 82) rs.

SHAPE TOP

C/off 1 (2 2 3 4) sts. beg. next 2 rs.
Dec. 1 st. both ends next and
ev. foll. alt. r. until 12 sts. rem.
C/off rem. sts.

NECKBAND

FIRST SIDE

using Col. 2,
c. on in 1 x 1 rib 70 (74 76 80 80) sts.
R/C 000, T 2/2
Dec. 1 st. at left on next 9 rs.
T 10/10, k. 1 r.
C/off with latch tool.

SECOND SIDE

using Col. 2
c. on in 1 x 1 rib 52 (56 56 60 60) sts.
R/C 000, T 2/2.
Dec. 1 st. at right on next 9 rs.
T 10/10, k. 1 r.
C/off with latch tool.

TO MAKE UP

Sew up raglans.
Join side and sleeve seams.
Join neckband and sew into position.
Press lightly with warm iron.



B.K. 4 PLY
36 SHADES AVAILABLE



SLEEVES


Using Col. 1, c. on in 1 x 1 rib
 40 (44 44 48 48) sts.
 R/C 000, T 2/2, k. 2 rs.
 Col. 2, k. 18 rs.
 Trans sts. to M/bed.
 Using Col. 1, for one sleeve
 Col. 2 for other sleeve, MT, k. 4 rs.
 Inc. 1 st. both ends next
 and ev. foll. 6th r. until
 60 (62 64 66 68) sts.
 Cont. to k. until R/C reads
 110 (112 114 116 116) rs.

SHAPE TOP

C/off 3 (3 4 4 5) sts. beg. next 2 rs.
 Dec. 1 st. both ends ev. r. until
 38 sts. rem.
 Dec. 1 st. both ends next and
 ev. foll. alt. r. until 22 sts. rem.
 C/off 2 sts. beg. next 2 rs.
 C/off 3 sts. beg. next 2 rs.
 C/off rem. 12 sts.

TO MAKE UP

Join side and sleeve seams.
 Join shoulder seam leaving enough space
 for neck opening.
 Press lightly with warm iron.



WORKING FROM RIGHT OF MACHINE

SIZE	COL 1	COL 3	COL 2	COL 3	COL 2.
38	6 sts.	10 sts.	25 sts.	10 sts.	26 sts.
40	8 sts.	10 sts.	25 sts.	10 sts.	28 sts.
42	10 sts.	10 sts.	25 sts.	10 sts.	30 sts.
44	12 sts.	10 sts.	25 sts.	10 sts.	32 sts.
46	14 sts.	10 sts.	25 sts.	10 sts.	34 sts.

8 GENTS INTARSIA SWEATER

SIZES:- 38 (40 42 44 46) ins.
 96 (102 107 112 117) cms.

MATERIALS:- 1 cone Argyll Ferndale
 Chunky, dark Col. 1
 1 cone Argyll Ferndale Chunky, med.
 Col. 2
 50 gms. Argyll Ferndale Chunky, light
 Col. 3

TENSION:- 15 sts. x 20 rs = 10 cms.
 Tension dial approx. 10

FOR ABBREVIATIONS:- SEE PAGE 5

BACK

Using Col. 1 c. on in 1 x 1 rib
 77 (81 85 89 93) sts.
 R/C 000, T 2/2, k. 2 rs.
 Using Col. 2 k. 18 rs.
 Trans. sts. to M/bed.*
 Using Col. 1, MT, k. 66 (66 68 68 70) rs.

SHAPE ARMHOLES

C/off 3 (3 4 4 5) sts. beg. next 2 rs.
 Dec. 1 st. both ends next 4 rs.
 Dec. 1 st. both ends next 0 (1 1 2 2) alt. rs.
 61 (63 65 67 69) sts. rem.
 Cont. to k. until R/C reads
 100 (102 104 106 108) rs.
 Trans. sts. to 1 x 1 rib.
 T 5/5, k. 9 rs. T 10/10 k. 1 r.
 C/off with latch tool, working a crochet st.
 between each needle.

FRONT

Work as for back to*
 Set mach. and yarns for intarsia
 work from chart.
 Working from right
 move 1 st. to the left ev. r.
 until R/C reads 60 rs.
 cont. in Col. 1 only until
 R/C reads 66 (66 68 68 70), k. as for back.



9 LADIES DK V NECK SWEATER

SIZES:- 30 (32 34 36 38 40) ins.
76 (81 86 91 97 102) cms.

MATERIAL:- 1 cone B.K. Double Knitting Col. 1
Small amount of B.K. Double Knitting Col. 2

TENSION:- 20 sts. x 24 rs. = 10 cms.
Tension Dial approx. 3

NOTE:- Stripes - Col. 1 K. 5 rs:
Col. 2 K. 2 rs/ Col. 1 K. 8 rs:
Col. 2 K. 2 rs/ Col. 1 K. 5 rs:

FOR ABBREVIATIONS:- SEE PAGE 5

BACK

C. on in Col. 1 in 1 x 1 rib
82 (86 90 94 98 102) sts.
R/C 000, T 0/0. Work striped rib 22 rs.
Trans. sts. to M/bed.
R/C 000, MT K. 78 (82 86 94 94 94) rs.*

SHAPE ARMHOLE

C/off 2 sts. beg. next 6 rs.
Dec. 1 st. both ends next 4 rs.
62 (66 70 74 78 82) sts. rem.
K. until R/C reads 128 (136 142 152 154 156) rs.

SHAPE SHOULDER

C/off 4 (5 6 6 7 7) sts. beg. next 2 rs.
Using length of Col. 1, C/off cent. 16 sts.
Place sts. at left of cent. 0 into HP or knit back on nylon cord.

KNIT RIGHT PART

C/off 4 (4 5 5 6 6) sts. beg. next r.
C/off 3 sts. beg. next r.
C/off 4 (5 5 6 6 7) sts. beg. next r.
C/off 3 sts. beg. next r.
C/off rem. sts.
Work left side as for right Rev. all shapings.

FRONT

Knit as for back to*
R/C reads 78 (82 86 94 94 94) rs.

DIVIDE WORK

Place all ns. left cent. 0 into HP or knit back on nylon cord

KNIT RIGHT PART

SHAPE NECK AND ARMHOLE AT SAME TIME

Dec. 1 st. at neck edge on next and ev. foll. 3 (4 4 4 4 4) th rs.
until 16 (20 20 22 24 26) sts. rem.
KEEPING NECK SHAPING CORRECT
C/off 2 sts. at armhole edge next 3 alt. rs.
Dec. 1 st. beg. next 4 rs.
outside n. 31 (33 35 37 39 41).
K. until R/C reads 128 (136 142 152 154 156) rs.

SHAPE SHOULDER

C/off 4 (5 6 6 7 7) sts. beg. next r.
K. 1 r. C/off 4 (4 5 5 6 6) sts. beg. next r.
K. 1 r. C/off 4 (5 5 6 6 7) sts. beg. next r.
K. 1 r. C/off rem. sts.
Work left side as for right, rev. all shapings.

SLEEVES

Using Col. 1 c. on in 1 x 1 rib
30 (34 38 42 42 42) sts.
R/C 000, T 0/0, work striped rib 22 rs.
Trans. sts. to M/bed.
R/C 000, MT, inc. 1 st. both ends next and ev. foll. 6 (6 6 5 5 4) th rs.
until 62 (66 70 72 76 78) sts.
K. until R/C reads 88 (94 96 104 104 104) rs.

SHAPE TOP

C/off 2 sts. beg. next 10 rs.
Dec. 1 st. both ends next and ev. foll. 3rd r. 7 (7 7 7 8 8) times in all
K. 1 r. C/off 2 sts. beg. next
2 (2 2 4 4 4) rs.
C/off 3 (4 5 4 4 5) sts. beg. next
4 (4 4 2 2 4) rs.
4th and 5th SIZES ONLY
C/off 5 sts. beg. next 2 rs.

ALL SIZES

C/off rem. sts.

NECKBANDS

FIRST SIDE

Bring forward 66 ns. with wrong side of garment facing out.
Pick up 40 sts. from front, 26 sts. from back. MT, K. 1 r.
Trans. 1 x 1 rib - weight
Dec. 1 st. at 'V' cent. ev. alt. r.
R/C 000, Col. 1 T 1/1 K. 5 rs.
Col. 2 K. 2 rs.
Col. 1 K. 4 rs.
T 10/10, K. 1 r.
Trans. sts. to M/bed.
C/off with latch tool.

SECOND SIDE

Bring forward 40 ns. with wrong side of garment facing out.
Pick up sts. from front
Work as first side.

TO MAKE UP

Join side, sleeve and shoulder seams,
join neckbands, set in sleeves.
Press with cool iron.



10 COLLARED MOHAIR SWEATER

SIZES: - 34 (36 38 40 42) ins.
86 (91 97 102 107) cms.

MATERIALS: - 14 (15 16 17 18) balls
Argyll Highland Finesse Mohair
3 (3 4 4 4) balls Argyll Finesse Mohair

TENSION: 16 sts. x 22 rs. = 10 cms.
Tension dial approx. 8

NOTE: - Purl side is right side of
garment.

FOR ABBREVIATIONS:- SEE PAGE 5

BACK

Using contrast yarn c. on in 1 x 1 rib
66 (70 74 78 82) sts.
R/C 000, T 1/1, k. 20 rs.
Trans. sts. to M/bed.
Change to main yarn.
R/C 000, MT, k. 66 rs.

SHAPE ARMHOLES

C/off 6 (7 8 9 10) sts. beg. next 2 rs.*
Cont. to k. until R/C reads
112 (112 116 120 124) rs.

SHAPE SHOULDER

C/off 5 sts. beg. next 4 rs.
C/off 5 (6 6 7 7) sts. beg. next 2 rs.
C/off rem. 24 (24 26 26 28) sts.

FRONT

Work as for back to*
Cont. to k. until R/C reads
102 (102 106 110 114) rs.
DIVIDE WORK - place 30 (31 33 34 36)
sts. at left into HP or knit back on nylon
cord,
WORK RIGHT PART
Carr. at right

Dec. 1 st. at neck edge
on ev. r. until 15 (16 16 17 17) sts. rem.
K. 1 r.
Carr. at right.

SHAPE SHOULDERS

C/off 5 sts. beg. next and
foll. alt. r. K. 1 r.
C/off 5 (6 6 7 7) sts. beg. next r.
C/off cent. 6 (6 8 8 10) sts.
Work left part as for right, rev. all
shapings.

SLEEVES

Using main yarn c. on by hand
50 (50 50 52 52) sts.
R/C 000, MT, k. 6 rs.
Inc. 1 st. both ends next
and ev. foll. 6th r. until
74 (74 74 76 76) sts.
Cont. to k. until R/C reads
96 (96 100 100 100) rs.

SHAPE TOP

C/off 6 (8 9 11 12) sts. beg. next 2 rs.
Dec. 1 st. both ends next and foll.
alt. rs. 0 (2 4 6 8) times in all.
Dec. 1 st. both ends ev. foll. r.
until 8 sts. rem. C/off.

CUFFS

Using contrast yarn
C. on in 1 x 1 rib 30 (30 30 34 34) sts.
R/C 000, T 1/1, k. 20 rs.
Trans. sts. to M/bed.
Pick up 30 (30 30 34 34) sts.
evenly from sleeve edge
MT, k. 1 r. C/off.

COLLAR

Using contrast yarn
c. on in 1 x 1 rib 70 (70 74 74 78) sts.
R/C 000, T 0/0, k. 4 rs.
T 1/1, k. 4 rs. T 2/2, k. 4 rs.
T 3/3, k. 4 rs. T 4/4, k. 4 rs.
T 5/5, k. 8 rs. T 10/10, k. 1 rs.
Trans. sts. to M/bed.
C/off with latch tool.
Work a crochet st. between each needle.

TO MAKE UP

Join shoulder, side and sleeve seams.
Attach collar starting at centre front, fold
in half to front. With ladder stitch sew up
1 inch at centre.





11 ENGLISH RIB MOHAIR SWEATER

SIZES:- 34 (36 38 40 42 44) ins.
86 (91 97 102 107 112) cms.

MATERIALS:- 18 (19 21 22 23 24) balls
Argyll Finesse Mohair

TENSION:- 16 sts. x 22 rs. = 10 cms.
Tension dial approx. 5/5

FOR ABBREVIATIONS:- SEE PAGE 5

BACK

C. on in 1 x 1 rib 65 (67 73 75 79 83) sts.
R/C 000, T 1/1, k. 12 (12 12 14 14 14) rs.
MT, set carr. for English rib.
K. until R/C reads 102 (102 102 106 106 108)
rs.*

SHAPE RAGLAN

R/C 000, c/off 4 sts. beg. next 2 rs.
Dec. 1 st. both ends next and
ev. foll. 3rd r. 15 (16 15 16 15 15) times.

Dec. 1 st. both ends next and
ev. foll. alt rs. 3 (2 5 4 7 9) times
21 (23 25 27 27 27) sts. rem.
Cont. to k. until R/C reads 52 (54 56 58 60
62) rs.

C/off. or change to wy. k. few rs. Rel work
from mach.

FRONT

Work as for back to.*

SHAPE RAGLAN

R/C 000, c/off 4 sts. beg. next 2 rs.
Dec. 1 st. both ends next and
ev. foll. 3rd r. 12 (12 12 12 14 14) times
until 33 (35 37 43 43 47) sts. rem.
R/C reads 36 (36 36 36 42 42) rs.

DIVIDE WORK

Place 20 (21 23 26 26 29) sts. at left
into HP or knit back onto nylon cord.

WORK RIGHT PART

K. 1 r. Carr. at left.
Dec. 1 st. beg. next 10 (10 8 10 14 16) rs.
Dec. 1 st. at Raglan edge next and ev.
foll. alt. rs. 2 (3 5 6 2 2) times.
1st, 2nd, 3rd SIZES ONLY, k. 2 rs.
R/C Reads 52 (54 56 58 60 62) rs.
ALL SIZES
fasten off.
Knit left part as for right, rev. all shapings.

SLEEVES

C. on in 1 x 1 rib 33 (33 35 35 37 39) sts.
R/C 000, T 1/1, k. 12 (12 12 14 14 14) rs.
MT, set carr. for English rib.
K. 5 rs.
Inc. 1 st. both ends next and
ev. foll. 6th r. until 49 (49 51 51 53 55) sts.
Cont. to k. until R/C reads 112 (112 114 116
118 120) rs.

SHAPE RAGLAN

C/off 4 sts. beg. next 2 rs.
K. 2 (2 2 4 2 4) rs.
Dec. 1 st. both ends next and ev.
foll. 6th r. 5 (5 6 6 7 7) times.
31 (31 31 31 31 33) sts. rem.
Dec. 1 st. both ends next and ev.
foll. alt rs. 11 (11 10 10 9 9) times.
9 (9 11 11 13 15) sts. rem. K. 1 r.
R/C Reads 52 (54 56 58 60 62) rs.
C/off.
Join raglan seams.

NECKBAND


C. on in 1 x 1 rib 79 (81 85 91 97 101) sts.
R/C 000, T 1/1 k. 20 (20 22 24 24 24) rs.
Trans. sts. to M/bed.
With wrong side facing out, pick up sts.
evenly around neck.
MT, k. 1 r. C/off.

TO MAKE UP

Join side and sleeve seams,
fold neckband in half, slip stitch
to inside.

BABY KNITWEAR

CARDIGANS - JUMPERS
PRAMSETS - DRESSES
BLANKETS - BOOTEES, Etc.




ALL YOUR
BABIES
NEEDS.

SIZES:
BIRTH TO
18 MONTHS.

AVAILABLE
FROM YOUR
LOCAL STOCKIST

BEDFORD SEWING &
KNITTING MACHINES
Murdock Road, Manton Lane
Bedford MK41 7LE



164 (168 172 180 180 180) rs.
SHAPE NECK
Place 47 (49 51 54 57 60) sts.
at left onto nylon cord in NWP.

WORK RIGHT PART.

K. 1 r. Carr. at left.
C/off 4 sts. beg. next and foll. alt. r.
K. 1 r. C/off 2 sts. beg. next and foll.
alt r. Carr. at right.
C/off 5 (5 6 6 6 7) sts. beg. next r.
Dec. 1 st. beg. next r.
C/off 5 (6 6 6 7 7) sts. beg. next r.
Dec. 1 st. beg. next r.
C/off 5 (6 6 7 7 7) sts. beg. next r.
K. 1 r. C/off rem. 6 (6 7 7 7 7) sts.
C/off cent. 12 (12 12 14 16 18) sts.
Work left side as for right, rev. all shapings.

SLEEVES

Using Col. A
Join shoulder seams
Bring out 42 (45 49 53 53 53) ns.
each side cent. 0.
With patt. side facing you
place seam at cent. pick up
84 (90 98 106 106 106) sts.
Working in patt. k. 12 rs.
Dec. 1 st. both ends next
and ev. foll. 6th rs.
until 60 (68 76 84 84 84) sts. rem.
K. until R/C reads 136 (142 146 152 152
152) rs.
Change to WY, k. few rs.
Rel. work from mach.

CUFFS

Using Col. A
C. on in 1 x 1 rib 30 (34 38 42 42 42) sts.
R/C 000, T 0/0, k. 20 rs. Trans. sts. to
M/bed.
Pick up sleeve edge placing
2 sts. on ev. n.
MT, k. 1 r. C/off.

NECKBAND

C. on by hand over 98 ns.
Hang on cast on comb, K. 1 r.
Work in three col. tuck patt.
K. 76 rs.
C/off.

TO MAKE UP

Join side and sleeve seam.
Attach neckband, fold in
half to front.



12 3 COLOUR TUCK STITCH SWEATER

SIZES:- 34 (36 38 40 42 44) ins.
86 (91 96 102 106 112) cms.

MATERIALS:- 1 cone each of 3 colours
B.K. Spectrum. Using 2 ends throughout.

TENSION:- 17 sts. x 24 rs. = 10 cms.
Tension dial approx. 4

NOTE:- Working in Tuck pattern:
See machine instruction book
Work stripes - Col. A - 4 rs.
Col. B - 4 rs.
Col. C - 4 rs.

FOR ABBREVIATIONS:- SEE PAGE 5

BACK

Using Col. A c. on in 1 x 1 rib 82 (86 90 94
98 102) sts.
R/C 000, T. 0/0, k. 20rs.
Trans. sts to M/bed.

R/C 000, MT, Working in stripes and
pattern,
K. 172 (176 180 188 188 188) rs.
SHAPE NECK
Place 52 (54 56 59 62 65) sts.
at left onto nylon cord in NWP.

WORK RIGHT PART

Carr. at right.
C/off 5 (5 6 6 6 7) sts. beg. next r.
C/off 3 sts. beg. next r.
C/off 5 (6 6 6 7 7) sts. beg. next r.
C/off 3 sts. beg. next r.
C/off 5 (6 6 7 7 7) sts. beg. next r.
C/off 3 sts. beg. next r.
C/off rem. 6 (6 7 7 7 7) sts.
C/off cent. 22 (22 22 24 26 28) sts.
rep. for left part rev. all shapings.

FRONT

Work as for back until R/C reads



13 HIS 'N' HERS ROUND NECK SWEATER

SIZES:— 30 (32 34 36 38 40) ins.
76 (81 86 91 97 102) cms.

MATERIALS:— 1 cone B.K. Double knitting Col. 1
Small amount Double knitting Col. 2

TENSION:— 20 sts. x 24 rs. = 10 cms.
Tension Dial approx. 3

NOTE:— Stripes — Col. 2 K. 4 rs;
Col. 1 K. 2 rs. Col. 2 K. 2 rs;
Col. 1 K. 2 rs; Col. 2 K. 4 rs;

FOR ABBREVIATIONS— SEE PAGE 5

BACK

Using Col. 1 C. on in 2 x 2 rib
82 (86 90 94 98 102) sts.
R/C 000, T 0/0 K. 20 (20 20 22 22 22) rs.
Trans. sts. to M/bed
R/C 000, MT, K. 64 (68 72 80 80 80) rs.
Work stripes. (See note)
until R/C reads 78 (82 86 94 94 94) rs.

SHAPE ARMHOLE

C/off 2 sts. beg. next 6 (6 6 8 7 8) rs.
K. 0 (0 0 1 2 1) rs.
Dec. 1 st. both ends next and ev. foll. 3rd r.
4 (4 4 3 3 3) times in all,
until 62 (66 70 72 78 80) sts. rem.
R/C reads 94 (98 102 110 110 110) rs.*
K. 34 (38 40 42 44 46) rs.
Carr. at right.

SHAPE SHOULDER

C/off 5 (5 6 6 7 6) sts. beg. next 2 rs.

SHAPE NECK

Using length of Col. 1 c/off cent. 16 sts.
Place sts. at left of cent. 0 into HP or
Knit back on nylon cord.

KNIT RIGHT PART

C/off 4 (4 5 5 5 6) sts. beg. next r.
C/off 3 sts. beg. next r.

C/off 4 (5 5 6 6 7) sts. beg. next r.
C/off 3 sts. beg. next r.
C/off 4 (5 5 5 7 7) sts. beg. next r.
K. 1 r.
Cast off rem. sts.
Work left side, as for right,
rev all shapings.

FRONT

K. as for back to*
R/C 94 (98 102 110 110 110) rs.
K. 24 (28 30 32 34 36) rs.

SHAPE NECK

Using length of Col. 1 c/off cent. 10 sts.
Place sts. at left of cent. 0 into HP or
Knit back on nylon cord.

KNIT RIGHT PART

K. 1 r. Carr. at left
C/off 3 sts. beg. next and ev. foll.
alt. r. 3 times in all.
K. 1 r. Dec. 2 sts. beg. next r.
K. 1 r. Dec. 1 st. beg. next r.
Carr. at right

SHAPE SHOULDER & NECK

C/off 5 (5 6 6 7 6) sts. beg. next r.
Dec. 1 st. beg. next r.
C/off 4 (4 5 5 5 6) sts. beg. next r.
K. 1 r.
C/off 4 (5 5 6 6 7) sts. beg. next r.
K. 1 r.
C/off 4 (5 5 5 7 7) sts.
Rep. for left side, rev. all shapings.

SLEEVES

Using Col. 1 C. on in 2 x 2 rib
30 (34 38 42 42 42) sts.
R/C 000, T 0/0 K. 20 (20 20 22 22 22) rs.
Trans. sts. to M/bed.
R/C 000, MT, inc. 1 st. both ends
next and ev. foll. 6 (6 6 5 5 4)th rs.
until 62 (66 70 72 76 78) sts.

WORK STRIPES

K. straight until R/C reads 88 (94 96 104
104 104) rs.

SHAPE TOP

C/off 2 sts. beg. next 10 rs.
Dec. 1 st. both ends next
and ev. foll. 3rd r. 7 (7 7 7 8 8) times in all.
K. 1 r. C/off 2 sts. beg. next 2 (2 2 4 4 4) rs.
C/off 3 (4 5 4 4 5) sts. beg. next 4 (4 4 2 2
4) rs.
4th and 5th SIZES ONLY
C/off 5 sts. beg. next 2 rs.

ALL SIZES C/off rem. sts.

NECKBAND

Using Col 1
C. on in 2 x 2 rib 86 sts.
R/C 000, T 1/1 K9 rs.
Col. 2 T 0/0 K4 rs.
Col. 1 T 1/1 K8 rs.
T 10/10 K. 1 r.
Trans. sts. to M/bed.
C/off with latch tool.

TO MAKE UP

Join shoulder, sleeve and side seams.
Set in sleeves. Fold neckband to inside,
slip stitch loosely to front.
Press with cool iron.



14 DOLMAN SWEATER & LEG WARMERS

SIZES:- 32/36 (38/40) ins.
81/91 (97/102) cms.

MATERIALS:- 600 gms. Col. 1 and
100gms. Col. 2
Argyll Chevalier.
Use two ends throughout

TENSION:- 16 sts. x 24 rs. = 10 cms.
Tension Dial approx. 8

NOTE:- Work stripes on rows 000 to 48
(58)

Continue in Col. 1 until rs. 78 (98)
Knit in stripes to end.

Col. 1, k. 14 rs.; Col. 2 k. 2 rs.;

Col. 1 k. 2 rs.; Col. 2 k. 2 rs.;

Col. 1 k. 2 rs.; Col. 2 k. 2 rs.

Purl side is right side of garment

FOR ABBREVIATIONS:- SEE PAGE 5

BACK

Using Col. 1 c. on by hand 76 (80) sts.
R/C 000, MT, work until R/C reads 40 (50)
rs.

SHAPE NECK

Dec. 1 st. at right beg. next 4 rs.
K. 34 (44) rs. R/C reads 78 (98) st.
Cont. in stripes. K. 4 rs.

Inc. 1 st. beg. next 4 rs.
Work in stripes until R/C reads 126 (156) rs.
Cast off.

FRONT

Work as for back until R/C reads 40 (50) rs.

SHAPE NECK

Dec. 1 st. at right edge on next 8 rs.
K. 30 (40) rs. Work in stripes

Inc. 1 st. at right beg. next 8 rs.
K. until R/C reads 126 (156) rs.
Cast off.

SLEEVES

Join shoulder seams.
With seam at cent. 0
pick up 80 (100) sts.
Starting with Col. 2 k. 2 rs.
Work stripes as for back.
Dec. 1 st. both ends next
and ev. foll. 4th r. until 54 (62) sts. rem.
Cont. to k. until R/C reads 96 rs.
Change to WY. k. few rs.
Rel. work from mach.

CUFFS

Bring forward 27 (31) ns. to WP.
Pick up sts from sleeve edge
placing 2 sts. on each n.
MT, Col. 1 k. 1 r.
Trans. sts. to 1 x 1 rib
Weight: R/C 000, T 1/1 k. 20 rs.
T 10/10 k. 1 r.
Trans. sts. to M/bed.
Cast off with latch tool.

WELTS

Bring forward 64 (68) ns. to WP.
Pick up 64 (68) sts. evenly from front.
MT. Col. 1 k. 1 r.
Trans. sts. to 1 x 1 rib
Weight: R/C 000, T 1/1 k. 20 rs.
T 10/10 k. 1 r. Trans. sts. to M/bed.
Cast off with latch tool.

NECKBAND

C. on in 1 x 1 rib 76 sts.
R/C 000, T 0/0, k. 20 rs.
T 1/1, k. 10 rs. T 2/2, k. 9 rs.
T 10/10, k. 11 rs. Trans. sts. to M/bed.
C/off with latch tool with a chain st.
between each n.

TO MAKE UP


Join side and sleeve seams.
With c.on edge to garment, backstitch
neckband into place, fold to right side
of garment.

LEG WARMERS

Using Col. 1
C. on in 1 x 1 rib 50 (60) sts.
K. 5 rs. circular.
R/C 000, T 1/1 k. 141 rs.
Col. 2 (k. 2 rs. Col. 1 k. 2 rs.
Col. 2 k. 2 rs. Col. 1 k. 2 rs.
Col. 2 k. 2 rs.) Cont. in Col. 1
K. 9 rs. R/C reads 160 rs.
Trans. sts. to M/bed
C/off loosely

TO MAKE UP

Joins side seam - fold top back.



15 SLASH NECK SWEATER & LEG WARMERS

SIZES: - 34/36 (38/40 42/44) ins.
81/86 (91/97 102/107) cms.

MATERIALS: - 2 cones Argyll Jacob wool col 1.
100gms. Argyll Jacob wool col 2.
100gms. Argyll Jacob wool col 3.
Use two ends throughout.

TENSION: - 17sts. x 28rs. = 10cms.
Tension dial approx 4

FOR ABBREVIATIONS: - SEE PAGE 5

BACK & FRONT

Using Col 1, c on in 1 x 1 rib
86 (96 106) sts
R/C 000, T0/0, k24rs.
Trans sts to M/bed
R/C 000, MT, Col 2, K 2rs.
Col 3, K 4rs. Col 2, K 2rs.
Col 1, K 8rs. Col 2, K 2rs.

Col 3, K 4rs. Col 2, K 2rs.
R/C reads 24rs. Cont in Col 1,
until R/C reads 90rs.

SHAPE ARMHOLE

C/off 4sts beg next 2rs.
C/off 3sts beg next 2rs.
Dec 1 st both ends next 4rs.
Dec 1 st both ends next 2(3 4) alt rs.
60 (68 76) sts rem.
K until R/C reads 142 (148 152) rs.
Trans sts to 1 x 1 rib,
Weight work.
T1/1 K 9rs. T10/10 K 1r.
C/off with latch tool.

SLEEVE

Using Col 1, c on in 1 x 1 rib
36 (40 44) sts.
R/C 000, T0/0, K 24rs.

Trans sts to M/bed,
R/C 000, MT, work 24 rs in stripes, as for
back

AT SAME TIME

Inc 1 st both ends next & ev foll
4th. rs until 66 sts. K 5 rs.
Inc 1 st both ends next & ev foll
6th. rs until 72 (76 80) sts.
K until R/C reads 120 (124 134)

SHAPE TOP

C/off 4 sts. beg next 2 rs.
C/off 3 sts. beg next 2 rs.
Dec 1 st both ends next 4 rs.
Dec 1 st both ends next & ev foll
alt rs. 17 (19 21) times in all
C/off 4 sts. beg next 4 rs.
Work 2nd sleeve to match.

TO MAKE UP

Join ribbed shoulder seam leaving
enough space for neck opening.
Join side & sleeve seams, inset sleeves.
Press with warm iron.

LEG WARMERS

Using Col 1, c on in 1 x 1 rib
61 (65 71) sts.
R/C 000, T0/0, K 12 rs.
Trans sts. to M/bed,
R/C 000, MT, Work 24rs in stripes, as for
back
Col 1, K 30 rs.
Work 24 rs. in stripes,
Col 1, K 40rs. R/C reads 118rs.
Trans sts to 1 x 1 rib,
T0/0 K 27rs. T10/10 K 1r.
C/off with latch tool.
Work 2nd leg warmer to match.

TO MAKE UP


Join side seam to top rib,
Join rib on right side.
Press with warm iron, fold
top rib to right side.





9

10





11

12



13

14



15





2

3