

INTERNATIONAL
KNITWEAR
COLLECTION

EMPISAL

BOOK AU30



contents

Page 1.	Lady's Blouse and Pinafore Dress	AU30-1
Page 4.	Striped Jumper	AU30-2
Page 5.	Lady's Evening Top	AU30-3
Page 8.	Lacy Sleeveless Evening Top	AU30-4
Page 9.	Patterned Jacket	AU30-5
Page 11.	Little Girl's Dress	AU30-6
Page 13.	Man's Patterned Polo Neck Jumper	AU30-7
Page 14.	Lady's Cable Trim Suit and Top	AU30-8
Page 16.	Lady's Dress	AU30-9
Page 20.	Lacy shawl	AU30-10
Page 21.	Fair Isle Jumper	AU30-11
Page 23.	Man's Vest	AU30-12

EMPISAL

INTERNATIONAL KNITWEAR COLLECTION

Empisal are pleased to present their International Fashion Co-ordinator's selection of the following PATONS twelve machine knitted garments.

*AN EMPISAL PUBLICATION: WORLD COPYRIGHT BY EMPISAL INTERNATIONAL

PATTERN AU30-1

LADY'S BLOUSE & PINAFORE DRESS



MATERIALS: (For Blouse) 12(13-14-15-16) 25g balls of PATON'S Azalea. (For Pinafore) 14(15-16-17-18) 25g balls of PATON'S Bluebell in Main Colour (MC) and 12(13-14-15-16) 25g balls in Contrast Colour (CC). OR 4(4-4-5-5) 100g balls 5 ply Harmony in Main Colour (MC) and 3(4-4-4-4) 100g balls in Contrast Colour (CC). 10cm (4in) Zipper. 2 Buttons. 3.00 (No 10-11) Crochet Hook.

MEASUREMENTS: **Blouse** fits bust 80(85-90-95-100)cm, 31½[33½-35½-37½-39¼]ins. Length 48(48-49-49-50)cm, 19[19-19¼-19¼-19¾]ins. Sleeve seam 48cm [19in]. (5cm [2ins] allowed for blousing). **Pinafore.** Fits bust 80(85-90-95-100)cm, 31½[33½-35½-37½-39¼]ins. Waist 60(65-70-75-80)cm, 23½[25½-27½-29½-31½]ins. Hips 85(90-95-100-105)cm, 33½[35½-37½-39¼-41¼]ins. Length 104(104-105-105-106)cm, 41[41-41¼-41¼-42]ins.

TENSION: Azalea—T4 = 24sts and 64 rows to 10cm over patt. Bluebell or 5 ply Harmony—T8 = 28sts and 60 rows to 10cm over patt. (Please check).

BLOUSE PATTERN.

1 Press buttons 1, 3, 5 and 7. Set lever. Move LC from L to R. Knit 2 rows.

2. Buttons 1, 3, 5 and 7. Set. Move LC from R to L. Knit 2 rows.

Repeat.

PINAFORE PATTERN.

1. Slide Dial (S/D) on 1. Cams on 2 (KH600-610-680) on III (KH91). Press buttons 1 and 5. Set lever. Knit 4 rows MC.

2. Cams on 3 (KH600-610-680) on I (KH91). Knit 2 rows CC. S/D on 3. Rep steps 1 and 2.

Repeat.

BLOUSE—

BACK: Cast on 97(103-109-115-121)sts for selv-edge. T5, knit 2 rows. R/C 0. T4, work in patt until R/C reads 186. **SHAPE ARMHOLES.** R/C 0. Cast off 5(6-7-8-9)sts at beg of next 2 rows. Dec at ea end of next and foll 4th rows 5(6-7-8-9) times in all. 77(79-81-83-85)sts. **Cont in patt until R/C reads 90(90-96-96-102). **DIVIDE FOR BACK OPENING:** Knit 39(40-41-42-43)sts at opp end to carriage off manually onto waste yarn and push needles into A pos. Work on rem 38(39-40-41-42)sts until R/C reads 122(128-128-134-134). **SHAPE SHOULDER:** Cast off 8sts at beg of next row and foll alt row, then 9sts at beg of foll alt row. Work 1 row. Cast off rem 13(14-15-16-17)sts. Return rem sts into B pos. R/C 90(90-96-96-102). Join yarn to rem sts. Cast off 1 st and work other side to correspond.

FRONT: Work as for Back to **. Work in patt until R/C reads 84. **SHAPE NECK:** Knit 45(47-49-50-52)sts at opp end to carr off manually onto waste yarn and push needles into A pos. Work 2 rows. Dec at neck edge in next and foll 4th rows 4 times in all — 28(28-28-29-29)sts, then in foll 6th rows 3(3-3-4-4) times . . . 25sts. Work 5(11-11-11-11) rows. **SHAPE SHOULDER:** Cast off 8sts at beg of next row and foll alt row. Work 1 row. Cast off rem 9sts. Return rem needles into B pos. Cast off centre 13(15-17-17-19)sts. Join yarn to rem sts. R/C 84. Work other side to correspond.

SLEEVES: Cast on 91(93-95-97-99)sts for selv-edge edge. T5, knit 2 rows. R/C 0. T4, work in patt until R/C reads 306. **SHAPE TOP:** R/C 0. Cast off 3(3-4-4-5)sts at beg of next 2 rows. Dec at ea end of next and foll 4th rows 14(15-15-16-16) times in all — 57sts, then in foll alt rows 18 times. (21sts). Work 1 row. Cast off.

COLLAR: Cast on 101(105-109-113-117)sts for selvedge edge. T4, knit 1 row. R/C 0. Work 64 rows in patt. Cast off loosely.

TO MAKE UP: Press very lightly. Join side and sleeve seams. Sew in sleeves. Work 2 rows dc evenly around lower edge of bodice and sleeves. Fold collar in half and stitch in pos on wrong side. Sew in zip. Make a twisted cord or knitted cord 51cm (20ins) long and thread through holes 5cm (2ins) up from lower edge of sleeves. Press seams.

PINAFORE

BACK: Using CC cast on 67(67-71-71-75)sts for 1x1 rib. 33(33-37-37-37)sts to L of 0, 34(34-34-34-38)sts to R of 0. T5, rib 14 rows. Transfer sts to Main Bed. T8, knit 1 row. **R/C 0. Work 55 rows patt. ***Inc. ea end of next and foll alt rows 3(3-5-7-7) times in all. 73(73-81-85-89)sts. Work 1 row. Cast on 5sts at beg of next 6 rows, then 6(9-9-10-12)sts at beg of foll 2 rows. 115(121-129-135-143)sts. R/C 0. Work 6 rows. Dec at ea end of next and foll 6th rows 11 times in all. 93(99-107-113-121)sts. Work 9 rows. R/C reads 76. Inc at ea end of next and foll 6th rows 17 times in all. 127(133-141-147-155)sts. Work 9 rows. R/C reads 182. Inc at ea end of next and foll 16th rows 18 times in all. 163(169-177-183-191)sts. Work until R/C reads 466. Cast off 10 sts at beg of next 12 rows. Cast off rem sts.

FRONT: Work as for Back to **. Work 7 rows in patt. Work as for Back from ***.

LOWER BANDS (2): Wrong side facing, pick up 163(169-177-183-191)sts along lower edge of Pinafore. T8, using CC knit 16 rows. T7, knit 16 rows. Cast off loosely.


ARMHOLE BANDS (2): T0, cast on 15sts for 1x1 rib. R/C 0, T4, rib 4 rows. Transfer 7th and 9th sts onto adjacent needles (buttonhole). Cont in rib until R/C reads 200(200-220-220-224). Cast off.

TO MAKE UP: Press lightly. Join side seams. Sew armhole bands in pos, having end of band without buttonhole level with top front ribbed band. Fold lower band in half onto wrong side and sew in pos. Sew on buttons. Press seams.

Pattern No. AU30-2
See page 4



**PATTERN No. AU30-2
STRIPED JUMPER.**



MATERIALS: 6(7-8-9-10) 25g balls of PATON'S Bluebell in Main Colour (MC), 1(1-2-2-2) balls in 1st Contrast Colour (CC1), 6(7-8-9-10) balls in 2nd Contrast (CC2), and 2(2-3-3-3) balls in 3rd Contrast (CC3). OR 2(2-2-3-3) 100g balls of PATON'S 5 ply Harmony in Main Colour (MC), 1(1-1-1-1) ball in 1st Contrast Colour (CC1), 2(2-2-3-3) balls in 2nd Contrast (CC2) and 1(1-1-1-1) balls in 3rd Contrast (CC3).

MEASUREMENTS: Fits bust 80(85-90-95-100)cm, 31½ 33½-35½-37½-39¼]ins. Garment measures 80(85-90-95-100)cm, 31½ [33½-35½-37½-39¼] ins. Length 58(58-59-59-60)cm, 22¾ [22¾-23¼-23¼-23¼]ins. Sleeve seam 43cm [17ins].

TENSION: T8 = 27½sts and 37 rows to 10cm (approx 4 ins). over st st. (Please check).

PATTERN.

1. Using CC1, knit 2 rows st st.
2. Using MC, knit 8 rows st st.
3. Using CC2, knit 2 rows st st.
4. Using MC, knit 2 rows st st.
5. As 3.

6. As 4.
 7. As 3.
 8. Using MC, knit 4 rows st st.
 9. Using CC3, knit 2 rows st st.
 10. Using CC2, knit 14 rows st st.
- Repeat.

BACK: T0, using CC3, cast on 109(115-123-129-137)sts for 1x1 rib. T5, rib 4 rows. Using CC2, rib 22 rows, inc 1 st in last row. Transfer sts to Main Bed. ** R/C 0.T8, work in patt until R/C reads 118. SHAPE ARMHOLES: R/C 0. Keeping stripes correct cast off 6(7-8-9-11)sts at beg of next 2 rows. Dec at each end of next and alt rows 6(7-9-10-11) times in all. 86(88-90-92-94)sts. ***. Work in patt until R/C reads 76(78-80-82-84). SHAPE SHOULDERS: Cast off 9sts at beg of next 6 rows. Knit rem 32(34-36-38-40)sts onto waste yarn.

FRONT: Work as for Back to ***. Work in patt until R/C reads 42(42-42-44-44). SHAPE NECK: Knit 51(52-53-55-56)sts at opp end to carr off manually onto waste yarn and push needles into A pos. Work on rem 35(36-37-37-38)sts. Knit 1 row. Dec at neck edge in foll alt rows 3(3-4-4-7) times — 32(33-33-33-31)sts, then in foll 4th rows 5(6-6-6-4) times. 27 sts. Work 7(5-5-5-9) rows. SHAPE SHOULDER: Cast off 9sts at beg of next row and foll alt row. Work 1 row. Cast off rem 9sts. Bring sts on waste yarn back into B pos. Knit 16(16-16-18-18)sts at centre front onto waste yarn. Rejoin yarn to rem 35(36-37-37-38)sts and work to correspond with other side.

SLEEVES: T0. Using CC3, cast on 55(55-57-57-59) sts for 1x1 rib. Work as for Back to **. R/C 0. T8, using CC1, knit 2 rows st st. Break of CC1. Using MC only knit 2 rows st st. Inc at each end of next row and foll 6th rows until there are 70(76-80-88-90)sts, then in foll 8th rows until there are 88(90-92-94-96)sts. Knit until R/C reads 142. SHAPE TOP: Cast off 3(3-4-4-5)sts at beg of next 2 rows. Dec at each end of next row and foll alt rows until 32(36-30-34-28)sts rem, then in every row until 18(18-20-20-22)sts rem. Cast off.

NECKBAND: Join right shoulder seam. Wrong side facing pick up 109(113-115-119-123)sts evenly around neck (incl sts from waste yarn). T8, using CC2, knit 1 row. Transfer sts for 1x1 rib. T4, rib 8 rows. Cast off.

COLLAR: T0. Using CC3, cast on 133(135-139-143-147)sts for 1x1 rib. T4, rib 4 rows. Using CC2, rib 36 rows. Cast off 10 sts at beg of next 10 rows. Cast off rem sts.

TO MAKE UP: Press lightly. Join shoulder, side and sleeve seams. Sew in sleeves. Sew collar in pos at base of neckband having ends of collar 8cm apart at centre front. Press seams.

**PATTERN No. AU30-3
LADY'S EVENING TOP**



MATERIALS: 3(4-5-6-7) 50g balls of PATON'S Touch of Ice. 3.50 (No 9) Crochet Hook.

MEASUREMENTS: Fits bust 80(85-90-95-100) cm, 31½ [33½-35½-37½-39¼] ins. Garment measures 74(79-84-89-94)cm, 29[31-33-35-37]ins. Length 59(60-60-61-61)cm, 23¼ [23½-23½-24-24] ins.

TENSION: T8=26½sts and 36 rows to 10cm (approx 4 ins) over st st. (Please check).

PATTERN.

1. Slide Dial (S/D) on 1. Press button 5. Set lever. Move LC from L to R. Knit 2 rows.
2. Button 6. Set. Move LC from L to R.

3. Button 4. Set. Move LC from R to L. Knit 2 rows.

4. Button 7. Set. Move LC from L to R.

5. Button 3. Set. Move LC from R to L. Knit 2 rows.

6. Button 8. Set. Move LC from L to R.

7. Button 2. Set. Move LC from R to L. Knit 2 rows.

Rep steps 1 to 7 incl once.

15. Knit 4 rows.

Rep steps 1 to 4 incl once.

20. Buttons 3 and 5. Set. Move LC from L to R. Knit 2 rows.

21. Buttons 6 and 8. Set. Move LC from L to R.

22. Buttons 2 and 4. Set. Move LC from R to L. Knit 2 rows.

Tension 7.

23. Buttons 1, 3, 5 and 7. Set. Move LC from L to R. Knit 2 rows.

24. Set lever. Move LC from R to L. Knit 2 rows. Rep steps 23. and 24. 4 times.


BACK AND FRONT (Both alike): T0. Cast on 85(93-101-109-117)sts for 1x1 rib (odd st on R). T4, rib 20 rows. Transfer sts to Main Bed. R/C 0. T8, knit 1 row. Press buttons 1, 3, 5 and 7. Set lever. Move LC from L to R. Knit until R/C reads 80(80-80-84-84). Work patt. Cast off loosely.

STRAPS (Make 2). Cast on 4 sts with a selvedge edge. Press R part button. T6. Knit a strip of 30cm (approx 12ins) long. Cast off.

TO MAKE UP: DO NOT PRESS. Sew up side seams. Using a 3.50 (No 9) Hook crochet around top of vest as follows:— 1st round—Work 1dc into every eyelet hole around top of Vest. 2nd round—1ch, *1dc in each of next 3dc, 3ch, 1dc, into first of these 3ch, rep from * to end. Fasten off. Sew straps to front and back of Vest.

Pattern No. AU30-3
See page 5

Pattern No. AU30-4
See page 8



Pattern No. AU30-5
See page 9



PATTERN No. AU30-4
LACY SLEEVELESS EVENING TOP



MATERIALS: 6(7-8-9-10) 25g balls of PATON'S Azalea. 3.00 (N0 10-11) Crochet Hook. 5 Small Buttons.

MEASUREMENTS: Fits bust 80(85-90-95-100)cm, 31½ [33½-35½-37½-39¼]ins. Garment measures 80(85-90-95-100)cm, 31½ [33½-35½-37½-39¼]ins. Length 53(53-54-54-55)cm, 20¾ [20¾-21¼-21¼-21¾]ins.

TENSION: T4 = 29½sts and 54 rows to 10cm (approx 4ins) over patt. (Please check).

PATTERN 1.

1. Press buttons 1, 3, 5 and 7. Set lever. Move LC from L to R. Knit 2 rows.
2. Button 4. Set. Move LC from L to R. Knit 2 rows.
3. Button 5. Set. Move LC from L to R.
4. Button 3. Set. Move LC from R to L. Knit 2 rows.
5. Button 6. Set. Move LC from L to R.
6. Button 2. Set. Move LC from R to L. Knit 2 rows.
7. Button 1. Set. Move LC from L to R.
8. Button 7. Set. Move LC from R to L. Knit 2 rows.

9. Button 2. Set. Move LC from L to R.
10. Button 6. Set. Move LC from R to L. Knit 2 rows.
11. Button 3. Set. Move LC from L to R.
12. Button 5. Set. Move LC from R to L. Knit 2 rows.
13. Buttons 1, 3, 5 and 7. Set. Move LC from L to R. Knit 6 rows.

PATTERN 2.

1. Press button 8. Set lever. Move LC from L to R. Knit 2 rows.
2. Button 1. Set. Move LC from L to R.
3. Button 7. Set. Move LC from R to L. Knit 2 rows.
4. Buttons 8 and 2. Set. Move LC from L to R.
5. Button 6. Set. Move LC from R to L. Knit 2 rows.
6. Button 7. Set. Move LC from L to R.
7. Button 8. Set. Move LC from R to L. Knit 2 rows.
8. Button 1. Set. Move LC from L to R. Knit 6 rows.

BACK: T0. Cast on 115(123-131-139-147)sts for 1x1 rib. 53(61-61-69-69)sts to R of 0, 62(62-70-70-78)sts to L of 0. T1, rib 24 rows. Transfer sts to Main Bed. T4, knit 1 row. R/C0. T4, work in patt 1 until R/C reads 140. Work 14 rows in patt 2. R/C reads 154. **SHAPE ARMHOLES:** Change to patt 1. R/C 0. Cast off 6(8-9-11-12)sts at beg of next 2 rows. Dec at each end of next row and alt rows until 89(91-95-97-101)sts rem. **Cont in patt until R/C reads 26(26-30-30-34). **DIVIDE FOR BACK OPENING:** Knit 45(46-48-49-51)sts at opp end to carriage off manually onto waste yarn and push needles into A position. Work 2 rows on rem 44(45-47-48-50)sts. Inc at armhole edge in next row and foll 8th rows 8 times. 53(54-56-57-59)sts. Work 7 rows. R/C reads 100(100-104-104-108). **SHAPE SHOULDER:** Cast off 9(9-10-10-10)sts at beg of next row and alt rows 1(1-3-3-3) time/s, **A and B only**— then 10 sts at beg of foll alt rows twice. Work 1 row. Leave rem sts on waste yarn. Bring sts on waste yarn back into working pos and work to correspond with other side, working a dec at centre back in first row.

FRONT: Work as for Back to **. Work until R/C reads 28(28-32-32-36). Inc at each end of next row and foll 8th row 4 times. 99(101-105-107-11)sts. Work 5 rows. R/C reads 66(66-70-70-74). **SHAPE**

NECK: Knit 57(59-61-62-65)sts at opp end to carr manually onto waste yarn. Push needles into A pos. Work 2 rows. Dec at neck edge in next row and alt rows 4(2-4-4-6) times, then in foll 4th rows 3(5-3-4-3) times **AT THE SAME TIME** inc at armhole edge in next row and foll 8th rows 3 times — 38(38-40-40-40)sts. Work 7 rows. R/C reads 100(100-104-104-108). **SHAPE SHOULDER:** Cast off 9(9-10-10-10)sts at beg of next row and alt rows 1(1-2-2-2) time/s. **A and B only**—then 10 sts at beg of foll alt row. **ALL SIZES**—Work 1 row. Cast off rem sts. Bring sts on waste yarn back into working pos. Knit centre 15(17-17-17-19)sts onto waste yarn. R/C on 66(66-70-70-74). Work to correspond with other side.

NECKBAND: Using back stitch join shoulder seams. Wrong side facing pick up 99(105-109-113-117)sts evenly around neck incl sts from waste yarn. T4, knit 6 rows. Press buttons 1, 3, 5 and 7. Set lever. Move LC from L to R. T5, knit 1 row. T3, knit 6 rows. Cast off loosely.

ARMHOLE BANDS: Wrong side facing pick up 137(137-145-145-147)sts and work as for Neckband.

TO MAKE UP: Press lightly. Sew up side seams. Fold neckband and armhole bands in half to wrong side and slip st in pos. Work 2 rows of dc evenly around back opening, working 5 button loops evenly along right side in second row. Sew on buttons. Press seams.

**PATTERN No. AU30-5
PATTERNED JACKET.**

See Illustration page 7

MATERIALS: 27(28-29-30-31) 25g balls of PATON'S Bluebell — OR — 7(7-8-8-8) 100g balls of PATON'S 5 ply Harmony.

MEASUREMENTS: Fits bust 85(90-95-100-105) cm, 33½ [35½-37½-39¼-41¼]ins. Garment Measures (approx) 101(-106-110-115-119)cm, 39¾ [41¾-43¼-45¼-46¾]ins. Length 62(63-63-64-64)cm, 24½ [24¾-24¾-25-25]ins. Sleeve seam 43cm [17ins].

TENSION: T8 = 26½ sts to 10cm (approx 4ins) and 1 complete patt (93 rows) to 17cm (approx 6¾ins). (Please check).

PATTERN 1. 1. S/D 1. Cams on 2 (KH600-610-680) on 3 (KH91). (HOLD). Press buttons 1 and 5. Set lever. Knit 2 rows.

2. Cams on 3 (KH600-610-680) on 1 (KH91). (KNIT). Knit 1 row.

3. Cams on HOLD. Press buttons 2, 4, 6 and 8. Set. Knit 2 rows.

4. Cams on KNIT. Knit 1 row.

5. As 1.

6. As 2.

Rep steps 1 to 6. Knit 3 rows.

PATTERN 2.

1. S/D on 1. Cams on hold. Press button 1. Set lever. Knit 2 rows.

2. Cams on knit. Knit 1 row.

3. Cams on hold. Buttons 2 and 8. Set. Knit 2 rows.

4. As 2.

5. Cams on hold. Butts 3 and 7. Set. Knit 2 rows.

6. As 2.

7. Cams on hold. Buttons 4 and 6. Set. Knit 2 rows.

8. As 2.

9. Cams on hold Button 5. Set. Knit 2 rows.

10. As 2.

Knit 3 rows.

PATTERN 3.

Work steps 1 to 10 of pattern 2, then rep steps 9, 2, 7, 2, 5, 2, 3, 2, 1 and 2. Knit 3 rows. For complete pattern (93 rows) Work pattern 1, pattern 2, pattern 1, then pattern 3. Repeat.

BACK: Carr on R, T7. Cast on 113(121-129-137-145)sts for selvedge edge — 56(60-68-68-76)sts to L of 0. 57(61-61-69-69)sts to R of 0. ** Knit 20 rows. R/C 0. T8, work in pattern until R/C reads 222. ** **SHAPE ARMHOLES:** R/C 0. Cast off 4 sts at beg of next 2 rows. Dec at each end of next and foll 4th rows 18(15-15-12-12) times in all —

Pattern No. AU30-6
See Page 11.

Pattern No. AU30-7
See Page 13.



69(83-91-105-113)sts, then in every alt row 20(26-29-35-38) times — 29(31-33-35-37)sts. Work 1 row. Cast off rem sts.

LEFT FRONT: Carr on R, T7, cast on 73(77-81-85-89)sts. 36(40-44-48-52)sts to L of 0. 37 sts to R of 0. Work as for Back from ** until R/C reads 204. **SHAPE FRONT:** Dec at end of next and foll 4th rows 5 times in all. 68(72-76-80-84)sts. Work 1 row. R/C reads 222. R/C 0. Cast off 4 sts at beg of next row. Dec each end of foll alt row once, then in foll 4th rows 17(14-14-11-11) times. 28(38-42-52-56)sts. Cont dec at armhole edge in foll alt rows 20(26-29-35-38) times, AT THE SAME TIME dec at front edge in foll 4th rows 6(10-11-15-16) times. 2sts. Work 2 tog. Fasten off.

RIGHT FRONT: Carr on L, T7. Cast on 73(77-81-85-89)sts for selvedge edge. 36sts to L of 0, 37(41-45-49-53)sts to R of 0. Work as given for Left Front.

SLEEVES: T7, cast on 59(59-67-67)sts for selvedge edge. Knit 20 rows. T8, work in patt inc at each end of 5th and foll 10th rows 13(19-22-9-14)

**PATTERN No. AU30-6
LITTLE GIRL'S DRESS.**



times in all — 85(97-103-85-95)sts, then in foll 12th rows 7(2-0-10-6) time/s — 99(101-103-105-107)sts. Cont in patt until R/C reads 222. **SHAPE TOP:** R/C 0. Cast off 4 stst at beg of next 2 rows. Dec at each end of next and foll 4th rows 16(15-17-16-18) times in all — 59(63-61-65-63)sts, then in foll alt rows 24(26-25-27-26) times. Work 1 row. R/C reads 112(112-118-118-124). Cast off rem 11 sts.

FRONT BAND AND COLLAR: T0. Cast on 17 sts for 1x1 rib. Inc 1 st at each end of Main Bed. ** T4, R/C 0. Rib 140rows. Inc at end of next and foll alt rows 40 times in all. R/C reads 219. Rib 50(54-58-62-66) rows. R/C reads 269(273-277-281-285). Dec at beg of next and foll alt rows 40 times in all. Rib 140 rows. R/C reads 488(492-496-500-504). Cast off.

TIE BELT: Work as for Front Band to **. T4, R/C 0, rib 600 rows. Cast off.

TO MAKE UP: Press lightly. Join raglans. Join side and sleeve seams. Turn up hems and stitch in position. Sew on front bands and collar. Press seams.

MATERIALS: 7(8-9-10) 25g balls PATON'S Azalea. 6 small buttons. 3.00 (N0 10-11) Crochet Hook.

MEASUREMENTS: To fit underarm 55(60-65-70) cm. [21³/₄-23¹/₂-25¹/₂-27¹/₂]ins. Garment measures 55(60-65-70)cm. [21³/₄-23¹/₂-25¹/₂-27¹/₂]ins. Length 51(56-61-66)cm, [19³/₄-22-24-26]ins. Sleeve seam 2cm [³/₄ins].

TENSION: T5 = 31sts and 48 rows to 10cm (approx 4ins) measured over st st. (Please check).

PATTERN 1. (Skirt Border)

T5 = Slide Dial on 1, carr on R.

1. Press button 5. Set lever. Move LC from L to R. Knit 2 rows.
2. Button 6. Set. Move LC from L to R.
3. Button 4. Set. Move LC from R to L. Knit 2 rows.
4. Button 7. Set. Move LC from L to R.
5. Button 3. Set. Move LC from R to L. Knit 2 rows.
6. Button 8. Set. Move LC from L to R.
7. Button 2. Set. Move LC from R to L. Knit 2 rows.

8. Button 1. Set. Move LC from L to R. Knit 2 rows.

9. as 1.

10. As 2.

11. As 3.

12. As 1.

Slide Dial on 5. Rep steps 1 to 5.

PATTERN 2. (Skirt and Sleeves)

S/D on 1.

1. Press button 1. Set lever. Move LC from L to R. Knit 6 rows.

2. Button 5. Set, Move LC from R to L. Knit 6 rows.

PATTERN 3.

S/D on 1.

1. Button 3. Set. Move LC from L to R. Knit 2 rows.

2. Button 4. Set. Move LC from L to R.

3. Button 2. Set. Move LC from R to L. Knit 2 rows.

4. Button 3. Set. Move LC from L to R. Knit 6 rows.

5. Button 7. Set. Move LC from L to R. Knit 2 rows

6. Button 8. Set. Move LC from L to R.

7. Button 6. Set. Move LC from R to L. Knit 2 rows.

8. Button 7. Set. Move LC from L to R. Knit 6 rows.

Repeat.

BACK: Carr on L. Cast on 161(161-169-169)sts in waste yarn. 76(76-84-84)sts to L of 0, 85sts to R of **T5, knit 8 rows. T4, using main yarn knit 8 rows. Press buttons 1, 3, 5 and 7. Set lever. Move LC from L to R. T6, knit 1 row. R/C on 0. T5, knit 8 rows. T6, close hem. Remove waste yarn. Press buttons 1, 3, 5 and 7. Move LC from L to R. Knit 2 rows.** Work patt 1. Cont in patt 2 until R/C reads 131(143-155-163). Take work off on waste yarn. Bring 81(89-97-105) needles into B. pos. 34(42-42-50)sts to L of 0, 47(47-55-55)sts to R of 0. Replace work dec evenly across row. Carr on L, T5, knit 1 row. Press buttons 1, 3, 5 and 7. Set lever. Move LC from L to R. R/C 0. Knit 6 rows. Work in patt 3 until R/C reads 60(66-68-72). **SHAPE ARMHOLES:**R/C 0. Cast off 3(3-4-4)sts at beg of next 2 rows. Dec at each end of next and foll alt rows 3(4-4-5) times in all 69(75-81-87) sts. ***Cont in patt until R/C reads 14(16-22-26). **DIVIDE FOR BACK OPENING:** Knit 35(38-41-44) sts at opp end to carr off manually onto waste yarn and push needs into A pos. Work on rem

34(37-40-43)sts until R/C reads 48(52-58-62). **SHAPE SHOULDER:** Cast off 7(8-9-9)sts at beg of next row and foll alt row, then 8(8-8-10)sts at beg of foll alt row. Work 1 row. Take rem 12(13-14-15)sts off on waste yarn. B ring needles in A pos back into B pos. R/C on 14(16-22-26) join yarn to rem sts and work other side to correspond, working a dec at centre back in 1st row.

FRONT: Work as for Back to ***. Cont in patt 3 until R/C reads 28(32-34-36). **SHAPE NECK:** Knit 41(44-48-51)sts at opp end to carr off manually onto waste yarn and push needles into A pos. Cont on rem 28(31-33-36)sts. Work 1 row. Dec at neck edge in alt rows 6(7-7-8) times, 22(24-26-28) sts. Work 7(5-9-9) rows. R/C reads 48(52-58-62). **SHAPE SHOULDER:** Cast off 7(8-9-9)sts at beg of next row and foll alt row. Work 1 row. Cast off rem 8(8-8-10)sts. Bring needles in A pos back into B pos. Knit centre 13(13-15-15)sts off onto waste yarn. R/C on 28(32-34-36). Join yarn to rem 28(31-33-36)sts and work other side to correspond.

SLEEVES: Cast on 57(57-61-61-61)sts in waste yarn. 28(28-30-30)sts to L of 0, 29(29-31-31)sts to R of 0. Work as for Back from ** to **. Work in patt 2, inc at each end of alt rows 3 times. 63(63-67-67)sts. Work 2 rows. R/C reads 19. **SHAPE TOP:** R/C 0. Cast off 3 sts at beg next 2 rows. Dec at each end of next and foll alt rows 20(20-22-22) times in all. Work 1 row. R/C reads 42(42-46-46). Cast off rem 17 sts.

NECKBAND: Join shoulder seams. Wrong side facing pick up 77(79-89-91)sts evenly around neck, incl sts on waste yarn. T5, knit 6 rows. Press buttons 1, 3, 5 and 7. Set lever. Move LC from L to R. T6, knit 1 row. T4, knit 6 rows. Cast off loosely.

TO MAKE UP: Press very lightly. Join side and sleeve seams. Sew in sleeves. Fold neckband in half onto wrong side and slip stitch in position. Using a 3.00 (No 10-11) Crochet Hook work 2 rows dc evenly around back opening, working 6 buttonloops evenly along right side in 2nd row. Sew on buttons. Thread ribbon through holes at waist.

NOTE: A knitted cord may be used in place of ribbon at waist.

PATTERN No. AU30-7
MAN'S PATTERNED POLO NECK JUMPER.

See Illustration page 70

MATERIALS: 21(22-23-24-25) 25g balls of PATON'S Bluebell, or 5(5-6-6-7) 100g balls of PATON'S 5 ply Harmony.

MEASUREMENTS: Fits chest 95(100-105-110-115)cm, 37½[39¼-41¼-43¼-45¼]ins. Garment measures 100(105-110-115-120)cm, 39½[41¼-43¼-45¼-47¼]ins. Length 65(65-66-66-67)cm, 25½[25½-26-26-26¼]ins. Sleeve seam 48cm [19 ins].

TENSION: T8=26sts and 56 rows to 10cm (approx 4 ins) over pattern 1. (Please check).

PATTERN 1.

1. S/D on 1. Cam on 2(KH600-610-680) on III (KH91). (HOLD). Press buttons 1 and 5. Set lever. Knit 2 rows.

2. Cam on 3 (KH600-610-680) on I (KH91). (KNIT). Knit 1 row. S/D on 3 rep last 2 steps.

PATTERN 2.

1. S/D on 1. Cam on HOLD. Press button 1. Set lever. Knit 2 rows.

2. Cam on Knit. Knit 1 row.

3. Cam on Hold. Press buttons 2 and 8. Set. Knit 2 rows.

4. As 2.

5. Cam on Hold. Buttons 3 and 7. Set. Knit 2 rows

6. As 2.

7. Cam on Hold. Buttons 2, 4, 6 and 8. Set. Knit 2 rows.

8. As 2.

9. Cam on Hold. Buttons 3, 5 and 7. Set. Knit 2 rows.

10. As 2.

11. Cam on Hold. Buttons 4 and 6. Set. Knit 2 rows.

12. As 2.

13. Cam on Hold. Button 5. Set. Knit 2 rows.

14. As 2.

Rep steps 13, 2, 11, 2, 9, 2, 7, 2, 5, 2, 3, 2, 1 and 2.

BACK: Carr on R. Cast on 102sts — 66sts to L of 0 36sts to R of 0 for selvedge edge. T8, knit 1 row. R/C 0. Work 16(20-24-28-30) rows in pattern 1. Inc at end of next and foll alt rows 10(11-12-12-13) times in all — 112(113-114-114-115)sts. Cast on

46(45-46-46-47)sts at beg of next row. 158(158-160-160-162)sts. Work 15(15-15-11-13) rows. R/C reads 51(57-63-63-69). Change to pattern 2. Work 7(7-7-11-11) rows. Inc at end of next row. Work 22 rows. Inc at beg of next row. Work 8(11-11-7-10) rows. Change to patt 1. Work 15(12-10-18-15) rows. R/C reads 105(111-115-123-129). ** Inc at beg of next row. Work 67(73-77-85-91) rows. R/C reads 173(185-193-209-221). Dec at beg of next row.*** Work 15(12-10-18-15) rows. R/C reads 189(198-204-228-237). Change to patt 2. Work 8(11-11-7-10) rows. Dec at beg of next row. Work 22 rows. Dec at end of next row. Work 7(7-7-11-11) rows. R/C reads 228(240-246-270-282). Change to patt 1. Work 15(15-15-11-13) rows. Cast off 46(45-46-46-47)sts at beg of next row. Dec at end of next and foll alt rows 10(11-12-12-13) times in all. Work 16(20-24-28-30) rows. R/C reads 279(297-309-333-351). Cast off.

FRONT: Work as for Back to **. Cast off 16(16-20-20-24)sts at beg of next row. Dec at beg of alt rows 10(10-9-9-9) times. 134(134-133-133-131)sts. Knit 28(34-42-50-56) rows. Inc at end of next and foll alt rows 10(10-9-9-9) times in all. Cast on 16(16-20-20-24)sts at beg of next row. Work as for Back from *** to end.

SLEEVES: T.0, cast on 69(69-71-71-71)sts for 1x1 rib. T4, rib 22 rows. Transfer sts to Main Bed. T8, knit 4 rows st st. Inc at ea end of next and foll 6th rows 8(12-12-14-14) times in all. 85(93-95-99-99) sts, then in foll 8th rows 10(7-7-6-7) times. 105(107-109-111-113)sts. Knit until R/C reads 160. SHAPE TOP: R/C0. Cast off 8(8-9-9-10)sts at beg of next 2 rows. Dec at ea end of next and foll alt rows 11(10-14-13-17) times in all. 67(71-63-67-59)sts, then in every row 23(25-21-23-19) times. R/C reads 46(46-50-50-54). Cast off rem 21sts.

LOWER BANDS (2):T.0, cast on 129(137-145-151-157)sts for 1x1 rib. T4, rib 36 rows. Cast off loosely.

NECKBAND: Join right shoulder seam. Wrong side facing, pick up 117(121-125-129-133)sts evenly around neck. T8. Knit 1 row. Transfer sts for 1x1 rib. T4, rib 44 rows. Cast off loosely.

TO MAKE UP: Press lightly. Sew on lower bands. Join left shoulder, side and sleeve seams. Sew in sleeves. Fold neckband in half onto wrong side and sew in pos. Press seams.

PATTERN No. AU30-8
LADY'S CABLE TRIM SUIT AND TOP.



MATERIALS: PATON'S Touch of Ice. Top 3(3-4-4-4) 50g balls. Jacket 10(11-11-12-12) 50g balls. Skirt 7(8-8-8-9) 50g balls. 23cm [9in] "Lightning" Zipper for skirt. Length of 1.5cm [5/8in] elastic for skirt. Hem facing.

MEASUREMENTS: To fit bust 80(85-90-95-100) cm, 31½ [33½-35½-37½-39¼] ins. Top measures 78(83-88-93-98)cm, (30¾-32¾-34½-36½-38½)ins. Jacket measures 85(90-95-100-105)cm, 33½ [35½-37½-39¼-41¼] ins. Skirt to fit waist 60(65-70-75-80)cm, 23½ [25½-27½-29½-31½] ins. **Hip** 85(90-95-100-105)cm, 33½ [35½-37½-39¼-41¼] ins. Length — Top 48cm [19ins] all sizes. Jacket 68(68-69-69-70)cm, 26¾ [26¾-27-27½] ins. Skirt 58cm [22¾ins] all sizes. Sleeve seam (Jacket) 43cm [17ins] all sizes.

TENSION: T8 = 26½ and 36 rows to 10cm (approx 4 ins) over st st. (Please check).

TOP—

BACK AND FRONT (Both alike). T8, cast on 68 sts for selvedge edge. Transfer 7th, 12th, 19th, 24th, 31st, 36th, 43rd, 48th, 55th and 60th sts to adjacent needles, push empty needles in A pos.

Knit 10(4-4-8-7) rows. ** Using a two prong transfer tool, work a cable on groups of 4sts by crossing 2sts at left over 2sts at right. Knit 10 rows st st. Rep from ** until R/C reads 130(144-154-158-167). Work a cable on this row. Knit 10(4-4-8-7) rows st st. Cast off.

UPPER BANDS: Wrong side facing pick up 107(111-117-123-129) sts evenly along upper edge of garment. T8, K1 row. Transfer sts for 1x1 rib. T4, rib 10 rows. Cast off loosely.

LOWER BANDS: Wrong side facing, pick 93(97-101-105-109) sts evenly along lower edge. T4, rib 20 rows. Cast off loosely.

SHOULDER STRAPS: (Make two). T0, cast on 13 sts for 1x1 rib. T4, rib 130 rows. Cast off.

TO MAKE UP: Press lightly. Join side seams. Sew shoulder straps in position, approx 12.5cm (5ins) in from side seam.

JACKET—

BACK: Carr on L. T9, cast on 126(132-140-146-154) sts in waste yarn. Transfer 13th(10th-14th-17th-8th) sts from each end of work to adjacent needles. Push needles into A pos. **Commencing with a group of 4 sts arrange sts for patt as given for top. Knit 5 rows waste yarn. T7, knit 8 rows main yarn. T9, K1 row. R/C0. T8, knit 8 rows. T9, close hem and remove waste yarn. T8, knit 2 rows and work cable. Work in patt until R/C reads 30(24-30-24-30)**. Dec at each end of next row and foll 24th rows 4 times in all. 118(124-132-138-146) sts. Cont without further dec until R/C reads 168(174-176-178-180). **SHAPE ARMHOLES:** R/C 0. Cast off 7(8-9-10-11) sts at beg of next 2 rows. Dec at each end of next and foll alt rows 8(8-10-11-12) times in all. 88(92-94-96-100) sts. Work until R/C reads 70(74-74-78-78). **SHAPE SHOULDERS:** Cast off 9(10-10-10) sts at beg of next 4 rows, then 10(9-9-9-10) sts at beg of foll 2 rows. Take rem sts off machine in waste yarn.

RIGHT FRONT: Carr on L. T9, cast on 63(66-70-73-77) sts in waste yarn. Transfer 13th(10th-14th-17th-8th) st from R of work onto adjacent needle. Push needles into A pos. Work as for Back from ** to **. Dec at beg of next and foll 24th row 4 times in all. 59(62-66-69-73) sts. Work until R/C reads 168(174-176-178-180). **SHAPE**

Pattern No. AU30-8

See Page 14.



ARMHOLE: R/C 0. Cast off 7(8-9-10-11)sts at beg of next row. Dec at beg of alt rows 8(8-10-11-12) times. 44(46-47-48-50)sts. Work until R/C reads 39. **SHAPE NECK:** Cast off 8(8-9-9-9)sts at beg of next row. Dec at neck edge in next and foll alt rows 8(9-9-10-11) times in all. 28(29-29-29-30) sts. Work 15(17-17-19-17) rows. R/C reads 70(74-74-78-78). **SHAPE SHOULDER:** Cast off 9(10-10-10-10)sts at beg of next row and foll alt row. Work 1 row. Cast off rem 10(9-9-9-10)sts.

LEFT FRONT: Work as for R Front reading L for R.

SLEEVES: T0. Cast on 53(55-57-59-61)sts for 1x1 rib. R/C 0. T4, rib 8 rows. Transfer sts to main bed. R/C 0. T8, knit 4 rows. Inc at each end of next row and foll 6th rows 17 times in all — 87(89-91-93-95)sts. then in foll 8th row 3 times. 93(95-97-99-101)sts. Knit until R/C reads 144. **SHAPE TOP:** Cast off 4(4-5-5-6)sts at beg of next 2 rows. Dec at each end of next and foll alt rows 20(21-21-22-22) times in all, 45 sts, then in every row until 19sts rem. Cast off.

NECKBAND: Join shoulder seams. Wrong side facing pick up 95(97-99-103-105)sts evenly around neck incl sts from waste yarn. T8, knit 1 row. Arrange sts for 1x1 rib. T4, rib 12 rows. Cast off loosely.

FRONT BANDS: (2). T0, Cast on 15 sts for 1x1 rib. R/C0. T4, rib 204(208-210-212-216) rows. Cast off loosely.

POCKETS: Cast on 42 sts for selvedge edge. T8, knit 1 row. Transfer 13th and 18th sts from R end of work to adjacent needles. Push empty needle into A pos. R/C0. Knit 4 rows. Work cable. Working a cable in every 10th row, knit until R/C reads 44. Work cable. Knit 4 rows. Cast off.

TO MAKE UP: Press lightly. Join side and sleeve seams. Sew in sleeves. Sew Front Bands in position. Turn under 6sts on cable edge of pocket to form hem. Slip st onto wrong side of pocket. Sew pockets in pos as illustrated. Press seams.

SKIRT: (Make 6 pieces) Cast on 71(73-77-79-81) sts for selvedge edge. T8. R/C0. Knit 16 rows st st. Dec at each end of next row and foll 8th rows 11 times in all — 49(51-55-57-59)sts, then in foll 12th rows 9 times. 31(33-37-39-41)sts. Knit 11 rows st st. R/C reads 216. Cast off loosely.

TO MAKE UP: Press lightly. Join seams, leaving a 25cm opening for zip in left side seam. Turn in 2cm (approx ¾in.) to form casing for elastic at waist, and stitch in pos. Thread length of elastic 2.5cm (1in.) less than waist measurement through casing. Sew in zip. Sew facing around hem. Press seams.

PATTERN No. AU30-9
LADY'S DRESS

See Illustration page 18

MATERIALS: 26(27-28-29-30) 25g balls PATON'S Patonyle Patonised. Length of hem facing for skirt. 3.00 (No 10-11) Crochet Hook.

MEASUREMENTS: Fits bust 85(90-95-100-105) cm 33½ [35½-37½-39¼-41¼] ins. Garment measures 88(93-98-103-108)cm. 34¼ [36½-38½-40½-42½] ins. Sleeve seam 33cm [13] ins. Length 91(92-92-93-93)cm, 35¾ [36¼-36¼-36½-36½] ins.

TENSION: Recommended tensions = 27sts to 10cm (approx 4ins) and 65 rows to 10cm (approx 4ins) over patt. (Please check).

PATTERN.

1. T6. Cams on 2(KH600-610-680) on III (KH91) (HOLD). Press buttons 1, 3, 5 and 7. Set lever. Knit 2 rows. Cams on 3 (KH600-610-680) Cam on I (KH91) (KNIT). Knit 1 row. Rep step 1 3 times.
5. T6.2 Cams on hold. Slide Dial (SD) on 1. Press buttons 1 and 5. Set lever. Knit 2 rows. Cams on knit. Knit 1 row.
6. S/D on 2 rep step 5.
7. S/D on 3 rep step 5.

8. S/D on 4 rep step 5.
9. S/D on 5, rep step 5.
10. S/D on 6, rep step 5.
11. S/D on 7, rep step 5.
12. S/D on 8, rep step 5.

Rep step 1. 4 times. Rep step 5. 8 times, having S/D on 1, 8, 7, 6, 5, 4, 3 and 2. Repeat.

BACK: T6, cast on 159(167-173-181-187)sts for selvedge edge. Knit 6 rows st st. R/C0. Using recommended tension work in patt until R/C reads 84. Take work off machine on waste yarn and reverse. **T6.2, knit 60 rows st st. Take work off machine on waste yarn. Replace work dec 16sts evenly across row.** Rep from ** to ** twice, dec 32 sts instead of 16 in last rep 95(103-108-117-123)sts. R/C reads 264. Take work off machine on waste yarn. Reverse work and replace on machine (odd st on R). Knit 1 row. R/C 0. Using recommended tensions cont in patt. Inc at beg of 13th and foll 10th rows 13 times in all. 121(129-135-143-149)sts. Work until R/C reads 136. **SHAPE ARMHOLES:** R/C0. Cast off 7(9-9-11-12)sts at beg of next 2 rows.** Dec at each end of next and foll 4th rows 7(8-10-11-12) times in all. 93(95-97-99-101)sts. Cont in patt until R/C reads 118(124-124-130-130). **SHAPE SHOULDERS:** Cast off 10 sts at beg of foll 6 rows. Cast off rem sts.

FRONT: Work as for Back to **. **SHAPE NECK AND ARMHOLE:** Knit 58(60-63-65-67)sts at opp end to carr off manually onto waste yarn and push needles into Apos. Dec at armhole edge in next and foll 4th rows 7(8-10-11-12) times in all **AT THE SAME TIME** Dec at neck edge in 5th and foll 8th rows 3(4-5-5-6) times in all. 39(39-39-40-40) sts. Cont dec at neck edge in 8th row from prev dec 1(7-6-10-10) times, then in foll 10th rows

8(2-3-0-0) times. 30 sts. Work until R/C reads 118(124-124-130-130). **SHAPE SHOULDERS:** Cast off 10 sts at beg of next and foll alt row. Work 1 row. Cast off. Bring rem sts into B pos join in yarn and cast off 9 sts at centre front. R/C on 2. Work another side to correspond.

SLEEVES: Cast on 69(71-73-75-77)sts for selv-edge edge. T6.2, knit 2 rows. ** Press buttons 1, 3, 5 and 7. Set lever. Move LC from L to R. Knit 6 rows. ** Rep from ** to ** once. Press buttons 1, 3, 5 and 7. Set lever. Move LC from L to R. R/C0. Knit 16 rows. Change to recommended tension and work in patt inc. at ea end of next and foll 20th rows 10 times in all. 89(91-93-95-97)sts. Work in patt until R/C reads 208. **SHAPE TOP:** R/C0. Cast off 4(4-5-5-6)sts at beg of next 2 rows. Dec at ea end of next and foll 4th rows 14(15-15-16-16) times in all. 53 sts. Then in foll alt rows 16 times. Work 1 row. R/C reads 88(92-92-96-96). Cast off rem 21 sts.

NECKBAND: T0. Cast on 15 sts for 1x1 rib. Inc 1 st at ea end of Main Bed after selvedge. T3, rib 220 rows. Cast off.

BELT: T0. Cast on 8 sts for circular knitting (P27 Ribber Manual KH600-610-680). T6, work until R/C reads 900. Cast off.

TO MAKE UP: Press lightly. Join shoulder, side and sleeve seams reversing seams for cuff on sleeve. Sew in sleeves. Sew in neckband lapping lower right edge over lower left as shown. Work 3 dc into each hole around lower edge of sleeve. Next round—2ch, *miss 2 dc, 5 tr into next dc, miss 2 dc 1 dc into next dc, rep from * to end. Join with a sl st into 2 ch loop. Fasten off. Fold back cuff at last row of holes. Tie a knot at each end of belt. Press seams.

Pattern No. AU30-9
See page 16



Pattern No. AU30-10
See Page 20.



PATTERN No. AU30-10
LACY SHAWL.



MATERIALS: 8 25g balls of PATON'S Azalea Patonised. Size 3.00 (No 10-11) Crochet Hook.

MEASUREMENTS: Depth to point (without fringe) 74cm [29ins].

TENSION: T5 = 31sts and 49 rows to 10cm (approx 4ins) over st st. (Please check).

PATTERN:

1. Slide Dial (S/D) on 1. Press buttons 1, 3, 5 and 7. Set lever. Counting from L side of work leave first 3 selected needles in D pos. Push next 9 selected needles into B pos. Move LC from L to R. Push end needle at L of work into A pos. Knit 2 rows.

1. S/D on 2. Rep step 1.

3. S/D on 1. Set lever. Counting from L side of work leave first 3 selected needles in D pos. Push next 2 selected needles into B pos. Leave next needle in D pos. Push next 6 selected needles into B pos. Move LC from L to R. Push end needle at L of work into A pos. Knit 2 rows.

4. S/D on 2. Set lever. Counting from L side of work leave 1st 3 selected needles in D pos. Push next selected needle into B pos. Leave next 2 selected needles in D pos. Push next 6 selected needles into B pos. Move LC from L to R. Push end needle at L of work into A pos. Knit 2 rows.

5. S/D on 1. Set lever. Counting from L side of work leave 1st 3 selected needles in D pos. Push next selected needle into B pos, leave next selected needle in D pos. Push next 7 selected needles into B pos. Move LC from L to R. Push end needle at L of work into A pos. Knit 2 rows.

6. As step 2.

Rep steps 1 and 2 once. These 16 rows form pattern.


SHAWL: 1st Side — Carriage on L. Cast on with selvedge edge 171sts (odd st on L). T5, knit 3 rows. Work in patt until all sts have been decreased. Fasten off.

2nd Side — Carriage on R. Cast on with selvedge edge 171sts (odd st on L). Work in pattern as for 1st side reading L for R and R for L.

TO MAKE UP: Join 2 sections together with a flat seam. Work 2 rows dc along top edge. Pin shawl into shape and press with a damp cloth and warm iron.

FRINGE: Wind yarn around a piece of cardboard 13cm (5-1/8in) wide and cut along one edge. Using 6 strands of yarn fold yarn in half and draw loop through a hole on edge of shawl. Pull ends through loop and tighten. Rep in every 3rd hole. Trim ends of fringe evenly.

PATTERN No. AU30-11
FAIR ISLE JUMPER.



MATERIALS: 14(15-16-17-18) 25g balls of PATON'S Bluebell in Main Colour (MC), 1(1-1-1-1) 25g ball in 1st Contrast Colour (CC1), 1(1-1-1-1) ball in 2nd Contrast (CC2), and 1(1-1-1-1) ball in 3rd Contrast (CC3). OR 4(4-4-5-5) 100g balls of 5 ply Harmony in Main Colour (MC), 1(1-1-1-1) ball in 1st Contrast Colour (CC1), 1(1-1-1-1) ball in 2nd Contrast (CC2) and 1(1-1-1-1) ball in 3rd Contrast (CC3).

MEASUREMENTS: Fits bust 80(85-90-95-100)cm, 31½ [33½-35½-37½-39¼]ins. Garment measures 80(85-90-95-100)cm, 31½ [33½-35½-37½-39¼]ins. Length 58(58-59-59-60)cm, 22¾ [22¾-23¼-23¼-23½]. Sleeve seams 43cm [17ins].

TENSION: T8 = 27½sts and 37 rows to 10cm (approx 4ins) over st st.


PATTERN.

1. T8, knit 2 rows CC1.
2. T8. Knit 6 rows MC, setting machine for Fair Isle in last row.
3. Press buttons 1, 4, 5 and 8, (set lever, T9, using CC1, knit 1 row Fair Isle) twice.

4. As 2.
 5. As 3.
 6. Buttons 2, 3, 6 and 7 (set. T9, using CC1, knit 1 row Fair Isle) twice.
 7. as 2.
 8. Buttons 3, 4 and 5, set. T9, knit 1 row Fair Isle.
 9. Buttons 3, 4, 5 and 6, set. T9, knit 1 row Fair Isle.
 10. Buttons 2 and 6, set. T9, knit 1 row Fair Isle.
 11. Buttons 1, 4 and 6, set. T9, knit 1 row Fair Isle.
 12. Buttons 1, 3 and 5, set. T9, knit 1 row Fair Isle.
 13. Buttons 3 and 7, set. T9, knit 1 row Fair Isle.
 14. Buttons 3, 4, 5 and 6, set. T9, knit 1 row Fair Isle.
 15. Buttons 3, 4 and 5, set. T9, knit 1 row Fair Isle.
 16. T8, using MC, knit 6 rows st st.
 17. T8, using CC1, knit 2 rows st. st.
- Repeat these 42 rows, using CC2 for first rep and CC3 for second repeat, etc.

BACK: T0, using MC, cast on 114(122-130-138-146)sts for 2x2 rib. T5, rib 40 rows dec at each end of last row. Transfer sts to Main Bed. R/C0, T8, knit in st st until R/C reads 110. **SHAPE ARMHOLES:** R/C0. Cast off 7(8-9-10-11)sts at beg of next 2 rows. Dec at ea end of next and foll alt rows 7(9-10-11-12) times in all. 84(86-90-94-98) sts. Knit until R/C reads 70(72-74-76-78). **SHAPE SHOULDERS:** Cast off 9(9-9-10-10)sts at beg of next 4 rows, then 8(8-10-9-11)sts at beg of foll 2 rows. Take rem 32(34-34-36-36)sts off on waste yarn.

FRONT: T0, cast on 122(130-138-146-154)sts for 2x2 rib. 61(61-69-69-77)sts to L of 0, 61(69-69-77-77)sts to R of 0. T5, rib 40 rows. Transfer sts to Main Bed. R/C0. Work in patt until R/C reads 110. **SHAPE ARMHOLES:** R/C0. Cast off 9(10-11-12-13)sts at beg of next 2 rows. Dec at ea end of next and alt rows 7(9-10-11-12) times in all 90(92-96-100-104)sts. Work in patt until R/C reads 36(38-38-40-40). **SHAPE NECK:** Knit 53(54-57-59-61)sts at opp end to carriage off manually onto waste yarn and push needles into A pos. On rem sts patt 2 rows. Dec at neck edge in next and alt rows 4(6-5-5-4) times in all — 33(32-34-36-39)sts then in foll 4th rows 5(4-5-5-6) times — 28(28-29-31-33)sts. Patt 5 rows. **SHAPE**



Pattern No. AU30-11
See page 21

SHOULDER: Cast off (9-10-10-11)sts at beg of next row and foll alt row. Work 1 row. Cast off rem 10(10-9-11-11)sts. Bring sts on waste yarn back into B pos. Knit centre 16(16-18-18-18)sts onto waste yarn. Join yarn to rem 37(38-39-41-43) sts and work other side to correspond.

SLEEVES: T0, cast on 54(54-58-58-58)sts for 2x2 rib. T5, rib 30 rows. Transfer sts to Main Bed. R/C 0. T8, knit 4 rows st. st. Inc at each end of next and foll 6th(6th-6th-6th-4th) rows 10(14-14-18-4) times in all. 74(82-86-94-66)sts. **A, B, C and E only**—then in foll 8th(8th-8th-6th) rows 6(3-3-15) times — 86(88-92-94-96)sts. Knit until R/C reads 142. **SHAPE TOP:** R/C 0. Cast off 4(4-5-5-6)

sts at beg of next 2 rows. Dec at ea end of next and foll alt rows 23(22-23-22-24) times in all — 32(36-36-40-36)sts, then in every row until 18sts rem. R/C reads 54(54-56-56-58). Cast off.

NECKBAND: Join right shoulder seam. Wrong side facing, pick up 107(111-115-119-123)sts evenly around neck, incl sts from waste yarn. Using MC, T8 knit 1 row. Arrange sts for 1x1 rib. T4, rib 10 rows. Cast off loosely.

TO MAKE UP: Press lightly. Join left shoulder, side and sleeve seams. Sew in seeves. Press seams.

PATTERN No. AU30-12
MAN'S VEST.


MATERIALS: 14(15-16-17-18) 25g balls PATON'S Bluebell, or 4(4-4-5-5) 100g balls PATON'S 5 ply Harmony.

MEASUREMENTS: To fit chest 90(95-100-105-110)cm, 35½[37½-39¼-41¼-43¼]ins. Garment measures 94(99-104-109-114)cm, 37[39-41-43-45]ins. Length 65(65-66-66-67)cm. 25½[25½-26-26-26¼]ins.

TENSION: T8 = 26sts and 54 rows to 10cm (approx 4ins.) over patt. Please check.

PATTERN. Reverse Switch on minus.

1. Tuck buttons in. Press button 1. Set lever. Knit 2 rows. Release Tuck buttons. Knit 1 row st st.
2. Tuck buttons in. Buttons 2 and 8. Set. Knit 2 rows. Release tuck buttons. Knit 1 row st st.
3. Tuck buttons in. Buttons 3 and 7. Set. Knit 2 rows. Release Tuck buttons. Knit 1 row st st.
4. Tuck buttons in. Buttons 4 and 6. Set. Knit 2 rows. Release Tuck buttons. Knit 1 row st st.



5. Tuck buttons in. Button 5. Set. Knit 2 rows. Release Tuck buttons. Knit 1 row st stl.
 6. Tuck buttons in. Buttons 1 and 5. Set, Knit 2 rows. Release Tuck buttons. Knit 1 row st st.
 7. Tuck buttons in. Buttons 2, 5 and 8. Set. Knit 2 rows. Release Tuck buttons. Knit 1 row st st.
 8. As 6.
 9. As 5.
 10. As 4.
 11. As 3.
 12. As 2.
 13. As 1.
 14. As 6.
 15. Tuck buttons in. Buttons 1, 4 and 6. Set. Knit 2 rows. Release Tuck buttons. Knit 1 row st st.
 16. As 6.
- Repeat.

BACK: T0, Cast on 121(129-137-145-153)sts for 1 x 1 rib 56(64-64-72-72)sts to L of 0 and 65(65-73-73-81)sts to R of 0. T4, rib 16 rows. Transfer sts to main bed. R/C0. T8. Work in patt until R/C reads 178. **SHAPE ARMHOLES:** R/C0. Cast off 6(7-9-10-12)sts at beg of next 2 rows. **Dec at each end of next row and foll 4th rows 6(8-9-11-12) times in all — 97(99-101-103-105)sts. Continue in pattern until R/C reads 132(132-136-136-140). **SHAPE SHOULDERS:** Cast off 8 sts at beg of next 4 rows, then 7(8-8-9-9)sts at beg of foll 2 rows. Cast off rem 51(51-53-53-55)sts.

FRONT: Work as for Back to **. **SHAPE NECK AND ARMHOLES:** Knit 55(58-60-63-65)sts at opp end to carr off manually onto waste yarn and push needles into A pos. Work on rem 54(57-59-62-64) sts. Dec at armhole edge only in next row, then at each end of foll 4th rows 5(7-8-10-11) times — 43(42-42-41-41)sts. Cont dec at neck edge only in foll 4th rows 13(11-9-7-8) times — 30(31-33-34-33) sts, then in foll 6th rows 7(7-9-9-8) times. 23(24-24-25-25)sts. Cont until R/C reads 132(132-136-136-140). **SHAPE SHOULDER:** Cast off 8 sts at beg of next row and foll alt row. Work 1 row. Cast off rem 7(8-8-9-9)sts. bring needles back from A pos to B pos and work other side to correspond, working a dec at neck edge in 1st row.

NECKBAND: Join right shoulder seams. Wrong side facing, pick up 115(117-121-123-127)sts evenly across back and down right side of neck. T8. Knit 1 row. Transfer sts for 1 x 1 rib. T4, rib 8 rows dec at centre front in every row. Cast off. Wrong side facing, pick up 63(65-67-71-73)sts evenly along left side of neck and work as for other side.

ARMHOLE BANDS: Join left shoulder seam. Wrong side facing pick up 131(131-135-135-139) sts evenly around armhole. T8, Knit 1 row. Transfer sts for 1x1 rib. T4, Rib 6 rows. Cast off.

TO MAKE UP: Pres very lightly. Join side seams. Join neckband at centre front. Press seams.

EMPISAL

*AN EMPISAL PUBLICATION: WORLD COPYRIGHT
BY EMPISAL INTERNATIONAL

INTERNATIONAL
KNITWEAR
COLLECTION

EMPISAL

BOOK AU30

