


INTERNATIONAL
KNITWEAR
COLLECTION

EMPISAL

BOOK AU 19





Pattern No. AU19-2
See page 10



Pattern No. AU19-3

See page 12

Pattern No. AU19-4
See page 13

Pattern No. AU19-5
See page 14




Pattern No. AU19-7

See page 16

Pattern No. AU19-6

See page 19




Pattern No. AU19-8

See page 17



Pattern No. AU19-9

See page 19



Pattern No. AU19-10
See page 19



Pattern No. AU19-11
See page 20



EMPISAL

INTERNATIONAL KNITWEAR COLLECTION

EMPISAL are pleased to present their International Fashion co-ordinators selection of THIRTEEN exciting machine knitted garments for the whole family.

*AN EMPISAL PUBLICATION: WORLD COPYRIGHT BY EMPISAL INTERNATIONAL

LACY TOP WITH FLARING SLEEVES:

Pattern No. AU19-1



MEASUREMENTS: To fit from 32in to 40in (102cms) bust. Length from top shoulder 27½ins. (70cms). Sleeve seam 13½ins (34cms).

MATERIALS: 18-25gram balls SIRDAR Rhapsody Courtelle 4 ply.

TENSION: T7.1 = 12½sts and 20 rows to 2ins (5cms).

PATTERN: (48 rows). NOTE: Set lever before each pattern row. STEP 1: Press button 5 Lacemaker (LM) L to R. Knit 2 rows. STEP 2: Button 5, LM R to L. Knit 2 rows. Rep Steps 1 and 2 once, then Step 1 once. STEP 6: Button 6, LM L to R. Button 4, LM R to L. Knit 2 rows. STEP 7: As Step 2. STEP 8: Buttons 5,7, LM L to R. Button 3, LM R to L. Knit 2 rows. STEP 9: As Step 6. STEP 10: Buttons 5,8, LM L to R. Button 2, LM R to L. Knit 2 rows. STEP 11: As Step 8. STEP 12: As Step 6. STEP 13: Button 2, LM L to R. Button 8, LM R to L. Knit 2 rows. STEP 14: Buttons 1,3. LM L to R. Button 7 LM R to L.

Knit 2 rows. STEP 15: Buttons 1.4. LM L to R. Button 6 LM R to L. Knit 2 rows. STEP 16: As Step 13. STEP 17: As Step 14. STEP 18: Button 1. LM R to L. Knit 2 rows. STEP 19: As step 13. STEP 20: Button 1. LM L to R. Knit 2 rows. STEP 21: As step 18. Rep Steps 20 and 18 once, then step 20 once.

BACK & FRONT (Alike): Cast on with selvedge edge 163 sts, putting 82 sts on right of centre "O". Knit 2 rows. T7.1 R/C on O. Change to patt and work 36 rows. Dec 1 st ea end every 10th row 13 times and 137 sts rem. Cont straight to 192 rows. R/C on O. **SHAPE RAGLANS:** Cast off 2 sts at beg of the next 2 rows. Dec 1 st ea end of next and every foll alt row until R/C reads 54 and 81 sts rem. **SHAPE NECK:** Take off the centre 35 sts on waste yarn. Cont on 1st 23 sts and knit off rem sts furthest from carriage manually on waste yarn and push needles back into A pos. Cont raglan shapings as before, AND AT THE SAME TIME, knit 3 tog at neck edge every 3rd row 4 times. When 3 sts rem work 3 tog and fasten off. Bring needles with sts on waste yarn from A to B pos. Take out waste. Rejoin yarn to neck edge on rem sts and complete to match other side reversing all shapings.

SLEEVES: On T7.1 cast on 10 sts with a selvedge edge in centre of machine. Knit 2 rows. Cont in patt inc 1 st ea end next and every foll alt row until 88 sts. Knit 1 row. Cast on 2 sts beg next 2 rows. R/C on 80. Inc 1 st at ea end of next and every foll alt row until 200 sts. Knit 1 row. Cast off 3 sts at the beg of the next 40 rows, then dec 1 st ea end next and foll 4 alt rows (70 sts). **CAST OFF.**

BIAS EDGING: On T5.1 cast on with a selvedge edge 16 sts at left end of machine. Knit 2 rows. Carr on the right, R/C on O. Dec 1 st at left edge and inc 1 st at right edge every alt row. (If work reaches right hand end of machine, put onto waste yarn and transfer back to left end of machine).

LOWER EDGING: Knit 408 rows and cast off.

SLEEVE EDGINGS: Knit 282 rows and cast off.


NECK EDGING: Knit 174 rows and cast off.

NECK STS ON WASTE YARN: Reduce by placing on machine thus: K1 (K3 tog K2) to last 4 sts. K3 tog K1 (21sts) Knit 1 row and cast off.

TO MAKE UP: Sew in sleeves; sew up side and sleeve seams. Attach bias binding to bottom edge, neck and sleeves on right side, fold and attach to wrong side. Using warm iron and a dry cloth press lightly.

MAN'S WAISTCOAT WITH FAIRISLE FRONT.

Pattern No. AU19-2



MEASUREMENTS: To fit size 36(38, 40, 42)in., 91(96.5, 101.5, 106.5)cm. Actual meas 38(40, 42, 44)in. Length at centre back 23(23, 24, 24)in. 58.5(58.5, 61, 61)cm.

MATERIALS: SIRDAR 4 PLY FONTEIN CREPE (25 gms.) Dark (D) 12(13,13,13) balls. Light (L) 5(5,6,6) balls, 6 buttons.

TENSION: Main tension (MT) - 6.1 Fairisle tension (FT) - 6.2. Tight tension (TT) - 5.1. Tighter tension (TTT) - 4.1. Loose tension (LT) - 9.0. 15 sts and 20½ rows to 2 in on MT and FT.

POCKET TOPS: Using D and TT, cast on 34(36,38,40)sts open edge. K 9 rows. LT, K 1 row. TT, K 9 rows. Close hem. Leave sts on waste yarn.

BACK: Using waste yarn and TT, cast on 144(152, 160, 168)sts. K several rows. Change to D. K 11 rows. LT, K 1 row for hemline MT. K 11 rows. Close hem. RC on D. Cont to 50 rows. TT. K 20 rows. MT, K to 134(134, 144, 144) rows or req. no. RC on O. **SHAPE ARMHOLES:** Cast off 10 sts at beg of next 2 rows. Dec 1 st each end of next 5 rows, then every alt row until 88(82, 96, 100) sts. Cont straight to 104 rows. Carr on right. Using spare yarn, cast off centre 42(44, 46, 48)sts. K off sts at end opp carr on to waste yarn. Cont on rem 23(24, 25, 26) sts only, for left shoulder and front. K 1 row. * Place 11(12,13,14) sts at end opp carr on waste yarn. K 2 rows. Change to patt.

THE PATTERN: (12 rows. Rev switch on-). **STEP 1:** Buttons 1,2,3, K 1 row. **STEP 2:** Buttons 1,3. K 1 row. **STEP 3:** As step 1. **STEP 4:** Buttons 2,5,6,7. K 1 row. **STEP 5:** Buttons 2,5,7. K 1 row. **STEP 6:** As step 4. **STEP 7:** Buttons 1,2,3,6. **STEP 8:** Buttons 1,3,6. K 1 row. **STEP 9:** As step 7. **STEP 10:** Buttons 5,6,7. K 1 row. **STEP 11:** Buttons 5,7. K 1 row. **STEP 12:** As step 10. K 2 rows. Replace 11(12,13,14) sts at end opp carr on needles. RC on O. K 25(25,16,16) rows. Inc 1 st at neck edge of next and every foll 3rd row until 31(31,34,34)in. in all **AT SAME TIME** when RC reads 92(88,84,80). **SHAPE ARMHOLE:** Inc 1 st at side edge of next and foll 2(4,6,8) alt rows, then at same edge of foll 5 rows. Work 1 row, ending at side edge. Cast on 10 sts. RC on O. Cont neck shapings until complete (72(75,81,84)sts), then cont in patt until RC reads 84,(84,94,94) OR 36 rows less than Back to armhole from close of hem row. Leaving 16(16,18,18) needles at front edge untouched, place next 34(36,38,40) sts on waste yarn. Wrong side facing, place sts of pocket tops on empty needles. Cont in patt for 36 rows ending at side edge. **SHAPE LOWER FRONT EDGE:** Cast off 6(7,7,8) sts at beg of next row. Work 1 row. Dec 1 st at each end of every row until 4 sts rem. Cast off. Rejoin D yarn to neck edge of sts for right shoulder and front. Complete as left front and shoulder from *, reversing shapings.

POCKET LININGS: Place sts from waste yarn on machine. Using D, K 30 rows. Cast off. Using fine back st, join shoulder seams.

ARMHOLE BANDS: Pick up and place on machine 164 sts around armhole edge. TT, and using D, K 5 rows, TTT, K 5 rows and **AT THE SAME TIME**, dec 1 st each end of every alt row. (154 sts). LT. K 1 row. TTT, K 10 rows, inc 1 st each end of every alt row. (164 sts). Cast off loosely.

BACK NECK BAND: Place 42(44,46,48) sts across back neck on machine. TT, and using D, K 5 rows, TTT, K 5 rows and **AT THE SAME TIME** dec 1 st each end of 3rd, 6th and 9th rows. LT, K 1 row. TTT, K 10 rows, inc 1 st each end of every 3rd row 3 times. Cast off.

RIGHT FRONT BAND: Wrong side facing, pick up and place on machine 165 (165, 173, 173) sts, beg at back neck band and ending at lower front edge before Shaping of peak. Using D, TT, K 5 rows. TTT, K 5 rows and **AT SAME TIME** dec 1 st at shoulder edge and inc 1 st at lower front edge every 3rd row 3 times. LT, K 1 row. TTT, K 10 rows, inc 1 st at shoulder edge and dec 1 st at lower front edge of every 3rd row 3 times. Cast off. Mark position of 7 buttons, the 1st ½ inch above lower edge, the 7th ½ inch below beg of neck shaping, the rest spaced evenly between.

LEFT FRONT BAND: As Right Front Band, adding 7 double buttonholes to match markers, each 3 sts long, on rows 5 and 6, then rows 16 and 17.

LOWER FRONT SIDE BANDS: Pick up and place on machine 42 sts. TT and using D, K 5 rows, TTT, K 5 rows, and **AT THE SAME TIME** inc 1 st at front edge of every alt row and dec 1 st at side edge of every 3rd row. LT, K 1 row. TTT, K 10 rows, dec 1 st at front edge of every alt row and inc 1 st at side edge of every 3rd row 3 times. Cast off.

LOWER FRONT CENTRE BANDS: Pick up as before 35 sts, Using D and working at same tensions as for other bands, inc 1 st at front edge of every 3rd for 3 times and **AT SAME TIME** inc at opp end of row every alt row. LT, K 1 row. TTT, K 10 rows, dec 1 st at front edge of every 3rd row 3 times, and at opp end of row every alt row. Cast off.

TO MAKE UP: Join side seams. Neatly join ends of all bands. Turn bands to inside on LT row and slip st in place. Sew on buttons. Neaten around double buttonholes. Sew pocket linings in place, then edges of pocket tops to fronts. Press lightly on wrong side using warm iron and damp cloth.

LONG SLEEVED SWEATER & SLEEVELESS CARDIGAN:

Pattern No. AU19-3



MATERIALS: SWEATER: 11(12-13) balls 25gm. SIRDAR Rhapsody Courtelle Light (L). 4(4-4) balls Dark (D). 4in. zipper. **CARDIGAN:** 3(3-4) balls Light (L). 8(9-9) balls Dark (D). 8 buttons.

MEASUREMENTS: To fit 34(36-38)in. (86-91-96)cms. bust. Sweater length 21(21½-22)ins. 53(54-56)cms. Sleeve seam 17ins. (43cms) all sizes. Cardigan length 22(22½-23)ins. (56-57-58)cms.

TENSION: T6.2 = 7½sts and 10¼ rows to 1in. (2.5)cms.

SWEATER:

BACK: Cast on with waste yarn 124(132-140)sts. Knit a few rows. **T5.1 using D knit 10 rows. Change to L and knit 3 rows. T8.2 knit 1 row (hemline). T5.1 knit 2 rows. Change to D knit 12 rows and close hem on T7. R/C on O. T6.2 knit 28 rows.** Change to L inc 1 st ea end of the next row. Knit 1 row. With D knit 2 rows. Change to L inc 1 st ea end of the 12th row, then on every foll 16th row 3 more times. (134-142-150)sts. Knit until R/C reads 108.*** Change to D and knit 2 rows; with L knit 2 rows; with D knit 2 rows. Cont in L only. Knit 8 rows (122)rows. **SHAPE ARMHOLE:** R/C on O. Cast off 5(6-7)sts at the beg of the next 2 rows.*** Dec 1 st at ea end of the next and every alt row until 102(106-110)sts rem. Work 15(19-21)rows. R/C

reads 39(45-49). **DIVIDE FOR BACK OPENING:** Leaving 51(53-55)sts nearest carr in B pos knit off rem sts manually with waste yarn and push needles back into A pos. Knit on rem sts until R/C reads 69(75-79)rows. **SHAPE NECK:** At neck edge cast off 14(15-16)sts once; 3 sts once then 2 sts once. Then dec 1 st on same edge every row twice, **AT THE SAME TIME** when R/C reads 74(80-84). **SHAPE SHOULDER:** At armhole edge cast off 7(7-8)sts once 7(8-8)sts on next alt row and 8(8-8)sts on every alt row twice. R/C back on 39(45-49). Bring needles with sts on waste back from A to B pos and knit to correspond with other side reversing all shapings.

FRONT: Work as Back until Armhole Shaping has been completed. Work a further 35(39-41)rows. **SHAPE NECK:** Leaving 41(42-43)sts nearest carr in B pos, knit off rem sts manually with waste yarn and push needles back into A pos. At neck edge on next and 2 alt rows, cast off 3 sts twice, 2 sts once. Dec 1 st at same edge on the next 3 rows. Work 7 rows on rem sts. **SHAPE SHOULDER:** Knit as for Back. Cast off centre 20(22-24)sts. Bring rem sts back from A to B pos and knit to correspond with other side reversing all shapings.

SLEEVES: Cast on with L for 1 x 1 rib 64(66-68)sts. Knit selvedge. Reset tension, rib 2 rows. Change to D and cont in rib until R/C reads 34. Transfer sts to main bed inc evenly across row, commence at 5th st from ea edge to 68(70-72)sts. Working 9 more rows D; 2 rows L; 2 rows D; cont in L to row 140 **AND AT THE SAME TIME** inc 1 st at ea end of every 6th row to 106(110-114)sts. **SHAPE TOP:** Cont in L. Cast off 5(6-7)sts at the beg of the next 2 rows. Dec 1 st ea end of the next 7 rows. Dec 1 st ea end of every alt row until 46(38-34)sts rem, then at ea end of every row until 24 sts rem. Cast off.

NECK BAND: Join one shoulder seam. With wrong side facing, pick up 26(27-28)sts across left side neck, 24 sts down left side of front, 21(23-25) centre sts, 24 sts up right side neck (95-98-101)sts. With L knit 1 row and transfer sts for 1 x 1 rib. Rib 2 rows L; 2 rows D; 2 rows L; 2 rows D. Loosen tension. Rib 1 row. Reset tension. Rib 2 rows D, 2 rows L, 2 rows D, 2 rows L. Cast off loosely in rib. Pick up 26(27-28)sts on rem side and knit as Neck Band.

SLEEVELESS CARDIGAN:

BACK: Cast on with waste yarn 128(136-144)sts and work from ** to ** as for back of sweater, but reading L for D, and D for L. Work 2 rows D, then 2

rows L. Change to D inc 1 st ea end of the next row. Work 79 rows, inc 1 st at ea end of every 16th row from last inc 4 times. (138-146-154)sts. Still reversing colours work from *** to *** as back of sweater. Dec 1 st ea end of the next and every foll alt row until 106(110-114)sts rem. Work 53(57-59) rows. **SHAPE NECK:** Leaving 38(39-40)sts nearest the carr in B pos, knit off manually with waste yarn the rem sts and push needles into A pos. At neck edge cast off 3 sts beg next row and 2 sts beg foll alt row. Dec 1 st at same edge on the next 2 rows, **AND AT THE SAME TIME** when 80(86-90) rows have been worked from beg of armhole **SHAPE SHOULDER:** Cast off 7(8-8)sts at the beg of the next row, 8 sts beg foll and alt rows and 8(8-9)sts beg foll alt row. Cast off centre 30(32-34)sts. Bring needles with waste yarn, back from A to B pos and knit to correspond with other side reversing all shapings.

LEFT FRONT: Cast on with waste yarn 61(65-69)sts. Work as Back to Armhole, inc 1 st at the beg of the 1st of the 80 rows in D and every 16th row at this edge 5 times altog. 66(70-74) sts. **SHAPE ARMHOLE:** Cast off 5(6-7)sts at the beg of the next row. Knit 1 row. Dec 1 st at beg of the next and every foll alt row at same edge until 50(52-54)sts rem. Work 42(46-48)rows ending at Front edge. **SHAPE NECK:** At the beg of next row cast off 8(9-10)sts, 3 sts at beg of foll 2 alt rows and 2 sts beg foll alt row. Dec 1 st at same edge of next 3 rows. Work 5 rows on rem sts. Shape shoulder as back.

RIGHT FRONT: As left front, reversing shapings and working 1 row extra before beg neck shaping.

NECK BAND: Join shoulders. Wrong side facing pick up 30(31-32)sts to shoulder, 55(57-59) round back neck and 30(31-32) down left side of neck. (115-119-123)sts. In D knit 1 row and transfer sts for 1 x 1 rib. Cont in rib as set 2D, 2L, 2D, 2L. Loosen tension and knit 1 row for hemline. Reset tension. Knit 2 rows L, 2D, 2L, 2D. Cast off loosely in rib.

ARMHOLE FACINGS: Wrong side facing, pick up 128(136-144)sts around armhole. With D work 7 rows st st. Cast off loosely.

LEFT FRONT BAND: Cast on for 1 x 1 rib 13 sts in D. Work in rib as neck band until req length to fit slightly stretched up front and neckband. Cast off in rib. Place markers for 8 buttons on band — 1st one $\frac{3}{4}$ in from cast on edge and 8th $\frac{1}{2}$ in from cast off edge.

RIGHT FRONT BAND: As left front band, working buttonholes to match markers on left band, casting off 3 sts for buttonhole 5 sts in from edge.

TO MAKE UP: Press all pieces lightly with a cool iron and dry cloth.

SWEATER: Set in sleeves; join side and sleeve seams. Fold neck band at hemline to wrong side and catch down. Sew in zipper. Press seams.

SLEEVELESS CARDIGAN: Join side seams and armhole facings. Fold neck band, armhole facing and lower hem to wrong side and catch down. Sew on front bands. Neaten buttonholes. Sew on buttons. Press seams.

BLUE BOW BED JACKET:

Pattern No. AU19-4



MEASUREMENTS: To fit small, medium, large. Actual meas. 36(41-46)ins. (91-104-117)cms. Length 18ins (46cms). Sleeve seam 12ins. (30.5)cms.

MATERIALS: SIRDAR 3ply Wonderland Nylon (20gm). 9(10-11)balls. Size 3.00 Crochet Hook. 3 small bows; 3 press studs.

TENSION: T6 = 14sts and 22 rows to 2ins.

PATTERN: (16-rows). **NOTE:** Set lever before ea patt row. **STEP 1:** Press button 4, set, move Lacemaker (LM) L to R. Knit 2 rows. **STEP 2:** Button 5, LM L to R; Button 3, LM R to L. Knit 2 rows. **STEP 3:** Button 6, LM L to R; Button 2.4. LM R to L. Knit 2 rows. **STEP 4:** Button 5.7. LM L to R; Button 1.3. LM R to L. Knit 2 rows. **STEP 5:** Button 8, LM L to R. Knit 2 rows. **STEP 6:** Button 1, LM L to R; Button 7, LM R to L. Knit 2 rows. **STEP 7:** Button 2, LM L to R; Button 6.8. LM R to L. Knit 2 rows. **STEP 8:** Button 1.3. LM L to R; Button 5.7. LM R to L. Knit 2 rows.

BACK: Cast on with a selvedge edge 133(149-165)sts. T6 Knit 2 rows. R/C on O. Change to patt. Dec 1 st ea end of every 20th row 3 times (127-143-159)sts. Cont without shaping to 112 rows or req no. R/C on O. **SHAPE ARMHOLES:** Cast off 8 sts at the beg of the next 2 rows. Dec 1 st ea end of the next 6(8-10) rows, then every alt row until 93(103-113)sts. Cont without shaping to 76 rows. **SHAPE SHOULDERS & NECK:** Cast off centre 31(33-35)sts. Place sts at opp end to carr to be knitted off manually with waste yarn and push back to A pos. Cast off 7(8-9)sts at the beg of the next and foll 3 alt rows **AND AT THE SAME TIME**, dec 1 st at neck edge of the next 3 rows. Bring sts on waste back from A pos. Rejoin yarn and knit to correspond with other side reversing shapings. **LEFT FRONT:** Cast on with a selvedge edge 55(63-71)sts. T6 knit 2 rows. R/C on O. Change to patt. Inc 1 st at front edge of every alt row 15 times **AND AT THE SAME TIME** dec 1 st at side edge of every 20th row 3 times. (67-75-83)sts. Cont without shaping until work measures same as Back to armhole, ending at side edge. R/C on O. **SHAPE ARMHOLE:** Cast off 8 sts at the beg of the next row, then dec 1 st at side edge of 3rd and foll 6(8-10)rows, then every alt row until 50(55-60)sts rem. Cont straight to 56 rows, ending at neck edge. **SHAPE NECK:** Cast off 14 sts at the beg of the next row. Dec 1 st at same edge of every alt row until 28(32-36)sts. rem, then cont straight until armhole measures same as Back armhole, ending at side edge. **SHAPE SHOULDER:** Cast off 7(8-9)sts at beg of next and foll 3 alt rows.

RIGHT FRONT: Work as Left Front, reversing all shapings.

SLEEVES (all sizes): Cast on with a selvedge edge 103 sts. Knit 2 rows. T6. R/C on O. Change to patt and cont to 128 rows or req no. **SHAPE TOP:** Cast off 8 sts at beg of the next 2 rows. Dec 1 st ea end of

every alt row until 45sts, then cast off 3 sts at beg of foll 10 rows. Cast off rem 15sts.

TO MAKE UP: Join shoulders; sew in sleeves; join side and sleeve seams. Crochet round sleeve, neck & edges of garment:- 1st ROW: d.c. all round. 2nd ROW: *4 tr into next dc, miss 1 dc, 1 sc into next dc, miss 1 dc.* rep to end and finish with sc. **SEW ON BOWS AS ILLUS.** Put press studs under.

LILAC BED JACKET

Pattern No. AU19-5



MATERIALS: 11 (12) balls 25 gm Lincoln Bri Nylon 4 Ply Main Colour (MC). 5 (6) balls Contrast (CC). Ribbon.

MEASUREMENTS: To fit 32-34(36-38)in., 81-86(91, 96)cm. bust. Length from shoulder 22(22½)in., 56(57)cm. Sleeve seam 11½in., 29cm.

TENSION: T7.1 = 7½ sts and 10½ rows to 1in. (2.5cm).

PATTERN: **NOTE:** Set lever before ea patt row. *1. Press button 8, move Lacemaker (LM) L to R. 2. Button 2 LM from R to L. 3. Button 7 LM L to R. 4. Button 3 LM R to L. 5. Button 6 LM L to R. 6. Button 4 LM R to L. Knit 2 rows *. Rep from * to *. Ea stripe consists of 4 rows.

BACK: Using MC cast on with a selvedge edge 180 (196)sts. T7.1 Knit 5 rows. Comm patt and work 30 stripes (120) rows.* Cont in patt dec 1 st ea end of the next 8 rows. Change to MC and st st dec 1 st ea end of the next 2 rows. **NEXT ROW:** Knit 7 (4) (K 2 tog K 3) 30 (34) times. Knit 6 (2) (130(142) sts). **SHAPE RAGLAN:** R/C on O. Dec 1 st ea end of every alt row until 36(42) sts rem. Cast off.

FRONT: Using MC cast on with a selvedge edge 90(98)sts. T7.1 knit 5 rows. Work as back to *. Cont in patt dec 1 st at side edge on the next 8 rows. Change to MC and st st and dec 1 st at same edge on the next 2 rows. **NEXT ROW:** At front edge knit 13(16) (K2 tog K3) 12 times. Knit 10(12). 68(76)sts. **SHAPE RAGLAN:** Dec 1 st at armhole edge on every alt row to 39(46) sts. **SHAPE NECK:** Cast off 10(12) sts at neck edge on the next row, then dec 1 st at this edge on alt rows 9(12) times **AND AT THE SAME TIME** dec at armhole edge as before until 2 sts rem. Fasten off. Work other front to correspond reversing all shapings.

SLEEVES: Using MC cast on with selvedge edge 116(124) sts. On T7.1 knit 5 rows. Change to patt and work 26 stripes. Then dec 1 st ea end of the next 8 rows. Change to MC and st st dec at ea end of the next 2 rows (96(104)sts and 114 rows). **SHAPE TOP:** R/C on O. Dec 1 st ea end of every 4th row to 84(92) sts, then on every alt row to 14(16)sts (94(100)rows). Cast off.

NECKBAND: Join raglan seams. With wrong side facing, pick up evenly 120(136)sts around neck. T6 knit 10 rows; T7 knit 1 row; T6 knit 10 rows. Cast off.

FRONT BANDS: With wrong side facing, pick up 142(144)sts evenly along front edge and knit as neck band.

TO MAKE UP: Press pieces lightly. Join side and sleeve seams. Turn up a small hem on sleeves and bottom of jacket and catch down on inside. Fold front bands and catch down on inside. Sew on ribbon. Press seams.

SHORT SLEEVED FAIRISLE TOP

Pattern No. AU19-6



MATERIALS: 7(7-8) balls PATONS Azalea 3 ply Main Colour (MC); 2(2-3) balls 1st Contrast (C1); 2(2-3) balls 2nd Contrast (C2). 9 small buttons.

MEASUREMENTS: To fit 32(34-36)in. 81(86-91)cms. bust. Length from top shoulder 20(21-22)ins. (51-53-56cms). Sleeve seam 4½ins. (10cms).

TENSION: T5.1 = 10 sts. and 13 rows to 1 in. (2.5 cms). over pattern.

PATTERN: (12 rows). **NOTE:** Set lever before each pattern row. **STEPS 1 & 2:** Using C1 for Fair Isle for foll. 6 rows. Press buttons 3.4. Knit 1 row. **STEPS 3 & 4:** Buttons 1.2.5.6. Knit 1 row. **STEPS 5 & 6:** Buttons 3.4. Knit 1 row. **STEPS 7 & 8:** Using C2 for Fair Isle for the next 6 rows. Buttons 7.8. Knit 1 row. **STEPS 9 & 10:** Buttons 1.2.5.6. Knit 1 row. **STEPS 11 & 12:** Buttons 7.8. Knit 1 row.

BACK: Cast on in 1 x 1 rib 151(161-171)sts. Work 50 rows in rib. Transfer sts to main bed. R/C on O. T5.1. Set machine for Fair Isle. Work in patt. to row 102(102-108). **SHAPE ARMHOLE:** R/C on O. Cast off 10 sts. at the beg. of the next 2 rows. Dec. 2 sts. at beg of every row to 118(124-128)sts. Knit until R/C reads 78(80-84).

SHAPE SHOULDER & BACK NECK: Cast off the centre 22(22-28)sts. Knit off manually with waste yarn, sts, furthest from carr and push into A pos. Work on rem. sts. Cast off 13(14-14)sts. at shoulder edge on the next and foll. alt. row 3 times altog. **AND AT THE SAME TIME** dec. 1 st. at neck edge every row. Bring sts. back from A to B pos. take out waste and knit to correspond with other side reversing all shapings.

LEFT SIDE FRONT: Cast on 75(81-85)sts. and work as for BACK to armhole.

ARMHOLE & NECK SHAPING: Cast off 10 sts. at each end of the next 2 rows; cast off 2 sts. at armhole edge every alt. row 4(5-5) times **AND AT THE SAME TIME** dec. 1st. at neck edge every row 12(12-13) times. Cont. on rem. 39(43-43)sts. to row 78(80-84). **SHAPE SHOULDER:** Cast off 13(14-14)sts. at shoulder edge every alt row 3 times.

RIGHT SIDE FRONT: Work same as Left Side Front reversing all shapings.

SLEEVES: Cast on in 1 x 1 rib 103(109-115) sts. Rib 28 rows. Transfer sts. to Main Bed. R/C on O. T5.1 work in patt, inc. 1 st. each end of the next and every foll. 4th row to 113(117-123)sts. Cont. in patt. to row 30. **SHAPE TOP:** R/C on O. Cast off 10 sts. at the beg. of the next 2 rows. Cast off 2 sts. each end of every alt. row 5(6-6) times. Cont. in patt. to row 38. **SHAPE SHOULDER:** Cast off 14 sts. each end of the next 4 rows. Cast off rem. sts.

RIGHT FRONT BAND & BUTTONHOLES: Cast on in 1 x 1 rib 9 sts. Rib 5 rows and make 1st buttonhole; rib 15(16-17) rows make 2nd buttonholes. Cont. to row 125(135-145) making buttonhole every 15(16-17) rows (8 buttonholes). Take off machine on waste yarn.

LEFT FRONT BAND: Work as Right Front Band omitting buttonholes.

LEFT NECK BAND: Wrong side facing, pick up 9 sts from band and 94(95-97)sts along to Centre Back. Work 18 rows rib and cast off.

RIGHT NECK BAND: Work as Left Neck Band making buttonhole on 2nd and 15th row. Fold band to inside and catch down.

TO MAKE UP: Press pieces lightly. Sew in sleeves. Join side and sleeve seams. Fold cuff to inside and catch down. Neaten buttonholes and sew on buttons.

MAN'S PATTERNED FRONT CARDIGAN Pattern No. AU19-7



MEASUREMENTS: To fit 35(37-39-41-43)in. (89(94-98-104-109)cms) Chest. Actual meas. 37(39-41-43-45)in. (94-99-104-109-114)cms. Length 26(26-27-27-28)in. (66-66-68.5-68.5-71)cms. Sleeve Seam 19ins. (48cms).

MATERIALS: SIRDAR Fontein Crepe OR 4 ply Rhapsody Courtelle 17(17-18-19-20) balls. 7 buttons.

TENSION: 15sts to 2ins (5cms) on T6.2. Rib tension 2.0 Both Beds.

BACK: Cast on with waste yarn 159(167-175-183-191)sts and knit a few rows. *Change to main yarn, T6.2 and knit 2 rows. Commence patt. By transferring sts to adjacent needles, place 2nd needle from ea end and every foll 4th needle in A pos, thus leaving groups of 3sts throughout, with 1 st at ea end. R/C on O Knit 4 rows. **STEP 1:** Using transfer tools, and working with ea group of 3 sts, cross left st under centre st. Knit 2 rows. **STEP 2:** Cross centre st under right st. Knit 4 rows. **STEP 3:** Cross right st under centre st. Knit 2 rows. **STEP 4:** Cross centre st under left st. Knit 4 rows. Rep these last 12 rows 6 times (R/C reads 88). Raise to B pos the 40(42-44-46-48) needles in A pos. Transfer loop from previous row of adjacent st to ea empty needle to avoid a hole. T5.2 knit 2 rows.* Take work off machine on waste yarn, then put them back onto machine decreasing 20(20-22-22-22) sts evenly across work. (139-147-153-161-169) sts. R/C

on O. T6.2. Cont in st st to 78(78-88-88-98) rows OR req. no. (adjust here for length to armhole). **SHAPE RAGLANS:** Cast off 8sts at the beg of the next 2 rows. Dec 1 st ea end next and every foll 4th row 4(0-0-0-0) times, then ea end of every alt row until 31(31-43-59-75) sts rem. Knit 1 row. Dec 1 st at ea end of the next 0(0-6-14-22) rows. Cast off.

RIGHT FRONT: Cast on with waste yarn 71(75-79-83=87)sts and knit a few rows. Work as Back from * to *, then dec 6(6-8-8-8)sts across work as for Back. (65-69-71-75-79)sts. R/C on O. T6.2. Cont in st st until work meas same as Back to raglan shapings, ending at side edge. **SHAPE RAGLAN & NECK SLOPE:** Cast off 8 sts at the beg of the next row. Dec 1 st at side edge next and every foll 4th row 4(0-0-0-0) times, then at same edge every alt row 42(50-47-43-39) times, then every row 0(0-6-14-22) times **AT THE SAME TIME** dec 1 st at neck edge next and every foll 10th row 8(9-8-8-8) times altog. When 2 sts rem work 2 tog. Fasten off.

LEFT FRONT: As Right Front reversing shapings.

SLEEVES: Cast on 59(59-63-63-67)sts. for 1 x 1 rib. Rib 22 rows. Transfer for st st. T6.2 R/C on O. Inc 1 st ea end of the 5th and every foll 6th row to 105(105-109-109-113)sts, then cont straight to 168 rows or req no. **SHAPE RAGLANS** Cast off 8 sts at the beg of the next 2 rows. Dec 1 st ea end next and every foll 4th row until 63(63-71-71-79)sts, then ea end of every alt row until 15 sts rem. Cast off. Join raglan seams.

BACK BASQUE: Replace sts from waste onto machine, decreasing 20(20-22-22-22)sts evenly across work. (139-147-153-161-169)sts. Transfer for 1 x 1 rib. Rib Tension 2. Rib 17 rows. Cast off loosely.

FRONT BASQUES: Replace sts from waste yarn onto machine, decreasing 6(6-8-8-8)sts evenly across work. (65-69-71-75-79)sts. Work in rib as for Back. Cast off loosely.

BUTTON BAND: Cast on in 1 x 1 rib 13 sts. Work in rib until band fits slightly stretched, up right front and to centre back neck. Cast off. Neatly attach band to front and neck edge, mark pos of 7 buttons, the 1st on 3rd row of band, the last 1in below neck shaping, the rest spaced evenly between.

BUTTONHOLE BAND: Work as button band adding 7 buttonholes to correspond with markers, ea 3 sts long over needles 5-7 incl from front edge.

TO MAKE UP: Press lightly on wrong side using cool iron and dry cloth for Courtelle and warm iron and damp cloth for Fontein. Sew buttonhole band neatly to left front, then flat st bands at centre back neck. Sew on buttons. Join side and sleeve seams.

LACY TWIN SET:

Pattern No. AU19-8



MEASUREMENTS: To fit size 32(34-36) 81(86-91)cms. Actual meas 33(35-37)ins. 84(89-94)cms — **SWEATER. CARDIGAN:** 34(36-38)ins. 86(91-96)cms. Sweater length: 20½(20¾-21)ins. 52(53-53)cms. Cardigan length 22(22¼-22½)ins. 56(56.5-57)cms. Sleeve seam — Short: 4ins (10cms), Long: 17½ins (45cms). (All sizes).

MATERIALS: SIRDAR Wonderland Courtelle 3ply. 14(14-15)20grm balls. 5 buttons.

TENSION: T4.2 = 8sts and 11 rows to 1in (2.5cms) over st st. T5 = 7sts and 10½ rows to 1in over patt. Rib on T2.

PATTERN: (16-rows). **NOTE:** Before moving Lacemaker (LM) set lever every pattern row. **STEP 1:** Press button 5 LM L-R; button 3 LM R-L, Knit 2

rows. STEP 2: Press button 6 LM L-R; button 2 LM R-L, Knit 2 rows. STEP 3: Press button 7 LM L-R, button 1 LM R-L, Knit 2 rows. STEP 4: Press button 1 LM-L-R, button 7 LM R-L, Knit 2 rows. STEP 5: Button 3 LM L-R; Button 2 LM L-R; Button 1 LM L-R; Button 5 LM R-L; Button 6 LM R-L; Button 7 LM R-L, Knit 2 rows. STEP 6: As step 4. STEP 7: As step 5. STEP 8: As step 4.

SWEATER:

BACK: Cast on for 1 x 1 rib 117(125-133)sts. Work selvedge. * Transfer sts for 2 x 2 rib having 1 st at ea end on K bed and placing 2 sts tog at one end. * 116(124-132)sts. R/C on O. Rib 50 rows. Transfer sts to main bed. R/C on O. T5. Work 96 rows in patt. R/C on O. **SHAPE ARMHOLES:** Cast off 8(9-10)sts at the beg of the next 2 rows. Dec 1 st ea end next 4 rows, then ea end of every alt row until 86(90-94)sts rem. Cont straight to 78(80-82)rows. **SHAPE SHOULDERS:** Cast off 9 sts at the beg of the next 4 rows, then 9(10-11)sts at the beg of the foll 2 rows. Leave rem 32(34-36)sts on waste yarn.

FRONT: Work as Back until 42 rows have been worked in armhole shaping. **SHAPE NECK:** Place centre 16(16-18)sts onto waste yarn and take off machine. Knit off manually with waste yarn 35(37-38)sts at end opp to carr and push needles back into A pos. Cont on rem sts dec 1 st at neck edge on the next 5 rows, then at same edge on every alt row until 27(28-29)sts rem. Cont straight to 78(80-82) rows. **SHAPE SHOULDER:** Cast off 9 sts at the beg of the next and foll alt row. Work 1 row. Cast off rem sts. Bring sts on waste yarn back from A to B pos. Rejoin yarn at neck edge and knit to correspond with other side reversing all shapings.

SLEEVES: Cast on for 1 x 1 rib 85(89-93)sts. Work selvedge then transfer for 2 x 2 rib as for back (84-88-92)sts. Work 14 rows rib then transfer sts to main bed. R/C on O. T5. Change to patt and inc 1 st ea end 3rd and 13th rows. 88(92-96)sts. Cont straight to 32 rows. R/C on O. **SHAPE TOP:** Cast off 8(9-10)sts at the beg of the next 2 rows. Dec 1 st ea end of the next and every foll alt row until 42 sts then ea end every row until 14 sts rem. Cast off.

NECKBAND: Join right shoulder. With wrong side facing pick up 34(37-39)sts down side neck, 16(16-18)sts across front, 34(37-39)sts down side neck, then 32(34-36) across back neck. (116-124-132)sts. Knit 1 row and arrange sts for 2 x 2 rib as before. T2 work 14 rows. Cast off in rib.

TO MAKE UP: Join left shoulder and neckband; sew in sleeves then side and sleeve seams.

CARDIGAN:

BACK: Cast on for 1 x 1 rib 137(145-153)sts. Work selvedge. Work as for Back of Sweater from * to *. Work 56 rows in 2 x 2 rib. Transfer sts to main bed T4.2 R/C on O. Change to st st and knit 100 rows or req no. R/C on O. **SHAPE ARMHOLES:** Cast off 9(10-11)sts beg next 2 rows. Dec 1 st ea end next 7 rows, then ea end of every alt row until 100(104-108)sts rem. Cont straight to 86(90-94)rows. **SHAPE SHOULDERS:** Cast off 10(11-12)sts at beg next 2 rows, then 10 sts beg foll 4 rows. Cast off from rem 40(42-44)sts.

LEFT FRONT: Cast on 73(77-81)sts as for Back from * to *. T2 work 56 rows 2 x 2 rib, as for back (72-76-80)sts. Place 16sts at front edge of work onto waste yarn. Work 1 row of st st. R/C on O. T5. Change to patt. Dec 1 st at front edge on 2nd and every foll 24th row 5 times in all, then at same edge every 15th(13th-12th)row 5(6-7)times. **AT THE SAME TIME** when work meas same as Back to armhole and ending at side edge. **SHAPE ARMHOLE:** Cast off 9(10-11)sts beg of next row. Dec 1 st at armhole edge on the next 6 rows, then at same edge on foll 3(4-5)alt rows. Cont straight at this edge until 80(84-88)rows are worked ending at side edge. **SHAPE SHOULDER:** Cast off 10 sts beg next and foll alt row. Work 1 row. Cast off rem sts.

RIGHT FRONT: Cast on and work 56 rows 2 x 2 rib as in left front, adding buttonholes (5) on rows 3-16-29-42-55. **BUTTONHOLE ROW:** Transfer the 7th and 8th sts in from front edge onto adjoining needles. Complete as left front reversing shapings.

SLEEVES: Cast on 69(69-73)sts and work 50 rows 2 x 2 rib as in Back of Sweater. T4.2. R/C on O. Change to st st. Inc 1 st ea end of the 3rd and every foll 6th row until 104(108-112)sts. Cont straight to 146 rows or req no. R/C on O. **SHAPE TOP:** Cast off 9(10-11)sts at the beg of the next 2 rows. Dec 1 st ea end of the next and every foll alt row until 54 sts, then ea end of every row until 16 sts rem. Cast off. Join shoulder seams. **FRONT BANDS:** Place the 16sts from waste yarn back onto machine, and keeping continuity of 2 x 2 rib, work in rib until bands fit, slightly stretched up front to centre back neck keeping 1st st at front edge as a slip st on every alt row. Cast off.

TO MAKE UP: Sew in sleeves, join side and sleeve seams. Neatly join cast off ends of front bands, fit to front and neck edges and neatly sew in place. Sew on buttons to correspond with buttonholes.

MAN'S CARDIGAN WITH FAIRISLE TRIM

Pattern No. AU19-9

MEASUREMENTS: To fit size 38 (40-42-44-46-48) ins. (96-101-106-112-117-122)cms. Actual meas. 40 (42-44-46-48-50) ins. Length: 25 (25½-26-26½-27-27½) ins. (63-65-66-67-68-70)cms. Sleeve seam 19ins (48cms). All sizes.

MATERIALS: LINCOLN, Cleckheaton or Woolworths St Marks 4ply 14(15-15-16-17-17)25grm balls Main Color (MC) 7(7-7-7-8-8) balls Contrast (CC). 7 Buttons.

TENSION: T6.1 = 8sts and 10 rows to 1 in. (2.5cms).

PATTERN: Reverse switch on minus. Press buttons 1.5, set lever (do this before ea patt row). For 7 patt rows, place slide dial on 4-3-2-1-2-3-4 in that order.

BACK: On Rib tension 3/2 and using MC cast on 159(167-175-183-191-199)sts for 1 x 1 rib. Work 24 rows inc 1 st at end of last row. Transfer sts to main bed. R/C on 0. Change to st st and on T6.1 work 7 rows Fairisle, 9 rows MC, 10 rows CC. Rep these 26 rows until row 140 (16 ins) or length desired. **SHAPE ARMHOLES:** Keeping continuity of patt until 26th row of 6th patt is complete, then cont in MC only, casting off 6 sts at the beg of the next 2 rows. Dec 1 st (3 sts in) ea end of every row until 116(124-128-136-140-148)sts, then on every alt row until 42(44-46-48-50-52)sts rem. Cast off.

LEFT FRONT: Rib T3/2 and using MC cast on 75(79-83-87-91-95)sts for 1 x 1 rib. Work as back to armhole shaping. Cont in patt as Back. **SHAPE ARMHOLE:** Cast off 6 sts at the beg of the next row. Knit 1 row. Dec 1 st (as before) at side edge on the next 16(16-18-18-20) rows, then at same edge every alt row until 40(42-44-46-48-50)sts rem. ending at neck edge. **SHAPE NECK:** Cast off 6 sts beg next row. Cont raglan shaping every alt row as before **AND AT THE SAME TIME** dec 1st at neck edge next 8(9-10-11-12-13) alt rows. When 3 sts rem work 3 tog. Fasten off.

RIGHT FRONT: Knit as left front reversing shapings.

SLEEVES: On Rib tension 2 (both beds) and using MC cast on 79(83-87-91-95-99) sts for 1 x 1 rib. Work 24 rows inc 1 st at end of last row. Transfer sts to main bed. R/C on 0. T6.1 Cont in patt as for back, inc 1 st ea end of the 9th and every foll 6th row until 116(120-124-128-132-136)sts. Work straight to 166 rows. **SHAPE TOP:** Keeping patt correct as for Back, cast off 6 sts at the beg of the next 2 rows. **1ST SIZE ONLY:** Dec 1 st ea end next 2 rows. **4TH, 5TH & 6TH SIZES ONLY:** Dec 1 st ea end next and foll 44th row once (once-twice). Knit 1 row. **ALL SIZES:** Dec 1 st ea end next and every foll alt row until 12 sts rem. Cast off.

FRONT BANDS: Rib T2. With MC cast on 15 sts for 1 x 1 rib. **BUTTONBAND:** Rib 242(242-244-244-246-246)rows. Cast off. **BUTTONHOLE BAND:** As button band making 2st buttonholes 6 sts in from front edge, on the 10th and every foll 38th row - 7 buttonholes in all. Cast off.

NECKBAND: Join raglan seams. Using MC pick up 149(151-153-155-157-159)sts around neck edge, wrong side facing. Rib T2 rib 18 rows. Cast off in rib.

TO MAKE UP: Join side and sleeve seams. Sew on front bands and buttons.

CHEVRON STRIPED DRESS:

Pattern No. AU19-10

MEASUREMENTS: To fit bust size 32-34-36)in., 81(86-91)cms. 34-36-38)in. 86-(91-96)cms. Hips. Length 38ins (97cms) (all sizes). Sleeve seam 17 ins. (43cms) All sizes.

MATERIALS: SIRDAR Rhapsody Courtelle 4ply 11(12-13)balls. (25grm) ea of Main color (MC) and Contrast (CC).

TENSION: T6.2 = 16sts and 19 rows to 2 ins (5cm). (Please check).

PATTERN FOR RIGHT FRONT, LEFT BACK & RIGHT SLEEVE: (8 rows): Press buttons 1.2.5.6. Set lever (before ea row). STEP 1: Slide dial on 1. Knit 1 row. STEP 2. Slide dial on 2, Knit 1 row. STEP 3. Slide dial on 3, Knit 1 row. Cont to move slide dial one no. to the right before ea step ending at STEP 8 with Slide dial on 8, knit 1 row.

PATTERN FOR LEFT FRONT, RIGHT BACK AND LEFT SLEEVE: (8 rows): As above but beg with Slide dial on 8 and ending on 1.

RIGHT FRONT: Cast on with a selvedge edge with MC 112(116-120)sts. T5.1 knit 10 rows. T9 knit 1 row for hemline row, ending with carr on the right and converting for Fair Isle on this row. T6.2 R/C on O. Change to patt and knit 40 rows. (adjust here for length). Carr on right. Dec 1 st at end (centre edge) on the next and every foll 14th row twice, every 12th row twice, then every 10th row 6 times AND AT THE SAME TIME dec 1 st beg (side edge) on the next and every foll 4th row 28 times. (72-76-80)sts. Cont straight to 184 rows or length desired. **SHAPE WAIST:** Dec 1 st at side edge on the next and every foll 10th row 3 times AT THE SAME TIME dec 1 st at centre edge on row 197 and every foll 6th row 3 times (64-68-72)sts. Knit 9 rows. Inc 1 st at ea end of next row, then at centre edge foll 12th row and at side edge foll 16th row. (68-72-76)sts. Cont straight to 296 rows. * **SHAPE ARMHOLES & V-NECK:** Cast off 10sts at the beg of the next row (side edge), then dec 1 st at same edge foll 6 rows, then every alt row 6(7-8)times AND AT THE SAME TIME dec 1 st at neck edge next and every foll 3rd row 5(7-11)times, then at same edge every 4th row 12(11-8)times. When R/C reads 362, and ending at side edge **SHAPE SHOULDERS:** Cast off 9(10-11)sts at the beg next and foll alt row, then 10sts beg foll alt row.

LEFT FRONT: Knit as right front, reversing shapings and chevron stripe as given, working 1 extra row to armhole and 1 less to shoulder.

LEFT BACK: As right front to *. **SHAPE ARMHOLE:** Keeping centre edge straight, shape armhole as for right front and 46(49-52)sts rem. Cont straight to 362 rows. **SHAPE SHOULDER:** As right front and 18(19-20)sts rem. Cast off.

RIGHT BACK: As left back, reversing shapings and chevron stripe as given, and working 1 extra row to armhole and 1 less to shoulder.

SLEEVES: Cast on with a selvedge edge 64(66-68)sts with MC. T5.1 knit 10 rows. T9 knit 1 row for hemline. T6.2. R/C on O. Change to patt as given, inc 1 st ea end 12th and every foll 6th row until 102(106-110)sts. Cont straight to 160 rows or req. no. **SHAPE TOP:** Cast off 10sts at the beg of the next 2 rows. Dec 1 st ae end of the next and every foll alt row until 62(66-70)sts, then ea end every row until 34 sts. rem. Cast off 5 sts at the beg of the next 4 rows. Cast off rem 12 sts.

TO MAKE UP: Using warm iron and dry cloth, press pieces. Taking care to match stripes throughout, join shoulders, side and sleeve seams centre back seam and centre front seam to beg neck shaping. Turn hems to inside on hemline row and slip st neatly in place. Fit sleeve tops to armholes and sew in position. Work 2 rows DC round neck edge using MC.

WHITE LACE FROCK THAT GROWS

Pattern No. AU19-11



MEASUREMENTS: To fit bust size 32(34-36)ins. (81-86-91)cms. Actual meas. 34(36-38)ins. (86-91-96)cms. Length 39ins. (99cms). All sizes.

MATERIALS: SIRDAR Wonderland 4ply Nylon 15(16-17)20gm balls.

TENSION: T6.1 = 15 sts and 22 rows to 2 ins. (5cms). Please check.

ABBREV. & SPECIAL INSTRUCTIONS:
LM-Lacemaker; R-L Right to Left; L-R Left to Right.

FOR LACE PATT: At least 2 needles should be kept in B pos at ea end of work, whether putting needles into A pos for needle arrangement or transferring with Lacemaker. When inc keep continuity of patt.

BACK & FRONT (Alike): Cast on with a selvedge edge 99(103-107)sts - putting extra st on left of centre. T5.1 knit 2 rows. Cast on 14 sts at the beg of the next 2 rows, then dec 1 st ea end of the next 14 rows. T8.2 Knit 1 row. T5.1 inc 1 st at ea end of the next 14 rows. Cast off 14 sts at the beg of the next 2 rows. (99-103-107)sts. Knit 2 rows. Press buttons 4.8. set lever and transfer sts from raised needles onto adjacent needles pushing empty needles into A pos. T6.1 knit 1 row. Cont in patt as foll: Press buttons 2. 6. STEP 1: Set lever, LM R-L knit 2 rows. STEP 2: Set lever. LM L-R knit 2 rows. These 4 rows form patt. Cont in patt inc 1 st ea end every 6th row 5(2-0) times, then every 4th row 10(15-19) times. Work 2(2-0) rows. Place marker at ea end for armhole. 129(137-145) sts. Work 58 rows straight. Inc 1 st ea end every 13th row until 145(153-161)sts, then every 40th row until work meas 1 in less than req. length. Bring empty needles from A to B pos. Change to st st. On T7 knit 10 rows. T8.2 Knit 1 row. T7 knit 10 rows. Cast off loosely.

TO MAKE UP: DO NOT PRESS: Join side seams to markers. Turn hem at lower edge band. Fold neckband in half to inside and sl st loosely in place using flat st for 14 st extensions.

LACY LONG SOCKS:

Pattern No. AU19-12

MATERIALS: LINCOLN 3 ply BriNylon 4-balls. Narrow elastic.

SIZE: To fit 8½in. (21.5)cm foot.

TENSION: 9 sts and 13 rows to 1 in. (2.5cms). T4.1. Cast on with waste yarn 77 sts and knit 4 rows. T4.1 using main yarn knit 12 rows. Close hem on T5.1. On T4.1 cont in patt thus:- Press buttons 1.5, set lever, move Lacemaker (LM) R to L, knit 4 rows. Press buttons 3.7. "set" LM L to R knit 4 rows. Cont with this patt for 12ins. (30.5cms) 152 rows or length desired. SHAPE LEG: Dec 1 st ea end of every 6th

row to 63 sts. SHAPE HEEL: Take off on waste yarn 16 sts ea end of work. Work on centre 31 sts for top of foot for 90 rows (lengthen or shorten here). Cont in st st, dec 1 st ea end of next and foll alt rows to 9 sts. Take work off on waste yarn. Put rem 32 sts back onto machine with selvedge edges to centre, working in st st knit 24 rows. SHAPE HEEL: Cams on 11 (KH91) on 1 (KH600-610). Raise to E pos the B pos needle furthest from carr and knit 1 row (always putting yarn under 1st inner needle in E pos to avoid making a hole). Cont raising 1 needle furthest from carr to E pos until 10 needles are in E pos on ea side. Reverse the above process by returning needles to B pos, then cont on 32 sts for 70 rows, dec as for top of foot. Take off on waste yarn.

TO MAKE UP: Graft sts at toes tog, join side seam and back seam. Thread narrow elastic through hem.

LADY'S TWINSET:

Pattern No. AU19-13



MATERIALS: 26(27,27,28,28) 25 gm.balls Lincoln Bri Nylon 4ply in main colour (MC), 6(7,7,8,8,)balls contrast colour (CC).

MEASUREMENTS: To fit 32(34,36,38,40) in., 81(86,91,96,101)cm. bust. Length Jacket 22¼(22½, 22¾, 23, 23¼)in., 56.5(57, 58, 58.5, 59)cm. Jumper

20¼(20½, 20¾, 21, 21¼)in., 51.5(52, 53, 53.5, 54)cm.

TENSION: 7¼ sts. and 10¼ rows to 1 in. (2.5cm) T7.1.

JACKET BACK: Using waste yarn cast on 135 (143, 151, 159, 167)sts, K 4 rows. Using MC knit 32 rows T6, close hem T 9. Knit 232(236,240,244,248) rows T 7.1. **Shape Shoulders:** Cast off 14(15,16,17,18,19)sts at beg of next 6 rows. Cast off rem sts.

LEFT FRONT: Cast on 67(71, 75, 79, 83) sts, work hem as for Back. Knit 40 rows T 7.1. Divide for Pocket. Work on centre 40 sts only. Pocket top. (K 2 rows CC, 2 rows MC) three times, K 12 rows MC, close hem, then K 80 rows MC for pocket lining. R/C back to 40, work on all sts, K to 132 (136, 140, 144, 148) rows above hem. **Shape Front Slope.** Dec 1 st at neck edge on next and every foll 4th row until 42(45, 48, 51, 54) sts rem. **Shape Shoulder:** Cast off 14(15, 16, 17, 18) sts at beg of alt rows from armhole edge.

RIGHT FRONT: Work as Left Front reversing shapings.

SLEEVES: Join Shoulder seams. Pick up 178(182, 186, 190, 194) sts, putting half either side of shoulder seam. Using MC dec 1 st each end of every 4th row to 102(106, 110, 114, 118)sts. Knit 2 rows. Take off on waste yarn, bring up 68(71, 84, 76, 79) needles, replace work placing 2 sts on every alt needle. Work hem on T 6, (K 2 rows CC, 2 rows MC) three times, 12 rows MC. Take off on waste yarn.

STRAPPING: Cast on 25 sts with selvedge edge, T 6 K in stripes of 2 rows MC, 2 rows CC, until work measures length required for front edges and neck edge, approx 51(51½, 52, 52½, 53)in., 129.5(131, 132, 133.5, 134.5)cm. Cast off.

TO MAKE UP: Join side and sleeve seams, turn under 12 rows MC on sleeves and slip stitch in position. Sew up pocket linings, sew on strapping, folding in half.

JUMPER. BACK: Using MC cast on 119(127,135,143,151)sts for 1 x 1 rib, rib 44 rows T 2. Change to st st and T 7.1, work in stripes of 2 rows MC, 2 rows CC, inc 1 st each end of every 4th row 4 times, cont straight until work measures 8½(8¾, 9, 9¼, 9½)ins., 21.5(22, 23, 23.5, 24)cm., above ribbing. **Shape Armholes:** R/C on O. Cast off 5 sts at

beg of next 2 rows. Dec 1 st each end of next and foll alt rows to 97(103, 109, 115, 121)sts. Work straight to 82(86, 90, 94, 98)rows. Cast off 11 (12, 13, 14, 15) sts at beg of next 4 rows. Cast off rem sts.

FRONT: Work as for Back to 28 rows above armhole. Put 58(61, 64, 67, 70)sts onto waste furthest from carr. Work on rem sts. Dec 1 st at neck edge on alt rows until 22(24, 26, 28, 30)sts rem, work straight to same length as back. Cast off 11(12, 13, 14, 15)sts twice from armhole edge. Cast off centre 19 sts. Work other side to match, reversing shapings.

SLEEVES: Using waste yarn, cast on 81(85, 89, 93, 97)sts, knit 12 rows MC T 6, then work 12 rows in stripes, close hem. Cont working in stripes, inc 1 st each end of every 4th row 5 times. Knit 50 rows above hem. **Shape Top.** Cast off 5 sts at beg of next 2 rows. Dec 1 st each end of every alt row to 69(53, 57, 61, 65)sts, then every row to 21(21, 21, 23, 23)sts. Cast off.

COLLAR AND FACING: T6 cast on 35 sts with a selvedge edge. Knit in stripes for 48(52, 56, 60, 64) rows. Cast on 29 (31, 35, 39, 43)sts on right side of work, knit 28 rows. Cast off 29(31, 35, 39, 43)sts on right side of work. Knit 96 (104, 112, 120, 128) rows. Cast on as before on right side, knit 28 rows. Cast off as before on right side, knit 48 (52, 56, 60, 64) rows. Cast off.

TO MAKE UP: Join shoulder seams, sew in sleeves, join side and sleeve seams. Join cast on to cast off edge of collar, fold in half with seam at centre back, join top edge of collar on wrong side, join to neck edge, slip stitch facing to inside edge.

EMPIRICAL

Pattern No. AU19-12
See page 21



INTERNATIONAL
KNITWEAR
COLLECTION

EMPISAL

BOOK AU 19

