

Empisal



INTERNATIONAL
KNITWEAR
COLLECTION

LONDON
PARIS
HAMBURG
NEW YORK
SYDNEY

BOOK
No. AU 8

Pattern No. AU8-1 See Page 15

Pattern No. AU8-2 See Page 16

Pattern No. AU8-3 See Page 17




Pattern No. AU8-4
See Page 17



Pattern No. AU8-5
See Page 18



Pattern No. AU8-6
See Page 19




Pattern No. AU8-7
See Page 20



Pattern No. AU8-8
See Page 21



Pattern No. AU8-9
See Page 22



Pattern No. AU8-10
See Page 23



Pattern No. AU8-11
See Page 23



Pattern No. AU8-12
See Page 24



Pattern No. AU8-13
See Page 25



Pattern No. AU8-14
See Page 25



Pattern No. AU8-15
See Page 26



Pattern No. AU8-16
See Page 27.



Empisal

INTERNATIONAL KNITWEAR COLLECTION

LONDON

PARIS

HAMBURG

NEW YORK

SYDNEY

MAN'S SHIRT

Pattern No. AU8-1



MATERIALS: 24(25-27-29) balls Patons Totem.

MEASUREMENTS: To fit 38 (40-42-44) in. chest.
Length from shoulders: 25½ (26-26½-27) ins.
Sleeve seams: 18 ins (all sizes).

TENSION: T10 = 6 sts and 8½ rows to 1 in over st. st.

SWEATER WITH V NECK:

BACK: Cast on 125(131-137-143) sts in 1 x 1 rib. Complete selvedge. Knit 18 rows of rib. Transfer sts to main bed. R/C on O. On T10 knit to row 116 and **SHAPE RAGLAN ARMHOLES:** R/C on O. Cast off 3 sts at the beg of the next 2 rows. Dec 1 st at ea end (3rd st on to the 2nd) of the next and every foll alt row until 35(37-39-41) sts rem. Knit 1 row. Take work off machine on waste yarn.

FRONT: Knit the same as **BACK** to row 3 of Armhole Shaping. R/C on 3. Dec 1 st at centre. Push half the sts furthest from carriage to "E" pos. H.C.Ls. on 111. *Shaping armhole the same as in Back, dec 1 st at neck edge on every foll 5th row 14(15-16-17) times altog. When 3 sts rem knit 1 row and fasten off.* R/C on 3 H.C.Ls. on 1. Rep from * to *.

SLEEVES: Cast on 55(59-63-67) sts in 1 x 1 rib. Knit rib as for BACK. Transfer sts to main bed. R/C on O. On T10 knit inc 1 st at ea end. Rep inc on every foll 6th row 8 more times. Rep inc on every foll 8th row twice. Rep inc on every foll 10th row 6 more times. Knit to row 134 or length desired and **SHAPE ARMHOLES:** R/C on O. Cast off 3 sts at the beg of the next 2 rows. Knit 2 rows and dec 1 st at ea end. *Knit 3 rows and dec 1 st at ea end. Knit 2 more rows and rep dec again.* Rep from * to * 7 more times. R/C on 44. Dec 1 st at each end on alt rows until 19 sts remain. Knit 1 row and take work off machine on waste yarn.

TO MAKE UP: Press all parts lightly. Sew in sleeves. Sew up side and sleeve seams.

"V" NECKBAND: Wrong side facing, pick up and collect from waste 89(93-97-101) sts from centre back to V point in front, adding 1 st at ea end for sewing up. Arrange sts for 1 x 1 rib. Knit 2 rows then dec 1 st at V point. Rep dec at V on the foll 10 rows. Knit 1 row then inc 1 st at V in the foll 10 rows. Knit 1 row and cast off loosely. Knit other side the same. Join bands at V and Back. Fold in half and catch down on the inside. Press seams.

SWEATER WITH ROUND NECK:

Back and Sleeves are the same as Sweater with V neck.

FRONT: Knit same as Back to row 65(69-73-77) of armhole shaping. **SHAPE NECK:** Take 15(17-19-21) centre sts off machine on waste yarn. Still shaping armhole as for Back, dec 1 st at neck in the foll 4 rows. Dec 1 st at neck on alt rows 3 more times. When 3 sts rem knit 1 row and fasten off.* R/C on 65(69-73-77). Rep from * to *.

TO MAKE UP: Press all parts lightly. Sew in sleeves leaving back seam of one open. Sew up side and sleeve seam.

ROUND NECKBAND: Wrong side facing, pick up and collect from waste yarn 105(109-115-121) sts along neck opening. Arrange sts for 1 x 1 rib and knit 20 rows. Cast off loosely. Sew up Back and neck seam. Fold neckband in half and catch down inside. Press seams.

LADY'S SWEATER WITH V OR ROUND NECK:

Pattern No. AU8-2



MATERIALS: 20(21-22) balls Patons Totem.

MEASUREMENTS: To fit 32 (34-36) in bust.

Length from shoulder 24(24½-25) ins.

Sleeve length 17 ins.

TENSION: T10 = 6 sts and 8½ rows to 1 in.

BACK: Cast on 107(113-119) sts in 1 x 1 rib. Complete selvedge. Knit 18 rows of rib. Transf. 2 sts to main bed. R/C on O. On T10 knit to row 116 and shape **RAGLAN ARMHOLES:** R/C on O. Cast off 3 sts at the beg of the next 2 rows. Knit 3 rows then dec 2 sts at ea end (4th & 3rd sts onto the 2nd st). Rep dec on every foll 4th row until 29(31-33) sts rem. Knit 1 row and take work off machine on waste yarn.

FRONT: Knit the same as BACK to row 3 of armhole shaping. R/C on 3. Push half the sts furthest from carriage into "E" pos. H.C.Ls on 111. Dec 1 st at the centre. *Shaping armhole the same as in Back, dec 1 st at neck on every foll 5th row 11(12-13) times altog. When 3 sts rem knit 1 row and fasten off.* R/C on 3 H.C.Ls on 1 rep from * to *.

SLEEVES: Cast on 49(51-53) sts in 1 x 1 rib. Knit rib as in Back. Transfer sts to main bed. R/C on O. On T10 knit inc 1 st at ea end. Rep inc on every foll 6th row 10 more times. Rep inc on every foll 8th row twice. Rep inc on every foll 10th row 4 more times. Knit to row 126 and **SHAPE ARMHOLES:** R/C on O. Cast off 3 sts at the beg of the next 2 rows. Knit 3 rows then dec 2 sts at ea end. *Knit 4 rows and dec 1 st at ea end (3rd st onto the 2nd). Knit 4 more rows then dec 2 sts at ea end.* Rep from * to * 1(2-3) more times, then dec 2 sts at ea end on every foll 4th row until 9 sts rem. Knit 1 row and take work off machine on waste yarn.

TO MAKE UP: Press all parts lightly. Sew in sleeves. Sew up side and sleeve seams.

"V" NECKBAND: Wrong side facing, pick up and collect from waste 77(81-85) sts from centre back to V in front, adding 1 st at ea end for sewing up. Arrange sts for 1 x 1 rib. R/C on O. Knit 2 rows then dec 1 st at V point. Rep dec at V point in the foll 9 rows. Knit 1 row then inc 1 st at V point in the foll 9 rows. Knit 1 row and cast off loosely. Make other half band the same. Join band at V and Back. Fold in half and catch down inside. Press Seams.

LADY'S SWEATER WITH ROUND NECK:

Knit Back and Sleeves the same as Sweater with V Neck.

FRONT: Knit the same as Back to row 55(59-63) of armhole shaping, then **SHAPE NECK:** Take 11 (13-15) centre sts off machine on waste yarn. *Still shaping armhole as for Back, dec 1 st at neck on the next 3 rows. Dec 1 st at neck on alt row 3 more times. When 3 sts rem knit 1 row and fasten off.* R/C on 55(59-63). Rep from * to *.

TO MAKE UP: Press all parts lightly. Sew in sleeves, leaving left back seam open. Sew up side and sleeve seams.

NECK BAND: Wrong side facing, pick up and collect from waste 91(95-99) sts along neck opening. Arrange sts for 1 x 1 rib. Knit 20 rows of rib and cast off loosely. Sew up back and neckband seam. Fold neckband in half and catch down inside. Press seams.

GIRL OR BOY'S JUMPER WITH V OR ROUND NECK:

Pattern No. AU8-3



MATERIALS: 12(13-15-18) balls Patons Totem.

MEASUREMENTS: To fit 24 (26-28-30) in chest.
Length from shoulder 15(17-19½-22) ins.
Sleeve length 11(12½-14-15½) ins.

TENSION: T10 = 6 sts and 8½ rows to 1 in.

BACK: Cast on 83(89-95-101) sts in 1 x 1 rib. Complete selvedge. Knit 14 rows of rib. Transfer sts to main bed. R/C on O. Knit to row 60(72-88-104) and shape RAGLAN ARMHOLES: R/C on O. Cast off 3 sts at the beg of the next 2 rows. Dec 1 st at ea end of the next and alt rows until 21(23-25-27) sts rem. Knit 1 row and take work off machine on waste yarn.

FRONT: Knit the same as Back to row 3 of armhole shaping. R/C on 3. Push half the sts furthest from carriage to "E" pos. H.C.Ls on 111. Dec 1 st at centre. *Shaping armhole the same as in Back, dec 1 st at neck on every foll 6th row 7(8-9-10) times altg. When 3 sts rem knit 1 row and fasten off.* H.C.Ls on 1. R/C on 3 rep from * to *.

SLEEVES: Cast on 41(43-45-47) sts in 1 x 1 rib. Make rib as in Back. Transfer sts to main bed. R/C on O. On T10 inc 1 st at ea end. Rep inc on every foll 6th row 13(14-13-12) more times. Rep inc on every foll 8th row 0(0-2-4) more times. Knit to row 80(90-102-114) and SHAPE ARMHOLES: R/C on O. Cast off 3 sts at the beg of the next 2 rows. Dec 1 st at ea end of the next and alt rows until 7 sts rem. Knit 1 row and take work off machine on waste yarn.

TO MAKE UP: Press all parts lightly. Sew in sleeves. Sew up side and sleeve seams.

"V" NECKBAND: Wrong side facing, pick up and collect from waste 59(63-67-71) sts from centre back to V point, adding 1 st at ea end for sewing up. Arrange sts for 1 x 1 rib. R/C on O. Knit 2 rows then dec 1 st at V point. Rep dec at V in the foll 6 rows. Knit 1 row then inc 1 st at V in the foll 6 rows. Knit 1 row and cast off loosely. Make band on other side the same. Join band at V and Back. Fold in half and catch down inside. Press seams.

JUMPER WITH ROUND NECK:

Knit Back and Sleeves the same as Jumper with V neck.

FRONT: Knit the same as BACK to row 41(45-49-53) of armhole shaping, then SHAPE NECK: Take the centre 9(11-13-15) sts off machine on waste yarn. *Still shaping armhole as in Back, dec 1 st at neck of

the next 2 rows. Dec 1 st at neck on alt rows twice more. When 2 sts rem fasten off.* R/C on 41(45-49-53). H.C.Ls on 1. Rep from * to *.

TO MAKE UP: Press all parts lightly. Sew in sleeves leaving left back seam open. Sew up side and sleeve seams.

ROUND NECKBAND: Wrong side facing, pick up and collect from waste 73(77-81-87) sts along neck. Arrange sts for 1 x 1 rib. Knit 18 rows of rib and cast off loosely. Sew up left back and neck seam. Fold neckband in half and catch down inside. Press seams.

CARDIGAN:

Pattern No. AU8-4



MATERIALS: 23(24-25) balls Patons Totem.
5 med size buttons.

MEASUREMENTS: To fit 32 (34-36) in bust.
Length from shoulders 24(24½-25) ins.
Sleeve length 17 ins.

TENSION: T10. = 6 sts and 8½ rows to 1 in.

NOTE: The Cardigan can be worn with or without a collar.

BACK: Cast on 107(113-119) sts in 1 x 1 rib. Complete selvedge. Knit 26 rows of rib. Transfer sts to main bed. R/C on O. On T10 knit to row 102 and SHAPE RAGLAN ARMHOLES: R/C on O. Cast off 3 sts at the beg of the next 2 rows. Knit 1 more row and dec 2 sts at ea end (4th & 3rd sts onto the 2nd st). Rep dec on every foll 4th row until 29(31-33) sts rem. Knit 1 row and cast off.

LEFT FRONT: Cast on 51(53-57) sts in 1 x 1 rib. Knit rib as for BACK. R/C on O. On T10 knit inc 1 st for 2nd size only (51-54-57) sts. Knit to row 102 and SHAPE RAGLAN ARMHOLE: (Left edge) R/C on O. Shaping Armhole the same as in BACK, dec 1 st at neck edge on every foll 6th row 5(7-9) times, then dec 1 st at neck edge on every foll 8th row 4(3-2) more times. When 3 sts rem knit 1 row and fasten off.

RIGHT FRONT: Knit the same as Left Front reversing shapings.

SLEEVES: Cast on 51(55-59) sts in 1 x 1 rib. Knit the same as BACK rib. R/C on O. On T10 inc 1 st at ea end. Rep inc on every foll 6th row 10 more times. Rep inc on every foll 8th row 7 more times. Knit to row 122 and SHAPE ARMHOLES: R/C on O. Shape Armholes the same as for BACK until 9 sts rem. Knit 1 row and cast off.

BAND: Cast on 15 sts in 1 x 1 rib. Complete selvedge. R/C on O. Rib 12 rows and make 1st buttonhole — *Transfer the 2 centre sts to adjacent needles. Bring empty needles back into "B" pos.* Knit 24

rows and make 2nd buttonhole. Make 4 more buttonholes — one every 25th row, then continue knitting band to go around neck and down to end of other side. Approx. 57(58–59) ins.

COLLAR: Cast on 157(161–165) sts in 1 x 1 rib. Knit 32 rows of rib. Cast off 8 sts at the beg of the next 4 rows. Cast off.

TO MAKE UP: Press all parts lightly. Sew in sleeves. Sew up side and sleeve seams. Sew band in place. Pin centre of collar to centre back and stitch in place. Sew on buttons. Press.

CABLE TRIM SLACK SUIT:

Pattern No. AU8-5



MATERIALS:

JACKET: 28(30–32) balls
Patons Double knit.

SLACKS: 24(25–27) balls
Patons Double knit.
9 buttons and elastic for waist.

MEASUREMENTS: To fit 32
(34–36) in bust.
34(36–38) in hips.

Jacket length 28(28–28½) ins.

Sleeve length 17 ins.

Slacks — side seam 38(38–39) ins.

TENSION: T10 = 6 sts and 7½ rows to 1 in.

PATTERN: CABLE: Worked over 16 needles starting from the right. *Knit 8 rows. Drop the 1st and 2nd sts and the 15th and 16th sts and latch tool back up as if to knit. Using the 3 pronged transfer tool, take off the 3rd 4th and 5th sts and put the 6th, 7th and 8th in their place; put the 3rd, 4th and 5th sts on the 6th, 7th and 8th empty needles. Knit 1 row. Take off the 12th, 13th and 14th sts and put the 9th, 10th and 11th sts in their place. Put the 12th, 13th and 14th sts on the 9th, 10th and 11th needles. Knit 1 row.* Rep from * to * for cable.

RIB: Worked over 20 sts. **Knit 10 rows. Starting from the right side drop the 1st and 2nd, 7th and 8th, 13th and 14th and 19th and 20th sts and latch tool back up as if to knit.** Rep from ** to ** for patt.

JACKET BACK: Bring forward 118(124–130) needles and push back every 3rd needle into "A" pos to make a Continental Rib of 2 x 1. On T9 cast on with waste yarn. Knit 3 rows. Change to Main Yarn and knit 28 rows. Close hem putting a st on to every empty needle ready for Stocking Stitch. R/C on O. On T10 knit 18 rows. Dec 1 st ea end of the row on this and every foll 8th row 8 times. Knit till R/C reads 82. Inc 1 st ea end on this and every foll 10th row 3 times. Knit till R/C reads 146(148–150). R/C on O. **ARMHOLE:** Cast off 6 sts at the beg of the next 2 rows. Dec 1 st ea end of the 4th row and every foll 4th row as follows: Move the 4th st onto the 5th st and move the first 3 sts up 6(6–8) times. Knit until R/C reads 60(60–62). **SHOULDER**

SHAPING: Cast off 6(6–7) sts at the beg of the next 8 rows. Cast off rem sts for NECK.

RIGHT FRONT: Cast on 35(38–41) sts in waste yarn. Knit 3 rows and change to Main Yarn and T10. R/C on O. Carriage on the right. Knit 1 row. *Cast on 6 sts and knit 2 rows.* Rep from * to * two more times. Inc 1 st at the beg of the next row. Kr: 2 rows. Rep this inc 5 more times on front edge. Now counting 17 sts from the LEFT edge, mark the 18th needle and the 37th needle. Work "Rib pattern" over these needles and AT THE SAME TIME dec on the right edge 1 st every 8th row 7 times. Knit until R/C reads 74. Put markers on this row. Now count 23 sts from the left edge and work "cable pattern" over the next 16 sts and AT THE SAME TIME inc 1 st on the right edge on row 82 and every foll 10th row 2 more times. Knit until R/C reads 146(148–150). R/C on O.

ARMHOLE SHAPING: On the right edge cast off 6 sts. Knit 4 rows. Dec 1 st on the right edge (same as for Back) on this row and every foll 4th row 6(6–8) times. Knit until R/C reads 38(38–40). **SHAPE NECK:** On the left cast off 3 sts every 2nd row 4 times for all sizes. Dec 1 st on the same edge every row 3(6–4) times; dec 1 st every 2nd row 4(4–4) times. Knit until R/C reads 60(60–62). **SHAPE SHOULDER:** On armhole edge cast off 6(6–7) sts every 2nd row 4 times.

LEFT FRONT: Work to correspond with Right Front reversing all shapings.

SLEEVES: Bring forward 60 needles and push back every 3rd needle into "A" pos to make a Continental Rib of 2 x 1. Cast on with waste yarn and on T9 knit 3 rows. Change to main yarn. On T8 knit 32 rows. Close hem putting a st onto every empty needle ready for stocking stitch. R/C on O. On T10 inc 1 st at ea end of every 6th row 13(14–15) times. Knit until R/C reads 112 rows. R/C on O. **SHAPE TOP:** Cast off 6 sts at the beg of the next 2 rows. Dec 1 st at ea end of the row on the 4th and every foll 4th row as follows: put the 5th st on to the 7th st and the 4th st on to the 6th st and move the 3 end sts up to fill the empty needles. Knit 36(38–40) rows. Dec 1 st ea end of the row every row 6 times; cast off 3 sts every row 4 times. Cast off rem sts.

COLLAR: Bring forward 182 sts. Push back every 3rd needle into "A" pos to make a Continental Rib of 2 x 1. On T8 cast on with waste yarn and knit 3 rows. Change to main yarn and knit 10 rows. Close hem leaving needles in the Continental Rib patt. On T10 cast off 31 sts at the beg of the next 2 rows. Inc 1 st at ea end of the next row, and every foll row 5 times, knit 28 rows. Cast off loosely.

POCKET FLAPS (make 2): On T9 cast on with a selvedge edge 32 sts. Knit 12 rows. Dec 1 st at ea end of the next row and every foll row 3 times. Dec 1 st at ea end of the next and every row 3 times. Knit 2 tog on every 3rd needle and push the empty needle to "A" pos. On the side where the yarn is *bring 23 needles into "E" pos and arrange for Continental Rib thus — 2 needles in "E" pos and 1 in "A" rep this till there are 16 needles in "E" pos. Cast on

with a selvedge edge on these 16 needles and on T8 knit 1 row. * Rep from * to * on the other side. Knit 16 rows. Cast off loosely.

FRONT BANDS: Wrong side facing, pick up 154 (156-158) sts from Neck to the beg of the dec part on lower edge. Knit 1 row. **Knit 2 tog on every 3rd needle making a Continental Rib of 2 x 1. On T9 knit 28 rows. Bring needles from "A" to "B" pos and knit 1 row. Cast off loosely. ** Pick up 78(80-82) sts along lower edge and knit 1 row. Then rep from ** to ** of front band. Knit the other side the same.

TO MAKE UP: Sew up shoulders. Set in sleeves. Sew up side and sleeve seams. Join on front bands by folding in half and slip st down on wrong side. Attach collar, beg just inside the front band and finishing at the other front band. Join the side bands to the Pocket flaps, fold and slip st to wrong side. Count 5 sts in from the Front Band and sew flap to the marked row (74).

BUTTONHOLES: (On Right Front): Starting from the neck stretch open the 1st rib st and buttonhole it to size. Count 6 ribs and buttonhole stitch the next rib stitch. Make 9 buttonholes in all. Sew on buttons.

SLACKS: FRONT: Cast on with a selvedge edge 59 (62-65) sts. On T8 knit 10 rows. R/C on O. On T10 knit dec 1 st ea end of every 20th row 4 times. Knit till R/C reads 110 (adjust length here by adding 20 rows). Inc 1 st ea end of this row and every foll 20th row 4 times. Knit till R/C reads 218 (or adjusted length 238 rows). Cast off 2 sts all sizes at the beg of every alt row 3 times; dec 1 st on the same edge every 2nd row 4 times and AT THE SAME TIME on row 14 dec 1 st on the opposite edge every 6th row until R/C reads 86(86-94). On T8 knit 10 rows, then cast off loosely. Knit the other front the same reversing all shapings.

BACK: Cast on with a selvedge edge 81(84-87) sts. On T8 knit 10 rows. R/C on O. On T10 dec 1 st at ea end of every 15th row 7 times (all sizes). Knit until R/C reads 110 (or adjust length here by adding 14 rows). Inc 1 st at ea end of this row and every foll 14th row 7 times. Knit until R/C reads 218 (or adjusted length 232 rows). R/C on O. Cast off 4 sts at the beg of every 2nd row 3 times. Cast off 2 sts on the same edge every 2nd row 2 times. Dec 1 st on the same edge every row 4 times, and 1 st every 2nd row 4 times and AT THE SAME TIME on row 14 dec 1 st on the opposite edge every 7th row until R/C reads 86(86-94). Carriage on the same side as the decreased edge, H.C.Ls on 111. Knit short rows thus: *Bring forward 4 needles furthest from carriage to "E" pos. Knit 1 row. Bring forward 1 needle next to carriage to "E" pos and knit 1 row. Rep from * to * 4 more times. Carriage on the same side as the decreased edge, H.C.Ls on 1. On T8 knit 10 rows. Cast off loosely. Knit the other Back the same reversing all shapings.

TO MAKE UP: Join front and back seams. Join side seams. Join leg seams. Turn the 10 rows for hem to inside and slip st down. Fold waist band (10 rows) to inside and slip st in place, leaving opening for elastic. Press on wrong side with a damp cloth and a warm iron.

MAN'S SWEATER WITH CHEQUERBOARD FAIRISLE PATTERN:

Pattern No. AU8-6



MATERIALS: 16(17-18-19) balls Sirdar Double Crepe Main Colour (M.C.)
4(5-5-6) balls Sirdar Double Crepe Contrast (C.C.)

MEASUREMENTS: To fit 36 (38-40-42) in chest.
Actual meas. 38(40-42-44) ins.
Length 26(26½-27-27) ins.
Sleeve seam 18(18-18½-18½) ins.

TENSION: T10 = 6 sts and 8 rows to 1 in.

BACK: Using M.C. cast on 114(120-126-132) sts and knit 1 x 1 rib for 3 ins. Change to st st and proceed as follows: *Knit 23(24-25-25) rows of M.C. 4 rows in C.C. 4 rows in M.C. Knit blocks of 3 C.C. 3 M.C. for 3 rows. 4th ROW: C.C. 5th, 6th & 7th ROWS: blocks of 3 M.C. 3 C.C. Then 4 rows of M.C. 4 rows C.C.* From * to * forms the Fairisle patt. Cont in patt until 116(116-120-120) rows have been worked above rib. **SHAPE ARMHOLES:** Keeping continuity of patt cast off 5(5-6-6) sts at the beg of the next 2 rows, then dec 1 st at ea end of the next 2 rows, then ea end of every alt row 5(6-7-8) times and 90(94-96-100) sts rem. Cont without further shaping until 64(66-68-68) rows altog have been worked in armhole. **SHAPE SHOULDERS:** cast off 10(11-11-12) sts at the beg of the next 4 rows, then 10 sts at the beg of the next foll 2 rows. Take rem 30(30-32-32) sts off machine on waste yarn.

FRONT: Knit the same as BACK until 44(46-46-46) rows have been worked in armhole. Knit 55(57-59-61) sts furthest from carr off manually in waste yarn and push sts back to "A" pos. Knit on rem 35(37-37-39) sts dec 1 st at neck edge on the next 2 rows, then on ea alt row 3 times. Cont without further shaping until front armhole measures same as BACK ending at side edge. **SHAPE SHOULDER:** Cast off 10(11-11-12) sts at the beg of the next and foll alt row. Knit 1 row. Cast off rem sts. Bring sts on waste back into "B" pos. Take off the centre 20(20-22-22) sts on waste yarn. Knit on rem sts to correspond with other side reversing all shapings.

SLEEVES: Using M.C. Cast on 48(48-54-54) sts and knit in 1 x 1 rib for 3 ins. Change to st st and knit in patt as for BACK inc 1 st at ea end of the 5th and every foll 4th row to 96(96-102-102) sts. Cont without further shaping until 116(116-120-120) rows have been worked above rib. **SHAPE ARMHOLES:** Cast off 5(5-6-6) sts at the beg of the next 2 rows, then dec 1 st at ea end of the next 2 rows. Dec 1 st at ea end of the next and every alt row 15(17-17-17) times, then at ea end of every row until 12 sts rem. Cast off.

POLO COLLAR: Join 1 shoulder. Wrong side facing. Pick up approx 25 sts down left side of neck, 20 sts from front neck, 25 sts approx right side and 30 sts

from Back. Arrange sts for 1 x 1 rib and knit 3 ins. Loosen tension and knit a further 3 ins.

TO MAKE UP: Sew up other shoulder and join neck rib. Sew in sleeves. Sew up side and sleeve seams. Press lightly.

MIDI CARDIGAN.

Pattern No. AU8-7



MATERIALS: 12(13-14-15) balls Sirdar Double Crepe Main Colour (M.C.)
8(9-9-10) balls Sirdar Double Crepe 1st Contrast (C.C.1)
3(9-9-10) balls Sirdar Double Crepe 2nd Contrast (C.C.2)
11 buttons.

NOTE: Midi length as illus. would need 2 balls less yarn in ea colour.

MEASUREMENTS: To fit 32(34-36-38) in bust. Actual meas. 34(36-38-40) ins.

Length: Maxi 53½(54-54½-54½) Midi 43½(44-44½-44½) ins.

TENSION: T9.2 = 6 sts and 8 rows to 1 in.

NOTE: STRIPES are worked throughout in the foll order:- 10 rows M.C. 10 rows C.C.1 10 rows C.C.2.

BACK: Bring up 132(138-144-150) needles and arrange for 1 x 1 rib. Rib 10 rows. Transfer sts to main bed. R/C on O. On T9.2 work in stripe patt 90 rows for maxi and 10 rows for midi. Cont in stripe patt dec 1 st at each end of the next and every foll 18th row until 104(110-116-122) sts then knit until R/C reads 364 row for maxi length and 284 for midi length. R/C on O. **SHAPE ARMHOLES:** Cast off 6(6-7-7) sts at the beg of the next 2 rows: 2 sts at the beg of the next 2 rows, then 1 st at ea end of every alt row until 72(76-80-84) sts rem. Cont straight until 58(60-62-64) rows have been worked in armhole. **SHAPE SHOULDERS:** Cast off 11(11-12-12) sts at the beg of the next 2 rows, then 11(12-12-13) sts at the beg of the foll 2 rows. Cast off rem 28(30-32-34) sts.

LEFT FRONT: Bring up 64(67-70-73) needles and work rib as for BACK. R/C on O. On T9.2 work in patt 89 rows for maxi and 9 rows for midi. Dec 1 st at the beg of the next and every foll 18th row until 50(53-56-59) sts, then cont straight until R/C reads 363 rows for maxi and 283 rows for midi. **SHAPE ARMHOLE & NECK:** R/C on O. Cast off 6(6-7-7) sts at the beg and dec 1 st at end of this row. Knit 1 row. **NEXT ROW:** Cast off 2 sts and knit. Knit 1 row. Dec 1 st at ea end of next row. Cont dec 1 st on every alt row at armhole edge 7(7-8-9) times **AT THE SAME TIME** dec 1 st at neck edge of every 5th (5th-4th-4th) row until 22(23-24-25) sts rem. Cont without shaping until 58(60-62-64) rows have been knitted in armhole. **SHAPE SHOULDER:** Cast

off 11(11-12-12) sts at the beg of row. Knit 1 row. Cast off.

RIGHT FRONT: Knit as left front reversing all shapings.

BUTTON & BUTTONHOLE BAND: Using M.C. cast on 12 sts and knit in 1 x 1 rib until band fits slightly stretched up left front to centre back neck. Mark the pos of 11 buttons on band, top one at commencement of neck shaping and others spaced approx 3 ins apart. Cont. band working in buttonholes to match pos of markers.

ARMHOLE BANDS: Join shoulder seams. With wrong side facing, pick up approx 100(102-106-110) sts around armhole. Knit 6 rows in 1 x 1 rib. Cast off loosely.

TO MAKE UP: Press on wrong side with warm iron and a damp cloth. Join side seams, matching stripes. Fit bands to front edges and stitch neatly into pos. Sew on buttons.

PANTS:

MATERIALS: 21(22-23-24) balls Sirdar Double Crepe.

¾ in elastic for waist.

MEASUREMENTS: To fit 24(26-28-30) in. waist. 34(36-38-40) in. Hips. Actual meas. 36(38-40-42) ins.

Inside leg length (adjustable) 29 ins.

TENSION: T9.2 = 6 sts and 8 rows to 1 in.

RIGHT LEG: Cast on with a selvedge edge 142(148-154-160) sts. On T8.2 knit 11 rows. On T10 knit 1 row (Hemline row) R/C on O. On T8.2 knit 9 rows. On T9.2 knit dec 1 st at ea end of every 16th row until 134(140-146-152) sts, then on every foll 18th row to 126(132-138-144) sts; then on every foll 20th row to 118(124-130-136) sts. Cont straight until 232 rows have been worked. R/C on O.

SHAPE CROTCH: Next row - cast off 2 sts (place marker for front) knit to the last 2 sts knit 2 tog. Knit 1 row. Dec 1 st at ea end of the next and every foll alt row until 103(109-115-121) sts, then on every 4th row at front edge twice and 8th row at back edge until 97(103-109-115) sts rem. Cont straight until 71 rows have been worked (ending at back edge). **SHAPE BACK:** Using "short row" knitting proceed as follows. H.C.Ls on 111. Push 25 sts (all sizes) into "E" pos and knit 2 rows (always putting wool under 1st inner needle in "E" pos to avoid making a hole). *Push 10 sts furthest from carriage into "E" pos knit 2 rows.* Rep from * to * until 22(28-34-40) sts rem. H.C.Ls on 1 knit 3 rows. Transfer sts for 1 x 1 rib and knit 10 rows rib. Cast off.

LEFT LEG: Knit as Right Leg reversing all shapings.

TO MAKE UP: Press to correct measurements on the wrong side. Join leg seams, front and back crotch seams. Turn up hem and slip stitch in place. Work casing behind waist ribbing and thread through elastic.

TURTLE NECK SWEATER:

MATERIALS: 14(14-15-16) balls Sirdar Fontein Crepe 4 ply.

MEASUREMENTS: To fit 32(34-36-38) in. bust. Actual meas. 34(36-38-40) ins.
Length - 23½(23½-24-24) ins.
Sleeve seam 17½ ins. (all sizes).

TENSION: T6.1 = 7½ sts and 10¼ rows to 1 in.

BACK: Cast on 129(137-145-153) sts and arrange for 1 x 1 rib. Knit 14 rows. Transfer sts to main bed. R/C on O. On T6.1 knit dec 1 st at ea end of the 10th and every foll 10th row until 119(127-135-143) sts rem. Knit 22 rows without shaping, then inc 1 st at ea end on the next and every foll 6th row until 129(137-145-153) sts. Work until 154 rows have been completed. R/C on O. **SHAPE ARMHOLES:** Cast off 6(6-7-8) sts at the beg of the next 2 rows, then 3 sts at the beg of the foll 2 rows. Dec 1 st at ea end of the next 4 rows, then on every alt row until 95(99-105-111) sts. Cont straight until 72(72-78-78) rows have been worked. **SHAPE SHOULDERS:** Cast off 10(10-11-12) sts at the beg of the next 2 rows, then 9(10-11-12) sts at the beg of the next 2 rows; 11 sts at the beg of the foll 2 rows. Take work off machine on waste yarn.

FRONT: Work as for BACK until 42(42-48-48) rows have been worked in Armhole.

SHAPE NECK: Take centre 17(19-21-23) sts off machine on waste yarn. H.C.Ls on 111. Push sts furthest from carriage into "E" pos and knit on rem 39(40-42-44) sts. Dec 1 st at neck edge on the next 3 rows, then at the same edge on ea alt row until 30(31-33-35) sts rem. Cont. straight until 72(72-78-78) rows of armhole have been worked. **SHAPE SHOULDER:** Cast off 10(10-11-12) sts at the beg of the next row 9(10-11-12) sts at the beg of the foll alt row, then cast off rem sts at the beg of the foll alt row. H.C.Ls on 1. Knit other side to correspond reversing all shapings, working 73(73-79-79) rows to shoulder.

SLEEVES: Cast on 57(59-61-63) sts and knit 26 rows of 1 x 1 rib. Transfer sts to main bed. R/C on O. On T6.1 work inc 1 st at ea end of the 3rd and every foll 6th row to 95(97-101-105) sts. Cont straight until 180 rows have been worked (adjust length here). **SHAPE TOP:** Cast off 6(6-7-8) sts at the beg of the next 2 rows, then dec 1 st at ea end of every alt row until 55 sts rem. Dec 1 st at ea end of every row until 25 sts rem. Cast off 4 sts at the beg of the next 2 rows. Cast off.

NECK BAND: Join raglan seams, leaving back left seam open. Pick up 29 sts from front side neck, 29 sts from waste, 29 sts from other side of neck and sts from back on waste. Knit 44 rows of 1 x 1 rib. Loosen tension and knit 12 rows of rib. Cast off loosely.

TO MAKE UP: Sew up rem raglan and neckband seam. Sew up side and sleeve seams. Fold neckband to wrong side and slip stitch in pos. Press lightly.

GIRL'S CABLE TRIM FROCK:

Pattern No. AU8-8



MATERIALS: 15(16-17-18) balls Villawool Superknit Machine Washable.
6 in zipper.

MEASUREMENTS: To fit 26 (28-30-32) in chest.
Length 20½(22½-24½-26½) ins or length desired.
Sleeve length 11½(13-14½-16) ins.

TENSION: T9.1 = 13 sts and 18 rows to 2 ins.

PATTERN: CABLE: Make a cable every 6th row on ea side of the 11 st panel by transferring the 1st and 2nd sts on to the 3rd and 4th needles and the 3rd and 4th sts on to the 1st and 2nd needles.

BACK: *With selvedge edge cast on 105(111-117-123) sts.* On T8 knit 9 rows; on T10 knit 1 row (turning row). **On T9.1 knit to row 54(58-62-66). Then dec 1 st at ea end of the next and every foll 18th(20th-22nd-24th) rows until 95(101-107-113) sts rem. Knit until R/C reads 149(162-176-189).

SHAPE ARMHOLE: R/C on O. Cast off 3 sts at the beg of the next 6 rows, then dec 1 st at the beg of every row to 67(71-75-79) sts.** Work until R/C reads 20(24-28-32). **DIVIDE** for Back opening: H.C.Ls on 111. Place centre st on to adjacent needle. Push 33(35-37-39) needles furthest from carriage into "E" pos and work on rem sts (33-35-37-39). Knit until R/C reads 45(50-55-60) ending at armhole edge. **SHAPE SHOULDER:** Cast off 6 sts at the beg of the next and foll 2 alt rows; 4(5-6-7) at the beg of the next alt row. Knit 1 row and cast off. H.C.Ls on 1. Knit other side to correspond reversing shapings.

FRONT: Knit as BACK from * to *. On T8 knit 4 rows then set the 11 st cable panel thus - counting from the left transfer the 24th and 36th (26th and 38th) 28th and 40th(30th and 42nd) sts to adjacent needles. Push the two empty needles into "A" pos but count them as sts. Knit 5 rows. On T10 knit 1 row. Now work as BACK from ** to ** working cables as per patt every 6th row in the 11 st panel. Finish panel at row 136(148-162-176). Bring the two needles from "A" pos back to "B" pos and knit to row 149(162-176-189).

SHAPE ARMHOLE: Knit same as back to row 36 (40-44-48) and **DIVIDE** for neck: H.C.Ls on 111. Push 37(40-43-46) sts furthest from carriage to "E" pos. Work on rem 30(31-32-33) sts casting off 2 sts at neck edge on the next 4 alt rows. Knit until R/C reads 45(50-55-60). **SHAPE SHOULDER:** Cast off at armhole edge 6 sts on the next and foll 2 alt rows. Knit 1 row and cast off. H.C.Ls on 1. Cast off the centre 7(9-11-13) sts. Knit other side to correspond reversing all shapings.

SLEEVES: ***Bring up 50(54-58-62) needles and arrange for Continental Rib by pushing every alt needle back to "A" pos. On T8 cast on with waste yarn and knit 3 rows of waste and 1 row of main. On T6 knit 38 rows. Bring needles from "A" pos back to "B" pos and knit 1 row. Close hem on T9.1 49(53-57-61) sts. Arrange needles for cable patt over the centre 11 sts knit making a cable every 6th row throughout AT THE SAME TIME inc 1 st at ea end of every 8th row to 69(75-81-87) sts. Knit until R/C reads 81(94-107-120) **SHAPE CAP:** R/C on O. Cast off 2 sts at the beg of the next 6 rows. Dec 1 st at the beg of every row to 33(37-41-45) sts. Cast off 2 sts at the beg of the next 8 rows and cast off.

POCKET: Bring up 29 needles and counting from ea side push the 9th needle into "A" pos to set the 11 st panel in the centre. Cast on with a selvedge edge and on T9.1 knit 35 rows making a cable every 6th row as per patt. On T8 knit 10 rows of st st for hem. Cast off.

NECK BAND: Cast on 45(50-54-58) sts in Continental Rib. On T10 knit 3 rows of waste yarn and 1 row of main yarn. R/C to O. On T8 knit 18 rows On T10 knit 1 row. Cast off loosely.

TO MAKE UP: Press work lightly. Join shoulders. Set in sleeves. Join side and sleeve seams. Sew on Neck band at selvedge edge and turn in catching down through open sts. Pull out waste. Sew in zipper. Turn up hem. Turn in hem on pocket. Sew on pocket in pos illust.

LADY'S FAIRISLE SUIT:

Pattern No. AU8-9



MATERIALS: Lincoln or Cleckheaton 8 ply 26(27-28-29) balls in Main Colour (M.C.) 20(21-22-23) balls Contrast Colour (C.C.).

1 ball 5 ply to match Main Colour.

Waist length of 1 in. elastic.

MEASUREMENTS: To fit 34 (36-38-40) in bust.

Jacket length 23¼(23½-23¾-24) ins.

Skirt length 24 ins or length desired.

Sleeve length 17 ins.

TENSION: T10 = 6½ sts and 8 rows to 1 in. over patt.

SKIRT: Back and Front alike: Using 5 ply and selvedge edge cast on 129(135-141-147) sts. T7 knit 20 rows. R/C on O change to 8 ply and T10, continue in Fairisle as chart for 132 rows. Dec 1 st ea end of next row and every foll 6th row until 109 (115-121-127) sts rem. Cont straight until 184 rows. Work 10 rows in M.C. only. Cast off.

12			X	X	X			
11		X	X		X	X		
10	X	X		X		X	X	
9	X		X		X		X	X
8	X	X		X		X	X	
7		X	X		X	X		
6			X	X	X			
5				X				
4			X	X	X			
3		X	X		X	X		
2			X	X	X			
1				X				
	1	2	3	4	5	6	7	8

JACKET BACK

Using selvedge edge and M.C. 8 ply cast on 117(123-129-135) sts. Work in patt as chart for 124 rows. **SHAPE ARMHOLES:** Cast off 10 sts at beg of next 2 rows. Cont straight until row 186(188-190-192). **SHAPE SHOULDERS:** Cast off 7(8-9-9) sts at beg of next 4 rows, then 8(8-8-9) sts on foll 4 rows. Cast off rem 37(39-41-43) sts.

LEFT FRONT: Using selvedge edge and M.C. 8 ply cast on 57(61-65-69) sts, work in patt until same length as back to armhole. **SHAPE ARMHOLE:** Cast off 10 sts at beg of next row. Cont straight until row 172. **SHAPE NECK:** Cast off 10 sts at beg of next row. Dec 1 st at neck edge every row until 30(32-34-36) sts rem. Cont straight until same length as back to shoulder. **SHAPE SHOULDER:** Cast off at beg of alt rows 7(8-9-9) sts twice, and 8(8-8-9) sts twice.

RIGHT FRONT: Work as left front reversing all shapings.

SLEEVES: Using selvedge edge and M.C. 8 ply cast on 59(61-63-65) sts. Work in patt inc 1 st ea end of every 8th row until inc to 91(93-95-97) sts. Cont straight to row 136. Mark each end of last row. Work 12 rows more. Cast off loosely.

TO MAKE UP: Join side seams of skirt, fold 5 ply hem to wrong side and slip stitch. Attach elastic to waist with herringbone casing. Join shoulder seams of jacket, sew in sleeves, placing the 12 rows above marker to the 10 sts cast off on front and back and the sleeve cast off to the straight edge of armhole. Join side and sleeve seams. Work 1 row of double crochet round edge of jacket, then 1 row working backwards from left to right. Work same edging round sleeves. Press all sections of garment.

SLEEVELESS SWEATER FOR SUIT.

MATERIALS: 10(11-11-12) balls Lincoln Crepetta or Cleckheaton 5 ply Crepe.
2 small buttons.

MEASUREMENTS: To fit 34(36-38-40) in. bust. Length 21¼(21½-21¾-22) ins.

TENSION: T7.1 = 7 sts and 9 rows to 1 inch.

BACK: Using waste yarn cast on 129(136-143-150) sts, knit 4 rows. Change to main yarn T6.1 knit 34 rows, pick up hem. Cont T7.1, R/C on O, knit to row 122. R/C on O. **SHAPE ARMHOLES:** Cast off 7 sts at beg of next 2 rows. Dec 1 st ea end of next and foll alt rows until dec to 97(104-111-118) sts. Cont to row 62(64-66-68). **SHAPE SHOULDERS:** Cast off 9(10-10-11) sts at beg of next 2 rows, then 9(10-11-11) sts on foll 2 rows and 9(10-11-12) sts on foll 2 rows. Cast off rem 43(44-47-50) sts.

FRONT: Work as back until row 51(51-54-54) in armhole. **SHAPE NECK:** Work on first 33(41-45-47) sts, cast off 3 sts at neck edge once, then dec 1 st every row 8(8-10-10) times. Cont straight to shoulder. **SHAPE SHOULDER:** Cast off on alt rows 9(10-10-11) sts once, 9(10-11-11) sts once and 9(10-11-12) sts once. Cast off centre 21(22-21-24) sts, work other side to match.

NECKBAND: Join right shoulder seam. Pick up 102(106-110-106) sts round neck edge. T6.2 knit 5 rows, T6.1 knit 5 rows. Cast off loosely.

TO MAKE UP: Join left shoulder seam for 2 ins. Fold neckband in half to wrong side and slip stitch. Work 2 rows double crochet on shoulder opening, making 2 buttonloops on front edge in 2nd row. Join side seams. Work 1 row double crochet round armholes, then 1 row working backwards from left to right. Press.

BOY'S OR GIRL'S CARDIGAN, WHITE TRIM:

Pattern No. AU8-10



MATERIALS: Lincoln Fanfare 18(19-20) balls Main Colour (M.C.).

1 ball white.
5 buttons.

MEASUREMENTS: To fit 28 (30-32) in chest.

Length 18½(20-22) ins.
Sleeve length 15(16-17) ins.

TENSION: T10 = 6 sts and 8 rows to 1 in.

NOTE: Garment pictured was made up on purl side with trim on knit side.

BACK: Using waste cast on 92(98-104) sts. Knit 4 rows, cont in main yarn knit 102(112-122) rows. **TO SHAPE ARMHOLES:** Cast off 3 sts at beg of next 2 rows. Dec 1 st ea end of every alt row until 26 (28-28) sts rem. Cast off.

RIGHT FRONT: Cast on 54(57-60) sts work as back to armhole, cast off 3 sts at side edge then dec 1 st at this edge every alt row until dec to 32(34-36) sts. **TO SHAPE NECK:** Cast off 10 sts at beg of next row, then on alt rows 4 sts once, 3 sts once, 2 sts once, and 1 st 2(3-3) times. **AT THE SAME**

TIME cont armhole shaping until 1 st rem. Fasten off.

LEFT FRONT: Work as right front making buttonholes, 1st 5½ ins from beg 5th just below neck edge and 3 more evenly spaced between. Make buttonholes over 2 sts, 3 sts from edge.

SLEEVES: Cast on 44(46-48) sts in waste knit 4 rows, cont in main yarn for 12 rows, knit 1 row manually for hemline, then cont st. st. inc 1 st ea end of every 6th row to 72(76-82) sts. Cont straight to row 120(128-136) above hemline. Shape top as for back until 6 sts rem. Cast off.

COLLAR: Cast on 18 sts. *Knit 10 rows, cams on III push 6 sts furthest from carriage to "E", knit 2 rows, cams on I* rep from * to * for length required to fit neck edge, ending with 10 straight rows. Cast off.

POCKETS: (2). Cast on 22 sts knit 42 rows, take off machine, turn and replace, knit 14 rows. Cast off.

EDGINGS: Using white cast on 8 sts, knit 1 row, work bias thus: inc 1 st at beg of row, dec 1 st at end of row, knit 2 rows, rep these 2 rows until length required, one piece for front edge, one for collar.

TO MAKE UP: Press with warm iron and damp cloth. Join Raglan seams, then side and sleeve seams. Fold sleeve hems to wrong side (knit side) and slip stitch in position. Sew edging on front and collar. Work 1 row double crochet with No. 10 hook on lower edge and round pockets. Sew on collar, buttons, and pockets, turning last 14 rows of pockets to outside for flap. Press seams and edgings.

FROCK IN DOUBLE BOUCLE:

Pattern No. AU8-11



MATERIALS: 24(26-27-29) balls Sirdar Double Boucle. 1 ball (all sizes) matching 5 ply yarn.

12 buttons.
12 press studs
2½ yds pre-shrunk 3" Grosgrain ribbon.

MEASUREMENTS: To fit 32 (34-36-38) in bust.

Actual meas. 34(36-38-40) ins.
Hip: 36(38-40-42) ins.

Length (adjustable) 42 ins (all sizes).

Sleeve seam 17½ ins (all sizes).

TENSION: T9.2 = 6 sts and 9 rows to 1 in.

NOTE: Garment is in reverse st. st. except for front and neck bands.

BACK: With 5 ply yarn cast on with a selvedge edge 120(126-132-138) sts. On T7.2 knit 15 rows. Change to main yarn and knit 1 row. On T10 knit 1 row (turning row for hem). On T9.2 knit 30 rows (to alter length, knit more or less rows at this point).

Dec 1 st at ea end of the next and every foll 28th row until 108(114-120-126) sts. Knit 19(17-15-13) rows without shaping, then dec 1 st at ea end of the next and every 8th row until 96(102-108-114) sts. Knit 11 rows without shaping, then inc 1 st at ea end on the next and every foll 10th row twice 102(108-114-120) sts. Cont without further shaping until 308(306-304-302) rows have been worked altog above hem line R/C on O. **SHAPE ARMHOLES:** Cast off 3(3-4-6) sts at the beg of the next 2 rows, then dec 1 st at ea end of the next 2 rows, then at ea end of every alt row 5(7-8-9) times (82-84-86-86) sts. Cont without further shaping until 64(66-68-70) rows have been worked in armhole.

SHAPE SHOULDERS: Cast off 9(10-10-10) sts at the beg of the next 2 rows, then 9 sts at the beg of the next 4 rows. Put 28(28-30-30) rem sts on waste.

LEFT FRONT: Cast on 52(54-58-62) sts in 5 ply yarn and work hem as for BACK. On T9.2 knit 30 rows. Dec 1 st at side edge of the next and every foll 28th row until 46(48-52-56) sts. Knit 19(17-15-13) rows without shaping, then dec 1 st at side edge on the next and every foll 8th row until 40(42-46-50) sts rem. Knit 11 rows, then inc 1 st at side edge on the next and every foll 10th row twice (43-45-49-53) sts. Cont without shaping until 308(306-304-302) rows have been worked altog above hemline ending at side edge. R/C on O. **SHAPE ARMHOLE:** Cast off 3(3-4-6) sts at the beg of the next row. Knit 1 row, then dec 1 st at side edge of the next 2 rows, then on ea alt row 5(7-8-9) times. 33(33-35-36) sts. **SHAPE NECK:** Keeping armhole edge straight, dec 1 st at neck edge of the next and every foll 3rd row 12(9-15-15) times, then on every foll 4th row 2(4-0-0) times. **AT THE SAME TIME** when 64(66-68-70) rows have been worked in armhole and beg at the side edge **SHAPE SHOULDER:** Cast off 9(10-10-10) sts at the beg of the next row, then 9 sts at the beg of the foll alt row. Knit 1 row and cast off.

RIGHT FRONT: Work as for left front reversing all shapings.

SLEEVES: Cast on 42(46-48-48) sts with 5 ply yarn and work hem as for BACK. On T9.2 work in st st inc 1 st at ea end on the 3rd and every foll 6th row until 76(78-82-86) sts. Cont without further shaping until 158 rows have been worked above hemline. (Work more or less rows at this point to alter length). R/C on O **SHAPE ARMHOLES:** Cast off 3(3-4-6) sts at the beg of the next 2 rows, then cast off 2 sts at the beg of the next 4 rows. Dec 1 st at ea end of every alt row 14(15-16-16) times, then at ea end of every row 10 times and 14 sts rem. Cast off.

BACK NECK FACING: Place sts from waste yarn back onto the machine and using 5 ply yarn and T7.2 knit 10 rows. Cast off.

LEFT FRONT BAND: With main yarn and T9.2 cast on 18 sts and knit 310(312-312-312) rows. R/C on O. Inc 1 st at the beg of the next row and on the same edge on every foll 3rd row 12(9-15-15) times, then

at the same edge of every foll 4th row 2(4-0-0) times. **AT THE SAME TIME**, when 27 rows have been worked **SHAPE NECK:** Cast off 18 sts then dec 1 st at neck edge of the next and every foll alt row 5(4-6-6) times and 9 sts rem. Cont this edge straight until 50(52-54-56) rows have been worked. Cast off.

RIGHT FRONT BAND: Work as for left front band reversing all shapings.

TO MAKE UP: Join shoulders; sew in sleeves; sew up side and sleeve seams. Turn up hems and slip stitch down. Turn back neck facing to inside and slip stitch. Attach front bands to front and neck edges, stretching slightly to fit, with right side st st out. Sew ribbon to back of front bands to neck shaping, then sew on 12 fasteners in position 3½ ins apart, the first ½ in below neck shaping. Sew on buttons over fasteners.

STRIPED FROCK:

Pattern No. AU8-12



MATERIALS: 6(6-7) balls Villawool Boucle Double Knitting First Colour (F.C.)
9(9-10) balls Villawool Boucle Double Knitting Second Colour (S.C.)
10(11-12) balls Villawool Boucle Double Knitting Third Colour (T.C.)
1½ yds 1½" Grosgrain Ribbon.
2 small buttons.

MEASUREMENTS: To fit 32 (34-36) in bust.

Length 40 ins (all sizes).

Sleeve length 13½ in (all sizes).

TENSION: T9 = 6 sts and 9½ rows to 1 in.

PATTERN: STRIPES: 4 rows S.C. 4 rows T.C. 1 row S.C. 1 row F.C. 1 row S.C. 4 rows T.C. 1 row F.C. 4 rows S.C. 2 rows T.C. 2 rows F.C. 2 rows T.C. Rep these 26 rows incl.

BACK: With F.C. cast on 114(120-126) sts with a selvedge edge. On T8 knit 4 rows. On T9 commence patt * and knit until R/C reads 53 rows. Dec 1 st at ea end of the next and every foll 26th row until 102(108-114) sts rem. Continue until R/C reads 272 rows (or length required). R/C on O. **SHAPE ARMHOLES:** Cast off 4(5-6) sts at the beg of the next 2 rows. Dec 1 st at ea end of the next and every 2nd row until 82(86-90) sts rem. Cont until R/C reads 46.

DIVIDE FOR BACK OPENING: H.C.Ls on 111. Push 41(43-45) sts furthest from carriage into "E" pos and knit on rem sts until R/C reads 75 ending at armhole edge. **SHAPE SHOULDER AND NECK:** Cast off at the beg of the next and every alt row 7(8-9) sts once, 8 sts twice and **AT THE SAME TIME** cast off at Neck edge on every alt row 12(13-14) sts once and 6 sts once. H.C.Ls on 1. Knit other side to correspond.

FRONT: Work as back to row 41 of armhole and **SHAPE NECK:** Cast off the centre 14(16-18) sts. H.C.Ls on 111. Push 34(35-36) sts furthest from carriage into "E" pos and knit on rem sts. Cast off at neck edge on every alt row 2 sts 4 times and 1 st 3 times. Cont on rem 23(24-25) sts until R/C reads 75 ending at armhole edge. **SHAPE SHOULDER:** Cast off at the beg of the next and every foll alt row 7(8-9) sts once, 8 sts twice. H.C.Ls. on 1. Knit other side to correspond.

SLEEVES: With F.C. cast on 46(48-50) sts and work as BACK to *. Inc 1 st at ea end of the 15th and every foll 6th row until 54(56-58) sts then on every foll 4th row until 72(74-75) sts. Cont until R/C reads 152(or length required) ending on the same patt row as BACK. **SHAPE CAP:** Cast off 4 (5-6) sts at the beg of the next 2 rows. Dec 1 st at beg of the next 20 rows. Dec 1 st at ea end of every 4th row 6 times altog. Dec 1 st at ea end of the next 6 rows. Cast off rem sts.

COLLAR PIECES: With F.C. and T10 cast on 17 sts and knit in st st until R/C reads 96(100-104). Cast off.

TO MAKE UP: Press work on wrong side. Sew up shoulders. Sew in sleeves. Sew up side and sleeve seams. Pin ea collar piece 1/2" down below neck edge on wrong side, from centre front to back opening and sew in position, catching the centre front edge of collar tog for 1/2". Turn up hems of sleeves. Crochet 1 row of D.C. around collar pieces and around back opening making 2 loops for buttons. Sew on buttons. Sew pre-shrunk Grosgrain to skirt on wrong side to form hem.

TUNIC:

Pattern No. AU8-13



MATERIAL: 21(23-25) balls Patons Totem.
8 buttons.

MEASUREMENTS: To fit 32 (34-36) in bust.
Length from shoulders 38(39-40) ins.

TENSION: T10 = 6 sts and 8 1/2 rows to 1 in.

BACK: On T10 cast on 118(124-130) sts in waste yarn. Knit 3 rows in waste and 1 row in main yarn. On T8.2 knit 9 rows. On T10 knit 1 row. On T8.2 knit 10 rows. On T10 knit 1 row and close hem. R/C on O. Knit to row 20 then dec 1 st at ea end. Rep dec on every foll 20th row 5 more times. Rep dec on every foll 10th row twice. Rep dec on every foll 6th row three times. Rep dec on every 4th row 2(3-4) more times. Knit 4 rows then cast off 12 sts at the beg of the next 2 rows. 172(176-180) rows. R/C on O. Knit 12 rows then inc 1 st at ea end. Rep inc every foll 12th row 8 more times. Knit to row 110(114-

118) and **SHAPE NECK:** Push 65(67-69) sts furthest from carriage into "E" pos. H.C.Ls on 111. *Knit 10 (6-2) rows then inc 1 st at armhole edge again. Knit until R/C reads 128(132-136) and **SHAPE SHOULDER:** Cast off 11(12-13) sts at armhole edge once. Cast off rem sts. R/C on 110(114-118) H.C.Ls on 1. Cast off the centre 44 sts and rep from * to cast off.

FRONT: Knit the same as BACK.

TABS: On T8.2 cast on 10 sts in waste yarn. Knit 3 rows in waste and leaving about 1 yd of main yarn hanging knit 1 row of main yarn.

1ST BUTTONHOLE: *H.C.Ls on 11. Push 5 sts furthest from carriage into "E" pos. Knit 6 rows then push all sts to "E" pos. Take carriage to other side of knitting. Push 5 sts closest to carriage to "C" pos and knit 6 rows. H.C.Ls on 1.* Knit 10 rows then rep from * to * to make other buttonhole. **Dec 1 st at ea end on alt rows 4 times. Knit 1 row and fasten off.** Do not break yarn. Put sts from waste yarn back onto the machine and using the length of yarn left at the beg rep from ** to ** for other end. Crochet 1 row of D.C. around Tab. Make 3 more tabs the same.

TO MAKE UP: Press all pieces lightly. Sew up shoulder seams and side seams. Attach piece of round elastic approx. 7 ins long at side waistline opening over cast off stitches (ea side). Crochet 1 row of D.C. over elastic and continue right around armhole, also 1 row of D.C. around neckline. Press edges and seams. Sew on buttons as illus. Button on tabs.

COAT:

Pattern No. AU8-14



MATERIALS: 35(38-41) balls Patons Totem.
7 buttons (med size).

MEASUREMENTS: To fit 32 (34-36) in bust.
Length from shoulder 37(38-39) ins.
Sleeve length 17 ins.

TENSION: T10 = 6 sts and 8 1/2 rows to 1 in.

PATTERN: *R/Counter out of action. Knit 3 rows Bring loops of 4th row down, up and put onto corresponding needles (as when closing a hem). R/C back into action.*

BACK: On T10 cast on 125(133-141) sts in waste yarn. Knit 3 rows of waste and 1 row of main yarn. On T9 knit 9 rows. On T10 knit 1 row (hemline row). On T9 knit 10 rows. On T10 knit 1 more row and close hem. NOTE: It is advisable to write down the rows on which you will be inc, dec or patt. R/C

on O. Knit to row 16 then dec 1 st at ea end. Rep dec on every foll 14th row 7 times; 10th row 3 times; 6th row 3(4-5) times; 4th row twice. AT THE SAME TIME Knit patt from * to * when R/C reads 40(41-42); 78(80-82); 110(113-116); 136(140-144); 156(161-166); 170(176-182). Pull knitting down well when working 1st row after patt. 171(177-183) rows. WAIST: Knit 16 rows then inc 1 st at ea end. Rep inc every foll 6th row 5 more times. Knit to row 240(246-252) and SHAPE ARMHOLES: R/C on O. Cast off 5(6-7) sts at the beg of the next 2 rows. Dec 1 st at ea end in the foll 3 rows. Rep dec on alt rows twice. Knit to row 62(64-66) and SHAPE SHOULDERS: Cast off 9 sts at the beg of the next 4 rows. Cast off 9(10-11) sts on the next 2 rows. Cast off 31(33-35) sts.

RIGHT FRONT: Cast on 74(78-82) sts in waste yarn and knit hem as for BACK. R/C on O. Knit 1 row. Carriage on the left. With selvedge edge cast on 15 sts for Front Facing. Transfer the 16th st to adjacent needle and push empty needle into "A" pos. (This will be referred to as "marking st"). Shape the right edge the same as edge in Back, and work patt the same with one exception - H.C.Ls on 111 and keep sts for facing in "E" pos for the 4 rows of patt (facing is not knitted for 4 rows). R/C reads 171(177-183) rows. WAIST: Knit 2 rows and make 1st buttonhole by knitting the 7th, 8th and 9th sts ea side of empty needle, off manually in waste yarn. AT THE SAME TIME shaping right edge (inc on the 16th row and rep inc on every foll 6th row 5 more times). Knit to row 240(246-252) and SHAPE ARMHOLE. Knit as BACK making 2nd buttonhole on row 15(17-19). (Knit 18 rows and make another buttonhole). Rep inst in brackets 4 more times - 7 buttonholes altog. Knit to row 43(45-47) and SHAPE NECK: Wrong side facing, knit up "marking st" with latchet tool from hem to neck (purl side on right side of work). At neck place the st on empty needle. Cast off 31 sts at the neck edge. Dec 1 st at neck edge on the foll 8(9-10) rows. Dec 1 st at the neck edge on alt rows 4 more times 62(64-66) rows. SHAPE SHOULDER: Cast off 9 sts at armhole edge twice. Cast off 9(10-11) rem sts.

LEFT FRONT: Work as Right Front reversing shapings and omitting buttonholes.

SLEEVES: Cast on 62(66-70) sts in waste yarn. Knit hem as for BACK. R/C on O. Knit 5 rows and inc 1 st at ea end. Rep inc on every foll 10th row 12 more times. Knit to row 133 and SHAPE ARMHOLES: R/C on O. Cast off 5(6-7) sts at the beg of the next 2 rows. Dec 1 st at ea end on alt rows until R/C reads 40(42-44) then dec 2 sts at the beg of the next 6 rows. Cast off 3 sts at the beg of the next 4 rows. Cast off rem sts.

TO MAKE UP: Press all parts lightly. Pull out waste and finish off buttonholes. Fold facing and catch down inside using single strand of yarn. Sew up shoulders. Set in sleeves. Sew up side and sleeve seams. Press seams and sew on buttons.

NECK BAND: Wrong side facing, pick up 82(86-90) sts along neck opening, starting 8 sts back from ea

corner. On T9.2 knit 3 rows; T8.2 knit 4 rows; T7.2 knit 2 rows; T10 knit 1 row (turning row). T7.2 knit 2 rows; T8.2 knit 4 rows; T9.2 knit 2 rows and cast off. Fold in half and catch down. Press lightly.

LADY'S 3 PIECE SUIT:

Pattern No. AU8-15



MATERIALS: JACKET: 17(18-19) balls Patons Totem Main Colour (M.C.).

3 balls Patons Bluebell Crepe Contrast Colour (C.C.).

SKIRT: 14(15-16) balls Patons Totem Main Colour (M.C.).
1 in wide elastic for waist.

MEASUREMENTS: JACKET:
To fit 32(34-36) in bust.
Length from shoulder 23½(24-24½) ins.
Sleeve seam 13 ins (all sizes).

SKIRT: Length 22½(23-23½) ins.
Waist 26(28-30) ins adjustable with elastic.

TENSION: T10 = 6 sts and 8½ rows to 1 in.

JACKET:

BACK: Cast on with a selvedge edge 106(112-118) sts. R/C on O. On T10 knit to row 124 and shape RAGLAN ARMHOLES: R/C on O. Cast off 3 sts at the beg of the next 2 rows. Dec 2 sts at ea end (4th and 3rd sts on to 2nd st) every foll 4th row until 32(34-36) sts rem. Knit 2 more rows and dec 1 st at ea end. Knit 1 row and cast off.

LEFT FRONT: Cast on with a selvedge edge 53(56-59) sts. On T10 knit to row 124 and shape RAGLAN ARMHOLE: R/C on O. Carriage on the left. Cast off 3 sts at the beg of row. Dec 2 sts at armhole edge on every foll 4th row until R/C reads 53(57-61) then SHAPE NECK: Cast off 5(6-7) sts at neck edge. Still shaping armhole as for Back, dec 1 st at neck edge in the foll 4 rows, then dec 1 st at neck edge on alt rows 4 more times. When 2 sts rem fasten off.

RIGHT FRONT: Knit the same as Left Front but reversing all shapings.

SLEEVES: Cast on with selvedge edge 54(56-58) sts. On T10 knit 2 rows then inc 1 st at ea end. Rep inc on every foll 6th row 14(15-16) more times. Knit to row 100 and SHAPE ARMHOLES: R/C on O. Cast off 3 sts at the beg of the next 2 rows. Dec 2 sts at ea end as for BACK on every foll 4th row until 10 sts rem. Knit 2 more rows and dec 1 st at ea end. Knit 1 row and cast off.

POCKET FLAPS: Cast on 26 sts with a selvedge edge in M.C. Knit 12 rows and take work off machine on waste yarn. Knit 1 more the same. Bring up 7 needles and push centre needle into "A" pos. With C.C. and a selvedge edge cast on these 6 sts. On T7 knit a length to go around edge of Pocket flaps slightly stretched. Cast off.

BAND: Bring up 15 needles and push centre needle into "A" pos. On 14 needles knit 3 rows of waste yarn. Join in C.C. and on T7 knit length to go around neck opening, the 2 fronts and along lower edge of garment. Take work off machine on waste yarn.

SLEEVE BANDS: With selvedge edge cast on 15 sts in C.C. (Push centre needle into "A" Pos). On T7 knit length to go around lower edges of sleeves.

TO MAKE UP: Press all parts. Tack purl side of band to right side of pocket flaps and sew on. Fold in half purl side out and sew down on other side. Sew flaps into pos to two fronts by stitching through open loops of sts on waste. Sew bands to lower edges of sleeves in the same manner. Sew in sleeves. Sew up side and sleeve seams. Join centre of band (purl side of band to right side of garment) to centre of neckline in Back. Sew on bands meeting at middle of lower edge of Back. Graft ends tog. Fold band, purl side out and catch down on other side.

SKIRT:

ONE PANEL: Cast on 69(72-75) sts in waste yarn. On T10 knit 3 rows in waste and 1 row in main yarn. On T8.2 knit 9 rows. On T10 knit 1 row (hemline row). On T8.2 knit 10 rows. On T10 knit 1 row and close hem. R/C on O. Knit to row 18(22-26) and dec 1 st at ea end (3rd st on to 2nd). Rep dec on every foll 20th row 4 more times. Rep dec on foll 14th row once. Rep dec on every foll 10th row 3 times. Rep dec on every foll 6th row 3 times. Rep dec on every foll 4th row twice. Knit 4 more rows and take work off machine on waste yarn. Knit 3 more panels the same.

WAISTBAND: Wrong side facing put all panels back onto the machine, putting 2 sts on one needle where ea panel meets 158(170-182) sts. On T9 knit 21 rows. Cast off loosely.

TO MAKE UP: Press lightly. Sew up the 4 panels. Fold band and catch down, Insert elastic at waist. Press seams.

SWEATER:

MATERIALS: 15(16-17) balls Patons Bluebell Crepe.

MEASUREMENTS: To fit 32(34-36) in bust.

Length from shoulder 23(23½-24) ins.

Sleeve length 13 ins.

TENSION: T7.2 = 7 sts and 9½ rows to 1 in.

BACK: Bring forward 122(128-134) needles. Push every 3rd needle back into "A" pos. On T8 knit 4 rows in waste yarn and 1 row in main yarn. On T5 knit 29 rows, then close hem by bringing loops of 1st row up and placing them on existing sts on knitter. Bring empty needles back into "B" pos. On T7.2 R/C on O. Knit to row 132 and shape RAGLAN ARMHOLES: R/C on O. Cast off 4 sts at the beg of the next 2 rows. Dec 2 sts ea end (4th and 3rd sts onto 2nd st) of the next and every foll 4th row until 34 (36-38) sts rem. Knit 1 more row and take work off machine on waste yarn.

FRONT: Knit same as BACK to row 61(65-69) of armhole shaping, then SHAPE NECK: H.C.Ls on 111. Push 35(37-39) sts furthest from carriage to "E" pos. *Still shaping armhole as for Back, dec 1 st at neck edge in foll 3 rows. Dec 1 st at neck edge on alt rows 3 more times. When 3 sts rem knit 1 row and fasten off.* R/C on 61(65-69). Put the 16(18-20) centre sts on to waste yarn. H.C.Ls on 1. Rep from * to * for other side.

SLEEVES: Bring forward 65(67-71) needles. Make hem as for BACK. R/C on O. On T7.2 knit 1 row and inc 1 st at ea end. Rep inc on every foll 6th row 6(8-6) more times. Rep inc on every foll 8th row 9(8-10) more times. Knit to row 112(116-120) and SHAPE ARMHOLES: R/C on O. Shape armholes as for BACK until 9 sts rem. Knit 1 row and take work off machine on waste yarn.

NECKBAND: Wrong side facing, pick up 111(115-119) sts by placing on machine from left to right one sleeve, Front, other sleeve and Back. On T7.2 knit 1 row. On T5.1 transfer every 3rd st to adjacent needle. Push empty needles into "A" pos. Knit 19 rows. Bring empty needles back into "B" pos. On T10 knit 1 row and cast off with a latchet hook.

TO MAKE UP: Press all parts lightly. Sew sleeves to Back and Front. Sew up sides and sleeve seams. Fold band in half and sew up forming holes to match hems. Press seams.

GIRL'S TOP & SLACKS:

Pattern No. AU8-16



MATERIALS: 12(13-14) balls Lincoln Crepetta or Cleckheaten 5 ply Crepe, each for Top and Slacks.

10(12-13) in zipper.

¾" elastic for waist.

MEASUREMENTS: To fit 25 (27-28½) in chest.

27(29-30) in hips.

Length Top 16(18-19) ins.

Sleeve length 11(13-14) ins.

Slacks 27¼(28¾-32) ins.

TENSION: T7.1 = 7 sts and 9 rows to 1 in over st st and 7 sts and 14 rows over 1 in of patt.

NOTE: Keep the 2 edge sts in plain knitting at all times.

PATTERN: *Slide dial on 1, H.C.Ls on 11. Press buttons 8.1.2, set lever and knit 3 rows. Right hand H.C.L. on 13 knit 1 row.* Rep from * to * once. **Slide dial on 5, H.C.Ls on 11, set lever, knit 3 rows. Right hand H.C.L. on 13 and knit 1 row.** Rep from ** to ** once.

TOP:

BACK: With a selvedge edge cast on 109(117-123) sts having the odd number of needles at the right

side of machine. Knit 10 rows on T7.1, 1 row on T8.2. On T7.1 carriage on the right, R/C on O, knit in patt AT THE SAME TIME dec 1 st at ea end of every 12th row until dec to 95(103-109) sts. Cont in patt rep the 16 patt rows. When dec is complete knit 12 rows straight. Inc 1 st at ea end of the next row and every foll 12th row to 101(109-115) sts. Knit straight until R/C reads 134(154-162). SHAPE ARMHOLES: Cast off 3 sts at the beg of the next 2 rows, dec 1 st at ea end of the next and foll alt rows to 91(97-103) sts. Cont straight to row 224(252-266).

SHAPE SHOULDERS: Cast off 6(7-7) sts at the beg of the next 4 rows and 7 sts at the beg of the foll 4 rows. Cast off rem 39(41-43) sts.

FRONT: Work as for BACK to row 56 and divide in half at the centre front, dec the centre st and 1 st at ea side of centre. Take half the work off machine on waste yarn, taking care to note the exact position for replacing later. Work on 1st half as for BACK dec to 46(50-53) sts inc to 49(53-56) sts.

SHAPE ARMHOLE as for Back to 44(47-50) sts then cont straight to row 182(204-216). **SHAPE NECK:** Cast off at neck edge 8 sts once, then 3 sts once, 2 sts once and 1 st on the next 5(6-7) rows. Cont straight to row 224(252-266).

SHAPE SHOULDER: Cast off 6(7-7) sts twice and 7 sts twice. Knit other side to correspond.

SLEEVES: Using selvage edge cast on 47(51-55) sts. Knit hem as in Back. Cont in patt inc 1 st at ea end of the 8th and foll 12th rows until inc to 75(79-85) sts. Cont straight to row 154(182-196). **SHAPE TOP:** Cast off 3 sts at the beg of the next 2 rows. Dec 1 st at ea end of every 4th row to 57(61-67) sts, then on every alt row to 37(37-41) sts; then on every row to 21 sts. Cast off.

MANDARIN COLLAR: Join shoulder seams. With a selvage edge cast on 15 sts. T7. *Push centre st to "E" pos. H.C.L nearest the knitting on 111. Knit 2 rows.* Rep from * to * for length required to fit neck edge, allow for zip fastener in front. Sew to neck edge and fold in half to inside and slip stitch in position.

TO MAKE UP: Work 1 row of double crochet (No. 10) hook, on front opening and collar edge. Sew in zip fastener. Sew in sleeves, join side and sleeve seams. Fold hems to wrong side and slip st in position. Press with warm iron and a damp cloth.

SLACKS:

FRONT LEFT LEG: Cast on with waste yarn 70(72-76) sts. On T8.1 knit 3 rows of waste and 1 row of main yarn. On T7.1 knit 13 rows; On T8.1 knit 1 row. R/C on O. On T7.1 cont in st st dec 1 st at ea end of the 18th row and every foll 18th row to 60(62-66) sts. Cont straight to row 134(144-162) then inc 1 st at ea end of the next and foll 20th row. Cont straight to row 172(180-200). **SHAPE CROTCH:** Cast off 4 sts at the front edge of the next row, dec 1 st at this edge on every alt row to 50(54-58) sts. Cont straight to row 238(258-280). Work 8 rows on T6.1 and cast off.

FRONT RIGHT LEG: Work as for left leg reversing crotch shaping.

BACK RIGHT LEG: Cast on and work hem as for front legs. R/C on O. Cont in st st dec at side edge on the 18th row and every foll 18th row 5 times in all; Then keeping side edge straight to row 134(144-162) AT THE SAME TIME inc at centre back edge every 8th row, then inc at side edge on the next and foll 20th row, keeping side edge straight; cont centre inc to 76(78-80) sts. Cont straight to row 172(180-200). **SHAPE CROTCH:** Cast off 7 sts at centre edge of the next row, then dec 1 st every row 4 times and every alt row to 58(60-64) sts. Cont straight to row 238(258-280). Knit 8 rows on T6.1 and cast off.

BACK LEFT LEG: Work as right leg reversing shapings.

TO MAKE UP: Join Front, Back, leg and side seams. Fold hems to inside at lower edge and slip stitch in pos. Work herringbone casing over elastic at waist. Press with warm iron and damp cloth.

Empisal

*An Empisal Publication: World Copyright by Empisal International

Photography By PHILIP BENNETT.
Produced By IMIN PRODUCTIONS.

Empisal
Pattern in Book AU 7

