

INTERNATIONAL  
KNITWEAR  
COLLECTION

**EMPISAL**

BOOK AU29



# contents

PAGE 1	FANCY PATTERN JUMPER	AU29-1
PAGE 2	WOVEN SKIRT	AU29-2
PAGE 4	MAN'S ZIPPER JACKET	AU29-3
PAGE 8	LADY'S JACKET	AU29-4
PAGE 9	LADY'S SLACKS	AU29-5
PAGE 9	MAN'S FAIR ISLE JUMPER	AU29-6
PAGE 12	PATTERNED SUIT	AU29-7
PAGE 16	PATTERNED DRESS	AU29-8
PAGE 16	LADY'S POLO NECK	AU29-9
PAGE 19	DIAGONAL CABLE JUMPER	AU29-10
PAGE 20	LADY'S ZIPPER JACKET	AU29-11
PAGE 21	LADY/MAN HAT, SCARF AND MITTS	AU29-12



# EMPISAL

## INTERNATIONAL KNITWEAR COLLECTION

EMPISAL are pleased to present their international Fashion Co-ordinator's selection of the following machine knitted garments in PATON'S yarns.

\*AN EMPISAL PUBLICATION: WORLD COPYRIGHT BY EMPISAL INTERNATIONAL

### FANCY PATTERN JUMPER

Pattern No. AU29-1



**MATERIALS:** 10(10-11-11-12) 50g balls PATONS Katie Patonised Main Colour (M.C.), for each size use small quantity 1st Contrast (C.C.1), 2(2-2-2-2) 50g balls 2nd Contrast (C.C.2).

**MEASUREMENTS:** To fit 80[85-90-95-100] cm, 31½(33½-35½-37½-39¼)in. bust. Measures 84[90-96-102-108] cm, 33(35½-37¼-40¼-42½)in. Length 60[60-61-61-62] cm, 23½(23½-24-24-24½)in. Sleeve Seam 43cm, 17in.

**TENSION:** T9.2=24½sts. and 36 rows to 10cm (approx. 4in.) over stockinet. (Please check).

**PATTERN FOR FRONT ONLY:** (NOTE — Leave weights on when working pattern). STEP 1: Using C.C.1 knit 2 rows stockinet. STEP 2: Using M.C. knit 2 rows stockinet. STEP 3: Cam on 2 (KH600-610-680) on III (KH91) (HOLD) Press buttons 1 and 5. Slide dial on 1. Set lever. Using C.C.2 knit 4 rows. STEP 4: Cam on 3 (KH600-610-680) on I (KH91) (KNIT). Using M.C. Knit 2 rows. STEP 5: Cam on HOLD. Slide dial on 3. Set lever. Using C.C.2 knit 4 rows. STEP 6: As 4. Repeat steps 3 to 6 once, steps 3 and 4 once, then step 1 once. STEP 14: Using M.C. knit 14 rows stockinet. Repeat these 50 rows.



**BACK:** T2. Using M.C., cast on for 2x2 rib 102 (110-118-126-134)sts. T7 on main machine, T6 on ribber, work 40 rows, inc.(inc.-inc.-dec.-dec.) 1 st. at end of last row. 103(111-119-125-133)sts. Transfer to main bed. T9.2 knit 108 rows. **SHAPE ARMHOLES:** R/C 0. Cast off 6(8-9-10-13)sts. at beg. of next 2 rows. Dec. 1 st. each end of next and alt. rows 6(7-8-9-9) times in all. 79(81-85-87-89)sts. Knit 59(59-59-59-61) rows. R/C 72(74-76-78-80). **SHAPE SHOULDERS:** Cast off 7(7-8-8-8)sts. at beg. of next 4 rows then 7(8-7-8-8)sts. at beg. of foll. 2 rows. Take off rem. sts. on waste yarn.

**FRONT:** T2. Using M.C. cast on for 2x2 rib 106 (114-122-130-138)sts. 53(57-61-65-69) each side of 0. T7 on main bed, T6 on ribber, work 40 rows, inc. 1 st. on R of machine in last row. 107(115-123-131-139)sts. Transfer to main bed. T9.2 work 134 rows pattern. **SHAPE ARMHOLES:** R/C 0. Cast off 6(8-9-11-14)sts. at beg. of next 2 rows. Dec. 1 st. each end of next and alt. rows 6(7-8-9-9) times in all. 83(85-89-91-93)sts. Cont. until R/C reads 50. **SHAPE NECK:** Knit 50(51-53-54-55)sts. at opp. end to carr. manually on to waste yarn. Push needles into A pos. Dec. 1 st. at neck edge in next and alt. rows 11(11-12-12-13) times in all. Cont. until R/C reads 86(88-92-94-96). **SHAPE SHOULDER:** Cast off 7(8-8-8-8)sts. at beg. of next row and foll. alt. row. Work 1 row.

Cast off. Bring rem. sts. back to B pos. Knit centre 17 sts. manually on to waste yarn. R/C 50. Work other side to correspond.

**SLEEVES:** T2. Using M.C. cast on for 2x2 rib 50(50-54-54-54)sts. T7 on main machine, T6 on ribber, work 40 rows. Transfer to main bed. R/C on 0. T9.2 Knit in stockinet, inc. 1 st. each end of 5th and foll. 10th(8th-8th-6th-6th) rows until R/C reads 65(61-61-29-77) then in foll. 12th(10th-10th-8th-8th) rows until R/C reads 101. 70(74-78-82-86)sts. Knit 15 rows. **SHAPE TOP:** R/C 0. Cast off 2(3-4-5-6)sts. at beg. of next 2 rows. Dec. 1 st. each end of next and alt. rows until R/C reads 50(52-54-56-58). 18sts. Cast off loosely.

**POLO COLLAR:** Join right shoulder seam. With wrong side facing pick up 114(118-126-130-134)sts. evenly around neck (incl. sts. from waste yarn). T9.2. Using M.C. knit 1 row. Arrange needles for 2x2 rib. T7 on main machine, T6 on ribber, work 36 rows. T9 on main machine, T8 on ribber, work 44 rows. Cast off loosely.

**MAKE UP:** Press lightly. Join side, left shoulder, sleeve and polo collar seams, reversing seam at tension change on collar. Sew in sleeves. Fold collar over. Press seams.

## WOVEN SKIRT

Pattern No. AU29-2



**MATERIALS:** 16(17-18) 25g balls Main Colour (M.C.) PATONS Bluebell Patonsied or 4(5-5) 100g balls Main Colour (M.C.) PATONS 5 Ply Harmony Patonised and 1(1-1) 50g balls 1st Contrast (C.C.1) 1(1-1) 50g balls 2nd Contrast (C.C.2), 2(2-2) 50g balls 3rd Contrast (C.C.3), 1(1-1) 50g balls 4th Contrast (C.C.4), 1(1-1) 50g balls 5th Contrast (C.C.5) PATONS Totem Patonised. 20cm (8in.) "Lightning" Zipper (Gold Pack); Length of 2.5cm (1in.) elastic for waist; Length of Hem Facing.

**MEASUREMENTS:** To fit 85-90[95-100-105-110] 33½-35½(37½-39½-41¼-43¼)in. hips. Measures 90[100-110] cm, 35½(39¼-43¼)in. Length 63[63-63] cm, 24¾(24¾-24¾)in.

**TENSION:** T8=24sts. and 44 rows to 10cm (approx. 4in.) over pattern 4. (Please check).

**PATTERNS:** Set machine for weaving. Set lever before each row of weaving. Slide dial (S/D) on 1 unless otherwise stated. Always bring first needle into E pos. to catch weaving thread. (Cont'd p.4)



Pattern AU29-2  
See page 2

Pattern AU29-3  
See page 4





**PATTERN 1:** Push button 1, using C.C.1 weave 1 row. Push buttons 1, 3 and 7, using C.C.2 weave 3 rows. Pull up C.C.1 loop and place on each No. 5 needle, knit 3 rows stockinet. Repeat.

**PATTERN 2:** Push buttons 1 and 5, using C.C.3 weave 4 rows. Pull up 4 loops and place on each No. 3 needle, weave 4 rows. Pull up 4 loops and place on each No. 7 needle, weave 4 rows. Pull up 4 loops and place on each No. 3 needle, weave 4 rows. Pull up 4 loops and place on each No. 7 needle, knit 4 rows stockinet.

**PATTERN 3:** Push buttons 1, 3 and 7, using C.C.4 weave 1 row. Push buttons 2, 5 and 8, weave 1 row. Push buttons 1, 4 and 6, weave 1 row. Push buttons 3, 5 and 7, weave 1 row. Push buttons 1, 2, 4, 6 and 8, weave 1 row. Push buttons 2, 3, 5, 7 and 8, weave 1 row. Push buttons 1, 3, 4, 6 and 7, weave 1 row. Push buttons 2, 4, 5, 6 and 8, weave 1 row. Rep. last 8 rows once. Knit 4 rows stockinet.

**PATTERN 4:** \* Push buttons 1, 3 and 5, using C.C.5 weave 4 rows. Push buttons 3 and 7, weave 4 rows. Push buttons 1, 3, 5. Weave 4 rows.\* Push buttons 1, 3, 5 and 7, weave 4 rows. Rep. from \* to \*. Knit 4 rows stockinet.

**PATTERN 5:** Push buttons 1, 3 and 5. S/D on 1, using C.C.1 weave 1 row. S/D on 2 weave 1 row. S/D on 3 weave 1 row. S/D on 4 weave 1 row. S/D on 5 weave 1 row. S/D on 6 weave 1 row. S/D on 1 weave 1 row. S/D on 8 weave 1 row. S/D on 7 weave 1 row. S/D on 6 weave 1 row. S/D on 5 weave 1 row. S/D on 4 weave 1 row.

**SKIRT:** (Make 4 pieces). Carr. on right, leave 25 needles free on right of machine, cast on next 10sts. with selvedge edge. T8 Knit 4(3-2) rows stockinet, then work (7 rows of pattern 1) 2(3-4) times AT THE SAME TIME casting on 10sts. at beg. (left side of machine) of alt. rows 9(10-10) times, B and C only — then 5sts. (1-4) times (NOTE — When casting on sts. at beg. of weaving rows, bring all cast-on needles into E pos. and do not carry weaving yarn across them). 100(125-140)sts. Work 20 rows of pattern 2 AT THE SAME TIME casting on 10(5-5) sts. at beg. of every alt. row 2(5-2) times, A only — then 5sts. 6 times. 150sts. Work 20 rows of pattern 3, 32 rows of pattern 4, then 20 rows of pattern 3, A only — casting off 5sts. at beg. of last row. Work 18 rows of pattern 2 AT THE SAME TIME casting off 5sts. at beg. of 2nd(6th-12th) row and alt. rows 4 (5-3) times, A and B only — then 10sts. 4(1) time/s.

80(110-130)sts. Work (7 rows of pattern 1) 2(3-4) times, then knit 2(1-0) row/s stockinet AT THE SAME TIME casting off 10(10-5)sts. at beg. of alt. rows 8(11-2) times, C only — then 10sts. 12 times.

**WAISTBAND:** Carr. on right, cast on 152(176-200) sts. with selvedge edge. T8. Knit 2 rows stockinet. Work 12 rows of pattern 5 twice, then knit 2 rows stockinet. Cast off.

**MAKE UP:** Join seams, leaving 17cm (6 $\frac{3}{4}$ in.) opening for zip in one seam. Sew cast on edge of waistband to skirt, fold in half and sew other edge to seam. Insert elastic through waistband and sew in zip. Sew hem facing around lower edge, turning in 2sts. of skirt to wrong side.

## MAN'S ZIPPER JACKET

Pattern No. AU29-3



**MATERIALS:** 6(6-7-7-8) 50g balls PATONS Katie Main Colour (M.C.), 5(5-6-6-7) 50g balls 1st Contrast Colour (C.C.1), 5(5-6-6-7) 50g balls 2nd Contrast Colour (C.C.2). 60cm (24in.) Lightning Zipper (Green Pack).



**MEASUREMENTS:** To fit 90[95-100-105-110] cm, 35½(37½-39¼-41¼-43¼) in. chest. Measures 90[96-102-108-114] cm, 35½(37¼-40¼-42½-45) in. Length 66[66-67-67-68] cm, 27(27-27½-27½-28) in. Sleeve Seam 48cm, 19in.

**TENSION:** T10=27½sts. and 33 rows to 10cm (approx. 4in.) over patt. (Please check).

**PATTERN:** Set Machine for Fair Isle. \* Using C.C.1 as background and C.C.2 as laying in thread. STEP 1: Press button 4, set lever, knit 1 row Fair Isle. STEP 2: Press buttons 3, 6, 7 and 8, set, knit 1 row Fair Isle. STEP 3: Press buttons 2, 6 and 8, set, knit 1 row Fair Isle. STEP 4: Press buttons 1, 6 and 8, set, knit 1 row Fair Isle. STEP 5: Press buttons 2, 6 and 8, set, knit 1 row Fair Isle. STEP 6: Press buttons 3, 6, 7 and 8, set, knit 1 row Fair Isle. STEP 7: (Press button 4, set, knit 1 row Fair Isle) twice. STEP 8: Press buttons 1, 2, 5 and 8, set, knit 1 row Fair Isle. STEP 9: Press buttons 2, 6 and 8, set, knit 1 row Fair Isle. STEP 10: Press buttons 2, 7 and 8, set, knit 1 row Fair Isle. STEP 11: Press buttons 2, 6 and 8, set, knit 1 row Fair Isle. STEP 12: Press buttons 1, 2, 5 and 8, set, knit 1 row Fair Isle. STEP 13: Press button 4, set, knit 1 row Fair Isle. Using M.C. as background and C.C.2 as laying in thread. STEP 14: Press button 4, set, knit 1 row Fair Isle. STEP 15: Press buttons 3 and 5, set, knit 1 row Fair Isle. STEP 16: Press buttons 2, 4 and 6, set, knit 1 row Fair Isle. STEP 17: (Press buttons 1, 3, 5 and 7, set, knit 1 row Fair Isle) twice. STEP 18: Press buttons 2, 4 and 6, set, knit 1 row Fair Isle. STEP 19: Press buttons 3 and 5, set, knit 1 row Fair Isle. STEP 20: Press button 4, set, knit 1 row Fair Isle. \* Rep. from \* to \* for patt.

**BACK:** T2. Using M.C. cast on 129(137-145-153-161)sts. for 1x1 rib. 65(65-73-73-81)sts. L of 0. 64(72-72-80-80)sts. R of 0. T7 rib 36 rows. Transfer sts. to main bed. T10. Knit 1 row setting machine for Fair Isle. R/C on 0. Work in patt. until R/C reads 103. **SHAPE RAGLAN ARMHOLES:** R/C on 0. Cast off 3(3-4-4-4)sts. beg. next 2 rows. Dec. 1 st. ea. end next row and alt. rows 34(30-32-28-29) times, then every row 9(17-17-25-27) times. R/C reads 80(80-84-84-88). Cast off rem. 35(35-37-37-39)sts.

**POCKET FACINGS:** (Make 2) T2. Using M.C. cast on 27sts. for 1x1 rib. T7 rib 36 rows. Take off machine on waste yarn.

**LEFT FRONT:** T2 cast on with M.C. 65(69-73-77-81)sts. for 1x1 rib. 33sts. L of 0. and 32(36-40-44-48)sts. R of 0. T7 rib 36 rows. Transfer sts. to main bed. Knit 19th(21st-23rd-25th-27th) to 45th (47th-49th-51st-53rd)sts. manually onto waste yarn. Place pocket facing sts. onto empty needles removing waste yarn. T10. Knit 1 row setting machine for Fair Isle. R/C on 0. Work in patt. until R/C reads 103. **SHAPE RAGLAN ARMHOLE:** R/C on 0. Cast off 3(3-4-4-4)sts. beg. next row. Dec. at beg. of alt. rows 28(28-29-29-30) times. 34(38-40-45-48)sts. R/C reads 57(57-59-59-61). **SHAPE NECK:** Cast off 9(9-9-9-10)sts. beg. next row. Dec. 1 st. ea. end next row, A, B and C only — Dec. 1 st. at armhole edge in alt. rows 6(2-3) times, AT THE SAME TIME dec. 1 st. at neck edge in alt. rows 4(2-3) times — 12(23-23)sts. All sizes — Dec. 1 st. at armhole edge in every row 9(17-17-25-27) times, AT THE SAME TIME dec. 1 st. at neck edge in foll. 4th(4th-4th-alt-alt.) rows 2(4-4-3-3) times, D and E only — then in foll. 4th rows 4 times — 2 sts. R/C reads 80(80-84-84-88) K.2 tog. Fasten off.

**RIGHT FRONT:** T2. Cast on with M.C. 64(68-72-76-80)sts. for 1x1 rib, having 33(37-41-45-49)sts. L of 0. and 32sts. R. of 0. Work to correspond with Left Front.

**SLEEVES:** T2. Cast on with M.C. 65(67-69-71-73)sts. for 1x1 rib. Odd st. on L. R/C on 0. T7, rib 36 rows. Transfer sts. to main bed. T10. Knit 1 row setting machine for Fair Isle. R/C on 0. T10. Work in patt. inc. ea. end 5th row and foll. 6th(4th-4th-4th-4th) rows 16(3-6-9-12) times. 99(75-83-91-99)sts., B, C, D and E only then in foll. 6th rows (14-12-10-8) times. (103-107-111-115)sts. All sizes — Cont. in patt. until R/C reads 125. **SHAPE TOP:** R/C on 0. Cast off 3(3-4-4-4)sts. beg. next 2 rows. A, B and C only — Dec. 1 st. ea. end next row and foll. 4th rows 4(2-3) times in all — 85(95-93)sts. All Sizes: Dec. 1 st. ea. end next row and foll. alt. rows until 21sts. rem. Knit 1 row. R/C reads 80(80-84-84-88). Cast off.

**COLLAR:** T2. Using M.C. cast on 181(181-185-185-185)sts. for 1x1 rib. R/C on 0. T7. Rib 44 rows. Cast off 10sts. beg. next 10 rows. Cast off rem. sts.

**TO MAKE UP:** Press work lightly. Join raglan, side and sleeve seams. Sew pocket facings and collar in position. Cast off pockets sts. on waste yarn. Sew in zip. Press seams.



Pattern AU29-4

See page 8

Pattern AU29-5


See page 9





Pattern AU29-6

See page 9





## LADY'S JACKET

Pattern No. AU29—4 (See illustration page 6)

**MATERIALS:** 10(11-12-13) 50g balls PATONS Katie Patonised, 5(5-6-6) 50g balls PATONS Duet (Duo).

**MEASUREMENTS:** To fit 80[85-90-95] cm, 31½ (33½-35½-37½) in. bust. Measures 90[95-100-105] cm, 35½(37½-39½-41½) in. Length 72[72-73-73] cm, 28¼(28¼-28¼-28¼) in. Sleeve seam (excluding cuff) 43[43-43-43] cm, 17(17-17-17) in.

**TENSION:** T10=22sts. and 37 rows to 10 cm (approx. 4in.) over patt. (Please check).

**RIB PATTERN:** Half Pitch lever on H. \* STEP 1: Racking lever on 5, knit 2 rows. STEP 2: Racking lever on 6, knit 1 row. STEP 3: Racking lever on 7, knit 1 row\*. Rep. from \* to \*.

**WEAVING PATTERN:** Set machine for weaving having Katie as background and Duet (Duo) as laying in thread. Carr. on R. \* STEP 1: (S/D on 1, press buttons 1, 3 and 5, set lever, knit 1 row) 4 times. STEP 2: (S/D on 2, set lever, knit 1 row) 4 times. STEP 3: (S/D on 3, set lever, knit 1 row) 4 times. STEP 4: (S/D on 4, set lever, knit 1 row) 4 times. STEP 5: (S/D on 5, set lever, knit 1 row) 4 times. STEP 6: (S/D on 4, set lever, knit 1 row) 4 times. STEP 7: (S/D on 3, set lever, knit 1 row) 4 times. STEP 8: (S/D on 2, set lever, knit 1 row) 4 times\*. Rep. from \* to \*.

**BACK:** T4. Using Katie cast on 111(117-123-129)sts. for 1x1 rib. Half Pitch lever on H, bring rem. needles on main bed to B pos, transfer heels of sts. onto empty needles. R/C on 0. T10 on main bed, T8 on ribber bed, commence rib patt. and knit 17 rows. Half Pitch lever on P. Transfer sts. from ribber bed to corresponding needles on main bed \*\*. R/C on 0. T10 commence weaving patt. and knit until R/C reads 182. **SHAPE ARMHOLES:** R/C on 0. Cast off 8(9-10-11)sts. beg. next 2 rows. Dec. 1 st. ea. end next row and foll. alt. rows 9(10-11-12) times in all. 77(79-81-83)sts. Knit until R/C reads 70(70-74-74) **SHAPE SHOULDERS:** Cast off 7(8-8-8)sts. beg. next 4 rows, then 8(7-7-8)sts. beg. foll. 2 rows. Cast off rem. 33(33-35-35)sts.

**POCKET FACINGS:** Using Katie cast on 31sts. with selvedge edge. R/C on 0. T10, knit 46 rows. Take off machine on waste yarn.

**LEFT FRONT:** T4. Using Katie cast on 55(57-61-63)sts. for 1x1 rib. Work as for Back to \*\*, B and D only inc. 1 st. on R of machine in last row. 55(58-61-64)sts. R/C on 0. T10. Commence weaving patt. and knit 46 rows. Counting from R of machine, remove 10th(11th-13th-14th) to 40th(42st-43rd-44th)sts. on to waste yarn, place pocket facing sts. on empty needles. Knit until R/C reads 182. **SHAPE ARMHOLES AND FRONT SLOPE:** R/C on 0. Cast off 8(9-10-11)sts. beg. next row. Dec. 1 st. at armhole edge in alt rows 9(10-11-12) times, **AT THE SAME TIME** dec. 1 st. at neck edge in 2nd row and every foll. 4th row 16(16-17-17) times in all. 21(22-22-23) sts. Knit until R/C reads 70(70-74-74). **SHAPE SHOULDERS:** Cast off 7(8-8-8)sts. beg. next row and foll. alt. row, knit 1 row. Cast off rem. sts.

**RIGHT FRONT:** Work to correspond with Left Front.

**SLEEVES:** T4. Using Katie cast on 55(55-57-57)sts. for 1x1 rib. Work as for Back to \*\* noting to rib 49 rows. T10, knit 1 row, then take off machine on waste yarn. Replace work on machine, reversing fabric. R/C on 0. T10 commence weaving patt. Knit 4 rows. Inc. 1 st. ea. end next row and foll. 8th (6th-6th-6th) rows 15(5-5-9) times in all, B, C and D only — then in foll. 8th rows (11-11-8) times. 85 (87-89-91)sts. Knit until R/C reads 138. **SHAPE TOP:** R/C on 0. Cast off 4(4-5-5)sts. beg. next 2 rows. Dec. 1 st. ea. end next and alt. rows 24(23-27-26) times in all, then in every row 5(7-3-5) times. R/C reads 54(54-58-58). Cast off rem. 19sts.

**FRONT BAND AND COLLAR:** T4. Using Katie cast on 23sts. for 1x1 rib. R/C on 0. Work rib as for Back until R/C reads 180. Inc. 1 st. ea. end next row and foll. alt. rows 35 times in all. 93sts. Knit 90 rows. Dec. 1 st. ea. end next row and foll. alt. rows 35 times in all — 23sts. Knit 180 rows. R/C reads 588. Cast off.

**BELT:** T4. Using Katie cast on 23sts. for 1x1 rib. Work rib as for Back until R/C reads 500. Cast off.

**POCKET TOPS:** Wrong side facing. Replace pocket tops on machine removing waste yarn. T10. Knit 1 row. Transfer sts. for 1x1 rib. R/C on 0. Work in rib in same manner as for Back until R/C reads 26. Cast off.

**TO MAKE UP:** Press work lightly. Join shoulder, side and sleeve seams, reversing seam for 6 cm (2-3/8 in.) for cuff. Fold Front Band and Belt in half, right side inside, and join edges tog., turn to right side. Stitch folded edge of Front Band to Jacket as illustrated. Slip st. pocket facings in position. Fold back pocket tops and stitch in position. Press seams.



## LADY'S SLACKS

Pattern No. AU29-5



**MATERIALS:** 14(14-15-15) 50g balls PATONS Katie Patonised. Hem facing. Round Elastic.

**MEASUREMENTS:** To fit 60[65-70-75]cm, 23½(25½-27½-29½)in. waist. Hips 85[90-95-100]cm, 33½(35½-37½-39¼)in. Length (outside leg) 98[98-99-99]cm, 38½(38½-39-39)in.

**TENSION:** T9.2=24½sts. and 36 rows to 10cm (approx. 4in.). (Please check).

### BACK:

**RIGHT LEG:** Carr. on left. Cast on 80(83-86-89)sts. for selvedge cast on T9.2 R/C on 0. Knit 30 rows. Dec. 1 st. ea. end next row and foll. 24th rows 6 times in all - 68(71-74-77)sts. Knit until R/C reads .255. **SHAPE CROTCH:** R/C on 0. Cast off 4sts. beg. next row. Dec. 1 st. at end of next row and foll. alt. rows 6 times in all, then in foll. 8th rows 3 times - 55(58-61-64)sts. Dec. 1 st. ea. end of foll. 8th rows 7 times. 41(44-47-50)sts. \*\* Knit 1 row. **SHAPE BACK:** Cams on 2 (KH600-610-680) cams on III (KH-91). \*\*\* push 8(8-9-10) furthest needles from carr. into E pos. Knit 2 rows (always putting yarn under 1st inner needle in E pos to avoid making a hole) \*\*\*. Rep. from \*\*\* to \*\*\* 4 times. Cams on Knit, knit 1 row. Transfer sts. for 1x1 rib. R/C on 0. T7 Knit 8 rows. Cast off loosely.

**LEFT LEG:** Work to correspond with Right Leg.

### FRONT:

**LEFT LEG:** Work as for Right Back Leg to \*\*. Knit 2 rows. Transfer sts. for 1x1 rib. T7 Knit 8 rows. Cast off loosely.

**RIGHT LEG:** Work to correspond with Leg Leg.

**MAKE UP:** Press work lightly. Join front, back and leg seams. Sew hem facing in pos. Thread 3 rounds of elastic in alt. rounds at waist. Press seams.

## MAN'S FAIR ISLE JUMPER

Pattern No. AU29-6 (See illustration page 7)

**MATERIALS:** 12(13-14) 50g balls Main Colour (M.C.), 2(2-2) 50g balls 1st Contrast Colour (C.C.1), 2(2-2) 50g balls 2nd Contrast Colour (C.C.2), PATONS Totem Patonised.

**MEASUREMENTS:** To fit 90[95-100]cm, 35½(37½-39¼)in. chest. Measures 95[100-105]cm, 37½(39¼-41¼)in. Length 70[70-71]cm, 27½(27½-28)in. Sleeve seam 48cm, (19in.)

**TENSION:** T10=28sts. and 33 rows to 10cm (approx. 4in.) over patt. No 2 (please check). T10=24½sts. and 32½ rows to 10cm (approx. 4in.) over stocking st. (please check).

**PATTERN No. 1:** Set machine for Fair Isle. \* Using

M.C. as background and C.C.1 as laying in thread. **STEP 1:** S/D on 1, Press buttons 2, 3, 4 and 5, set lever. Knit 1 row Fair Isle. **STEP 2:** S/D on 2, set. Knit 1 row Fair Isle. **STEP 3:** S/D on 3, set. Knit 1 row Fair Isle. **STEP 4:** S/D on 4, set. Knit 1 row Fair Isle. **STEP 5:** S/D on 5, set. Knit 1 row on Fair Isle. **STEP 6:** S/D on 6, set. Knit 1 row Fair Isle. **STEP 7:** S/D on 2, set. Knit 1 row Fair Isle. **STEP 8:** S/D on 1, set. Knit 1 row Fair Isle. **STEP 9:** S/D on 8, set. Knit 1 row Fair Isle. **STEP 10:** S/D on 7, set. Knit 1 row Fair Isle. **STEP 11:** S/D on 6, set. Knit 1 row Fair Isle. **STEP 12:** S/D on 5, set. Knit 1 row Fair Isle. \*

**PATTERN No. 2:** Set machine for Fair Isle. \* Using M.C. as background and C.C.2 as laying in thread. **STEP 1:** Press buttons 4 and 6 (set, knit 1 row) 5 times. **STEP 6:** Press buttons 3, 5 and 7, set, knit 1 row. **STEP 7:** Press buttons 2, 4, 6 and 8, set, knit 1 row. **STEP 8:** Press buttons 3, 5 and 7, set, knit 1 row. \* Rep. from \* to \*.

(continued on Page 12)



Pattern AU29-7  
See page 12





Pattern AU29-8

See page 16





**BACK:** T2. Using M.C. cast on 114(122-130)sts. for 2x2 rib. R/C on 0. T7. Rib 36 rows. Transfer sts. to main bed. R/C on 0. T10. Knit 2 rows setting machine for Fair Isle. Knit 12 row pattern 1, then 86 rows setting machine for Fair Isle in last row. Knit 12 rows pattern 1. Continue in stocking st., K.2 rows M.C., 2 rows C.C.2, 2 rows M.C., 2 rows C.C.1, R/C reads 120. Take off machine on waste yarn. Replace work on Machine inc. 9sts. evenly across (odd st. on R.) 123 (131-139)sts. **SHAPE ARMHOLES:** Knit 2 rows setting machine for Fair Isle. R/C 0. Commence patt. 2 \*\*. Inc. ea. end of next row and alt. rows 27(27-29) times in all. 177(185-197)sts. Work 3 rows. R/C reads 56(56-60). **SHAPE SHOULDERS:** Cast off 6(6-7)sts. beg. next 16(8-20) rows, then 7(7-8)sts. beg. next 6(14-2) rows. Take rem. 39(39-41)sts. off machine on waste yarn.

**FRONT:** Work as for Back to \*\*. R/C on 0. Inc. ea. end next and alt. rows 20(20-21) times in all. 163 (171-181)sts. Knit 1 row. **SHAPE NECK:** Knit off manually on to waste yarn 91(95-101)sts. opposite end to carr. and push into A pos. Cont. inc. at arm-hole edge in every alt. row from previous inc. 7(7-8) times. **AT THE SAME TIME** dec. at neck edge in every row 5(5-3) times, then in alt. rows 5(5-7) times. Knit 1 row. **SHAPE SHOULDER:** Cast off 6(6-7)sts. beg. next row and foll. alt. rows 8(4-10) times in all, then 7(7-8)sts. beg. of alt. row/s until all sts. are worked off. Bring sts. on waste yarn back to B pos. Knit centre 19(19-21)sts. off onto waste yarn, work on rem. sts. to correspond with other side.

**SLEEVES:** T2. Cast on 54(54-58)sts. for 2x2 rib. R/C on 0. T7 rib 32 rows. Take off machine on waste yarn. Replace work on main bed, inc. 8sts. evenly across. 62(62-66)sts. T10. Knit 2 rows setting Machine for Fair Isle. R/C on 0. Knit 12 rows pattern 1. Working in stocking stitch inc. 1 st. ea. end next and foll. 4th rows 22(22-23) times in all, 106(106-112)sts. Continue until R/C reads 108, setting machine for Fair Isle in last row. Knit 12 rows pattern 1. Working in stocking st. knit 2 rows M.C., 2 rows C.C.2, 2 rows M.C., 2 rows C.C.1, 2 rows M.C. Cast off.

**NECKBAND:** Join right shoulder seam. With wrong side facing pick up 122(122-126)sts. evenly along neck edge. T10. Using M.C., knit 1 row. Transfer sts. for 2x2 rib. T7. Rib 14 rows. Cast off.

**TO MAKE UP:** Press work lightly. Join side, sleeve and left shoulder seams. Sew in sleeves. Fold neckband in half on to wrong side and stitch in position. Press seams.

## PATTERNED SUIT

Pattern No. AU29-7



**MATERIALS:** JACKET—15(15-16-16-17-17) 50g balls PATONS Katie Patonised. SKIRT—11(11-12-12-13-13) 50g balls. Hem Facing. 2cm (¾in.) wide elastic for skirt. 18cm (7in.) Zip for skirt.

**MEASUREMENTS:** To fit 80[85-90-95-100-105] cm, 31½(33½-35½-37½-39¼-41¼)in. bust. Measures 87 [93-99-105-111-117] cm, 34¼(36½-39-41¼-43¾-46) in. Waist 60[65-70-75-80-85] cm, 23½(25½-27½-29½-31½-33½)in. Hips 85[90-95-100-105-110] cm, 33½ (35½-37½-39¼-41¼-43¼)in. Length Jacket 65[65-66-66-67-67] cm, 25½(25½-26-26-26¼-26¼)in. Length Skirt 64[64-65-65-66-66] cm, 25(25-25½-25½-26-26) in. Sleeve seam. 43cm, 17in.

**TENSION:** T10=25sts. and 50 rows to 10cm (approx. 4in.) over patt. (please check).

**PATTERN A:** \*\* STEP 1: Cam on 2 (KH600-610-680) on III (KH91) (HOLD) S/D on 1. Press buttons 1 and 5, set lever, knit 3 rows. STEP 2: Cam on 3 (KH600-610-680) on I (KH91) (KNIT) Knit 1 row. STEP 3: Cam on HOLD S/D on 2, set lever, knit 3 rows. STEP 4: Cam on KNIT, knit 1 row. STEP 5: Cam on HOLD, S/D on 3, set lever, knit 3 rows. STEP 6: Cam on KNIT, knit 1 row. STEP 7: Cam on HOLD, S/D on 4, set lever, knit 3 rows. STEP 8: Cam on KNIT, knit 1 row. \*\* Rep. from \*\* to \*\*.

**PATTERN B:** Work as patt. A noting that S/D will be on 8, 7, 6 and 5.



## JACKET

**LEFT BACK:** Carr. on L, cast on 55(59-63-67-71-75)sts. for selvedge edge, 27sts. L. of 0, 28(32-36-40-44-48)sts. R. of 0. Knit 2 rows st. st. R/C on 0. T10 commence patt. A and knit until R/C reads 40. Dec. 1 st. at beg. of next row and foll. 10th rows 6 times in all. Knit 17 rows. Inc. 1 st. at beg. of next row and foll. 10th row 6 times in all, knit until R/C reads 222. **SHAPE ARMHOLE:** R/C on 0. Cast off 6(7-9-10-11-12)sts. beg. next row. Dec. 1 st. at beg. of foll. alt. rows 6(8-9-11-13-15) times. 43(44-45-46-47-48)sts. Knit until R/C reads 106(106-110-110-114-114). **SHAPE SHOULDER:** Cast off 15(14-13-12-11-10)sts. beg. next row. Work 1 row. Cast off.

**RIGHT BACK:** Carr. on R, work to correspond with Left Back taking note to use patt. B and having 28(32-36-40-44-48)sts. L. of 0, 27sts. R. of 0.

**RIGHT FRONT SIDE PANEL:** Carr. on L, cast on 28(30-32-34-36-38)sts. for selvedge edge, 15sts. L. of 0, 13(15-17-19-21-23)sts. R. of 0. Knit 2 rows st. st. R/C on 0. T10 commence patt. A and knit until R/C reads 40. Dec. 1 st. at beg. of next row and foll. 10th rows 6 times in all. Knit 17 rows inc. 1 st. at beg. of next row and foll. 10th rows 6 times in all. Knit until R/C reads 222. **SHAPE ARMHOLE:** Cast off 6(7-9-10-11-12)sts. beg. next row. Dec. 1 st. at beg. of foll. alt. rows 6(8-9-11-13-15) times. 16(15-14-13-12-11)sts. Knit until R/C reads 106(106-110-110-114-114). Cast off.

**LEFT FRONT SIDE PANEL:** Carr. on R. Work to correspond with Right Front side panel taking note to use patt. B. and having 13(15-17-19-21-23)sts. L. of 0. 15sts. R. of 0.

**LEFT FRONT PANEL:** Carr. on R, cast on 28(30-32-34-36-38)sts. for selvedge edge, 15sts. L. of 0 and 13(15-17-19-21-23)sts. R. of 0. Knit 2 rows st. st. R/C on 0. T10 commence patt. A and knit until R/C reads 222. **SHAPE FRONT SLOPE:** R/C on 0. Dec. 1 st. at end of next row and foll. 6th rows 17(17-18-18-19-19) times in all — 11(13-14-16-17-19) sts. Knit until R/C reads 108(108-112-112-116-116) (note extra 2 rows allowed for shoulder sloping). Cast off.

**RIGHT FRONT PANEL:** Carr. on L, work to correspond with Left Front panel taking note to use Patt. B. and having 13(15-17-19-21-23)sts. L. of 0. and 15sts. R. of 0. **1ST SLEEVE:** Cast on 47(47-47-51-51-51)sts. for selvedge edge. 23sts. L. of 0. 24

(24-24-28-28-28)sts. R. of 0. R/C on 0. T10 knit 2 rows st. st. Commence patt. A and knit 4 rows. Inc. 1 st ea. end next row and foll. 16th(12th-10th-10th-10th-8th) rows 12(4-4-3-15-8) times in all, B, C, D, E and F only — then in foll. (14th-12th-12th-12th-10th) rows (10-12-13-3-12) times — 71(75-79-83-87-91)sts. Knit until R/C reads 224. **SHAPE TOP:** Cast off 3(3-4-5-5-6)sts. beg. next 2 rows. Dec. 1 st. ea. end next row and foll. 4th rows 20(18-19-18-18-17) times in all, B, C, D, E and F only — then in alt. rows (4-4-6-8-10) times. 25sts. Knit 1 row. Cast off. **2ND SLEEVE:** Work as for 1st Sleeve taking note to use Patt. B.

**FRONT BAND:** Join Fronts and shoulder seams. Cast on 11sts. for 1x1 rib. T7. Knit until band is length required to fit (slightly stretched) along fronts and across back of neck. Cast off.

**COLLAR:** Cast on 187(187-191-191-195-195)sts. for 1x1 rib. R/C on 0. T7 knit 28 rows. Cast off 4sts. beg. next 26 rows. Cast off rem. sts.

**MAKE UP:** Press work lightly. Join side and sleeve seams. Sew in sleeves. Sew hem facing around lower edge of Jacket and Sleeves. Sew collar and bands in pos. Press seams.

## SKIRT

**LEFT BACK AND RIGHT FRONT:** Cast on 41(43-47-49-53-55)sts. for 1x1 rib, 23sts. L. of 0. 18(20-24-26-30-32)sts. R. of 0. R/C on 0. T7 rib 20 rows. B, D and F only — inc. on R. of machine in last row. Transfer sts. to main bed. R/C on 0. T10. Commence patt. A. and knit 4 rows. Inc. 1 st. each end next row and every foll. 8th rows 4 times in all, then in foll. 12th rows 4 times — 57(60-63-66-69-72)sts. Continue inc. in every foll. 24th row until there are 73(76-79-82-85-88)sts. Knit until R/C reads 305. Cast off 4sts. beg. next and alt. rows 8 times in all. Cast off rem. sts.

**RIGHT BACK AND LEFT FRONT:** Work to correspond with Left Back and Right Front noting to use patt. B. and having 18(20-24-26-30-32)sts. L. of 0. and 23sts. R. of 0.

**TO MAKE UP:** Press work lightly. Join skirt seams leaving 18cm (17in.) in left side seam open for zip. Fold waist band in half on to wrong side and stitch in position. Sew — zip and hem facings in pos. Thread 2cm (¾in.) wide elastic through waist. Press seams.



Pattern AU29-9

See page 16





Pattern AU29-10  
See page 19





## PATTERNED DRESS

Pattern No. AU29-8 (See illustration page 11)

**MATERIALS:** 22(22-23) 50g balls PATONS Katie Patonised. 2m (2yds.) Hem Facing.

**MEASUREMENTS:** To fit 80[85-90]cm, 31½(33½-35½)in. bust, measures approx. 80[85-90]cm, 31½(33½-35½), length 104[104-105]cm, 41(41-41¼)in., Sleeve Seam (excluding cuff) 43cm, 17in.

**TENSION:** T10=22sts. and 46 rows to 10cm (approx. 4in.) over patt. (Please check).

### PATTERN FOR RIGHT FRONT AND LEFT BACK:

Carr. on Right. Reverse switch on —. Tuck buttons in. \* STEP 1: (S/D 1. Press buttons 1 and 4, set lever. Knit 1 row) twice. STEP 2: (S/D on 2. Set, knit 1 row) twice. STEP 3: S/D on 3. Set, knit 1 row) twice. STEP 4: (S/D on 4. Set, knit 1 row) twice. STEP 5: (S/D on 5. Set, knit 1 row) twice. STEP 6: (S/D on 6. Set, knit 1 row) twice. STEP 7: (S/D on 7, set, knit 1 row) twice. STEP 8: (S/D on 8. Set, knit 1 row) twice. \* Rep. from \* to \*.

### PATTERN FOR LEFT FRONT AND RIGHT BACK:

Work in same manner, noting that S/D will be on 8, 7, 6, 5, 4, 3, 2 and 1.

**PATTERN FOR SLEEVES AND YOKE:** Work in same manner, noting that S/D will be on 1, 2, 3, 4, 5, 6, 7, 8, 7, 6, 5, 4, 3 and 2.

**RIGHT FRONT AND LEFT BACK:** Carr. on right. T10. Cast on 44(48-52)sts. with selvedge edge. 22(24-26)sts. ea. side of 0. Knit 2 rows. R/C on 0. Commence patt. and knit, dec. 1 st. Right Side of Machine in 9th row and every foll. 20th row 5 times in all. 39(43-47)sts. Knit 19 rows. Inc. 1 st. ea. end next row and every foll. 10th row 17 times in all, then in every foll. 12th row 7 times. 87(91-96)sts. Continue until R/C reads 376. Cast off 4sts. beg. next and alt. rows 8 times in all. Knit 1 row. Cast off rem. sts.

**LEFT FRONT AND RIGHT BACK:** Cast on 44(48-52)sts. with selvedge edge having 23(25-27)sts. R. of 0. and 21(23-25)sts. L. of 0. Work to correspond with Right Front and Left Back.

**RIGHT SLEEVE AND YOKE:** T2. Cast on 61(63-65)sts. for 1x1 rib. T7 rib 37 rows inc. 1 st. in last row — 62(64-66)sts. Transfer sts. to main bed. R/C on 0. T10. Commence patt. and knit inc. 1 st. ea. end 5th and every foll. 20th row 7 times in all. 76(78-80)sts. Knit until R/C reads 160. Inc. 1 st. ea. end next row and foll. alt. rows 4 times in all. 84(86-88)sts.

R/C on 0. Knit 64 rows. Knit off manually on to waste yarn 42(43-44)sts. at opposite end to carr. Knit 26(26-28) rows. Cast off. Bring rem. sts. back to B pos. R/C on 64. SHAPE NECK: Cast off 3sts. beg. next row and alt. rows 13(13-14) times, knit 1 row. R/C reads 90(90-92). Cast off rem. sts. LEFT SLEEVE AND YOKE: Work to correspond with right sleeve and yoke.

**COLLAR:** T2. Cast on 191(195-199)sts. for 1x1 rib. T7 rib 30 rows. Cast off 6sts. beg. next 10 rows. Cast off rem. sts.

**TO MAKE UP:** Press work lightly. Sew skirt and sleeve seams, reversing seam for 7.5cm (3in.) for cuff. Join centre of yoke at back. Sew yoke collar and hem facing in position. Press seams.

## LADY'S POLO NECK

Pattern No. AU29-9



**MATERIALS:** 7(8-9-9) balls PATONS Totem Patonised, Main Colour (M.C.) 7(8-9-9) balls 1st Contrast Colour (C.C.1), 2(2-2-2) balls 2nd Contrast Colour (C.C.2).

**MEASUREMENTS:** To fit 80[85-90-95]cm, 31½(33½-35½-37½)in. bust. Measures 90[95-100-105]cm, 35½(37½-39¼-41¼)in. Length 62[62-63-63]cm, 24½(24½-24¼-24¼)in. Sleeve Seam (excluding cuff) 43[43-43-43]cm, 17(17-17-17)in.



**TENSION:** T10=24½sts. and 32½ rows to 10cm (approx. 4in.) over stocking st. (Please check).

**PATTERN:** Set machine for Fair Isle. \* Using C.C.2 as background, C.C.1 as laying in thread. **STEP 1:** Press buttons 1, 2, 4 and 5, set lever, knit 1 row Fair Isle. **STEP 2:** Press buttons 1 and 5, set, knit 1 row Fair Isle. **STEP 3:** Press button 3, set, knit 1 row Fair Isle. **STEP 4:** Press buttons 2 and 4, set, knit 1 row Fair Isle. **STEP 5:** Press button 3, set, knit 1 row Fair Isle. **STEP 6:** Press buttons 1 and 5, set, knit 1 row Fair Isle. **STEP 7:** Press buttons 1, 2, 4 and 5, set, knit 1 row Fair Isle. **STEP 8:** Press buttons 1, 5, 6 and 8, set, knit 1 row Fair Isle. **STEP 9:** Press buttons 1 and 5, set, knit 1 row Fair Isle. **STEP 10:** Press button 7, set, knit 1 row Fair Isle. **STEP 11:** Press buttons 6 and 8, set, knit 1 row Fair Isle. **STEP 12:** Press button 7, set, knit 1 row Fair Isle. **STEP 13:** Press buttons 1 and 5, set, knit 1 row Fair Isle. **STEP 14:** Press buttons 1, 5, 6 and 8, set, knit 1 row Fair Isle. \* Rep. from \* to \*.

**BACK AND FRONT:** (Both alike). T2. Using M.C. cast on 110(118-126-134)sts. for 2x2 rib. R/C on 0. T10 on main bed. T8 on ribber bed. Knit 40 rows. Transfer sts. to main bed. R/C on 0. T10. Using C.C.2 knit 2 rows setting machine for Fair Isle. Commence patt. knit 14 rows patt., using C.C.2 knit 2 rows stocking st., using C.C.1 knit in stocking st. until R/C reads 52. **DIVIDE FOR NECK:** Knit 55(59-63-67)sts. opp. end to carr. manually onto waste yarn and push into A pos. R/C on 0 dec. 1 st. at neck edge in every row 11(19-19-27) times, then in foll. alt. rows 19(15-15-11) times. 25(25-29-29)sts. **SHAPE ARMHOLES:** Cast off 4sts. beg. next row. Dec. 1 st. at armhole edge in alt. rows 9(9-11-11) times, **AT THE SAME TIME** dec. 1 st. at neck edge in every foll. alt. row from previous dec. 10(10-12-12) times. 2sts. R/C reads 69(69-73-73). K.2 tog. Fasten off. Bring rem. sts. back to B pos. and work to correspond with other side. **LEFT FRONT AND RIGHT BACK INSERT:** Using C.C.2, cast on 96sts. with selvedge edge. Knit 1 row. Knit 1 row setting machine for Fair Isle. Knit 28 rows patt. dec. 1 st. R of machine in every alt. row. Knit 2 rows stocking st. Cast off. **RIGHT FRONT AND LEFT BACK INSERT:** Work to correspond with Left Front and Right Back Insert.

## YOKE

**BACK:** T2. Using M.C. cast on 6sts. for 2x2 rib. R/C on 0. T10 on main bed. T8 on ribber bed. Rib 2

rows. Cast on 2sts. beg. every row 22(22-18-18) times. \*\* Inc. each end of next and alt. rows until R/C reads 62(62-68-68). **SHAPE SHOULDERS:** Cast off 8sts. beg. next 4 rows, then 7sts. beg. foll. 2 rows. Take rem. sts. off on waste yarn.

**FRONT:** Work as for Back to \*\*. Inc. 1 st. at each end of next and alt. rows 8(8-11-11) times. **SHAPE NECK:** Knit 44sts. opp. end to carr. manually on to waste yarn, push needles into A pos. Inc. (as before) in alt. rows 11(11-12-12) times **AT THE SAME TIME** dec. 1 st. at neck edge in alt. rows 10(10-11-11) times. Knit 1 row. **SHAPE SHOULDER:** Cast off 8sts. beg. next row and foll. alt. row. Work 1 row. Cast off. Bring rem. sts. back to B pos. Take centre 20sts. off on waste yarn and work to correspond with other side.

**SLEEVES:** T2. Cast on 42(42-46-46)sts. for 2x2 rib. R/C on 0. T10 on main bed. T8 on ribber bed. Rib 50 rows. Take off machine on waste yarn. Replace on main bed inc. 8sts. evenly across 50(50-54-54)sts. R/C on 0. T10. Using C.C.2 knit 2 rows, setting machine for Fair Isle. Knit 14 rows patt. Using C.C.2 knit 2 rows stocking st. Using C.C.1 and stocking st., inc. 1 st. each end next row and foll. 6th(4th-4th-4th) rows. 11(7-10-16) times in all, then in foll. 8th (6th-6th-6th) rows 2(9-7-3) times — 76(82-88-92) sts. Continue until R/C reads 114. **SHAPE TOP:** Cast off 4sts. beg. next 2 rows. Dec. 1 st. each end of next and alt. rows 9 times in all. Cast off rem. 50 (56-62-66)sts.

**POLO COLLAR:** Join right shoulder seam. With wrong side facing pick up 110(110-114-114)sts. evenly along neck edge. T10. Using M.C. Knit 1 row. Transfer sts. for 2x2 rib. R/C on 0. T10 on main bed, T8 on ribber bed. Knit until R/C reads 66. Cast off.

**TO MAKE UP:** Press work lightly. Join raglan, side and sleeve seams, reversing seams for 8cm (3¼in.) for cuff. Join inserts and stitch along shaped edge of jumper. Join left shoulder seam. Sew yokes in pos. Press seams.

# EMPISAL



Pattern AU29-11  
See page 20





## DIAGONAL CABLE JUMPER

Pattern No. AU29-10



**MATERIALS:** 13(13-14-14) 50g balls PATONS Totem Patonised.

**MEASUREMENTS:** To fit 80[85-90-95]cm, 31½(33½-35½-37½)in. bust. Measures 83[88-93-98]cm, 32¾(34½-36½-38½)in. Length 60[60-61-61]cm, 23½(23½-24-24)in. Sleeve seam 43[43-43-43]cm, 17(17-17-17)ins.

**TENSION:** T10=24½sts. and 32½ rows to 10cm, (approx. 4in.) over stocking st. (please check).

**BACK:** T2. Cast on 105(111-117-123)sts. for 1x1 rib. T7 on main machine, T6 on ribber, rib 40 rows. Transfer to main bed. T10. Knit 100 rows. **SHAPE ARMHOLES:** R/C 0. Cast off 7(8-8-9)sts. beg. next 2 rows. Dec. 1 st. each end next and alt rows 6(7-8-9) times in all, 79(81-85-87)sts. Cont. until R/C reads 62(64-66-68). **SHAPE SHOULDERS:** Cast off 8(8-9-9)sts. beg. next 4 rows, then 8(9-8-9)sts. beg. foll. 2 rows. 31(31-33-33)sts. Transfer sts. for 1x1 rib. T7 on main machine, T6 on ribber, rib 10 rows for neckband. Cast off loosely.

**FRONT:** T2. Cast on 109(115-121-127)sts. for 1x1 rib (odd st. on R). T7 on main machine. T6 on ribber, rib 40 rows. Transfer to main bed. Transfer 24th and 31st sts. to L of 0 and 22nd and 29th sts. to R of 0 on to adjacent needles, push empty needles into A pos. T10. R/C 0. Knit 2 rows. \* Move panels as folls: Transfer each group of 6sts. 1 st. to L. On L side of each group dec. 1 st. by transferring next st.

on to adjacent needle, push empty needle into A pos. On R side of each group inc. 1 st. by bringing A pos. needle to B pos., transferring adjacent st. on to it, then placing heel of this st. on to needle thus emptied, push empty needle between inc. and 6sts. into A pos. (Thus there is still 1 A pos. needle each side of each group of 6sts.) \* Knit 2 rows. \*\* Rep. from \* to \*, then work a cable over each group of 6sts. by crossing 3sts. on L over 3sts. on R. Knit 2 rows. Rep. from \* to \*\* 3 times. These 10 rows form patt. Cont. in patt. until R/C reads 38(32-26-20), then introduce another panel. On R of machine, bring another needle into B pos. and transfer end st. on to it, push empty needle into A pos. Cont. to move panels, inc. on R of machine to compensate for st. dec. on L of A pos. needle, until there are 6 B pos. needles on R, then introduce another A pos. needle as before. NOTE - When each A pos. needle on L of machine reaches edge of work, bring it into B pos. and place edge st. on to it, push edge needle into A pos. Cont. movement of panels until R/C reads 100. There should be 52(55-58-61)sts. L of 0 and 57(60-63-66)sts. R of 0 (counting A pos. needles). **SHAPE ARMHOLES:** R/C 0. Cast off 7(8-8-9)sts. beg. next 2 rows. Dec. 1 st. each end next and alt. rows 6(7-8-9) times in all. 83(85-89-91)sts. (counting A pos. needles). Cont. until R/C reads 30. **SHAPE NECK:** Carr. on L. On side opp. carr. knit 58(59-62-63)sts. (counting A pos. needles) manually on to waste yarn, push into A pos. Cont. on rem. sts. until R/C reads 62(64-66-68). 24(25-26-27)sts. **SHAPE SHOULDER:** Cast off 8(8-9-9)sts. beg. next row and foll. alt row. Work 1 row. Cast off. Return rem. sts. to B pos. Knit centre 33(33-35-35)sts. (counting A pos. needles) manually on to waste yarn. R/C 30. Knit on rem. sts. until R/C reads 63(65-67-69). Shape shoulder as for other side.

**SLEEVES:** T2. Cast on 43(45-47-49)sts. for 1x1 rib. T7 on main machine, T6 on ribber, rib 32 rows. Transfer to main bed. R/C on 0. T10. Knit 4 rows. Inc. 1 st. each end next row and foll. 8th rows 9(6-3-0) times, then in foll. 6th rows 4(8-12-16) times. 71(75-79-83)sts. Cont. until R/C reads 112. **SHAPE TOP:** R/C on 0. Cast off 4sts. beg. next 2 rows. Dec. 1 st. each end next and alt. rows until R/C reads 43, then every row until R/C reads 46(48-50-52). 15sts. Cast off.

**FRONT NECKBAND:** Wrong side facing, pick up 79(83-87-91)sts. evenly around front neck, incl. sts. from waste yarn. T10 knit 1 row. Transfer sts. for 1x1 rib. T7 on main machine, T6 on ribber, rib 10 rows. Cast off loosely.



**COLLAR:** T2. Cast on 164(169-173-177)sts. for 1x1 rib. T7 on main machine, T6 on ribber, rib 42 rows. Cast off 10sts. beg. next 8 rows. Cast off.

**TO MAKE UP:** Press lightly. Join side, shoulder and sleeve seams, sew in sleeves. Stitch collar to inside of neckband.

## LADY'S ZIPPER JACKET

Pattern No. AU29-11 (See illustration page 18)

**MATERIALS:** 7(7-8) 50g balls PATONS Katie Patonised, Main Colour (M.C.), 5(5-6) 50g balls Contrast Colour (C.C.). 46cm (18in.) "Lightning" Zipper (Green Pack).

**MEASUREMENTS:** To fit 80[85-90]cm, 31½(33½-35½)in. bust. Measures (approx.) 85[91-97]cm, 33½(35¼-38¼)in. Length 62[62-63]cm, 24½(24½-24¾)in. Sleeve seam (excluding cuff) 43[43-43], 17(17-17)in.

**TENSION:** T10=26sts. and 33 rows to 10cm (approx. 4in.) over patt.

### PATTERN FOR LEFT BACK AND RIGHT FRONT:

Set machine for Fair Isle. Reverse switch - S/D on 1. STEP 1: Press buttons 1, 2, 3 4 and 5. (Set lever, knit 1 row Fair Isle) twice. STEP 2: Press buttons 1 and 2. (Set lever, knit 1 row Fair Isle) twice. STEP 3: Knit 2 rows stocking stitch. STEP 4: Press buttons 1, 5, 6, 7 and 8. (Set lever, knit 1 row Fair Isle) twice. STEP 5: Press buttons 5 and 6. (Set lever, knit 1 row Fair Isle) twice. STEP 6: Knit 2 rows stocking stitch. Repeat.

### PATTERN FOR RIGHT BACK AND LEFT FRONT:

Set machine for Fair Isle. Reverse switch - S/D on 1. STEP 1: Press buttons 1, 5, 6, 7 and 8. (Set lever, knit 1 row Fair Isle) twice. STEP 2: Press buttons 1 and 8. (Set lever, knit 1 row Fair Isle) twice. STEP 3: Knit 2 rows stocking stitch. STEP 4: Press buttons 1, 2, 3, 4 and 5. (Set lever, knit 1 row Fair Isle) twice. STEP 5: Press buttons 4 and 5. (Set lever, knit 1 row Fair Isle) twice. STEP 6: Knit 2 rows stocking stitch. Repeat.

**LEFT BACK:** T2, Cast on with M.C. 58(62-66)sts. for 2x2 rib. 32sts. L of 0, 26(30-34)sts. R of 0. T7 on main machine, T6 on ribber, rib 26 rows, dec. 1 st. at R of machine in last row. 57(61-65)sts. Transfer sts. to main bed. T10. Using C.C., knit 1 row, setting machine for Fair Isle. \*\* R/C 0. Using C.C. as back-

ground and M.C. for Fair Isle work in patt. until R/C reads 114. SHAPE ARMHOLE: R/C 0. Cast off 7(8-9) sts. beg. next row. Dec. 1 st. at armhole edge in alt. rows 6(8-10) times. 44(45-46)sts. Cont. until R/C reads 66(68-70). SHAPE SHOULDER: Cast off 10 sts. beg. next row and foll. alt. row, then 9sts. beg. foll. alt. row. Work 1 row. Take rem. 15(16-17)sts. off machine on waste yarn.

**RIGHT BACK:** T2. Cast on with M.C. 58(62-66)sts. for 2x2 rib. 25(29-33)sts. L of 0, 33sts. R of 0. T7 on main machine, T6 on ribber, rib 26 rows, dec. 1 st. at L of machine in last row. 57(61-65)sts. Transfer sts. to main bed. T10. Using C.C. knit 1 row, setting machine for Fair Isle. \*\*\* R/C 0. Using C.C. as background and M.C. for Fair Isle, work in patt. until R/C reads 113. Complete as for Left Back.

**POCKET LININGS (2):** Using C, cast on 30sts. with selvedge edge. T10. Knit 16 rows stocking stitch. Take off machine on waste yarn.

**LEFT FRONT:** Work as for Right Back to \*\*\*. R/C 0. Work in patt. until R/C reads 36. WORK POCKET: Carr. on R. At L side of machine knit 14(18-22)sts. manually on to waste yarn, push needles into A pos. R/C 0. Work on rem. 43sts., dec. 1 st. at pocket edge in rows 2, 4, 5, 7, 8, 10, 11, 13, 14, 16, 17, 19, 20, 22, 23, 25, 26, 28, 29 and 31. Take rem. 23sts. off machine on waste yarn. Return 14(18-22)sts. at L of machine into B pos. Place a set of pocket lining sts. on 30 needles adjacent to those sts. R/C 36. Work 31 rows patt. on these 44(48-52)sts., casting off 10sts. at beg. of last row. 34(38-42)sts. Replace 23sts. on to next 23 needles, removing waste yarn. 57(61-65)sts. R/C 67. Cont. in patt. until R/C reads 113. SHAPE ARMHOLE AND FRONT SLOPE: R/C 0. Cast off 7(8-9)sts. at beg. and dec. 1 st. at end of next row. Dec. 1 st. at armhole edge in alt. rows 6(8-10) times, AT THE SAME TIME dec. 1 st. at front edge in foll. 4th rows 14(15-16) times. 29sts. Cont. until R/C reads 66(68-70). SHAPE SHOULDER: Cast off 10sts. at beg. of next row and foll. alt. row. Work 1 row. Cast off.

**RIGHT FRONT:** Work as for Left Back to \*\* but start cast-on with carr. on R instead of L. R/C 0. Complete as for Left Front, reading L for R and R for L when working pocket.

**SLEEVES:** T2. Cast on with M.C. 46(46-50)sts. for 2x2 rib. R/C 0. T7 on main machine, T6 on ribber, rib 52 rows. T9 on main machine, T7 on ribber, cont. in rib, inc. 1 st. at each end next row and foll. 8th



(6th-6th) rows 13(16-17) times in all. 72(78-84)sts. Cont. until R/C reads 168. SHAPE TOP: R/C 0. Cast off 3(3-4)sts. beg. next 2 rows. Dec. 1 st. each end next and alt. rows 20(19-19) times in all, then in every row 7(11-13) times. 12sts. R/C 48(50-52). Cast off.

**NECKBAND:** Join centre back and shoulder seams. Wrong side facing, pick up 130(134-138)sts. evenly along neck edge incl. sts. from waste yarn. T10. Using M.C. knit 1 row. Transfer sts. for 2x2 rib. R/C 0. T7 on main machine, T6 on ribber, rib 14

rows. Dec. 1 st. ea. end alt. rows. Rib 14 rows, inc. 1 st. each end of alt. rows. Cast off loosely.

**POCKET TOPS:** Wrong side facing, pick up 30sts. evenly along front pocket edge. T10. Using M.C. knit 1 row. Transfer sts. for 2x2 rib. T7 on main machine, T6 on ribber, rib 14 rows. Cast off loosely.

**TO MAKE UP:** Press Fair Isle lightly. Join side and sleeve seams, reversing seam for 8cm (3¼in.) for cuff. Sew in sleeves. Fold neckband in half and stitch down. Sew pockets and pocket tops in position. Sew in zip. Press seams.

## LADY/MAN HAT, SCARF AND MITTS

Pattern No. AU29-12 (See illustration back cover)

**MATERIALS:** LADY—Hat 3 50g balls, Scarf 17 50g balls, Mitts 2 50g balls. MAN—Hat 4 50g balls, Scarf 17 50g balls, Mitts 3 50g balls. PATONS Totem Patonised. Crochet Hook for fringe.

**MEASUREMENTS:** HAT—Fits head 56[59]cm, 22 (23¼)in., SCARF—(width) 30[30]cm, 11¾(11¾)in., (length, excluding fringe) 200[200]cm, 78¾(78¾)in., MITTS—Fit hand 18[21]cm, 7(8¼)in.

**HAT:** T2. Cast on for 2x2 rib 146(154)sts. T10 on main machine, T8 on ribber, work 64 rows. Transfer to main bed. Counting from each end of work place 17th(18th) st. on to 16th(17th) needle, 22nd(23rd) st. on to 23rd(24th) needle, 53rd(56th) st. on to 52nd(55th) needle and 58th(61st) st. on to 59th (62nd) needle. Return 8 empty needles into A pos. R/C 0. T10. Knit 2 rows. \* Work a cable over each group of 4sts. by crossing 2sts. at left over 2sts. at right. Knit 8 rows. \* Rep. from \* to \* until R/C reads 26(32). Dec. 1 st. at each end of work. 144(152)sts. SHAPE TOP: On side opp. to carr. knit 108(114) sts. manually on to waste yarn (A pos. needles are counted as sts.) Keeping cables correct, dec. 1 st. each end of 3rd and alt. rows until R/C reads 56(64). Cast off. (Return next 36(38) needles to B pos. R/C 26 (32). Work next point in same way) 3 times.

**MAKE UP:** Press lightly, join all seams, reversing seam for 15cm (6in.) of rib.

**SCARF:** T2. Cast on for 2x2 rib 138sts. T10 on main machine, T8 on ribber, work 650 rows. Cast off loosely.

**FRINGE:** Wind yarn around a piece of cardboard 15

cm (6in.) wide and cut along one side. Using crochet hook and 3 strands of yarn, fold yarn in half and draw loop through a st. on end of scarf, draw ends through this loop and tighten. Rep. as desired along both ends of scarf.

**LEFT MITT:** T2. Cast on for 2x2 rib 46(54)sts. T10 on main machine, T8 on ribber, work 26 rows. Transfer to main bed. Counting from L. placd 10th (12th) st. on to 9th(11th) needle and 15th(17th) st. on to 16th(18th) needle. Return 2 empty needles into A pos. R/C 0. T10. Knit 2 rows. \* Work a cable over group of 4sts. by crossing 2sts. at left over 2sts. at right. Knit 8 rows. \* Rep. from \* to \* until R/C reads 48(60). Dec. 1st. at each end of work. 44(52)sts.

**SHAPE TOP:** On side opp. to carr. knit 22(26)sts. manually on to waste yarn (A pos. needles are counted as sts.). Keeping cables correct, dec. 1 st. each end of 3rd and alt. rows until R/C reads 60(72). Cast off. Return rem. needles to B pos. R/C 48(60). Work other side to correspond.

**RIGHT MITT:** Work to correspond with Left Mitt, reversing pos. of cable panel.

**THUMB GUSSETS (2):** Cast on 3sts. with selvedge edge. R/C 0. T10. Work in stockinet, inc. 1 st. each end of 2nd and foll. 3rd rows until R/C reads 20(23). 17(19)sts. Tie a coloured thread at each end of work. Knit 16(19) rows. SHAPE TOP: \*\* Transfer 1 st. each side of centre st. on to centre needle, move other sts. up and dec. at each end \*\*. Knit 2 rows. Rep. from \*\* to \*\*, knit 1 row. Cast off.

**MAKE UP:** Press lightly. Join thumb seams from coloured threads to top. Join seams to mitts, inserting thumb gussets above rib. Press seams.



INTERNATIONAL  
KNITWEAR  
COLLECTION

# EMPISAL

BOOK AU29

