


TOYOTA

Your fashion
factory




BOOK 202 HIS AND HERS

TOYOTA Knitting Machine

How to use THIS tension sample GAUGE

With your main yarn and in the pattern required, knit sample using the tension recommended for your machine and for the thickness of the wool being used.

Holding GAUGING SQUARE on to knitted sample, count the number of stitches and rows within the 5 cm square cutout.



To INCREASE the number of stitches and rows, use a TIGHTER TENSION.

To DECREASE the number of stitches and rows, use a LOOSER TENSION.

DO NOT FORGET!

Give knitted sample time to pull back into shape before counting stitches and rows.

A special message from Helga Guyot, Toyota's own Fashion Consultant:—

The tension mentioned in each pattern is to be used as a guide only and may have to be varied from one machine to another and definitely if other types of wool are to be used.

The tension you set actually changes the size of the garment. That is why I suggest that you always knit at least one tension sample. The method of doing this is as follows: Use the wool that you have selected and the tension that I have recommended for that particular pattern, knit 40 stitches and 40 rows, remove the sample from the machine and allow it to settle for a few hours so that the wool resumes its original shape. The next step is to measure the number of stitches and rows in a 5 cm square. Providing you have the same number of stitches and rows as I have listed in my pattern, then your garment will finish up the correct size. On the other hand, if you have more stitches and more rows than I have indicated, then the tension should be loosened, otherwise your garment will be too small. If you have too few stitches and rows within the square, your tension should be tightened, otherwise your garment will finish up too large. In both these cases, I would suggest that you alter the tension accordingly and knit a further sample. As soon as your sample ends up with the same number of stitches and rows as I have indicated in my pattern, then you know that the tension you have used for that sample should be the tension you use for the body of the garment. For rib bands, use tensions as set out in the pattern.

I suggest that you make the tension sampling easy for yourself by copying the gauge illustrated on this page.

ABBREVIATIONS:

Alt.	= Alternate	MSB	= Needle Selector
Approx.	= Approximately		Button
Beg.	= Beginning	Opp.	= Opposite
cm	= Centimetre	Pos.	= Position
Cont.	= Continue	Rem.	= Remaining
C.C.	= Contrast	Rep.	= Repeat
Dec.	= Decrease	Req.	= Required
1 C.C.	= First contrast	R/C	= Row counter
Foll.	= Following	2 C.C.	= Second Contrast
g.	= Grams		Contrast
Inc.	= Increase	Sts.	= Stitches
M.C.	= Main colour	Tens.	= Tension
Knit	= Move carriage across bed	3 C.C.	= Third contrast
		Trans.	= Transfer

Pattern No. 1

HIS OR HERS, JACKETS TO GO ANYWHERE

(Illus. Front Cover)

MEASUREMENTS:

To fit 80 (85, 90, 95, 100, 105) cm bust or chest

Long Jacket to fit 85 (90, 95, 100, 105, 110) cm hip

LENGTH, centre back:

Long Jacket: 67 (68, 69, 70, 71, 72) cm or as required.

Short Jacket: 60 (63, 66, 67, 68, 69) cm or as required.

Length of Sleeve Seams: 44 (46, 46, 48, 48, 50) cm or as required.

MATERIALS:

VILLAWOOL 5-ply, 100% machine washable wool.

LONG JACKET: 3 (4, 4, 4, 5, 5) Jumbo balls (250 gram) of 30 (31, 32, 33, 34, 35) 25 gram balls.

SHORT JACKET: 3 (3, 3, 3, 4, 4) Jumbo balls (250 gram) or 27 (28, 29, 30, 31, 32) 25 gram balls.

Buttons for front.

TENSION:

8.0 on main carriage 13 sts and 22
5.0 on Ribber carriage (8/5) = rows to 5 cm
over Pattern.

PATTERN:

TUCK AND RACKING PATTERN OVER 12 NEEDLES AND 24 ROWS.

Set Half Pitch lever to "H".

Pitch lever to 0.5

Zig Zag dial to 1.

Press MSB 6 and 7.

Left Pattern Knit lever on main carriage to PATTERN.

LEFT and CENTRE Knitting Levers on Ribber carriage to TUCK.

(747: Press left button II and pull lever before every alt row. Ribber carriage as above.)

NEEDLE ARRANGEMENT:

| | | | | | | | | | | | | | | | | | | | | |

. . . | . | | . | . . .

| = needle with stitch

. = empty needle in A-pos.

| = Pin needle. (Marked by PIN on needle bed.)

: K 2 rows.

*Move Pitch lever one number to right before next and every foll alt row 6 times. Pitch lever ending on 6.5 (12 rows altogether.)

Then move Pitch lever one number to left before next and every foll alt row 6 times, Pitch lever ending on 0.5 (24 rows altogether.)*

Repeat from * to *.

NOTE: Styles of neck shaping can be interchanged.

LONG JACKET WITH BELT

BACK:

Bring 118 (124, 131, 138, 144, 151) needles on both needle beds to B-pos. (Half Pitch lever to "H"). Arrange needles for 2 x 1 rib and cast on. Tens 6.0 on both carriages, k 20 rows in 2 x 1 rib. Transfer all sts to main bed, (there will be 2 sts on every 3rd needle) then arrange needles for Pattern, making new sts with fully fashion method for needles on Ribber bed. Set machine for Pattern, tens 8/5, k 2 rows. R/c on 0, work in Pattern repeating from * to * to row 40 on r/c. (Adjust length here). Dec 1 st at each end next and every foll 8th row 4 times. K to row 194 or as for length req.

Shape Armholes: R/c on 0, cast off 5 (5, 6, 7, 7, 8) sts at the beg of next 2 rows, then dec 1 st at each end next and every foll alt row 5 (6, 7, 8, 9, 10) times. K to row 76 (80, 84, 88, 92, 96) on r/c.

Shape Shoulders: Cast off 8 sts (not counting sts on Ribber bed, but casting those off to) at the beg of the next 6 rows, then cast off 2 (4, 6, 8, 10, 12) sts at the beg of the foll 2 rows. Cast off rem sts.

FRONTS:


Bring 58 (62, 66, 70, 74, 78) needles on both needle beds to B-pos and work 2 x 1 rib band as on back. Transfer all sts to main bed, then arrange needles for Pattern.

Set machine for Pattern, tens 8/5 k 2 rows. R/c on 0, work in Pattern to row 40 on r/c. (Adjust length if back has been altered.) Dec 1 st at side edge next and every foll 8th row 4 times. K to row 194 on r/c or as for length required.

Shape Armholes: R/c on 0, cast off 5 (5, 6, 7, 7, 8) sts at armhole edge, k 2 rows. Dec 1 st at armhole edge next and every foll alt row 5 (6, 7, 8, 9, 10) times. K to row 46 (48, 50, 54, 56, 60) on r/c.

Shape Neck: Cast off 8 (9, 10, 11, 12, 13) sts at neck edge, k 2 rows. Dec 1 st at neck edge next and every foll alt row until 26 (28, 30, 32, 34, 36) sts rem. K to row 76 (80, 84, 88, 92, 96) on r/c.

Shape Shoulder: Cast off 8 sts at shoulder edge next and every foll alt row 3 times, then cast off rem sts.



Second Front: Work second front to correspond, reversing all shapings.

SLEEVES:

Bring 62 (64, 66, 68, 70, 72) needles on both needle beds to B-pos, then work 2 x 1 rib band as on back for 40 rows. Transfer all sts to main bed and arrange needles for Pattern.

Set machine for Pattern, tens 8/5, k 2 rows. R/c on 0, work in Pattern to row 8 on r/c. Inc 1 st at each end next and every foll 8th row to 88 (92, 98, 102, 108, 110) sts. K without shaping to row 150 (160, 160, 170, 170, 180) on r/c, or as for under arm length of sleeve required.

Shape Top: R/c on 0, cast off 5 (6, 6, 7, 7, 7) sts at the beg of the next 2 rows, then dec 1 st at each end next and every foll alt row to row 10 on r/c. Dec 1 st at each end next and every foll 4th row to row 22 on r/c. Dec 1 st at each end next and every foll alt row again to row 50 (52, 56, 58, 62, 64) on r/c. Dec 2 sts at each end next and every foll alt row to row 60 (62, 66, 68, 72, 74) and cast off rem sts.

COLLAR:

Bring 150 (150, 158, 158, 166, 166) needles on both beds to B-pos. Arrange needles for 2 x 1 rib and cast on. Tens 7.0 on both carriages, k 10 rows. Tens 6.0 k 10 rows. Tens 5.0 k 10 rows. Tens 4.0 k 10 rows. Tens 3.0 k 10 rows. Using extra thread of main yarn cast off centre sts, leaving 22 sts (counting sts on both needle beds) on needles on each end. Set machine for Partial knitting, bring needles on opp end of carriage to E-pos, and work on needles closest to carriage only. Tens 3.0 on both carriages, k 40 rows. Work buttonhole over centre needles next and every foll 40th row 6 times or as for length of front required. K 20 rows after last buttonhole and cast off.

Release Partial knitting levers and work second band for same length, omitting buttonholes.

BELT:

Cast on 22 sts in 2 x 1 rib (counting needles on both needle beds), tens 3.0 k belt for req length and cast off.

SHORT V-NECK STYLE JACKET

BACK:

Bring 110 (116, 123, 130, 136, 143) needles on both needle beds to B-pos. (Half Pitch lever to "H"). Arrange needles for 2 x 1 rib and cast on. Tens 6.0 on both carriages, r/c on 0, rib to row 50 on r/c. Transfer all sts to main bed. (There will be 2 sts on every 3rd needle), then arrange needles for Pattern,

making new sts with fully fashion method for needles on Ribber bed. Set machine for Pattern, tens 8/5 k 2 rows. R/c on 0, work in Pattern repeating from * to * to row 130 (140, 150, 150, 150) on r/c, or as for under arm length required.

Shape Armholes: Work as for LONG JACKET incl shoulder cast off.

FRONTS:

Bring 54 (58, 62, 66, 70, 74) needles on both needle beds to B-pos and work rib band as on back. Transfer all sts to main bed, then arrange needles for Pattern. Set machine for Pattern, tens 8/5 k 2 rows. R/c on 0, work in Pattern to row 130 (140, 150, 150, 150) on r/c, or altered length.

Shape Armhole and V-Neck: R/c on 0, dec 1 st at front edge next and every foll 4th row, AT SAME TIME cast off 5 (5, 6, 7, 7, 8) sts at armhole edge, k 2 rows. Dec 1 st at armhole edge next and every foll alt row 5 (6, 7, 8, 9, 10) times. Cont to dec at neck edge only every foll 4th row until 26 (28, 30, 32, 34, 36) sts rem (counting sts on main bed only.) K without shaping to row 76 (80, 84, 88, 92, 96) on r/c.

Shape Shoulder: Cast off 8 sts at shoulder edge next and every foll alt row 3 times, then cast off rem sts.

SLEEVES:

Work as for LONG JACKET.

FRONT BAND:

Cast on 22 sts in 2 x 1 rib (counting needles on both needle beds).

Tens 3.0 k 8 rows. Work buttonhole next and every foll 20th row 3 times. K 40 rows after 3rd buttonhole then work buttonhole next and every foll 40th row 4 more times. (If length of Jacket is altered, adjust rows between last 4 buttonholes.) K band for required length for front, neck and second front. Cast off.

TO MAKE UP:

BOTH STYLES: Join both shoulders. Set top of sleeves into armholes, then sew up side and sleeve seams.

V-NECK STYLE: Starting on side for buttonholes (right for Ladies jacket left for Mans jacket) sew band to front edge.

COLLAR STYLE: Sew cast off edge of collar evenly to neck edge, (making sure band with buttonholes is on appropriate side) then sew front bands into place.

BOTH STYLES: Press lightly, then sew on buttons.

Pattern No. 2

LADIES FAIR ISLE JACKET

(Illus. P. 4)

MEASUREMENTS:

To fit 80 (85, 90, 95) cm bust
Length centre back: 78 (79, 80, 81) cm or
as required.
Length of sleeve seams: 41 cm (all sizes) or
as required.

MATERIALS:

VILLAWOOL 5-ply, 100% machine washable
wool.
22 (23, 25, 26) 25 gram balls main colour
(M)
7 (7, 8, 8) 25 gram balls 1st contrast
colour (1C)
3 (4, 4, 5) 25 gram balls 2nd contrast
colour (2C)

TENSION:

7.2 = 14 sts and 19 rows to 5 cm over Fair
Isle Pattern.

PATTERN:

FAIR ISLE PATTERN OVER 24 sts and 60 rows.
Punch Card No. 639. (Additional Punch Card Set).

: Mark Card on row 6, 32, 43, 57 with felt pen.
Start with Card on No. 1 using 2C in Colour Yarn
feeder.

Work 6 rows.

** Change Contrast to 1C, work to row 32.
Change Contrast to 2C, work to row 43.
Change Contrast to 1C, work to row 57.
Change Contrast to 2C, work to row 6.**

Repeat from ** to **.

BACK:

With waste yarn cast on 127 (133, 141, 147) sts, k
some rows with waste yarn, then use ravelling cord
for 1 row.

Work Hem: With main yarn, tens 7.2 k 1 row. Tens
5.0 k 10 rows. Tens 9.0 k 1 row. Tens 5.0 k 10 rows.
Tens 7.2 k 1 row and close hem. Tens 7.2 k 1 row,
ending on left. Pull ravelling cord. Insert Punch Card
and set machine for Fair Isle Pattern. K to right,
selecting needles.

R/c on 0, tens 7.2 k in Pattern to row 40. Dec 1 st
at each end next and every foll 8th row 4 times
altogether, ending with 119 (125, 133, 139) sts. K to
row 180 on r/c or as for length req.

Cont with M only, r/c on 0, tens 7.1 k to row 68
(72, 76, 80) on r/c.

SHAPE SHOULDERS:

Cast off 5 sts at the beg of the next 14 rows, then
cast off 3 (5, 7, 9) sts at the beg of the foll 2 rows.
Take rem sts off with waste knitting.

FRONTS:

With waste yarn cast on 71 (75, 79, 83) sts, k some
rows with waste yarn, then use ravelling cord for 1
row. With M work hem as on back. Close hem, tens
7.2 k 1 row ending on left. Pull ravelling cord.

Insert Punch Card and set machine for Fair Isle
Pattern. K to right selecting needles. R/c on 0, tens
7.2 k in Pattern to row 40 on r/c. Dec 1 st at right
end next and every foll 8th row 4 (4, 4, 5) times.
K to row 140 on r/c. (If length is altered, adjust here.)

Shape V-Neck: Dec 1 st at neck edge (left) next and
every foll 4th row to row 180 on r/c. R/c on 0, cont
to dec at neck edge every 4th row, AT SAME TIME
work with M only to row 68 (72, 76, 80) on r/c.

Shape Shoulder: Cont dec at neck edge 2 (3, 4, 4)
more times, AT SAME TIME CAST OFF 5 STS AT
SHOULDER EDGE (right) next and every foll alt
row 7 times, then cast off rem sts.

Second Front: Cast on sts and work same as first
front, reversing all shapings.

SLEEVES:

With waste yarn cast on 68 (72, 76, 80) sts, k some
rows with waste yarn, then use ravelling cord for 1
row. With M work hem as on back. Close hem, tens
7.2 k 2 rows and pull ravelling cord. R/c on 0, inc 1
st at each end next and every foll 4th row, AT SAME
TIME with M only, k to row 7 on r/c, ending on left.
If sleeve length has to be altered, adjust here, ending
on left. Insert Punch Card and set machine for Fair
Isle Pattern. K to right selecting needles.

Cont to inc at each end every 4th row, AT SAME
TIME work in Pattern to row 128 on r/c. (132, 136,
140, 144) sts. Cast off all sts at once and very loosely.

FRONT BAND:

With wrong side facing, make sts along front edge of
one front from hem to 1st neck dec. Using M, tens
5.0 k 18 rows. Tens 9.0 k 1 row (turning row). Tens
5.0 k 18 rows and cast off loosely.

Work band on other front in same way.

COLLAR:

First join both shoulders. With wrong side facing
make sts along front neck edge, starting on first
neck dec to centre of back. (3 sts in every 4 rows
knitted along neck edge and picking up sts from
waste to centre of back.)

Tens 5.0 k 6 rows. Tens 5.2 k 6 rows. Tens 6.1 k 4
rows.

Set machine for Partial knitting with carriage on side
of centre back seam, *bring 2 needles on opp side
of carriage to E-pos, k 1 row, lay yarn under first
inner needle in E-pos, k 1 row.*

Tens 7.0, repeat from * to * 15 more times (32 needles in E-pos.)

Tens 7.2 repeat from * to * bringing up 4 needles instead of 2 each time 5 times (52 needles in E-pos), ending with carriage on side of centre back seam. **Bring 4 needles on opp side of carriage down to D-pos, k 1 row, lay yarn under first inner needle in E-pos, k 1 row. ** Repeat from ** to ** 4 more times.

Tens 7.0, repeat from ** to ** bringing down 2 needles each time 14 times (4 needles are left in E-pos.)

Tens 6.1 repeat from ** to ** bringing down only 1 needle each time until all needles are back in B-pos. Tens 5.2 k 12 rows. Tens 5.0 k 6 rows and cast off loosely.

Work second side of collar in same way, reversing all shapings.

BELT:

With wind-on method using M cast on 24 sts. Tens 5.0 k belt for required length and cast off. On machine with Ribber bed, belt can be worked in circular knitting, casting on half the amount of sts on main and the other half on ribber bed.

TO MAKE UP:

Sew up back collar seam. Join side edges of collar to side edges of front band. Fold front band and Collar to inside and fasten cast off edge neatly over seam. Set cast-off edge of sleeves into armhole from last row of Fair Isle section on back to last row of Fair Isle in front. Join side and sleeve seams. Sew up Belt seam if knitted on main bed only. Press Jacket lightly with steam iron.

Pattern No. 3 MAN'S CAR COAT (Illus. P. 9)

MEASUREMENTS:

To fit 90 (95, 100, 105) cm chest
Actual width 98 (103, 108, 113) cm
Length centre back: 78 (79, 80, 81) cm or
as required
Length of sleeve seams: 50 cm all sizes or as
required.

MATERIALS:

PATONS Patonyle 4-ply as Base yarn
PATONS Cottage Knit as Contrast.
Patonyle: 20 (21, 22, 23) 25 gram balls
Cottage Knit: 10 (11, 12, 13) 50 gram balls

TENSION:

10.0 = 11 sts and 16 rows to 5 cm over
pattern.

PATTERN:

Weaving Pattern over 2 sts and 2 rows.
Model 787: Punch Card No. 1.
Model 747: Punch Card No. 7.
Trimmings in DOUBLE FISHERMANS RIB:
MAIN CARRIAGE: Press left TUCK button.
RIBBER CARRIAGE: Set right knitting
lever and centre lever to TUCK.

BACK:

With wind-on method, using base yarn, cast on 108 (114, 119, 125) sts. Tens 8.0 k 10 rows with base yarn only, ending on left. Insert Punch Card and set machine for Pattern knitting. K to right side, selecting needles for Pattern. R/c on 0, tens 10.0 cont in pattern to row 180 or as for under arm length req. *Shape armhole:* R/c on 0, cast off 5 (6, 7, 8) sts at the beg of the next 2 rows, then k straight to row 70 (72, 76, 78) on r/c.

Shape shoulders: Cast off 8 sts at the beg of the next 6 rows, then cast off 8 (9, 10, 11) sts at the beg of the foll 2 rows. Cast off rem sts.

RIGHT FRONT:

With wind-on method, using base yarn, cast on 72 (75, 78, 81) sts, tens 8.0 k 10 rows with base yarn only, ending on left. Insert Punch Card and set machine for Pattern knitting. K to right, selecting needles.

NOTE: Push the first 6 needles on right side down to B pos before working next and every foll row, so that those sts are knitted without Pattern and in base yarn only right through for front facing.

R/c on 0, tens 10.0 cont in Pattern to row 180 or altered length as on back.

Shape armhole: R/c on 0, cast off 5 (6, 7, 8) sts at armhole edge (left) then k to row 54 (56, 60, 62) on r/c.

Shape neck: Cast off 27 (28, 29, 30) sts at neck edge (right), then dec 1 st at same edge next and every foll alt row 8 times. K 2 rows after last dec.

Shape shoulder: Cast off 8 sts at shoulder edge (left) next and every foll alt row 3 times, then cast off rem sts.

LEFT FRONT:

Cast on sts and work as right front, reversing all shapings.

SLEEVES:

Using base yarn cast on 65 (67, 69, 71) sts in 1 x 1 rib. Set machine for Fishermans rib. Tens 4.0 k 50 rows in Fishermans rib. Transfer sts to main bed and cont on main bed only.

Tens 10.0, k to left. Insert Punch Card and set machine for Pattern knitting. K to right, selecting needles. R/c on 0, tens 10.0, cont in Pattern. K to row 8 on r/c. Inc 1 st at each end next and every foll 8th row to 91 (95, 99, 103) sts. Work to row 160 on r/c or as for under arm length of sleeves required. Cast off 5 sts at the beg of the foll 12 rows, then cast off rem sts.

POCKETS:

K twice. Using base yarn, cast on 45 sts in 1 x 1 rib. Set machine for Fishermans rib. Tens 4.0, r/c on 0, k in Fishermans rib to row 120 and cast off loosely.

COLLAR:

Using base yarn cast on 112 (116, 120, 124) sts in 1 x 1 rib. Set machine for Fishermans rib. R/c on 0, tens 4.0 k in Fishermans rib to row 50 on r/c. Tens 5.0 k to row 150 on r/c. Tens 4.0 k to row 200 on r/c. Cast off loosely.

TO MAKE UP:

Join both shoulders. Set cast off edge of sleeves evenly into armholes, then sew the first 4 cm of sleeve edge onto cast off sts of armhole on coat. Sew up side and sleeve seams. Turn plain knitted front facing to inside and fasten. Turn up plain knitted hem and fasten. Turn cuffs to outside. Sew cast off edge of collar to neck edge, starting and ending approx 4 cm from front edge. Turn collar to outside and sew cast on edge of collar evenly over seam. Sew pockets into place, turning 2 cm from cast on edge of pocket to outside as flap.

BUTTONING BANDS:

With base yarn cast on 15 sts in 1 x 1 rib. Tens 2.0 k 20 rows in rib. Work buttonhole over the 3 centre needles. Dec 2 sts at each end next and every foll alt row to last st and fasten off. Work 6 bands altogether. Sew straight ends of 2 bands together, then sew onto front of coat as illustrated. Sew toggles into place. Sew press stud onto neck edge corners, press only lightly.

Pattern No. 4

LADIES HOODED COAT

(Illus. P. 9)

MEASUREMENTS:

To fit 80 (85, 90, 95) cm bust

Actual 85 (90, 95, 100) cm

Hip: 88 (93, 98, 103) cm

Length centre back: 80 (81, 82, 83) cm or as required.

Length of sleeve seams: 43 (43, 45, 45) cm or as required.

MATERIALS:

PATONS Patonyle 4-ply as Base yarn

PATONS Cottage Knit as Contrast.

Patonyle: 20 (21, 22, 23) 25 gram balls.
Cottage Knit: 9 (10, 10, 11) 50 g balls.

TENSION:

10.0 = 11 sts and 16 rows to 5 cm over Pattern.

PATTERN:

Weaving Pattern over 2 sts and 2 rows.

Model 787: Punch Card No. 1

Model 747: Punch Card No. 7

Trimmings in DOUBLE FISHERMANS RIB:

MAIN CARRIAGE: Press left TUCK button.

RIBBER CARRIAGE: Set right knitting lever and centre lever to TUCK.

BACK:

With wind-on method, using base yarn, cast on 97 (103, 108, 114) sts. Tens 8.0 k 10 rows with base yarn only ending on left.

Insert Punch Card and set machine for Pattern, k to right, selecting needles for Pattern. R/c on 0, tens 10.0, cont in Pattern to row 80 on r/c or as for length to hip required. Dec 1 st at each end next and every foll 8th row 3 times altogether. K to row 190 on r/c. *Shape armhole:* R/c on 0, cast off 4 (5, 5, 6) sts at the beg of the next 2 rows, then k to row 60 (64, 66, 68) on r/c.

Shape shoulders: Cast off 8 sts at the beg of the next 6 rows, then cast off 6 (7, 8, 9) sts at the beg of the foll 2 rows. Cast off rem sts.

RIGHT FRONT:

With wind-on method, using base yarn, cast on 66 (69, 72, 75) sts. Tens 8.0 k 10 rows with base yarn only, ending on left. Insert Punch Card and set machine for Pattern. K to right, selecting needles. NOTE: Push the first 6 needles on right side down to B pos before working next and every foll row, so that those sts are knitted without Pattern and in base yarn only right through for front facing.

R/c on 0, tens 10.0 cont in Pattern to row 80 on r/c. Alter length here if back has been altered. Dec 1 st at left edge next and every foll 8th row 3 times, then k to row 190 on r/c.

Shape armhole: Cast off 4 (5, 5, 6) sts at armhole edge (left), then k to row 48 (52, 54, 56) on r/c.

Shape neck: Cast off 23 (24, 26, 27) sts at neck edge (right), then dec 1 st at same edge next and every foll alt row 6 times. K 2 rows after last dec.


Shape shoulder: Cast off 8 sts at shoulder edge next and every foll alt row 3 times, then cast off rem sts.

LEFT FRONT:

Cast on sts and work as right front, reversing all shapings.

SLEEVES:

Using base yarn cast on 61 (65, 67, 71) sts in 1 x 1 rib. Set machine for Fishermans rib. Tens 4.0 on



both carriages k 50 rows in Fishermans rib. Transfer sts to main bed and cont on main bed only. Tens 10.0 k to left. Insert Punch card and set machine for Pattern knitting. K to right, selecting needles. R/c on 0, tens 10.0 cont in Pattern. K to row 8 on r/c. Inc 1 st at each end next and every foll 8th row to 85 (89, 91, 95) sts. K in Pattern without shaping to row 140 on r/c, or as for sleeve length required. Cast off 5 sts at the beg of the foll 10 rows, then cast off rem sts.

HOOD:

With base yarn cast on 81 sts (all sizes) in 1 x 1 rib. Set machine for Fishermans rib. Tens 4.0 on both carriages k 50 rows in Fishermans rib. Transfer sts to main bed and cont on main bed only. Tens 10.0 k to left. Insert Punch Card and set machine for Pattern knitting. K to right, selecting needles. Tens 10.0, cont in Pattern. Work 10 rows. Set machine for Partial knitting. With carriage on right, bring 60 needles on opp side of carriage to E pos, k 1 row, lay yarn under first inner needle in E pos, k 1 row. *Bring 3 needles on side closest to carriage from E pos down to B pos using transfer tool, arrange those needles for Pattern manually, k 1 row, lay yarn under first inner needle in E pos, k 1 row. * Repeat from * to * until all needles are back in B pos. Release partial knitting levers. R/c on 0, dec 1 st at right end next and every foll 4th row 12 times, k 4 rows after last dec. (R/c on 48). Mark row on edge. K 4 rows, inc 1 st at right end next and every foll 4th row 12 times to 81 sts, ending on right. Set machine for Partial knitting. *Bring 3 needles on opp side of carriage (left end) up to E pos, k 1 row, lay yarn under first inner needle in E pos, k 1 row. **Repeat from ** to ** until there are 60 needles in E pos. Release Partial knitting levers. Bring all needles down to B pos, using transfer tool and arrange for Pattern manually. K 10 rows. Set machine for double bed knitting. Transfer second and every foll alt st to Ribber bed. R/c on 0, tens 4.0 on both carriages, set machine for Fishermans rib, k in Fishermans rib to row 50 on r/c, then cast off loosely.

TO MAKE UP:

Join both shoulders. Set cast off edge of sleeves evenly into armholes, then sew the first 3 cm of sleeve edge onto cast off sts of armhole on Coat. Sew up side and sleeve seams. Turn plain knitted front facing to inside and fasten. Turn up plain knitted hem and fasten. Join upper hood seam. Sew lower edge of hood to neck edge, starting and ending approx 3 cm from front edge. Turn rib band of hood to outside and secure lower ends. Turn cuffs of sleeves to outside. Crochet, twist or knot cord and make loops (as on illustration) for front buttoning. Sew on Toggles. Sew Press stud onto neck edge corner. Press only lightly.

Pattern No. 5

MAN'S WRAPOVER JACKET

(Illus. Back Cover)

MEASUREMENTS:

To fit 85 (90, 95, 100, 105) cm chest
Actual width: 95 (100, 105, 110, 115) cm
Length centre back: 79 (79, 80, 81, 81)
Length of sleeve seams: 54 cm all sizes

MATERIALS:

VILLAWOOL 5-ply machine washable wool
450 (475, 500, 525, 550) gram main colour (m)
225 (250, 275, 300, 325) gram dark contrast (1st C)
125 (150, 175, 200, 225) gram light contrast (2nd C)
Buckle for belt.

TENSION:

7.1 = 14 sts and 19 rows to 5 cm over st st.

STRIPES:

** 1st C : 20 rows
M : 4 rows
2nd C : 6 rows
1st C : 6 rows
M : 6 rows
2nd C : 12 rows
1st C : 12 rows
M : 32 rows.**

PATTERN:

FAIR ISLE Pattern over 24 sts and 26 rows.
PUNCH CARD No. 622.

BACK:

With waste yarn cast on 133 (141, 147, 155, 161) sts k some rows with waste yarn, then use ravelling cord for 1 row.

With M, tens 7.1 k 1 row. Tens 5.0 k 10 rows. Tens 9.0 k 1 row. Tens 5.0 k 10 rows. Tens 7.1 k 1 row and close hem. Tens 7.1 k 2 rows and pull ravelling cord.

Work in stripes, repeating from ** to ** from here. R/c on 0, tens 7.1, k to row 140 on r/c.

Work Fair Isle stripe: With 2nd C k 3 rows, ending on left. Insert Punch Card, set machine for Pattern knitting and k to right, selecting needles for Pattern. With 2nd C in main and M in Colour yarn feeder, work in Fair Isle pattern for 26 rows (166 on r/c). K with 2nd C only for 4 more rows. Cont in stripes, starting with second last stripe of repeat. K to row 270 (274, 278, 282, 286) on r/c.

Shape Shoulders: Cast off 4 sts at the beg of the next 10 rows, then cast off 9 sts at the beg of the next 4 (4, 6, 6, 6) rows. Then cast off 9 (12, 6, 9, 12) sts at the beg of the foll 2 rows. Take rem sts off with waste knitting.

FRONTS:

With waste yarn cast on 80 (84, 88, 92, 96) sts, k some rows with waste yarn, then use ravelling cord for 1 row. Work hem as on back from * to *. Cont as on back to row 140 on r/c.

Shape Neck: Work Fair Isle section and then stripes as on back, AT SAME TIME dec 1 st at front edge next and every foll 4th row until 47 (50, 53, 56, 59) sts rem, k to row 270 (274, 278, 282, 286) on r/c.

Shape Shoulder: Cast off 4 sts at shoulder edge next and every foll alt row 5 times, k 2 rows after last cast off, then cast off 9 sts at shoulder edge next and every foll alt row 2 (2, 3, 3, 3) times, k 2 rows after last cast off. Cast off rem sts.

Second Front: Work as first front, reversing all shapings.

SLEEVES:

With waste yarn cast on 70 (76, 82, 88, 94) sts, k some rows with waste yarn, then use ravelling cord for 1 row. Work hem from * to * as on back. Work stripes, repeating from ** to **. R/c on 0, tens 7.1 inc 1 st at each end next and every foll 6th row to row 140 on r/c. Cont to inc in same way, AT SAME TIME work Fair Isle stripe as on back. With 1st C inc 1 st at each end next and every foll alt row 5 times, k 2 rows after last inc and cast off loosely.

FRONT BAND:

First join both shoulders. With wrong side facing, starting on hem edge, make sts along one front edge (3 sts in every 4 rows knitted) ending on first neck dec. Tens 5.0 k 17 rows. Tens 9.0 k 1 row. Tens 5.0 k 17 rows and cast off very loosely.

Work second side to correspond.

With wrong side facing, make sts along neck edge from first neck dec to shoulder, then pick up sts from waste knitting on back to centre of back. Tens 5.0 k 4 rows. Inc 1 st at front edge next and every foll 4th row 3 times. K 5 rows after last inc. Tens 9.0 k 1 row. Tens 5.0 k 5 rows. Dec 1 st at front edge next and every foll 4th row 3 times. K 4 rows after last dec and cast off loosely.

Work second side to correspond.

BELT:

With wind on method cast on 32 sts using M. Tens 4.0 k belt for req length (approx. 110 cm) and cast off. On machines with Ribber attachment the belt can be worked in circular knitting.


TO MAKE UP:

Sew cast off edge of sleeves evenly to armhole edge starting and ending on last row of Fair Isle section. Sew up side and sleeve seams. Join neck band seams, then turn neck band to inside and fasten over seam. Finish belt by sewing up seam if knitted on main bed only and attaching buckle. Press Jacket lightly.

World Copyright by Toyota Knitting Machines of Australia

Designed by Helga Guyot

Produced and Printed by Mastercraft Printing



5ply