

Jones

Pattern booklet No.1







Fuzzy Wuzzy Jump Suit

Measurements and Materials

To fit busts 32, 34, 36 inches.

To fit hips: 34, 36, 38 inches.

Actual size: 35, 37, 39 inches.

Inside leg length: 30½, 31, 31½ inches.

Sleeve Seam: 16½, 16½, 17 inches.

Quantity (M): 32, 33, 34 ½-oz. balls. Patons Fuzzy Wuzzy.

Quantity (C): 3, 3, 3 ozs. Cameo Crepe.

18 inch zip. One size 12 crochet hook.

Tension

T5. 16 sts.—2 inches; 25 rows—2 inches.

Abbreviations

See notes page 32.

Left Side

Using odd yarn, cast on 178 (186, 194) sts. T5. K. 6 rows. Change to M. yarn. T6. K. 12 rows. T9. K. 1 row loosely for hem folding line. T6. K. 12 rows. Make hem. Change to T8. K. 18 (20, 22) rows. Now work Fair Isle chart from A to E allowing 1 st. at either end for sewing up. Change to T7. K. 62 (64, 66) rows. Now work Fair Isle chart from B to E, allowing 1 st. at either end for sewing up. Change to T6. K. 70 (72, 74) rows. Now work Fair Isle chart from C to E, allowing 1 st. at either end for sewing up. Change to T5. K. 28 (30, 32) rows.

To Shape the Crutch


Dec. 1 st. at each end of the next 12 rows. At the right-hand side of work dec. 1 st. every foll. 6th. row, 4 times altog. AT THE SAME TIME at the left-hand side of work dec. 1 st. every foll. 3rd row, 12 times altog. 138 (146, 154) sts. Next Step: (with knitting carriage at left-hand side), put the H.C.L. to 11 and the last 20 needles at right-hand side to E pos. K. 2 rows. Rep. this step and 2 rows until 18 (26, 34) sts. rem. at B pos. Next step: Put H.C.L. to 1. K. 2 rows. Now work Fair Isle chart from A to B, allowing 1 st. at either end for sewing up. K. 4 rows. Change to 2 + 2 rib, with T5. on back bed, and T4. on front bed. Patt. 136 (140, 144) rows.

To Shape the Armholes

Next Step: With knitting carriage at right-hand side, transfer ALL the last 62 (66, 70) sts. on left-hand side to back bed, put H.C.L. to II and all these 62 (66, 70) needles to position E. Cast off the middle 14 sts. Dec. 1 st. at armhole edge on each of the next 12 rows, then every foll. 3rd row, 12 times altog. Patt. 6 rows.

To Shape the Neck

Cast off 12 (16, 18) sts. at right-hand side of work. Dec. 1 st. at neck edge on every foll. alt. row, 12 times altog. Patt. 6 rows. Cast off. Next Step: Transfer the rem. sts. for 2 + 2 rib, put all needles to B pos. and H.C.L. to I. Dec. 1 st. at armhole edge on each of the next 12 rows, then every foll. 3rd row, 12 times altog. Patt. 36 rows Cast off.



× ———— **CONTRAST**
 □ ———— **MAIN**

E

Right Side

Work exactly as Left Side rev. all shapings.

Sleeves

Using odd yarn, cast on 58 (58, 66) sts. T5. K. 6 rows. Change to M. yarn. T3. K. 8 rows. T7. K. 1 row loosely for hem folding line T3. K. 8 rows. Make hem. Change to T5. K. 2 rows. Now work Fair Isle chart from A to B, allowing 1 st. at either end for sewing up. Dec. 1 st. at each end of the next and every foll. 16th row, 12 times altog. K. 6 (6, 12) rows.

To Shape the Sleeve Head

K. 12 rows. Dec. 1 st. at each end of every foll. 3rd row, 16 times altog., then every row 16 times altog. Cast off.

D

Neck Edge

Join shoulder seams and centre back seam. With wrong side of work facing put every st. across centre front and back neck, every other row down each side of neck onto needle bed. Using M. yarn. T3. K. 8 rows. T7. K. 1 row loosely for hem folding line. T3. K. 8 rows. Cast off.

C

To Make Up

Pin out pieces to correct measurements with wrong side of work facing and press with a warm iron over a damp cloth. Join inside leg, sleeve seams and centre front seam to beg. of 2 + 2 rib. Set in sleeves. Fold neck edge double and sew down. Using size 12 crochet hook work a row of D.C. into every other row around zip opening, then another row into every stitch. Set in zip.

B

A



Waistcoat, Trousers and Striped Jumper

Materials

Jumper

- 5 (6) ozs. Robin Vogue 4 ply, Main.
- 3 (4) ozs. Robin Vogue 4 ply, No. 1.
- 2 (3) ozs. Robin Vogue 4 ply, No. 2.
- 1 (1) oz. Robin Vogue 4 ply, No. 3.

Waistcoat

- 6 (6) ozs. Robin Vogue 4 ply, Main.

Trousers

- 16 (16) ozs. Robin Vogue 4 ply, Main.
- 8 inch zip fastener. 23 ins 1 inch width elastic. For trousers.

Measurements

- To fit 34 (36) inch Bust. 24 (25) inch Waist. 36 (38) inch Hips.

Jumper

- 34 (36) ins. all round at widest point. 18 (19) inch Length.
- 18 (18½) inch Sleeve Seam.

Waistcoat

- 36 (38) ins. all round at widest point.
- 21 (22) inch Length.

Trousers

- 36 (38) ins. all round at Hip.
- 30 (30) inch inside Leg Seam.

Tensions

- 7 sts. and 9½ rows to 1 inch over st. st. on T8. 7 sts. and 11 rows to 1 inch over rib pattern T6. LB and MB (slightly stretched).

Abbreviations

mn., main; T., tension; LB., lower bed; MB., main bed; alt., alternate; N., needles; st(s), stitch(es); CK., set machine for circular knitting; RK., set machine for normal rib knitting; K., knit; P., purl; trans., transfer; folls., follows(ing); 000., set row counter to 000; inc., increase; dec., decrease; beg., beginning; rem., remains(ing); pos., position; H.C.L's., holding cam levers; C.O.R.(L)., carriage on right or left; fin., finishing; rep., repeat; st.st., stocking stitch (1 row knit, 1 row purl); ins. inches; cont., continue.

Note

Instructions for larger size are in (), where only 1 figure is given this applies to both sizes.

The trousers and waistcoat are in main colour throughout. The contrast colours for jumpers are referred to as colours Nos. 1, 2 and 3.

Jumper – Back

* T1. LB and MB. With mn. cast on automatically over alt. N 97 (105) sts. placing odd st. on right side on MB. ** CK. T2. LB and MB. K. 4 rows. RK. T2. LB. and 3 MB. K. 10 rows. Working from right edge of work trans. the 2nd, 4th, 6th and every alt. N from MB to empty N in B pos. on LB. ** T6. LB and MB. Press left tuck button. Cont. in 36 row tuck rib pattern working stripes as folls. 000. K. 8 rows No. 1. K. 6 rows No. 2. K. 4 rows No. 3. K. 6 rows No. 2. K. 8 rows No. 1. K. 4 rows mn. K. to row 44 (48). Inc. 1 st. each end of every foll. 4th row to 117 (125) sts. K. to row 92 (96).

Shape Armholes

Cast off 8 sts. at beg. of the next 2 rows. 101 (109) sts. 000. Dec. 1 st. each end of every foll. 3rd row to 81 (89) sts. * K. to row 82 (86).

Shape Shoulders

Cast off 4 (5) sts. at beg. of the next 8 rows. Cast off 3 (2) sts. at beg. of the next 2 rows. Cast off rem. 42 (44) sts.

Front

Rep. from * to * as on jumper back. K. to row 62 (66). C.O.R.

Front Neck

With complimentary colour cast off centre 19 (21) sts. Push right sts. to E pos. HCL's to III. Cont. on left sts. dec. 1 st. every row on neck to 19 (22) sts. K. to row 82 (86).

Shape Shoulders

Cast off 4 (5) sts. at beg. of next and at this same edge every alt. row 3 times more. Cast off rem. 3 (2) sts. HCL's to I. Push left sts. back to B pos. Cont. on these sts. to match those just worked reversing shapings.

Sleeves

T1. LB. and MB. With mn. cast on automatically over alt. N 45 (49) sts. placing odd st. on right side on MB. Rep. from ** to ** as on jumper back. T6. LB. and MB. Press left tuck button. 000. Cont. in tuck rib rep. the 36 row stripe pattern twice only and then cont. in mn. only at same time inc. 1 st. each end of the 22nd and then every foll. 8th row to 77 (81) sts. K. to row 186 (190).

Shape Top

Cast off 8 sts. at beg. of the next 2 rows. 61 (65) sts. 000. Dec. 1 st. each end of every foll. 5th row to 45 (47) sts. K. to row 44 (48). Cast off 2 sts. at beg. of the next 10 rows. Cast off rem. 25 (27) sts.

Neckband

T1. LB. and MB. With mn. cast on automatically over alt. N 103 (107) sts. placing odd st. on right on MB. CK. T2. LB. and MB. K. 4 rows. RK. T2. LB. and 3 MB. K. 10 rows. Cast off loosely.

Waistcoat:

Waistcoat – Back

T1. LB. and MB. With mn. cast on automatically over alt. N. 109 (117) sts. placing odd st. on right side on MB. Rep.

from ** to ** as on jumper back. T6. LB. and MB. Press left tuck button. 000. Cont. in tuck rib pattern and mn. only throughout to row 65. Trans. LB. sts. to MB. Lower LB. T8. 000. Cont. in st.st. at same time inc. 1 st. each end of every foll. 4th row to 125 (133) sts. K. to row 36 (40).

Shape Armholes

Cast off 12 sts. at beg. of the next 2 rows 101 (109) sts. 000. Dec. 1 st. each end of every foll. 3rd row to 81 (89) sts. K. to row 82 (86).

Shape Shoulders

Cast off 3 (4) sts. at beg. of the next 8 rows. Cast off 5 (4) sts. at beg. of the next 2 rows. Cast off rem. 47 (49) sts.

Right Front

T1. LB. and MB. With mn. cast on automatically over alt. N. 41 (45) sts. placing odd st. on right side on MB. Rep. from ** to ** as on jumper back. T6. LB. and MB. Press left tuck button. 000. Cont. in tuck rib pattern and mn. only to row 66. Trans. LB. sts. to MB. Lower LB. T8. 000. Cont. in st.st at same time inc. 1 st. on right edge of work every foll. 4th row to 49 (53) sts. K. to row 36 (40). C.O.R.

Shape Armholes

Cast off 12 sts. at beg. of the next row, K. to end. K. next row. C.O.R. 000. 37 (41) sts.

Shape Neck

Dec. 1 st. every foll. 3rd row on armhole 10 times, at same time dec. 1 st. on next and every foll. 8th row on neck to 17 (20) sts. K. to row 82 (86).

Shape Shoulder

Cast off 3 (4) sts. at beg. of next row, and at this same edge 3 times more. Cast off rem. 5 (4) sts.

Left Front

Work to match right reversing shapings.

Armhole Edgings (2 alike)

T1. LB. and MB. With mn. cast on automatically over alt. N. 151 (155) sts. placing odd st. on right side on MB. * CK. T2. LB. and MB. K. 4 rows. RK. T2. LB. and 3 MB. K. 10 rows. Cast off loosely. *

Front Bands (2 alike)

T1. LB. and MB. With mn. cast on automatically over alt. N. 171 (177) sts. placing odd st. on right side on MB. Rep. from * to * as on armhole edging.

Trousers – Left Leg

T1. LB. and MB. With mn. cast on automatically over alt. N. 133 (137) sts. Rep. from ** to ** as on jumper back. T6. LB. and MB. Press left tuck button. 000. Cont. in tuck rib pattern to row 79. Trans. LB. sts. to MB. Lower LB. T8. 000. Cont. in st.st. to row 98. Inc. 1 st. each end of next and every foll. 6th row to 163 (167) sts. K. to row 188. C.O.R.

Shape Crutch

Cast off 3 sts. at beg. of next row K. to end. Cast off 6 sts. at beg. of next row, K. to end. 154 (158) sts. Dec. 1 st. each

end of the next 10 rows. 134 (138) sts. Dec. 1 st. each end of every foll. 5th row to 126 (130) sts. K. 18 rows. C.O.R.

Shape Front Hip

Push left 63 (65) sts. to E pos. H.C.L.'s to III. 000. Cont. on right side sts. dec. 1 st. every foll. 4th row on hip edge to 56 (58) sts. 000. Dec. 1 st. every foll. 3rd row on hip edge to row 19. 50 (52) sts. C.O.L.

Shape Front Waist

Cont. dec. every 3rd row from last dec. on hip as before 4 times more, at same time shaping as folls.: Push left 26 (28) sts. to E pos. K. 2 rows. Push 5 sts. to E pos. next to the 26 (28) sts. in E pos. K. 2 rows. Cont. in this way pushing forward to E pos. 5 sts. every alt. row twice more, until 5 sts. are left in B pos. C.O.L. Right H.C.L. to II Push the left E pos. 41 (43) sts. back to D pos. K. 1 row. C.O.R. 000.

Front Waistband

K. 10 rows. T10. K. 1 row. T8. K. 10 rows. Cast off loosely.

Shape Back Hip

H.C.L.'s to I. 000. Cont. on left 63 (65) sts. dec. 1 st. every foll. 4th row on hip edge to 56 (58) sts. Dec. 1 st. every foll. 3rd row on hip edge to 46 (48) sts.

Back Waistband

K. 10 rows. T10. K. 1 row. T8. K. 10 rows. Cast off loosely.

Right Leg

Work same as left leg reversing shapings.

To Complete

Press work with hot iron over damp cloth pressing tuck rib very lightly.

Jumper



Join shoulder seams. Sew sleeves into armholes. Join side and sleeve seams. Sew neckband to neck edge.

Waistcoat

Join shoulder and side seams. Sew on all edgings.

Trousers

Join inside leg seams. Join back and front seams. Join right hip shape edge. Join left hip shape edge leaving 9 ins. open for zip. Fold waistband inside for 1 inch. Sew elastic to inside of waistband with loose stitching. Sew down waistband. Sew in zip.



Man's Ribbed Sweater



Materials – Round and V-neck Sweater:

12 (13, 14, 15, 16, 17) balls (1 $\frac{3}{4}$ oz. approx.).
Pingouin Perlé yarn. (Knits as 4-ply wool).

Measurements

To fit chest sizes 38 (40, 42, 44, 46, 48) ins.
Finished measurements 41 (43, 45, 47, 49, 51) ins.
Length at centre back 25 (25 $\frac{1}{2}$, 26, 26 $\frac{1}{2}$, 27, 27 $\frac{1}{2}$) ins.
Sleeve seam 18 (18, 18, 18 $\frac{1}{2}$, 18 $\frac{1}{2}$, 18 $\frac{1}{2}$) ins.

Tension

15 $\frac{1}{2}$ sts. and 28 rows to 2 ins. over half Fisherman's Rib.
Allow tension piece to settle for at least 2 days.

Abbreviations

Sts., stitches; rep., repeat; inc., increase; dec., decrease;
alt., alternate; beg., beginning; M.B., main bed; H.C.L.'s,
holding cam levers; T., tension; 000. turn row counter to
000.

Notes


Figures in brackets refer to the larger sizes respectively.
Fully fashioning at raglan is worked by transferring the 3rd
st. onto 4th needle on each bed at both ends and moving
the 2 end sts. 1 needle in. (2 sts. decreased at each end.)
Fully fashioning at V-neck edge is worked by transferring
the 2nd st. on to 3rd needle on each bed at both ends and
moving the end st. 1 needle in. When last st. is on F.B. make
sure the stitch is knitted when beginning the row Use side
weights.

V-Neck Sweater – Back

Cast on 161 (169, 177, 181, 189, 197) sts. for 1 x 1 rib.
Knit 2 circular rows. T4/4. Knit 22 rows. Set knob at left on
Ribber carr. to P.R. and set for $\frac{1}{2}$ F. rib. 000. T6/4. Knit 184
rows. This will give a length of 15 ins. from cast on edge.
Adjust length here if required. *

Shape Raglan Armholes

000. Cast off 4 sts. at beg. of next 2 rows. Knit 4 rows.
Dec. 2 sts. (see Notes) at both ends of next and every
following 6th row until 85 (93, 97, 93, 97, 105) sts. remain
and then every following 4th row until 49 (49, 53, 53, 57,
57) sts. remain. Knit 1 row. Change to plain 1 x 1 rib. T4/4.
Knit 20 rows. Knit 1 loose row. Transfer sts. to M.B. and
cast off using chain method.



Front

Work as given for Back to *.

Shape Raglan Armholes and Divide for Neck

000. Cast off 4 sts. at beg. of next 2 rows. Transfer centre st. onto adjacent needle. Push needles furthest from Carriage to E position. Knit on remaining sts. first. H.C.L.'s III. Knit 4 rows. Dec. 2 sts. (see Notes) at raglan edge on next row. Knit 3 (3, 1, 1, 3, 3) rows. Dec. 2 sts. (see Notes) at neck edge on next and every following 12th row, **at the same time** knit 2 (2, 4, 4, 2, 2) rows. Dec. 2 sts. at raglan edge on next and every following 6th row 16 (16, 17, 19, 20, 20) times in all and then every following 4th row until 6 (10, 8, 12, 8, 12) sts. remain.

1st size only

Knit 3 rows. Dec. 2 sts. at neck edge (not fully fashioning) on next and following 4th row. 2 sts. remain. Cast off.

All other sizes

Continue to dec. at raglan edge only as before until 6 sts. remain. Knit 3 rows. Dec. 2 sts. at neck edge (not fully fashioning) on next and following 4th row. 2 sts. remain. Cast off. Return remaining needles to B position by hand. Knit to match first side reversing all shapings.

Sleeves

Cast on 73 (77, 81, 85, 89, 93) sts. for 1 x 1 rib. Knit 2 circular rows. T4/4. Knit 24 rows. Set Ribber to half Fisherman's Rib. 000. T6/4. Knit 12 rows. Inc. 2 sts. at beg. of next 2 rows and every following 15th and 16th row until there are 121 (125, 129, 133, 137, 141) sts. Knit straight until 216 (216, 216, 224, 224, 224) rows have been worked. This will give a sleeve seam of 18 (18, 18, 18½, 18½, 18½) ins. Adjust length here if required. *

Shape Raglan Top

000. Cast off 4 sts. at beginning of next 2 rows. Knit 4 rows. Dec. 2 sts. (see Notes) at both ends of next and every following 6th row until 45 (41, 41, 37, 37, 33) sts. remain and then every following 4th row until 9 sts. remain. Knit 1 row. Slip sts. onto a knitting needle.

Neckband

With wrong side facing, pick up and place on M.B. 71 (81, 85, 89, 93, 97) sts. from 1 front. Using odd length of yarn knit 1 row. Place 9 sts. of 1 sleeve at raglan edge of front neck. Keeping rib correct transfer alt. sts. to Ribber. T4/4. Knit 10 rows, decreasing 2 sts. at neck edge on every alt. row as V-neck decs., then knit 10 rows increasing 2 sts. on every alt. row. Knit 1 row. Cast off as Back. Pick up sts. from other side of neck and sleeves and knit to match first side.

To Make Up

Pin out and press with a cool iron over a dry cloth. Join side, sleeve and raglan seams. Join mitred front seam of neckband, turn to wrong side and slip-stitch in place. Press seams.

Round Neck Sweater – Back

Knit as given for Back of V-neck Sweater.

Sleeves – First Sleeve

Knit as given for Sleeves of V-neck Sweater to *. (Knit 1 row extra for second sleeve).

Shape Raglan Top

000. Cast off 4 sts. at beg. of next 2 rows. Knit 4 rows. Dec. 2 sts. (see Notes) at both ends of next and every following 6th row until 37 (33, 33, 29, 29, 29) sts. remain.

1st, 2nd and 3rd sizes

Knit 3 rows. Dec. 2 sts. at each end of next and following 4th row 2 (1, 1) times. Knit 1 row.

4th, 5th and 6th sizes

Knit 1 (1, 3) rows.

All sizes

H.C.L.'s III. Push 6 sts. furthest from Carriage to E position. Knit 2 rows. Decreasing 2 sts. at raglan edge on next and following 4th row only, **at the same time** push to E position 4 sts. at end of next row and 2 sts. on every following alt. rows until 3 sts. remain. Knit 1 row. Slip sts. onto a knitting needle.

Second Sleeve

Knit as given for first sleeve, reversing shapings at top of raglan.

Front

Knit as given for Back until 89 (89, 93, 93, 97, 97) sts. remain. after beg. of raglan shaping. Knit 3 (1, 1, 1, 1, 1) rows. Push 57 (57, 61, 61, 65, 65) sts. furthest from Carriage to E position. H.C.L.'s III. Knit on remaining sts. first. * Knit 2 rows. Decreasing 2 sts. at raglan edge on next and every following 4th row 4 times in all, at the same time push 2 sts. at neck edge to E position on next and every following alt. row until 2 sts. remain. Knit 1 row. Push sts. to E position. Leaving 25 (25, 29, 29, 33, 33) sts. at centre in E position, return 32 sts. at raglan side to B position by hand. Join wool at raglan edge. Set knob at opposite side on Ribber to P.R. Knit to match first side.

Neckband

With wrong side facing transfer sts. from both sleeve tops to either side of front neck, placing shorter edge of sleeve raglan to neck edge, placing first st. of sleeve (on shorter side) onto last st. of neck edge in order to keep rib correct. Set ribber for plain 1 x 1 rib. T4/4. Knit 20 rows Knit 1 loose row. Cast off as for Back.

To Make Up

Pin out and press with warm iron over a dry cloth. Join side, sleeve and raglan seams. Turn neckband to wrong side and slip-stitch in place. Press seams.

Man's Fancy Rib Cardigan

Machines with ribbing attachment.

Materials

20 (21, 22, 23, 24, 25) ozs. Patons Purple Heather 4 ply.
5 buttons.

Measurements

To fit chest sizes 38 (40, 42, 44, 46, 48) ins.
Length at centre back 26 (26½, 27, 27½, 28, 28½) ins.
Sleeve seam 18 (18, 18½, 18½, 19, 19) ins.

Tension



11½ sts. and 26 rows to 2 ins. over pattern after pressing.

Abbreviations

Sts., stitches; inc., increase; dec., decrease; rep., repeat;
alt., alternate; beg., beginning; T., tension; 000., set row
counter at 000; M.B., main bed; R.H.S., right hand side;
L.H.S., left hand side.

Notes

Decreasing and increasings are given for M.B. only,
those sts. on ribber being decreased or increased as they
occur to keep pattern correct. Figures in brackets refer to the
larger sizes respectively.



Pattern Stitch

M.B. T.6.
Ribber T.5.
M.B.
Ribber.

Centre

1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1

. . . 1 1 . . . 1 1 . . .

PLAIN
P.R.N. Half pitch lever on H.
P.

Arrange Ribber needles as shown, out to required number each side.

Carriage R.H.S. Knit 2 rows. * Move the racking lever 1 st. to Right. Knit 2 rows. Move the racking lever 1 st. to Left. Knit 2 rows. The last 4 rows from * complete 1 pattern. Repeat throughout.

Back

With Carriage at L.H.S. and half pitch lever on H. cast on 109 (113, 119, 123, 129, 133) sts. on M.B. and 108 (112, 118, 122, 128, 132) sts. on ribber. T- Knit 2 circular rows.

Carriage at R.H.S. T- Knit 22 rows. Arrange needles as shown. 000. Following pattern stitch knit 182 rows. This will give a length of 16 ins. from cast on edge. Adjust length here if required.

Shape Raglan Armholes

000. Cast off 2 sts. at beg. of next 2 rows. Knit 2 rows. Dec. 1 st. at each end of next and every following 4th row until 49 (49, 53, 51, 55, 55) sts. remain, and then every following alt. rows until 33 (35, 37, 39, 41, 43) sts. remain. Knit 1 row. Cast off.

Left Front

With Carriage at L.H.S. Cast on 50 (52, 55, 57, 60, 62) sts. on M.B. and 49 (51, 54, 56, 59, 61) sts. on Ribber. T- Knit 2 circular rows. Carriage at R.H.S. T- Knit 22 rows. Arrange needles as shown, out to required number.

Front edge

M.B. 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1

Ribber. . . 1 1 . . . 1 1 . . . 1 1 . . .

000. Following pattern stitch; Knit 182 rows.

Shape Raglan Armhole and Neck

Cast off 2 sts. at beg. of next row. Knit 3 rows. Dec. 1 st. at right side (raglan edge) on next and every following 4th row, at the same time, dec. 1 st. at neck edge on next and every following 8th row 2(3, 5, 5, 7, 8) times in all and then every following 12th row until 11 (10, 11, 9, 10, 9) sts. remain. Knit 3 rows. Dec. 1 st. at raglan edge only on next and every alt. rows until 2 sts. remain. Cast off.

Right Front

Front edge

M.B. 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1

Ribber. 1 1 . . . 1 1 . . . 1 1 . . .

Work as given for Left Front, reversing all shapings.

Sleeves

With Carriage at L.H.S. cast on 49 (53, 55, 59, 61, 65) sts. on M.B. and 48 (52, 54, 58, 60, 64) sts. on Ribber

1 3
T- Knit 2 circular rows. Carriage at R.H.S. T- Knit 22 rows.
1 3

Arrange needles as given for Back. 000. Knit 12 rows. Inc. 1 st. at each end of next and every following 10th (10th, 12th, 12th, 12th, 12th) row until there are 83 (87, 89, 93, 95, 99) sts.; knit straight until 208 (208, 214, 214, 220, 220) rows have been worked. This will give a sleeve seam of 18 (18, 18½, 18½, 19, 19) ins. Adjust length here if required.

Shape Raglan Top

Cast off 3 (3, 2, 2, 3, 3) sts. at beg. of next 2 rows. Knit 2 rows. Cast off 2 sts. at beg. of next 2 rows. Knit 2 rows. Dec. 1 st. at each end of next and every following 4th row until 13 (15, 17, 21, 11, 13) sts. remain and then every following alt. row until 9 sts. remain. Knit 1 row. Cast off.

Front Band

Mark position on Left Front for 5 button holes, the first ½-inch above cast on edge and the final one at beginning of neck shaping. Place remainder evenly between. With Carriage at L.H.S., cast on 11 sts on M.B. and 10 sts. on

1 3
ribber. T- Knit 2 circular rows. T- Knit straight until long
1 3

enough to fit up right front, across back neck and down left front to end of neck shaping stretching to fit. Allow about 3 in. stretch from base to centre of back neck and the same down other side. Make buttonholes to match markers over needles 5-7 on M.B. and 4-7 on Ribber. Cast off.

To Make Up

Pin out and press with a hot iron over a damp cloth. Join side, sleeve and raglan seams. Sew Front Border in position, neaten buttonholes and sew on buttons. Press seams.

Boys and Mans Crew Neck Sweater

Materials

20 (21, 22, 32, 33, 34) ozs. Robin Crepe Double Knitting.

Measurements

To fit chest:
 28 (30, 32, 38, 40, 42) inches.
 30 (32, 34, 40, 42, 44) inches at underarm.
 18 (19, 20, 23½, 24½, 25½) inches length.
 16 (16½, 17, 19, 19½, 20) inches sleeve seam.

Tension

5 sts. and 13 rows to 1 inch.

Abbreviations

T., tension; L.B., lower bed; M.B., main bed; alt., alternate; N., needle; st(s), stitch(es); C.K., set machine for circular knitting; K., knit; R.K., set machine for rib knitting; 000., set row counter to 000; E.R., set machine for English rib; beg., beginning; Dec., decrease; foll., following; inc., increase; trans., transfer; tog., together; HCL's, holding cam levers.

Back

T1. L.B. and M.B. cast on automatically over alt. N. 75 (81, 87, 101, 107, 113) sts. placing odd st. on right side on M.B. C.K. T2. M.B. and L.B.K. 3 rows. R.K. T6. M.B. T5. L.B. K. 8 rows. 000. E.R. T9. M.B. T7. L.B. K. to row 130 (138, 146, 156, 164, 172).

Shape Raglan

Cast off 5 (6, 7, 5, 6, 7) sts. at beg. of next 2 rows. Dec. 1 st. at either side of every foll. 6th row for 1st 3 sizes and every 4th row for 2nd 3 sizes to 57 (61, 65, 73, 77, 81) sts. ** Then dec. 1 st. at either side of every foll. 5th row to 25 (27, 29, 33, 35, 37) sts. Cast off.

Front



Rep. from ** to ** as on Back. Dec. 1 st. at either side of every foll. 5th row to 37 (39, 41, 49, 51, 53) sts.

Shape Neck

Cast off 11 (13, 15, 21, 23, 25) sts. at centre of work. Trans. right L.B.N. to M.B. Push N. to E pos. HCL's on 11. Work on left 13 (13, 13, 14, 14, 14) sts. Dec. 1 st. every foll. 4th row on neck edge for 1st 3 sizes and every foll. 5th row for 2nd 3 sizes and every foll. 5th row on raglan edge to 2 sts. and fasten off. Push right N. to B pos. on L.B. and M.B. as before and work to match left side.

Sleeve

T1. L.B. and M.B. cast on automatically over alt. N. 31 (35, 39, 37, 41, 45) sts. placing odd st. on right side on M.B. C.K. T2. M.B. and L.B. K. 3 rows. R.K. T6. M.B. T5. L.B. K. 8 rows. 000. E.R. T9. M.B. T7. L.B. Inc. 1 st. at either end of every foll. 12th row for 1st 3 sizes and every 10th row for 2nd 3 sizes to 57 (61, 65, 75, 79, 83) sts. K. to row 195 (201, 207, 234, 240, 246).



Polo Neck Sweater

Shape Top


Cast off 5 (6, 7, 5, 6, 7) sts. at beg. of next 2 rows. Dec. 1 st. at either end of every foll. 6th row for 1st 3 sizes and every foll. 4th row for 2nd 3 sizes to 39 (41, 43, 47, 49, 51) sts. Dec. 1 st. at either end of every foll. 5th row to 7 sts. Cast off.

Collar

T1. L.B. and M.B. cast on automatically over alt. N. 89 (93, 97, 131, 135, 139) sts. placing odd st. on right side on M.B. C.K. T2. M.B. and L.B. K. 3 rows. R.K. T6. M.B. T5. L.B. K. 20 rows. Trans. L.B. N. to M.B. Join both raglan seams at right side of garment and front raglan seam at left side, with right side of work facing rib place 30 (32, 34, 42, 44, 46) sts. from back neck, 7 sts. from sleeve head, 16 (16, 16, 25, 25, 25) sts. along side front, 13 (15, 17, 25, 27, 29) sts. from centre front, 16 (16, 16, 25, 25, 25) sts. along side front 7 sts. from sleeve head onto rib N. Cast off tog. loosely.

To Complete

Press work on wrong side with hot iron over damp cloth. Join left raglan seam and collar. Slip stitch collar into position. Join side and sleeve seams. Press seams lightly on back of work.



Materials

17 (18-19) ozs. Patons Purple Heather 4-ply.

Measurements

To fit chest:
38 (40-42) inches.
40 (42-44) ins. at underarm.
25 (26-27) inches, length.
19 (19½-20 ins., sleeve seam.)

Tension

15 sts. and 22 rows to 2 inches over 3 and 1 rib.

Abbreviations

T., tension; L.B., lower bed; M.B., main bed; alt., alternate; N., needles; st(s), stitch(es); C.K., set machine for circular knitting; R.K., set machine for rib knitting; K., knit; trans., transfer; cont., continue; foll., following; 000., set row counter to 000; Patt., pattern; rep., repeat; beg., beginning; dec., decrease; rem., remaining; HCL's, Holding Cam levers; COL, carriage on left; inc., increase; tog., together; COR, carriage on right; bet., between.

Note

Instructions for larger sizes are in (), where only one figure is given this applies to all sizes.

Jumper - Back

**T1. L.B. and M.B. cast on automatically over alt. N. 157 (165-173) sts. placing odd st. on right side on M.B. C.K. T2. L.B. and M.B. K. 3 rows. R.K. T2. L.B. and T3. M.B. K. 10 rows. Working on N. to the left of 0 trans. the 3rd N. in use from 0 on the L.B. to M.B. Cont. to trans. every other L.B.N. to M.B. 6 more times. Trans. 32nd N. from M.B. to L.B. Trans. next 8 L.B.N. to M.B. forming block of 15 sts. on M.B. Trans. next M.B. st. to L.B. Trans. N.51 on L.B. to M.B. and every other foll. L.B.N. in use 6 (7-8) more times. Work N. from the right of 0 to match the left side making the N. to the right of 0 on the M.B. the centre st. 000. T4. M.B. and T3. L.B. The patt. is worked on the two blocks of 15 M.B. sts. over 28 rows. * K. 2 rows. Trans. centre st. on each block to L.B. K. 2 rows. Cont. to trans. 1 st. at either side of this centre st. to L.B. K. 2 rows between trans. until 13 sts. are on L.B. Then trans. 1 st. at each end of the 13 back to M.B. K. 2 rows bet. trans. until no sts. rem. on L.B. * Cont. rep. from * to * throughout front and back. K. to row 154 (160-166).

Shape Armholes




Cast off 7 (8-9) sts. at the beg. of the next 2 rows. 143 (149-155) sts. 000. Dec. 1 st. at either end of every other row to 113 (119-125) sts. ** K. to row 100 (105-110).

Shape Shoulder

Cast off 7 sts. at the beg. of the next 6 rows. Cast off 6 (7-8) sts. at the beg. of the next 4 rows. Cast off rem. 47 (49-51) sts.

Front

Rep. from ** to ** as on Back. K. to row 76 (81-86).



Shape Neck

Cast off centre 31 (33–35) sts. Trans. left L.B.N. to M.B. Push these N. to E. pos. HCL's on 11. Working on right sts. Dec. 1 st. at neck edge on every foll. 3rd row to 33 (35–37) sts.

Shape Shoulder

COR. Cast off 7 sts. at the beg. of every other row 3 times. Cast off 6 (7–8) sts. at the beg. of every other row twice.

Replace left N. into B. pos. on L.B. and M.B. as before. Rep. as for right side rev. shapings.

Sleeves

T1. L.B. and M.B. cast on automatically over alt. N. 55 (59–63) sts. placing odd st. on right side on M.B. C.K. T2. L.B. and M.B. K. 3 rows. R.K. T2. L.B. T3. M.B. K. 10 rows. Trans. every other L.B.N. in use to M.B. (forming 3 and 1 rib set out). 000. T4. M.B. T3. L.B. Inc. 1 st. at either end of every foll. 6th row to 105 (109–113) sts. K. to row 198 (203–208).

Shape Top

Cast off 7 (8–9) sts. at the beg. of the next 2 rows. 91

(93–95) sts. 000. Dec. 1 st. at either end of every foll. 6th row to 75 (77–79) sts. K. to row 48 (52–56). Dec. 1 st. at either end of every row to 31 sts. Cast off.

Collar

T1. L.B. and M.B. cast on automatically over alt. N. 125 (129–133) sts. placing odd st. on right side of M.B. C.K. T2. L.B. and M.B. K. 3 rows. R.K. T2. L.B. T3. M.B. K. to row 70. Trans. L.B.N. to M.B. Drop L.B. Join left shoulder seam. With right side of work facing rib pick up and place 22 sts. from right side front, 33 (35–37) sts. from centre front, 22 sts. from left side front, and 48 (50–52) sts. from back neck onto rib N. Cast off loosely, tog.

To Complete

Pin pieces out to required size and steam work with hot iron over a damp cloth, omitting cuff, welt and collar ribs. Join right shoulder seam. Sew collar seam facing right side of work and fold to form polo. Sew sleeves into armholes. Join side and sleeve seams. Lightly press all seams on wrong side of work.

His'n'Hers Rib Cardigan

Materials

25 (26, 27, 28, 29, 30, 31, 32) ozs. Sirdar Double Knitting Wool. 6 Buttons.

Measurements

To fit 34 (36, 38, 40, 42, 44, 46, 48) ins. Bust or Chest.

37 (39, 41, 43, 45, 47, 49, 51) ins. at underarm.

24½ (25½, 26½, 27½, 28½, 29½, 30½, 31½) ins. length. (Adjust.)

8½ (9, 9½, 10, 10½, 11, 11½, 12) ins. raglan depth.

17½ (17¾, 18, 18¼, 18½, 18¾, 19, 19½) ins. sleeve seam. (adjust.)

14 (15, 16½, 17½, 18, 19, 20½, 21½) ins. sleeve width at widest point.

Tension

7 sts. and 10 rows to 1 inch over rib pattern when rib is slightly stretched. *Check your tension very carefully.*

Abbreviations

T., tension; L.B., lower bed; M.B., main bed; C.O.A., cast on automatically over alternate needles; st(s), stitch(es); C.K., set machine for circular knitting; R.K., set machine for rib knitting; K., knit; C.O.R.(L.), carriage on right or left; trans., transfer; rem., remaining; 000, set row counter to 000; cont., continue; mn., main; patt., pattern; (adjust.), adjust length at this stage if required; beg., beginning; dec., decrease; inc., increase; foll., following; C.O.B.H., cast on by hand over every needle; H.C.L's., holding cam levers; N., needles; pos., position; B.Y., break yarn; M.D.E., make double edge by placing each loop at cast on edge onto N. in B position.

Note

Instructions for the larger sizes are in (), where only 1 figure is given this will apply to all sizes.

Lengthen or shorten by 1 inch by adding or subtracting 10 rows at the stated positions in the instructions. Do not lengthen or shorten the back and fronts by more than 1 inch as this will affect the front bands.

Back

T2. L.B. and M.B. C.O.A. 129 (137, 145, 153, 161, 169, 177, 185) sts. placing odd st. on right hand edge of M.B. ** C.K. K. 4 rows. R.K. K. 10 rows. C.O.R. *** Working from right edge of N. trans. the 1st st. from M.B. to L.B., * leave next st. on M.B., trans. next st. from M.B. onto L.B. Rep. from * till 2 sts. rem. on M.B. on left edge, trans. the edge st. to L.B. T7. on L.B. T8. on M.B. Press right tuck button. ** 000. Cont. in mn. rib patt. throughout to row 146 (150, 154, 162, 166, 170, 174). (adjust.)

Shape Raglan Armholes

Cast off 5 (6, 7, 8, 9, 10, 11, 12) sts. at beg. of the next 2 rows. 119 (125, 131, 137, 143, 149, 155, 161) sts. K. 1 row. C.O.L. 000. Dec. 1 st. each end of every foll. 4th row 5 times. 109 (115, 121, 127, 133, 139, 145, 151) sts. Dec. 2 sts. each end of every foll. 4th row 16 (17, 18, 19, 20, 21, 22, 23) times. 45 (47, 49, 51, 53, 55, 57, 59) sts. K. 2 rows more. K. a few rows with scrap yarn and take off machine.

Left Front

T2. L.B. and M.B. C.O.A. 57 (61, 65, 69, 73, 77, 81, 85) sts. placing odd st. on right hand of M.B. Rep. from ** to ** as on back. 000. Cont. in mn. rib patt. throughout to row 147 (151, 155, 159, 163, 167, 171, 175) C.O.L. (adjust.)

Shape Raglan Armhole and Neck

Cast off 5 (6, 7, 8, 9, 10, 11, 12) sts. at beg. of the next row, K. to end. 52 (55, 58, 61, 64, 67, 70, 73) sts. K. 1 row. C.O.L. 000. On left edge for neck dec. 1 st. on next and then every foll. 4th row 2 (2, 4, 4, 6, 6, 8, 8) times more, then dec. 1 st. every foll. 8th row 9 (10, 9, 10, 9, 10, 9, 10) times, at same time, on right edge for raglan, dec. 1 st. every foll. 4th row 5 times, then dec. 2 sts. every foll. 4th row 16 (17, 18, 19, 20, 21, 22, 23) times. (3 sts.). K. 2 rows. Trans. edge sts. to centre st. and fasten off. Work right front to match reversing shapings.

Sleeves

T2. L.B. and M.B. C.O.A. 57 (57, 61, 61, 65, 65, 69, 69) sts. placing odd st. on right hand edge of M.B. C.K. K. 4 rows. R.K. T3. L.B. and M.B. K. 20 rows C.O.R. Rep. from *** to ** as on back. K. 1 row C.O.L. Cont. in mn. rib patt. throughout at same time inc. 1 st. each end of every foll. 4th (4th, 4th, 4th, 3rd, 3rd, 3rd, 3rd) rows 10 (11, 12, 13, 18, 20, 21, 23) times. 69 (71, 77, 79, 93, 97, 103, 107) sts. Inc. 1 st. each end of every foll. 5th (5th, 5th, 5th, 4th, 4th, 4th, 4th) rows 14 (17, 18, 21, 18, 20, 21, 23) times. 97 (105, 117, 125, 129, 137, 149, 157) sts. K. to row 150 (154, 158, 162, 166, 170, 174, 178). C.O.L. (adjust.)

Shape Raglan Top

Cast off 5 (6, 7, 8, 9, 10, 11, 12) sts. at beg. of the next 2 rows. 87 (93, 99, 105, 111, 117, 123, 129) sts. C.O.L. 000. Dec. 1 st. each end of every foll. 4th row 5 times. 77 (83, 93, 99, 101, 107, 117, 123) sts. Dec. 2 sts. each end of every foll. 4th row 16 (17, 18, 19, 20, 21, 22, 23) times. 13 (15, 21, 23, 21, 23, 29, 31) sts. K. 2 rows more. K. a few rows with scrap yarn and take work off machine.

Back Neckband

(Worked on M.B. only). T8. C.O.B.H. 43 (45, 45, 47, 47, 49, 49, 51) sts. K. 20 rows. T10. K. 1 row for foldline. T8. K. 20 rows. C.O.L. M.D.E. K. 1 row. C.O.R. With right side of work facing machine and working from right edge of N. place back neck on to N. at same time dec. evenly 2 (2, 4, 4, 6, 6, 8, 8) sts. along back neck. Cast off band and neck together loosely.

Right Front Band

(Worked on M.B. only). (Buttonholes for ladies version). T8. C.O.B.H. 141 (150, 158, 167, 175, 184, 192, 200) sts. K. 4 rows. ** H.C.L's to II. Push left 81 (86, 91, 96, 101, 106, 111, 116) N. to E pos. K. 8 rows on right 59 (63, 66, 70, 73, 77, 80, 84) N. then push them to E pos. B.Y. * Push adjacent 15 (16, 17, 18, 19, 20, 21, 22) N. to D pos., K. 8 rows on them then push them to E pos. B.Y. Rep. from * 4 times more. Push rem. 6 N. to D pos., K. 8 rows on them then push them to E pos. B.Y. C.O.L. H.C.L's to I ** K. 8 rows. T10. K. 1 row for foldline. T8. K. 8 rows. Rep. from **



to ** once more. K. 4 rows. M.D.E. K. 1 row. C.O.R. With right side of sleeve facing machine and working from right edge of N. place sleeve top to first 12 (14, 15, 17, 18, 20, 21, 23) N. at same time dec. 1 (1, 6, 6, 3, 3, 8, 8) sts. evenly on sleeve top, on front place side neck to first dec. on neck to next 47 (49, 51, 53, 55, 57, 59, 61) N., place front edge to next 81 (86, 91, 96, 101, 111, 116) N. Cast off band, sleeve and front together loosely. For left front band cast on same number of sts. as for the right. T8. K. 20 rows. T10. K. 1 row for foldline. T8. K. 20 rows. C.O.L. M.D.E. K. 1 row. C.O.R. Place left front and sleeve onto N. to correspond, reversing positions. Cast off as before.

Left Front Band

(Worked on M.B. only). (Buttonholes for man's version). Cast on same number of sts. as for right band. T8. K. 4 rows. C.O.R. ** H.C.L.'s to II. Working from right edge of N., leaving the first 6 N. in B pos., push rem. N. to E pos. K. 8 rows on these 6 N. then push them to E pos. B.Y. * Push adjacent 15 (16, 17, 18, 19, 20, 21, 22) N. to D pos., K. 8 rows on them then push them to E pos. B.Y. Rep. from * 4 times more. Push rem. 59 (63, 66, 70, 73, 77, 80, 84) N.

to D pos., K. 8 rows on them then push them to E pos. B.Y. C.O.L. H.C.L.'s to I ** K. 8 rows. T10. K. 1 row for foldline. T8. K. 8 rows. C.O.R. Rep. from ** to ** once more. K. 4 rows. M.D.E. K. 1 row. C.O.R. With right side of left front facing machine and working from right edge of N. place front edge from hem to first dec. on neck onto first 81 (86, 96, 101, 106, 111, 116) N., place side neck to next 47 (49, 51, 53, 55, 57, 59, 61) N., place sleeve top to rem. 12 (14, 17, 18, 20, 21, 23) N. at same time dec. 1 (1, 6, 6, 3, 3, 8, 8) sts. evenly on sleeve top. Cast off band, sleeve and front together loosely. For right front band cast on same number of sts. as for the left. T8. K. 20 rows. T10. K. 1 row. for foldline. T8. C.O.L. M.D.E. K. 1 row. C.O.R. Place sleeve and right front on to N. to correspond reversing positions. Cast off as before.

To Complete

Press garment pieces, stretching fabric to required width. Join raglan and back neckband seams. Join sleeve and side seams. Oversee buttonholes. Sew up band ends. Press seams and bands. Sew on buttons.

Mans Long Line Cardigan

Materials

32 (32, 33, 33, 34, 34, 35, 35, 36) ozs. Patons Double Knitting. 5 Buttons.

Measurements

To fit chest: 32 (34, 36, 38, 40, 42, 44, 46, 48) inches.

Length: 27½ (28, 28½, 29, 29½, 30, 30½, 31, 31½) inches.

Sleeve Seam: 18 (18½, 18½, 19, 19, 19½, 19½, 20, 20) inches.

Tension

7½ sts. and 10 rows to 1 inch over stocking-stitch.

Abbreviations

TD., tension dial; st(s), stitch(es); k., knit; L.B., lower bed; M.B., main bed; beg., beginning; dec., decrease; inc., increase; trans., transfer; L.C.L., left cam lever; N., needle(s); 000., set row counter to 000; rep., repeat.

ff1., transfer the 4th st. to the 5th st., move up the 3 edge sts. to fill space, push back to A pos. the empty needle.

ff2., transfer the 4th and 5th sts. to the 6th st., move up the 3 edge sts. to fill space, push back to A pos. the 2 empty needles.

Note

Instructions for the larger sizes are in (), where only 1 figure is given this applies to all sizes.

Back

Set machine for rib knitting. TD1. on L.B. and M.B. Cast on over alt. N. automatically 135 (143, 151, 159, 167, 175, 183, 191, 199) sts. Set machine for circular knitting. TD3. on L.B. and M.B. K. 4 rows. Set machine for rib knitting. TD4. on L.B. TD5. on M.B. K. 12 rows. Trans. L.B. sts. to M.B. N. in A pos. Drop L.B. Work on M.B. only. TD8. on M.B. 000. K. 170 rows.

Shape Raglan Armholes

Cast off 8 sts. at beg. of the next 2 rows. K. 2 rows. ff1 each end of the next row. Rep: these last 3 rows to 79 (91, 97, 103, 109, 115, 121, 127) sts. K. 2 rows. ff2 each end of the next row. Rep. these last 3 rows to 43 (45, 47, 49, 51, 53, 55, 57, 59) sts. K. 3 rows. Cast off.

Left Front

Set machine for rib knitting. TD1. on L.B. and M.B. Cast on over alt. N. automatically 61 (65, 69, 73, 77, 81, 85, 89, 93) sts. placing odd st. on right side. Set machine for circular knitting. TD3. on L.B. and M.B. K. 4 rows. Set machine for rib knitting. TD4. on L.B. TD5. on M.B. K. 12 rows. Working from left edge of work trans. the first 4 (5, 5, 6, 6, 7, 7, 8) sts. from L.B. to M.B. N. in A pos. * Leave next st. on L.B., trans. next 2 sts. to M.B. empty N. in A pos. Rep. from * 6 (6, 6, 7, 7, 7, 7, 7) times more. Leaving next st. on L.B. trans. remaining 4 (5, 7, 5, 7, 8, 10, 11, 13) sts. to M.B. N. in A pos. 8 (8, 8, 9, 9, 9, 9, 9) sts. are left on L.B. for front rib panel. Push to B pos. 1 N. on each edge of work on L.B. 63 (67, 71, 75, 79, 83, 87, 91, 95) sts. 000. TD7.

on L.B. TD8. on M.B. Set right lever to PR. on L.B. carr. K. 44 (46, 48, 50, 50, 50, 50, 50, 50) rows, hanging side weights after first row of knitting.

Pocket Opening

With odd length of contrast wool K. by hand the 43 (43, 43, 49, 49, 49, 49, 49, 49) rib panel sts. i.e. the 8 (8, 8, 9, 9, 9, 9, 9, 9) sts. on L.B. and the 35 (35, 35, 40, 40-40, 40, 40, 40) sts. between them on M.B. K. to 170 rows. Trans. L.B. sts. to empty N. on M.B. Drop L.B. Work on M.B. only.

Shape Raglan Armhole and Front Neck

Cast off 8 sts. on right edge of work. TD8. on M.B. 000. Dec. 1 st. on left edge of work for neck and every following 7th (7th, 7th, 7th, 7th, 6th, 6th, 6th, 6th) row at same time ff1 on right edge of work for raglan every 3rd row to match back to 26 (28, 31, 33, 36, 37, 39, 42, 44) sts. Cont. dec. on neck as before until 13 (14, 15, 16, 17, 18, 19, 20, 21) sts. have been dec. from beg., at same time ff2 every foll. 3rd row to 4 sts. remaining. Cast off.

Right Front

Work to match left front reversing rib panel position and all shapings.

Sleeves

Set machine for rib knitting. TD1. on L.B. and M.B. Cast on over alt. N. automatically 63 (65, 67, 69, 71, 73, 75, 77, 79) sts. placing odd st. on right side of centre 0 on M.B. Set machine for circular knitting. TD3. L.B. and M.B. K. 4 rows. Set machine for rib knitting. TD4. L.B. TD5. M.B. K. 12 rows.

For 1st, 2nd and 3rd sizes work as follows

Trans. st. either side of L.B. centre 0 to N. in A pos. on M.B. Leave next st. either side of centre 0 on L.B., trans. the next 2 adjacent sts. from L.B. to M.B. as before. Cont. in this way forming rib panel to match fronts until 8 sts. are left on L.B. as before. 11 (12, 13) on right side of M.B. On this right side trans. edge st. to L.B. 9 (10, 11) sts. on left side of M.B. Push edge N. on L.B. to B pos. 64 (66, 68) sts.

From 4th to 9th sizes work as follows

Trans. 2nd and 3rd st. on left of L.B. centre 0 to M.B. then trans. 1st and 2nd st. on right of L.B. centre 0 to N. in A pos. on M.B. Leaving the next st. either side on L.B., trans. adjacent 2 sts. from L.B. to M.B. as before. Cont. in this way forming rib panel to match fronts until 9 sts. are left on L.B. as before. 11 (12, 13, 14, 15, 16) on right side of M.B. On this right side trans. edge st. to L.B. 9 (10, 11, 12, 13, 14) sts. on left side of M.B. Push edge N. to B pos. 70 (72, 74, 76, 78, 80) sts.

Continue as follows for all sizes

000. Set right lever to PR. on L.B. carr. TD7. on L.B. TD8. on M.B. Note:—Hang side weights after 1st row of knitting. Inc. on edge of M.B. sts., move over the L.B. edge st. outwards correspondingly. Inc. 1 st. each end of every foll. 5th (4th, 4th, 4th, 4th, 4th, 4th, 4th) rows to 80 (86, 88, 90, 92, 94, 96, 98, 100) sts. Inc. 1 st. each end of every foll. 8th (7th, 6th, 5th, 5th, 4th, 4th, 3rd, 3rd) row to 98 (106,

114, 122, 130, 138, 146, 154, 162) sts. K. to 150 (154, 158, 162, 166, 170, 174, 178, 182) rows. Trans. L.B. sts. to N. in A pos. on M.B. Drop L.B. Work on M.B. only TD8.

Shape Raglan Armhole

Cast off 8 sts. at beg. of the next 2 rows. 000, K. 2 rows. ff1 each end of the next row. Rep. these last 3 rows to 42 (48, 54, 60, 66, 72, 78, 84, 90) sts. K. 2 rows. ff2 each end of the next row. Rep. these last 3 rows to 6 (8, 10, 12, 14, 16, 17, 18, 20, 22) sts. Cast off.

Pocket Linings

Using M.B. cast on by hand over every N. 43 (43, 43, 49, 49, 49, 49, 49) sts. TD8. K. 44 (46, 48, 50, 50, 50, 50, 50, 50) rows. Cast off.

Pocket Tops

Set machine for rib knitting. TD0. L.B. and M.B. Cast on over alt. N. automatically 45 (45, 45, 51, 51, 51, 51, 51, 51) sts. Set machine for circular knitting. T2. on L.B. and M.B. K. 4 rows. Set machine for rib knitting. TD4. on L.B. TD5. on M.B. K. 12 rows. Cast off.

Left Front Band

Set machine for rib knitting. TD1. on L.B. and M.B. Cast on over alt. N. automatically 167 (171, 175, 179, 183, 187, 191, 195, 199) sts. Set machine for circular knitting. TD2. on L.B. and M.B. K. 4 rows. Set machine for rib knitting. TD4. on L.B. TD5. on M.B. K. 12 rows.

Buttonholes

Working from right edge of work, miss the first 7 sts., with odd contrast piece of wool K. by hand the next 5 sts. * Miss the next 20 sts., K. by hand the next 5 sts. as before. Rep. from * 3 times more. K. 12 rows. Cast off loosely.

Right Front Band

Work the same as left front band omitting buttonholes.


Back Neckband

Set machine for rib knitting. TD1. on L.B. and M.B. Cast on over alt. N. automatically 43 (45, 47, 49, 51, 53, 55, 57 59) sts. Work the same as right front band. Cast off loosely.

To Complete

Press work with a hot iron over a damp cloth. Thread odd wool through pocket opening sts. above and below the odd wool knitted in by hand and take out this odd knitted wool. Sew onto lower sts. pocket tops. Sew pocket linings to upper sts. Sew down all edges. Sew raglan, side and sleeve seams. Sew back neckband to back neck edge. Sew on front bands from front hem to back raglan seams. Join neckband edges at back raglan seams. Press seams and pocket linings on the inside of work. Pin out and stretch front bands to 29 (29½, 30, 30½, 31, 31½, 32, 32½, 33) inches and press on wrong side. Take out odd wool and overcast sts. to form buttonholes. Sew on buttons.

S.L. = set lever; patt. = pattern; rev. = reversing; D.C. = double crochet.





Jones

— the knitting machine people

Jones Sewing Machine Co. Ltd.,
Britannia House, 964 High Road, Finchley,
London N.12.