


KNITTING MACHINE

"The Most Wanted Automatic Home Knitter"

NEWSLETTER


NOVEMBER/DECEMBER, 1984

VOLUME 178





The staff at "THE WORKBASKET" Magazine has graciously given us permission to reprint the following article written by Assistant Editor Carolyn Sheffield on the Studio Knitting Machines. This article appeared in the October, 1984, "Workbasket" on pages 22 and 24, and has drawn interest from all over the country.



Studio Knitting Machine

Workbasket Use-test

A knitting machine opens up a whole new world of knitting. After seeing what the machine can do, you'll be eager to start. In a fraction of the time normally required for a garment, you can be finished and onto a new project. Creativity is unlimited. With so many choices and ideas, you won't know what to do first.

However, a word of caution. This is not something you will learn to do in an hour or two. For many people, this is a totally new experience. Before this creativity can be unleashed, you need to learn the basics - to cast on, knit, increase, decrease and bind off.

Even a beginner can learn to knit on a Studio Knitting Machine. Lessons from a Studio representative are a wonderful way to learn. Studio representatives are extremely helpful and encouraging. Spend at least an hour a day between lessons on the machine to totally familiarize yourself with the machine, the accessories and the instructions. Read the directions while at the machine so you can immediately

identify that to which the book refers. The accessories are all clearly identified in the Operation Manual, along with all the parts of the machine. Then, after you have had some lessons, armed with the basics and your instruction books, you're ready to begin your first garment. Choose a simple project and still, be prepared to make mistakes. Everyone does! Your Studio representative will be glad to help, along with your instruction books.

The WORKBASKET is fortunate to have a Studio 360, which incorporates a knit contour unit and numerous other practical functions. This machine has 200 needles, a 4.5 needle pitch and a unique automatic 24 needle pattern selection system built into the carriage. Special features include magic cams for single motif designs, row counter, weaving brushes and accessory tray. It comes complete with carrying case, instruction books, 20 pattern punch cards, 19 basic knit contour patterns and accessories.

Continued on page 24

Knitting Machine

Continued from page 22

By inserting the desired punch card (pre-punched or design your own), you can easily perform pattern knitting. The revolving cards can produce an infinite variety of patterns: punch lace, fair isle, weaving, elongated patterns, tuck lace, slip stitch and single motif.

Other features include:

The L knob which provides elongated patterns. The same patterned punch card is used, but after moving the knob to L, the vertical pattern will be twice as long.

The cam lever used with the punch cards allows selection of knit-in or fair isle, punch lace, tuck stitch, slip stitch

and, of course, stockinette.

The release lever allows the carriage to move across the needle bed without knitting. The release lever is used if the carriage has jammed.

The twin yarn feeder feeds out 2 different yarns simultaneously and auto-

matically for 2-color patterns.

Complicated and troublesome counting of rows and stitches when increasing or decreasing for shaping garments is eliminated with the built-in knit contour. Nineteen paper patterns are included. You can also make your own or even use some sewing patterns (those designed for double knit only). The fullsized paper pattern is inserted into the machine. The pattern moves as you knit, allowing you to see exactly where and when shaping is required. The Knitting Manual explains the procedure.

The Studio 360 has three instruction books, an Operation Manual, the Knitting Manual and a Pattern Book. It would be wise to read an entire section of the Operation or Knitting Manual before doing anything. Then reread the directions step-by-step as you actually

follow them.

Although the machine is basically easy to use, at times the instructions could be more precise. For example, when casting on, hold the yarn loosely

across the needles. The manual does not say this. If you hold it tightly (as I did), the stitches cannot be formed.

The directions for using the transfer tool to transfer a stitch when decreasing are not clear. How to get the stitch onto the tool is left a mystery.

Other directions are very good. The directions and diagrams for increasing are simple and concise. The symbol used throughout the book correspond to the symbols on the carriage, which simplifies the directions.

The pattern book shows, in color, the different patterns available on punch cards. Color coordinated in groups, each pattern is also identified by the card number. For further directions on the pattern, the page number in the Operation Manual is also given. Carriage settings are given in both Pattern Book and Operation Manual.

After you have the machine set up, threaded and the stitches cast on, knitting a row is a breeze. Simply move the carriage across the row! In no time, you'll learn to make stripes quickly and easily. You'll begin to realize just how much fun and how easy knitting c be. Before you know it, you'll have co. quered patterns and fancy stitches.

An optional lace carriage makes it possible to produce fine lace fabric. The ribber is an attachment that converts your machine into a 400-needle double bed knitter capable of various kinds of rib stitches. Extra punch cards, nonperforated cards for the creative knitter, additional paper knit contour patterns and other accessories also are available.

A knitting machine is fascinating and exciting. There will be some frustrations, like trying to change your gauge and having all the knitting fall off the needles instead. Practice helps and the results make it all worthwhile. A sweater in a day instead of week makes the knitting machine seem li magic!

24 • The WORKBASKET

Bulky garments, hand made or machine knit are becoming more and more popular.

The Studio SK-150 Chunky Knitter offers simple performance, but combined with your individual see of creativity, unique and shionable bulky garments can be knit with ease, not only by the experienced knitter, but also by enthusiastic beginners.

This article is reproduced from "Knits for Joy" with permission of Silver Knitting Institute, Tokyo, copyright holder 1978.

Lady's Round Yoke Pullover as shown on the cover of this issue.

SYMBOLS/ABBREVIATIONS

SD ()

 SD stands for Stitch Dial and the figure in circle indicates Stitch Dial number.

Col. a - identifies colour of

(Col. b) each yarn. pos. – position.

st. (sts.) — stitch or stitches

Nd. (Nds.) — needle or needles

CR — Card Row number

R.C. — Row Counter number

needle arrangement

નાના

I - working needle

o - non-working needle


needle having 2 stitches


NEW ACCESSORIES FOR THE CHUNKY KNITTER!!

PS-150 PATTERN SELECTOR

- \$49.96 -

\$5.60 per set of 10 Blank Cards.





Your chunky knitter will be more enhanced with the Pattern Selector which helps you select the needles for various stitch patterns.

N.P. Card, 10 cards a set, is indispensable for expanding you pattern collections.

LADY'S ROUND YOKE PULLOVER

Finished measurements

size: cm.

	Α	В	С	D
Bust	90	100	108	114
Length	53	55	57	59
Sleeve length	54	56	57	58

Materials/others:

Super extra thick wool.

Col.a.....350 - 500qs.

Col.b, c.....50gs. each

Col. d.....100gs.

Col. e, f 10gs. each

Machine.....Model 150 (Chunky Knitter) Model PS-150 (Pattern Selec-

tor)

Punch Card Punch as shown below for yoke.

					-		•		•		-	4
		0	•			-	•	•	•	-	-	4
			-	-	-	-	-			1		-3
-				-			-	-		-		3
				•	•							3
								1	•			3
	0			•				9	•			-3
-	0				390		•		•			-3
									-	+ 1	1 .	3
	-								-			3
			•	-		-	•		•		•	3
_	0						•	-	•			-3
			-	-		-					-	2
				-	-							- 2
_	-				-	1		-	•	-		- 2
_	-	-			-				•	-		- 2
								•	•			2
			_									2
_						-	•					- 2
_	_								•	•		-2
	-					-		-			-	- 2
_	_	0								•		- 2
				_								1
			_									1
-	-					-						1
					-	-						1
-		-		-	-	7.	-	-		-	-	1
-		-	-	-		-			_		-	1
	_	-		-	-	-	-					1
		_				-		-				1
-		-						-		_		1
	-	-	_	-	-	_	_	-	-		_	-1
	-	-	-		-	-	-		-	,	-	- '
				-	-	-		•		-		-
_				_	_				•			- '
					-	_		•		-	-	-
0					•			_	•			- !
							-		-	•	_	_ !
	_		-			-		_	-	-	•	- 4
		0	-			-				-		- 3
			0		-	-					-	


Tension Gauge:

14 sts. by 20 rows to 10cm. sq. over the swatch of Stocking Stitch with the Stitch Dial at 8.

TO KNIT

Numbers in blacket refer to the B, C and D respectively.


Back



- (1)— Arrange 64(70, 76, 80) Nds. in B pos.
 - With Col. a, work K1.P1. Rib referring to pages 45–47 in Instruction Book starting from the side.
 - SD ① for beginning of 4 rows and SD ⑤ for next 20 (all sizes) rows.
- (2)— SD (8), R.C.000, knit 44(48, 52, 56) rows in Stocking Stitch with ending yarn at right side.
- (3)— Russel Levers at —, push the Nds. on section (b) to D pos.
 - Work partial knitting by decreasing sts. as shown on page 10, following Graph Pattern I on page 11 till R.C. shows 050(052, 054, 056).
- (4)— Cast off 1(4, 4, 5) sts. on right side.
- (5)— Decrease 1 st. 3(3, 3, 4) times following Graph Pattern I till R.C. shows 054(058, 062, 066) tinuing partial knitting.
 - Break off yarn, bring Carriage to the left side without knitting.
 - Return the R.C. to 044(048, 052, 056).


- (6)— On the Carriage side, push back required number of Nds. to be knit to C pos. following Graph Pattern I, shape section (b) in the same manner as done in (3)—(5) for section (a), but reverse shaping.
- (7)— Remove remaining 56(56, 62, 62) sts. on waste knitting.

Front



- (1)— With Col.a, work K1.P1. Rib in the same manner as done for back welt.
- (2)— R.C.000, SD (8), knit 34(38, 42, 46) rows in Stocking Stitch.
 - Push the Nds. on section (b) to D pos.
 - Russel Levers at —, work partial knitting by decreasing sts. following Graph Pattern II on pagel 2till R.C. shows 050(052, 054, 056) with ending yarn at right side.
- (4)— Cast off 1(4, 4, 5) sts. on right side.
- (5)— Decrease 1 st. 0(0, 3, 4) times following Graph Pattern II continuing partial knitting except size A till R.C. shows (054, 058, 062).
 - Break off yarn, bring Carriage to the left without knitting.
 - Return the R.C. to 034(038, 042, 046).
- (6)— On Carriage side, push back required number of Nds. to be knit to C pos., shape section (b) in the same manner as done for section (a) but reverse shaping.
 - (7)— Remove remaining 62(all sizes) sts. on waste knitting

Sleeve (left & right)



left

- (1)— Arrange 40(44, 48, 52) Nds. in B pos.
 - Knit several rows of waste knitting with ending yarn at left side and knit 1 row with Ravel Cord.
- (2)— R.C.000, SD ®, with Col.a, following Graph Pattern III on page 13, work increasing st. on both sides in fully fashioned method referring to page 42 in Instruction Book till R.C. shows 058(062, 066, 070) and 54(60, 64, 68) sts. should be on machine.
- (3)— Russel Levers at —, push the Nds. on section (b) to D pos.
 - Work partial knitting by decreasing sts. following Graph Pattern III' on page 13 till R.C. shows 068 (070, 072, 074) with ending yarn at right side.
- (4)— Cast off 1(4, 4, 5) sts. on the right side.
- (5)— Decrease 1 st. 0(0, 2, 3) times following Graph Pattern III' continuing partial knitting except size A till R.C. shows (072, 076, 080).
 - Break off yarn, bring Carriage to the left side of the fabric.
- (6)— Return the R.C. to 058(062, 066, 070).
 - Push back required number of Nds. to be knit to C pos. following Graph Pattern III" on page 13.

- Wrok partial knitting by Decreasing sts. till R.C. shows 068(070, 072, 074).
- (7)— Cast off 1(4, 4, 5) sts. on the left side.
- (8)— Decrease 1 st. following Graph Pattern III" 2(2, 4, 5) times continuing partial knitting till R.C. shows 072(076, 080, 084).
- (9)— Remove remaining 50(all sizes) sts. on waste knitting.

Work right sleeve in the same manner as done for left sleeve but reverse shaping.

 Block out each pieces to size and give a steam iron.

(cuff) -2 pieces-

- Arrange 30(32, 36, 38) Nds. in B pos., work K1.P1. Rib in the same manner as done for back welt with Col.a. SD ① for beginning of 4 rows and SD ④ for next 20(22, 24, 25) rows.
- Remove them on waste knitting.
- With knit side of sleeve facing you, pick up sts. just below the Ravel Cord knitted in Col.a, and place them onto the Nds. in B pos. by decreasing required number of sts. across the row referring to Chart below.

Size

А	IIIIII IIIII 3 times 1
В	5 times 2 1
С	3 times 6 1
D	7 times 1

- Pull out the Ravel Cord.
- With wrong side of cuff facing you, pick up sts. from the last row of main knitting and place them onto the corresponding Nds. in B pos.
- Unravel the waste knitting.
- Knit 1 row from right to left, break off yarn about 3 times of knitted width.

 Work back stitch with Tapestry Needle and remove from the Machine.

Yoke


- * Needle Number Tape for PS-150 should be placed in pos.
- Set up PS-150 with the Punch Card at CR 1.

Colour Chart for Fair Isle needle selector CR CR 1 - 3b 39 - 41a 4-6 36 - 38C b 7-9 33 - 35C 10 32 11 - 12d 30 - 31e 13 - 1428 - 2915 - 17d 25 - 27a 18-19 f d 23 - 2420 22 C d 21 b d

SECTION I

 Work SECTION I of yoke on front, back and sleeves separately, each pieces should be placed on machine as shown below to much patterns on seams.

Col.




- Arrange 62(all sizes) Nds. for front 56(56, 62, 62) Nds. for back 50(all sizes) Nds. for sleeves in B pos. correctly.
- With purl side of front (back, sleeves)
 facing you, fill the Nds. with sts. fro
 last row of Col.a.
- Unravel waste knitting.
- SD ®, work Fair Isle from CR 1 to 13 by changing colour following Colour Chart.

- Referring to Chart A on page 11 decrease 16(all sizes) sts. for front, 10(10, 16, 16) sts. for back, 10(all sizes) sts. for sleeves, across the row.
- Empty Nds. are in A pos., remove remaining 46(all sizes) sts. for front & back, 40(all sizes) sts. for sleeve on te knitting.

SECTION II


 Arrange 86(all sizes) Nds. in B pos. as shown below.



- With purl side of front and right sleeve (back and left sleeve) facing you, fill the Nds. with sts. from last row of Col.d starting from left edge of front and sleeve.
- Unravel waste knitting, knit 1 row in Stocking Stitch with Col.d for CR14.
- Set Machine for Knit-in, work Fair for SECTION II by changing our following Colour Chart, from CR 15 to 27.
- Knit 1 row with Col.d in Stocking Stitch.
- Decrease 18(all sizes) sts. for front side, 24(all sizes) sts. for back side as shown Chart B on page 11.
- Empty Nds. are in A pos., remove 68
 (all sizes) sts. for front side, 62(all sizes) sts. for back side on waste knitting.

SECTION III

 Arrange 62(all sizes) Nds. for back, 68(all sizes) Nds. for front in B pos. as shown below.



 With purl side of front(back) facing you, fill the Nds. with sts. from last row of Col.d.

- Unravel waste knitting, knit 1 row for CR 29 with Col.d in Stocking Stitch.
- Set Machine for Knit-in, work Fair Isle from CR30 to 41 by changing colour following Colour Chart.
- Knit 1 row with Col.a in Stocking Stitch.
- Referring to Chart C for neckline, decrease 25(23, 21, 19) sts. for front side, 23(21, 25, 25) sts. for back side, across the row.
- Empty Nds. are A pos., remove remaining 43(45, 47, 49) sts. for front, 39(41, 43, 43) sts. for back on waste knitting.

Pollo Collar

- Arrange 82(86, 90, 92) Nds. in B pos.
- With Col.a, SD ① for beginning of 4 rows and SD ⑤ for next 12(14, 16, 16) rows, work K1.P1. Rib in the same manner as done for back welt.
- Decrease 1 st. on both edges, knit another 18(20, 22, 22) rows with SD
 and continue reforming the knit sts. up to end.
- Remove remaining 80(84, 88, 90) sts.
 on waste knitting.
- Arrange 80(84, 88, 90) Nds. in B pos.
- With knit side of front and back facing you, fill the Nds. with sts. from last row of Col.a.
- Push the Nds. to D pos.
- With right side of collar facing you, fill the Nds. with sts. from last row of Col. a.
- Unravel waste knitting.
- Push back the Nds. to B pos., the rear sts. will slip off the Nds. and interloop with the front sts.
- Cast off sts. with back stitch method referring to page 56 in Instruction Book.

TO MAKE UP

 Block out each yoke into size, give a steam iron. Join Armhole seams with blind stitch to match Fair Isle pattern.


 Join side seams through sleeve seams and join side seam of collar as instructed below.



Decreasing stitches every row by partial knitting.



(1) When you reach the position to start the partial knitting, on the side opposite the Carriage, push up the required number of needles to D position.



(2) Set both Russel Levers to the position, knit 1 row. Only the needles in B position knit.



(3) Before knitting the next row, push up the required number of needles to D position and lay the yarn as shown. Continue in the same manner until the partial knitting has been completed.

Continued to page 11.

Ruth Mary Harrop, our Studio dealer in Nevada City, CA, sent in this timely pattern for a -

Made on the Studio Chunky Knitter

Cast on 52 sts. with scrap yarn. Knit at least 4 rows of scrap, 1 row ray cord, 12 rows in main color. Transfer every other stitch to form a picot edge. Knit 12 rows. Hang the hem. Knit 2 rows main color. Set row counter. Knit 4 rows white - 3 8 rows red or green or alternately - 10 4 rows white - 3. Remainder of stocking will be in your main color except the toe. Knit 20 rows straight in main color. Full fashion decrease every 4 rows, 1 stitch, six times. When this is completed you should have 40 sts.on your machine. Knit 10 rows straight. Hand knit the 10 edge sts. from your machine onto scrap yarn. Drop them. Set row counter. Knit 32 rows on these 20 sts. Turn the toe as follows: put your carriage in hold. Pull out the firs needle opposite your carriage. Knit the row. Pull out the first needle opposite your carriage. Knit this row. Repeat until there are 7 sts. out on each side and 6 sts. left knitting in the middle. Now reverse the process by putting one needle at a time back to C position so that you reverse your short rowing. Start from the middle and work Set row counter. Knit 32 outwards. rows. Turn the heel exactly like the toe. Take the work off on scrap yarn Graft the back of the and steam. heel to the sts. you hand knitted off. Sewing from the right side, sew the back leg seam and the seam on either side of the foot. Crochet a loop the back of cuff and sew a jingle onto the toe.

Names can easily be duplicate stitched into the stripe on the leg.

Chart A (SECTION I)

Size	Front	Sleeve (right)
A,B C,D	IIIO O	[0]] [][0][0][0] twice 4

Size	Back	Sleeve (left)
A, B	IIII 6 6 9 times 1	once 9 1
C,D	110 0 15 times 1	[0] [[[10] [0] [1] [1] [1] [1] [

Chart B (SECTION II)

Size	Front side	Back side
A, B	ાાા હીંઘા હી ાહી ાા	1110110111
C, D	8 times 2 1	11 times 2 1






Chart C (SECTION III)

Size	Front side	Back side
Α	[[olfolfolfolfo	once Tollolo Ilo
В	ITO TO 2 times 1	To 110 11 3 times 18 7
С	IIIOIIOIIO IIO 5 times 1	To Hollololo
D	11010 110 110 7 times 4 1	10 10101010





SEMINAR NEWS

FLORIDA - February 22nd and 23rd, 1985 - Joan Stiles, our Studio distributor at The Knitting Closet in Satellite Beach, Florida, is sponsoring this knitting machine seminar, featuring Bonnie Triola. Details available from The Knitting Closet, P. O. Box 2867, atellite Beach, FL 32937. Phone (305)773-1974.

Lucille Koles of Ludy's Knits has moved to a new location in Saxon Square in Sylvania, Ohio. For more information on this, you can phone her at (419)882-5882.



Annie Lindsay, Bonners Ferry, ID, sent in this

LACE CHRISTMAS SOCK

Knit on a Studio SK-360 knitting machine with

Materials needed: 1-1/2 oz. 3/15 (fingering weight yarn) Any color.

1-1/4 yds. narrow rib Punch card #406 (Card #64)) or any similar lace

punch card.

Tension #7


- 1. With main carriage, E wrap cast on over 98 sts. every other needle. Set row counter. Knit 20 rows (every other needle) for inside of cuff.
- 2. Pull all needles to B position, knit to row 26. Transfer every 3rd needle to make eyelets for ribbon. Bring empty needles back to B position. Knit to row 38, transfer every 3rd needle again for eyelets. Bring empty needles back to B position. Knit to row 44.
- 3. Hang up hem on 44th row.
- 4. Change main carriage to lace carriage. Put in punch card and memorize pattern.
- 5. Lace knit 96 rows decreasing 1 stitch each side every 8 rows. Knit another rows. You should have 100 rows total and be knitting on 74 sts.

6. Stop punch card. Change lace carriage

to main carriage. Shape heel.

- 7. Change main carriage to lace carriage. Knit 34 rows in pattern with no shaping.
- 8. Change to main carriage and shape toe. Take sock off on waste yarn.

Finishing - Kitchener stitch toe and side seam. Steam press. Thread ribbon through eyelets and tie bows. Knit or crochet a cord for hanging, attach to cuff. Hang stocking by the fireplace and wait for Santa Claus to be impressed.



This "Newsletter" is your publication. Help support it by submitting your original patterns and helpful hints, so other home knitters can learn from your experience. We would like to urge all of you with older machines to share your favorite originals with our other readers. Many of our readers write in requesting simple, beginner patterns. You will receive a gift of yarn for any original pattern or hint that is printed. When sending in your patterns, be sure to include the size of the garment and the knitting gauge (number of stitches and rows per inch) - this is most important - and the ting machine for which your particular pattern was designed. It also ps if you know approximately how much yarn your pattern takes. Please check and recheck your patterns for errors and type or print clearly. We do not have time to knit each pattern sent in, so cannot check for mistakes. It also helps if you do not abbreviate, as many of your terms are unfamiliar to us and to other readers. A black and white snapshot and/or brief description of your garment will make it easier to visualize by other readers. A gift of yarn will be sent for snapshots (black and white) printed with the patterns.

There is a wonderful opportunity awaiting you to become a STUDIO Knitting Machine and yarn dealer. Good money can be made in your spare time with only a small investment. We are interested in contacting men and women who would like to become a part of our growing group of STUDIO dealers throughout the United States. Our assistance and guidance can make this a very profitable venture for you, and our only requirements are that you know how to operate a knitting machine and that you have space available in which to set up your STUDIO shop, either in your home or place of business. You will find this a fascinating business which affords you the opportunity to become acquainted with new and interesting people. Contact Mr. David Bratz, Manager, STUDIO Yarn Farms, Inc., P.O. Box 46017, Seattle, WA 98146.

u are planning to move soon, let us know both your old and new addresses, complete with zip codes. We cannot change your address without this information.

Patterns submitted and published in this "Newsletter" are submitted by individuals and are purported to be original patterns.

CANADIAN SUBSCRIBERS - Please remember, when sending in your subscription, all checks and money orders from Canada must be marked "Payable in U.S. Funds".

Please Note - We always notify you when your subscription expires. Your last issue is stamped across the Subscription Order Blank on the back page in red, "Your subscription expires with this issue". This issue is then mailed to you in an envelope and sent by first class mail. If you miss an issue, without having received this notification, please let us know, because it means that your mail isn't reaching you, and we will send you another copy. All the "Newsletters" are mailed out, altogether, just as soon as the mailer receives them from the printer.