


Brother

Chunky
Collection







CONTENTS

	page		page
1 Sweater suit	5	9 Tuck stitch sweatersuit	20
2 Lace sweater	8	10 Insert sweater	21
3 Cotton top	9	11 V back top	24
4 Unisex shawl collar	9	12 Batwing cardigan	25
5 Top & bandeau	12	13 Tuck stitch top	28
6 Beaded sweater	13	14 Intarsia sweater	29
7 Fairisle sweater	16	15 Summer vest	32
8 Cardigan	17	16 Fishermans rib	32

ABBREVIATIONS

Alt.	Alternate	In/s	Inch/es	Rel.	Release
Approx.	Approximate	Inc.	Increase	Rem.	Remaining
Beg.	Beginning	K.	Knit	Rep.	Repeat
Carr.	Carriage	Mach.	Machine	Rev.	Reversing
Cms,	Centimetre/s	M/bed	Main bed	St/s	Stitch/es
Cent.	Centre	MT	Main Tension	SS	Stocking stitch
C. on	Cast on	MT - 1	Main Tension - 1	T	Tension
C. on Comb	Cast on Comb	MT + 1	Main Tension + 1	Trans.	Transfer
C. off	Cast off	MY	Main Yarn	WP	Working position
Col.	Colour	N/s	Needle/s	WY	Waste yarn
Cont.	Continue	NWP	Non working position		
Dec.	Decrease	Oppos.	Opposite	Note:—	Rib Tensions
Ev.	Every	Patt.	Pattern	T1/1 =	Tension 1 on both beds
FF.	Fully Fashioned	Pos.	Position	T10/8 =	Tension 10 on main bed
Foll.	Following	RC	Row Counter		Tension 8 on ribber bed
HP	Holding position	R/s	Row/s		

For more information regarding yarns, write to:

B.S.K. Ltd
Murdock Road
Manton Industrial Estate
Bedford
MK41 7NE

Photography by
 Tony Cambio
 at Little Addington
 Wellingborough
 Northants.

Copyright © Juval Designs 1986
 Exclusive for B.S.K. Ltd.

Printed in United Kingdom by Newnorth-Burt Ltd, Kempston,
 Bedford.

Whilst every care is taken to ensure the accuracy of the patterns in
 this book, the publisher accepts no responsibility whatsoever for
 any damage, loss or the like arising from their use.

I SWEATER SUIT



SIZES:

Sweater

34/36 (38/40 42/44) in.
86/91 (97/102 107/112) cm.

Skirt

36/38 (40/42 44/46) in. hip
91/97 (102/107 112/117) cm. hip

MATERIALS:

2 Cones BK 4 ply Acrylic Col. A
1 Cone BK 4 ply Acrylic Col. B
Used 2 ends throughout
Elastic to fit waist
Card No. 4J

TENSION:

17 sts. × 25 rs. = 10 cms. over
Fairisle patt.
Tension dial approx. 4
25 sts. × 25 rs. = 10 cms. over rib patt.
Tension dial approx. 3/3

ABBREVIATIONS: SEE PAGE 4

BACK

Insert card & lock to k. row 1.
C. on in Col. A, 1 × 1 rib 81 (89 95) sts.
RC 000, T0/0 k. 20 rs.
Trans. sts. to M/bed. Inc. 1 st.
RC 000, MT, Col. B in Feeder 1 Col. A in
Feeder 2, rel. card & work in fairisle. K. 62
rs.*
MARK BOTH EDGES.
Cont. to k. until RC 118 (122 124).

SHAPE NECK & SHOULDERS

Push 58 (62 65) sts. at left into HP or k. back
onto nylon cord in NWP.
Mark Card Row No.
Work on right side only.
AT SAME TIME, Dec. 1 st. at neck next 4 rs.
and C. off 6 (8 9) sts. beg. next & foll. alt. r. K.
1 r.

C. off rem. 8 (8 9) sts.
Leave cent. 34 sts. in NWP.
Bring 24 (28 31) sts. at left back into WP.
Reset card.
Work left side to match. Rel. cent. sts. on
WY.

FRONT

K. as for back to*
MARK BOTH EDGES
Cont. to k. until RC 102 (106 108).

SHAPE NECK

Push 54 (58 61) sts. at left into HP or k. back
onto nylon cord in NWP.
MARK CARD ROW No.
Work on right side only.
Dec. 1 st. at cent. next & foll. alt. rs. 8 times in
all. RC 118 (122 124).

SHAPE SHOULDER

C. off 6 (8 9) sts. beg. next & foll. alt. r. k. 1 r.
C. off rem. 8 (8 9) sts.

Leave cent. 26 sts. in NWP.
Bring 28 (32 35) sts. at left back into WP.
RESET CARD.
Work left side to match. Rel. cent. 26 sts. on
WY.

SLEEVES

Insert card & lock to k. row 1.
C. on in Col. A, 1 × 1 rib 37 (39 41) sts.
RC 000, T0/0 k. 20 rs.
Trans. sts. to M/bed. Inc. 1 st.
RC 000, MT, working in fairisle as back, k. 2
rs.
Inc. 1 st. both ends next & foll. 5th rs. until 78
(82 86) sts.
Cont. to k. until RC 108 (110 112).
C. off loosely.

NECKBAND

Join right shoulder seam.
C. on in Col. A 1 × 1 rib 91 sts.
RC 000, T3/3 k. 2 rs. T2/2 k. 2 rs.
T1/1 k. 2 rs. T0/0 k. 8 rs.
T1/1 k. 2 rs. T2/2 k. 2 rs.
T3/3 k. 2 rs.
Trans. sts. to M/bed.
With wrong side facing, pick up sts. from
neck.
MT, K. 1 r. T10 K. 1 r.
C. off with latch tool.

TO MAKE UP

Join shoulder seam, sew sleeves between
markers.
Sew side & sleeve seams.
Fold neckband to inside & slip st. into pos.
Press with warm iron.

SKIRT

(Knit two)
C. on in Col. A, full n. rib. 64 (78 92) sts.
RC 000, Rib Tension k. 165 rs.
Trans. sts. to M/bed.

T4 k 10 rs. T10 K 1 r.
T4, k 9 rs. T10 k. 1 r.
C. off loosely.

TO MAKE UP


Join side seams.
Fold waist to inside.
Thread elastic through waist.

NECK COWL



C. on in Col. A full n. rib 76 sts.
RC 000, rib tension k. 110 rs.
C. off.

TO MAKE UP

Join seam.



CARD 4J



Continued on page 8 ►





2 LACE SWEATER



SIZES:

32/34 (36/38 40/42) in.
81/86 (91/97 102/107) cm.

MATERIALS:

1 Cone BK Charisma Yarn A
1 Cone BK County Yarn B
Yarn A used two ends throughout
Card 13P

TENSION:

17 sts. × 25 rs. = 10 cm.
Tension dial approx. 5

ABBREVIATIONS: SEE PAGE 4

BACK

Insert card & lock to k. row 1.
Using Yarn A C. on in 1 × 1 rib 81 (89 97) sts.
RC 000, T0/0 k. 20 rs.
Trans. sts. to M/bed. Inc. 1 st.
Leave c. on comb in place
RC 000 MT, working in lace
Yarn A feeder 1 Yarn B feeder 2
K. 66 rs.

SHAPE ARMHOLES

C. off 6 sts. beg. next 2 rs.*
K. 66 rs.

SHAPE SHOULDERS

C. off 7 (9 11) sts. beg. next 4 rs.
C. off rem. 42 sts.

FRONT


K. as for back to*
K. 50 rs.

SHAPE NECK

MARK CARD ROW No.
C. off cent. 18 sts.
K. all sts. at left back onto nylon cord in
NWP, work on right side only.
Dec. 1 st. at cent. next 12 rs. until 14 (18 22)
sts. rem.
Cont. to k. until RC 134.

SHAPE SHOULDER

C. off 7 (9 11) sts. beg. next & foll. alt. r.
RESET CARD & repeat for left side.



CARD 13P

SLEEVES


Insert card & lock to k. row 1.
C. on in 1 × 1 rib 35 (39 43) sts.
RC 000, T0/0 k. 20 rs.
Trans. sts. to M/bed. Inc. 1 st.
Leave c. on comb in place, working in lace k.
2 rs.
Inc. 1 st. both ends next & foll. 3rd rs. until 94
sts.
Cont. to k. until RC 90.
Working with both yarns SS only K. 12 rs.
C. off.

NECKBAND



Using yarn A C. on by hand 86 sts.
RC 000, MT, k. 62 rs.
C. off loosely.

TO MAKE UP

Join shoulder seams, insert sleeves, sew
side & sleeve seams.
Attach neckband with right sides together
using flat mattress stitch.
Fold to front.
Press lightly with warm iron.



► Continued from page 5



B.K. PARTY POODLE

AVAILABLE IN
12 SHADES

ON
500g CONES



3 COTTON TOP



SIZES:

34/36 (38/40 42/44) in.
86/91 (97/102 107/112) cm.

MATERIALS:

2 (3 3) Cones BK Cotton
Used two ends throughout
Card No. 3
Elastic to fit hips & arms

TENSION:

16 sts. × 36 rs. = 10 cms.
Tension dial approx. 5 over tuck patt.

NOTE:

Knit side is right side of garment
For non-punchcard machines:
Using 1 × 1 pusher, k. 3 rs. tuck, 2 rs. ss.
(repeat 5 times). Using 1 × 1 pusher,
work from cent. 0 outwards, bring 6 ns.
forward each side, 12 back (repeat 5
times).

ABBREVIATIONS: SEE PAGE 4

BACK & FRONT ALIKE

Insert card & lock to k. row 1.
C. on in WY, 84 (92 100) sts.
K. few rs. Carr. at right.
K. 1 r. with nylon cord.
RC 000, MY MT-1 k, 8 rs. T10, k 1 r.
MT-1, k. 8 rs. Turn up hem.
RC 000, MT, working in Tuck patt.
K. 96 rs.

SHAPE ARMHOLES

C. off 6 (8 10) sts. beg. next 2 rs.
Cont. to k. until RC 184.

SHAPE SHOULDER

MARK CARD ROW No.
K. 56 (56 60) sts. at left, back onto nylon cord
in NWP.
Work on right side only.
C. off 4 (5 5) sts. beg. next & foll. alt. rs. 4
times in all.


Leave cent. 40 sts. in NWP.
Work left side to match.
NECK LINING
Bring cent. 40 sts. back into WP.
Pick up 8 sts. both sides.
Working in SS T5 k. 9 rs.
T10 k. 1 r. C. off with latch tool.

SLEEVES


C. on in WY 56 sts.
K. few rs. Carr. at right.
K. 1 r. with nylon cord.
RC 000 MY MT-1, k. 8 rs. T10 k. 1 r.
MT-1 k. 8 rs. Turn up hem.
RC 000, MT working in SS k. 2 rs. Inc. 1 st.
both ends next & foll. alt. rs. until 88 sts.
Cont. to k. until RC 83.
T10 k. 1 r. C. off loosely.

TO MAKE UP

Join shoulder seams.
Insert sleeves, sew side & sleeve seams,
fold neck lining to inside & slip st. into pos.
Thread elastic through waist and elbows.



CARD 3



4 SHAWL COLLAR



SIZES:

32/34 (36/38 40/42) in.
81/86 (91/97 102/107) cm.

MATERIALS:

1 Cone each BK Charisma Col. A & B
Used two ends throughout

TENSION:

18sts. × 30 rs. = 10 cms.
Tension dial approx. 4

ABBREVIATIONS: SEE PAGE 4

BACK

Counting from 45th n. at right to cent. C. on in
WY 30 sts.

K. few rs. carr. at left.
K. 1 r. with nylon cord RC 000, Col. A MT,
k. 2 rs.
Inc. 1 st. at left next & foll. alt. rs. 32 times in
all.
62 sts. RC 66.
AT SAME TIME
Cont. to Inc. 1 st. at left next & foll. alt. rs. 6
more times and always taking yarn round
last ns. in HP, work 1 r.
Push 7 sts. at right into HP next & foll. alt. rs. 6
times in all.
68 sts. in all. RC 78.
Inc. 1 st. at left next 9 rs. & cont. to push 7 sts.
into HP next & foll. alt. rs. 5 more times.
RC 87, all ns. in HP.
Take carr. to right.
RC 000, Col. B, working from right, bring 7
sts. back into WP next & foll. alt. rs. 11 times in
all.
RC 22. Working from left push 7 ns. into HP
next & foll. alt. rs. 11 times in all. RC 42.
Take carr. to left.
RC 000, Col. A, C. on 9 sts. at left.
Bring 7 sts. at left back into WP next & foll.
alt. rs. 11 times in all.
RC 22, k. 25 (27 31) rs. **





SHAPE NECK

Dec. 1 st. at right next 5 rs.
K. 66 rs. Inc. 1 st. at right next 5 rs.
K. 24 (26 30) rs.***

Always taking yarn round last ns.in HP push 7 sts. at right into HP next & foll. alt. rs. 11 times in all. Remove Col. A, take carr. to right Col. B. C. off 9 sts. at left. Bring 7 sts. at right back into WP next & foll. alt. rs. 11 times in all. Carr. at left, k. 1 r. Push 7 sts. at left into HP. next & foll. alt. rs. 11 times in all. Take carr. to left.
AT SAME TIME
RC 000, Col. A, Bring 7 sts. at left back into WP next & foll. alt. rs. 11 times in all and dec. 1 st. at left next 9 rs. K. 1 r. and Dec. 1 st. at left next & foll. alt. rs. 38 times in all.
Rel. work on WY.

FRONT

K. as for back to**

SHAPE NECK

RC 47 (49 51). Carr. at right.
C. off 7 sts. beg. next & foll. alt. rs. 6 times in all.
C. off 6 sts. beg. next & foll. alt. r. Carr. at left.
K. 47 rs. Carr. at right.
C. on 6 sts. beg. next & foll. alt. r. K. 1 r. C. on 7 sts. beg. next & foll. alt. rs. 6 times in all.
Carr. at right. K. 25 (27 31) rs.
Cont. to k. as for back from***

WELTS

C. on in Col. A, 1 x 1 rib 81 (87 93) sts.
*RC 000, T0/0 K. 26 rs.
Trans. sts. to M/bed.
With wrong side facing, pick up sts. evenly from front or back waist.
MT, K. 1 r. T10, k. 1 r.
C. off with latch tool.*

CUFFS

C. on in Col. A 1 x 1 rib 33 (35 37) sts.
K. as for welts from * to *

NECKBAND



(Knit two)

C. on in Col. B 1 x 1 rib 77 sts.
RC 000, T3/3, k. 2 rs.
T2/2 k. 6 rs. T1/1 k. 46 rs.
T2/2, k. 4 rs. T3/3, k. 3 rs.
T4/4 k. 1 r.
Trans. sts. to M/bed.
With wrong side facing pick up sts. along from shaping to cent. back.
MT, K. 1 r. T10, K 1 r.
C. off with latch tool.

TO MAKE UP

Join shoulder seams. Join neckband.
Sew upper & lower sleeve seams.

Sew neckband to cross over at front & allow to roll to front.
Press with warm iron.



5 TOP & BANDEAU



SIZES:

34/36 (38/40) ins.
86/91 (97/102) cms.

MATERIAL:

1 Cone BK Cotton Floss Chunky
1 Cone BK 4 ply Acrylic

TENSION:

13 sts. x 24 rs. = 10 cms.
Tension dial approx. 8.

NOTE:

Col. A, 1 end Cotton Floss and 1 end BK 4 ply
Col. B 2 ends Bk 4 ply
Purl side is right side of garment

ABBREVIATIONS: SEE PAGE 4

BACK

C. on by hand in Col. A, 75 sts.
Mark 35th n. from right RC 000, MY, K. 40(50) rs.
Mark back neck.
K. 54 rs. Mark back neck.
K. 40 (50) rs.
C. off loosely.

FRONT

C. on by hand Col. A 75 sts.
Mark 35th n. from right.
RC 000, MT, K. 40 (50) rs.

SHAPE NECK

C. off 9 sts. beg. next & foll. alt. r. K. 1 r.
C. off 4 sts. at right next & foll. alt. rs. 12 times.
9 sts. rem. Carr. at right C. on 4 sts. at right next & foll. alt. rs. 12 times.



TO MAKE UP

Join shoulder seam.
Insert sleeves between markers.
Sew side & sleeve seams.
Cross over neckband at cent. front.
Press with warm iron.


BANDEAU TOP

C. on in Col. B, 1 × 1 rib 55 (65) sts.
RC 000, T0/0, K. 12 rs.
Trans. sts. to M/bed.
Remove weights but leave comb.
Col. A, MT, K, 48 rs.
Trans. sts. to 1 × 1 rib.
Re-weight work
T0/0 K. 11 rs.
T8/8 K. 1 r.
C. off.
Join side seams, press with warm iron.

C. on 9 sts. beg. next & foll. alt. r.
K. 1 r. 75 sts. K. 40 (50) rs.
C. off loosely.

SLEEVES

C. on by hand Col. A 72 sts.
RC 000 MT, K. 13 rs.
Always taking yarn round last ns. in WP,
push 6 sts. at oppos. end to carr. into HP next
10 rs.
K. 1 r. across all ns. RC 24.
Trans. sts. to 1 × 1 rib.
Col. B, T0/1, K. 10 rs.
C. off.
Join one shoulder seam.





NECKBAND

(First side)

C. on in Col. B, 1 × 1 rib 65 sts.
RC 000, T1/1, K. 10 rs.
With wrong side facing, pick up sts. from
one front to shoulder.
MT, K. 1 r. T10, K. 1 r.
C. off loosely.

(Second side)

C. on in Col. B, 1 × 1 rib 97 sts.
RC 000, T1/1, K. 10 rs.
With wrong side facing, pick up sts. from
cent. front and across back.
MT, K. 1 r. T10, K. 1 r.
C. off loosely.



WELTS

C. on in Col. B 1 × 1 rib 85 (91) sts.
RC 000, T0/0, K. 70 rs.
Trans. sts. to M/bed.
With wrong side facing, pick up sts. evenly
along bottom of front or back MT, K. 1 r. T10,
K. 1 r.
C. off with latch tool.

6 BEADED SWEATER



SIZES:

32/34 (36/38 40/42) in.
81/86 (91/97 102/107) cm.

MATERIALS:

1 (2 2) Cones BK 4 ply Acrylic used two
ends throughout
3 pkt. beads

TENSION:

18 sts. × 30 rs. = 10 cms.
Tension dial approx. 3

ABBREVIATIONS: SEE PAGE 4

BACK

C. on in 1 × 1 rib 85 (96 103) sts.
RC 000, T1/1, K. 26 rs.
Trans. sts. to M/bed. Inc. 1 st.
RC 000, MT, K. 90 rs.
Mark both edges.*
Cont. to K. until RC 150.

SHAPE NECK

K. 56 (61 65) sts. at left back onto nylon cord
in NWP.
Work on right side only.
Dec. 1 st. at neck next & foll. alt. rs. 8 times in
all. RC 166.


SHAPE SHOULDER

C. off 10 (12 15) sts. beg. next r. K. 1 r.
C. off rem. 12 (15 16) sts.
Leave cent. 26 sts. in NWP.
Bring forward all ns. at left.
Repeat shaping for left side.
Rel. cent. sts. on WY.

FRONT

K. as for back to*
Cont. to K. until RC 117.
Start working beads onto facing left side as
per diagram until RC 144.


other **Pattern Books** in this series



DESIGNER KNITS
18 Super patterns
suits, tops, sweaters
to knit all year round



LACY KNITS
Sweaters, suits and tops
all using lace cards
AVAILABLE FROM YOUR
LOCAL STOCKIST
or write to:



CHUNKY KNITS
Tuck st, Intarsia,
cable and rib designs
all for chunky machine

BSK LTD, MURDOCH ROAD, MANTON INDUSTRIAL ESTATE, BEDFORD MK41 7NE

Knitting Beads

11 colours available

Tomorrow's look today



Gold, Diamond, Onyx, Platinum, Jet,
Shell, Pearl, Ruby, Turquoise,
Sapphire, Silver

See them Now at your
local stockist or write to:

BSK LTD, MURDOCH ROAD, MANTON INDUSTRIAL ESTATE, BEDFORD MK41 7NE

These beads can be knitted
into the fabric, full instructions
with every tube



SHAPE NECK

K. 52 (57 61) sts. at left onto nylon cord in NWP.
Work on right side only.
Dec. 1 st. at neck, next 4 rs.
Dec. 1 st. at neck next & foll. alt. rs. 8 times in all.
Cont. to K. until RC 166.

SHAPE SHOULDER

C. on 10 (12 15) sts. beg. next. K. 1 r.
C. off rem. 12 (15 16) sts.
Leave cent. 18 sts. in NWP.
Bring forward ns. at left.
K. as for right side & cont. to work bead patt. as per diagram.
Rel. cent. sts. on WY.

RIGHT SLEEVE

C. on in 1 x 1 rib 31 (35 39) sts.
RC 000, T1/1, K. 26 rs.
Trans. sts. to M/bed. Inc. 1 st.
RC 000, MT, K. 2 rs.
Inc. 1 st. both ends next & foll. 4th rs. until 92 sts.
Cont. to K. until RC 118.
C. off loosely.

LEFT SLEEVE





K. as for right sleeve, AT SAME TIME
WORK BEADS as follows.
K. 2 rs.
*Work beads onto cent. st. and 8th 16th ns. both sides cent. K. 8 rs.
Work beads onto 4th 12th 20th ns. both sides cent. 0, K. 8 rs.*
Rep. from * to * working extra sts. into bead patt.

NECKBAND

Join shoulder seam.
C. on in 1 x 1 rib 103 sts.
RC 000, T1/1 K. 4 rs. T2/2 K. 2 rs. T3/3 K. 2 rs. T4/4 K. 2 rs.
Trans. sts. to M/bed.
With wrong side facing, pick up sts. evenly around neck.
MT K. 1 r. T10 K. 1 r.
C. off loosely.

TO MAKE UP

Insert sleeves between markers.
Sew side & sleeve seams.
Press with warm iron.



7 FAIRISLE SWEATER



SIZES:

32 (34 36 38 40 42 44) in.
81 (86 91 97 102 107 112) cm.

MATERIALS:

1 Cone BK 4 ply Acrylic Col. A
1 Cone BK 4 ply Acrylic Col. B
Used two ends throughout
Card No. 7

TENSION:

17 sts. x 23 rs. = 10 cms.
Tension dial approx. 5

NOTE:

For non-punchcard machines:
Using 1 x 1 pusher, work in fairisle as per punchcard, working from cent. 0 to outside

ABBREVIATIONS: SEE PAGE 4

BACK

Insert card & lock to K. row 1.
C. on in Col. A 1 x 1 rib 71 (75 79 83 89 93 97) sts.
RC 000, T1/1, K. 26 rs.
Trans. sts. to M/bed. Inc. 1 st.
RC 000, MT, working in fairisle Col A,
Feeder 1, Col. B, Feeder 2.
K. 70 (70 70 70 80 80 80) rs.
MARK BOTH EDGES*
K. 64 rs. RC 134 (134 134 134 144 144 144)

SHAPE SHOULDERS & NECK

K. 50 (52 54 56 59 61 63) sts. at left back onto nylon cord in NWP.
MARK CARD ROW NUMBER.
Work on right side only.
AT SAME TIME
Dec. 1 st. at neck on next 5 rs. and C. off 3 (4 4 5 5 6) sts. beg. next & foll. alt. r. 4 times in all.
K. 1 r.
C. off rem. sts.

Continued on column 2, page 33 ►

8 CARDIGAN



SIZES:

34/36 (38/40) in.
86/91 (97/102) cms.

MATERIALS:

1 Cone BK Cotton Floss Chunky
1 Cone BK 4 ply Acrylic

TENSION:

13 sts. × 24 rs. = 10 cms.
Tension dial approx. 8

NOTES:

Col. A, 1 end Cotton Floss & 1 end BK 4 ply
Col. B, 2 ends BK 4 ply
Purl side is right side of garment

ABBREVIATIONS: SEE PAGE 4

Keeping shaping correct at neck until 84 sts.
rem. cont. to K. until RC 68 (78).
C. off loosely.

SECOND FRONT

Knit as for first front, reversing shaping.

SLEEVES

C. on by hand, Col. A, 53 sts.
RC 000, MT, K. 6 rs.
Inc. 1 st. both ends next & foll. 4th rs. until 73
sts.
Cont. to K. until RC 96.
C. off loosely.

BACK WELTS

C. on in Col. B, 1 × 1 rib 89 (101) sts.
RC 000, T1/1, K. 16 rs.
Trans. sts. to M/bed.
With wrong side facing, pick up sts. evenly
along hem.
MT, K. 1 r. T10 K. 1 r.
C. off loosely.

FRONT WELTS

C. on in Col. B, 1 × 1 rib 45 (55) sts.
RC 000, T1/1, K. 16 rs.
Trans. sts. to M/bed.
With wrong side facing, pick up sts. evenly
along front hem.
MT, K. 1 r. T10 K. 1 r.
C. off loosely.

CUFFS

C. on in Col. B, 1 × 1 rib 39 sts.
RC 000, T0/0 K. 16 rs.
Trans. sts. to M/bed.
With wrong side facing, pick up sts. from
sleeve.
MT, K. 1 r. T10 K. 1 r.
C. off loosely.

FRONT BANDS

C. on in Col. B, 1 × 1 rib 101 sts.
RC 000, T1/1, K. 10 rs.
Trans. sts. to M/bed.
With wrong side facing, pick up sts. from
front welt to neck.
MT, K. 1 r. T10 K. 1 r.
C. off loosely.
Join shoulder seams.

NECKBAND

C. on in Col. B, 1 × 1 rib 93 sts.
RC 000, T0/0 K. 10 rs.
Trans. sts. to M/bed.
With wrong side facing, pick up sts. evenly
around neck.
MT, K. 1 r. T10 K. 1 r.
C. off with latch tool.

POCKET TOPS

C. on in Col. B, 1 × 1 rib 31 sts.
RC 000, T0/0, K. 8 rs.
Trans. sts. to M/bed.
With wrong side facing, pick up sts. from
pocket top MT, K. 1 r. T10 K. 1 r.
C. off loosely.

POCKET LINING

C. on by hand, Col. B, 25 sts.
RC 000, MT, K. 34 rs.
C. off loosely.

TO MAKE UP

Insert sleeves between markers.
Sew side & sleeve seams.
Sew in pocket lining.
Press with warm iron.

BACK

C. on by hand Col. A, 93 sts.
Mark 35th n. from right*
RC 000, MT, K. 40 (50) rs.
Mark right edge. K. 54 rs.
Mark right edge. K. 40 (50) rs.
Mark 35th n. from right
C. off loosely.




FRONT

K. as for back to*
RC 000, MT, K. 24 rs.
Trans. 24th n. from left onto adjacent n.
leaving empty n. in NWP.
Push sts. at left into HP, work on right side
only, K. 16 (26) rs.

SHAPE FRONT

AT SAME TIME


Dec. 1 st. at right next & foll. 3rd rs. 9 times in
all, AT SAME TIME on row 58 (68) push all
ns. at right into HP. Work on left side.
Join yarn, bring empty n. back into WP.
K. 34 rs.




B.K. 4 ply

AVAILABLE
IN
32 SHADES
ON
350g CONES







9 SWEATER, SUIT



SIZES:

32 (34 36 38 40) in.
81 (86 91 97 102) cm.

MATERIALS:

1 Cone each BK 4 ply Acrylic
Cols. A, B, C, D used 2 ends throughout,
extra cone Col. A for skirt & cowl
Elastic to fit waist
Card No. 9

TENSION:

18 sts. × 24 rs. = 10 cm.
Tension dial approx. 5

NOTE:

Pattern for non-punchcard machines
use 3 × 1 pusher. (Tuck = T)
Col. A, K. 2 rs. Col. B, Tuck, K. 2 rs.
Col. A, T, K. 1 r. Col. A SS, K. 1 r.
*Col. C, SS, K. 1 r. Col. C, T, K. 3 rs.
Col. A, T, K. 1 r. Col. A, SS, K. 1 r.
Col. D, SS, K. 1 r. Col. D, T, K. 3 rs.
Col. A, T, K. 1 r. Col. A, SS, K. 1 r.
Col. B, SS, K. 1 r. Col. B, T, K. 3 r.
Col. A, T, K. 1 r. Col. A, SS, K. 1 r.*
Rep. from * to *

ABBREVIATIONS: SEE PAGE 4

BACK

Insert card & lock on row 60.
C. on in Col. A 1 × 1 rib 81 (85 89 93 97) sts.
RC 000, T0/0 K. 26 rs.
Trans. sts. to M/bed. Inc. 1 st.
RC 000, MT, Set carr. to KC, K. 2 rs.
Rel. card, working in tuck Col. B, K. 2 rs.
*Col. A, K. 2 rs. Col. C, K. 4 rs.
Col. A, K. 2 rs. Col. D, K. 4 rs.
Col. A, K. 2 rs. Col. B, K. 4 rs.*
Rep. from * to * throughout.
K. until RC 84**

SHAPE ARMHOLE

C. off 10 (10 11 11 12) sts. beg. next 2 rs.
K. 54 rs. RC 140.

SHAPE SHOULDER

C. off 7 (7 8 8 9) sts. beg. next 2 rs.
C. off 8 (8 8 9 9) sts. beg. next 2 rs.
C. off rem. 34 (36 36 38 38) sts.

FRONT

K. as for back to**

SHAPE ARMHOLE & NECK

K. all sts. left cent. 0 back onto nylon cord in
NWP.
MARK CARD ROW No.
C. off 10 (10 11 11 12) sts. beg. next r. K. 1 r.
Dec. 1 st. at cent. next & foll. alt. rs. until 15
(15 16 17 18) sts. rem.
Cont. to K. until RC 140.

SHAPE SHOULDER

C. off 7 (7 8 8 9) sts. beg. next r. K. 1 r.
C. off 8 (8 8 9 9) sts. beg. next r.

Reset card & work left side to match.

SLEEVES

Insert card & lock on row 60.
C. on in Col. A, 1 × 1 rib 33 (35 37 39 41) sts.
RC 000, T0/0 K. 26 rs.
Trans. sts. to M/bed. Inc. 1 st.
RC 000, MT, work pattern as for back.
AT SAME TIME K. 2 rs.
Inc. 1 st. both ends next & foll.
4th rs. until 70 sts.
Cont. to K. until RC 120.
C. off loosely.

NECKBAND

(First side)
C. on in Col. A, 1 × 1 rib 85 (85 87 89 89) sts.
RC 100, T1/1, K. 9 rs.
T8/8 K. 1 r. Trans. sts. to M/bed.
C. off with latch tool.
(Second side)
C. on in Col. A, 1 × 1 rib 49 sts.
RC 000, T1/1 K. 9 rs.
T8/8 K. 1 r. Trans. sts. to M/bed.
C. off with latch tool.

TO MAKE UP

Join shoulder seams.
Insert sleeves, sew side & sleeve seams.
Sew c. on edge of neckband to neck,
crossing over at cent. Join neckband.
Press to size.

SKIRT


C. on in Col. A, full n. rib 64 (78 92) sts.
RC 000 rib tension 3/3 K. 165 rs.
Trans. sts. to M/bed.
Working in SS T4, K. 12 rs.
T10, K. 1 r, T4 K. 12 rs.
C. off.

TO MAKE UP


Join side seams, fold waistband to inside &
slip st. into pos.
Thread elastic through waist.
Press with cool iron.

COWL NECK

C. on in Col. A, full n. rib 76 sts.
RC 000, T3/3, K. 110 rs.
C. off.
Join side seam, press with cool iron.



CARD 9



10 INSERT SWEATER



SIZES:

32/34 (36/38 40/42) ins.
81/86 (91/97 102/107) cms.

MATERIALS:

1 Cone BK 4 ply Random Col. A.
1 Cone BK 4 ply Col. B.
Both yarns used 2 ends throughout

TENSION:

18 sts. × 30 rs. = 10 cms.
Tension dial approx. 3

ABBREVIATIONS: SEE PAGE 4

BACK

Using two ends Col. A, C. on by hand 90 sts.
MARK 41 st. from RIGHT.
RC 000, MT, K. 38 (46 54) rs.*

SHAPE NECK

Dec. 1 st. at right next 5 rs.
K. 58 rs. Inc. 1 st. at right next 5 rs.
K. 38 (46 54) rs. RC 144 (160 176)
MARK 41st from RIGHT.
C. off loosely.

FRONT

K. as for back to*

SHAPE NECK

C. off 5 sts. at right beg. next & foll. alt. rs. 16 times in all.
Dec. 1 st. at right next r. K. 1 r.
RC 72 (80 88).
Inc. 1 st. at right next r. K. 1 r.
C. on 5 sts. at right next & foll. alt. rs. 16 times in all.
RC 106 (114 122)
K. 38 (46 54) rs.
MARK 41st from RIGHT.
C. off loosely.

SLEEVES

C. on in WY 50 sts.
K. few rs. carr. at left.
K. 1 r. with nylon cord.
Using two ends Col. A,
RC 000, MT, K. 2 rs.
Inc. 1 st. both ends next & foll. 6th rs. until 80 sts.
Cont. to K. until RC 106 (114 120).
C. off loosely.

CUFFS

Using 2 ends Col. A,
C. on in 1 × 1 rib 35 sts.
RC 000, T0/0 K. 28 rs.
Trans. sts. to M/bed.
With purl side facing, pick up sts. evenly from sleeve.
MT K. 1 r. T10 K. 1 r.
C. off with latch tool.

WELTS

Using two ends Col. A,
C. on in 1 × 1 rib 79 (85 91) sts.
RC 000, T0/0, K. 24 rs.
Trans. sts. to M/bed.
With knit side facing, pick up sts. evenly along waist edge.
MT, K. 1 r. T10, K. 1 r.
C. off with latch tool.

INSERT

Using two ends Col. B,
C. on 1 st.

RC 000, MT Inc. 1 st. both ends next & foll. 6th rs.
20 times in all until 41 sts.
Cont. to K. until RC 120.

SHAPE NECK





Push 28 sts. at left into HP or K. back onto nylon cord.
Work on right side only.
Cont. to Inc. 1 st. ev. 6th r. at right 4 more times AT SAME TIME.
Dec. 1 st. at cent. next 10 rs. then ev. foll. alt. r. 7 times.
RC 144, C. off last 2 sts.
Leave cent. 15 sts. in HP.
Rep. shaping for left side.
Rel. cent. sts. on WY.

NECKBAND


Using two ends Col. B
C. on in 1 × 1 rib 101 sts.
RC 000, T3/3, K. 6 rs.
T2/2, K. 12 rs. T1/1, K. 6 rs.
T0/0, K. 16 rs. T1/1, K. 6 rs.
T2/2, K. 12 rs. T3/3, K. 6 rs.
Trans. sts. to M/bed.
With purl side of insert and knit side of back facing, pick up sts. from around neck.
MT K. 1 r. T10 K. 1 r.
C. off with latch tool.

TO MAKE UP


Join shoulder seams.
Insert sleeves between markers.
Sew in insert. Join ½ neckband & fold to outside. Sew side & sleeve seams.
Press with warm iron.



B.K. CHARADE



AVAILABLE
IN
5 FASHION
SHADES
ON 500g CONES





11 V BACK TOP



SIZES:

32/36 (38/42) in.
81/91 (97/107) cm.

MATERIALS:

1 Cone BK 4 ply Acrylic
1 Cone BK Party Poodle

TENSION:

14 sts. × 27 rs. = 10 cms.
Using 1 end BK, 2 ends Party Poodle
Tension dial approx. 6

NOTE:

Purl side is right side of garment

ABBREVIATIONS: SEE PAGE 4

SHAPE NECK

C. off 4 sts. beg. next r. K. 1 r.
Dec. 1 st. at right next & foll. alt. rs. 10 times in all. RC 54 (64).
Cont. to K. until RC 94 (104).
Inc. 1 st. at right next & foll. alt. rs. 10 times in all.
C. on 4 sts. beg. next r. K. 1 r.
RC 116 (126) K. 32 (42) rs.
C. off loosely.

WELTS

(Knit two)
Using 2 ends BK 4 ply
C. on in 1 × 1 rib 69 (79) sts.
RC 000, T0/0, K. 26 rs.
Trans. sts. to M/bed.
With knit side facing, pick up sts. evenly along front or back waist.
MT, K. 1 r. T10, K. 1 r.
C. off with latch tool.

FRONT NECK

Bring forward 63 ns.
With knit side facing, pick up sts. evenly along front neck.
Using 2 ends BK 4 ply MT, K. 1 r.
Trans. sts. to 1 × 1 rib.
Weight work.
RC 000, T1/1, K. 2 rs. T0/0 K. 6 rs. T6/7 K. 1 r.
RC 9.
Trans. sts. to M/bed.
C. off with latch tool.

BACK NECK



(Knit two)
Bring forward 49 ns.
With knit side facing, pick up sts. evenly along one edge.
Using 2 ends BK 4 ply MT, K. 1 r.
Trans. sts. to 1 × 1 rib.
Weight work.
RC 000, T1/1, K. 1 r. Dec. 1 st. at cent. V next & foll. alt. rs.
AT SAME TIME T1/1, K. 1 r.
T0/0, K. 6 rs. T10/9 K. 1 r.
RC 9 Trans. sts. to M/bed.
C. off with latch tool.

ARMBANDS

Join shoulder seams.
Bring forward 69 ns.
With knit side facing, placing shoulder seam at cent, pick up sts. along sleeve cap edge.
Using 2 ends BK 4 ply MT, K. 1 r.
Trans. sts. to 1 × 1 rib.
Weight work.
RC 000, T1/1, K. 2 rs.
T0/0, K. 6 rs. T10/10, K. 1 r. RC 9.
Trans. sts. to M/bed.
C. off with latch tool.

TO MAKE UP

Join side seam, and armbands.
Sew cent. V.
Press with cool iron.



Defendj
FANTASTIC NEW
ELECTRIC LINKER!
SEE IT AT YOUR
LOCAL KNITTING
MACHINE DEALER

- ★ Foot Control Operation
- ★ Silent and Fast
- ★ Easy to use
- ★ No Needle to Thread
- ★ Uses most types of Yarn
- ★ Italian Precision made
- ★ Suitable for 5 to 8 Gauge



The new Defendj Linker offers the ultimate solution to finishing knitwear for both the Home Knitter and small manufacturer.

SEND FOR FREE COLOUR BROCHURE

Available at your local stockist

Sole UK Distributor
B.S.K. Ltd., 58 Bromham Rd., Bedford
Phone (0234) 21 7096

12 BATWING CARDIGAN



SIZES:

32/34 (36/38 40/42) in.
81/86 (91/97 102/107) cm.

MATERIALS:

1 Cone BK 4 ply Acrylic
1 Cone BK Party Poodle
Using 1 end BK, 2 ends Party Poodle
8 buttons

TENSION:

14 sts. × 27 rs. = 10 cms.
Tension dial approx. 6

ABBREVIATIONS: SEE PAGE 4

BACK

Counting from the 10th n. right cent. 0
C. on in WY 27 sts.
K. few rs. Carr. at left
K. 1 r. with nylon cord.
RC 000, MY, MT, K. 2 rs.
Inc. 1 st. at left next & foll. 3rd rs. until 58 sts.
RC 94.
Mark left edge.
K. 30 (38 44) rs. RC 124 (132 138)*

SHAPE NECK

Dec. 1 st. at right next 7 rs.
K. 46 rs.
Inc. 1 st. at right next 7 rs.
RC 184 (192 198).
K. 30 (38 44) rs.
Mark left edge.
Dec. 1 st. at left next & foll. 3rd rs. until 27 sts.
Cont. to K. until RC 308 (324 336).
Rel. work on WY.

RIGHT FRONT

K. as for back to*

SHAPE NECK

Dec. 1st. at left next 10 rs.
K. 30 rs. Rel. work on WY.

LEFT FRONT

K. as for Right front reading left for right & vice versa.

BACK WELT

Using 2 ends BK 4 ply Acrylic
C. on in 1 × 1 rib 71 (81 91) sts.
RC 000, T1/1 K. 20 rs.
Trans. sts. to M/bed.
With purl side facing pick up sts. evenly
between markers on back.
MT, K. 1 r. T10 K. 1 r.
C. off with latch tool.

FRONT WELTS

Using 2 ends BK 4 ply Acrylic
C. on in 1 × 1 rib 35 (39 45) sts.
RC 000, T1/1, K. 20 rs.
Trans. sts. to M/bed.
With purl side facing, pick up sts. evenly
along front hem.
MT, K. 1 r. T10 K. 1 r.
C. off loosely.

CUFFS

Using 2 ends BK 4 ply Acrylic
C. on in 1 × 1 rib 35 sts.
RC 000, T1/1, K. 20 rs.
Trans. sts. to M/bed.
With purl side facing, pick up sts. from
front & back sleeve.
MT, K. 1 r. T10 K. 1 r.
C. off with latch tool.

NECKBAND

Join shoulder seams.
Using 2 ends BK 4 ply Acrylic
C. on in 1 × 1 rib 105 sts.
RC 000, T4/4, K. 2 rs. T3/3, K. 4 rs. T2/2,
K. 6 rs. T1/1, K. 6 rs. T8/8, K. 1 r. T1/1, K. 6 rs.
T2/2, K. 6 rs. T3/3, K. 4 rs. T4/4, K. 2 rs. T5/5,
K. 1 r.
Trans sts. to M/bed.
With purl side facing, pick up sts. evenly
around neck.
MT, K. 1 r. T10, K. 1 r.
C. off with latch tool.

RIGHT FRONT BAND


Using 2 ends BK 4 ply Acrylic
C. on in 1 × 1 rib 73 sts.
RC 000, T2/2, K. 9 rs. T4/4, K. 1 r.
Trans. sts. to M/bed.
With purl side facing pick up sts. from welt,
front & half of neckband.
MT, K. 1 r. T10, K. 1 r.
C. off with latch tool.

LEFT FRONT BAND

K. as above working 8 buttonholes evenly
along 5th r.

TO MAKE UP

Join upper sleeve seams.
Sew side seams.
Fold neckband to inside & slip st. into
position.
Sew on buttons.
Press with warm iron.



Classic Knitwear

CLASSIC KNITWEAR


RAGLANS—INSETS—LONG SLEEVE—
SHORT SLEEVE—CARDIGANS—
SWEATERS—SIZES 22-44

Available from your local stockist or

B.S.K. Ltd., 58 Bromham Road, Bedford
Phone: (0234) 217096

Basic pattern book for
beginners & experts





13 TUCK STITCH TOP



SIZES:

32 (34 36 38 40 42) ins.
81 (86 91 97 102 107) cms.

MATERIALS:

1 Cone each, BK Charade
BK Shimmer, Argyll Cotton
Knit all three yarns together
Card 2J as shown or work 3 x 1 manual
tuck patt. as shown in instruction book

TENSION:

13 sts. x 28 rs. = 10 cms. over tuck patt.
Tension dial approx. 6

NOTE:

Use up odd yarns: Size 32 took only 150
gms. Charade, 60 gms. Shimmer, 70 gms.
Cotton

ABBREVIATIONS: SEE PAGE 4

BACK & FRONT ALIKE

Insert card & lock to K. row 1.
C. on in 1 x 1 rib 61 (65 67 71 75 77) sts.
RC 000, T0/0, K. 26 rs.
Trans sts. to M/bed, leave c/on comb in
place.
RC 000, MT, working in tuck patt. K. 64 rs.
Mark both edges.
Cont. to K. until RC 131.
SS, T10, K. 1 r.
C. off loosely.

ARMBANDS



(Knit four)
Bring forward 43 ns.
With knit side facing, pick up sts. from
shoulder to marker.
RC 000, MT + 1, K. 1 r.
Trans. sts. to 1 x 1 rib.
Weight work, T1/2, K. 4 rs.
T9/10, K. 1 r.
Trans. sts. to M/bed.
C. off with latch tool.

CORDS

C. on by hand 2 sts.
MT-3, K. 240 rs.
C. off.


TO MAKE UP

Join side seams.
Sew under armbands.
Thread cords through shoulders 6 in. (15
cms.) & lace from cent to rib. tie.
Press with warm iron allowing neck to roll to
inside.



CARD 2J

BSK yarns



**PARTY POODLE
CHARADE
COTTON FLOSS 4 ply
4 ply ACRYLIC
4 ply COTTON
4 ply SUPERWASH WOOL
COTTON FLOSS CHUNKY
4 ply RANDOM
also
'CHARISMA'
(The Angora Look)**

For shade card of all yarns used
throughout this pattern book send 50p to
BSK LTD
Murdoch Road, Manton Industrial
Estate, Bedford MK41 7LE.
Telephone: (0234) 217096

AVAILABLE FROM LEADING CONED YARN STOCKISTS

14 INTARSIA SWEATER



SIZES:

32/38 (38/44) in.
81/97 (97/112) cm.

MATERIALS:

1 Cone Craft 4 ply Col. A
Small amount Craft 4 ply Col. B & C
Available from local stockist
Used two ends throughout

TENSION:

18 sts. × 30 rs. = 10 cms.
Tension dial approx. 3

ABBREVIATIONS: SEE PAGE 4

BACK

C. on in Col. A by hand 100 sts.
RC 000, MT, K. 56 (64) rs.

SHAPE NECK

C. off 3 sts. beg. next r. K. 1 r.
C. off 2 sts. beg. next r. K. 1 r.
Dec. 1 st. beg. next & foll. alt. rs. 4 times in all.
K. 52 rs.
Inc. 1 st. at right beg. next & foll. alt. rs. 4 times in all.
C. on 2 sts. at right beg. next r. K. 1 r.
C. on 3 sts. at right beg. next r. K. 1 r.
RC 132 (140) K. 56 (64) rs.
C. off loosely.

FRONT

C. on in Col. A by hand 100 sts.
RC 000, MT, K. 4 (12) rs.
Col. B, K. 6 rs. Col. C, K. 6 rs. Col. A, K. 6 rs.
Col. C, K. 6 rs. Col. A, K. 6 rs. Col. B, K. 6 rs.
Work half diamonds in intarsia as diagram =
(Col. C and A, K. 13 rs.)
Col. A, K. 3 rs. RC 56 (64)

SHAPE NECK

C. off 3 sts. beg. next & foll. alt. r. K. 1 r.
C. off 2 sts. beg. next & foll. alt. r. K. 1 r.
Dec. 1 st. beg. next & foll. alt. rs. 8 times in all.
K. 28 rs.
Inc. 1 st. beg. next & foll. alt. rs. 8 times in all.
C. on 2 sts. beg. next & foll. alt. r. K. 1 r.
C. on 3 sts. beg. next & foll. alt. r. K. 1 r.
RC 132 (140) K. 56 (64) rs.
C. off loosely.

FIRST SLEEVE

C. on in WY 50 sts.
K. few rs., carr. at left.
K. 1 r. with nylon cord.
RC 000, MT, Col. A, K. 2 rs.
Inc. 1 st. both ends next & foll. 3rd rs. until 110 sts.
AT SAME TIME ON ROW 22
Col. B, K. 24 rs. Col. C, K. 6 rs. Col. A, Cont. to
K. until RC 100 (106).
C. off loosely.

SECOND SLEEVE

K. as for first sleeve working stripes on row 22.
Col. C, K. 10 rs. on rows 58 (64) Col. B, K. 6 rs.
Col. C, K. 24 rs.

CUFFS

C. on in Col. A, 1 × 1 rib 37 (39) sts.
RC 000, T0/0, K. 26 rs.

Trans. sts. to M/bed.

With wrong side facing pick up sts. from sleeve gathering evenly along row. MT, K. 1 r. T10, K. 1 r.

C. off with latch tool.

WELTS

C. on in Col. A, 1 × 1 rib 89 (99) sts.

RC 000, T0/0, K. 26 rs.

Trans. sts. to M/bed.

With wrong side facing, pick up sts. evenly from back or front.

MT, K. 1 r. T10, K. 1 r.

C. off with latch tool.

Join shoulder seams.

NECKBAND

C. on in Col. A, 1 × 1 rib 109 sts.

RC 000, T4/4, K. 2 rs. T3/3, K. 2 rs. T2/2, K. 2

rs. T1/1, K. 2 rs. T0/0, K. 6 rs. T1/1, K. 2 rs.

T2/2, K. 2 rs. T3/3, K. 2 rs. T4/4, K. 2 rs.

Trans. sts. to M/bed.


With wrong side facing, pick up sts. evenly around neck

MT, K. 1 r. T10, K. 1 r.


C. off with latch tool.

TO MAKE UP

Sew on sleeves, sew side & sleeve seams, fold neckband to inside & slip st. into pos. Press with warm iron.







15 SUMMER VEST



SIZES:

30 (32 34 36 38 40) ins.
76 (81 86 91 97 102) cms.

MATERIAL:

1 Cone BK 4 ply Acrylic (used two ends throughout) Col. A
Small amount 2/30s Col. B
Card 2D

TENSION:

19 sts. × 28 rs. = 10 cms.
Tension Dial approx. 3 over lacy patt.

ABBREVIATIONS: SEE PAGE 4

BACK & FRONT ALIKE

Insert card & lock to K. row 1.
C. on in Col. A 1 × 1 rib 69 (75 79 83 87 91) sts.
RC 000, T0/0, K. 20 rs.
Trans. sts. to M/bed. Inc. 1 st.
Rel. card & work in thread lace.
RC 000, MT, K. 80 rs.

SHAPE ARMHOLES

C. off 5 sts. beg. next 2 rs.
Dec. 1 st. both ends next & foll. alt. rs. 4 times
in all until 52 (58 62 66 70 74) sts. rem.
Cont. to K. until RC 114.

SHAPE NECK

C. off cent. 10 (12 12 12 12) sts.
K. all sts. at left back onto nylon cord.
MARK CARD ROW No.
Work on left side only.
At neck edge Dec. 1 st. next & foll. alt. rs. 5
times in all until 16 (18 20 22 24 26) sts. rem.
Cont. to K. until RC 140.
C. off rem. sts.
Re-set card & RC, rep. for right front, rev.
shaping.

NECKBAND


Join one shoulder.
Bring forward 97 ns.
With wrong side facing, pick up sts. evenly
around neck.
*Col. A only, T3, K. 1 r.
Trans. sts. to 1 × 1 rib.
Weight work.
RC 000, T1/1, K. 2 rs. T0/0, K. 4 rs. T7/7, K. 1 r.
C. off with latch tool.*

ARMBANDS


Join second shoulder.
Bring forward 79 ns.
With wrong side facing pick up sts. evenly
around armhole.
K. as for neckband from * to *

TO MAKE UP


Join bands, sew side seams.
Press lightly.



CARD 2D



Patt. 16



16 FISHERMANS RIB



SIZES:

34/36 (38/40 42/44) in.
86/91 (97/102 107/112) cm.

MATERIALS:

4 Cones BK Charisma
Used 3 ends throughout

TENSION:

17 3/4 sts. × 32 rs. = 10 cms.
Tension dials approx. 4/4 over half
fishermans rib

ABBREVIATIONS: SEE PAGE 4

BACK & FRONT ALIKE

C. on in 1 × 1 rib 83 (93 103) sts.
RC 000, T2/2, K. 20 rs.
Set carr. for half fishermans rib.
RC 000, MT, K. 86 rs.

SHAPE RAGLANS

RC 000, mark both edges.
Dec. 1 st. both ends next & foll. 6 (5th 4th) rs.
until 64 (64 62) sts. rem. K. 4 (4 2) rs. RC. 72
(80 88).

SHAPE NECK

K. 40 (41 40) sts. at left back onto nylon cord
in NWP. Dec. 1 st. at cent. next 10 rs. then
Dec. 1 st. at cent. next & foll. alt. 6 rs. AT
SAME TIME.
Dec. 1 st. at raglan next & foll. 6th (5th 6th) rs.
until all sts. have been Dec. RC 104 (112 120).

SLEEVES

C. on in WY, 1 × 1 rib 53 sts.
K. few rs. Carr. at left.
K. 1 r. with nylon cord.
RC 000, MT, MY, working in half fisherman's
rib.

K. 2 rs.
 Inc. 1 st. both ends next & foll. 3rd rs. until 103 sts.
 K. until RC 86.

SHAPE RAGLAN

RC 000, mark both edges.
 Dec. 1 st. both ends next & foll. alt. rs. 33 (23 16) times in all.
 Dec. 1 st. both ends next & foll. 3rd rs. 12 (22 29) times in all until 13 sts. rem.
 K. 2 (0 1) rs. RC 104 (112 120).
 Rel. work on WY.

CUFFS

C. on in 1 × 1 rib 37 sts.
 RC 000, T2/2, K. 20 rs.
 Trans. sts. to M/bed.
 With wrong side facing, pick up sts. from sleeve Dec. evenly along row.
 T5, K. 1 r. T8, K. 1 r.
 C. off with latch tool.

FRONT NECKBAND

C. on in 1 × 1 rib 109 sts.
 RC 000, T4/4, K. 2 rs. T3/3, K. 2 rs. T2/2, K. 10 rs. T2/2, K. 2 rs. T3/3, K. 2 rs. T4/4, K. 2 rs. Trans. sts. to M/bed.
 With wrong side facing, pick up sts. from front & sleeves.
 T5, K. 1 r. T10, K. 1 r.
 C. off with latch tool.

BACK NECKBAND

C. on in 1 × 1 rib 85 sts.
 K. as for front band from* to*
 With wrong side facing, pick up sts. evenly along back.
 T5, K. 1 r. T10, K. 1 r.
 C. off with latch tool.

TO MAKE UP

Join all raglans.
 Sew side & sleeve seams.
 Fold neckband to inside & slip st. into position.
 Press lightly with warm iron.

► Continued from page 16

Reset card. Bring 22 (24 26 28 31 33 35) sts. at left back into WP.

Knit as for right side.

Rel. cent. sts. on WY.

FRONT

K. as for back to*
 K. 44 rs. RC 114 (114 114 114 124 124 124).

SHAPE NECK

K. 45 (47 49 51 54 56 58) sts. at left back onto nylon cord in NWP.
 MARK CARD ROW No.
 Work on right side only.
 Dec. 1 st. at neck next & foll. alt. rs. 10 times in all.
 RC 134 (134 134 134 144 144 144).
 17 (19 21 23 26 28 30) sts. rem.

SHAPE SHOULDER

C. off 3 (4 4 4 5 5 6) sts. beg. next & foll. alt. r. 4 times in all. K. 1 r.
 C. off rem sts.
 Reset card, bring 27 (29 31 33 36 38 40) sts. at left back into WP.
 K. as for right side.
 Rel. cent. sts. on WY.

SLEEVES

Insert card & lock to K. row 1.
 C. on in WY 60 sts.
 K. few rs. Carr. at left.
 K. 1 row with nylon cord.
 RC 000, MT MY working in fairisle K. 2 rs.
 Inc. 1 st. both ends next & foll. 5th rs. until 94 sts.
 Cont. to K. until RC 88 (90 92 94 98 98 98) rs.
 C. off loosely.

CUFFS


C. on in Col. A 1 × 1 rib 33 (35 37 39 41 43 45) sts.
 RC 000, T1/1, K. 26 rs.
 Trans. sts. to M/bed.
 With wrong side facing, pick up sts. from sleeve, gather sts. evenly along row.
 MT K. 1 r. T10 K. 1 r.
 C. off with latch tool.
 Join right shoulder seam.

NECKBAND





C. on in Col. A 1 × 1 rib 99 sts.
 RC 000, T3/3, K. 2 rs. T2/2, K. 2 rs. T1/1, K. 2 rs. T0/0 K. 12 rs. T1/1, K. 2 rs. T2/2, K. 2 rs. T3/3, K. 2 rs. Trans. sts. to M/bed.
 With wrong side facing, pick up sts. evenly around neck.
 MT, K. 1 r. T10 K. 1 r.
 C. off loosely.

TO MAKE UP

Join shoulder, insert sleeves between markers. Sew side & sleeve seams, fold neckband to inside & slip st. into pos. Press with warm iron.



CARD 7



POWER-KNIT

FOR DOMESTIC KNITTING MACHINES

LET YOUR
BROTHER
KNIT



WITHOUT YOU

The new **POWER-KNIT** motor drive units are now available for all the latest **BROTHER** punchcard and chunky machines

See it at your local stockist or write to

BSK LTD
Murdoch Road, Manton Industrial Estate,
Bedford MK41 7LE
Tel: (0234) 217096 Telex: 82392

ROW COUNTDOWN

The number of rows required can be set on the counter and the motor will automatically stop when the rows have been knitted

BUILT-IN SAFETY

An automatic 'Thermal Protector' is housed inside the motor and will switch the motor off if the temperature becomes higher than the standard running temperature

POWER KNIT MOTOR

Built for continuous service – can be run 24 hours a day. Suitable for JONES + BROTHER – KNITMASTER machines single and double bed – can be fitted to any sturdy table

AUTOMATIC CARRIAGE RELEASE

Sensitive device which disconnects the drive in the event of jamming of the carriage – avoiding needle breakage and other damage

FOOT PEDAL OPERATION

Giving perfect control – or switch to Automatic to obtain constant running in the absence of the operator



