


Brother

Lacy
Knits





2




3

4

5



6



7

8



9



PATTERN NUMBERS

- 1 Slash neck sweater
- 2 Frilled collar suit
- 3 Short sleeve classic
- 4 Round neck sweater
- 5 Simple to knit sloppy top
- 6 Zig-zag sweater suit
- 7 Batwing sweater
- 8 'V' neck sweater suit
- 9 Raglan sleeved suit
- 10 Tuck & eyelet sweater
- 11 Dolman sweater
- 12 Dolman sleeved suit
- 13 3 panel skirt suit
- 14 Button up cardigan
- 15 Fashion top
- 16 Diagonal lace sweater



ABBREVIATIONS

Alt.	Alternate
Approx.	Approximate
Beg.	Beginning
Carr.	Carriage
Cms.	Centimetre/s
Cent.	Centre
C.on	Cast on
C.off	Cast off
Col.	Colour
Cont.	Continue
Dec.	Decrease
Ev.	Every
FF	Fully Fashioned
Foll.	Following
HP	Holding position
In/s.	Inch/es
Inc.	Increase
K.	Knit
Mach.	Machine
M/bed	Main bed
MT	Main Tension
MT - 1	Main Tension - 1
MT + 1	Main Tension + 1
MY	Main Yarn
N/s.	Needle/s
NWP	Non working position
Oppos.	Opposite
Patt.	Pattern
RC	Row Counter
R/s.	Row/s
Rel.	Release
Rem.	Remaining
Rep.	Repeat
Rev.	Reversing
St/s.	Stitch/es
SS	Stocking stitch
Trans.	Transfer
WY	Waste yarn
WP	Working position

Note:- Rib Tensions
T1/1 = Tension 1 on both beds
T10/8 = Tension 10 on main bed
Tension 8 on ribber bed

If you have any difficulty in obtaining any of the yarns used in this pattern book please write to:-

BSK. Ltd.
Murdock Road,
Manton Industrial Estate,
Bedford.
MK41 7LE

for the name and address of your nearest stockist.



1 SLASH NECK SWEATER

SIZES:- 32 (34 36 38 40) in. bust
81 (86 91 97 102) cms. bust

MATERIALS:- 1 Cone BK 4 ply Acrylic
Card No. 455 set No. 13

TENSION:- 22 sts. x 48 rs. = 10 cms.
Tension dial approx. 6.

FOR ABBREVIATIONS:- SEE PAGE 7

BACK & FRONT (Alike)

Insert card & lock on row 1.
C. on in 1 x 1 rib 121 (129 135 143 149)
sts.
RC 000, T1/1, K 30 rs.
Trans. sts. to M/bed.
RC 000, MT, work in lace patt. as folls.
*K. 6 rs, Rel. lace card and work 1
complete rotation, Lock card on row 48.
K. 6 rs.
Starting 2 ns. from right,
Trans. ev. other st. onto adjacent n.

Leaving empty ns. in WP. K. 2 rs.
Starting 3 ns. from right trans. ev. other
st. onto adjacent n. leaving empty ns. in WP.
K. 2 rs. RC 38. * (1 complete patt.)
Cont. to K. in patt. from * to *
until RC 228 rs.
Trans. sts. to 1 x 1 rib.
T2/2, K. 15 rs.
T10/8, K. 1 r.
C.off with latch tool.

SLEEVE

Insert card & lock on row 1.
C.on in 1 x 1 rib 59 (61 63 65 67) sts.
RC 000, T1/1, K. 30 rs.
Trans. sts. to M/bed.
RC 000, MT Work in lace patt. as back
from * to * AT SAME TIME
Inc. 1 st. both ends next & ev. foll.
6th rs. until 89 (93 97 103 109) sts.
Cont. to K. until RC 152 rs.
C.off loosely.

TO MAKE UP

Join shoulder seams, leaving a 10 in.
space for head. Set in sleeves, sew
sleeve and side seams.
Press with cool iron.

2 FRILLED COLLAR SUTT

SIZES:- 32 (34 36 38 40) in. bust
81 (86 91 97 102) cms. bust

MATERIALS:- 2 (2 2 2 2) cones Argyll
Ferndale
Card 440 from set No. 10
Elastic to fit waist

TENSION:- 30 sts. x 44 rs. = 10 cms.
Tension dial approx. 6
Blocked and pressed

FOR ABBREVIATIONS:- SEE PAGE 7

SKIRT PANELS

(Knit 4)
Insert card & lock on row 1
C.on in WY 116 (120 124 128 132) sts.
K. several rs. end with carr. at left,
K. in nylon cord, weight work.
Bring all ns. into E pos.
Using MY, C.on by hand over all ns.
RC 000 MT K. 2 rs.
Work 32 rs. in lace patt. RC 34

SHAPE HEM

Always taking yarn round last n in HP
Push 36 ns. at oppos. end to carr. into HP
next 2 rs. Push 9 ns. at oppos. end to
carr. into D pos. next 8 rs. RC 44 rs.

SHAPE SIDES

Dec. 1 st. FF both ends 12th & ev. foll.
6th rs. 30 times in all until
50 (60 64 68 72) sts. rem.
RC 230, K. 9 rs. MT + 2, K. 1 r.
MT, K. 10 rs. RC 250.
Rel. work on WY.

TO MAKE UP

Block & press all pieces.
Join skirt panels.
Fold waistband to inside & slip st. down.
Thread elastic through waist.

SUTT TOP BACK

Insert card & lock on row 1.
C.on in WY. 130 (134 138 142 146) sts.
K. several rs. ending with carr. at left.
K. in nylon cord, weight work.
Bring all ns. into E pos.
Using MY, C.on by hand over all ns.
RC 000, MT, K. 2 rs.
Work in lace patt. 32 rs. RC 34 rs.
Cont. in SS K. 2 rs.
Trans. ev. 5th st. onto adjacent n.
leaving empty ns. in WP.
Cont. to K. until RC 140

SHAPE ARMHOLE

C.off 3 (4 5 6 7) sts. beg. next 2 rs.
C.off 2 sts. beg. next 6 rs.
Dec. 1 st. both ends next r.*
Cont. to K. until RC 232 (234 238 240
242)



2

FRILLED COLLAR SUIT

SHAPE SHOULDER

C.off 6 (7 8 9 10) sts. beg. next 2 rs.
C.off 8 sts. beg. next 6 rs.
MARK CENT. BACK
Rel. work on WY.

FRONT

K. as for back to *
Cont. to K. until RC 170 (172 174 176
178)
With spare yarn C.off cent. 4 sts.

DIVIDE WORK

K. all sts. left of cent. 0 onto nylon cord
in NWP.
Cont. to K. on right until RC 213 (215 217
219 221)

SHAPE NECK

C.off 8 sts. beg. next r. K. 1 r.
C.off 3 sts. beg. next r. K. 1 r.

C.off 2 sts. beg. next & foll. alt. rs.
4 times in all.
Dec. 1 st. at neck edge next & foll.
alt. rs. 3 times in all.
RC 232 (234 238 240 242)

SHAPE SHOULDER

C. off 6 (7 8 9 10) sts. beg. next r. K. 1 r.
C.off 8 sts. beg. next & foll. alt. rs.
3 times in all.

TURN RC back 170 (172 174 176 178)
Cont. to K. until RC 212 (214 216 218
220)

Work as for right side, rev. all shaping.

SLEEVES

Insert card & lock on row 1
C.on in WY, 90 (94 98 102 106) sts.
K. several rs. ending with carr. at left.
K. in nylon cord, weight work.
Bring all ns. into E pos.

Using MY C.on by hand over all ns.
RC 000, MT K. 2 rs.
Work in lace patt. 32 rs. RC 34 rs.
Cont. in SS until RC 50 (50 52 54)

SHAPE TOP

C.off 3 (4 5 6 7) sts. beg. next 2 rs.
C.off 2 sts. beg. next 2 rs.
K. 5 (3 5 3 5) rs.
Dec. 1 st. both ends next & ev. foll.
4th r. 5 (6 6 7 7) times in all.
Dec. 1 st. both ends next 22 rs.
C.off 2 sts. beg. next 2 rs.
C.off 3 sts. beg. next 4 rs.
C.off rem. 10 (10 12 12 14) sts.

COLLAR

Insert card & lock on row 1.
C.on in WY, 194 sts.
K. several rs. ending with carr. at left.
K. in nylon cord, weight work.
Using MY, C.on by hand over all ns.
RC 000, MT + 2, K. 2 rs.
Work in lace patt. 32 rs. AT SAME TIME
Changing tension.
MT + 2, K. 6 rs. MT + 1, K. 6 rs.
MT, K. 8 rs. MT - 1, K. 8 rs.
MT - 2, K. 4 rs. RC 34
MARK CENTRE
Rel. work on WY.

FRONT BANDS

Bring forward 32 ns.
With wrong side facing, pick up sts.
evenly along front edge.
MT - 1, K. 4 rs.
MT + 3, K. 1 r.
MT - 1, K. 4 rs.
C.off loosely.

Block & press all pieces.
Join shoulder seam.

ATTACH COLLAR

Work in 2 pieces.
Bring forward 64 ns.
With wrong side facing
Pick up sts. evenly, 25 from cent.
back to shoulder, 39 along front
shaping. RC 000, MT, K. 1 r.
MT - 1, K. 4 rs. MT + 3, K. 1 r.
MT - 1, K. 4 rs. MT, K. 1 r.
C.off loosely.

Rep. for other side

CORDS

WAIST

C.on 5 sts.
K. 360 rs.
C.off

NECK

C.on 3 sts.
K. 300 rs.
C.off.

TO MAKE UP

Join shoulder seam.
Insert sleeves, sew side & sleeve
seams. Fold front edges to inside &
slip st. into position.
Fold collar edge to inside & slip st.
into position. Press.
Thread cords through waist & neck.



3 SHORT SLEEVE CLASSIC

SIZES:- 32 (34 36 38 40) in. bust
81 (86 91 97 102) cms. bust

MATERIALS:- 1 Cone BK Crepe. Card 407 from set No. 5
Lace lines as patt. card 1B. See page 11.

TENSION:- 32 sts. x 44 rs. = 10 cms.
Tension dial approx. 5.

FOR ABBREVIATIONS:- SEE PAGE 7

BACK

Insert card 1B & lock on row 1.
C.on in 1 x 1 rib 129 (135 143 149 157) sts.
RC 000, T1/1, k 30 rs.
Trans. sts. to M/bed.
RC 000, MT, Rel. card, work in lace.
K. 120 (124 128 132) rs.

SHAPE ARMHOLES

RC 000, C. off 7 (7 8 9 10) sts. beg. next 2 rs.
Dec. 1 st. both ends next & ev. foll. alt. rs. 7 (8 9 10 12) times in all.
K. 10 rs.
Change to card No. 407.
WORK FIRST 8 rs. of PATT. IN PANELS. (Push all ns. which do not correspond to lace lines back to B pos. while knitting first 8 rs. counted on RC.) Then K. in lace as normal.*
Cont. to K. until RC 76 (80 84 86 88) rs.

SHAPE SHOULDERS

C.off 7 (7 8 8 8) sts. beg. next 6 rs.
C.off 9 (10 9 9 11) sts. beg. next 2 rs.
Change to WY, K. few rs.
Rel. work from mach.

FRONT

K. as for back to *
Cont. to K. until RC 52 (56 56 58 58) rs.

SHAPE NECK

MARK CARD ROW No.
Using WY take off cent 21 (21 21 21 23) sts.
K. all ns. at left back onto nylon cord in NWP.
Work on right side only.
Dec. 1 st. at neck next 4 rs.
Dec. 1 st. at neck next & ev. foll. alt. rs. until 30 (31 33 33 35) sts. rem.
Cont. to K. until RC 76 (80 84 86 88) rs.

SHAPE SHOULDER

C.off 7 (7 8 8 8) sts. beg. next & ev. foll. alt. rs. 3 times in all.
C.off rem. 9 (10 9 9 11) sts.
RESET CARD and work left side rev. shaping.

SLEEVES

Insert card 407 & lock on row 1.
C.on in 1 x 1 rib, 81 (83 89 95 97) sts.
RC 000, T1/1, K. 10 rs.
Trans. sts. to M/bed.
RC 000, MT K. 2 rs.
Rel. card & work in lace patt. throughout, AT SAME TIME
Inc. 1 st. both ends & ev. foll. 4th r. until 93 (97 103 109 113) sts.
Cont. to K. until RC 26 (30 30 30 34) rs.

SHAPE TOP

RC 000, C.off 5 (5 5 7 8) sts. beg. next 2 rs.
Dec. 1 st. both ends next & foll. alt. rs. 4 times in all.
Dec. 1 st. both ends next & foll. 4th r. twice.
Dec. 1 st. both ends next & ev. foll. alt. rs.
until RC 48 (50 54 56 58) rs.
Dec. 1 st. both ends next 10 rs.
C.off rem. sts.

Join shoulder seam.

NECKBAND

Bring forward 133 (137 141 145 149) ns.
Pick up sts. down front, across sts. held on WY, up front, across sts. at back held on WY.
MT, K. 1 r. Trans. sts. to 1 x 1 rib.
RC 000, T2/2, K. 4 rs. T1/1, K. 7 rs.
T10/8, K. 1 r.
C.off with latch tool.

TO MAKE UP

Join shoulder seam.
Set in sleeves, sew side & sleeve seams.
Join neckband.
Press with warm iron.



B.K. 4 PLY
36 SHADES
AVAILABLE



4 ROUND NECK SWEATER

SIZES:- 32 (34 36 38 40) in. bust
81 (86 91 97 102) cm. bust

MATERIALS:- 1 Cone BK 4 ply Acrylic
Card No. 407 from set No. 5

TENSION:- 32 sts. x 46 rs. = 10 cms.
Tension dial approx. 6.

FOR ABBREVIATIONS:- SEE PAGE 7

BACK

Insert card & lock on row 1.
C.on in 1 x 1 rib 121 (129 135 143 149)
sts.
RC 000, T1/1, K. 30 rs.
Trans. sts. to M/bed.
Rel. card, work in lace throughout.
RC 000, MT, K. 136 (140 146 150 156) rs.

SHAPE ARMHOLE

RC 000, C.off 6 (7 7 8 9) sts. beg. next 2 rs.

Dec. 1 st. both ends next & ev. foll. alt rs.
6 (7 8 9 10) times in all.*
Cont to K. until RC 86 (92 96 102 106) rs.

SHAPE SHOULDER

C.off 7 (7 7 8 8) sts. beg. next 6 rs.
C.off 7 (9 10 9 9) sts. beg. next 2 rs.
Change to WY, K. few rs.
Rel. work from mach.

FRONT

K. as for back to *.
Cont to K. until RC 64 (68 72 74 74) rs.

SHAPE NECK

Using WY take off cent. 21 sts.
K. all sts. left of cent. 0 back onto nylon
cord in NWP.
MARK CARD ROW No.
Work on right side only.
Dec. 1 st. at neck next 4 rs.

Dec. 1 st. at neck next & ev. foll. alt rs.
until 28 (30 31 33 33) sts. rem.
Cont to K. until RC 86 (92 96 102 106) rs.

SHAPE SHOULDER

C.off 7 (7 7 8 8) sts. beg. next & ev. foll.
alt rs. 3 times in all.
C.off 7 (9 10 9 9) sts. beg. next r.
RESET CARD
Work on left side as for right side
rev. all shaping.

SLEEVES

Insert card & lock on row 1.
C.on in 1 x 1 rib 59 (61 63 65 67) sts.
RC 000, T1/1, K. 30 rs.
Trans. sts. to M/bed.
RC 000, MT, Working in lace
Inc. 1 st. both ends next & ev. foll.
8th r. until 89 (93 97 103 109) sts.
Cont to K. until RC 158 (158 168 172 176)
rs.

SHAPE TOP


RC 000 C. off 5 (5 5 5 7) sts. beg. next 2
rs.
Dec. 1 st. both ends next & ev. foll. alt rs.
4 times in all.
Dec. 1 st. both ends next & foll. 4th rs.
twice. K. 3 rs.
RC 18 rs,
Dec. 1 st. both ends next & ev. foll. alt rs.
until RC 44 (48 50 54 56) rs.
Dec. 1 st. both ends next 10 rs.
C.off rem. sts.


NECKBAND

Bring forward 121 (125 127 129 131) ns.
Pick up sts. down front, across sts. held
on WY, up front sts. & across sts. held on
WY at back.
MT + 1, K. 1 r.
Trans. sts. to 1 x 1 rib.
RC 000, T1/1, K. 6 rs.
T0/0, K. 16 rs. T1/1, K. 5 rs.
T10/8, K. 1 r.
C.off with latch tool.

TO MAKE UP

Join shoulder seam and neckband.
Set in sleeves, sew side & sleeve
seams. Fold neckband in half & slip
stitch to inside.
Press with cool iron.





5 SIMPLE TO KNIT SLOPPY TOP

SIZES:- 32/34 (36/38) in. bust
81/86 (91/97) cms. bust

MATERIALS:- 1 Cone BK Random 4
ply Acrylic
Card 439 from set No. 10

TENSION:- 26 sts. x 46 rs. = 10 cms.
Tension dial approx. 6

FOR ABBREVIATIONS:- SEE PAGE 7

BACK

Insert card & lock on row 1.
C.on in 1 x 1 rib 132 (142) sts.
RC 000, T2/2, K 30 rs.
Trans. sts. to M/bed. MT, K 2 rs.
RC 000. Working in lace patt.
K 136 rs.

SHAPE SLEEVE

Inc. 1 st. both ends next & foll.
alt. rs. 3 times in all.
C.on 2 sts. beg. next 8 rs.

C.on 3 sts. beg. next 2 rs.
C.on 6 sts. beg. next 4 rs.
184 (194) sts. RC 156*
Cont. to work in lace until
RC 218 (228)

SHAPE SHOULDERS

C.off 57 (62) sts. beg. next 2 rs.
Change to WY, K. few rs.
Rel. work from mach.

FRONT

K. as for back to *
Cont. to work in lace until
RC 200 (210)

SHAPE NECK

MARK ROW No. K. 117 (122) sts.
at left back onto nylon cord in NWP.
Work on right side only
K. 1 r. C.off 5 sts. beg. next r.
K. 1 r. C.off 2 sts. beg. next r.

Dec. 1 st. at neck edge next & foll.
alt. rs. 3 times in all. 57 (62) sts. rem.
K. 8 rs. RC 218 (228)
C.off rem. sts.
RESET CARD
Leave cent. 50 sts. on nylon cord
Bring sts. at left back into WP,
K. as for right, rev. shaping.

NECK

Pick up 19 sts. each side cent.
Bring all ns. back into WP.
MT + 1, K. 1 r. across all ns.
Change to WY, K. few rs.
Rel. work from mach.
Join shoulder ½ in. at neck & sleeve
edge.

NECKBAND

Bring forward 158 ns.
With wrong side facing out, pick up
sts. held on WY from front & back
RC 000, MT + 1, K. 5 rs.
MT, K. 5 rs. MT+1 K. 3 rs.
T10, K. 1 r. RC 14 rs.
C.off with latch tool.


SLEEVE BANDS

Bring forward 96 (100) ns.
Pick up sts. at sleeve edge.
MT + 1, K. 1 r.
Trans. sts. to 1 x 1 rib.
RC 000, T 2/3, K. 12 rs.
T10/8, K. 1 r.
Trans. sts. to M/bed.
C.off with latch tool.

TO MAKE UP

Sew inside & outside sleeve
& side seams, roll neck to outside.
Press with cool iron.
DO NOT PRESS NECKBAND.

PATTERN BOOK for machine knitters



Ribbed Knitwear

COMPLETE RANGE OF
ENGLISH RIB Round & V Neck Sweaters

CABLE CARDIGANS
2 x 2 RIBBED JUMPERS
PLUS

TUCK RIB &
PUNCHCARD DESIGNS

Available From Your
Local Stockist Or
BEDFORD SEWING &
KNITTING MACHINES

B.S.K. Ltd., 58 Bromham Road, Bedford
Phone: (0234) 52323



6 ZIG ZAG SWEATER SUIT

SIZES:- 32/34 (36/38 40/42) in. bust
81/86 (91/97 102/107) cms. bust

MATERIALS:- 2 Cones BK spectrum or Argyll Charisma Col A,
1 Cone each BK Spectrum or Argyll Charisma Cols B C D
(Argyll Charisma available from B.S.K.).
Card 1A

TENSION:- 23 sts. x 34 rs. = 10 cms.
Tension dial approx. 7.
STEAM PRESSED

FOR ABBREVIATIONS:- SEE PAGE 7

BACK & FRONT

Insert card and lock on row 1.
Using Col. A, C.on in 1x1 rib
126 (134 140 148 154) sts.
RC 000, T2/2 K. 40 rs.
Leave rib comb on and use small weights.
Trans. sts. to M/bed.

RC 000, MT, K. 2 rs.
Work in lace patt. for 12 rs.
*WORK IN LACE PATT. & COL. SEQUENCE
COL. B. K. 12 RS. COL. C. K. 12 RS.
COL. A. K. 2 RS. COL. D. K. 8 RS.
COL. A. K. 2 RS. *
PATT. 36 R. REPEAT
Rep. Col. sequence 5 times in all.
Col. B. K. 8 rs. RC 202
Cont in Col. B only.
C.off 32 (35 37 40 42) sts. beg. next 2 rs.
Working in SS. T10, K. 1 r. T7, K. 1 r.
Inc. 1 st. both ends next & ev. foll. alt. rs.
4 times in all.
T10, K. 1 r. Cast off.

SLEEVES

Insert card & lock on row 1.
Using WY C.on 100 sts.
K. few rs. Carr. at left K. in nylon cord.
RC 000 MT, K. 2 rs. Col. A,
WORK IN LACE & COL. SEQUENCE as

for back from * to * 4 times in all.
WORKING IN LACE PATT. K. 12 rs.
AT SAME TIME - Inc. 1 st. both ends
next and ev. foll. 6th r. until 146 (146 150)
sts.
Cont to K in Col. B only until RC reads
170 rs.
C.off very loosely.

CUFFS

Bring forward 66 ns.
With wrong side of work facing, pick up
sts. evenly at sleeve edge.
Using Col. A MT K. 1 r.
Trans. sts. to 1 x 1 rib, (weight work)
T2/2, K. 40 rs. T10 K. 1 r.
C.off with latch tool.

TO MAKE UP


Steam press all pieces. Sew sleeves into
place, join side and sleeve seams.
Fold neck edging to inside, slip st. into
place.
Give final press.

SKIRT

Knit 3 panels, using Col. A.
Insert card & lock on row 1.
Using cast on comb for weight
C.on in WY 147 (171 195) sts.
K. few rs. carr. at left.
Knit in nylon cord.
Using MY C.on by hand over all ns.
MT, K. 2 rs.
RC 000, work in lace patt. until
RC 160 rs. Trans. sts. to 1 x 1 rib,
T2/2, K. 72 rs.
Trans. rib sts. onto ns. holding sts.
on M/bed. (ev. other n. in WP on
M/bed).
T2, K. 10 rs. T10, K. 1 r. T2, K. 10 rs.
Change to WY, K. few rs.
Rel. work from mach.

TO MAKE UP

Do not remove nylon cord at hem.
Steam press lace sections.
Join panels, fold waist band in half,
slip stitch down the open stitches.
Thread elastic through waist.





7

BATWING SWEATER

SIZES:- 32/36 (38/42) in. bust
81/91 (97/107) cms. bust

MATERIALS:- 1 Cone Argyll Chevalier
Col. A
1 Cone Argyll Triad Col. B
Card 17J

TENSION:- 22 sts. x 36 rs. = 10 cms.
Tension dial approx. 10.

NOTE:- Either side can be worn as right side.

FOR ABBREVIATIONS:- SEE PAGE 7

BACK & FRONT ALIKE

Insert card & lock on row 1.
Working from cent. 0 to right,
C.on 40 (50) sts.
K. several rs. ending with carr. at left
K. in nylon cord.
Weight work. Using Col. A,
RC 000, MT, K. 2 rs.

Working in lace, Inc. 1 st. at left next &
ev. foll. alt. rs. 66 times in all. MARK
EDGE.

K. 20 (30) rs.
Col. B, working in SS, K. 20 rs.
RC 174 (184) Col. A, K. 2 rs.

SHAPE NECK

Col. A, working in lace
Dec. 1 st. at right next & fol. alt. rs. 4
times in all.
K. 60 rs.
Inc. 1 st. at right next & ev. foll. alt. rs. 4
times in all.
RC 252 (262)
Col. B, working in SS, K. 20 rs.
MARK EDGE. Col. A, K. 2 rs.
Col. A, working in lace, K. 20 (30) rs.
Dec. 1 st. at left next & ev. foll. at rs.
66 times in all.
40 (50) sts. RC 426 (446)
Rel. work on WY.

WELTS

Using Col. B
C.on in 1 x 1 rib 129 (139) sts.
RC 000, T1/1, K. 50 rs.
Trans. sts. to M/bed.
Pick up sts. evenly along waist edge.
T5, K. 1 r. T10, K. 1 r.
C.off.

CUFFS


Using Col. B,
C.on 1 x 1 rib
63 (67) sts.
RC 000, T1/1, K. 50 rs.
Trans. sts. to M/bed.
Pick up sts. evenly from sleeve edge.
T5, K. 1 r. T10 K. 1 r.
C.off.

NECKBAND

Using Col. B,
C.on in 1 x 1 rib 170 sts.
RC 000, T10/8, K. 70 rs.
Pick up sts. around neck.
T5 K. 1 r, T10, K. 1 r.
C.off.

TO MAKE UP

Join inside & outside sleeve seams.
Fold neckband twice to front.
PRESS WITH COOL IRON.



8

'V' NECK SWEATER SUIT

SIZES:- 32 (34 36 38 40) in. bust
81 (86 91 97 102) cms. bust

MATERIALS:- 2 (2 2 2 3) cones BK
Crepe
Card No. 455 from set no. 13
Elastic to fit waist

TENSION:- 32 sts. x 48 rs. = 10 cms.
Tension dial approx 5.

FOR ABBREVIATIONS:- SEE PAGE 7

BACK

Insert card & lock on row 1
C.on in 2 x 1 rib 121 (125 135 141 149)
sts.
RC 000, T 2/2, K. 40 rs.
Trans. sts. to M/bed. Inc. 1 st.
RC 000, MT, K. 2 rs.
Work in lace patt. until RC 158 (162 166
170 174) rs.



8

'V' NECK SWEATER SUIT

SHAPE ARMHOLES

RC 000, C.off 6 (7 7 8 9) sts. beg. next 2 rs.
Dec. 1 st. both ends next & ev. foll. alt rs. 6 (7 8 9 10) times.
Cont. to K. until RC 72 (76 80 84 86) rs.

SHAPE SHOULDER

C.off 7 (7 7 8 8) sts. beg. next 6 rs.
C.off 7 (9 10 9 9) sts. beg. next 2 rs.
Change to WY, K. few rs.
Rel. work from mach.

FRONT

K. as for back until RC 146 (150 154 158 162) rs.
NOTE CARD ROW No.
DIVIDE WORK K. all sts. left cent. 0 back onto nylon cord in NWP.
Dec. 1 st. at cent. next & foll. 5th rs. 3 times in all. K. 1 r.
RC 158 (162 166 170 174) rs.

SHAPE ARMHOLES

RC 000, AT SAME TIME
Cont. to Dec. 1 st. at neck ev foll. 4th rs. until 28 (30 31 33 33) sts rem, and C.off 7 (7 7 8 8) sts. beg. next r. K. 1 r. Dec. 1 st. at armhole edge next & ev. foll. alt r. 6 (7 8 9 10) times in all. Cont. to K. until RC 72 (76 80 84 86) rs.

SHAPE SHOULDER

C.off 7 (7 7 8 8) sts. beg. next & foll. alt rs. 3 times.
C.off 7 (9 10 9 9) sts. beg. next r. RESET CARD, bring all ns. back to WP
Work left side, rev. all shaping.

SLEEVES

Insert card and lock on row 1.
C.on in 2 x 1 rib 59 (61 63 65 67) sts.
RC 000, T2/2, k. 40 rs.
Trans. sts. to M/bed.
RC 000, MT K. 2 rs.

Work in lace patt. AT SAME TIME
Inc. 1 st. both ends next & ev. foll. 8th r. until 89 (93 97 103 109) sts.
Cont. to K. until RC 180 (182 184 188 192) rs.

SHAPE TOP

RC 000, C.off 5 (5 5 5 7) sts. beg. next 2 rs.
Dec. 1 st. both ends next & ev. foll. alt rs. 4 times in all.
Dec. 1 st. both ends next & ev. foll. 4th rs. twice.
K. 3 rs. Dec. 1 st. both ends next & ev. foll. alt rs. until 27 (31 33 37 39) sts. rem.
Dec. 1 st. both ends next 12 rs.
C.off rem. sts.

NECKBAND

C.on in 2 x 1 rib 187 (189 191 193 195) sts.
T3/3, K. 2 rs.
Dec. 1 st. both ends next 10 rs.
K. 1 r. T10/8, K. 1 r.
C.off with latch tool.

TO MAKE UP

Join shoulder seams.
Set in sleeves, sew side & sleeve seams. Join cent. V of neck band & sew into place.
STEAM PRESS

SKIRT

C.on in WY 198 sts. Leave 8th n. at left in NWP.
K. few rs. Carr. at left
K. in nylon cord.
RC 000, MT, MY, K. 10 rs.
** Work HP shaping with row tripper up.
Bring 9 ns. at oppos. end to carr. into HP, K. 1 r.
Bring 1 n. at left into HP, K. 1 r.*
Rep. from ** to * to last 8 ns.
Row tripper down. K. 20 rs. across all ns.**
Rep. from ** to ** until RC 290 (310 330 350 370)
Rep. HP shaping once more, K. 10 rs.
RC 300 (320 340 360 380)
Change to WY, K. few rs.
Rel. work from mach.

TO MAKE UP

Steam press, graft back seam.
Using missing stitch as marker fold waist to inside & slip st. down.
Thread elastic through waist.
Give final press.





9 RAGLAN SLEEVED SUIT

SIZES:- 32 (34 36 38 40) in. bust
81 (86 91 97 102) cms. bust

MATERIALS:- 2 (2 2 2 3) Cones BK
Superwash wool
Card 444 from set No. 12
Elastic to fit waist

TENSION:-

Skirt
31 sts. x 43 rs. = 10 cms.
Tension dial approx. 5.
Sweater
29 sts. x 42 rs. = 10 cms.
Tension dial approx. 6

FOR ABBREVIATIONS:- SEE PAGE 7

SKIRT

Knit 4 panels.
Insert card & lock on row 1.
C.on in WY 122 (122 122 122 128) sts.
K. few rs., Carr. at right.

Knit in nylon cord.
MY, C.on by hand over all ns. K. 1 r.
Trans. ev. other n. onto adjacent n.
leaving empty ns. in WP. K. 2 rs.
Carr. at right.
K. 24 rs. in lace pattern
RC 000, work in SS.

SHAPE HEM

Always taking yarn round last n. in HP
at oppos. end to carr.
Push 32 ns. into HP next 2 rs.
At oppos. end to carr.
Push 8 ns. into WP next 8 rs.
RC 000, Dec. 1 st. FF both ends ev. foll.
6 (7 8 10 10)th rs. 4 (12 8 7 19) times.
Dec. 1 st. FF. both ends ev. foll.
7 (8 9 11 0) rs. 20 (10 12 10 0) times.
74 (78 82 88 90) sts. rem.
RC 164 (164 172 180 190) rs.
MARK BOTH SIDES
RC 000, Dec. 1st. FF both ends ev. foll.

15 (13 13 15 15)th rs. 5 (6 6 5 5) times.
2nd & 3rd sizes only K. 2 rs.
64 (66 70 78 80) sts. rem.
RC 80 rs. Rel. work on WY.

WAISTBAND

Knit 2.
Bring forward 128 (132 140 156 160) ns.
Pick up sts. from two Panels.
MT-1, K. 12 rs.
T10, K. 1 r.
MT-1, K. 12 rs.
Take off on WY.

TO MAKE UP

Join seams with mattress st.
Fold waistband in half & slip st. open sts.
to inside.
Steam press.

SWEATER BACK

C.on in 1 x 1 rib 125 (133 139 147 153)
sts.
RC 000, T1/1, K. 40 rs.
Trans. sts. to M/bed.
RC 000, MT K. 106 rs.

SHAPE RAGLAN

RC 000, C.off 5 sts. beg. next 2 rs.
K. 2 rs. Dec. 1 st. FF both ends next & ev.
foll. 4th r. 7 (6 5 6 5) times.**
Dec. 1 st. FF next & ev. foll. alt. rs.
until 41 (43 43 45 45) sts. rem.
RC 90 (94 98 106 110) rs.
Change to WY, K. few rs. Rel. work from
mach.

FRONT

K. as for back to **
Dec. 1 st. FF next & ev. foll. alt. rs.
until 73 (77 77 79 81) sts. rem.
RC 58 (60 64 72 74) rs.

SHAPE NECK

Carr. at right.
Place 47 (50 50 52 53) sts. at left in HP.
Work on right side only.
26 (27 27 27 28) sts. rem. in WP.
Cont. to shape Raglan
AT SAME TIME
Dec. 1 st. at neck next & ev. foll. 3rd r. 9
times.

Cont. to shape Raglan until all sts. are
worked off.

Leave cent. 21 (23 23 25 25) sts. in HP.
Work left side to match, rev. shaping.

SLEEVES

C.on in 1 x 1 rib 66 (66 66 70 72) sts.
RC 000, T 1/1. K. 40 rs.
Trans. sts. to M/bed.
MT, Inc. 1 st. both ends next & ev. foll.
9 (8 8 7 7)th rs. 7 times.
Inc. 1 st. both ends ev. foll. 9 (9 9 8 7)th
rs. 9 (10 10 12 14) times
until 100 (102 102 110 116) sts.
Cont. to K. until RC 156 rs.

SHAPE RAGLAN

C.off 5 sts. beg. next 2 rs.
Dec. 1 st. both ends next & ev. foll.
4th rs. 7 (8 10 12 11) times.
Dec. 1 st. both ends next & ev. foll.

alt rs. until 16 (16 16 20 20) sts. rem.
 RC 90 (94 98 106 110) rs.
 Change to WY, K. few rs.
 Rel. work from mach.

COLLAR

Insert card & lock on row 1.
 C.on in WY 192 sts.
 K. few rs. Carr. at right.
 MY, C.on by hand, MT, K. 1 r. MT—..
 Trans. ev. other st. onto adjacent ns.
 leaving empty ns. in WP. K. 2 rs.
 Carr. at right. Rel. card
 Work 48 rs. in lace patt.
 Change to WY, K. few rs.
 Rel. work from mach.
 Sew up 3 Raglan seams -
 Bring forward 134 (138 138 150 150) ns.
 With wrong side facing, pick up
 134 (138 138 150 150) sts. from front,
 back & sleeve top.
 MT—• K. 8 rs. T10, K. 1 r.
 MT—••, K. 8 rs.
 Take off on WY.

TO MAKE UP


Sew remaining Raglan seam, side &
 sleeve seams.
 Turn neckband to wrong side & stitch
 open stitches to inside.
 STEAM PRESS.

PATTERN BOOK FOR CHUNKY MACHINES

SWEATERS IN
 RIB-TUCK-CABLE
 AND INTARSIA

See it at your local stockist
 or write or ring:

BSK LTD.,
58 Bromham Road, Bedford
Phone: (0234) 52323



POWER-KNIT FOR DOMESTIC KNITTING MACHINES

POWER KNIT MOTOR

Built for continuous service - can be run 24 hours
 a day. Suitable for JONES + BROTHER -
 KNITMASTER - TOYOTA machines, single and
 double bed - can be fitted to any sturdy table

FOOT PEDAL OPERATION

giving perfect control - or switch to Automatic to
 obtain constant running in the absence of the
 operator

AUTOMATIC CARRIAGE RELEASE

Sensitive device which disconnects the drive in
 the event of jamming of the carriage - avoiding
 needle breakage and other damage


BUILT-IN SAFETY
 An automatic 'Thermal Protector' is housed inside
 the motor and will switch the motor off if the
 temperature becomes higher than the standard
 running temperature

Optional Extra
ROW COUNTDOWN
 The number of rows required can be set on the
 counter and the motor will automatically stop
 when the rows have been knitted

Available from your
 local stockist

Send for free brochure from

B.S.K. Ltd,
58 Bromham Road, Bedford





10 TUCK & EYELET SWEATER

SIZES:- 32/36 (38/42) in. bust
81/91 (97/107) cms. bust

MATERIALS:- 1 (2) Cones Argyll
Ferdale
Card 1 from basic set.

TENSION:- 32 sts. x 53 rs = 10 cms.
Tension dial approx. 6

NOTE:- Pattern can be worn with either side as the right side.
PATTERN is worked throughout as foll. (Insert card & lock on row 1)
Set carr. to KC (DO NOT ALTER THESE SETTINGS).

* K. 12 rs.

K. 4 rs. both tuck buttons pressed
K. 2 rs. SS

Work 1 r. with lace carr. to trans. sts. for eyelets, remove lace carr.

K. 2 rs. SS.

K. 4 rs. both tuck buttons pressed.*

FOR ABBREVIATIONS:- SEE PAGE 7

BACK

Insert card & lock on row 1
Working from cent. 0 to right
C.on in WY 50 (55) sts.
K. few rs. Change to MY.
RC 000, MT, working in patt.
K. 10 rs. Inc. 1 st. at left next & ev. foll. alt. rs. 63 times in all.

113 (118) sts.

C.on 2 sts. at left next & ev. foll. alt. rs. 5 times in all.

C.on 3 sts. at left next & ev. foll. alt. rs. 4 times in all. 135 (140) sts.

RC 154.

Cont. to K. until RC 240 (252)*

SHAPE NECK

Dec. 1 st. At right next 4 rs.

K. 72 (84) rs.

Inc. 1 st. at right next 4 rs. RC 320 (344)

Cont. to K. until RC 406 (442)**

C.off 3 sts. at left next & ev. foll. alt. rs. 4 times in all.

C.off 2 sts. at left next & ev. foll. alt. rs. 5 times in all.

Dec. 1 st. at left next & ev. foll. alt. rs. 63 times in all.

50 (55) sts.

K. 10 rs. RC 560 (596)

Rel. work on WY.

FRONT

Work as for back to *

SHAPE NECK

Dec. 1 st. at right next 10 rs.

C.off 2 sts. at right next & ev. foll. alt. rs. 4 times in all.

C.off 3 sts. at right next & foll. alt. r.

K.36 (48) rs.

C.on 3 sts. at right next & foll. alt. r.

C.on 2 sts. at right next & ev. foll. alt. rs. 4 times in all.

Inc. 1 st. at right next 10 rs.

RC 320 (344)

Cont. to K. until RC 406 (442)

Work as for back from **

WELTS

C.on in 1 x 1 rib 136 (144) sts.

RC 000, T2/2, K. 40 rs.

Trans. sts. to M/bed.

Pick up sts. along waist edge,

MT, K. 1 r. T10 K. 1 r.

C.off.

CUFFS

C.on 1 x 1 rib 64 (70) sts.

RC 000, T2/2, K. 40 rs.

Trans. sts. to M/bed.

Pick up sts. from sleeve edge,

MT, K. 1 r. T10, K. 1 r.

C.off.

NECKBAND

C.on in 1 x 1 rib 140 (146) sts.

RC 000, T8/8, K. 40 rs.

T6/6, K. 10 rs.

T4/4, K. 10 rs.

T2/2, K. 10 rs.

Trans. sts. to M/bed.

Pick up sts. evenly around neck,

MT, K. 1 r. T10, K. 1 r.

C.off.

TO MAKE UP

Sew side and sleeve seams.

Fold neckband to front.

Press with warm iron.





11 DOLMAN SLEEVED SWEATER

SIZES:- 32/34(36/38 40/42) in. bust
81/86(91/97 102/107) cms. bust

MATERIALS:- 1 Cone BK 4ply Acrylic Col A.

1 Cone BK 4ply Acrylic Col B
Card 440 from set No. 10.

TENSION:- 26 sts. x 45 rs. = 10 cms.
Tension dial approx. 6

NOTE:- PATTERN:- Worked in stripes on sleeves,
* Col A – work from lace card to row 32, K. 2 rs. Col B, K. 2 rs, Col A, K. 4 rs, work from lace card to row 64. K. 2 rs, Col B, K. 2 rs, Col A, K. 4 rs.*

FOR ABBREVIATIONS:- SEE PAGE 7

BACK

Insert card & lock on row 1.
Counting from cent. 0 to right
C.on in WY, 55 sts.

K. several rs, weight work,
MT, Col A, K. 2 rs, working in patt
Inc. 1 st. at left ev. foll. 4th rs.
35 (39 43) times in all.
90 (94 98) sts.
Cont. to K. in striped patt. until RC 191.
C.on by hand 40 sts. at left. K. 1 r.
(ending with Col B, K. 2 rs.). RC 192.

Col B, K. 4 rs, Col A, K. 2 rs.
Working in Col A only*
**Work to row 32 on lace card, K. 8 rs.
Work to row 64 on lace card, K. 8 rs.**
Rep from ** to **
Cont. to K. until RC 358 (382 406).
Work in SS, Col A, K. 4 rs, Col B, K. 5 rs.
C.off 40 sts. at left beg. next r.

Col A, K. 4 rs. RC 368 (392 416)
Cont. in striped lace patt until
RC 420 (428 436).
Dec. 1 st. at left ev. foll. 4th rs.
until 55 sts. rem. K. 2 rs.
Rel. work on WY.

FRONT

K. as for back to Rep from ** to **
Cont to K. in Col A, only until
RC 238 (250 262).

SHAPE NECK

C.off 6 sts. beg. next r.
Dec. 1 st. end next r.
C.off 2 sts. beg. next r.
Dec. 1 st. end next r.
Rep. last 2 rs.
Dec. 1 st. at right next 2 rs.
Cont to K. in lace patt. until
RC 310 (322 334).
Inc. 1 st. at right next 2 rs.
C.on 2 sts. at right next r.
Inc. 1 st. at right next r.
Rep. last 2 rs.
C.on 6 sts. at right next r. K. 1 r.
RC 318 (330 342)
Working in lace Col A, only
K. 40 (52 64) rs. RC 358 (382 406)
Working in SS.
Col A, K. 4 rs, Col B, K. 5 rs.
C.off 40 sts. at left beg. next r.
Col A, K. 4 rs, RC 368 (392 416)
Cont. in striped lace patt. until
RC 420 (428 436)
Dec. 1 st. at left ev. foll. 4th rs.
until 55 sts. rem. K. 2 rs.
Rel. work on WY.

CUFFS

Using Col B, C.on in 1 x 1 rib 60 sts.
RC 000, T1/1, K. 40 rs.
Trans. sts. to M/bed.
With wrong side facing pick up
sts. evenly around sleeves.
T10, K. 1 r. C.off.

WELTS

Using Col B, C.on in 1 x 1 rib
118 (130 142) sts.
RC 000, T1/1, K. 40 rs.
Trans. sts. to M/bed.
Pick up sts. evenly along waist edge.
T10, K. 1 r. C.off.

NECKBAND

Using Col B, C.on in 1 x 1 rib 150 sts.
RC 000, T10/8, K. 10 rs.
T7/7, K. 10 rs.
T6/6, K. 4 rs. T5/5, K. 4 rs.
T4/4, K. 4 rs. T3/3, K. 4 rs.
T2/2, K. 32 rs.
Trans. sts. to M/bed.
Pick up sts. evenly around neck.
T10 K. 1 r.
C.off loosely.

TO MAKE UP

Join inside and outside sleeve seams.
Join neckband and fold to outside.
Press with cool iron.





12

DOLMAN SLEEVED SUIT

SIZES:- 32 (34 36 38) in. bust
81 (86 91 97) cms. bust

MATERIALS:- 2 Cones Argyll
Neopolitan Col A,
1 Cone Argyll Cotton. Col B,
Card 17J from Basic set. See page 14.

TENSION:- 28 sts. x 40 rs. = 10 cms.
Tension dial approx. 6

FOR ABBREVIATIONS SEE:- PAGE 7

NOTE:- Purl side is right side of
garment.

SKIRT

Insert card & lock on row one.
DO NOT UNLOCK.
C.on in WY 170 sts.
K. several rs., ending with carr. at left.
K. in nylon cord,

Weight work.

*Col A, RC 000, MT-1, K. 9 rs.
Carr. at left, Col B, K. 3 rs.
Work 2 rs. with lace carr.,
Col B, K. 3 rs. Col A, K. 9 rs.
Carr. at right. Always taking yarn round
last ns. in HP, At oppos. end to carr, push
10 ns. into HP next & ev. foll. alt rs. 15
times. Push 10 ns. into D pos. next & ev.
foll. alt rs. 15 times,*
Rep. from * to * until 10 (12 14 16) lace
panels have been worked.
Rel. work on WY.

WAISTBAND

Knit 2.
Bring forward 106 (115 124 133) ns.
Pick up sts. from front or back waist.
T8 K. 1 r. T5, K. 12 rs. T 10, K. 1 r.
T5 K. 11 rs. T 10 K. 1 r. C.off.

TO MAKE UP

Graft back seam.
Join waistband, & slip st. to inside.
Thread elastic through waist.
Press with steam iron

SWEATER

BACK & FRONT

Insert card & lock on row one.
C.on in WY, 48 sts. (counting from cent 0
to right)
K. several rs., ending with carr. at left,
K.in nylon cord.
RC 000, Col A, MT, K. 2 rs.
Working in lace patt - at left
Inc. 1st next & ev. foll. alt rs. 60 times.
RC 122, K. 1 r. CARR. AT LEFT
C.on 28 sts. beg. next r. RC 124.
Work 10 rs. in lace patt.
Col B, SS, K 4 rs.
Work row of eyelet holes with lace carr.
Col B, SS K. 4 rs.
Col A, Working in SS, K. 52 (62 72 82) rs.
RC 194 (204 214 224)

SHAPE NECK

Dec. 1 st. at right next & ev. foll.
alt rs. 4 times in all.
K. 72 rs. Inc. 1 st. at right next & ev. foll.
alt rs. 4 times in all.
RC 282 (292 302 312)
K. 52 (62 72 82) rs.
Col B, SS, K. 4 rs.
Work row of eyelets holes,
Col B, SS, K. 4 rs.
Col A, K. 2 rs.
Working in lace patt. K. 9 rs. RC 353 (373
393 413)

SHAPE SLEEVE

C.off 28 sts. beg. next r.
Dec. 1 st. at left next & ev. foll.
alt rs. 60 times, until 48 sts. rem.
RC 474 (494 514 534)
Rel. work on WY.

WELTS

Using Col B,
C.on in 1 x 1 rib 136 (146 156 166) sts.
RC 000, T1/1 K. 50 rs.
Trans. sts. to M/bed
Pick up sts. from front waist.
T5, K. 1 r. T10, K. 1 r.
C.off with latch tool.

CUFFS

Using Col B
C.on in 1 x 1 rib 65 (67 69 71) sts.
RC 000, T1/1, K. 50 rs.
Trans. sts. to M/bed.
Pick up sts. at sleeve edge
T5 K. 1 r. T10, K. 1 r.
C.off with latch tool.

NECKBAND

Insert card & lock on row 1
Using Col B
C.on by hand 136 sts.
RC 000, MT-1. K. 4 rs.
Work row of eyelets, K. 4 rs.
Rep * to * until RC 82 rs.
Pick up sts. around neck.
T10 K. 1 r. C.off loosely.

TO MAKE UP

Join inside & outside sleeve edges.
Fold collar to front, then fold to front again.
Press.

PLAIN SKIRT

C.on by hand 170 sts.
RC 000. MT, *K. 26 rs.
Always taking yarn round last n. in HP,
At oppo. end to carr. push 10 sts. into
HP next & ev. foll. alt. rs. 14 times in all
(20 sts. left in WP)
Starting from right,
Push 10 sts. back into WP next
& ev. foll. alt. rs. 14 times in all.*
Rep. from * to * 13 (15 17 19) times.
C.off loosely.

WAISTBAND

(Knit two)
Bring forward 106 (115 124 133) ns.
Pick up sts. from back or front waist.
MT, K. 1 r. MT-1, K. 12 rs.
T10, K. 1 r. MT-1, K. 12 rs.
T10, K. 1 r. C.off.



MACHINE KNITTING BOOKS


By Regine Faust



FASHION KNIT consists of 267 pages, graphs, photographs and instructions. It gives the whole Fashion Knit Course Outline as taught at Sheridan College, through well-developed exercises.



TUCK KNITTING consists of 208 pages. Over 100 full page photographs of Tuck Designs with matching graphs or punch cards and instructional hints.



INDIAN DESIGNS has approximately 200 pages with American Indian designs and motifs adapted to knitting. It has full page photographs and matching punch cards which can be used as graphs for hand-knitting as well.

Available from your local stockist or

B.S.K. Ltd., 58 Bromham Road, Bedford. Phone: (0234) 52323

Defendj

FANTASTIC NEW
ELECTRIC LINKER!

SEE IT AT YOUR LOCAL
KNITTING MACHINE DEALER



- ★ Foot Control Operation
- ★ Silent and Fast
- ★ Easy to use
- ★ No Needle to Thread
- ★ Uses most types of Yarn
- ★ Italian Precision made
- ★ Suitable for 5 to 8 Gauge

The new Defendj Linker offers the ultimate solution to finishing knitwear for both the Home Knitter and small manufacturer.

**SEND FOR FREE
COLOUR BROCHURE**

Sole UK Distributor
B.S.K. Ltd.,
58 Bromham Road,
Bedford
Phone: (0234) 52323

SIMPLE PATTERN DRAFTING FOR MACHINE KNITTERS



**A must for all owners of
Knit Radars - Knit Leaders
Knit Tracers**

FEATURES OF THIS BOOK

The easy step by step diagrams allow you to create knitting patterns to individual measurements. The patterns can be created in half or full size depending on your attachment.

Available at your local stockist or

**B.S.K. Ltd., 58 Bromham Road, Bedford
Phone: (0234) 52323**



13

3 PANEL SKIRT SUTT

SIZES:- 32 (34 36 38) in. bust
81 (86 91 97) cms. bust

MATERIALS:- 2 (2 2 2) Cones BK
Superwash 4 ply.
Card No. 440 from set No. 10 for hem of
skirt, and Card No. 1B for lace lines.
See page 11
Elastic to fit waist.

TENSION:- 31 sts. x 43 rs. = 10 cms.
Tension dial approx. 5.

FOR ABBREVIATIONS:- SEE PAGE 7

SKIRT

Knit 3 panels
Insert card 440 & lock on row 1.
C.on in WY 124 (144 158 172) sts.
K. few rs. Carr. at left.
Knit in nylon cord, using MY,
C.on by hand over all ns.

RC 000, MT, K. 2 rs.
* Working in lace K. to RC 16, K. 4 rs. *
Rep. from * to * once more.
Then K. 16 rs. more lace. RC 56.
Change to WY, Rel work from mach.
Bring forward 68 (78 85 92) ns. left
cent. 0 & 56 (66 73 80) ns. right cent. 0.
Replace work.
Inset card 1B, Working in lace lines
K. 216 rs. Change to WY. Rel. work from
mach.
Bring forward 77 (82 88 94) ns.
With wrong side facing, pick up sts.
evenly,
MT-1, K. 12 rs. T10, K. 1 r. MT-1, K. 12 rs.
Rel. work on WY.

TO MAKE UP

Sew panels together, turn waistband to
inside, and slip stitch down.
Steam Press.

Thread elastic through waist.
Work double crochet around hem.

TOP BACK

Insert card 440 & lock on row 1.
C.on in WY, 160 (170 176 184) sts.
K. few rs. ending with carr. at left.
Knit in nylon cord. Using MY,
C.on by hand over all ns.
RC 000, MT,
Work in lace as for skirt to RC 56.
AT SAME TIME, K. 3 rs.
Dec. 1 st. both ends next & ev. foll.
4th rs. until 132 (142 148 156) sts. rem.
Work to RC 56. K. 2 rs.
Trans. 5th then ev. 10th st. onto adjacent
n. leaving empty ns. in WP. K. 2 rs.
Insert card 1B.
Working in lace lines patt.
RC 000, K. 112 rs.

SHAPE ARMHOLES

RC 000, C.off 4 (4 4 5) sts. beg. next 2 rs.
Dec. 1 st. both ends next 7 rs.
Dec. 1 st. both ends next & ev. foll. alt.
rs. 3 (4 5 5) times.
until 104 (112 116 122) sts. rem.
Cont. to K. until RC 86 (90 94 98) rs.

SHAPE SHOULDER

C.off 7 (6 8 7) sts. beg. next 2 rs.
C.off 7 (8 8 9) sts. beg. next 2 rs.
C.off 7 (8 8 9) sts. beg. next 2 rs.
C.off 8 (8 8 9) sts. beg. next 2 rs.
C.off rem. sts.

FRONT

K. as for back to

SHAPE ARMHOLES

RC 000, C.off 4 (4 4 5) sts. beg. next 2 rs.
Dec. 1 st. both ends next 7 rs.
Dec. 1 st. both ends next & foll. alt. rs.
3 (4 5 5) times in all.
Cont. to K. until RC 16 (16 20 20) rs.
104 (112 116 122) sts.

SHAPE NECK

MARK CARD ROW No.
C.off cent. 34 (36 36 38) sts.
K. all sts. left back onto nylon cord in
NWP.
Work on right side only.
Dec. 1 st. at neck edge next 6 (8 8 8) rs.
Cont. to K. until RC 86 (90 94 98) rs.

SHAPE SHOULDER

C.off 7 (6 8 7) sts. beg. next r. K. 1 r.
C.off 7 (8 8 9) sts. beg. next r. K. 1 r.
C.off 7 (8 8 9) sts. beg. next r. K. 1 r.
C.off 8 (8 8 9) sts. beg. next r.

SLEEVES

Insert Card 1B, & lock on row 1.
C. on in 1 x 1 rib 79 (83 87 93) sts.
RC 000, T1 · · /1 · ·, K. 9 rs.
Trans. sts. to M/bed.
K. 1 r. Working in lace
Inc. 1 st. both ends next & ev. foll.
5th r. until 101 (105 109 113) sts.
Cont. to K. until RC 58 rs.

SHAPE TOP

C.off 4 (4 4 5) sts. beg. next 2 rs.

Dec. 1 st both ends next 5 rs.
 Dec. 1 st both ends next & ev. foll.
 alt rs. 22 (24 26 27) times.
 Dec. 1 st both ends next 8 rs.
 C.off rem. 23 sts.

CORD

C.on by hand 5 sts.
 MT-1· Knit cord to fit waist with bow.

TO MAKE UP

Join shoulders, insert sleeves.
 Sew side & sleeve seams.
 Steam press. Work 2 rs. double crochet
 around hem, and work crochet around
 neck (diagram 1).
 Thread cord through waist.

Work neck in chain st. crochet as folls.





DIAGRAM 1

BK yarns



4 PLY ACRYLIC
 4 PLY SUPERWASH WOOL

ALSO

ARGYLL'S COMPLETE COLLECTION
 INCLUDING

NEW 'CHARISMA'

THE ANGORA LOOK
 AVAILABLE IN 13 SHADES

PLUS

HAYFIELD 3 PLY ACRYLIC NYLON

PATSY - KALEIDOSCOPE

PATSY - AMANDA

AND HOBBY YARN

SEND 50p FOR SHADE CARD - OVER 200 SHADES

REFUNDABLE ON FIRST ORDER OF 4 CONES OR MORE

B.S.K. LTD., 58 BROMHAM ROAD,
 BEDFORD MK40 1LD PHONE: (0234) 52323

CROCHET

CHAIN (ch.)



Fig. 1



Fig. 2

DOUBLE CHOCHET (d.c.)



Fig. 3



Fig. 4



Fig. 5



Fig. 6



14 **BUTTON UP CARDIGAN**

SIZES:- 32 (34 36 38 40 42) in. bust
81 (86 91 97 102 107) cms. bust

MATERIALS:- 1 (1 1 1 1 2) Cones
Argyll Starlite
7 buttons
Card 17J. See page 14
Card 441 from pre-punched set No. 12

TENSION:- 28 sts. x 40 rs. = 10 cms.
Tension dial approx. 7.

FOR ABBREVIATIONS:- SEE PAGE 7

BACK

C.on in 1 x 1 rib 121 (127 135 141 149) sts.
RC 000, T1/1, K. 32 rs.
Trans. sts. to M/bed,
RC 000, MT, Inc. 1 st. next r. K. 1 r.
*Insert card 17, lock on r. 1.
Work 2 rs. with lace carr. K. 2 rs.
Insert card 441, lock on r. 1, K. 4 rs.
Work 1 complete rotation of lace card,
K. 4 rs. RC 30 rs.
Insert card 17, lock on r. 1,

Work 2 rs. with lace carr. K. 2 rs.
K. 24 rs.*
Cont. in patt. from * to *
until RC 140.

SHAPE ARMHOLE

C.off 11 (12 13 14 15 16) sts. beg. next 2 rs.
Cont. in patt. until RC 210 (216 220 224 228 230)

SHAPE SHOULDER

C.off 6 (6 6 6 7 7) sts. beg. next 4 rs.
C.off 6 (6 6 7 7 7) sts. beg. next 2 rs.
C.off 6 (6 7 7 7 7) sts. beg. next 2 rs.
C.off 6 (6 7 7 7 8) sts. beg. next 2 rs.
Rel. rem. 40 (44 46 48 50 52) sts. on WY.

RIGHT FRONT

C.on in 1 x 1 rib 61 (63 67 71 75 79) sts.
RC 000, T1/1, K. 32 rs.
Trans. sts. to M/bed, Inc. 1 st.
RC 000, MT K. 2 rs.
Work in Patt. as for back * to *
Until RC 140

SHAPE ARMHOLE

C.off 11 (12 13 14 15 16) sts. beg. next r.
K. 1 r.
Cont. in patt. until RC 183 (189 189 193 197 201)

SHAPE NECK

C.off 9 (10 11 12 12 12) sts. beg. next r.
Dec. 1 st. at neck next 12 (12 12 13 14 16) rs.
Cont. to K. until RC 210 (216 220 224 228 230)

SHAPE SHOULDER

C.off 6 (6 6 6 7 7) sts. beg. next & foll. alt. r. K. 1 r.
C.off 6 (6 6 7 7 7) sts. beg. next r. K. 1 r.
C.off 6 (6 7 7 7 7) sts. beg. next r. K. 1 r.
C.off 6 (6 7 7 7 8) sts. next r.
Knit left front rev. all shaping.

SLEEVE

C.on in 1 x 1 rib 61 (63 65 67 69 71) sts.
RC 000, T1/1, K. 32 rs.
Trans. sts. to M/bed. Inc. 1 st.
PATTERN
Insert card 17, lock on r. 1
Work 2 rs. with lace carr. K. 26 rs.
Work in patt. throughout from * to *

K. 2 rs. work in patt. AT SAME TIME
Inc. 1 st. both ends next & ev. foll.
6th r. until 120 (124 128 132 136 140) sts.
Cont. to K. until RC 184 (184 190 196 200 210)
C.off loosely.

FRONT BANDS

C.on in 1 x 1 rib 150 (154 154 156 158 160) sts.
RC 000, T2/2, K. 6 rs.
Make buttonholes, working from left
Trans. the 2nd (3 3 4 4 5th), then ev. foll.
13th st. in WP on M/bed onto adjacent ns. & the corresponding ns. on Rib bed, leave empty ns. in WP.
K. 8 rs. Trans. sts. to M/bed.
Pick up sts. evenly along right front edge.
T5, K. 1 r. T10, K. 1 r.
C.off loosely.

Work left front band omitting buttonholes.

NECKBAND

Join shoulder seam.
C.on in 1 x 1 rib 129 (131 133 135 137 139) sts.
RC 000, T2/2, K. 8 rs.
At left work buttonhole over ns. 61/60.
K.8 rs.
Pick up sts. along front edge, across back and along front edge
T5, K. 1 r. T10, K. 1 r.
C.off loosely.

TO MAKE UP

Join shoulder seam,
Insert sleeves, sew side and sleeve seams.
Attach buttons.
Press with cool iron.



15

FASHION TOP

SIZES:- 32/34 (36/38) in. bust
81/86 (91/97) cms. bust

MATERIALS:- 1 Cone BK Spectrum or
Argyll Charisma (available from BSK
Ltd.)
Card 440 from set No. 10

TENSION:- 28 sts. x 40 rs. = 10 cms.
Tension dial approx. 6

FOR ABBREVIATIONS:- SEE PAGE 7

BACK & FRONT (Alike)

Inset card & lock on row 1.
C.on WY, 150 (160) sts.
K. few rs.
RC 000, MT, MY K. 2 rs.
Rel. card & work in patt. as folls.
* K to row 32 on lace card,
K 8 rs. (including 2 after last lace
transfer)
K to card row 64. K 8 rs.* Rep.
throughout.
Cont. to K. until RC 156 (166) rs.

SHAPE NECK

K. 105 (110) sts. At left back onto nylon
cord.
Work on right side only.
MARK CARD ROW NO.
C.off 5 sts. at neck edge next & foll. alt
rs. 3 times in all.
K. 4 rs. RC 166 (176) rs.
C.off rem. sts.
Return 45 (50) sts. at left into WP.
Reset card, (K 1r.) K. left side to match,
rev. shaping.
CARR. AT LEFT
Pick up 5 sts. both sides ns. in HP.
K. 1 r. across all ns.
MT + 1, K. 14 rs.
C.off loosely

WELTS

Knit 2
C.on in 1 x 1 rib 133 (139) sts.
RC 000, T1/1, K. 40 rs.
Trans. sts. to M/bed,
Pick up sts. evenly from waist.

MT, K 1 r. T10, K. 1 r.
C.off loosely.

SLEEVE EDGES

Join shoulder seams & press.
Mark 10 ins. down from shoulders.
Bring forward 140 ns.
Pick up sts. evenly between marks.
MT, K. 1 r. MT + 1, K. 12 rs.
C.off loosely.

TO MAKE UP

Sew side seams,
Roll neck & sleeve edges to front.
Press with steam iron.
DO NOT PRESS BANDS.

KNIT-IN-ELASTIC


FOR SUPER STRETCH
CUFFS AND RIBS

Transparent or Haze

Available at your local stockist or

B.S.K. Ltd.,
58 Bromham Road, Bedford

Phone: (0234) 52323



CLASSIC KNITWEAR

RAGLANS-INSETS-LONG SLEEVE-
SHORT SLEEVE-CARDIGANS-
SWEATERS-SIZES 22-44

Available from your local stockist or

B.S.K. Ltd., 58 Bromham Road, Bedford
Phone: (0234) 52323

Basic pattern book for
beginners & experts



16 DIAGONAL LACE SWEATER

SIZES:- 32 (34 36 38 40 42) in. bust
81 (86 91 97 102 107) cms. bust

MATERIALS:- 1 Cone Patsy Amanda Col. A
1 Cone Patsy Amanda Col. B
Card 155 from Brother punchcard book No. 4.

TENSION:- 36 sts. x 44 rs. = cms.
Tension dial approx. 4 over SS.

FOR ABBREVIATIONS:- SEE PAGE 7

BACK

Insert card & lock on row 1.
Using Col. A C.on in 1 x 1 rib
150 (160 170 180 190 198) sts.
RC 000, T1/1, K. 40 rs.
Trans. sts. to M/bed.
RC 000, MT, K. 1 r. Carr. at left.
Push 45 (50 55 60 65 69) sts. at right into HP. Work on left side.
K. 1 r. Push 1 n. at right into HP next & ev. foll. alt. rs. until all

ns. are in HP.
RC 210 (220 230 240 250 258)
Break yarn.
Return 45 (50 55 60 65 69) sts. at right into WP.
RC 000, Using Col. B.
Work on right side, always taking yarn round last n. in HP.
Push 1 n. at right (in Col. A) into D pos. next & ev. foll. alt. rs. until all sts. are in WP.
RC 210 (220 230 240 250 258)

SHAPE SHOULDER

C.off 4 sts. beg. next 8 rs.

DIVIDE FOR NECK

With piece of spare yarn
C.off cent. 30 sts.
Place all ns. left into HP
Work on right side.
C.off 5 (6 7 8 9 10) sts. beg. next r.
C.off 5 sts. beg. next r.
Rep. last 2 rs. 3 more times.

C.off rem. 4 (5 6 7 8 9) sts.

Work left side to match, rev.
all shaping.

FRONT

Insert card & lock on row 1.
Using Col. A, C.on in 1 x 1 rib
150 (160 170 180 190 198) sts.
RC 000, T1/1, K. 40 rs.
Trans. sts. to M/bed.
RC 000, MT K. 1 r. Carr. at left.
Using Col. B, K. 1 r.
Push 45 (50 55 60 65 69) sts. at right into HP. Work on left side.
K 1 n, at right back onto nylon cord next & ev. foll. alt. rs. until all ns. are on nylon cord.
RC 210 (220 230 240 250 258).
Break yarn.
Return 45 (50 55 60 65 69) sts. at right into WP.
Knit all ns. in Col. B, back onto nylon cord in NWP.
Using Col. A, RC 000, Work on right side in lace.
DO NOT TAKE YARN ROUND LAST N IN HP.
Bring 1 n. at right back into WP. off nylon cord, next & ev. foll. alt. rs. until all ns. are in WP.
RC 210 (220 230 240 250 258)

SHAPE NECK & SHOULDERS

With spare piece of yarn C.off cent. 20 sts. NOTE CARD ROW NO.
K. all ns. At left back onto nylon cord in NWP.
C.off 4 sts. beg. next r.
C.off 5 sts. beg. next r.
Rep. last 2 rs. 3 more times.
C.off 5 (6 7 8 9 10) sts. beg. next r.
Dec. 2 sts. beg. next r.
Rep. last 2 rs. 3 more times.
C.off rem. 4 (5 6 7 8 9) sts.
RESET CARD & RC
Work on left side to match, rev.
shaping.

SLEEVES

Knit one in Col. A, one in Col. B,
C.on in 1 x 1 rib 71 (73 75 77 79 81) sts.
RC 000, T1/1, K 40 rs.
Trans. sts. to M/bed.
RC 000, MT Inc. 1 st. next r.
Inc. 1 st. both ends ev. foll. 4th rs.
until 178 (180 182 184 186 188) sts.
K. until RC 214 (214 214 218 218 218) rs.
C.off loosely.

NECKBAND

Join one shoulder
Bring forward 142 ns.
With wrong side facing out
pick up sts. evenly around neck.
Using Col. A, RC 000, T4, K. 2 rs.
T2, K. 2 rs. T1, K. 2 rs. T10, K. 1 r.
T1, K. 2 rs. T2, K. 2 rs. T4, K. 2 rs.
T10 K. 1 r. C.off loosely.

TO MAKE UP

Join other shoulder seam.
Insert sleeves, sew side & sleeve seams. Fold neckband to inside & slip st. into position.
Press with warm iron.

10





11

12



12





13

14



15



16

