

knitking

magazine

july/aug. '74




Another first from Knitking!!!

THE ~~WHIZ KING~~ PATTERN READER with complete Charting Service

- With WHIZ KING you know exactly what to do without reference to written instructions.
- With WHIZ KING you no longer have to count rows ... Your Pattern Chart turns automatically as you knit.
- With WHIZ KING you can knit even the most intricate patterns easily and speedily.
- With a WHIZ KING Pattern Reader, even the complete newcomer to machine knitting can immediately knit garments.
- With WHIZ KING, Charts are available from KNITKING MAGAZINE Patterns in the size of your choice.

PRICE: 59.50 Complete with instructions, practice Charts and illustrations of 50 complete Patterns for the entire family. (California residents add Sales Tax)
Shipping costs \$2.50.

ORDER DIRECT FROM KNITKING 1128 CRENSHAW BLVD. • LOS ANGELES, CALIFORNIA 90019



editorial

KNITKING MAGAZINE TO DOUBLE IN SIZE . . . !

Isn't that fantastic news . . . ? Starting with the November-December issue of KNITKING MAGAZINE, we will have 28 pages of pictures in FULL COLOR — we have 8 now — and an average of 40 pages of instructions . . . Twice the size magazine . . . with twice as many patterns, but, not twice the price.

In answering the questionnaire that we send out with subscription renewal notices, many of you write that you would like to see KNITKING MAGAZINE produced 12 times a year . . . Others write that they would like to see more patterns in each issue . . . For almost a year now, we have been analyzing costs . . . Obtaining printing estimates . . . Assessing the advantages of monthly publication of the magazine in its present size as opposed to 6 issues a year at twice the size . . . There is no doubt about it, to publish every month would be to double our costs which would mean that we would have to double our subscription rates.

If we accepted advertising from other companies, our income per issue would increase, but KNITKING MAGAZINE has never wanted outside advertising . . . in fact, we have turned away what could be a source of revenue in order that our publication be devoted entirely to machine knitting . . . KNITKING MAGAZINE completes its 10th year of publication with this issue and we have never made a penny profit on it . . . We think it unfair to sell knitting machines without providing pattern instructions . . . KNITKING is a progressive company that believes in service to its customers . . . As we grow, so do our services . . . Our readers have been saying that they want more patterns and we have now worked out a way they can get them at an absolute minimum cost . . . Additionally, there will be several sizes for each pattern . . . All sizes will use the same yarn and each size will have its own set of charts. By publishing the magazine 6 times a year at twice the present size, we can substantially reduce the cost per pattern . . . For twice the magazine with many more costly color pages our subscription rate will only increase \$3.00, from \$7.00 to \$10.00 per year . . . (\$12.00 to Canadian subscribers. The extra \$2.00 only covers mailing costs) . . . from a subscription rate calculated at 1.166 dollars per issue, it will increase to 1.666 dollars per issue . . . Less than half as much again . . . Approximately 250 patterns per year for \$10.00 or 25 top quality machine knit patterns for \$1.00 . . . Isn't that an incredible bargain . . . ? No other publication puts out as many machine knit patterns as KNITKING MAGAZINE and now we are illustrating them all in FULL COLOR.

Many of you, at this point, will be wondering what will happen to the subscription you already have with us . . . We intend to pro-rate them all according to how and when they were placed. Because of the continually increasing mailing and printing costs, it is no longer possible to accept subscriptions for more than 1 year at a time and at reduced rates, but we will

be fair to our subscribers . . . Readers who now have a paid \$12.00 2 year subscription and who have the full subscription outstanding will receive 8 issues (a total value of \$13.33 at the new rate) . . . All other subscriptions will be reduced proportionately. You will, in fact, get full value for all issues outstanding on your present subscription.

LUCKY NUMBER CONTEST FOR SUBSCRIBERS

We are going to launch our Jumbo KNITKING MAGAZINE with a contest exclusively for our loyal subscribers . . . Included with this magazine, you will find a special numbered subscriber card . . . Send in a 1 year subscription and you automatically become eligible for an assortment of wonderful prizes . . . Don't worry if you already have a subscription . . . 1 full year will be added to it as soon as we receive your completed card. If you place your subscription before September 30th, you will receive a gift of a pair of thread and yarn cutters, the retail price of which is \$1.95.

You do not have to send in a renewal to be eligible . . . If you do not want to extend your subscription at this time, complete the card and mail it in anyway . . . You will have an equal chance with everybody else.

Just check these fabulous prizes and send your entry in right away . . . !

FIRST PRIZE: KNITKING MERCHANDISE OF YOUR CHOICE TO THE VALUE OF \$500.00 . . . ! This can be anything that KNITKING sells, any machine, yarn, accessories, etc.


SECOND PRIZE: ANY KNITKING MERCHANDISE OF YOUR CHOICE TO THE VALUE OF \$200.00.

THIRD PRIZE: ANY KNITKING MERCHANDISE OF YOUR CHOICE TO THE VALUE OF \$100.00.

PLUS . . . TEN PRIZES OF ONE CONE (approximately 2 pounds) OF THE NEW HEAVENLY YARN, value at over \$20.00 each . . .

Tear the numbered stub off your subscription card before mailing the card in and be sure to put the stub in a safe place. You will need it to claim your prize. Your entry must be in before September 30th to be eligible and the drawing will be made by an independent organization. All winners will be notified by mail and the names published in the November-December issue of KNITKING MAGAZINE.

This offer is open to residents of the United States except employees or representatives of KNITKING CORPORATION. Offer subject to all applicable Federal, State and local laws and regulations.



JULY/AUGUST 1974 VOL. 10, No. 6

knitking magazine

INDEX	PAGE NO.
DP 8306	Woman's Pullover 9
DK 8336	Woman's Pullover and Skirt 10
DK 8345	Woman's Blouse 10
DK 8339	Woman's Halter Pantsuit 12
HP 3692	Man's T Shirt 12
HP 3671	Man's Vest 14
DK 8341	Woman's Dress 14
DK 8350	Stole 15
KG 1983	Bikini - No. 1, 2 & 3 16
MK 5435	Girl's Skirt and Vest 18
KK 5433	Boy's Vest and Pants 18
HP 3694	Man's Cardigan 20
KG 1982	A & B Shoulder Bags 20
DK 8342	Woman's Dress and Striped Jacket 22
DK 8348	Woman's Sleeveless Top and Skirt 24
DK 8301	Woman's two-piece Dress 25
DK 8299	Woman's Dress 26
KK 5534	Infants Sweater, Bonnet & Booties 27



COVER MODEL

Bright as a field of Buttercups . . . a summery Pullover DP 8306 to wear over pants (or a skirt). It's knitted in a Holding Position Design with Stockinette stitch bands. A challenge to knit . . . a joy to wear. Sizes 14, 16 and 18 are all knitted with Amore.

KNITKING MAGAZINE keeps it all going for you with the greatest Summer issue ever . . . You'll find fabulous family fashion knits . . . to take you where the action is . . . All are wrinkle free . . . easy to care for . . . with beautiful styling. Knits are perfect for vacation travels . . . and you save by knitting them yourself.

Publisher: KNITKING CORPORATION, 1128 Crenshaw Blvd., Los Angeles, Calif. 90019. Telephone: 213-938-2079. Published bi-monthly. Subscriptions: USA — \$7.00 annually, single copies \$1.50; Canada — \$8.00; other parts of the world — \$10.00. The entire contents of KNITKING MAGAZINE are copyright and must not be reproduced in any shape or form without the express permission, in writing of the publisher. © COPYRIGHT 1974 by KNITKING CORPORATION.

Printed by William B. Wemyss Printing Associates, Los Angeles, Ca.



NEW VOLUME AVAILABLE NOW

A complete ninth volume of KNITKING MAGAZINES with a flexible, transparent plastic cover and specially bound so that it will stay open at any page, is available at the special price of \$7.95 (plus \$1.15 mailing costs).


If purchased separately the magazines would cost a total of \$9.00.

The volume contains over 120 fully illustrated complete stylish patterns for all members of the family together with many valuable, practical knitting hints.

There is a very limited number of these volumes available and it will undoubtedly become a collectors item.

If you already have the entire set it will almost certainly be well thumbed and marked. Why not purchase a perfect mint condition volume for your bookshelf and ready reference at any time.

Place your order today and avoid disappointment. Send it to KNITKING MAGAZINE, 1128 Crenshaw Boulevard, Los Angeles, California 90019.



COOL
DAY
TIME


DK 8336 — Tour any town wearing this pretty Pullover and Skirt. Knit the Top in a Holding Position Design with bands in a 1 x 1 Rib. The Skirt is in Stockinette stitch. If you do not own a Ribber, use a Mock Rib for the bands. Sizes 12, 14 and 16.

DK 8345 — A softly shaped Blouse has a most flattering neckline. The full sleeves are gathered onto a band at the wrist. Perfect for now . . . or anytime. An easy knit Pattern in Stockinette stitch. Sizes 14, 16 and 18.






DK 8339 — Show off a summer tan in a bare and breezy halter Top. The rib effect is really a Holding Position Design using Silver Metallic combined with the main yarn. The wide legged Pants are knitted in Stockinette stitch. In Sizes 8, 10 and 12.



SPORTS TIME



HP 3694 — A different look for a Sport Shirt (or Cardigan) striped at the yoke and on the sleeves and pockets. A comfortable addition to your man's travel wardrobe. Sizes 40, 44 and 46.

HP 3692 — A smooth fitting T-Shirt has vents at the side seams and a stripe trim to accent the neckline, sleeve edge and shoulder line. Make it in Stockinette stitch in Sizes 36, 38 and 40.

COCKTAIL TIME




DK 8341 — Put sparkle into your life with a simple to knit — yet elegant dress when it's made with Beatrice Silver. A shell crochet trims the neckline and sleeve edges . . . or you might like to knit your own trim then sew it on. Sizes 10, 12 and 14.

DK 8350 — Summer Romantics . . . A dream of a long Stole for all enchanted evenings. Knit it in a Norwegian Design using Beatrice Silver and Monofil.

KG 1983 — For sun seekers every-
where . . . If you are Bikini minded
(and who isn't) you will want all three
styles. Numbers 1 and 2 are knitted in
Stockinette stitch with style Number
3 in a Holding Position Design. All are
made with Amore. Sizes 10, 12 and
14.



FUN & SUN TIME




KG 1982 — Whip up a swinging Tote Bag (or two). Both are in a Weaving Design. You can use your JAC 40 or follow the Line Drawing. Line them with a firm fabric and sew tassels at each lower corner.

DP 8306

SIZE:	14 (Bust 36"-37")	16 (Bust 38"-39")	18 (Bust 40"-41")
YARN:	Amore	Amore	Amore
50 gr. BALLS:	8	9	10
TENSION:	3 to 5	5 to 7	6 to 8
GAUGE:	Pat.2" 17 sts. 38 rows	16 sts. 36 rows	15 sts. 34 rows

The instructions are the same for all sizes. PATTERN: Holding Position Design with every 6th needle out of work. Follow the Line Drawing. The Purl side is the right side. KNITTING machine owners may use Cam Wheel No. 6 for Rows 1-2, 5-6 etc., and the Adjustable Needle Selector for Rows 3-4, 7-8 etc., and push down the LEFT Retractor Button and leave it there for Pattern. INCREASES: Move the end st. 1 needle outward and pick up a stitch from the row below. DECREASES: Hang the end st. onto the next needle. EDGES: Stockinette stitch. To form the hem, hang the cast on stitches back onto the machine behind the latches, then knit the following row with 1 or 2 tension settings higher.

FINISHING: Block all sections. Join side seams, easing in the fullness at bustline of front section. Sew sleeves together and set in. Sew short ends of neckband together, then sew 1 edge to inside and 1 to the outside of neckline.



Bring the needles on the left side into working position, knit 1 row in Pattern to the left, turn the Row Counter back to 398 and complete the left half. Follow the instructions from*.

*ON CAM BOX SIDE, bind off 2 sts. after Row 398 (EVEN ROWS = SHOULDER SHAPING); 3 sts. after Row 399 (ODD ROWS = NECK SHAPING); 2 sts. after Row 400; 3 sts. after Row 401; 2 sts. after Rows 402, 403, 404, 405, 406, 407, 408; 1 st. after Row 409; 2 sts. after Row 410; 1 st. after Row 411; 2 sts. after Row 412; 1 st. after Row 413; 2 sts. after Row 414; 1 st. after Row 415; 3 sts. after Row 416; 1 st. after Row 417; 3 sts. after Rows 418, 420.

ON CAM BOX SIDE, bind off 4 sts. after Rows 254, 255, 258, 259; 3 sts. after Rows 262, 263, 266, 267; 2 sts. after Rows 270, 271, 274, 275; 1 st. after Rows 278, 279, 282, 283, 286, 287, then knit to Row 398. Bind off the center 31 sts., put the needles on the left side into holding position and complete the right half first.

ON EACH SIDE, increase 1 st. after Rows 132, 148, 164, 180, 196, 212, 228, 242, then knit to Row 254 (276 for front section).

ON EACH SIDE, decrease 1 st. after Rows 32, 42, 52, 62, 72, 82, 92, 102, then knit to Row 132.

ROWS 0 to 32: Knit even, then hang the hem and start the Holding Position Design.

Cast on 161 sts. and work Stockinette stitch.




ON CAM BOX SIDE, bind off 4 sts. after Rows 96, 97, 100, 101; 3 sts. after Rows 104, 105, 108, 109, 112, 113; 2 sts. after Rows 116, 117, 120, 121; 1 st. after Rows 124, 125; 2 sts. after Rows 128, 129; 1 st. after Rows 132, 133; 2 sts. after Rows 136, 137; 1 st. after Rows 140, 141; 2 sts. after Rows 144, 145; 1 st. after Rows 148, 149; 2 sts. after Rows 152, 153; 1 st. after Rows 156, 157; 2 sts. after Rows 160, 161; 1 st. after Rows 164, 165; 2 sts. after Rows 168, 169; 1 st. after Rows 172, 173; 2 sts. after Rows 176, 177; 3 sts. after Rows 180, 181, 184, 185; 4 sts. after Rows 188, 189; 11 sts. after Row 190.

ON EACH SIDE, increase 1 st. after Rows 32, 40, 48, 56, 64, 72, 80, 88, then knit to Row 96.

ROWS 0 to 32: Knit even, then hang the hem and change to the Holding position Design.

Cast on 99 sts. and work Stockinette stitch.



Cast on 179 sts. and work 14 rows Stockinette stitch then bind off all sts.



Bring the needles on the left side into working position, knit 1 row to the left in Pattern, turn the Row Counter back to 340 and complete the left half. Follow the instructions from*.

ON CAM BOX SIDE, bind off 2 sts. after Rows 420 (EVEN ROWS = SHOULDER SHAPING) 422, 424, 426, 428, 430, 432, 434, 346; 3 sts. after Rows 438, 440, 442.

*ON CAM BOX SIDE, bind off 3 sts. after Rows 341, 343 (ODD ROWS = NECK SHAPING); 2 sts. after Rows 345, 347; 1 st. after Rows 349, 351, 353, 355, 361, 367, 373, 379, 385, 391, then knit to Row 420.

ON CAM BOX SIDE, bind off 4 sts. after Rows 276, 277, 280, 281; 3 sts. after Rows 284, 285, 288, 289; 2 sts. after Rows 292, 293, 296, 297; 1 st. after Rows 300, 301, 304, 305, 308, 309, then knit to Row 340, bind off the center 25 sts., put the needles on the left side into holding position and complete the right half first.

Work the Front section the same as the Back section to Row 276.






DK 8336

SIZE:	12 (Bust 33"-34")	14 (Bust 35"-36")	16 (Bust 37"-38")
YARN:	Beatrice	Crocus Crepe	Allegro
50 gr. BALLS:	Pull. 10 Skirt 9	11 10	11 10
TENSION:	Stock. 4 to 6 Pattern 5 to 7	6 to 8 7 to 9	5 to 7 8 to 10
GAUGE:	2"		
Stock.	17 sts. 23 rows	16 sts. 22 rows	15 sts. 21 rows
Pattern	13 sts. 30 rows	12 sts. 28 rows	11 sts. 26 rows

The instructions are the same for all sizes. **PATTERN:** Skirt and Sleeves: Stockinette stitch. **PULLOVER** front and back: Holding position Design as in the Line Drawing. Use the Adjustable Needle Selector and Cam Wheel No. 2. Worn on the Purl side. **EDGES:** K1, P1 Ribbing. **DECREASES:** Skirt: Hang the 4th st. onto the 3rd needle then move the end sts. inward to fill the empty needle. **INCREASES:** Move the 2nd end sts. 1 needle outward, then place the 3rd st. from the row below onto the empty needle.

FINISHING: Block all sections. **SKIRT:** Weave the sections together 1 st. in from each edge. Turn under 22 rows on lower edge and 13 rows at upper edge and hem to wrong side. Insert an elastic band into the upper hem. **PULLOVER:** Join front and back sections at sides and shoulders. Sew the sleeves together and set in. Join the Neckband and sew 1 edge to the neckline.





DK 8345

SIZE:	14 (Bust 35"-36")	16 (Bust 37"-38")	18 (Bust 39"-40")
YARN:	Subita Crepe	Allegro	Dolly Dralon
50 gr. BALLS:	8	10	12
TENSION:	4 to 6	4 to 6	6 to 8
GAUGE:	2"	16 sts. 24 rows	15 sts. 23 rows

The instructions are the same for all sizes. **PATTERN:** Stockinette stitch worn on the knit side. **INCREASES:** Move the 2 end sts. 1 needle outward, then place the 3rd st. from the row below onto the empty needle. **DECREASES:** Hang the 3rd st. onto the 2nd st. then move the end sts. 1 needle inward to fill the empty needle.

FINISHING: Block all sections. Join front and back sections at sides and shoulders. Sew the sleeves together and set in. Join the neckbands together and sew 1 edge to the inside and 1 to the outside of neckline. Gather bottom edge of sleeves. Sew 1 edge of band to the inside and 1 to the outside of sleeve. Turn under 15 rows on lower edge and hem.




Cast on 58 sts. and work 14 rows Stockinette stitch, then bind off all sts.

ON CAM BOX SIDE, bind off 4 sts. after Rows 226, 227, 228, 229; 3 sts. after Rows 230, 231; 2 sts. after Rows 232, 233; 1 st. after Rows 234 THROUGH 281; 2 sts. after Rows 282, 283; 5 sts. after Rows 284, 285, 286, 287; 12 sts. after Rows 288.

ON EACH SIDE, decrease 1 st. after Rows 48, 56, 64, 72, 78, 84, 90, 96, 102, 108, 114, 120, 126, 132, 138, 144, 150, 156, 162, 168, 174, 180, 186, 192, 198, then knit to Row 226.

ROWS 0 to 48: Knit even.

Cast on 160 sts. and work Stockinette stitch.




Bring the needles on the left side into working position, knit 1 row in Pattern to the left, turn the Row Counter back to 260 and complete the left half. Follow the instructions from*.

*ON CAM BOX SIDE, bind off 3 sts. after Rows 261, 263 (ODD ROWS = NECK SHAPING); 2 sts. after Rows 265, 267; 1 st. after Rows 269, 271, 273, 275, 277, then knit even to Row 300. Bind off 2 sts. after Rows 300 (EVEN ROWS = SHOULDER SHAPING); 2 sts. after Rows 302, 304, 306, 308, 310, 312; 3 sts. after Rows 314, 316, 318.

ON CAM BOX SIDE, bind off 3 sts. after Rows 188, 189, 190, 191; 2 sts. after Rows 192, 193, 194, 195; 1 st. after Rows 196, 197, 198, 199, 200, 201, then knit to Row 260, bind off the center 13 sts., put the needles on the left side into holding position and complete the right half first.

ROWS 170 to 188: Knit even.

Work the front section the same as the back section to Row 170.



Bring the needles on the left side into working position, knit 1 row in Pattern to the left side, turn the Row Counter back to 282 and complete the left half. Follow the instructions from*.

*ON CAM BOX SIDE, bind off 2 sts. after Row 282 (EVEN ROWS = SHOULDER SHAPING); 4 sts. after Row 283 (ODD ROWS = NECK SHAPING); 2 sts. after Row 284; 4 sts. after Row 285; 2 sts. after Row 286; 4 sts. after Row 287; 2 sts. after Rows 288, 290, 292, 294; 3 sts. after Rows 296, 298, 300.

ON CAM BOX SIDE, bind off 3 sts. after Rows 170, 171, 172, 173; 2 sts. after Rows 174, 175, 176, 177; 1 st. after Rows 178, 179, 180, 181, 182, 183; then knit to Row 282, bind off the center 19 sts., put the needles on the left side into holding position and complete the right half first.

ROWS 37 to 170: Knit even.

ROWS 0 to 36: Knit even, then work Pattern stitch.


Cast on 115 sts. and work K1, P1 Ribbing.

ON CAM BOX SIDE, bind off 3 sts. after Rows 190, 191, 192, 193, 194, 195; 2 sts. after Rows 196, 197, 198, 199; 1 st. after Rows 200 THROUGH 241; 2 sts. after Rows 242, 243; 5 sts. after Rows 244, 245, 246, 247; 16 sts. after Row 248.

ON EACH SIDE, increase 1 st. after Rows 36, 44, 52, 60, 68, 76, 82, 90, 98, 106, 114, 122, 128, 134, 140, 146, 152, 158, 164, 170, 176, 182, then knit to Row 190.

ROWS 0 to 36: Knit even, then change to Stockinette stitch.


Cast on 64 sts. and work K1, P1 Ribbing.




ON EACH SIDE, decrease 1 st. after Rows 44, 52, 60, 68, 76, 84, 92, 100, 108, 116, 124, 132, 140, 148, 156, 164, 172, 180, 188, 196, 204, 212, 220, 228, 236, 242, 248, 254, 260, 266, then knit to Row 294. Bind off the remaining 64 sts. Work 3 more sections the same.

ROWS 0 to 44: Knit even.


Cast on 124 sts. and work Stockinette stitch.



Cast on 166 sts. and work 16 rows K1, P1 Ribbing then bind off all sts. the crochet method for Ribbing.



Cast on 58 sts. and work Stockinette stitch. Work the same as Back Neckband following the instructions from*.



Cast on 109 sts. and work Stockinette stitch. *ON EACH SIDE, decrease 1 st. after Rows 2, 4, 6. ON EACH SIDE, increase 1 st. after Rows 8, 10, 12, then knit to Row 14 and bind off all sts.

Move the Cam Box to the left side, turn the Row Counter back to 212 and complete the left half. Follow the instructions from*.


ON CAM BOX SIDE, bind off 3 sts. after Rows 254, 256; 4 sts. after Rows 258, 260, 262, 264, 266, 268.

*ROWS 212 to 254: Knit even.

ON CAM BOX SIDE, bind off 3 sts. after Rows 164, 165, 166, 167, 168, 169; 2 sts. after Rows 170, 171, 172, 173, 174, 175; 1 st. after Rows 176, 177, 178, 179, 180, 181, then knit to Row 212, bind off the center 58 sts., put the needles on the left side into holding position and complete the right half first.

ON OPPOSITE SIDE OF CAM BOX, put into holding position, 5 needles after Rows 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143. ON OPPOSITE SIDE OF CAM BOX, bring all the needles back into working position after Rows 144, 145, then knit even to Row 164.

Work the Front section the same as the Back section to Row 130, then work Short Rows for the DARTS.



Move the Cam Box to the left side, turn the Row Counter back to 240 and complete the left half. Follow the instructions from*.

*ON CAM BOX SIDE, bind off 3 sts. after Row 240 (EVEN ROWS = SHOULDER SHAPING); 3 sts. after Row 241 (ODD ROWS = NECK SHAPING); 3 sts. after Rows 242, 243; 4 sts. after Row 244; 3 sts. after Row 245; 4 sts. after Row 246; 3 sts. after Row 247; 4 sts. after Row 248; 3 sts. after Row 249; 4 sts. after Row 250; 3 sts. after Row 251; 4 sts. after Rows 252, 254.

ON CAM BOX SIDE, bind off 3 sts. after Rows 148, 149, 150, 151, 152, 153; 2 sts. after Rows 154, 155, 156, 157, 158, 159; 1 st. after Rows 160, 161, 162, 163, 164, 165, then knit to Row 240, bind off the center 22 sts., put the needles on the left side into holding position and complete the right half first.


ON EACH SIDE, increase 1 st. after Rows 54, 64, 74, 84, 94, 104, 114, 124, then knit to Row 148.

ROWS 0 to 54: Knit even.

Cast on 138 sts. and work Stockinette stitch.


DK 8339

SIZE:	8 (Bust 31"-31½")	10 (Bust 32"-32½")	12 (Bust 33"-34")
YARN:	Top Beatrice color 1 Silver Metallic C-2	Beatrice color 1 Silver Metallic C-2	Dolly Dralon color 1 Silver Metallic C-2
	Pants Beatrice color 1	Beatrice color 1	Dolly Dralon color 1
50 gr. BALLS:	Top 4 color 1 1 color 2	4 color 1 1 color 2	5 color 1 1 color 2
	Pants 12 color 1	13 color 1	14 color 1
TENSION:	4 to 6	5 to 7	7 to 9
GAUGE:	2"		
Stock	16 sts. 22 rows	15 sts. 21 rows	14 sts. 20 rows
Pattern	16 sts. 44 rows	15 sts. 42 rows	14 sts. 40 rows



The instructions are the same for all sizes. **PATTERN:** Pants: Stockinette stitch. **TOP:** Stockinette stitch and a Holding Position Design worked in 2 colors according to the Line Drawing. **DECREASES:** Hang the 3rd st. onto the 2nd st., then move the end sts. inward to fill the empty needle. **INCREASES:** Move the 2 end sts. 1 needle outward, then place the 3rd st. from the row below onto the empty needle.

FINISHING: Block all sections. **PANTS:** Join the front and back sections at sides. Sew the inner leg seams together. Join the sections at center back and center front. Turn under 2 rows on leg edges and 11 rows on upper edge and hem to the wrong side. Insert an elastic band into the upper hem. **TOP:** Join the back and front sections at sides. With Color 2, make trimming to go around neck edge and around armholes and back edging as follows: Cast on 7 sts. and with Tension 1, knit in Stockinette stitch until long enough to go around neck edge. Bind off. Sew 1 edge to outside and 1 edge to inside. Make another piece long enough to go around both armhole edges and across back. Crochet ends of straps making a loop on one and sew a button onto the other.



Move the Cam Box to the left side, turn the Row Counter back to 216 and complete the left half. Follow the instructions from*.

ON CAM BOX SIDE, bind off 2 sts. after Rows 345, 347, 349, 351.


***ON CAM BOX SIDE,** bind off 3 sts. after Row 216 (EVEN ROWS = ARMHOLE SHAPING); decrease 1 st. after Row 217 (ODD ROWS = NECK SHAPING); 3 sts. after Row 218; 1 st. after Row 219; 2 sts. after Row 220; 1 st. after Row 221; 2 sts. after Row 222; 1 st. after Rows 223, 224, 225, 226, 227, 228, 229, 230, 231, 233, 234, 235, 237, 238, 239, 241, 243, 245, 247, 248, 249, 251, 255, 258, 259, 263, 267, 268, 271, 275, 278, 279, 283, 287, 288, then knit to Row 344.

ON EACH SIDE, increase 1 st. after Rows 124, 140, 156, 172. At Row 176, change to Stockinette stitch. Continue increases **ON EACH SIDE** after Rows 188, 204, then knit to Row 216.

ON EACH SIDE, decrease 1 st. after Rows 52, 60, 68, 76, 84, 92, then knit to Row 124.

ROWS 0 to 52: Knit even.

Cast on 120 sts. and work the Pattern stitch.




HP3692

SIZE:	36 (Chest 35"-36")	38 (Chest 37"-38")	40 (Chest 39"-40")
YARN:	Beatrice	Regia	Allegro
50 gr. BALLS:	11 color 1 1 color 2	13 color 1 1 color 2	13 color 1 1 color 2
TENSION:	4 to 6	6 to 8	7 to 9
GAUGE:	15 sts. 22 rows	14 sts. 21 rows	13 sts. 20 rows

The instructions are the same for all sizes. **PATTERN:** Stockinette stitch with color stripes as marked on the Chart. **BANDS** and **COLLAR:** Stockinette stitch. **INCREASES:** Move the 2 end sts. 1 needle outward, then place the 3rd st. from the Row below onto the empty needle.

FINISHING: Block all sections. Join front and back sections at sides and shoulders. Turn lower edge and edges of side opening 1½" to the inside and hem. Sew sleeve seams leaving 1¼" open on top of each seam then set in sleeves. Sew short ends of neckband together then sew 1 edge to inside and 1 edge to outside of neckline.



Work the second back section with reverse shaping, casting on from RIGHT to LEFT. Cam Box will be on the LEFT side at Row 0.

Continue to decrease 1 st. ON CAM BOX side after Rows in () and work Short Rows. ON OPPOSITE SIDE OF CAM BOX, put into holding position, 6 needles after Rows 484, 486 (486), 488, 490, 492 (492), 494, 496. After Row 498 bring all the needles back into working position and decrease 1 st. ON CAM BOX SIDE, then knit to Row 520 and bind off the remaining 51 sts.

ON OPPOSITE SIDE OF CAM BOX, decrease 1 st. after Rows in (). (420), ON CAM BOX SIDE, decrease 1 st. after Rows 426, (428), 432, (436), 438, 444 (444), 450, (452), 456, (460), 462, 468 (468), 474, (476), 480, (484), but DO NOT KNIT after last decrease.



ON CAM BOX SIDE, bind off 3 sts. after Rows 390, 392, 394; 2 sts. after Rows 396, 398, 400, 402; 1 st. after Rows 404, 406, 408, 410, 412, 414, 416, 418, 420.

ON CAM BOX SIDE, increase 1 st. after Rows 320, 326, 332, 338, 344, 350, 356, 360, 364, 368, 372, 376, then knit to Row 390.

ON EACH SIDE, decrease 1 st. after Rows 44, 70, 96, 122, 148, 174, 200, 226, 252, 278, 304, then knit to Row 320.

ROWS 0 to 44: Knit even.

Cast on 109 sts. and work Stockinette stitch.



11-12 Color 2
9-10 Color 1
7-8 Color 2
5-6 Color 1
3-4 Color 2
1-2 Color 1



Work the second front section with reverse shapings, casting on from LEFT to RIGHT. Cam Box will be on the LEFT side at Row 0.

ON CAM BOX SIDE, decrease 1 st. after Rows 420, 428, 436, 444, 452, 460, 468, 476, 484, then knit to Row 506 and bind off the remaining 52 sts.

ON CAM BOX SIDE, bind off 2 sts. after Rows 391, 393, 395, 397; 1 st. after Rows 399, 401, 403, 405, 407, then knit to Row 420.

ON EACH SIDE, decrease 1 st. after Rows 44, 70, 96, 122, 148, 174, 200, 226, 252, 278, 304, then knit to Row 390.

ROWS 0 to 44: Knit even.

Cast on 96 sts. and work Stockinette stitch.

Move the Cam Box to the left side, turn the Row Counter back to 198 and complete the left half. Follow the instructions from*.


*ON CAM BOX SIDE, bind off 4 sts. after Rows 201, 203. Increase 1 st. after Row 204; bind off 4 sts. after Rows 205, 207, 209, 211, 213, 215.

ON EACH SIDE, increase 1 st. after Rows 124, 140, 156, 172. At Row 176, change to Stockinette stitch. Continue to increase ON EACH SIDE after Row 188, then knit to Row 198. Bind off the center 56 sts., put the needles on the left side into holding position and complete the right half first.


ON EACH SIDE, decrease 1 st. after Rows 52, 60, 68, 76, 84, 92, then knit to Row 124.

ROWS 0 to 52: Knit even.

Cast on 120 sts. and work the Pattern stitch.



Cast on 146 sts. with color 2 and work Stockinette stitch with color stripes as marked on the Chart. After Row 18, bind off all sts.




Bring the Cam Box to the left side, turn the Row Counter back to 256 and complete the left half. Follow the instructions from*.

ON CAM BOX SIDE, bind off 3 sts. after Row 290 (EVEN ROWS = SHOULDER SHAPING) 292, 294, 296, 298, 300; 4 sts. after Rows 302, 304, 306, 308.

*ON CAM BOX SIDE, bind off 4 sts. after Row 257 (ODD ROWS = NECK SHAPING); 3 sts. after Rows 259, 261; 2 sts. after Rows 263, 265; 1 st. after Rows 267, 269, 271, 273, then knit to Row 290.

Work the front section the same as the back section to Row 256, bind off the center 20 sts., put the needles on the left side into holding position and complete the right half first.



Bring the Cam Box to the left side, turn the Row Counter back to 298 and complete the left half. Follow the instructions from*.

*ON CAM BOX SIDE, bind off 3 sts. after Row 298; (EVEN ROWS = SHOULDER SHAPING) 4 sts. after Row 299 (ODD ROWS = NECK SHAPING); 3 sts. after Row 300; 4 sts. after Rows 301, 302; 3 sts. after Row 303; 4 sts. after Row 304; 3 sts. after Row 305; 4 sts. after Rows 306, 308.

ON CAM BOX SIDE, bind off 3 sts. after Rows 290, 291, 292, 293, 294, 295, 296, 297. After Row 298 bind off center 28 sts., put the needles on the left side into holding position and complete the right half first.

ON CAM BOX SIDE, bind off 8 sts. after Rows 202, 203, then knit to Row 290 (256 for front section).

ROWS 69 to 202: Knit even.

ROWS 18 to 68: Knit even, then ON EACH SIDE, bind off 11 sts.


ROWS 0 to 17: Knit even, then cast on 22 sts. ON EACH SIDE (use a separate yarn for right side).

Cast on 118 sts. with color 1 and work stockinette stitch.

ON OPPOSITE SIDE OF CAM BOX, put into holding position, 1 needle after Rows 224, 225, 226, 227, 228, 229; 2 needles after Rows 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247; 3 needles after Rows 248, 249, 250, 251, 252, 253, 254, 255; 4 needles after Rows 256, 257, 258, 259. Break the yarn, bring the Cam Box all the way to the right side. Bring all the needles back into working position and with color 1, knit 1 row to the left side, then with color 2, knit 4 rows. After Row 265, bind off all stitches.

ON EACH SIDE, increase 1 st. after Rows 34, 44, 54, 64, 74, 84, 94, 104, 114, 122, 130, 138, 146, 154, 162, 170, 178, 186, 194, 202, then knit even to Row 224 and work Short Rows.

Cast on 64 sts. with color 1 and work Stockinette stitch and color stripes as marked on the Chart, then change to Color 1 and continue to Row 34.



DK 8341

SIZE:	10 (Bust 31"-32")	12 (Bust 33"-34")	14 (Bust 35"-36")
YARN:	Beatrice Silver	Beatrice Silver	Beatrice Silver
50 gr. BALLS:	13	14	15
TENSION:	4 to 6	5 to 7	6 to 8
GAUGE:	2" 16 sts. 22 rows	15 sts. 21 rows	14 sts. 20 rows

The instructions are the same for all sizes. PATTERN: Stockinette stitch. NECKLINE and SLEEVE EDGES: Shell stitch crochet. DECREASES: Hang the 3rd st. onto the 2nd st., then move the end sts. inward to fill the empty needle. INCREASES: Move the 2 end sts. 1 needle outward, then place the 3rd st. from the row below onto the empty needle. Begin the DARTS by hanging the sts. together as marked on the diagram, then move the sts. together to fill the empty needles. The following DART DECREASES, then INCREASES lie directly above.

FINISHING: Block all sections. Join the front and back sections at sides and shoulders. Sew the sleeves together and set in. Turn under 16 rows for lower hem. Work 1 row of single crochet and 1 row of shell stitch around neckline and sleeve edge... or you may trim edges with a knitted trim — see KNITTING NEWS, March/April 73 in KNITTING MAGAZINE.



Move the Cam Box to the left side, turn the Row Counter back to 376 and complete the left half. Follow the instructions from*.



FOR SHOULDER, ON CAM BOX SIDE, bind off 5 sts. after Rows 424, 426, 428, 430; 6 sts. after Row 432.

*ON CAM BOX SIDE, bind off 3 sts. after Rows 377 (ODD ROWS = NECK SHAPING) 379; 2 sts. after Rows 381, 383; 1 st. after Rows 385, 387, 389, 391, 393, 395, then knit to Row 424.

ON CAM BOX SIDE, bind off 3 sts. after Rows 348, 349, 350, 351, 352, 353; 2 sts. after Rows 354, 355, 356, 357; 1 st. after Rows 358, 359, 360, 361, 362, 363, 364, 365, then knit to Row 376. Bind off the center 19 sts., put the needles on the left side into holding position and complete the right half first.

ON OPPOSITE SIDE OF CAM BOX, put 4 needles into holding position after Rows 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331. ON OPPOSITE SIDE OF CAM BOX, bring all the needles back into working position after Rows 332, 333, then knit to Row 348.

Work the Front section the same as the Back section to Row 316, then start Short Rows for Bust Dart.




HP 3671


SIZE:	36 (Chest 35"-36")	40 (Chest 39"-40")
YARN:	Sport Prima	Sport Prima
50 gr. BALLS:	7	8
ZIPPER:	15"	16" Jacket type
Buckle for Belt		
TENSION:	6 to 8	7 to 9
GAUGE:	2" 13 sts. 20 rows	12 sts. 19 rows

The instructions are the same for both sizes. PATTERN: Stockinette stitch with 1 x 1 Ribbing for the bands, pockets and belt. INCREASES: Move the 2 end stitches 1 needle outward, then place the 3rd st. from the row below onto the empty needle. DECREASES: Place the 3rd st. onto the 2nd st. then move the end sts. inward to fill the empty needle.



FINISHING: Sew sides and shoulder seams. Sew short ends of armhole bands then sew to armholes. Join the sections of front bands, then attach to vest. Sew pockets to vest (see picture). Sew buckle to belt and set in zipper.



Cast on 17 sts. and work 460 rows K1, P1 Ribbing, then bind off all sts. the crochet method for Ribbing.



Cast on 195 sts. and work 10 rows K1, P1 Ribbing, then bind off all sts. the crochet method for Ribbing. Make another section the same.



Move the Cam Box to the left side, turn the Row Counter back to 400 and complete the left half. Follow the instructions from*.

*ON CAM BOX SIDE, bind off 3 sts. after Row 401 (ODD ROWS = NECK SHAPING); 3 sts. after Rows 403, 405, 407; 5 sts. after Row 408 (EVEN ROWS = SHOULDER SHAPING); 2 sts. after Row 409; 5 sts. after Row 410; 2 sts. after Row 411; 5 sts. after Row 412; 2 sts. after Row 413; 5 sts. after Row 414; 6 sts. after Row 416.

ON CAM BOX SIDE, bind off 3 sts. after Rows 332, 333, 334, 335, 336, 337; 2 sts. after Rows 338, 339, 340, 341, 342, 343; 1 st. after Rows 344, 345, 346, 347, 348, 349, 350, 351, then knit to Row 400. Bind off the center 15 sts., put the needles on the left side into holding position and complete the right half first.


For EACH DART, increase 2 sts. after Rows in (). ON EACH SIDE, increase 1 st. after Rows 260 (260), (276), 278, (292), 296, (308), 314, then knit to Row 332 (for the Front section, knit to Row 316).

For EACH DART, decrease 2 sts. after Rows in (), the first time hang the 42nd and 44th sts. ON EACH SIDE onto the 43rd needle. The following DART decreases, then increases lie directly above. ON EACH SIDE, decrease 1 st. after Rows 56, 70, 84, 98, 112, 126, 140, 154, 168, 176, 184, 192, (196), 200, 208, (212), 216, 224, (228), 232, 240, (244). Knit to Row 260.

ON OPPOSITE SIDE OF CAM BOX, put into holding position, 56 needles after Rows 32, 33. ON OPPOSITE SIDE OF CAM BOX, bring back into working position, 14 needles after Rows 34, 35, 36, 37, 38, 39, 40, 41, then knit to Row 56.

ROWS 0 to 32: Knit even then start Short Rows.

Cast on 171 sts. and work Stockinette stitch.



ON CAM BOX SIDE, bind off 3 sts. after Rows 20, 21, 22, 23, 24, 25, 26, 27; 2 sts. after Rows 28, 29; 1 st. after Rows 30 THROUGH 65; 2 sts. after Rows 66, 67; 4 sts. after Rows 68, 69, 70, 71; 14 sts. after Row 72.

ROWS 0 to 20: Knit even.

Cast on 98 sts. and work in Stockinette stitch.

DK 8350

MATERIAL:

50 gr. BALLS:

TENSION:

GAUGE: 2"

Beatrice Silver color 1
Spool Monofil color 2


12 color 1
1 Spool color 2

6 to 8


13 sts., 20 rows

PATTERN: Norwegian Design with Monofil. Follow the Line Drawing or use JAC 40 and Pattern No. K614. In the instructions, each row in the Norwegian Design is counted as 1 row, but several movements of the Cam Box are needed to complete 1 row.

FINISHING: Work 1 row of double crochet around all edges, then 1 row of reverse single crochet along the long edges. For the Fringe, wind the yarn around a 14" cardboard and cut only 1 side. Use 8 strands, fold in half and knot along the short edges of Stole.



Cast on 196 sts. with color 1. Knit 2 rows Stockinette stitch, then turn the Row Counter to 0. Knit in Norwegian Design to Row 728. Knit 2 rows plain Stockinette stitch with color 1, then bind off all stitches.



YARN MONOFIL

Move the Cam Box to the left side, turn the Row Counter back to 246 and complete the left half. Follow the instructions from*.

*ON CAM BOX SIDE, bind off 5 sts. after Row 247 (ODD ROWS = NECK SHAPING); 4 sts. after Row 249; 3 sts. after Rows 251, 253; 3 sts. after Row 254 (EVEN ROWS = SHOULDER SHAPING); 3 sts. after Rows 256, 258; 4 sts. after Rows 260, 262.



ON CAM BOX SIDE, bind off 4 sts. after Rows 158, 159, 160, 161; 3 sts. after Rows 162, 163; 2 sts. after Rows 164, 165, 166, 167; 1 st. after Rows 168, 169, 170, 171, 172, 173, 176, 177, 180, 181, 184, 185. Knit to Row 246, then bind off the center 17 sts., put the needles on the left side into holding position and complete the right half first.

ROWS 15 to 158: Knit even.

ROWS 0 to 14: Knit even, then change to Stockinette stitch.

Cast on 123 sts. and work K1, P1 Ribbing.

Cast on 145 sts. and work 10 Rows K1, P1 Ribbing, then bind off all sts. the crochet method for Ribbing. Make 3 more sections the same.



Cast on 47 sts. and work 58 rows K1, P1 Ribbing then bind off all sts. the crochet method for Ribbing. Make another section the same.

Work the second Front section with reverse shaping, casting on from RIGHT to left. Cam Box will be on the LEFT side at Row 0.

ON CAM BOX SIDE, bind off 4 sts. after Row 158 (EVEN ROWS = ARMHOLE SHAPING); decrease 1 st. after Row 159 (ODD ROWS = NECK SHAPING); 3 sts. after Rows 160, 162; 1 st. after Row 163; 2 sts. after Rows 164, 166; 1 st. after Rows 167, 168, 170, 171, 172, 175, 176, 180, 183, 184, 187, 191, 195, 201, 207, 213, 219, 225, 231, 237, 243, 249; 3 sts. after Rows 254, 256, 258; 4 sts. after Rows 260, 262.

ROWS 15 to 158: Knit even.

ROWS 0 to 14: Knit even, then change to Stockinette stitch.

Cast on 57 sts. and work K1, P1 Ribbing.

KG 1983 BIKINI NO. 1

SIZE:	10 (Bust 31"-32")	12 (Bust 33"-34")	14 (Bust 35"-36")
YARN:	Amore	Amore	Amore
50 gr. BALLS:	3 color 1 1 color 2 1 color 3	4 color 1 1 color 2 1 color 3	4 color 1 1 color 2 1 color 3
TENSION:	3 to 4 for all sizes.		
GAUGE:	2" 18 sts., 27 rows		

The instructions are for Size 10 with Sizes 12 and 14 given in (). NOTE: When working SHORT ROWS, be sure to wrap the yarn around the nearest needle in holding position to prevent a hole.


FINISHING: PANTS: Join side seams, insert elastic in waist and legs. BRA: Weave the cast on sts. held on contrast waste yarn to the sts. removed on contrast. Sew ties to sides. Attach Halter strap up to point of Bra.



BIKINI NO. 2

SIZE:	10 (Bust 31"-32")	12 (Bust 33"-34")	14 (Bust 35"-36")
YARN:	Amore	Amore	Amore
50 gr. BALLS:	2 color 1 2 color 2	3 color 1 2 color 2	3 color 1 2 color 2
TENSION:	3 to 4		
GAUGE:	2" 18 sts. 27 rows		


The instructions are for Size 10 with Sizes 12 and 14 in (). NOTE: When working SHORT ROWS, be sure to wrap the yarn around the nearest needle in holding position to prevent a hole. PATTERN: Stockinette stitch using 2 colors.



BIKINI NO. 3

SIZE:	10 (Bust 31"-32")	12 (Bust 33"-34")	14 (Bust 35"-36")
YARN:	Amore	Amore	Amore
50 gr. BALLS:	5	6	7
TENSION:	7 to 8		
GAUGE:	2" 16 sts. 25 rows		

The instructions are given for Size 10 with Sizes 12 and 14 in (). PATTERN: Holding Position Design worn on the Purl side. Follow the Line Drawing. KNITTING machine owners, use Wheel No. 4.



BIKINI NO. 1, PANTS BACK

Cast on 158 (166) - (174) sts. with color 1 and work Stockinette stitch. Knit 16 rows color 1, 2 rows color 2, 2 rows color 1, 2 rows color 3, 2 rows color 1 (Row 24). Form the hem by putting the cast on sts. back onto the machine behind the latches (2 sts. on each needle). Knit 1 row color 1. Break yarn. Cam Box is on the left side. ON EACH SIDE, put 68 sts. into holding position. Work Short Rows. With color 1, knit 1 row to the right side. ON OPPOSITE SIDE OF CAM BOX, bring back into working position 4 needles until all are in work. Cam Box is on the right side. Turn the Row Counter back to 26 and knit even to Row 56.

SHAPE LEGS: Work Short Rows. ON OPPOSITE SIDE OF CAM BOX, put into holding position, Size 10 - 3 sts. 3x, 2 sts. 32x (Size 12 - 3 sts. 7x, 2 sts. 28x) (Size 14 - 3 sts. 11x, 2 sts. 24x). 12 sts. remain in working position. Remove the 12 sts. onto contrast waste yarn. Put one side back into working position, knit 1 row color 1 and remove the sts. onto contrast waste yarn. Put the other side into working position, knit 1 row color 1 and remove the sts. onto contrast waste yarn.

BIKINI NO. 2 PANTS BACK

Cast on 158 (166) - (174) sts. with color 2. Knit 24 rows. Pick up the cast on sts. and form hem. Knit 1 row. Break yarn. ON EACH SIDE, put 68 needles into holding position. Knit 1 row on remaining sts. (be sure to wrap yarn). ON OPPOSITE SIDE OF CAM BOX, bring back into working position 4 needles until all are in work. Cam Box on the right side. Turn Row Counter back to 26 and knit even to Row 56.

SHAPE LEGS: Work Short Rows. ON OPPOSITE SIDE OF CAM BOX, put into holding position - Size 10: 3 sts. after Rows 56, 57, 58, 59, 60, 61; 2 sts. 32x ON EACH SIDE. (Size 12: 3 sts. after Rows 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69; 2 sts. 28x ON EACH SIDE). (Size 14: 3 sts. after Rows 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77; 2 sts. 24x ON EACH SIDE.) Remove the 12 remaining sts. onto contrast waste yarn. Put one side into working position, knit 24 rows, form hem then bind off all sts. Put the other side into working position, knit 24 rows, form hem then bind off all sts.

BIKINI NO. 3 PANTS BACK

Cast on 141 (147) - (153) sts. Knit 26 rows in Stockinette stitch. Place the cast on sts. back onto the machine in the needle hooks. Push back the right Control Button, knit 1 row without yarn. Push the right Control Button forward and take Cam Box back to the right side without yarn. Break yarn.

BEGIN THE PATTERN. ON EACH SIDE, put 60 needles into holding position. Knit 1 row on the remaining sts. in working position. ON CAM BOX SIDE, bring yarn under nearest needle in holding position and ON OPPOSITE SIDE OF CAM BOX, put 4 needles into working position, knit 1 row. Continue to put 4 needles OPPOSITE CAM BOX into working position until all are in work and always bring the yarn under the nearest needle in holding position on Cam Box side. Cam Box will be on the right side. NOTE: The Short Rows are worked in Pattern. Turn the Row Counter to 26 and knit in Pattern to Row 58.

SHAPE LEGS: ON OPPOSITE SIDE OF CAM BOX, put into holding position: Size 10: 3 needles 6x, 2 needles 24x ON EACH SIDE, (Size 12: 3 needles 9x, 2 needles 21x ON EACH SIDE), (Size 14: 3 needles 12x, 2 needles 18x ON EACH SIDE) and be sure to bring the yarn under holding position nearest Cam Box. Remove the remaining 9 sts. onto contrast waste yarn. Put one side into working position, knit 1 row and remove the sts. onto contrast waste yarn. Put the other side into working position, knit 1 row and remove the sts. onto contrast waste yarn.

BIKINI NO. 1, PANTS FRONT

Cast on 138 (146) - (154) sts. with color 1. Knit 16 rows color 1, 2 rows color 2, 2 rows color 1, 2 rows color 3, 2 rows color 2. (Row 24). Form the hem. Knit 10 rows color 1, 2 rows color 2, 2 rows color 1, 2 rows color 3, 16 rows color 1 (Row 56).

SHAPE LEGS: Work Short Rows. Size 10: ON OPPOSITE SIDE OF CAM BOX, put into holding position, 10 needles after Rows 56, 57; 7 needles after Rows 58, 59; 3 needles after Rows 60, 61, 62, 63, 64, 65, 66, 67; 2 sts. 17x ON EACH SIDE. (Size 12: 10 needles after Rows 56, 57; 7 needles after Rows 58, 59; 4 needles after Rows 60, 61; 3 needles after Rows 62, 63, 64, 65, 66, 67, 68, 69; 2 needles 17x ON EACH SIDE). (Size 14: 10 needles after Rows 56, 57; 7 needles after Rows 58, 59; 4 needles after Rows 60, 61, 62, 63; 3 needles after Rows 64, 65, 66, 67, 68, 69, 70, 71; 2 needles 17x ON EACH SIDE). 12 sts. remain. Knit even to Row 126 (130) - (134). Remove the 12 sts. onto contrast waste yarn. Put one side into working position, pick up each knot st. along side of the 12 sts. held on contrast, knit 1 row and remove on contrast. Put the other side into working position, pick up each knot st. along other side, knit 1 row and remove on contrast.

BIKINI NO. 2 PANTS FRONT

Cast on 138 (146) - (154) sts. with color 1. Knit 24 rows, form hem then knit to Row 56.

SHAPE LEGS: Work Short Rows. ON OPPOSITE SIDE OF CAM BOX, put into holding position 10 sts. after Rows 56, 57; 7 sts. after Rows 58, 59; 3 sts. after Rows 60, 61, 62, 63, 64, 65, 66, 67; 2 sts. 17x ON EACH SIDE. (Size 12: 10 sts. after Rows 56, 57; 7 sts. after Rows 58, 59; 4 sts. after Rows 60, 61; 3 sts. after Rows 62, 63, 64, 65, 66, 67, 68, 69; 2 sts. 17x ON EACH SIDE). (Size 14: 10 sts. after Rows 56, 57; 7 sts. after Rows 58, 59; 4 sts. after Rows 60, 61, 62, 63; 3 sts. after Rows 64, 65, 66, 67, 68, 69, 70, 71; 2 sts. 17x ON EACH SIDE). Knit even to Row 126 (130) - (134). Remove the 12 sts. onto contrast waste yarn. Put one side into working position, pick up each knot st. along side of the 12 sts. held on contrast and knit 24 rows. Form hem and bind off. Bring the other side into working position, pick up each knot st. along other side. Knit 24 rows, form hem and bind off all sts.


FINISHING: Pants: Join back and front by weaving the center sts. held on contrast and the leg bands. Insert elastic in waist and legs.

BIKINI NO. 3 PANTS FRONT

Cast on 123 (129) - (135) sts. Knit 26 rows. Place the cast on sts. back on the machine in the needle hooks. Push back the right Control Button, knit 1 row without yarn. Push right Control Button forward and take Cam Box back to right side. Turn Row Counter back to 26. Continue knitting in Pattern to Row 58.

SHAPE LEGS: ON OPPOSITE SIDE OF CAM BOX, put into holding position ON EACH SIDE, for Size 10: 10 sts., 7 sts., 4 sts., 3 sts. 8x, 2 sts. 3x, 1 st. 6x (Size 12: ON EACH SIDE, 10 sts., 7 sts., 4 sts., 3 sts. 9x, 2 sts., 3x, 1 st. 6x), (Size 14: ON EACH SIDE, 10 sts., 7 sts., 4 sts., 3 sts. 10x, 2 sts. 3x, 1 st. 6x). Always bring the yarn under holding position needle nearest Cam Box. Knit to Row 118 on the remaining 9 sts. Remove the 9 sts. onto contrast waste yarn. Put one side back to working position, pick up 12 sts. along side of the 9 sts. held on contrast, knit 1 row and remove the sts. onto contrast waste yarn. Put the other side into working position and pick up 12 sts. along side of the 9 sts. held on contrast, knit 1 row and remove onto contrast waste yarn.

LEG BANDS: Join the back and fronts by weaving the sts. held on contrast waste yarn. Place all sts. of one leg on the knitter. Knit 26 rows Stockinette stitch and remove on contrast waste yarn. REPEAT for second leg.



BIKINI NO. 1,

BRA: LEFT HALF: Cast on with contrast waste yarn 68 (72) - (76) sts. Knit a few rows with contrast, then change to color 1. Knit 2 rows. ON CAM BOX SIDE, bring 1 needle to holding position EVERY ROW until all the needles are in holding position. (Do not wrap yarn) ON RIGHT SIDE, bring back into working position 34 (36) - (38) needles. Counter at 0. Knit 2 rows color 1, 2 rows color 3, 2 rows color 1, 2 rows color 2, 16 rows color 1. Form hem and bind off 34 (36) - (38) sts. With contrast waste yarn, cast on 94 sts. to the right of the 34 (36) - (38) sts. (for Halter Straps). All needles in working position. Knit 2 rows color 1, 2 rows color 3, 2 rows color 1, 2 rows color 2, 16 rows color 1. Remove the 94 sts. onto contrast waste yarn. Form hem on 34 sts. and bind off. Knit the Right half the same but reverse shaping. *With Purl side facing, place onto knitter to the left of 0, 34 (36) - (38) of the cast on sts. of left half. Place next 10 sts. onto last 10 sts. (2 sts. on 10 needles). Place the next 10 sts. on same needles (3 sts. on 10 needles [DART MADE]). Pick up the remaining 48 (52) - (56) sts. then pick up sts. along right edge of hem. Place the sts. of the right half onto the right side and reverse shaping of Dart.* All needles in working position. Counter at 0. Knit 2 rows color 1, 2 rows color 2, 2 rows color 1, 2 rows color 3, 16 rows color 1. Form hem and bind off.

TIES: Knit 2. Cast on 130 sts. with color 1. Knit 24 rows, form hem and bind off all sts. Sew ties to sides of Bra.

Close all open ends. Attach Halter Straps up to point of Bra.


BIKINI NO. 2

BRA: Left Half: Cast on 68 (72) - (76) sts. with contrast waste yarn. Knit several rows, then change to color 2. On the right side, put 19 needles into holding position. On the remaining sts. Knit 1 row color 2. ON CAM BOX SIDE, put 1 needle into holding position (do not wrap yarn) every row until all needles are in holding position Break yarn. Take Cam Box to the right side. On right side, bring 19 needles into working position and with color 1, knit 1 row. ON CAM BOX SIDE, put 1 needle into working position, knit 1 row; ON CAM BOX SIDE put 1 needle into holding position, knit 1 row. ON CAM BOX SIDE, put 1 needle into working position, knit 1 row. (When Cam Box is on the left, put 1 needle into working position, and when Cam Box is on the right, put 1 needle into holding position). Continue in this manner until there are 25 (27) - (29) needles in holding position on the left side. Then continue putting 1 needle into holding position on Cam Box side, till all are in holding position. Cam Box on the left side. Put the right side into working position. 34 (36) - (38) sts. Knit 24 rows color 1, form the hem, then bind off all sts. Put into working position 25 (27) - (29) sts. of color 2. Knit 24 rows, form the hem, then bind off all sts. Put 9 sts. of color 1 into working position and with contrast yarn, cast on 94 sts. on the right side for Halter Strap. Knit 24 rows, form hem on 9 sts. and bind off. Remove the 94 sts. on contrast waste yarn. Knit the right half the same but reverse shaping.

KG 1983 BIKINI NO. 2

FINISHING: BRA: Same as instructions for Bikini No. 1 from * to * then put into working position, the center sts. in color 1 and knit 24 rows with color 1. Form the hem and bind off all sts. On Right side, put into working position, the color 2 sts., knit 24 rows with color 2, form hem and bind off all sts. Knit other side the same way. Close all open ends. Attach Halter Strap up to point of Bra.

TIES: Knit 2. Cast on 130 sts. with color 2 and knit 24 rows, form the hem and bind off all sts. Sew ties to sides of Bra.



BIKINI NO. 3

BRA: LEFT HALF. Cast on with contrast waste yarn, 60 (64) - (68) sts. Put Counter at 0. Work in Pattern. Knit 2 rows. ON CAM BOX SIDE, put 1 needle into holding position (do NOT WRAP) until all needles are in holding position. Put 30 (32) - (34) needles back into working position on OPPOSITE SIDE OF CAM BOX. Left side, knit 26 rows Stockinette stitch. Remove onto contrast waste yarn. Put into working position, the holding position needles and cast on with contrast waste yarn 83 sts. to the left of the 30 (32) - (34) sts. (for the Halter strap). All in working position. Knit 26 rows Stockinette stitch. Remove all the sts. onto contrast waste yarn. Knit right half, but reverse shaping.

FINISHING: BRA: Fold hem of first part held on contrast and hem. Weave the 83 cast on sts. held on contrast to the 83 sts. removed on contrast. Place on the knitter to the left of 0, 30 (32) - (34) of cast on sts. of left half. Place next 10 sts. on last 10 sts. (2 sts. on 10 needles). Place next 10 sts. on same needles (3 sts. on 10 needles) forming DART. Pick up remaining sts. There will be 40 (44) - (48) needles in working position. Pick up sts. along right side of hem. Place sts. of right half to the right side and reverse shaping of DART. All in working position, knit 26 rows Stockinette stitch. Remove onto contrast waste yarn. Fold in half and weave the sts. Close all open ends. Attach halter strap up to point of Bra.

TIES: Make 2. Cast on 110 sts., knit 26 rows Stockinette stitch, form hem and bind off all sts. Sew ties to sides of Bra.


PANTS: Sew sides and insert elastic through waist and legs.

KK 5433

SIZE:	3 (Chest 21"-22")	4 (Chest 23"-24")	6 (Chest 24"-25")
YARN:	Regia	Amore	Dolly Dralon
50 gr. BALLS:	6	7	8
4 Buttons — Zipper for Pants.			
TENSION:	4 to 6	6 to 8	6 to 8
GAUGE:	2" 16 sts. 24 rows	15 sts. 23 rows	14 sts. 22 rows

The instructions are the same for all sizes. **PATTERN:** Stockinette stitch. **DECREASES:** Place the 3rd st. onto the 2nd needle, then move the sts. in to fill the empty needle. Begin the **DARTS** for the pants by hanging the sts. together as marked on the Chart. The following **DART** decreases, then increases lie directly above.

FINISHING: PANTS: Sew front and back leg seams, then center back seam. Sew front seam leaving 2 1/2" open for zipper, then work 1 row of slip stitch around opening. Turn upper edge to inside and hem, then insert elastic. Make a 1 1/4" hem on legs. Sew in zipper. **VEST:** Join front and back at sides and shoulders. Make knitted cords for the front edges, neckline and armholes. Set your machine for knitting a cord (KNITTING machine owners push the right Control Button back [away from you]). Work over 5 needles with tension 1. Knit 200 rows (return rows do count) for each armhole and 500 rows for front and neck edges. Sew cords to Vest. Turn upper edge of pocket 3/4" to the inside and hem then sew pocket in place. Finish Buttonholes and sew on buttons. Sew snaps to the underlap.



MK 5435

SIZE:	8 (Chest 25"-26")	10 (Chest 27"-28")	12 (Chest 28"-29")
YARN:	Regia	Allegro	Allegro
50 gr. BALLS:	3 color 1 5 color 2	3 color 1 5 color 2	4 color 1 6 color 2
5 Buttons			
TENSION:	4 to 6	4 to 6	5 to 7
GAUGE:	2" 16 sts. 24 rows	15 sts. 23 rows	14 sts. 22 rows
Stock.	16 sts. 23 rows	15 sts. 22 rows	14 sts. 21 rows
Pattern			

The instructions are the same for all sizes. **PATTERN: VEST:** Stockinette stitch using color 2 with 1 x 1 Ribbing for lower edge. **SKIRT:** Norwegian Design in two colors. Follow the Line Drawing or use JAC 40 and Pattern No. 479. In the instructions, each row of the Norwegian Design is counted as one row although several movements of the Cam Box are needed to complete 1 row. **INCREASES:** Move the 2 end sts. 1 needle outward then place the 3rd stitch from the row below onto the empty needle. **DECREASES:** Place the 3rd st. onto the 2nd needle then move the sts. inward to fill the empty needle.

FINISHING: Block all sections. **VEST:** Join sides and shoulders of front and back sections. Fold over 1 1/4" on front edges and sew to the wrong side. Sew on Neckband then work 2 rows single crochet around armholes. Finish buttonholes and sew on buttons. **SKIRT:** Join side seams. Make hem on lower edge. Fold over 26 rows at waistline and hem to wrong side. Insert elastic through hem at waist.



Work the second section with reverse shaping, casting on from **RIGHT** to **LEFT**. Cam Box will be on the **LEFT** side at Row 0. Omit the buttonholes.



ON CAM BOX SIDE, bind off 22 sts. after Row 107 (ODD ROWS = NECK SHAPING); 3 sts. after Rows 108, (EVEN ROWS = ARMHOLE SHAPING) 109, 110, 111; 2 sts. after Row 112; 3 sts. after Row 113; 2 sts. after Rows 114, 115, 116, 117; 1 st. after Rows 118, 119, 120, 121, 122, 124, 125, 129, then knit to Row 176 and bind off the remaining 15 sts.

Make **BUTTONHOLES** over the same needles as you did before after Rows in () and **ON CAM BOX SIDE**, increase 1 st. after Rows 38, 56 (56), 74, (80), 92, (104). Knit to Row 107.



ROWS 21 to 38: Knit even but make **BUTTONHOLES** over the same needles as before after Row 32.

ROWS 0 to 20: Knit even but make **BUTTONHOLES** after Row 11 over needles 2 to 5 and 14 to 18 counting from the **LEFT** edge. After Row 20, change to Stockinette stitch.

Cast on 66 sts. with color 2 and work K1, P1 Ribbing.



Cast on 164 sts. with color 2 and work 14 rows K1, P1 Ribbing then bind off all sts. the crochet method for Ribbing.



Work the second front section with reverse shaping, casting on from RIGHT to LEFT. Cam Box will be on the LEFT side at Row 0 and make BUTTON-HOLES after Rows 28 and 52 over needles 6 to 10 counting from the RIGHT side.

Continue to decrease 1 st. for neck on ODD ROWS and shape armhole on EVEN rows. Bind off 3 sts. after Row 88; 1 st. after Row 89; 3 sts. after Row 90; 1 st. after Row 91; 2 sts. after Row 92; 1 st. after Row 93; 2 sts. after Row 94; 1 st. after Rows 95, 96, 97, 98, 99, 100, 101, 102, 103, 105, 107, 111, 115, 119, 123, 127, 131, 135, 139, 143, 147. After Row 149, bind off the remaining 16 sts.

Continue to INCREASE 1 st. ON CAM BOX SIDE after Rows in (). ON CAM BOX SIDE, decrease 1 st. after Rows 61 (ODD ROWS = NECK SHAPING) 63, 65, 67, (68), 69, 71, 73, 75, 77, (78), 79, 81, 83, 85, 87.

ON CAM BOX SIDE, increase 1 st. after Rows 28, 38, 48, 58.

ROWS 0 to 28: Knit even.

Cast on 58 sts. and work Stockinette stitch. DO NOT make buttonholes in this section.

Move the Cam Box to the left side, turn the Row Counter back to 138 and complete the left half. Follow the instructions from*.

*ON CAM BOX SIDE, bind off 3 sts. after Rows 139, 141, 143, 145. Knit to Row 148 and bind off the remaining 16 sts.

ON CAM BOX SIDE, bind off 3 sts. after Rows 88, 89, 90, 91; 2 sts. after Rows 92, 93, 94, 95; 1 st. after Rows 96, 97, 98, 99, 100, 101, 102, 103, then knit to Row 138, bind off the center 11 sts., put the needles on the left side into holding position and complete the right half first.

ON EACH SIDE, increase 1 st. after Rows 28, 38, 48, 58, 68, 78, then knit to Row 88.

ROWS 0 to 28: Knit even.

Cast on 83 sts. and work Stockinette stitch.

Bring the Cam Box to the left side, turn the Row Counter back to 162 and complete the left half. Follow the instructions from*.

*ON CAM BOX SIDE, bind off 3 sts. after Rows 163, 165 (ODD ROWS = NECK SHAPING); 2 sts. after Rows 167, 169; 1 st. after Rows 171, 173. Knit to Row 176 then bind off the remaining 15 sts.



ON CAM BOX SIDE, bind off 3 sts. after Rows 108, 109, 110, 111; 2 sts. after Rows 112, 113, 114, 115, 116, 117; 1 st. after Rows 118, 119, 120, 121, 122, 123, 124, 125, then knit even to Row 162. Bind off the center 24 sts., put the needles on the left side into holding position and complete the right half first.

ON EACH SIDE, increase 1 st. after Rows 38, 56, 74, 92, then knit to Row 108.

ROWS 21 to 38: Knit even.

ROWS 0 to 20: Knit even, then change to Stockinette stitch.

Cast on 102 sts. with color 2 and work K1, P1 Ribbing.



Work the second pants section with reverse shaping, casting on from RIGHT to LEFT. Cam Box will be on the LEFT side at Row 0.

ON OPPOSITE SIDE OF CAM BOX, put 33 needles into holding position after Row 272; 15 needles after Rows 274, 276, 278. After Row 280, bring all the needles back into working position and knit to Row 304, then bind off all sts.

ON CAM BOX SIDE, bind off 3 sts. after Row 202; 2 sts. after Row 203; 3 sts. after Row 204; 2 sts. after Rows 205, 206; 1 st. after Row 207; 2 sts. after Row 208; 1 st. after Row 209; 2 sts. after Row 210; 1 st. after Rows 211, 212, 213, 214, 215, 216, 220, 224, 228, 232, 236, 240. Knit to Row 272, then work Short Rows.



Increase 2 sts. for DART after Rows in (). ON CAM BOX SIDE increase 1 st. after Rows 124 (124) (EVEN ROWS = BACK CENTER OF PANTS); 1 st. after Row 125 (ODD ROWS = FRONT CENTER OF PANTS); 1 st. after Rows 130, 135, 136 (136), 142, 145, 148 (148), 154, 155, 160 (160), 163, 166, 170, 171, (172), 174, 178, 179, 182, (184), 186, 187, 190, 194, 195, 198, then knit to Row 202.

ROWS 107 to 124: Knit even.

Decrease 2 sts. for DART after Rows in (), the first time, hang the 57th st. (counting from each end) onto the 58th needle. The following DART DECREASES, then INCREASES lie directly above. ON EACH SIDE, decrease 1 st. after Rows 46 (46), 58 (58), 70 (70), 82 (82), 94 (94), 106 (106).

ROWS 0 to 46: Knit even.

Cast on 115 sts. and work Stockinette stitch.



After Row 150, remove the sts. onto contrast waste yarn. Hang the sts. back onto the machine, decreasing 18 sts. evenly across (2 sts. on every 6th needle) 97 sts. Knit to Row 176, then bind off all sts. Make the second section the same.

ON EACH SIDE, decrease 1 st. after Rows 44, 52, 58, 64, 70, 76, 82, 88, 94, 100, 106, 112, 116, 118, 124, 130, 136, 142, 148.


Cast on 71 sts. with color 1 and work the Norwegian Design. ON CAM BOX SIDE, cast on 10 sts. after Rows 2, 3, 4, 5, 6, 7, 8, 9. (151 sts.). Knit to Row 44.

HP3694


SIZE:	40 (Chest 39"-40")	44 (Chest 43"-44")	46 (Chest 45"-46")
YARN:	Melodie	Melodie	Melodie
50 gr. BALLS:	9 color 1 1 color 2	10 color 1 1 color 2	11 color 1 1 color 2
TENSION:	5 to 7	6 to 8	7 to 9
GAUGE:	2" 16 sts. 21 rows	15 sts. 20 rows	14 sts. 19 rows

The instructions are the same for all sizes. PATTERN: Stockinette stitch with color stripes as marked on the Chart. COLLAR: Stockinette stitch. POCKET and POCKET BAND: Stockinette stitch with color stripes as marked on the Chart. INCREASES: Move the 2 end sts. 1 needle outward, then place the 3rd st. from the row below onto the empty needle. DECREASES: Place the 3rd st. onto the 2nd st. then move the sts. inward to fill the empty needle.



FINISHING: Block all sections. Join front and back sections at sides and shoulders. Sew the sleeves together and set in. Turn 1/2" on front edges to the inside and hem. Fold Collar in half lengthwise and sew short ends, then sew 1 edge to inside and 1 edge to outside of neckline leaving 3/4" free at each front edge. Turn under 16 rows for hem on lower edge and sleeves and sew to the wrong side. Sew the upper bands to pockets, turn edge to inside and hem, then sew pockets in place (see picture). Finish buttonholes and sew on buttons.



Cast on 42 sts. with color 1 and work 68 rows Stockinette stitch with color stripes as marked on the Chart, then bind off all sts. Make another section the same.



Cast on 51 sts. with color 2 and work 40 rows Stockinette stitch with color stripes as marked on the Chart, then bind off all sts. Make another section the same.




ON EACH SIDE, decrease 1 st. after Rows 48, 54, 60, 66, 72, 78. After Row 80, bind off all sts.

ON EACH SIDE, increase 1 st. after Rows 10, 16, 22, 28, 34, 40, then knit to Row 48.

ON OPPOSITE SIDE OF CAM BOX, put into holding position 45 needles at Row 0 and after Row 1. ON OPPOSITE SIDE OF CAM BOX, bring back into working position, 15 needles after Rows 2, 3, 4, 5, 6, 7. Knit to Row 10.

Cast on 135 sts. with color 1 and work Stockinette stitch and Short Rows.




KG 1982 A and B SHOULDER BAGS

FINISHED SIZE:	Approximately 12" x 30"
YARN:	Regia color 1 for Knitting Dunja color 2 for Weaving
50 gr. BALLS:	The amounts are for 1 bag only. 3 color 1 2 color 2
TENSION:	6 to 8
GAUGE:	11 sts. 34 Rows = 2"



BAG A: Cast on 72 sts. with color 1 and knit 2 rows Stockinette stitch. Turn the Row Counter to 0 and work 546 rows of the Weaving Design. After Row 546, knit 2 rows Stockinette stitch then bind off all sts.

BAG B: Cast on 72 sts. with color 1 and knit 2 rows Stockinette stitch. Turn the Row Counter to 0 and work 558 rows of the Weaving Design. After Row 558, bind off all sts.



KG 1982 SHOULDER BAGS A AND B

Both Bags are a Weaving Design. KNITKING machine owners, use the KNITKING Weaver. Follow the Line Drawing or use JAC 40 and Pattern No. K622 for Bag A and Pattern No. K555 for Bag B.

FINISHING: Block the section, then cut a lining the same size in width, less 4" in length. Fold the Bag in half lengthwise and sew side seams. Sew side seams of lining then insert inside bag. Turn a 2" hem at top and sew down on top of lining. Measure and cut 4 strands of each color yarn approximately 200" long. With a No. K crochet hook, and keeping all 4 strands smooth and even, crochet a chain (not too tight) to go down each side of bag with loop handle across top. Sew the chain to bag as shown in picture. Make tassels for each corner at bottom edge.

Move the Cam Box to the left side, turn the Row Counter back to 288 and complete the left half. Follow the instructions from*.

*ON CAM BOX SIDE, bind off 5 sts. after Row 288 (EVEN ROWS = SHOULDER SHAPING); 6 sts. after Row 289 (ODD ROWS = NECK SHAPING); 5 sts. after Row 290; 3 sts. after Row 291; 5 sts. after Row 292; 3 sts. after Row 293; 5 sts. after Rows 294, 296.

ON CAM BOX SIDE, bind off 4 sts. after Rows 280, 281, 282, 283, 284, 285, 286, 287. After Row 288, bind off the center 24 sts., put the needles on the left side into holding position and complete the right half first.

ROWS 213 to 280: Work the color stripes to Row 232 then continue with color 1 to Row 280.

ON CAM BOX SIDE, bind off 6 sts. after Rows 188, 189; 3 sts. after Rows 190, 191, 192, 193; 2 sts. after Rows 194, 195, 196, 197; 1 st. after Rows 198, 199, 200, 201, 202, 203, then knit to Row 212 and begin the color stripes as marked on the Chart.

ROWS 0 to 188: Knit even.


Cast on 168 sts. with color 1 and work Stockinette stitch.

ON CAM BOX SIDE, bind off 6 sts. after Rows 60, 61; 4 sts. after Rows 62, 63, 64, 65; 2 sts. after Rows 66, 67, 68, 69, 70, 71. ON EACH SIDE, decrease 1 st. after Rows 72, 74, 76, 78, 80, 82, 84, 86, 88, 90, 92, 94, 96, 98, 100, 102, 104, 106, 108. ON CAM BOX SIDE, bind off 2 sts. after Rows 110, 111, 112, 113, 114, 115; 4 sts. after Rows 116, 117, 118, 119. After Row 120, bind off the remaining 14 sts.

ON EACH SIDE, increase 1 st. after Rows 32, 36, 40, 44, 48, 52, 56, then knit to Row 60.

ROWS 0 to 32: Knit even in color stripes then continue with color 1.

Cast on 106 sts. with color 2 and work Stockinette stitch and color stripes as marked on the Chart.



Work the second Front section with reverse shaping, casting on from RIGHT to LEFT. Cam Box will be on the LEFT side at Row 0. Make BUTTONHOLES over needles 3 to 7 and 18 to 22, counting from the RIGHT side after Rows 40, 76, 112, 148, 184, 220, 256.

ON CAM BOX SIDE, bind off 24 sts. after Row 261 (ODD ROWS = NECK SHAPING); 3 sts. after Rows 263, 265; 2 sts. after Rows 267, 269, 271, 273; 1 st. after Rows 275, 277, 279; 4 sts. after Row 280 (EVEN ROWS = SHOULDER SHAPING); 1 st. after Row 281; 4 sts. after Rows 282, 284, 286; 5 sts. after Rows 288, 290, 292, 294, 296.



ROWS 213 to 261: Work the color stripes to Row 232 then continue with color 1 to Row 261.

ON CAM BOX SIDE, bind off 6 sts. after Row 188; 3 sts. after Rows 190, 192; 2 sts. after Rows 194, 196; 1 st. after Rows 198, 200, 202. Knit to Row 212 then begin the color stripes as marked on the Chart.

ROWS 17 to 188: Knit even.

ROWS 0 to 16: Knit even, then cast on 24 sts. on the LEFT side (right for second section) using a separate yarn.

Cast on 78 sts. with color 1 and work Stockinette stitch. DO NOT make buttonholes in this section.




DK 8342

SIZE:	10 (Bust 31½"-32½")	12 (Bust 33"-34")	14 (Bust 35"-36")
YARN:			
Dress	Crocus Crepe	Crocus Crepe	Sport Prima
JACKET	Crocus Crepe	Crocus Crepe	Sport Prima
	Beatrice Silver	Beatrice Silver	Beatrice Silver
50 gr. BALLS:			
Dress	13 color 1	14 color 1	15 color 1
JACKET	4 color 1	5 color 1	6 color 1
	5 color 2	6 color 2	7 color 2
TENSION:	5 to 7	6 to 8	7 to 9
GAUGE:	2" 16 sts. 21 rows	15 sts. 20 rows	14 sts. 19 rows



The instructions are the same for all sizes. **DRESS:** Stockinette stitch. **JACKET:** Stockinette stitch with repeated color stripes as marked on the Charts. **DECREASES:** Hang the 3rd st. onto the 2nd st., then move the end sts. inward to fill the empty needle. **INCREASES:** Move the 2 end sts. 1 needle outward, then place the 3rd st. from the row below onto the empty needle. To form the hem, hang the cast on stitches back onto the machine behind the latches, then knit the following row with 1 or 2 tension settings higher.

FINISHING: Block all sections. **DRESS:** Join the front and back sections at sides and shoulders. Sew the sleeves together and set in. Turn under 11 rows for sleeve hem. Join the short ends of the neckband, then sew 1 edge to the outside and 1 edge to the inside of neckline. Turn under 17 rows for hem. **JACKET:** Join the back and front sections at sides and shoulders. Sew the sleeves together and set in. Join Neckband to front bands, fold in half then sew 1 edge to outside and 1 edge to inside of neckline and front edges. Sew bottom edges of band together.



Work the second front section with reverse shapings, casting on from Right to Left. Cam Box will be on the LEFT side at Row 0.

ON CAM BOX SIDE, (for shoulder shaping) bind off 3 sts. after Row 206; 4 sts. after Rows 208, 210, 212, 214.



ON CAM BOX SIDE (for neck shaping), bind off 3 sts. after Rows 171, 173, 175; 2 sts. after Rows 177, 179, 181, 183; 1 st. after Rows 185, 187, 189, 191, 193, then knit to Row 206.

ON CAM BOX SIDE, bind off 3 sts. after Rows 130, 132, 134; 2 sts. after Rows 136, 138, 140; 1 st. after Rows 142, 144, 146, then knit to Row 171.

ON CAM BOX SIDE, increase 1 st. after Rows 34, 50, 66, 82, 98, 114, then knit to Row 130.

ROWS 0 to 34: Knit even, then form the hem and begin the striped Pattern.

Cast on 53 sts. with color 2 and work Stockinette stitch.




Work the other front band with reverse shapings, casting on from Right to Left. Cam Box will be on the LEFT side at Row 0.

ON CAM BOX SIDE, decrease 1 st. after Rows 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, then knit to Row 50 and bind off all sts.

ON CAM BOX SIDE, increase 1 st. after Rows 2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, then knit to Row 26.

Cast on 124 sts. with color 2 and work Stockinette stitch.



ON EACH SIDE, decrease 1 st. after Rows 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, then knit to Row 50 and bind off all sts.

ON EACH SIDE, increase 1 st. after Rows 2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, then knit to Row 26.

Cast on 144 sts. with color 2 and work Stockinette stitch.

Bring the needles on the left side into working position, knit 1 row in Pattern to the left, turn the Row Counter back to 198 and complete the left half. Follow the instructions from*.



***ON CAM BOX SIDE,** bind off 3 sts. after Rows 199, 201, 203, 205 (ODD ROWS = NECK SHAPING); 3 sts. after Row 206 (EVEN ROWS = SHOULDER SHAPING); 3 sts. after Row 207; 4 sts. after Row 208; 3 sts. after Row 209; 4 sts. after Row 210; 3 sts. after Row 211; 4 sts. after Rows 212, 214.

ON CAM BOX SIDE bind off 3 sts. after Rows 130, 131, 132, 133, 134, 135; 2 sts. after Rows 136, 137, 138, 139, 140, 141; 1 st. after Rows 142, 143, 144, 145, 146, 147, then knit to Row 198, bind off the center 29 sts., put the needles on the left side into holding position and complete the right half first.

ON EACH SIDE, increase 1 st. after Rows 34, 50, 66, 82, 98, 114, then knit to Row 130.

ROWS 0 to 34: Knit even, then form the hem and begin the striped Pattern.

Cast on 133 sts. with color 2 and work in Stockinette stitch.



BE SURE TO NOTIFY US IMMEDIATELY OF ANY CHANGE OF ADDRESS. THE POST OFFICE WILL NOT FORWARD YOUR MAGAZINE TO YOU.


Move the Cam Box to the left side, turn the Row Counter back to 406 and complete the left half. Follow the instructions from*.

*ON CAM BOX SIDE, bind off 3 sts. after Rows 407, 409; 2 sts. after Rows 411, 413, 415; 1 st. after Rows 417, 419, 421, 423, 425; then knit to Row 436. For Shoulder, bind off 6 sts. after Rows 436, 438; 5 sts. after Rows 440, 442, 444.

ON CAM BOX SIDE, bind off 3 sts. after Rows 364, 365, 366, 367; 2 sts. after Rows 368, 369, 370, 371, 372, 373; 1 st. after Rows 374, 375, 376, 377, 378, 379, 380, 381, then knit to Row 406, bind off the center 17 sts., put the needles on the left side into holding position and complete the right half first.

ON OPPOSITE SIDE OF CAM BOX, put into holding position 8 needles after Rows 344, 345, 346, 347, 348, 349, 350, 351. ON OPPOSITE SIDE OF CAM BOX, bring all the needles back into working position after Rows 352, 353, then knit to Row 364.


Work the front section the same as the back section to Row 344, then work Short Rows for the Bust Darts.



ON CAM BOX SIDE, bind off 4 sts. after Rows 38, 39, 40, 41; 3 sts. after Rows 42, 43, 44, 45; 2 sts. after Rows 46, 47; 1 st. after Rows 48 THROUGH 77; bind off 2 sts. after Rows 78, 79; 5 sts. after Rows 80, 81, 82, 83; 17 sts. after Row 84.

ROWS 0 to 22: Knit even, then form the hem and work to Row 38.

Cast on 103 sts. with color 1 and work Stockinette stitch.



Cast on 128 sts. with color 1 and work 22 rows Stockinette stitch, then bind off all sts.

DK 8342 JACKET SLEEVES

ON CAM BOX SIDE, bind off 4 sts. after Rows 202, 203, 204, 205, 206, 207; 3 sts. after Rows 208, 209; 2 sts. after Rows 210, 211; 1 st. after Rows 212 THROUGH 245; 2 sts. after Row 246, 247; 4 sts. after Rows 248, 249, 250, 251; 17 sts. after Row 252.

ON EACH SIDE, increase 1 st. after Rows 34, 42, 50, 58, 64, 72, 80, 88, 96, 104, 112, 120, 128, 136, 144, 152, 160, 168, 176, 182, 188, 194, then knit to Row 202.

ROWS 0 to 34: Knit even, then form the hem and begin the striped Pattern.

Cast on 61 sts. with color 2 and work Stockinette stitch.

Move the Cam Box to the left side, turn the Row Counter back to 428 and complete the left half. Follow the instructions from*.

*ON CAM BOX SIDE, bind off 6 sts. after Row 428 (EVEN ROWS = SHOULDER SHAPING); 4 sts. after Row 429 (ODD ROWS = NECK SHAPING); 6 sts. after Row 430; 4 sts. after Row 431; 5 sts. after Row 432; 4 sts. after Row 433; 5 sts. after Rows 434, 436.

ON CAM BOX SIDE, bind off 3 sts. after Rows 356, 357, 358, 359; 2 sts. after Rows 360, 361, 362, 363, 364, 365; 1 st. after Rows 366, 367, 368, 369, 370, 371, 372, 373, then knit to Row 428, bind off the center 27 sts., put the needles on the left side into holding position and complete the right half first.


Increase 2 sts. for EACH DART after Rows in (). Increase 1 st. ON EACH SIDE after Rows 276 (276), 292 (292), 308 (308), 324 (324), 340, then knit to Row 356 (front section to Row 344).

Decrease 2 sts. for EACH DART after Rows in (), the first time, hang the 38th and 40th sts. ON EACH SIDE, onto the 39th needle. The following Dart decreases then increases lie directly above. Continue to decrease 1 st. ON EACH SIDE after Rows (210), 214, 220, 226 (226), 232, 238, (242), 244, 250, 256, (258), then knit to Row 276.

ON EACH SIDE, decrease 1 st. after Rows 58, 78, 98, 118, 138, 158, 178, 184, 190, 196, 202, 208.


ROWS 0 to 58: Knit even.

Cast on 167 sts. with color 1 and work Stockinette stitch.



Jac40 is a must

for fast easy knitting of
Jaquard and Ski-sweater
designs



The Programmer for Knitting machines. Simple to use and an essential tool for the modern knitter. JAC 40's are \$29.50 complete with 3 cards for practicing the 3 techniques, plus complete instructions.

Price \$29.50

Shipping Cost \$1.50 - California residents add sales tax.


Order direct from KNITKING -
1128 Crenshaw Blvd., Los Angeles, California 90019

DK 83-18

SIZE:	10 (Bust 31½"-32½")	12 (Bust 33"-34")	14 (Bust 35"-36")
YARN:	Crocus Crepe	Melodie	Melodie
50 gr. BALLS:			
Skirt:	9 color 1	9 color 1	10 color 1
Top:	4 color 1	4 color 1	5 color 1
	3 color 2	3 color 2	4 color 2
TENSION:	5 to 7	6 to 8	8 to 10
GAUGE:	2" 16 sts. 21 rows	15 sts. 20 rows	14 sts. 19 rows

The instructions are the same for all sizes. PATTERN: Skirt: Stockinette stitch. Top: Norwegian Design according to the Line Drawing. In the instructions, each row in the Norwegian Design is counted as 1 row, but several movements of the Cam Box are needed to complete 1 row. Collar and Bands: Stockinette stitch. DECREASES: On the skirt, hang the 4th st. onto the 3rd needle, then move the end sts. inward to fill the empty needle. Make Shapings for the TOP on the edge sts.

FINISHING: Block all sections. SKIRT: Weave the sections together 1 st. in from each edge. Turn under 14 rows on lower edge and 10 rows on the upper edge and hem in place. Insert elastic into hem at waist. TOP: Join the front and back sections at sides and the stitch at shoulders. Join the armhole bands and sew 1 edge to the inside and 1 edge to the outside of raglans. Sew shorter edge of Collar to neckline. Turn under 3/4" for collar hem. Crochet 2 rows single crochet along both edges of back opening and ends of Collar. Close with hook and eye.



Bring the needles on the left side into working position, knit 1 row in Pattern to the left, turn the Row Counter back to 208 and complete the left half. Follow the instructions from*.

*ON ARMHOLE SIDE, decrease 1 st. after Rows 210, 213, 216, 219, 222, 225, 228, 231, then knit to Row 233. Start NECK SHAPING and continue 1 st. decrease on ARMHOLE SIDE after Rows in (). Bind off 18 sts. after Row 233, (234); 4 sts. after Row 235, 237 (237), 239. After Row 240, hang the 3 remaining sts. together and bind off.


ON EACH SIDE, decrease 1 st. EVERY OTHER ROW after Rows 154 through 198, then decrease 1 st. ON EACH SIDE after Rows 201, 204, 207. After Row 208, put 33 needles on the left side into holding position and complete the right half first.

ON CAM BOX SIDE, bind off 8 sts. after Rows 152, 153.

ON EACH SIDE, increase 1 st. after Rows 88, 98, 108, 118, 128, 138, then knit to Row 152.

ON EACH SIDE, decrease 1 st. after Rows 24, 34, 44, 54, 64, 74, 84, then knit to Row 88.

Cast on 135 sts. and work the Norwegian Design.




□ - COLOR 1 ■ - COLOR 2



Turn the Row Counter back to 0 and REPEAT from * 18x more, then knit 8 rows of contrast waste yarn and remove the work from the machine.

*Knit to Row 5, then work Short Rows. ON OPPOSITE SIDE OF CAM BOX, put 30 needles into holding position after Row 5. ON OPPOSITE SIDE OF CAM BOX, bring back into working position, 6 needles after Row 7, 9, 11, 13, 15. Knit to Row 20.

Cast on 48 sts. with contrast waste yarn and work Stockinette stitch. Knit 8 rows then change to Color 1 and put the Row Counter at 0.



Cast on 160 sts. with Color 1 and work 16 rows Stockinette stitch, then bind off all sts.




Make the Front section the same as the Back section.

ON EACH SIDE, decrease 1 st. after Rows 38, 64, 90, 116, 142, 168, 194, 198, 202, 206, 210, 214, 218, 220, 222, 224, 226, 228, then knit to Row 248. Bind off all sts.

ON OPPOSITE SIDE OF CAM BOX, put 40 needles into holding position after Rows 28, 29. ON OPPOSITE SIDE OF CAM BOX, bring back into working position, 10 needles after Rows 30, 31, 32, 33, 34, 35, 36, 37.

ROWS 0 to 28: Knit even, then work Short Rows.

Cast on 150 sts. with color 1 and work in Stockinette stitch.



DK 8301

SIZE:	10 (Bust 31"-32")	12 (Bust 33"-34")	14 (Bust 36"-37")
YARN:	Regia	Amore	Dolly Dralon
50 gr. BALLS:	12 color 1 3 color 2	13 color 1 4 color 2	14 color 1 5 color 2
TENSION:	4 to 6	6 to 8	6 to 8
GAUGE:	2" 16 sts. 24 rows	15 sts. 23 rows	14 sts. 22 rows

The instructions are the same for all sizes. SKIRT: Stockinette stitch. PULLOVER: Mock Rib of 3 needles in working position and 1 needle in the out of work position as shown in Line Drawing — with color stripes as marked on the Chart. The out of work needles ARE counted in the stitch and row gauge. EDGES: Single crochet and reverse single crochet around lower edge, armholes and neckline of Pullover. INCREASES: Move the 2 end stitches 1 needle outward, then pick up the 3rd st. from the row below and hang it onto the empty needle. DECREASES: Place the 3rd st. onto the 2nd st. then move the end sts. inward to fill the empty needle.


FINISHING: Block all sections. SKIRT: Join seams together. Turn under 12 rows at waistline and hem to wrong side then crochet 4 belt loops and sew to skirt, make twisted cord with tassels for belt. Turn under 12 rows for lower hem and sew to wrong side. PULLOVER: Join side and shoulder seams. Work 1 row single crochet then 1 row reverse single crochet around neckline and armholes. Work 1 row single crochet on lower edge.



ON EACH SIDE, decrease 1 st. after Rows 46, 58, 70, 82, 94, 106, 118, 130, 142, 154, 166, 178, 190, 202, 214, 226, 236, 246, 256, 266, 276, 286, 296, 306, 316, 326, 336, 346, 356, 366, 376, 386, 396, 406, 416, 426, 436, 446, 456, then knit to Row 480 and bind off all sts. Make 3 more sections the same.

ROWS 0 to 46: Knit even.

Cast on 132 sts. and work Stockinette stitch.



Bring the needles on the left side into working position, knit 1 row to the left then turn the Row Counter to 242 and complete the left half. Follow the instructions from*.

*ROWS 243 to 252: Knit even, then bind off 15 sts.

ON CAM BOX SIDE, bind off 4 sts. after Rows 170, 171; 3 sts. after Rows 172, 173, 174, 175; 2 sts. after Rows 176, 177, 178, 179, 180, 181; 1 st. after Rows 182, 183, 184, 185, 186, 187, 188, 189. Knit to Row 242 (198 for Front section). Bind off the center 60 sts., put the needles on the left side into holding position and complete the right half first.

ON EACH SIDE, increase 1 st. after Rows 92, 102, 112, 128. Continue with color 2 after Row 132. Continue to increase 1 st. ON EACH SIDE after Rows 136, 144, 152, 160, 168.

ON EACH SIDE, decrease 1 st. after Rows 18, 26, 34, 42, 48, 54, 60, 66, 72, then knit to Row 92 and begin the color stripes.

ROWS 0 to 18: Knit even.

Bring 132 needles into working position, then push back every 3rd needle to the out of work position. With color 1, cast on over the remaining needles.

Bring the needles on the left side into working position, knit 1 row to the left, then turn the Row Counter back to 198 and complete the left half. Follow the instructions from*.

*ROWS 199 to 252: Knit even, then bind off 15 sts.

Work the Front section the same as the back section to Row 198. Bind off the center 60 sts. put the needles on the left side into holding position and complete the right half first.

baby lock

MODEL NO. 605. Fabulous Cut, Sew and Overlock machine. Perfect for the entire Family. List Price \$349.00



MODEL NO. 405.

New Style Cut and Overlock Machine. Specially for knit materials.

List Price: \$329.00
(California residents add Sales Tax)

Shipping charges: F.O.B. Los Angeles

DK 8299

SIZE:	12 (Bust 34"-35")	14 (Bust 36"-37")	16 (Bust 38"-39")
YARN:	Subita Crepe	Regia	Regia
50 gr. BALLS:	10 color 1 3 color 2	11 color 1 3 color 2	12 color 1 4 color 2
8 Buttons			
TENSION:	2 to 4	3 to 5	4 to 6
GAUGE:	2" 18 sts. 25 rows	17 sts. 24 rows	16 sts. 23 rows

The instructions are the same for all sizes. PATTERN: Stockinette stitch and a Holding Position Design according to the Line Drawing using two colors. Worn on the Knit side. DECREASES: Hang the 3rd st. onto the 2nd st. then move the end sts. inward to fill the empty needle. INCREASES: Move the 2 end sts. 1 needle outward, then place the 3rd st. from the row below onto the empty needle.

IMPORTANT NOTE: The scalloped edging is NOT SHOWN on the Charts. To make this edging at hemline, sleeve and neckline, the following instructions apply.

Cast on the specified number of stitches and using 1 tension number LOWER than the one you will use for garment, knit 1 row. Counting from the right (left for second section) put the 4th then every 6th needle into holding position and knit 7 rows. Bring all the needles back into working position. Turn Tension to garment number and knit 1 row. Put the same needles (the 4th, then every 6th) into holding position and knit 7 rows. Bring all the needles back into working position and knit 1 row. Hang the hem by picking up each cast on stitch and hang onto the machine (2 sts. on each needle) and place them behind the latches. With 1 tension number HIGHER than garment tension, knit 1 row, then turn the tension back to the one you will use to knit your garment.

FINISHING: Join center seam of back sections. Sew shoulder and side seams. Sew sleeves together and set in. FOR THE NECKLINE TRIM, with PURL side facing you, pick up 190 sts. around neckline from CENTER of Front Bands and work the scalloped edge, then BE SURE to fold over the 14 facing sts. before you bind off. Sew facings in place, finish buttonholes and sew on buttons.



Make the second front section with reverse shapings, casting on from RIGHT to LEFT. Cam Box will be on the LEFT side at Row 0. Omit the Buttonholes.

For SHOULDER SHAPING, ON CAM BOX SIDE, bind off 4 sts. after Rows 462, 464, 466, 468, 470, 472, 474, 476.


ON CAM BOX SIDE, bind off 6 sts. after Row 372; 3 sts. after Rows 374, 376, 378; 2 sts. after Row 380. Bind off 43 sts. for NECK after Row 381. ON CAM BOX SIDE, bind off 2 sts. after Rows 382, 384; 1 st. after Rows 386, 388, 390, 392, then knit even to Row 462.

Make BUTTONHOLES after Rows in () and ON CAM BOX SIDE, increase 1 st. after Rows 286 (290), 294, 302, 310, 318, 326, (330), 334, 342, 350, 358, (370). Knit to Row 372.

For the FRONT SIDE decreases, ALWAYS hang the 29th st. onto the 28th needle (counting from the left edge - [right for second section) and move the sts. over to fill the empty needle. Make BUTTONHOLES after given rows over needles 3 to 8 and 21 to 26 counting from the LEFT edge. ON EACH SIDE, decrease 1 st. after Rows 40, 50, 60, 70, 80, 90 (make BUTTONHOLES after Row 90), 100, 110, 120, 130 (make BUTTONHOLES after Row 130), 140, 150, 160, 170 (make BUTTONHOLES after Row 170), 180, 190, 200, 210 (make BUTTONHOLES after Row 210), 220, 230, 238, 246, (make BUTTONHOLES after Row 250), 254, 262, 270, then knit to Row 286.




ROWS 0 to 40: Knit even.

Cast on 126 sts. with color 1 and work the Scalloped edge, then cast on 14 sts. for facing on the LEFT side (right for second section). Turn the Row Counter to 0 and continue in Pattern stitch.



ON OPPOSITE SIDE OF CAM BOX, put into holding position, 48 needles at Row 0 and after Row 1. ON OPPOSITE SIDE OF CAM BOX, bring back into working position, 5 needles after Rows 2, 3, 4, 5, 6, 7, 8, 9; 3 needles after Rows 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25; 2 needles after Rows 26, 27, 28, 29, then knit to Row 34 and bind off all sts.

Cast on 113 sts. with color 1 and work the Scalloped edge, then turn the Row Counter to 0 and work in Pattern with Short Rows.



KK 5534

INFANTS SWEATER, CAP AND BOOTIES

SIZE:	3 months	6 to 9 months
YARN:	Regia	Allegro
50 gr. BALLS:	Variation 1	Variation 1
	3 color 1	4 color 1
	1 color 2	2 color 2
	Variation 2	Variation 2
	1 color 1	2 color 1
	3 color 2	4 color 2
TENSION:	4 to 6	4 to 6
GAUGE:	2" 16 sts. 24 rows	15 sts. 23 rows



Work the second back section with reverse shaping, casting on from RIGHT to LEFT. Cam Box will be on the LEFT side at Row 0.

ON CAM BOX SIDE, bind off 4 sts. after Row 462 (EVEN ROWS = SHOULDER SHAPING); 7 sts. after Row 463 (ODD ROWS = NECK SHAPING); 4 sts. after Row 464; 3 sts. after Row 465; 4 sts. after Row 466; 3 sts. after Row 467; 4 sts. after Row 468; 2 sts. after Row 469; 4 sts. after Row 470; 2 sts. after Row 471; 4 sts. after Row 472; 2 sts. after Row 473; 4 sts. after Row 474; 2 sts. after Row 475; 4 sts. after Row 476.

ON CAM BOX SIDE, bind off 6 sts. after Row 372; 3 sts. after Row 374 (increase 1 st. after Row 375); 3 sts. after Rows 376, 378; 2 sts. after Rows 380, 382, 384; 1 st. after Rows 386, 388, 390, 392, then knit to Row 462.

ON CAM BOX SIDE, increase 1 st. after Row 286 (EVEN ROWS = SIDE EDGE); 1 st. after Row 287 (ODD ROWS = CENTER BACK); 1 st. after Rows 294, 302, 310, 318, 326, 331, 334, 342, 350, 358, then knit even to Row 372.

ON EACH SIDE, decrease 1 st. after Rows 40, 50, 60, 70, 80, 90, 100, 110, 120, 130, 140, 150, 160, 170, 180, 190, 200, 210, 220, 230, 238, 246, 254, 262, 270, then knit to Row 286.


ROWS 0 to 40: Knit even.

Cast on 115 sts. with color 1 and work the Scalloped edge, then turn the Row Counter to 0 and continue in Pattern stitch.

The instructions are the same for both sizes. For variation 1, use JAC 40 and PATTERN NO. K629. For Variation 2, use the KNITTING Adjustable Needle Selector and follow the Line Drawing. PATTERN: Norwegian Design and Stockinette stitch. In the instructions, each row in the Norwegian Design is counted as 1 row although several movements of the Cam Box are needed to complete 1 row. INCREASES: Move the 2 and sts. 1 needle outward, then place the 3rd st. from the row below onto the empty needle. DECREASES: Place the 3rd st. onto the 2nd st. then move the sts. over to fill the empty needle.

FINISHING: Block all sections. SWEATER; Join fronts and back at sides and shoulders. Sew sleeves together and set in. Join the front bands and sew in place. Finish buttonholes and sew on buttons. Sew 1 edge of neckband to the inside and 1 to the outside of neckline.

BONNET: Weave the sts. of the crown together, then remove contrast waste yarn. Sew back seam of hat, then sew to crown. Make 2 pom-poms and 2 cords. Sew pom-poms to each end of cord with other end of cord to the bonnet. Booties: Weave the sts. together that are held on contrast waste yarn, then sew seams.




Continue to decrease 1 st. ON EACH SIDE after Rows 66, 70, 74, 78, 82, 88, then ON EACH SIDE, decrease 1 st. EVERY OTHER ROW 26 x more. After Row 144, bind off the remaining 27 sts.

ON EACH SIDE, decrease 1 st. after Rows 32, 38, 44, 50, 54, 58, 62, then begin PATTERN after Row 66.


ON OPPOSITE SIDE OF CAM BOX, put 30 needles into holding position after Rows 20 and 21. ON OPPOSITE SIDE OF CAM BOX, bring back into working position 6 needles after Rows 22, 23, 24, 25, 26, 27, 28, 29, 30, 31.

ROWS 0 to 20: Knit even, then work Short Rows.


Cast on 105 sts. with color 1 and work Stockinette stitch.




Cast on 74 sts. with color 1 and work 20 rows Stockinette stitch, making BUTTONHOLES after Row 5 over needles 11 and 12, 23 and 24, 35 and 36 counting from the RIGHT and again over the SAME needles after Row 15. After Row 20, bind off all sts. make another band the same but OMIT the buttonholes.



Cast on 90 sts. with color 1 and work 20 rows Stockinette stitch, then bind off all sts.



Color 1
Color 2



Work the second Front section with reverse shaping, casting on from RIGHT to LEFT. Cam Box will be on the LEFT side at Row 0.

ON CAM BOX SIDE, bind off 3 sts. after Row 125 (ODD ROWS = NECK SHAPING); 1 st. after Row 126; 2 sts. after Row 127; 1 st. after Rows 128, 129, 130, 131, 132, 133, 134, 135, 136, 137.


ON CAM BOX SIDE, decrease 1 st. after Rows 66, 70, 74, 78, 82, 88, then EVERY OTHER ROW 18x more. (Row 124).

ON CAM BOX SIDE, decrease 1 st. after Rows 32, 38, 44, 50, 54, 58, 62, then begin PATTERN after Row 66.

ON OPPOSITE SIDE OF CAM BOX, put 30 needles into holding position. ON OPPOSITE SIDE OF CAM BOX, bring back into working position, 6 needles after Rows 23, 25, 27, 29, 31.

ROWS 0 to 21: Knit even, then work Short Rows.

Cast on 50 sts. with color 1 and work Stockinette stitch.



Work the second sleeve section with reverse shaping, casting on from right to left. Cam Box will be on the LEFT side at Row 0.

Continue to decrease 1 st. ON CAM BOX SIDE and work Short Rows OPPOSITE CAM BOX. Decrease 1 st. ON CAM BOX SIDE after Row 152, put 3 needles OPPOSITE CAM BOX into HOLDING POSITION; decrease 1 st. ON CAM BOX SIDE after Row 154, put 3 needles OPPOSITE CAM BOX into holding position; decrease 1 st. ON CAM BOX SIDE after Row 156, put 3 needles OPPOSITE CAM BOX into holding position. After Row 158, bring all the needles back into working position and bind off all sts.


ON EACH SIDE, decrease 1 st. after Rows 102, 106, 110, 114, then every other row to Row 152.

ON EACH SIDE, increase 1 st. after Rows 80, 90, then knit to Row 102.

ON EACH SIDE, increase 1 st. after Rows 20, 30, 40, 50, 60, 70, then begin PATTERN after Row 80.


ROWS 0 to 20: Knit even.

Cast on 45 sts. with color 1 and work Stockinette stitch.



*Knit 2 rows, then work Short Rows. ON OPPOSITE SIDE OF CAM BOX, put into holding position 2 needles after Rows 2, 4, 6, 8, 10, 12, 14, 16, 18. After Row 20, bring all the needles into working position and REPEAT from * 8x more, ending with 1 row over all needles then remove the sts. onto contrast waste yarn.

With contrast waste yarn, cast on 20 sts. and work Stockinette stitch. Knit 8 to 10 rows, change to color 1, put Row Counter to 0 and continue Stockinette stitch with Short Rows.



ON OPPOSITE SIDE OF CAM BOX, put into holding position 2 needles after Rows 102, 103, 104, 105, 106, 107, 108, 109. ON OPPOSITE SIDE OF CAM BOX, bring back into working position 2 needles after Rows 110, 111, 112, 113, 114, 115, 116, 117. After Row 118, remove the stitches onto a stitch holder (contrast waste yarn).

ROWS 72 to 102: Knit even, then work Short Rows.


ON OPPOSITE SIDE OF CAM BOX, put into holding position, 2 needles after Rows 56, 57, 58, 59, 60, 61, 62, 63. ON OPPOSITE SIDE OF CAM BOX, bring back into working position 2 needles after Rows 64, 65, 66, 67, 68, 69, 70, 71.

ROWS 25 to 56: Knit even, then change to Stockinette stitch and work Short Rows.

ROWS 21 to 24: Knit even, then remove 20 sts. on the RIGHT side (left for second bootie) onto a stitch holder (contrast waste yarn) and begin the PATTERN Design.

ROWS 0 to 20: Knit even, then change to Stockinette stitch.

Cast on 40 sts. with color 1 and work K1, P1 Ribbing.



ROWS 26 to 66: Knit 4 rows color 1; 32 Rows PATTERN, then 4 Rows color 1. After Row 66, bind off all sts.

ROWS 0 to 26: Knit even, then change to Stockinette stitch and PATTERN Design.

Cast on 102 sts. with color 1 and work K1, P1 Ribbing.

CANADIAN READERS

Please note that KNITKING dealers based in the U.S.A. are unable to sell machines and accessories to residents of Canada. They are also unable to sell parts and service. Would all Canadian readers please contact the following appointed KNITKING dealer.

KNITKING Sales and Service
2243 Danforth Ave.
Toronto 13, Ontario
M4C 1K4



HP 3671 — A handsome zip-up Vest for your man is neatly finished with ribbed bands and large pockets. The belt is ribbed and buckled in front. Use Sport Prima for Sizes 36 and 40.



GARDEN PARTY TIME

KK 5433 — Tailored Pants and a cross-over Vest are good news for a small boy. . . and quickly knitted in Stockinette stitch . . . For Sizes 3, 4 and 6. All yarns are machine wash and dry.

MK 5435 — A polka dot Skirt with a plain Vest is the perfect duo for your favorite young girl. The Vest is in Stockinette stitch . . . the Skirt a Norwegian Design using two colors. Sizes 8, 10 and 12.





For Anytime

DK 8342 — A basic dark Dress becomes dramatic when topped with a Silver striped Jacket. The Dress is fitted softly and has short sleeves and a jewel neckline. Knit them both in Stockinette stitch for Sizes 10, 12 and 14.

DK 8348 — A striking Norwegian Design in 2 colors makes a pretty Top to be worn with a Stockinette stitch Skirt. The Collar is knitted with Short Rows to give a soft rounded covering over the bare shoulders. In Sizes 10, 12 and 14.








Morning noon or Evening Time

DK 8299 — A charming Polka Dot Dress has a scooped neckline . . . tiny sleeves . . . and boasts a delightfully pretty scalloped trim that is fun to make. It buttons down the front. The Pattern stitch is a Holding Position Design. Sizes 12, 14, 16.

DK 8301 — A long sweep of a Skirt is knitted in Stockinette stitch and worn over a skinny Mock Rib Top that is striped in two colors. Tie it all together with a two-color cord plus tassels, for a belt. Sizes 10, 12 and 14.



KK 5434 — A beautiful ensemble for the newest love in your family. Knit a Sweater, Bonnet and Booties . . . and you have your choice of two versions. Both are in a Norwegian Design using two colors. Size 3 months and 6 to 9 months.



KnitKING News

PRACTICAL KNITTING HINTS

DOUBLED NECK AND ARMHOLE BANDS

Many of our garments have a doubled neckband and armhole band where 1 edge is sewn to the inside and 1 to the outside of neckline or armhole. If you will change Tensions when knitting bands of this type, you will find they will fit better. For instance, the Dress and Jacket DK 8342 in this issue have doubled neckbands. The Jacket neckband has 50 rows. If you are using Tension 5 for the Jacket, you will begin and end the knitting of the neckband with this tension... so.. after casting on the specified number of stitches, knit 10 rows Tension 5, 10 rows Tension 4, 10 rows Tension 3, 10 rows Tension 4, 10 rows Tension 5. Now when you sew 1 edge to the inside and 1 to the outside, the neckband will hug the neck nicely. Do the same with the Dress neckband... Knit 4 rows Tension 5, 4 rows Tension 4, 6 rows Tension 3, 4 rows Tension 4, 4 rows Tension 5; the total of 22 rows needed for the band.

You can do this with ANY doubled neckband or armhole band and it can be used for doubled cuffs on a sleeve as well.

KNITKING CONVERTA TAPE

More and more knitters are discovering our CONVERTA TAPE and its many applications... Designed originally for the purpose of charting custom knits, it has a multitude of other uses. When used for charting knits, it is extremely simple to use in conjunction with the special Stitch and Row Gauge Paper available from KNITKING (8 sheets for \$2.00 plus 20¢ mailing costs).

The wide space at the end of the Tape is for taking a stitch (or row) gauge. To count the stitches (or rows) in the two inches, you set the sliding window (as shown in the illustration) over the number 14, then using the tape you measure the person for whom you are knitting a garment. Whatever the measurement is, you just look down at the number the pointer window is pointing to and that is the exact number of stitches or rows you need. Everybody at some time has trouble counting stitches and rows.... Some yarns and some colors make it difficult to see individual stitches especially when fancy stitches or fancy yarns are used. In the following Knitting Hint, we tell you how (using a CONVERTA TAPE) to obtain a perfect count WITHOUT COUNTING.....

THE SAMPLE SWATCH

Before you begin to knit any garment, you will need to knit a sample piece using the yarn you have chosen for your garment, so that you can check the stitch and row gauge which must measure the correct number of stitches and rows in 2 inches (5 cm).

For each Pattern in KNITKING MAGAZINE, we give you 3 Tension Numbers to work from and if you use the specified yarn for the garment, you should be able to get the correct stitch and row gauge using one of these numbers. Here is a very easy way to make your sample swatch and count the stitches and rows WITHOUT actually counting by using our KNITKING CONVERTA TAPE.


Supposing the Tension Numbers for the Stitch and Row Gauge are given as 5 to 7. Set the Tension Dial to the first number which is 5. With con-

trast waste yarn, and using the quick cast-on method, cast on 60 stitches and knit 10 rows. Change to garment yarn and turn the Row Counter to 0. Knit 30 rows. Counting from each end, knit the 10th stitch on each side by hand with a small piece of contrast yarn. Leave the needles in working position and knit 30 rows (Row 60), then knit 4 rows with contrast waste yarn. Turn the Row Counter to 0 and the Tension Dial to 6 and with garment yarn, knit 30 rows. Mark the 10th stitch on each side as you did before, knit 30 rows, then 4 rows with contrast waste yarn. Turn the Row Counter to 0 and with Tension 7, repeat the above once more ending with 10 rows of contrast waste yarn, then remove the work from the machine by passing the Slide across the needles without yarn (sometimes called 'dropping').

Pull and stretch the sample piece both lengthwise and diagonally from corner to corner, then lengthwise again. Do not count the stitches and rows immediately, but allow the sample to rest for several hours or even over night. This will allow the stitches and rows to return to their basic form.

When your sample has rested and you are ready to count the stitches and rows, the KNITKING CONVERTA TAPE will do the figuring for you without any counting on your part. Use the Tape as follows...

converta tape



Price\$9.50

To measure the stitches, pull out the Tape to measure BETWEEN the 40 stitches in the center that you marked by hand knitting with contrast yarn. Push the red marker on the Tape so that it points to 40 stitches on the tape. Your stitch gauge to 2 inches will show in the red window on the tape. To find the number of rows in 2 inches, place the tape to measure over 60 rows, push the red marker to 60 on the tape and your row gauge for two inches will show in the red window.... Easy...? If you do not get the correct stitch and row gauge in the first part of your sample, then try the other two.

If you do not own a KNITKING CONVERTA TAPE, you must mark a 2 inch square in the center of the knitting, then count the number of stitches and rows within the square.

SPECIAL ON WHIZ KING PATTERNS THIS ISSUE

We have 5 Pattern Reader Charts available in this issue. If you buy KNITKING YARNS, you get the Charts FREE as well as a discount on the yarns for each of the garments. In order to take advantage of the special savings, you must place your order before the end of August.

You can buy the Charts without using our Yarns... DK 8336 and DK 8345 Chart Sets cost \$2.00 each set plus 50¢ shipping. DK 8339, DK 8342 and DK 8441 are \$3.00 each set plus 50¢ shipping. The prices of all Kits including Yarns and Charts are:

DK 8342 - Yarn - Crocus Crepe and Beatrice Silver

SIZES:	10/12	14/16	18/20
50gr. balls Dress	13-C1	14-C1	15-C1
Jacket	4-C1	5-C1	6-C1
	5-C2	6-C2	7-C2
Regular price	\$21.97	\$23.66	\$25.35
	6.76	8.45	10.14
	<u>12.45</u>	<u>14.94</u>	<u>17.43</u>
Total	\$41.18	\$47.05	\$52.92
SALE PRICE:	\$17.55	\$18.90	\$20.25
	5.40	6.75	8.10
	<u>9.90</u>	<u>11.88</u>	<u>13.86</u>
TOTAL	\$32.85	\$37.53	\$42.21

DK 8339 - Yarn - Beatrice Crepe and Metallic

SIZES:	8	10	12
50gr. balls Pants	11-C1	12-C1	13-C1
Top	4-C1	4-C1	5-C1
	1-C2	1-C2	1-C2
Regular price	\$20.79	\$22.68	\$24.57
	7.56	7.56	9.45
	<u>4.50</u>	<u>4.50</u>	<u>4.50</u>
Total	\$32.85	\$34.74	\$38.52
SALE PRICE:	\$16.50	\$18.00	\$19.50
	6.00	6.00	7.50
	<u>3.50</u>	<u>3.50</u>	<u>3.50</u>
TOTAL	\$26.00	\$27.50	\$30.50

DK 8336 - Yarn - Crocus Crepe

SIZES:	10/12	14/16	18/20
50gr. balls Pul.	10	11	13
Skirt	9	10	11
Regular price	\$16.90	\$18.59	\$21.97
	15.21	16.90	18.59
Total	\$32.11	\$35.49	\$40.56
SALE PRICE:	\$13.50	\$14.85	\$17.55
	12.15	13.50	14.85
TOTAL	\$25.65	\$28.35	\$32.40

DK 8341 - Yarn - Beatrice Silver

SIZES:	10/12	14/16	18/20
50gr. balls	13	15	16
Regular price	\$32.37	\$37.35	\$39.84
SALE PRICE:	\$25.74	\$29.70	\$31.68

DK 8345 - Yarn - Subita Crepe

SIZES:	8/10	12/14	16/18
50gr. balls	8	9	11
Regular price	\$13.52	\$15.21	\$18.59
SALE PRICE:	\$10.80	\$12.15	\$14.85

Shipping costs for Kits DK 8339, DK 8341, DK 8335 are \$1.00 for each Kit and for DK 8336 and DK 8342 \$1.35 for each Kit. (California residents please add Sales Tax on merchandise only.)

'Tiger Atkin' the brightest sweetest most gentle Poodle that ever was... Sadly, we tell you that complications of old age caught up with our little Tiger and he passed away on May 2nd.

For 14 years and 3 months 'Tiger' was constantly by our side... it mattered not where or how uncomfortable as long as he was with us... he was a very important member of the KNITKING Corporation.

Always a gentleman and always our most cooperative photographic Model!... Many thousands of our customers got to know 'Tiger' through his pictures in national publications and as the official greeter here in our Los Angeles Center as well as the State and County Fair's. We all miss him terribly. We will miss his Birthday and Christmas parties and watching the clever way he untied and opened his gifts... graciously thanking every Aunt and Uncle with a soft kiss on the nose....

We miss his daily after lunch visit to each of his Aunt's and Uncle's desks for his treat of Doggie Candy... In a thousand ways, we miss him, most of all for his complete, unselfish love that knew no bounds and which we were privileged to have....

For our 'Tiger', we say to all the wonderful people that knew him, thank you for being his friends... and like us, please remember him with love... because you helped to make him our very special darling 'Tiger'....



NOTES TO KNIT BY . . .

STITCH AND ROW GAUGE

KNIT A SAMPLE SWATCH . . . before you begin to knit any garment . . . for this is the **MOST IMPORTANT STEP** toward the correct size and the proper fit of any garment you wish to make. You **MUST** use the **SAME YARN** for your sample swatch that you will use to knit your garment and your sample swatch must be knitted large enough and using several different tension numbers on your machine. When you have done this, then you can determine the number of stitches and the number of rows in a two-inch measure. **KNITTING MAGAZINE PATTERNS** give you 3 tensions to try and one of them should give you the correct stitch and row gauge if you are using the yarn we recommend or a similar weight yarn. Here is the way to make your sample swatch.

Cast on over a sufficient number of needles to produce a swatch at least 4 inches wide. (If the pattern calls for 16 stitches to 2", then 16 x 2 = 32 stitches to cast on). Now knit 4 inches of rows at the first suggested tension number. (If the pattern calls for 22 rows to 2", 22 x 2 = 44 rows to knit). Knit 2 rows using a contrast color, change to the next higher tension and with garment yarn knit another 4", knit 2 rows with contrast color, change to the 3rd higher tension and knit another 4" and then bind off.




Roll the swatch into a cylinder over its length and pull on both ends, unroll it and stretch it diagonally by pulling on the four corners. Allow the swatch to rest and settle (preferably overnight) and then using a stitch gauge or a ruler, count the number of stitches over a 2" width, then the number of rows over a 2" length in EACH of the 3 tensions. Select the tension number that produces the stitches and rows called for in the pattern. If none of them are correct, you are most likely using the wrong weight of yarn.




READING OF CHARTS


You will notice the instructions start at the bottom of the Chart and work UP. Follow the charts exactly as written and providing your sample stitch and row gauge is correct, your garment will come out the right size. Please remember that the section of garment as it is knitted on the machine, faces the same way as the Charts are in this magazine. Where two front pieces are needed, (or any other part of a garment that needs two sections) only one section is normally shown and the second section is usually made with reverse shaping. Set in sleeves are usually identical, but raglan sleeves have to be knitted with reverse shaping for the second sleeve.


READING OF SYMBOLS

To simplify Pattern Knitting, we use Symbols in the Line Drawings and the Chart Diagrams. In the Line Drawings the symbols are shown and are to be read as you look at them while knitting a garment. For instance, if

a Purl stitch faces you, the Purl stitch Symbol  is shown; if a knit stitch faces you (as when using the Ribber) then this Symbol  is shown. The Symbol  at the top of the Line Drawing is the center of the garment section and you use this as a guide for setting up the needles.

The following Symbols    are used for Eyelet Designs in the Line Drawings and also for Full Fashion shaping on the Charts. The Line Drawings have row numbers on the right side. Missing Row numbers are always knitted straight or plain.

In Holding Position Designs  selected needles are pushed into holding position for the stated number of rows. The numbers of rows appear at the right of the Line Drawings; Example: 1-4 means knit Rows 1 to 4; 5 to 7 means knit Rows 5 to 7, etc. This same Symbol is also shown on the Charts and is used for putting needles into holding position for Short Rows. The

Symbol  on the Charts is used to put needles back into working position when knitting Short Rows.

A number in a box stands for the number of rows to be knitted between shapings. Make shaping first, then knit the necessary number of rows. If for instance it reads:

1 st. 8 x




1 st. 10 x







As you will be reading the instructions from the bottom up, here is the way you will follow them: . . . Decrease or increase (depending on the direction of the garment outline) 1 st. at the row where the shaping begins, then knit 8 rows, make the next decrease, then knit 8 rows, until you have decreased (or increased) 1 st. 10 x and you have knitted 8 rows after each decrease (or increase) (1 st. 10 x +8 rows 10 x). Now begin the first decrease (or increase) for the shaping (which has to be made 8 x) in every 6th row. Decrease (or increase) 1 st. first, then knit 6 rows until you have decreased 1 st. 6 x and after each decrease (or increase) have knitted 6 rows (1 st. 8 x + 6 rows 8 x).

Where shapings are given without a boxed number as on most armholes, necklines, etc., make the shapings on every second row (on each side of course).




(See below for more Pattern Stitch Symbols.)



KNITTING PATTERN SYMBOLS



1. Cast on
2. Stockinette stitch - worn on the Knit side
3. Stockinette stitch - worn on the Purl side
4. Knit 1, Purl 1, Ribbing
5. Ribbing Pattern - worn on the Purl side
6. Ribbing Pattern - worn on the Knit side
7. Put on a stitch holder
8. Pattern Stitch
9. Knit Stitch
10. Purl Stitch
11. Needles back into working position
12. Empty needle (leave in working position)
13. Needle not used (in the out of work position)
14. Needle in holding position
15. Two stitches on 1 needle - either transferred from the right side or the left side, then put into holding position
16. Needle holding 2 stitches. Stitch has been transferred from the LEFT
17. Needle holding 2 stitches. Stitch has been transferred from the RIGHT
18. 3 stitches on 1 needle. The 1st and 3rd stitch in a group of 3 needles has been hung on the 2nd or center needle
19. Stitch
20. Row
21. Number of rows to be knitted between shapings
22. Bind off
23. Tension



24. Gauge
25. Reverse one section
26. On every other needle
27. & 28. Open Dart
29. & 30. Closed Dart
31. Short Row increase or decrease, for instance on flared skirt knitted sideways
32. Pattern stitch - worn on the Knit side
33. Pattern stitch - worn on the Purl side
34. Center of garment section
35. Work 1 (2 etc.) rows single crochet around edges
36. Turn to the wrong side and hem
37. Ease
38. Match numbers on sections for assembling
39. Hem
40. Fold line
41. Color number (example - C1 = Color 1)

The Roman numeral numbers shown on each garment section are as follows:

- I = Front
- II = Back
- III = Sleeve
- IV = Skirt Front
- V = Skirt Back
- VI = Collar
- VII = Pocket
- VIII = Band
- IX = Belt
- X = Cuff



it's a knitting table! it's a desk!

Your knitting machine folds away inside this handsome desk and it rises easily, on a spring loaded platform, anytime you wish to use it . . . The desk top slides back out of sight when you are knitting.

No need to dismantle your knitting machine when guests arrive unexpectedly . . . Just fold it back into the desk and you have instant, good looking furniture . . .

Beautifully made by West German craftsmen, KNITKING desks are available in three finishes: Natural Walnut, Natural Oak or Natural Fruitwood.

Measurements:

Length - 56½"

Height - 30"

Width 17"

Price F.O.B. Los Angeles

\$189.50

(california residents add sales tax); Freight Charges — F.O.B., Los Angeles.

