


knitking
magazine



Deck the
Halls With
Knitking
Fashions...



628 Sparkle

your way through the holidays
in a gorgeous two-piece outfit
that will make heads turn. Knit
the Fair Isle Design on a
standard or electronic machine
with fine Venetia and Lurex.
Sizes 6 to 12.





629
Christmas
Red

will help to make your holiday dress-up sensational. It's knitted with our Bulky Venetia on Electronic machine with Garter Carriage. You will love its simple but elegant look. 2 x 1 ribbing bands border the lower edge. Sizes Small and Medium.

KNITKING MAGAZINE - VOLUME 21, NO 4

627	WOMENS INTARSIA PULLOVER	13
628	WOMENS 2 PC. FAIR ISLE DRESS	14
629	WOMENS DRESS	16
630	WOMENS PULLOVER	16
631	WOMENS 3 PC. PAISLEY SUIT	18
632	WOMENS ENGLISH RIB PULLOVER	20
633	WOMENS PULLOVER WITH RIBBED SKIRT	20
634	WOMENS 2 PC. OUTFIT	22
635	WOMENS 3 PC. SUIT	23
636	WOMENS 2 PC. HOUNDSTOOTH OUTFIT	24
637	WOMENS PULLOVER AND SKIRT	26
638	WOMENS COAT	28
639	MENS SWEATER	30
640	MENS FAIR ISLE SWEATER	31
641	MENS 4 COLOR FAIR ISLE SWEATER	32
642	WOMENS RIPPLE JACKET	32
643	CHILDS COW PATTERN PULLOVER	34
644	CHILDS DINOSAUR PULLOVER	35
645	WOMENS STRIPED PULLOVER	36
646	WOMENS ANGORA PULLOVER	38
647	MENS SKI SWEATER	39
648	CHILDS SNOWMAN PULLOVER	40
649	TUCK STITCH AFGHAN	42
650	CHRISTMAS STOCKINGS	43
***	KNITKING NEWS	47

Cover

627 Holiday Happenings

Celebrate this festive season with us . . . Select your holiday knitting from our exciting Volume 21 Number 4 issue of KNITKING MAGAZINE. Our Cover Model is wearing a fantastic Intarsia Design Reindeer sweater, fun to knit on a Bulky machine. Angora makes the Reindeer furry and almost real to the touch.



There was a time when we, and other national distributors of knitting yarns, produced catalogues with an assortment of colors to be marketed over a period of several years. We intermittently introduced some new fashion colors, but the catalogue line remained constant. People generally fall into a pattern with clothes, to most, red is warm, blue is cold, and green is for redheads. Times are indeed changing. The decades of the seventies and eighties have seen almost a revolution in the use of colors in clothing. Designers realize the power of color. It has the capacity to cheer and depress, stimulate and tranquilize, provoke and antagonize. Colors are one of the richest experiences our senses offer; they can blend, they can be complementary, and they can be discordant. The human eye is capable of distinguishing some 10,000,000 varieties of color.

Fashion colors are definitely not hit and miss. At least twice a year in Paris, Milan, New York, and London, makers of wool, cotton, silk, and synthetics meet with design consultants from all over the world to decide on colors for future seasons. That is why you can visit any fashion center of the world, be it New York, London, Tokyo, Milan, California, Paris, or Melbourne, and find garments in identical fashion colors. A phenomenon when you know that a recent textile dye color atlas by Imperial Chemical Industries contained 27,850 colors. For these reasons, and others, KNITKING now changes colors in its range of yarns at least twice a year, and we urge our customers to use and experiment with them. The rewards of experimentation can be very gratifying.

Because our biggest selling color is white (a non-color), and because we agonize over the choosing of colors for garments in each issue of KNITKING MAGAZINE, we designed garments for our last issue (Volume 21-#3) with white as the predominant color. It is interesting to note that this issue turned out to be one of our most popular ever.

A revolution in knitting machine design came with the introduction of computerized machines, and the COMPUKNIT III represents the "State of the Art" in knitting machine design and function. More and more of our readers are trading up to it. They appreciate its tremendous existing versatility and potential for the future. Much of its potential can be realized by adding a Floppy Disk Drive. A strange name for a recording/playing device that plugs directly into the COMPUKNIT III. This enables the knitter to create original pattern stitches for retention and reuse, and to play pre-programmed disks in a quantity, size, and scope not approached by any other type of knitting machine.

With this edition of KNITKING Magazine we introduce a new service to readers . . . a programmed floppy disk that includes all the fancy stitch designs used for the garments in this issue. We aim to make it a continuing feature and you can find out more about it on page 42. On page 46, you will see an advertisement for a new book of 63 modern stitch designs and a pre-programmed disk, exclusively for the COMPUKNIT III machine.

The entire staff of the KNITKING organization takes this opportunity to wish our readers and customers a Happy Holiday Season and a Very Prosperous 1988.




630

Vision of Loveliness

Pebble and Angora combine to make up a gorgeous sideways knit pullover, and it's knitted on the Bulky machine. The bands are Venetia, knitted with Ribber on standard machine. You will need to practice your short rows to make this one but it sure is worth the effort. Sizes 8 to 14.





**631
Paisley
Perfection**

A lovely three piece Paisley Suit will take you everywhere. The Jacket and Skirt are a Paisley double knit design made on the Electronic machine. The Blouse is Stockinette stitch. Use our Venetia yarn and knit it in sizes 8 to 14.



632 Festive

Wear this elegant Pullover to any festive holiday party. English Ribbing on a standard machine using Venetia together with our Ribbon Foil is quickly knitted and ready to wear in a matter of a few hours. Trim it with a purchased applique or make up your own trim. A nice range of sizes from 8 to 16.





633 Perfection

For the larger figure, a softly draped two piece outfit is pleasing to the eye. An easy fit ribbed Skirt is topped with a Blouson that has dropped shoulders, flattering Collar and stripes on neck insert and lower edge of Skirt. Knit with Venetia in sizes 10 to 16.





634 Glamour Plus

Whoever thought Tuck knitting could look so glamorous . . . You double the length of the Tuck on any Electronic machine. The slim Skirt is topped with a full sleeved Blouse that has floating ribbed bands along each side for a pretty trim. Deep sleeve cuffs and high collar are ribbed. Knitted with Venetia in sizes 6 to 14.



635 Lovely Lace

borders the lower edge of a Skirt and is then isolated on the Blouse and the Jacket. It's the perfect ensemble for a holiday cruise when knitted with our easy to care for Roma. The sizes are 6 to 14.





636 Seasonless

Knit an easy fitting sleeveless
Dress with matching Jacket in a
Houndstooth Fair Isle Design.
The sleeves for Jacket are a
solid color in Stockinette stitch.
Knit it with our fine Venetia.






637
**Glorious
Glitter**

Light up your life wearing a sparkling Blouse knitted in a Fair Isle Design (you'll need your Ribber for no floats on the back). The Skirt is Stockinette stitch knitted sideways with Short Rows for soft flare on lower edge. A perfect Party Dress. Sizes 8 to 16. Venetia and Capriccio are the yarns.

General Instructions



THE PRINTED INSTRUCTIONS

Follow the printed instructions or use them in combination with the Charts. When there is any question in the instructions, you have the Charts to show you how the section will look.

Be sure to READ AHEAD so that you KNOW what to do for the size you are knitting. In the shapings, where the number of stitches are the same but the number of times different, you might find shapings like this...3 sts. 1 (2) [3]x - so that for the first size you will bind off 3 sts. 1x, 2nd size 3 sts. 2x, 3rd size 3 sts. 3x. Sometimes the ROWS will be different for each size-so you must watch out for different row numbers.

Shoulder and neck shapings for the back section of a garment usually are shaped at the same time-so ALWAYS WATCH for the words, AT THE SAME TIME.

HOLDING STITCHES ON THE LEFT SIDE WHILE SHAPING THE RIGHT SIDE

There are different ways to hold stitches on one side while completing the other side. Usually, we tell you to bind off the center sts. for neck and put the left side into holding position while completing the right side. The easiest way, and really the best for beginners, is to take a piece of RAVEL CORD and hand knit the center neck stitches, pulling them back against the needle bed of machine to the "A" or out of work position. The stitches remain in the HOOKS of the needles so you are really only knitting them HALF WAY. With another color of Ravel Cord, knit the remaining sts. on the left side in the SAME WAY.

It is important to protect these held stitches in some way-so you can either hang a REVERSING BAR so that the EYES of the bar go BETWEEN the Gate Pegs on the machine and that the UPPER TIPS of bar only show above the needle bed, OR the simplest way is to use a piece of 1" masking tape and GENTLY place it beneath the knitting-right below the Gate Pegs. DO NOT press the tape, only enough pressure to hold it in place. This will prevent the Carriage (or Slide) from marking the held section.

It is VERY IMPORTANT that you mark the PATTERN ROW where you divide for the split for NECK (or SHOULDER) shaping. If you are using a PUNCH CARD, mark the card-if you are using an ELECTRONIC machine, mark the design window. Also take note of the Row number for the division. When you are ready to work the left section, bring the HELD stitches back to "B" (working) position by pulling each end of the Ravel Cord GENTLY and ripping it off. Be sure to align all needles straight in the "B" or knitting position.

Now you are ready to REFER TO YOUR OWN INSTRUCTION MANUAL for your machine to set the controls to begin knitting the left half. The neck stitches can be bound off after completing the right side, or you can leave them in hold until each side is finished. Bind off or remove them onto contrast waste yarn ready to be picked up for knitting a neckband or for other finishing.

FULL FASHION DECREASING OR INCREASING

For stockinette stitch, use the Full Fashion method for decreasing or increasing (except for regular cap shaping on sleeves where you decrease the edge stitch). TO DECREASE: Hang the 3rd stitch onto the 2nd stitch, then move the end stitches in to fill the empty needle.

TO INCREASE: Move the 2nd end stitches 1 needle outward, then pick up the 3rd stitch from the row below and hang it onto empty needle.

PATTERN SYMBOLS

() Symbol for 2nd size.

[] Symbol for 3rd size.

There are up to 3 sizes given for Patterns in KNITTING MAGAZINE. For example, the Charts and printed instructions will show the cast on as - 124, first size, (132), second size, [140] third size.

☐ Needles in holding position.

☒ Needles back into working position

☑ Needle not used-in out of work position

3x1 The number in the box is the number of Rows between shapings. The

4 3x1 above the box gives the sts., and the number of times to make the decreases (or increases). For example: 3x1 over the box with 4 means- At the given Row number, *decrease 1 st., knit 4 rows* and REPEAT from * to * 2 times more for a total of 3 times in all. All decreasing (or increasing) WITHOUT ROW NUMBER IN BOX must be made on EVERY 2ND ROW.

THE SAMPLE SWATCH

Before you knit any garment, you must knit a sample swatch using the yarn you have chosen for your garment. If you do not get the correct Stitch and Row Gauge as given for a Pattern in KNITTING MAGAZINE, try different tensions. If you are using the specified yarn, you should be able to get the correct gauge using a smaller or larger tension. If you are using a different yarn, you may have to make several swatches, but the gauge is very important.


To make a sample swatch, Cast on 60 stitches with waste yarn and knit 6 rows. Mark the tension number for your sample swatch by making holes (you can do this with a Lace Carriage or by hand), 4 transfers for Tension 4, 6 transfers for Tension 6, etc. Knit 6 more rows.

Change to garment yarn and set Counter at 0. Knit 30 rows (in Stockinette stitch or Pattern stitch, according to the garment). With Contrast waste yarn, knit the 10th stitch FROM EACH SIDE by hand. Knit 30 rows. Change to waste yarn and knit 12 rows. Remove the sts. from the machine by pushing the Carriage (or Slide) across without yarn.

Pull and stretch the sample swatch both lengthwise and diagonally from corner to corner, then lengthwise again. Gently block the swatch (KNITTING PRESSING CLOTHS are great for this), or you can allow the sample to rest several hours or even over night so that the stitches can return to their basic form.

THE KNITTING STITCH/ROW GAUGE and STITCH/ROW CALCULATOR can be used to find the NUMBER OF STITCHES or ROWS TO 1". After knitting a sample swatch place the STITCH/ROW GAUGE horizontally with the

START LINE on the INSIDE of LEFT stitch mark on sample. Keep it straight then read the number on the Gauge directly below the inside RIGHT mark on Gauge. This will give you the STITCH GAUGE TO 1". For instance, if the number is 8, then you have 8 stitches to 1". To find the ROWS TO 1", measure from the first row of garment yarn, VERTICALLY to the last row. Read the NUMBER from the LOWER EDGE of



GAUGE, same as you did for stitches and if the number should be 14, you have 14 rows to 1".

THE STITCH/ROW CALCULATOR will now give you the number of sts. or rows needed for a specific measurement. Line the ARROW to the number 8 (8 sts. to 1"). Should you need 20 inches of stitches, find the number 20 below and right above the 20 the Calculator shows 160 sts. It works the same way for rows using the Row Gauge.

FINISHING

Gently block all sections-For PULLOVERS, JACKETS, and DRESSES: Join the front to back at shoulders and sides. Sew sleeves together and set in. Hem lower edge and sleeve edges if needed. For a double neckband or armhole band, sew 1 edge to inside and 1 to the outside of neck or armhole. For a single ribbed band, sew 1 edge to the outside of neck or armhole edge. For a cardigan or jacket with buttonholes, finish buttonholes and sew on buttons.

PANTS: Join front to back at sides. Sew inside leg seams, then join to center front and back. Make hem at waistline and inset elastic. Hem lower edge of pant legs.

ABBREVIATIONS

BO	Bind Off	L.C.	Lace Carriage
Carr.	Carriage	MB	Main Bed
CO	Cast on	Ndls.	Needles
Col.	Color	Pat.	Pattern
Dec.	Decrease	P	Purl
EON	Every Other Needle	RB	Ribber Bed
FNR	Full Needle Rib	R	Row
G.C.	Garter Carriage	St.	Stitch
G.S.	Garter Stitch	St. st.	Stockinette Stitch
HP	Holding Position	Strnd	Strand
Inc.	Increase	T	Tension
LC	Intarsia Carriage	W.Y.	Waste Yarn
K	Knit	WP	Working Position



627



WOMENS INTARSIA PULLOVER

YARN: Pearlyte, and assorted yarns

SIZES: One size fits all.

AMOUNT:

- Col. 1: Pearlyte 2 cones
- Col. 2: Glace 2 cones
- Col. 3: Isabella-green 3 balls
- Col. 4: Isabella-red 3 balls
- Col. 5: Angora-lt.bwn 3 balls
- Col. 6: Angora-dk.bwn 1 ball
- Col. 7: Angora-beige 1 ball
- Col. 8: Angora-md.bwn 1 ball
- Col. 9: Silkie-bwn. 1 oz.
- Col.10: Silkie-beige 1 oz.

KIT PRICE: \$160.00

TENSION: Intarsia T5, Back & Sleeves T3

Ribbing K1, P1 T 0/0 II

GAUGE:

Intarsia, 9 sts. 15 rows = 2"

St. st., 8 sts. 13 rows = 2"

Make on the BULKY Machine using Intarsia on front. Ribbing is K1, P1. For large drawing send \$1.00 and a large SASE.

BEFORE STARTING: YOU MUST MAKE A SAMPLE SWATCH FOR THE INTARSIA DESIGN AND ALSO A SAMPLE SWATCH FOR THE STRAIGHT STOCKINETTE STITCH. Each person differs in the way they pull down the yarn while working Intarsia. Making the swatches will let you know before you start whether the Back will be the same size as the Front. Change T if necessary.

FRONT:

W.Y. Cast on 100 sts. After several rows, end with 1 row Ravel Cord to the right. Change to MAIN COLORS (use 2 strands pearlyte and 2 strands Glace TOGETHER THROUGHOUT).

Knit 3 rows and set carriage for intarsia and begin Pattern. IN ORDER TO GET PROPER THICKNESS, use 3 strands Isabella, 1 strand of Angora, 3 strands Silkie. After row 116, mark each side with W.Y. After row 208, BO the center 34 sts. Place sts. on Left into HP and complete right side first. *Shape Neck and Shoulder AT THE SAME TIME. On Neck edge, BO 1 st. EOR 3x. On Shoulder, BO or use Short Row Method, 10 sts. EOR 3x. After row 214, remove remaining sts. on W.Y. Bring sts. on Left back into WP. Turn Counter back to 208 and knit to match right side. Follow instructions from *.

BACK:

St. st. T3: Main color yarns (2 strands each pearlyte and glace). OMIT INTARSIA DESIGN. Cast on same as front and knit to row 94. Mark each side with W.Y. for sleeve opening. After row 176, shape Neck and Shoulder same as front. After row 182, remove remaining sts. on W.Y.

SLEEVES:

St. st., T3: CLOSE 1 SHOULDER. Bring 100 ndls. to WP. With wrong side facing, hang sleeve edge between W.Y. markers, onto these ndls. With main colors, knit 100 rows. AT THE SAME TIME, on each side decrease 1 st. every 6th row 15x.

SLEEVE CUFFS:






K1, P1 Rib: With main colors, T 0/0 II, Cast on 39 sts. Knit 8 rows. Change Ribber controls to English Rib and knit 14 rows. Change controls back to K1, P1 and knit 8 rows. After row 30, transfer Rib sts. to MB. With wrong side facing, hang sleeve edge onto these ndls., decreasing evenly across. BO Loosely.


WAIST BAND:

Make 2: Cast on 75 sts. and knit same as sleeve cuff. After row 30, transfer Rib sts. to MB. With wrong side facing, hang lower edge of Front/Back onto these ndls. decreasing evenly across. BO Loosely.

FINISHING:

See General Instructions. With main colors, work 1 row single crochet around neck opening. Embroider yellow french knots in center of Poinsettia.





FRONT/BACK:

W.Y. Cast on 192 (200) sts. After several rows, end with 1 row Ravel Cord to the right. Change to Col. 1 and knit 1 row to the left. Set Pattern and knit 1 row to the right to select ndls. Set Carriage for Fair Isle, add Col. 2, and continue in Fair Isle Pattern. After row 142 (146), ON EACH SIDE, MARK WITH W.Y. for sleeve opening. After row 248 (256) BO the center 56 (58) sts. Place sts. on the left into HP, and complete the right side first. BE SURE TO MARK PLACE IN PATTERN SO YOU CAN RETURN TO CORRECT ROW. COMPUKNIT III owners Press M. *On Neck Edge, decrease 1 st. EOR 5 (6)x. After row 260 (270) BO or remove remaining sts. on W.Y. Bring the sts. on left back to WP. Return Pattern to Marked row and Counter back to 248 (256). Complete left side following instructions from *.

WAIST BAND:

Make 2 in Col. 1, K1,P1: Cast on 149 (157) sts. After selvedge, change to T 1.1/1.1 II and knit 40 rows. Transfer Rib sts. to MB. With wrong side facing, hang open sts. of front/back held on W.Y., onto these ndls. decreasing evenly across. Bind off Loosely.



WOMENS 2 PC. FAIR ISLE DRESS

YARN:

- Col. 1: Venetia
- Col. 2: Fine Lurex (2 strands together)

SIZES: 6/8 (10/12)

AMOUNT:


- Col. 1: 29 30 oz.
- Col. 2: 2 cones all sizes

KIT PRICE: \$78.00 80.00

TENSION: Pattern St., T4 Rib, 1.1/1.1 II

GAUGE: 17.5 Sts.
21.5 rows = 2" (5cm.)

Make on any Standard or Electronic machine with Ribber. COMPUKNIT III owners use Fair Isle Pattern 414 from Pattern Book.



NECK BAND:

Make 1 in Col. 1, K1,P1: **CLOSE 1 SHOULDER.** Cast on 155 (161) sts. After selvedge, change to T 1/1 I and knit 12 rows. Transfer Rib sts. to MB. Pick up first row to form hem. With wrong side facing, hang Neck Edge onto these ndls. and Bind Off Loosely. **CLOSE SECOND SHOULDER.**

SLEEVES:

Bring 192 (200) ndls. to WP. With wrong side facing, hang armhole edge between W.Y. markers onto these ndls. With Col. 1, knit 1 row to the left. Set Pattern and knit 1 row to the right to select ndls. With Col. 1 and Col. 2 begin Fair Isle Pattern, **BUT AT THE SAME TIME ON EACH SIDE, decrease 2 sts. EOR 5x, 1 st EOR 13x, 1 st. every 4th row 7x.** After row 154 (160), remove on W.Y.

SLEEVE CUFFS:

Col. 1, K1, P1: Cast on 65 (71) sts. After selvedge, change to T 1.1/1.1 II and knit 40 rows. Transfer Rib sts. to MB. With wrong side facing, hang open sts. of sleeve edge onto these ndls. decreasing evenly across. Bind Off Loosely.

SKIRT:






Make 4, K1,P1: Cast on 181 (191) sts with Col. 1. After selvedge, change to T 1/1 II and knit 10 rows. Transfer Rib sts. to MB and with Regular Carriage, knit 1 row to the left. Set Pattern and knit 1 row to the right to select ndls. Add Col. 2 and continue in Fair Isle Pattern. After row 322 (332) remove on W.Y.

SKIRT WAIST BAND:

Make 2, Col 1: **JOIN TWO SECTIONS OF SKIRT.** W.Y. Cast on 138 (144) sts. After several rows end with 1 row Ravel Cord to the right. Change to T5 and knit 28 rows St. st. Pick up first row to form hem. With Wrong side facing, hang the open sts. at top of Skirt Section onto these ndls., doubling sts. as needed to fit evenly across. Bind Off. **REPEAT FOR REMAINING 2 SKIRT SECTIONS.**

FINISHING:

See General Instructions. Close side seams of Top and Skirt. Steam Lightly.



A PERFECT CHRISTMAS GIFT...

DROP a hint to your family that you need a GARTER CARRIAGE. . . We have them for MODELS KH 860, KH 881, KH 890, KH 910 and COMPUKNIT III. Check our Christmas Sale literature for our low, low price and Bonus offer.

Order from your local dealer or direct from KNITKING at 1128 Crenshaw Blvd., Los Angeles, CA 90019.


629



WOMENS DRESS


YARN: Bulky Venetia
SIZES: Small Medium
AMOUNT: 34 36 oz.
KIT PRICE: \$55.00 58.00
TENSION: T10, Rib T9
GAUGE: 13.5 sts. 19 rows = 2"

Made on the COMPUKNIT III machine using Patterns 399 and 533 from Pattern Book. Ribbing is K2, P1 and Garter Stitch across the neck opening. Entire garment was made using the Electric Garter Carriage.




FRONT/BACK:
 W.Y. Cast on 128 (138) sts. After several rows, end with 1 row ravel cord to the left. Change to garment yarn and at T10 with Regular Carriage, knit 1 row to the right. Set Electric GC. Program Pat. 399 and continue in pattern, BUT AT THE SAME TIME ON EACH SIDE, increase 1 st. every 22nd row 9x. After row 204 (200), ON EACH SIDE increase 1 st. every 3rd row 22x (1 st. every 4th row 20x). After row 272 (278) Cast on 2 sts. on the right. After row 273 (279) Cast on 2 sts. on the left. Continue in Pattern. After row 332 (340) Program Pattern 537, and at T8, knit 20 rows. After row 352 (360) Mark with W.Y. for Neck Opening (See X on Chart). BO or remove on W.Y.


DRESS RIB:
 Bottom Trim. Pattern 533 in Pattern Book.
 K2, P1: Cast on 138 (148) sts. Program Pat. 533 and at T9 knit 32 (36) rows. REMOVE ON W.Y. Bring 128 (138) ndls. to WP. With RIGHT SIDE FACING, hang open sts. held on W.Y. for dress front/back. With WRONG SIDE FACING, hang open sts. of dress rib onto these same ndls. decreasing evenly across. BIND OFF LOOSELY.



SLEEVE BANDS:
 Make 2. CLOSE BOTH SHOULDERS OF DRESS. Bring 100 (112) ndls. to WP. With wrong side facing, hang sleeve opening onto these ndls. Starting at the left, T10, knit 1 row to the right. Program Pat. 537 at T8. Knit 10 rows. BO Loosely.



FINISHING:
 See General Instructions. Close side seams.



630




WOMENS PULLOVER

YARN:
 Col. 1: Pebble
 Col. 2: Angora
 Col. 3: Pebble
 Col. 4: Venetia
SIZES: 8/10 (12/14)
AMOUNT:
 Col. 1: 20 22 oz.
 Col. 2: 2 2 balls
 Col. 3: 8 8 oz.
 Col. 4: 4 4 oz.
KIT PRICE: \$79.00 82.00
TENSION: St. st. T3
 Ribbing T 0.1/0.1 II
GAUGE: 8 sts. 14 rows = 2"

Make on any BULKY Machine. Ribbing made on Standard machine. Instructions are for SHORT ROW METHOD. Body of pullover is knitted sideways. Purl side is the right side.

BACK:
 W.Y. Cast on 84 (88) sts. After several rows, end with 1 row Ravel Cord to the right. Change to Col. 1, knit 1 row to the left. With W.Y. mark ndl. 50 (52) for sleeve opening. Continue in St.

st. After row 40 (42), mark right side with W.Y. After row 100 (106), mark the right side with W.Y. After row 140 (148), mark ndl. 50 (52) with W.Y. and remove on W.Y.



FRONT:

W.Y. Cast on 84 (88) sts, same as back. Change to Col. 1, knit 3 (7) rows. With Carriage on left, begin short rows. On OPPOSITE side of carriage, bring to HP 2 sts. EOR 33x. After row 69 (73), knit 1 row over all ndls. to the right. On opposite side of carriage, bring 18 (22) ndls. to HP. With Col. 2 knit 2 rows over the 66 ndls. Bring to HP 2 ndls. 7x, BUT AT THE SAME TIME, after row 84 (88) change to Col. 3. Knit 2 rows over 52 sts. Bring all ndls. to HP. Push back to WP 2 ndls. EOR 25x, AT THE SAME TIME, after row 106 (108), shape neck. On Neck Edge, BO 1 st. EOR 5 (6)x. After row 136 (140), bring to HP 2 sts. EOR 25x. AT THE SAME TIME, after row 156 (160), on Neck edge, Cast on 1 st. EOR 5 (6)x. After row 186 (190), with all ndls. in HP, knit 2 rows over 52 sts. ONLY. After row 188 (192), change to Col. 2. Push back into WP 2 sts. EOR 7x. Change to Col. 1 and knit 1 row over all ndls. Carriage on the left, bring all ndls. to HP. Push back into WP 18 (22) ndls. Knit 2 rows. Push back into WP 2 sts. EOR 33x. After row 270 (274), knit 4 (8) rows over all sts. After row 274 (282) mark with W.Y. for sleeve opening. Remove on W.Y.

SLEEVES:

CLOSE ONE SHOULDER. Bring 100 (104) ndls. to WP. With PURL side facing, hang front/back between sleeve markers onto these ndls. With Col. 2 knit 8 rows. AT THE SAME TIME, decrease 1 st. EOR 2 (4)x. After row 8, change to Col. 1 and knit 2 rows. Begin short row sections from 1 to 29. Follow Chart. Please remember, ALWAYS DECREASE SHORT ROWS FIRST, then Increase short rows.

SECTION 1-4: Mark each 24th ndl. Bring all ndls. to HP except the first section of 24 ndls. (Sec. 1). With Col. 1, knit 1 row to left. Wrap in normal way. On right side, opposite carriage, bring to HP 1 ndl. Knit to right. **AUTOMATIC SHORT ROW METHOD USED.** *On same side of yarn carriage, pull 1 ndl. out to HP. Knit 1 row*. Repeat from * to * for a total of 12x. Knit Sec. 2,3, and 4 the same way as you knitted Sec. 1.

INCREASE SHORT ROWS: To do increase short rows, push 2 ndls. to WP, knit 1 row, then bring 1 out to HP = 1 ndl. knitted.

SECTION 5: All ndls. in HP. *Push 2 ndls. to WP, knit 1 row to the left. On same side, pull 1 ndl. out to HP and knit 1 row to the right*. Repeat from * to * for a total of 12x.

SECTION 6: All ndls. in HP. Push back 2 ndls. into WP. Knit 1 row to the left. On same side of yarn carriage, pull 1 ndl. to HP and *at opposite side of carriage push 2 ndls. to WP. Knit 1 row, and at same side of yarn carriage pull 1 ndl. out to HP*. Repeat from * to * for a total of 12x. Continue sections in numerical order by following Chart.

After R 34, using Col. 3, knit 10 rows. After R 44 (46), follow Chart to R 68 (70). Change to Col. 1, knit 10 rows. After 78 (82) complete sections. After R 102 (106), change to Col. 3. Knit 2 rows and remove on W.Y.

SLEEVE CUFFS:

K1, P1: With Col. 4, Cast on 79 (83) sts. After selvedge, change to T 0.1/0.1 II and knit 60 rows. Transfer Rib sts. to MB. With knit side facing, hang sleeve edge onto these ndls. decreasing evenly across. BO.

WAIST BANDS:






K1, P1 Make 2: With Col. 4, Cast on 161 (171) sts. and knit 60 rows. Transfer Rib sts. to MB, and hang lower edge of Back/Front onto these ndls. BO Loosely.

NECK BAND:

K1, P1: Cast on 191 (199) sts, and knit 40 rows. Pick up 1st row to form hem and knit 1 row across all sts. Remove on W.Y.

FINISHING:

See General Instructions. Sew neck band to neck opening. Close side seams.



631



WOMENS 3 PC. PAISLEY SUIT

YARN:

Col. 1: Blue Fine Venetia
 Col. 2: Black Fine Venetia
 SIZES: 8/10 (12/14)

AMOUNT:

Col. 1: 30 32 oz.
 Col. 2: 30 32 oz.

KIT PRICE: \$120.00 126.00

TENSION: 2 pc. Suit-FNR 4/4, lili buttons. Hems and Neck Band 2/2 II

Blouse- St. st 2.1, Rib 0/0 II

K1,P1 Ribbing for Waist Band

GAUGE:

FNR, 18 sts. 50 rows = 2"

Blouse- 20 sts. 31.5 rows = 2"

NOTIONS: 1" elastic for waist band.

Make on the COMPUKNIT III Machine with Fair Isle Pattern #6, 900 Ribber, and Color Changer. Pattern is an 80 stitch repeat design, but you can substitute a similar design and knit the suit on any machine.

NOTE: FNR design has no floats. For detailed instructions on how to knit using this technique refer to KNITTING NEWS in this issue.

JACKET BACK:

FNR, Col. 1: Cast on 189 (199) sts. After selvedge, knit 16 rows T2/2 II, ending with carriage on the LEFT. Program pattern, set KC, and continue in Pattern, changing between Col. 1 and Col. 2. **AT THE SAME TIME, ON EACH SIDE, decrease 1 st. every 20 rows 9x.** After row 210, **ON EACH SIDE, increase 1 st. every 20 rows 9x.** After row 404 (416), shape armhole. **ON EACH SIDE, BO 8 (9) sts. 1x, 1 st. EOR 9x, 1 st. every 4th row 13 (14)x.** Knit to row 606 (630). Transfer Rib sts. to MB and knit 1 row.

Mark shoulders 37 (39) sts. in from each side and remove each section on W.Y.

JACKET FRONT:

FNR, Make 1, Reverse 1: With Col. 1 Cast on 95 (101) sts. Follow technique for back. Knit in Pattern, and **AT SAME TIME, on armhole side, decrease 2 sts. every 44 rows 4x.** After row 210, increase 2 sts. every 44 rows 4x. **BUT AT THE SAME TIME, after row 268 (280), at Neck edge decrease 2 sts. every 20 rows 14 (15)x.** **AT THE SAME TIME, after row 404 (416), shape armhole.** BO 8 (10) sts. 1x, 2 sts. every 4th row 4x, 2 sts. every 8th row 7x. Knit to row 606 (630) and remove on W.Y.

JACKET SLEEVE:

FNR, Col. 1: Cast on 71 (79) sts. Follow technique for back. Knit in Pattern and **AT SAME TIME, ON EACH SIDE, increase 1 st. every 14th row 26 (27)x.** After row 388 (400), shape cap. **ON EACH SIDE, BO 3 sts. 1x, 2 sts. 1x (3 sts. 2x), 2 sts. every 4th row 3x, 1 st. every 4th row 5 (6)x, 1 st. every 8th row 19 (20)x, 3 sts. every 4th row 2x, and 4 sts. every 4th row 1x.** After row 588 (612), BO.

JACKET NECK BAND:

FNR, T2/2 II: With Col. 1 Cast on 11 sts. over 9. Knit to row 512 (530), mark, and continue with Col. 1 to row 1024 (1060). BO.

FINISHING:

Weave shoulder and side seams. Gather sleeve caps and set in sleeves. Sew band along front edge placing W.Y. marker at center of back.

SKIRT:




FNR, Make 2: With Col. 1, Cast on 181 (191) sts. Follow technique for jacket back. Knit in Pattern to row 480. **ON EACH SIDE, decrease 1 st. every 20 rows 6 (7)x.** Knit to row 605 (629). Transfer Rib sts. to MB. With T4, knit 1 row.

WAIST BAND:

With Col. 1, T1, knit St. st. to row 656 (680). Pick up first row, Col. 1, to form hem. BO Loosely.

FINISHING:

See General Instructions. Insert elastic in waist band.



BLOUSE:

W.Y. Cast on 190 (200) sts. After several rows, end with 1 row Ravel Cord to the RIGHT. Counter at 0. Change to Col. 2, and continue in St. st. T2.1. After row 172 (180), mark EACH SIDE WITH W.Y. for setting in sleeve. After row 290 (304), BO the center 76 (80) sts. Place sts. on the left into HP and complete the right side first. *SHAPE SHOULDER and Neck at the same time. On NECK EDGE, BO 1 st. every 3rd row 7x, and for shoulder BO or use Short Row Method, 5 sts. EOR 10X (4 sts. EOR 11x, 9 sts. 1x). After row 312 (326), remove remaining sts. on W.Y. Bring the sts. on the left back into WP and turn Counter back to 290 (304). Complete left half following instructions from *.

NECK BAND:


CLOSE ONE SHOULDER FIRST. Bring 172 (180) ndls. to WP. With WRONG side facing, hang Neck opening onto these ndls. With Col. 2, T 2.1, knit 20 rows St. st. Pick up first row to form hem and BO Loosely. CLOSE SECOND SHOULDER.

SLEEVE BANDS:


Make 2. Bring 124 (132) ndls. to WP. With WRONG side facing, hang armhole opening onto these ndls (between W.Y. markers). With T 2, knit 20 rows St. st. Pick up first row to form hem and BO Loosely.

WAIST BAND:


Make 2. K1,P1. T 0/0 II: Cast on 161 (169) sts. Knit 56 rows. Transfer Rib sts to MB. With wrong side facing, hang open sts. of front/back onto these ndls. decreasing evenly across. BO Loosely.



WAIST BAND MAKE 2



SLEEVE BAND MAKE 2



FINISHING:


Join side seams. Weave edges of neck band together.

YOUR PUNCH CARD BULKY NEEDS AN INTARSIA CARRIAGE

The P.C.B. INTARSIA CARRIAGE is made only for the Punch Card Bulky knitter. With it, you can knit large pictures, Argyle designs, or random blocks of different textures in as many colors as you wish without strands of yarn (floats) carried over the purl side of your knitting. When knitting Intarsia Designs, the INTARSIA CARRIAGE replaces the main carriage of your knitter. . . It has a tension control dial on your machine and it comes complete with a detailed Instruction Manual in English, Spanish, German, French, and Italian.

PRICE: \$54.95 plus \$2.50 shipping. . .

Order from your local dealer or direct from KNITKING at 1128 Crenshaw Blvd., Los Angeles, CA 90019



632



WOMENS ENGLISH RIB PULLOVER

YARN:
 Col. 1: Venetia
 Col. 2: Ribbon Foil
SIZES: 8/10 (12/14) [16]
AMOUNT:
 Col. 1: 28 30 32oz.
 Col. 2: 1 spool for all sizes
KIT PRICE:
 \$69.00 73.00 77.00
TENSION: English Rib 4/4 I
 K1, P1, Rib 1/1 II
GAUGE: 16.5 sts. 29 rows = 2"
NOTIONS: Appliques, not included in kit price




Make on any Standard Machine with Ribber. English Rib is knitted with 1 strand of Col. 1 and Col. 2 together. 1 strand of Venetia for K1,P1 Ribbing.

FRONT/BACK:
 K1,P1 Rib: T 1/1 II.
 With Col. 1, Cast on 167 (177) [187] sts. After selvedge, change to T 1/1 II. Counter at 0. Knit to row 60. **SET MACHINE FOR ENGLISH RIB.** With Col. 1 and Col. 2 (together) knit to row 194 (200) [206]. Mark each side with W.Y. Knit to row 356 (370) [384]. Mark for **NECK OPENING** at 73 (77) [81], then BO or remove each section on W.Y.

SLEEVE:
 English Rib 4/4 I.
 W.Y. Cast on 152 (158) [164] sts. After several rows end with 1 row Ravel Cord to the right. Counter 0. Change to Col. 1 plus Col. 2. **ON EACH SIDE,** increase 1 st. every 18th row 10x (11x) [1 st. every 17th row 12x]. After row 192 (200) [208] remove on W.Y.

SLEEVE BAND:
 K1, P1, Rib: T 1/1 II Make 2. With Col. 1, Cast on 75 (81) [87] sts. After selvedge, Counter 0, change to T 1/1 II and knit to row 60. Transfer rib sts. to MB. With wrong side facing, hang open sts. of sleeve edge onto these ndls. decreasing evenly across. Bind off loosely.

FINISHING:
 Weave both shoulder seams. Weave sleeves to armhole opening. Sew side seams. Single crochet neckline. Sew on appliques.



WOMENS PULLOVER WITH RIBBED SKIRT



633



YARN:
 Col. 1: Medium Fine Venetia
 Col. 2: Venetia
SIZES: 10/12 (14/16)
AMOUNT:
 Col. 1: 22 23 oz.
 Col. 2: 13 14 oz.
KIT PRICE: \$70.00 73.00
TENSION: ST. st. T5
 Ribbing, See Chart
 Bands & Cuffs, T 0.2/0.2 II
GAUGE: 15 sts. 23 rows = 2"

Make on any Standard Machine with Ribber Attachment.

SKIRT WAIST BAND:
 Bring 134 (140) ndls. to WP. With **WRONG** side facing, hang open sts. from skirt top onto these ndls, decreasing evenly across. At T5, knit 38 rows. Pick up first row to form hem and BO Loosely.



SKIRT:

Make 2. FNR: With Col. 1, Cast on 190 (200) sts. Knit 4 rows of selvedge at T 4/4 II, and transfer sts. beginning from 4th ndl. on ribber, putting 5 sts. out of WP, 5 sts. in WP. BE SURE TO HAVE ON RIBBER 5 out of work, and 5 in WP. All ndls. on MB are in WP. Change to T 5/5 II and arrange MB and Ribber Needles as specified on Chart. After R 24, change to Col. 2 and knit 10 rows. Change to Col. 1 and knit 10 rows. Change to Col. 2 and knit 10 rows. Change to Col. 1 and knit to row 64. Change to T 4/4 II, and knit to R 250. Change to T 3.2/3.2 II. Knit to R 300. Change to T 3.1/3.1 II. Knit to R 320. Change to T 3.3 II and knit to R 360 (370). Transfer Rib sts. to MB and remove on contrast W.Y.

FRONT TOP:

K1, P1 Rib: With Col. 1, Cast on 155 (165) sts. At T 0.2/0.2 II, knit 60 rows. Transfer Rib sts. to MB. Add 1 st. on the right side. Change to Col. 2, and continue in St. st. at T5. After R 140 (150) divide in center. Place sts. on W.Y. or bring to HP and complete right side first. *On Neck edge, BO 1 st. every 5th row 27 (28)x BUT AT THE SAME TIME after R 166 (170), mark with W.Y. for sleeve opening. After R 286 (296), BO or remove remaining sts. on W.Y.* Bring ndls. on the left back to WP. Turn Counter back to 140 (150) and knit to match right side. Follow instructions from * to *.

BACK TOP:

SAME AS FRONT BUT OMIT V NECK SHAPING.

SLEEVES:

CLOSE 1 SHOULDER.

Bring 160 (168) ndls. to WP. With wrong side facing, hang FRONT/BACK between W.Y. markers onto these ndls. With Col. 2, knit in St. st. ON EACH SIDE decreasing 1 st. EOR 5x. After R 10, ON EACH SIDE decrease 1 st. every 10 rows 14x. After R 150 (156), remove on W.Y.

SLEEVE CUFFS:

K1, P1 Rib: With Col. 1, Cast on 77 (83) sts. Knit 60 rows. With wrong side facing, hang open sts. of sleeve edge onto the ndls. decreasing evenly across. BO Loosely. CLOSE 2nd SHOULDER and complete 2nd sleeve in same manner.

COLLAR:









Make 1. FNR: With Col. 1, Cast on 110 (114) sts. After selvedge, change to T 5/5 II and knit 60 rows. Transfer Rib sts. to MB, and remove on W.Y.

V NECK TRIM:

FNR: With Col. 1, Cast on 46 sts. ON EACH SIDE decrease 1 st. every 4 rows 22x. Alternate Col. 1 & Col. 2 every 10 rows (See Chart). After R 90, BO the remaining 2 sts.

FINISHING:

See General Instructions. Sew Trim and Collar to Neck opening.





TWO PIECE OUTFIT

YARN: Venetia
SIZES : 6 (8/10) [12/14]
AMOUNT: 32 35 38 oz.
KIT PRICES:
 \$66.00 72.00 78.00
TENSION: Tuck St. T 5
 FNR 5/5 II
 Reg. Rib, 1/1 II
GAUGE:
 15 sts. 29 rows = 2" (5cm.)

Make on **ELECTRONIC** Machine using No. 4 Key (double length) throughout pattern. Bands are ribbed, note tension changes. Purl side is the right side.

TOP FRONT:
 Cast on 148 (156) [164] sts. Knit 70 rows. Transfer Rib sts. to MB. Knit 1 row to the left. Set Tuck Pattern, for **DOUBLE** length (#231 in pattern book on Compuknit III). From right and from left, counting from side edge, mark ndls. 32. See Chart. Continue in Tuck St. Pattern. After row 194 (202) [210], mark **EACH** side for armhole opening. After row 300 (314) [328] **BO** the center 22 (26) [30] Sts. Place sts. on the left into HP and complete the right side first. On neck edge, **BO** 1 st. **EOR** 15x.
 After row 332 (346) [360], counting from side edge, mark ndls. 32 with W.Y. and remove on W.Y. Bring sts. on the left back into WP. Turn row counter back 332 (346) [360]. Reset Pattern, and complete the same as right side.

TOP BACK:
 Same as front, but omit Neck shaping.

DROP STITCH, COUNTING FROM SIDE TO NO. 32 AND UNRAVEL IT DOWN TO ROW 70 (RIBBING) AND SECURE. CLOSE BOTH SHOULDERS.

SLEEVES:
 Bring 144 (152) [160] ndls. to WP. With Purl side facing, hang sleeve edge from mark to mark. Knit 1 row to the left and set Tuck Stitch Pattern. **ON EACH SIDE**, decrease 1 st. every 20th row 8x (every 19th row 9x) [every 18th row 10x]. After row 168 (174) [180], remove on W.Y.

SLEEVE CUFFS:
 K2/P2 T 1/1 II.
 Cast on 70 (76) [82] sts. Knit 70 rows. Transfer Rib sts. to MB. With wrong side facing, hang sleeve edge onto these ndls. decreasing evenly across. Bind off **LOOSELY**.









NECK BAND:
 K2/P2 T 3/3 II.
 Cast on 182 (190) [198] sts. Knit 20 rows. Change to T 2/2 II and knit 30 rows. Change to T 1/1 II and knit 20 rows. Transfer Rib sts. to MB and knit 1 row St. st. over all ndls. Remove on contrast W.Y.

SIDE BANDS:
 K2/P2 T 1/1 II Make 4.
 Cast on 182 (190) [198] sts. Knit 70 rows. Transfer Rib sts. to MB and knit 1 row St. st. over all sts. and remove on W.Y.

SKIRT:
 FNR T 5.5 II.
 Cast on 140 (148) [156] sts. (24 3/4") Knit 14 rows. Transfer Rib sts. to MB and knit 1 row to the left. Set Tuck Stitch Pattern. Continue in pattern to row 292 (306) [320]. **ON EACH SIDE**, decrease 1 st. every 10th row 7x. After row 362 (376) [390] remove on W.Y.

WAIST BAND:
 Make 2.
 Bring 116 (124) [132] sts to WP. With wrong side facing, hang open sts. of skirt onto these ndls. decreasing evenly across. Knit 34 rows. Pick up 1st row to form Hem and Bind off **LOOSELY**.

FINISHING:
 See General Instructions. Weave Neck Band to Neck opening. Weave side bands along line made by dropped stitch.





635



WOMEN'S 3 PC. SUIT

YARN: Roma
SIZES: 6/8 (10/12) [14]
AMOUNT: 32 33 34oz.
KIT PRICE:
 \$40.00 41.00 42.00
TENSION: 4.1 FNR 4.1/4.1
 K1,P1 0/0 II

GAUGE:
 16 sts. 21 rows = 2" (5cm.)
NOTIONS: 5 buttons required
 Make on any Standard Punch Card or Electronic Machine with Ribber. Pattern is isolated lace for Blouse and Jacket. Skirt has Lace border. Ribbing is FNR and K1, P1.
COMPUKNIT III owners "INPUT" PATTERN EXACTLY AS SHOWN.

SKIRT:
 FNR, Make 2.
 Cast on 144 (152) [160] sts. After selvedge, knit 14 rows. Set Lace pattern and continue in lace. After row 124, continue in St. st. After row 250 (260) [270], ON EACH SIDE, BO 1 st. every 10th row 7x. After row 320 (330) [340] remove remaining sts on W.Y.

SKIRT WAIST BAND:
 Make 2.
 Bring to WP 124 (130) [136] ndls. With WRONG SIDE FACING, hang open stitches of skirt onto these ndls. decreasing evenly across. Knit 36 rows St. st. Pick up first row to form hem and BO.

BLOUSE FRONT:
 K1,P1 Rib: Cast on 139 (147) [155] sts. After selvedge, change to T 0/0 II. Knit 50 rows. Transfer Rib sts to MB. Add 1 stitch on the right. Knit 2 rows St. st. Set Lace pattern. COMPUKNIT II (910) machines program exactly as shown in 'Houses', and set Mylar sheet.

COMPUKNIT III machines use Selector 2, and place 1 Motif beginning on Yellow 33 and 1 Motif beginning on Green 13. Continue in Lace pattern to row 174 (180) [186]. MARK EACH SIDE with W.Y. for armhole. After row 244 (252) [260], BO center 26 (28) [30] sts. MARK your place on pattern and knit remaining sts. on left back into 'A' Position. Complete right side first. *On Neck Edge, BO 1 st. EOR 15 (16) [17]x. After row 280 (290) [300], BO or remove remaining sts. on W.Y. Bring sts. on left back into WP. Turn counter back to 244 (252) [260]. Be sure you are on correct line of pattern and knit left side to match right reversing shaping. Follow instructions from *.





BLOUSE BACK:
 NO LACE, NO NECK SHAPING. Same as FRONT to row 50. Change to St. st. and continue to row 280 (290) [300], stopping once to Mark for sleeve opening after row 174 (180) [186]. Mark for neck opening and remove on W.Y.

BLOUSE ARM HOLE BANDS:
 FNR, Make 2. Cast on 140 (146) [152] sts. After selvedge, change to T4 1/4.1 II and knit 20 rows. Transfer Rib sts. to MB. Knit 1 row over all sts. and remove on W.Y.

BLOUSE COLLAR:
 FNR: Cast on 106 (112) [118] sts. After selvedge, change to T4.1 1/4.1 II. ON EACH SIDE, INCREASE 1 st. EOR 12x. Transfer Rib sts. to MB and knit 1 row over all ndls. Remove on W.Y.

FINISHING:
 See General Instructions. Weave shoulders together. Join sleeve bands to armhole opening. Join collar to neck opening. Close side seams.

JACKET BACK:
 K1,P1 Rib; Cast on 155 (163) [171] sts. After selvedge, change to T 0/0 II, and knit 52 rows. Transfer Rib sts. to MB and add 1 st. on the right. Change to Normal setting and continue in St. st. After row 172 (178) [184], ON EACH SIDE, BO 8 sts. Continue in St. st. After row 292 (302) [312], MARK EACH SIDE of neck opening with W.Y. and BO or remove on contrast W.Y.



JACKET FRONT:

Make 1, reverse 1.
LEFT SIDE: START AT NEEDLE 77 (81) [85] **TO THE LEFT OF 0.** Cast on for K1,P1 Rib 77 (81) [85] sts. After selvedge, change to T 0/0 II and knit 52 rows. Transfer Rib sts. to MB. Add 1 st. on the left. Knit 2 rows then set Lace pattern (COMPUKNIT III, program Selector 2, and place 1 Motif beginning on Orange 47). Continue in Pattern. After row 171 (177) [183], on armhole side, BO 8 sts. 1x. After row 172 (178) [184] begin front shaping decreasing 1 st. every 4th row 28 (30) [32]x. After row 292 (302) [312], BO or remove remaining sts. on W.Y.

RIGHT SIDE: Cast on 77 (81) [85] sts. to the right of 0, and continue as you did for the LEFT side. After transferring Rib sts. to MB, knit 2 rows and set Lace Pattern (COMPUKNIT III, program Selector 2, and place 1 Motif beginning on Green 27). Continue in Lace Pattern, same as left side, but Reverse all shapings.

JACKET SLEEVES:

W.Y. Cast on 126 (132) [138] sts. After several rows end with 1 row ravel cor to the right. Change to Garment yarn and knit 2 rows. Program Lace pattern (COMPUKNIT III, Selector 2, 1 Motif, Automatic center). Continue in Pattern, BUT AT THE SAME TIME ON EACH SIDE, increase 1 st. every 10 rows 15 (16) [17]x. After row 166 (170) [174], remove on W.Y.

JACKET CUFFS:

K1,P1 Rib: Cast on 77 (81) [85] sts. After selvedge, change to T 0/0 II, and knit 52 rows. Transfer Rib sts. to MB. With wrong side facing, hang open sts. of sleeve edge onto these same ndls. decreasing evenly across. BO loosely.

JACKET-BACK NECK BAND:








FNR: Cast on 56 (60) [64] sts. After selvedge, change to T4.1 1/4.1 II. Knit 20 rows. Transfer Rib sts. to MB and knit 1 row across all sts. Remove on contrast W.Y.

JACKET FRONT BANDS:

FNR: Cast on 172 (176) [180] sts., same as for BACK NECK BAND. Knit 10 rows then MAKE BUTTONHOLES AS SHOWN ON CHART. Knit 10 more rows. Transfer rib sts. to MB. Knit 1 row across all sts. and remove on W.Y. MAKE ANOTHER BAND BUT OMIT BUTTONHOLES.

FINISHING:

See General Instructions. CLOSE BOTH SHOULDERS. Set in sleeves. Weave back neck band and front bands to neck opening.




636

WOMENS 2 PC. HOUNDSTOOTH OUTFIT

YARN: Fine Venetia
SIZES: 10/12 14/16
AMOUNT:
 Col. 1: 2 cones for each size
 Col. 2: 2 cones for each size
KIT PRICE: \$128.00
TENSION: Fair Isle T2
 St. st. T2, GC T4, FNR T 0/0 II
GAUGE:
 Fair Isle: 21 sts. 22 rows = 2"
 St. st. 20 sts. 29 rows = 2"

Make on any Standard Punch Card or Electronic Machine. K1, P1 and FNR for Bands and Skirt Hems.



SKIRT:

Panels, make 4.
 FNR: With Col. 1, Cast on 190 (198) sts. After selvedge, change to T 0/0 II and knit 10 rows. Transfer Rib sts to MB. With Col. 1, knit 1 row to the left. Set Houndstooth Pattern and knit 1 row to the right to select ndls. Add Col. 2 and at T2 continue in Fair Isle. After R 326 (338), remove on W.Y.

BACK BODICE:

Make 1. JOIN 2 PANELS OF SKIRT TOGETHER. Bring 182 (190) ndls. to WP. With WRONG side facing, hang open sts. from skirt top onto these ndls. decreasing evenly across. Bring all ndls. in WP to E Position and with Col. 1, knit 1 R over all sts. With Carriage on the left, set Fair Isle Pattern and continue same as skirt. BUT AT THE SAME TIME, ON EACH SIDE increase 1 st. every 18th row 4 (5)x. After R 84 (90), mark each side with W.Y. for armhole opening. After R 180 (192) shape shoulders. ON EACH SIDE, BO or use Short Row Method, 14 sts. 1x, 13 sts. 4x, (14 sts. 3x, 13 sts. 2x). After R 190 (202) mark each side for Neck opening. BO or remove on W.Y.

FRONT BODICE:

W.Y. Cast on 95 (99) sts. After several rows, end with 1 row Ravel Cord to the right. Change to Col. 1, knit 1 row to the left. Set Pattern and knit to the right to select ndls. Add Col. 2 and continue in Fair Isle Pattern. BUT AT THE SAME TIME, on side edge increase 1 st. every 18th row 4 (5)x. After R 84 (90), mark with W.Y. for sleeve opening. After R 150 (162), on Neck edge BO 12 (13) sts. 1x, 4 sts. 1x, 3 sts. 1x, 2 sts. 2 (3)x, 1 st. 8x, 1 st. every 4th row 2x. BUT AT THE SAME TIME, after R 180 (192) shape shoulder. BO or use Short Row Method, 14 sts. 1x, 13 sts. 4x (14 sts. 3x, 13 sts. 4x).

BODICE FRONT BANDS:



Make 2. FNR: With Col. 1, Cast on 17 sts. After selvedge, change to T 2/2 I, and knit to R 320 (344). (Refer to KNITTING NEWS this issue for self lining method). Remove on W.Y. NOTE: Rows are approximate. If you end up with more length than you wish just unravel extra rows and BO. Sew Front Bands onto Front opening of Bodice. Sew Center seam of Front Skirt Panels. JOIN SHOULDER SEAMS.

DRESS ARM BANDS:

Bring 86 (94) ndls. to WP. With WRONG side facing, hang armhole (between W.Y. markers) onto these ndls. With Col. 1, knit 8 rows St. st. Pick up first row to form hem and BO. REPEAT FOR 2ND BAND.

DRESS NECK BAND:

Bring 136 (146) ndls. to WP. With wrong side facing, hang Neck opening onto these ndls (BE SURE TO INCLUDE BODICE FRONT BANDS). Complete the same as arm bands.



JACKET BACK:

Made in 2 pcs. in order to get enough width with the Fine Venetia. K2, P2 Ribbing: The Electric Garter Carriage and 2 strands of Col. 1 together were used. At T4 KNIT 38 rows. Remove G.C. and change to 1 strand of Col. 1, and knit 1 row to the left. Set Fair Isle Pattern and continue in Pat. with Col. 1 & 2. After R 224 (230), on sleeve edge, BO 4 (5) sts. 1x, 3 (4) sts. 1x, 3 sts. 1x, 2 sts. 4x, 1 st. 3x, 1 st. every 4th row 2x. BUT AT THE SAME TIME, after R 302 (314), on Neck edge, BO 31 (33) sts 1x, 3 sts. EOR 4x. After R 314 (326), BO or remove on contrast W.Y. Repeat for 2nd pc. but reverse shaping. Join center seam.

Change to 1 strand Col. 1 and continue in St. st. ON EACH SIDE, increase 1 st every 8th row 26 (27)x. After R 216 (224), shape sleeve cap. ON EACH SIDE, BO 3 (4) sts. 1x, 3 sts. 2x, 2 sts. 3x, 1 st. 8x, 1 st. every 4th row 10 (11)x, 1 st 8 (9)x, 2 sts. 3x, 3 sts. 2x. After R 312 (326), BO the remaining sts.

JACKET SLEEVE BANDS:

K2, P2 Rib: Using 2 strands Col. 1, Cast on 66 (72) sts. Knit 34 rows. With wrong side

JACKET FRONT:

Make 1, reverse 1. K2, P2 Ribbing: With 2 strands Col. 1, Cast on 108 (112) sts., same as back. After R 38, change to Fair Isle Pattern and knit same as back, to R 264 (274). DO NOT FORGET SLEEVE SHAPING. On Neck edge, BO 14 (15) sts. 1x, 5 (6) sts. 1x, 2 sts. 4x, 1 st. EOR 16x. After R 314 (326), BO or remove on W.Y.

JACKET FRONT BANDS:

1 with Buttonholes, 1 without. K2, P2 Rib: With 2 strands Col. 1, Cast on 18 sts. Knit 238 (248) rows. BO. For button band, see chart. Make them over 3 ndls. and 1 row. Sew Bands to Jacket Front.

JACKET NECK BAND:


Join Both Shoulders. K2, P2 Rib: Using 2 strands Col. 1, Cast on 182 (190) sts. At T3, knit 24 rows, stopping at R 12 to take 6 ndls. from left end to make 1 buttonhole over 3 ndls. and 1 row. With wrong side facing, hang NECK edge onto these ndls. BE SURE TO INCLUDE FRONT BANDS. BO.

JACKET SLEEVES:

W.Y. Cast on 124 (132) sts. After several rows, end with 1 row Ravel Cord to the right. facing, hang open sts. of sleeve onto these ndls. decreasing evenly across. BO.


FINISHING:

See General Instructions. To join Bodice bring to WP 85 (89) ndls. With knit side facing, hang open sts. of Bodice Waist onto these ndls (do not include Front Band). DO NOT DECREASE evenly across. Form darts by doubling sts. in center (10 sts.). Bring 4 additional ndls. to WP (on the Front Band side, hang 1/2 the Front Band onto these ndls). With WRONG SIDE FACING, hang open sts. of 1 Skirt Panel onto these ndls. decreasing evenly across. BO Loosely. Repeat for 2nd Front Bodice. Sew Skirt Panels together.



Pattern 636

Repeat through Row 33, then punch 2 rows of holes for connecting.
910 & Compuknit III- 1 Pattern=4 sts. 4 rows.



WOMENS PULLOVER AND SKIRT

YARN:

Col. 1: Venetia
Col. 2: Capriccio
SIZES: 8/10 (12/14) [16]
AMOUNT:
Col. 1: 36 38 40 oz.
Col. 2: 10 11 12 balls

KIT PRICE:

\$100.00 107.00 114.00

TENSION: Top- FNR, 3.1/3.1 I

K1,P1 Rib 0.1/0.1 II

Skirt- St. st. T 4.2

GAUGE:

Top- 15 sts. 39 rows = 2"

Skirt- 15 sts. 24.5 rows = 2"


Make on any Electronic Machine. Fair Isle Pattern has no floats and is knitted with Ribber and Color Changer throughout. Short row skirt is made on any machine.

TOP FRONT:

K1,P1-Col. 1. Use fine needle bar throughout. Cast on 149 (157) [165] sts. After selvedge, T 0.1/0.1 II, knit 80 rows. Increase 1 st. Set machine for FNR. Knit 1 row to the left. Set PATTERN NO. 1, T 3.1/3.1 I. Push up both PR buttons on Ribber. Knit 1 row to the right to select the ndls. Push both Knobs in and turn to lili. Set Slide Lever to lili. Push in both Part buttons on Main machine. Knit 1 row to the left. *Change to Col. 2. Release Ribber controls (PR buttons DOWN). Knit 2 rows. Change to Col. 1. Push both PR buttons UP. Knit 2 rows. REPEAT FROM * FOR PATTERN. After row 278 (288) [298], mark each side with W.Y. After row 303 (323) [343] set Pattern No. 2 and continue in Fair Isle design. After row 466 (486) [506], transfer Rib sts. to MB. Knit 1 row over all sts. Mark with W.Y. for Neck opening 42 (44) [46] sts. in from each side and remove on contrast W.Y.

Rib sts. to MB and knit 1 row over all sts. Remove on contrast W.Y.

1-8 3/4 (9 1/4) [9 3/4]-1




BACK:

Same as front, BUT USE ONLY PATTERN NO. 1.

SLEEVES:

FNR, Col. 1: Cast on 114 (120) [126] sts. After selvedge, knit 1 row to the left and start Pattern No. 1. AT THE SAME TIME ON EACH SIDE increase 1 st. every 15th row 15 (16) [17]x. After row 240 (250) [260], transfer



CUFFS:

K1,P1: Make 2, Col. 1.
Cast on 75 (81) [87] sts. After selvedge, knit 60 rows. Transfer Rib sts. to MB and with wrong side facing, hang sleeve edge onto these ndls., decreasing evenly across. Bind off Loosely.



FINISHING:

See General Instructions. Work 2 rows single crochet around neck opening.

SKIRT:

T 4.2, Col. 1: W.Y. Cast on 190 (195) [200] sts. After several rows, end with 1 row Ravel Cord to the right. Change to Col. 1, Counter 0. Continue in St. st. and SHORT ROWS. Knit 4 rows.

** *Bring all ndls. to HP and set holding cam. On the RIGHT side, push 50 ndls. back to WP. Knit 2 rows (ALWAYS wrap inside ndls. to prevent holes). Push back to WP 25 ndls. K 2 rows.

Push back to WP 5 ndls. K 2 rows.

Bring to HP 20 ndls. K 2 rows. Release holding cam and knit 8 rows over all ndls.*

Repeat from * 2 more times.

Bring all ndls. to HP.

Push back to WP 50 ndls. K 2 rows.

Push back to WP 25 ndls. K 2 rows.

Push back to WP 110 ndls. K 2 rows.

Bring to HP 10 ndls. K 2 rows.

Bring to HP 95 ndls. K 2 rows.

Bring to HP 20 ndls. K 2 rows.

Release holding cam and knit 8 rows.**

CONTINUE to knit. From ** to ** completes 1 section.

Complete 15 (16) [17] sections ENDING WITH 4 ROWS IN THE LAST SECTION to match the beginning 4 rows. Remove on W.Y.


WAIST BANDS:

Make 2, T 4: Bring 122 (132) [142] ndls. to WP. Hang half of skirt waist onto these ndls. decreasing evenly across. Knit 40 rows St. st. Pick up first row to form hem. Bind Off Loosely.






FINISHING:

See General Instructions. Weave the open sts. of skirt together. With No. 4 or 5 crochet hook, work 2 rows single crochet around lower edge of skirt to prevent roll.

SKIRT SECTION



SKIRT SIZE:
LENGTH - 24 3/4" (25 1/2") [26 1/4"]
WIDTH AT HIP - 38 1/2" (41") [43 1/2"]



638



WOMENS COAT

YARN: Venetia
SIZES: 8/10 (12/14) [16]
AMOUNT:
 Col. 1: 20 22 24 oz.
 Col. 2: 8 10 12 oz.
 Col. 3: 8 10 12 oz.
 Col. 4: 12 14 16 oz.
KIT PRICE:
 \$97.00 112.00 128.00
TENSION: FNR Pattern 6/6 lili
GAUGE: 16 sts. 43 rows = 2" (5cm.)


Make on ELECTRONIC Machine (910) with 900 Ribber and Ribber Color Changer. For COMPUKNIT III owners send \$1.00 in a SASE for instructions and a full size drawing. This pattern is a Fair Isle Design with no floats in back. See KNITKNIG NEWS this issue for further details.

NOTE: When making Increases or Decreases, BE SURE THE CARRIAGE IS ON THE LEFT SIDE.

BACK:
 FNR: With Col. 1, at T 0/0 I, Cast on 183 (191) [199] sts. After 3 row selvedge, change to T 2/2 I, and knit 20 rows circular (same setting as selvedge). After R 20, carriage on the LEFT, set Pattern No. 1. Set for KC II (both carriages in normal). At T 6/6 lili, knit 1 row to the right to select ndls. Set carriages for Double Knit (See KNITKNIG NEWS). Knit 1 row to the left and continue in Col. 1. After R 30, program Pattern 2. Knit 2 rows. After row 32 change to Col. 2. Knit 2 rows and alternate every 2 rows with Col. 1. to row 126. Program Pattern 1, and with Col. 1 knit to R 136 (138) [140]. Change to Col. 3, and knit to R 142 (146) [150]. Program Pattern 3, continue with Col. 3,




and knit 2 rows. After R 144 (148) [152], change to Col. 4 and knit 2 rows, alternating every 2 rows with Col. 3. Knit to R 238 (242) [246]. Program Pattern 1 with Col. 3 and knit to R 248 (254) [260]. Change to Col. 1, and knit to R 254 (262) [270]. Program Pattern 4 with Col. 1 and knit 2 rows. After R 256 (264) [272] change to Col. 4, and alternate every 2 rows with Col. 1. After R 350 (358) [366], program Pattern 1. With Col. 1 and knit to R 360 (370) [380]. This completes 1 series of patterns. Follow Chart and repeat for balance of back. AT THE SAME TIME, after R 584 (602) [620], ON EACH SIDE BO 14 (15) [16] sts. 1x. Be sure after BO that the Ribber sts. remain an even number. After R 812 (836) [860], transfer rib sts. to MB. Mark with W.Y. for Neck opening and BO.



REPROGRAM ROWS / COLOR CHANGES

798 (822) [846]	812 (836) [860]	
702 (726) [750]	704 (728) [752]	696 (718) [740]
686 (706) [726]		
590 (610) [630]	592 (612) [632]	584 (602) [620]
574 (590) [606]		
478 (494) [510]	480 (496) [512]	472 (486) [500]
462 (474) [486]		
366 (378) [390]	368 (380) [392]	360 (370) [380]
350 (358) [366]		
254 (262) [270]	256 (264) [272]	248 (254) [260]
238 (242) [246]		
142 (146) [150]	144 (148) [152]	136 (138) [140]
126		
30	32	20
20		0



FRONT:

LEFT SIDE: Cast on 91 (95) [99] sts. Following Chart, knit to R 584 (602) [620]. **ON LEFT SIDE BO 14 (15) [16] sts.** and at **THE SAME TIME, ON NECK EDGE BO 2 sts.** every 14th row 11 (14) [12] x, 2 sts. every 16th row 4 (2) [4]x. After R 812 (836) [860], transfer Rib sts. to MB and BO.

RIGHT SIDE: Same as left front except reversed. **NOTE:** Colors are the same but Pattern 2 & 4 are reversed.

FRONT BAND:

Make 1 (2 strands Col. 1 together).

K1, P1 Rib: With Col. 1, Cast on 10 sts. (Each bed). Bring 1 ndl. on the left on ribber to WP to make the 10th st. After selvedge, change to T 2/2 I. Continue in Rib. After R 138 (142) [146], make 1st buttonhole over 4 sts. Follow Chart for remaining 3 buttonholes. After R 1048 (1074) [1100], rows are approximate, remove on W.Y. Unravel rows not needed.

SLEEVES:

LEFT: Cast on 73 (77) [81] sts. Follow Color Chart and program changes. **AT THE SAME TIME, after R 20, ON EACH SIDE, increase 1 st.** every 4th row 13 (10) [7]x, 1 st. every 6th row 42 (45) [48]x. After R 356 (368) [380], transfer Rib sts. to MB and BO.


RIGHT: Same as left sleeve, but pattern 2 & 4 are reversed.

FINISHING:

See General Instructions. Sew band to front. Try to align buttonhole with color changes between patterns. Sew on buttons.

REPROGRAM ROWS / COLOR CHANGES


798 (822) [846]	812 (836) [860]	
702 (726) [750]	704 (728) [752]	==
686 (706) [726]	696 (718) [740]	==
590 (610) [630]	592 (612) [632]	==
574 (590) [606]	584 (602) [620]	==
478 (494) [510]	480 (496) [512]	==
462 (474) [486]	472 (486) [500]	==
366 (378) [390]	368 (380) [392]	==
350 (358) [366]	360 (370) [380]	==
254 (262) [270]	256 (264) [272]	==
238 (242) [246]	248 (254) [260]	==
142 (146) [150]	144 (148) [152]	==
126	136 (138) [140]	==
30		==
20		==




11 1/4 (11 3/4) [12 1/4]

FRONT BAND


1,048 (1,074) [1,100] APPROX




PAT. 1 BLANK SPACE



PAT. 2 WAVE





PAT. 3 SHELL



10/10


REPROGRAM ROWS / COLOR CHANGES

350 (358) [366]	356 (368) [380]	352 (360) [368]	
254 (262) [270]	256 (264) [272]	248 (254) [260]	==
238 (242) [246]			==
142 (146) [150]	144 (148) [152]	136 (138) [140]	==
126			==
30			==
20			==




17 1/2 (17") 16 1/2


PAT. 4 HERMIT CRAB
BACK
LEFT SLEEVE




PAT. 4A HERMIT CRAB
LEFT FRONT




PAT. 2C WAVE
LEFT SLEEVE



PAT. 2A WAVE
LEFT FRONT




PAT. 2B WAVE
RIGHT FRONT




PAT. 4C HERMIT CRAB
RIGHT SLEEVE




PAT. 3A SHELL
FRONTS




PAT. 4B HERMIT CRAB
RIGHT FRONT



PAT. 2D WAVE
RIGHT SLEEVE




639



IMPORTANT NOTE FOR MEN'S SWEATERS #639, 640, and 641:
FRONT/BACK:

Make swatch, choosing correct Ruler and setting gauges for correct row count. Draw desired size Pattern on the Knit Leader Sheet. Cast on the amount of sts. as indicated on the Ruler, and use the following as a **GUIDE OR SUGGESTED PATTERN ONLY**. Should you make a garment smaller or larger than the one we did, you will have to watch the amount of rows required for your pattern. **THIS IS ONLY a suggested pattern.** What we are trying to do is to acquaint you with the versatility of the **COMPUKNIT III**, and try to get you in the habit of using the back of the Pattern Book where the actual drawings are, rather than the front of the book where you see only the color product. Let your imagination be your guide. Remember: **ANY FAIR ISLE PATTERN** is an equally attractive Garter Carriage Design.

WAIST BAND:
Program Pat. 532 (K1, P1), T4, knit 34 rows.
Program Pat. 537, T 8.2, knit 4 rows.
Prog. Pat. 71, T 9.2, knit 64 rows.
Prog. Pat. 537, knit 2 rows.
Prog. Pat. 56, knit 4 rows.
Prog. Pat. 537, knit 2 rows.
Prog. Pat. 81, knit 58 rows.



MENS SWEATER

YARN: Bulky Venetia
SIZES: Sm. Med. Lg.
AMOUNT: 30 34 38 oz.
KIT PRICE:
\$49.00 55.00 60.00
TENSION Pat. 537 Garter
Stitch T8.2
All Other Patterns, T 9.2
OUR GAUGE WAS:
40 sts. = 16.2 cm.
60 rows = 14.8 cm.
Ruler No. 18
ROW SETTING: 14.8


Made on the **COMPUKNIT III** using the Garter Carriage.

Prog. Pat. 537, knit 4 rows **BUT AT THE SAME TIME**, mark for armhole. With our Row Gauge Row 164.

Prog. Pat. 62, knit 4 rows.
Prog. Pat. 537, knit 2 rows.
Prog. Pat. 75, knit 34 rows.
Prog. Pat. 537, knit 2 rows.
Prog. Pat. 62, knit 4 rows.
Prog. Pat. 537, knit 4 rows.
Prog. Pat. 84, knit 6 rows.
Prog. Pat. 537, knit 2 rows.
Prog. Pat. 20, knit 20 rows.
Prog. Pat. 537, knit 2 rows.
Prog. Pat. 41, knit 6 rows.
Prog. Pat. 537, knit 2 rows.
Prog. Pat. 534, (K2, P2 Rib), at T4, knit 16 rows.

BO or remove on W.Y. after marking for Neck opening, approx. 10".

KNITLEADER DIAGRAM




SLEEVES:

Put into WP 130 ndls.
 Prog. Pat. 537, knit 6 rows.
 Prog. Pat. 81, knit 58 rows.
 After R 64 (remember to decrease following Chart).
 Prog. Pat. 537, knit 4 rows.
 After R 68.
 Prog. Pat. 75, knit 34 rows.
 After R 102
 Prog. Pat. 537, knit 4 rows.
 After R 106
 Prog. Pat. 71, knit 64 rows.
 After R 170
 Prog. Pat. 537, knit 4 rows.
 After R 174
 Prog. Pat. 49, knit 4 rows. After R 178 DO NOT BREAK YARN, BUT remove on W.Y. BRING 68 ndls. to WP and rehang sleeve edge. Prog. Pat. 532, T4, knit 32 rows and BO (end R 210).

FINISHING:

See General Instructions.



Cancel Fair Isle and with Col. 1 knit 2 rows setting Pat. 41 on the 2nd row. Knit 6 rows Fair Isle.

Cancel Fair Isle and with Col. 1 knit 2 rows to begin Neck Trim. Prog Pat. 532 (K1, P1) Rib, and with Garter Carriage T1, knit 24 rows. Pick up 1st row to form hem and BO (If using regular Ribber attachment use T 1/1 I).

SLEEVES:

Set Knit Leader Sheet. W.Y. Cast on and after several rows, end with 1 Ravel Cord to the right. Change to Col. 1 and knit 2 rows setting Pat. 81 on the 2nd row. Knit 58 rows in Fair Isle.

Cancel Fair Isle and with Col. 1 knit 4 rows setting Pat. 75 on the 4th row. Knit 34 rows Fair Isle.

Cancel Fair Isle and with Col. 1 knit 4 rows setting Pat. 71 on the 4th row. Knit 64 rows Fair Isle.

Cancel Fair Isle and with Col. 1 knit 4 rows setting Pat. 82 on the 4th row. Knit 44 rows Fair Isle.

Cancel Fair Isle and with Col. 1 knit 2 rows. Prog. Pat. 532 (K1, P1 Rib) and with T1 and Garter Carriage knit to desired length. BO.

FINISHING:

See General Instructions.

FRONT/BACK:

T 1/1 II, K2, P2.
 Col. 1, knit 50 rows. Col. 1, knit 3 rows (Carriage on left past sensors). Prog. Pat. 71, Set KC Knob, and knit 1 row to the right to select ndls. Add Col. 2, set carriage for Fair Isle and knit 64 rows.
 Cancel Fair Isle. With Col. 1, knit 2 rows setting Pat. 56 on 2nd row. Add Col. 2 and knit 4 rows Fair Isle.
 Cancel Fair Isle and with Col. 1 knit 2 rows, setting Pat. 81 on the 2nd row. Add Col. 2 and in Fair Isle knit 58 rows.
 Cancel Fair Isle and with Col. 1 knit 4 rows setting Pat. 62 on the 4th row. Knit 4 rows Fair Isle.
 Cancel Fair Isle and with Col. 1 knit 2 rows setting Pat. 75 on the 2nd row. Knit 34 rows Fair Isle.
 Cancel Fair Isle and with Col. 1 knit 2 rows setting Pat. 62 on the 2nd row. Knit 4 rows Fair Isle.
 Cancel Fair Isle and with Col. 1 knit 2 rows setting Pat. 84 on the 4th row. Knit 6 rows Fair Isle.
 Cancel Fair Isle and with Col. 1 knit 2 rows setting Pat. 22 on the 2nd row. Knit 40 rows Fair Isle.
 Cancel Fair Isle and with Col. 1 knit 2 rows setting Pat. 84 on the 2nd row. Knit 6 rows Fair Isle.
 Cancel Fair Isle and with Col. 1 knit 2 rows setting Pat. 41 on 2nd row. Knit 6 rows Fair Isle.
 Cancel Fair Isle and with Col. 1 knit 2 rows setting Pat. 20 on 2nd row. Knit 28 rows Fair Isle.

**MENS FAIR ISLE SWEATER****YARN:**

Col. 1: Black Venetia
 Col. 2: White Venetia

SIZES: Sm. Med. Lg.

AMOUNT:

Col. 1: 18 20 22 oz.
 Col. 2: 12 14 16 oz.

KIT PRICE:

\$62.00 70.00 78.00

TENSION: Fair Isle T5


Rib: T 1/1 II

GAUGE: 40 sts. = 12.1 cm.
 60 rows = 12.5 cm.


Ruler No. 11

After making tension swatch set Knit Leader accordingly. Draw the Garment Pattern onto the Knit Leader Sheet.

FOLLOW IMPORTANT NOTE AND CHART FROM #639.



Makes it easy to accurately measure your Stitch and Row gauge. It's double sided ruler; one side is in inches and centimeters, the other side gives you an immediate reading of your gauges.
PRICE: \$3.25 plus 50 cents shipping.



A simple to read slide ruler that precisely calculates stitches and rows any measurement. Set the gauge for the stitches or rows and get a read out of the exact number of stitches or rows from 3" to 30".
PRICE: \$4.00 plus 50 cents shipping.

Order both from your local dealer or direct from KNITKING
PRICE FOR BOTH: \$6.75 plus 75 cents shipping



641



MENS 4 COLOR FAIR ISLE SWEATER

YARN:
 Col. 1: Black Venetia
 Col. 2: Blue Venetia
 Col. 3: Mami Rex
 Col. 4: Touq. Venetia

SIZES: Sm. Med. Lg.
AMOUNT:
 Col. 1: 20 24 28 oz.
 Col. 2: 6 7 8 oz.
 Col. 3: 1 spool all sizes
 Col. 4: 5 6 oz.

KIT PRICE:
 \$68.00 80.00 92.00

TENSION: Fair Isle T5
GAUGE: Our example was:
 40 sts. = 12.1 cm.
 60 rows = 12.5 cm.

Make on the Standard Machine with Fair Isle Pattern. Make tension swatch and set Knit Leader accordingly. Draw the Pattern shape onto the Knit Leader Sheet.

IMPORTANT NOTE: Less pattern might be required for smaller size, and more patterns may be required for larger sizes. Add or subtract as you go along.

FOLLOW IMPORTANT NOTE AND CHART FROM #639.

FRONT/BACK:
 With Col. 1, Cast on the required number of sts. Using Garter Carriage or Regular Ribber, T1 (1/1 I), K2, P2 Ribbing, knit 50 rows.
 After Ribbing, continue with Col. 1, knit 4 rows setting Pat. 71 on the 4th row. With Col. 1 & Col. 2, knit 64 rows Fair Isle. Cancel Fair Isle and with Col. 1 knit 2 rows setting Pat. 56 on the 2nd row. With Col. 1 & Col. 3, knit 4 rows. Cancel Fair Isle and with Col. 1 knit 2 rows setting Pat. 81 on the 2nd row. With Col. 1 &

Col. 4, knit 58 rows. Cancel Fair Isle and with Col. 1 knit 4 rows setting Pat. 62 on the 4th row. With Col. 1 & Col. 3, knit 4 rows. Cancel Fair Isle and with Col. 1 knit 2 rows setting Pat. 75 on the 2nd row. With Col. 1 & Col. 2, knit 34 rows. Cancel Fair Isle and with Col. 1 knit 2 rows setting Pat. 62 on the 2nd row. With Col. 1 & Col. 3, knit 4 rows. Cancel Fair Isle and with Col. 1 knit 4 rows setting Pat. 84 on the 4th row. With Col. 1 & Col. 3, knit 6 rows. Cancel Fair Isle and with Col. 1 knit 2 rows setting Pat. 22 on the 2nd row. With Col. 1 & Col. 4, knit 40 rows. Cancel Fair Isle and with Col. 1 knit 2 rows setting Pat. 84 on the 2nd row. With Col. 1 & Col. 3 knit 6 rows. Cancel Fair Isle and with Col. 1 knit 2 rows setting Pat. 41 on the 2nd row. With Col. 1 & Col. 3, knit 6 rows. Cancel Fair Isle and with Col. 1 knit 2 rows setting Pat. 20 on the 2nd row. With Col. 1 & Col. 2, knit 28 rows. Cancel fair Isle and with Col. 1 knit 2 rows setting Pat. 41 on the 2nd row. With Col. 1 & Col. 3 knit 6 rows, Cancel Fair Isle and with Col. 1 knit 2 rows St. st Attach Regular Ribber or Garter Carriage. Prog. Pat. 532 (K1, P1) Rib and knit 24 rows. T1 for GC and 1/1 I for Regular Ribber. Pick up first row to form hem and BO.

SLEEVES:
 With Col. 1, Cast on required number of sts. Knit 2 rows setting Pat. 81 on the 2nd row. With Col. 1 & Col. 3, knit 16 rows. Change to Col. 1 & Col. 4, continuing in Pat. 81, and knit 28 rows. Change back to Col. 1 & Col. 3, and knit 14 rows. Cancel Fair Isle and with Col. 1 knit 4 rows setting Pat. 75 on the 4th row. With Col. 1 & Col. 2, knit 34 rows. Cancel Fair Isle and with Col. 1 knit 4 rows setting Pat. 71 on the 4th row. With Col. 1 & Col. 4, knit 64 rows. Cancel Fair Isle and with Col. 1 knit 4 rows setting Pat. 82 on the 4th row. With Col. 1 & Col. 2, knit 16 rows in Fair Isle. Change to Col. 1 & Col. 3 and knit 14 rows in Fair Isle. Change back to Col. 1 & Col. 2, knit 12 rows.

Cancel Fair Isle and with Col. 1 knit 2 rows. Attach Regular Ribber or Garter Carriage, using T1 for GC, and 1/1 I for Regular Ribber. Knit 80 rows K1, P1 Rib. Cuff is folded.

FINISHING:
 See General Instructions.



642




WOMEN'S RIPPLE JACKET

YARN: Nordic
SIZES: Small/Medium (Large)
 Col. 1 12 13 oz.
 Col. 2: 12 13 oz.
 Col. 3: 12 13 oz.
KIT PRICE: \$57.00 62.00
TENSION: 4.2 Rib. 2/2 II
GAUGE: 10 sts. 23 rows = 2" (5cm.)
NOTIONS: 6 buttons required

Make on 260 BULKY machine with Ribber (Small/Medium sizes can also be made on 230 Bulky). A special pattern that is made by moving stitches over with Transfer Tools. Bands are K1, P1 Ribbing.

BACK:
 W.Y. Cast on 104 (114) sts. After several rows, end with 1 row Ravel Cord to the right. Change to Col. 1, Counter 0, and continue in St. st. Knit 10 rows. **STARTING AT LEFT** using 2 transfer tools (1- 3 Needle, and 1- 2 Needle) pick up 5 sts. from first row of main yarn beginning with ndl. #50 (55), hang on ndls. # 4 5 through #41 (50 through 46). Skip next 5 sts., pick up the next 5 sts. on transfer tools and hang them on 5 ndls. to the **RIGHT. FOLLOW THE CHART AND REPEAT ACROSS NEEDLE BED.** Change to Col. 2 and knit 10 rows. **BEGIN ON THE RIGHT SIDE.** Starting with ndl. 50 (55) with the two transfer tools, pick up 5 sts. from the first row of Col. 2. Move to the **LEFT** and hang sts. on ndls. 45 through 41 (50 through 46). Skip 5 sts. and continue to the **LEFT SAME AS BEFORE.** Follow Ripple Pattern Chart for color changes and direction of transfers. Please keep notes so you will always know in which direction you are moving. Continue in Pattern to R 250 (270). Knit 1 row over all ndls. Bind off.



FRONT:

MAKE 1, REVERSE 1.

W.Y. Cast on 52 (57) sts. same as back. After Ravel Cord Row, Change to Col. 1, Counter 0. Continue in Pattern following the CHART for color changes and directions of transfers. Mark R 128 (138) for sleeve opening and begin NECK SHAPING. ON NECK EDGE, decrease 1 st. every 7th row 17 (19) x. After R 250 (270) bind off.

BACK WAIST BAND:

K1, P1 Rib: With Col. 1, Cast on 99 (107) sts. Make regular 4 row selvedge. Change to T 2/2 II and continue in Rib with Col. 1. Knit 6 rows. Follow Cuff and Waist Ribbing Color Chart for color changes. After R 34, transfer Rib sts. to MB. With WRONG SIDE FACING, hang open sts. from lower edge of back onto these ndls. Bind off loosely.

FRONT WAIST BANDS:

K1, P1 Rib: With Col. 1, Cast on 49 (53) sts. same as back waist band. Follow same Color Chart and knit 34 rows. Transfer Rib sts. to MB. With WRONG SIDE FACING, hang open sts. from lower edge of front onto these ndls., decreasing evenly across. Bind off loosely.

SLEEVES:

W.Y. Cast on 55 (60) sts. After several rows end with 1 row Ravel Cord to the right. Change to Col. 1, Counter 0. Knit 10 rows. Transfer sts. for RIPPLE PATTERN and knit following the instructions as for front and back BUT AT THE SAME TIME, ON EACH SIDE, inc. 1 st. every 7th row 25x (1 st. every 7th row 13x, every 8th row 14x). After R 190 (210), bind off.

CUFFS:

K1, P1 Rib. With Col. 1, Cast on 35 (39) sts. Complete regular 4 row selvedge. Change to T 2/2 II and with Col. 1, knit 6 rows. Follow Cuff/Waist Ribbing Color Chart for color changes. After R 34, transfer Rib sts. to MB. With WRONG SIDE FACING, hang open sts. from sleeve onto these ndls., decreasing evenly across. Bind off loosely.







FRONT BANDS:

1 with Buttonholes
1 without Buttonholes

K1, P1 Rib: With Col. 1, Cast on 99 (105) sts. Complete the regular 4 rows selvedge. Change to Col. 3, knit 4 rows. Change to Col. 1, knit 2 rows. Change to Col. 2, knit 4 rows. After R 14, transfer Rib sts. to MB. With WRONG SIDE FACING, beginning at center back neck, hang half of neck, plus 1 front onto these ndls. Bind off. FOR BUTTONHOLE BAND, SEE CHART FOR PLACEMENT OF BUTTONHOLES

FINISHING:

See General Instructions.



CUFF/WAIST RIBBING COLOR CHART


C-1	8R
C-3	4R
C-1	2R
C-2	4R
C-1	2R
C-3	4R
C-1	6R
C-1	4
	CAST ON 0

BODY & SLEEVE COLOR CHART

C-3	10R
C-2	10R
C-1	10R
	0

FRONT BAND COLOR CHART

C-2	4R
C-1	2R
C-3	4R
C-1	4
	CAST ON 0



643



CHILD'S COW PATTERN PULLOVER

YARN: Venetia
SIZES: 6/8 (10/12)
AMOUNT:
 Col. 1: 12 14 oz.
 Col. 2: 2 2 oz.
 Col. 3: 1 1 oz.
 Col. 4: 1 1 oz.
KIT PRICE: 34.00 38.00
TENSION: St. st. T5, Neck Band T 5/5 II, FNR 6/6 Ili
GAUGE: 16 Sts. 23 rows = 2"

Made on the COMPUKNIT III with 900 Ribber and Color Changer. Band is 4 COLORS IN ONE ROW. Can be made on any Electronic or Standard Machine. The Fair Isle Design (Cows), is a 27 st. Pattern so it would have to be modified to fit Standard Punch Card Machines. Substitute any suitable punch card of your choice.

BACK:

W.Y. Cast on 148 (156) sts. After several rows end with 1 row Ravel Cord to the right. Change to Col. 1 and knit 3 rows St. st. (Carriage is on left). Set Fair Isle Pattern and knit 1 row to the right to select ndls. Add Col. 3 and knit 8 rows. Change color in Feeder B to Col. 4 and knit 6 rows. Knit 2 rows, Col. 1 ONLY. With Col. 1 and Col. 2, knit 28 rows. Pattern is complete. Continue in St. st. After row 132 (140) ON EACH SIDE, BO 17 sts. 1x. After row 194 (206) BO the center 44 (48) sts. Place remaining sts. on left to HP and complete right side first. *On Neck Edge, BO 1 st. EOR 8x. After 212 (224) BO or remove remaining sts on W.Y. Place the sts. on the left back to WP. Turn Counter back to 194 (206) and complete left side following instructions from *.

FRONT:

SAME AS BACK to row 150 (160). Divide in Center for V Neck and place the sts. on the left half into HP completing right side first. *On Neck Edge, BO 1 st. EOR 30 (32)x. After row 212 (224) BO or remove remaining sts. on W.Y. Bring sts. on left back into WP. Turn row Counter back to 150 (160) and complete left half following instructions from *.

SLEEVES:

CLOSE ONE SHOULDER. Bring 122 (130) ndls. to WP. With wrong side facing, hang armhole onto these ndls. With Col. 1 in St. st., knit 22 rows. After row 22, on each side decrease 1 st. every 6th row 19 (20)x. After row 136 (142), remove on W.Y. Attach neck band before knitting second sleeve.

WAIST BAND:







Make 2. Attach Ribber Color Changer, and Yarn Colors 2,3,4. T 6/6 I

FNR: With Col. 1. Cast on 98 (106) sts. After selvedge, knit 4 rows. Change to Col. 2 and knit 2 rows. Change back to Col. 1 knit 3 rows. Set Pattern and KC. DO NOT PUSH KRC (KCC) BUTTON ON ELECTRONIC MACHINES. Knit in Col. 1, 1 row to the right to select ndls. Set Main Bed Carriage (Push in Both Part Buttons). Set Ribber Carriage to lili Position (See Pattern 1 this issue).

Knit 1 row, Col. 1.
 Knit 2 rows, Col. 2.
 Knit 2 rows, Col. 3.
 Knit 2 rows, Col. 4.
 Repeat this color sequence starting 2 rows of Col. 1, instead of 1 row of Col. 1 for a total of 80 rows. After stripes are completed, change to Col. 1 and knit 4 rows. Change to Col. 2, knit 2 rows. Change back to Col. 1, knit 6 rows. Transfer Rib sts. to MB, and knit 1 row over all ndls. Remove on W.Y.

SLEEVE CUFFS:

FNR: With Ribber Color changer. ON ELECTRONIC MACHINES DO NOT PUSH IN KRC (KCC) BUTTONS. With Col. 1 Cast on 42 (48) sts. and knit same as instructions for Waist Band. After required knitting, remove on W.Y.



NECK BANDS:

Front Band (for 1 side of V Neck)


FNR: With Col. 2 Cast on 41 (45) sts. After selvedge, change to T 5/5 II and knit 14 rows. Transfer Rib sts. to MB. With wrong side facing, hang one side of V Neck onto these ndls. BO.

Back Neck Band (for remaining side of V)

FNR: With Col. 2 Cast on 101 (109) sts. After selvedge, knit 14 rows. Transfer Rib sts. to MB and mark with W.Y. (See x on Chart after ndls. 41 (45), 60 (64). With wrong side facing, hang back neck and 1/2 V onto these ndls. BO.


FINISHING:

With RIGHT SIDE facing, hang open sts. of Waist Band back onto 98 (106) ndls. With wrong side facing, hang open sts. of bottom edge of FRONT/BACK onto these same ndls. decreasing evenly across. Bind Off Loosely. USE SAME METHOD to attach sleeve cuff to sleeve edge. Close 2nd shoulder after completing neck bands and BEFORE knitting 2nd sleeve. Close side seams.



Pattern 643

Repeat these 8 rows 4 more times through Row 33, then punch 2 rows of holes for connecting. 910 & Compuknit III-1 Pattern=24 sts. 8 rows.



CHILD'S DINOSAUR PULLOVER

YARN: Amore
SIZES: 5/6 (8)
AMOUNT:

Col. 1 8 9 Balls
Col. 2 2 2 Balls
KIT PRICE: \$32.50 35.50
TENSION: St. st. T6, Ribbing, see instructions.
GAUGE: 14.5 Sts. 23.5 Rows = 2"

Made on the ELECTRONIC Machine using Single Motif technique. Standard machine owners could knit design using Intarsia Method. Bands are K1, P1 Ribbing. Send \$1.00 and SASE for full size Mylar drawing.




FRONT:
K1, P1 Rib: Cast on 109 (117) sts. After selvedge, change to T 4/4 II and knit 4 rows. Change to Col 2 and knit 4 rows. Continue changing color every 4 rows (see chart). After row 35, transfer Rib sts. to MB. Add 1

st. on the right side. Continue in St. st. After row 43 (Carriage on the left), set Pattern following Chart. Compuknit III owners use Selector 2 for 1 Motif. Knit 1 row to the right to select ndls. Add Col. 2 and continue in Single Motif design. Be sure to wrap each needle on side of motif with separate strand of Col. 1 to avoid holes (See Manual).


After row 152 (156), ON EACH SIDE bind off 9 (10) sts.1x. After row 196 (202) bind off the center 12 (16) sts. Place the sts. on the left into HP and complete right side first. *On Neck Edge, BO 3 sts. 2x, 2 sts. 2x, 1 st. 2x, 1 st. every 4th row 2x. After row 220 (230), BO or remove remaining sts on W.Y. Bring the sts. on the left back into WP. Turn Counter back to 196 (202) and complete the same as right side. Follow instructions from *.

BACK:
SAME AS FRONT, EXCEPT OMIT SINGLE MOTIF AND NECK SHAPING. After R 220 (230), mark for Neck opening. BO or remove each section onto W.Y.


SLEEVES:
W.Y. Cast on 63 (69) sts. After several rows, end with 1 row ravel cord to the right. Change to Col. 1 and continue in St. st. AND AT THE SAME TIME ON EACH SIDE increase 1 st. every 8th row 13 (14)x. After row 118 (124) change to K1, P1 T 7/7 II with Col. 2. Knit 4 rows. Change to Col. 1 and knit 4 rows, alternating colors every 4 rows. After row 138 (144) remove on W.Y.



CUFFS:
K1, P1 T 4/4 II.
With Col. 1 Cast on 55 (61) sts. Follow Chart for Color Changes. Knit 35 rows. Transfer Rib sts. to MB. With wrong side facing, hang open sts. of lower edge of sleeve onto these ndls. decreasing evenly across. Bind off loosely.



NECK BAND:
K1, P1, T 4/4 II.
CLOSE ONE SHOULDER FIRST.
With Col. 1 Cast on 129 (137) sts. After row 7, change to Col. 2 and knit 4 rows. Change to Col. 1 and knit 4 rows. Transfer Rib sts. to MB. With wrong side facing, hang Neck Edge onto these ndls. Bind off loosely.



FINISHING:
See General Instructions.

WOMENS STRIPED PULLOVER



645



YARN:
 Col. 1: Nordic
 Col. 2: Glace
SIZES: 6/8 (10/12) [14]
AMOUNT:
 Col. 1: 1 cone all sizes
 Col. 2: 2 cones all sizes
KIT PRICE: \$79.00
TENSION:
 St. st. and Fair Isle T2
 FNR 1/1 I
GAUGE:
 10.5 Sts. 11.5 rows = 2"



Make on the 260 BULKY using a punch card (2J from set). Bands are FNR. This garment will have to be dry cleaned.

WAIST BAND & CUFF CHART

35	C-2	4R
	C-1	4R
	C-2	4R
	C-1	4R
	C-2	4R
	C-1	4R
	C-2	4R
	C-1	7R
		0

NECK BAND CHART

15	C-1	4R
	C-2	4R
	C-1	7R
		0




FRONT:

1 strd. Nordic, 2 strds. Glace.
 W.Y. Cast on 96 (101) [106] sts. After several rows, end with 1 row ravel cord to the right. Change to Col. 1, Counter 0. Knit 1 row to the left. Set pattern and knit to the right to select ndls. Add Col. 2 (2 strds.) and continue in Fair Isle pattern. After row 32, remove Col. 2 from feeder. With 1 strand of Col. 1, knit 6 (8) [10] rows St. st. **SETTING FAIR ISLE PATTERN ON LAST ROW.** Repeat pattern 2 more times: 32 rows Fair Isle (Col. 1 and Col. 2), then 6 (8) [10] rows St.st. Col. 1 ONLY. After row 114 (120) [126] continue in Fair Isle.


After row 132 (138) [144], shape neck. In center BO 22 (25) [28] sts. Mark card. Place remaining sts. on the left into HP and complete the right side first. On neck edge BO 1 st. EOR 6x. After row 146 (152) [158] bind off or remove remaining sts. on W.Y. Bring sts. on the left back to WP. Set pattern to correct row. Turn row counter back to 132 (138) [144] and complete the same as the Right side.

BACK:

Same as Front but omit neck shaping. After row 146 (152) [158], mark 31 (32) [33] sts. for neck opening. BO or remove on W.Y.



Repeat through Row 41, then punch 2 rows of holes for connecting.



WAIST BAND:

FNR, T1/1 I. Make 2.
With Col. 1, Cast on 60 (64) [68] sts. Knit 7 rows. Change to Col. 2 (2 strds.). Knit 2 rows. Follow chart for color changes every 2nd row. After row 25, remove sts. in the following manner: With tapestry needle and long strand of ravel cord, go through 1 stitch on main bed and then alternate with 1 st. on ribber bed, pushing ndls. back to 'A' position until all sts. are held on ravel cord. Push ndls. on both beds back to position to remove band from machine. Weave waist band to lower edge of front/back.



WAIST BAND CHART

25	C-2 2R
	C-1 2R
	C-2 2R
	C-1 2R
	C-2 2R
	C-1 2R
	C-2 2R
	C-1 2R
7	C-2 2R
	C-1

SLEEVE CUFF CHART


17	C-2 2R
	C-1 2R
	C-2 2R
	C-1 2R
	C-2 2R
	C-1 2R
7	C-2 2R
	C-1

NECK BAND CHART

13	C-2 2R
	C-1 2R
	C-2 2R
	C-1


NECK BAND:

FNR, Make 1.
With Col. 1, Cast on 68 (72) [76] sts. Knit 7 rows. Change to Col. 2. Follow chart for color changes every 2nd row. After row 13, remove on ravel cord as on waist band. CLOSE ONE SHOULDER and weave to neck opening. Close remaining shoulder.



SLEEVES:

W.Y. Cast on 90 (95) [99] sts. After several rows, end with 1 row ravel cord to the right. Change to Col. 1, Counter 0. Mark center with W.Y. Knit St. st. 8 (10) [12] rows, SETTING FAIR ISLE PATTERN ON THE LAST ROW. Add Col. 2, and continue in Fair Isle. After row 40 (42) [44] remove Col. 2 from feeder. Knit 8 (10) [12] rows St. st., setting pattern on last row. With Col. 1 & Col 2, continue in Fair Isle. After row 80 (84) [88] remove on W.Y.



SLEEVE CUFFS:

FNR, Make 2.
With Col. 1, Cast on same as waist band, 30 (33) [36] sts. Knit 7 rows. Follow instructions for waist band and chart for color changes. After row 17, remove on ravel cord and weave to lower edge of sleeve.

FINISHING:

See General Instructions. Bring 90 (95) [99] ndls. to WP. With right side facing, hang open sts. of sleeve onto ndls. using W.Y. marker for center. With wrong side facing, hang sleeve opening onto same ndls. matching the shoulder seam to the center marker. BO Loosely.



IT'S READY NOW!

KNITTING MAGAZINE BOUND VOLUME 21

- HARD BOARD COVER
- COMPLETE INSTRUCTIONS
- WILL HOLD ANOTHER COMPLETE VOLUME



Price: \$24.95
Shipping Costs - \$3.25

646



WOMENS ANGORA PULLOVER

YARN:
 Col. 1: Amore
 Col. 2: Lurex
 Col. 3: Angora
 Col. 4: Angora

SIZES: 10/12 (14/16)

AMOUNT:
 Col. 1: 8 8 Balls
 Col. 2: 100 100 Grams
 Col. 3: 9 9 Balls
 Col. 4: 9 9 Balls

KIT PRICE: \$165.00 165.00

TENSION: Tuck St. T2
 St. st. T3, Ribbing T1/1 II
GAUGE: 9 Sts. 16 rows = 2"


Make on the BULKY 260 Machine using Punch Card with Tuck St. Pattern. K1,P1 Ribbing for bands. Pattern is 4 rows of Col. 1, 2 rows of Col. 2.

FRONT:
 Cast on to the right of 0 32 (34) sts. After several rows, end with 1 row Ravel Cord to the right. Change to Col. 2 (Use 2 strds throughout). Knit 1 row to the left. Set Punch Card and KC and knit 1 row to the right to select ndls. *Change to Col. 1(Use 2 strds throughout), and knit 4 rows in Tuck Pattern. Change to Col. 2. Knit 2 rows and repeat from * to * for Pattern. AT SAME TIME, on the left side increase 1 st. every 3rd row 22 (23)x, every 4th row 7x BUT AT THE SAME TIME, after row 38 CANCEL Pattern. Change to Col. 3, and knit in St. st. After row 46 (48), change to Col. 2 and knit 2 rows. Change to Col. 4, knit 8 (10) rows. After row 56 (60), change to Col. 2 and knit 2 rows setting Tuck Pattern on 2nd row. Continue in Tuck Pattern same as before. After row 94 (98), CANCEL Tuck Pattern. Change to Col. 4 and ON THE LEFT SIDE, Cast on 38 (40) sts. Knit 8 (10) rows.

After row 102 (108), change to Col. 2 and knit 2 rows. Change to Col. 3, knit 8 (10) rows. After row 112 (120), change to Col. 2. Knit 2 rows setting Tuck Pattern on the 2nd row. Knit 38 rows with Tuck Pattern. After row 150 (158), change to Col. 3 beginning Neck shaping on Right side decreasing 1 st. EVERY ROW 31 (41)x. Knit 10 (10) rows St. st. Change to Col. 2, knitting 2 rows St.st. Change to Col. 4, knitting 8 (10) rows. After row 170 (180), change to Col. 2. Knit 2 rows setting Tuck Pattern on the 2nd row. With Col. 1, knit 4 rows. Knit 38 rows Tuck Pattern, AND AT THE SAME TIME, after row 189 (199), ON NECK EDGE, increase 1 st. EVERY ROW 31 (41)x. After row 208 (218), change to Col. 4 and knit in St. st. Knit 8 (10) rows. After row 216 (228), Change to Col. 2, knit 2 rows. Change to Col. 3, knit 10 (10) rows. After row 228 (240), change to Col. 2 and knit 2 rows setting Tuck Pattern on 2nd row. With Col. 1, knit 4 rows. Knit 38 rows Tuck Pattern.


After row 266 (278), change to Col. 3, knit 8 (10) rows. Change to Col. 2, knit 2 rows. Change to Col. 4, knit 8 (10) rows. After row 284 (300), ON THE LEFT SIDE BIND OFF 38 (40) sts. Begin decreasing for arm, 1 st. every 4th row 7x, 1 st. every 3rd row 22 (23)x, BUT AT THE SAME TIME, change to Col. 2, knitting 2 rows setting Tuck Pattern on the 2nd row. Knit 38 rows Tuck Pattern. After 322 (338), change to Col. 4 and knit in St. st 8 (10) rows. Change to Col. 2 and knit 2 rows. Change to Col. 3, knitting 8 (10) rows. After row 340 (360), change to Col. 2 and knit 2 rows setting Tuck Pattern on the 2nd row. Knit 38 rows Tuck Pattern. End with 2 rows Col. 2 in St. st. Remove remaining sts. on W.Y.

BACK:
 Same as front to row 150 (158). Shape neck decreasing 1 st. EOR 4x. Knit to row 220 (232), increasing 1 st. EOR 4x. After 228 (240), continue as you did for the front.




WAIST BAND:

Make 2, K1, P1 Rib: Using 2 strands of Col. 1, Cast on 69 (77) sts. Knit 30 rows. Transfer Rib sts. to MB. With wrong side facing, hang lower edge of front/back onto these ndls. spacing evenly across. Bind Off Loosely.



Repeat through Row 29, then punch 2 rows of holes for connecting.




SLEEVE CUFFS:

K1, P1 Rib: Using 2 strands of Col. 1, Cast on 39 (45) sts. After selvedge, knit 30 rows. Transfer Rib sts. to MB. With wrong side facing, hang open sts. of sleeve edge onto these ndls, decreasing evenly across. BO Loosely.

FINISHING:

See General Instructions. Using 2 strands Amore, crochet 1 row Slip Stitch Crochet around neck opening. Using 1 strand Angora, crochet 3 rows Single Crochet around neck opening.



MENS SKI SWEATER

YARN: Amore
SIZES: 44/46 (48)



AMOUNT:
Col. 1: White 13 14 Balls
Col. 2: Green 1 1 Ball
Col. 3: Black 1 1 Ball
Col. 4: Dk. Grey 1 1 Ball
Col. 5: Lt. Grey 1 1 Ball
Col. 6: Red 1 1 Ball
KIT PRICE: \$56.00 59.00
TENSION: T6, Rib T 5/5 II
GAUGE: 16 sts. 23 rows = 2"

Make on ELECTRONIC Machine using Single Motif Fair Isle Method. Use double width and double length programming. Ski's, head, ski poles, are all done in duplicate stitch. Sleeves are knit in English Rib on regular ribber. COMPUKNIT III owners must INPUT patterns into memory. Photo does not show back of sweater which has a green forest in the center. Instructions are included. Ribbing for bands, use garter carriage. Send \$1.00 plus SASE for enlarged copy of drawing.




FRONT:

K2, P2 Rib: With Col. 1, Cast on 180 (190) sts. After selvedge, change to T 5/5 II and knit 46 rows. Transfer Rib sts to MB. Change to St. st. and knit 5 rows. Set Pattern for trees. COMPUKNIT III owners use Selector 2, Program 1 Motif. Place on Yellow 65, and press Variation Key 1. Knit 1 row to the right to select ndls. KC II. Set carriage for Fair Isle, insert Col. 2, and knit motif. Do not forget to wrap separate yarn on outside ndls. to prevent holes (see manual). After row 102, change to NL, Col. 1, and knit 5 rows St. st. Set Pattern for skier. COMPUKNIT III owners use Selector 2, Program 1 Motif Automatic Center. Press Variation Keys 1,3,4. Add Col. 3 and knit 6 rows (this is only to make it easy to place ski when doing duplicate stitch). Change to different color and knit 14 rows to make boots. Change to another color and knit 6 rows to make socks. Change to Col. 4, knit 68 rows. Change to Col. 6, knit 52 rows. After row 206 (212), AT SAME TIME ON EACH SIDE, place W.Y. marker for sleeve opening. After row 257, set Pattern for Trees. COMPUKNIT III owners use Selector 2, 1 Motif. Place on Green 23. Press Variation Key 1. With Col. 1 & 2, complete Motif, AND AT THE SAME TIME after row 290 (300), BO the center 26 (30) sts. Place sts. on left into H P (remove on W.Y. if working in white). Complete right side first. *On Neck edge, decrease 4 sts. 1x, 2 sts. 4x, 1 st. 1x, 1 st. every 4th row 3x. After row 322 (334), BO or remove remaining sts. on W.Y. Bring sts. on left into WP. Turn counter back to 290 (300) and


knit to match right side. Follow instructions from *.




BACK:
Same as Front to row 125. Set Pattern for Trees. COMPUKNIT III owners use Selector 2, enter 2 Motifs. Press Variation Keys 2 and 4. Knit 1 row to right to select ndls. Add Col. 2, and continue Motif. After row 314 (324), BO the center 52 (56) sts. Place sts. on left to HP and complete right side first. *On Neck edge, decrease 1 st. EOR 3x. After row 322 (334), BO or remove remaining sts. on W.Y. Bring sts. on the left back to WP. Turn Counter back to 314 (324), and knit to match right side. Follow instructions from *.



TURTLE NECK:
Join 1 shoulder. Make 1 with Garter Carriage T2. K2, P2 Rib: Cast on 164 (172) sts. Knit 74 rows. With wrong side facing, hang neck edge onto these ndls. BO Loosely.



SLEEVES:
Regular Ribber, T 5/5 II. K2, P2 Rib: With Col. 1, Cast on 173 (183) sts. After selvedge, change to English Rib setting. ON EACH SIDE, decrease 1 st. every 9 rows 32 (34)x. After row 40, change to Col. 4 and knit 6 rows. Change to Col. 1 and knit 6 rows. Change to Col. 6 and knit 10 rows. Change to Col. 1, knit 6 rows. Change to Col. 4, knit 6 rows. Change to Col. 1 and continue to row 318 (328). Remove on W.Y.



SLEEVE CUFFS:
K2, P2 Rib: With Col. 1, Cast on 70 (74) sts. Knit 40 rows. With WRONG side facing, hang open sts. of sleeve onto these ndls, decreasing evenly across. BO Loosely.

FINISHING:
Fill in missing sections with Duplicate (See KNITTING NEWS this issue). Join side seams. Close turtle neck first on one side 1 1/2", then other side.



CHILDS SNOWMAN PULLOVER

YARN: Amore
SIZES: 4/6 (8)
AMOUNT:
Col. 1: 4 5 Balls
Col. 2: 3 3 Balls
Col. 3: 1 1 Ball
Col. 4: 1 1 Ball
Col. 5: 1 1 Ball
Col. 6: 1 1 Ball
Col. 7: 1 1 Ball
Col. 8: 1 1 Ball

KIT PRICE: \$42.00 45.00
TENSION: T6 for Intarsia and Short Rows
GAUGE: 14 sts. 24 rows = 2"



Make on STANDARD or ELECTRONIC Machine, using Intarsia Design. Ribbing is K1, P1. Send \$1.00 plus SASE for enlarged copy of Intarsia drawing. Decorations (nose, wiggle eyes, scarf) are not included in kit.

NOTE: Please make 2 sample swatches, 1 for Intarsia and 1 for

Short Rows. Usually the Intarsia will be quite different as people tend to pull down on the yarn more than is required. The different st. gauge explains the difference in the total rows for the front and back.


FRONT:
Intarsia Method: W.Y. Cast on 107 (114) sts. After several rows, end with 1 row Ravel Cord to the right. Change to Col. 1, and knit 20 rows. Set the machine for Intarsia Knitting (see manual) and begin Pattern. Follow drawing for Pat. and change in colors. After R 212, BO the center 17 (20) sts. Place sts. on the left into HP and complete right side first. *On Neck edge, decrease 2 sts. 1x, 1 st. 10x. AT THE SAME TIME, after 232 (246), SHAPE SHOULDERS. BO or use Short Row Method, 7 sts. 4x, 5 sts. 1x (7 sts. 5x). End row 242 (256). Bring sts. on the left back to WP. Set Counter back

and knit left side to match right. Follow instructions from *.





BACK:

Short Row Method: W.Y. Cast on 107 (114) sts. Change to Col. 2, knit 2 rows over all sts. and begin Short Row decreases. On side opposite carriage, bring to HP 1 st. EOR 107x, 1 st. EOR (114x). All sts. are in HP. Turn Counter back to 2 and do increase Short Rows with Col. 1. After row 216 (230), BO the center 31 (34) sts. Place sts. on left into HP, and complete right side first. On Neck edge, decrease 1 st. EOR 5x, BUT AT THE SAME TIME shape shoulder same as back. After row 226 (240), turn Counter back to 216 (230). Bring ndls. on the left back into WP and knit to match right side.



WAIST BAND:

K1, P1 Rib: With Col. 1, Cast on 101 (109) sts. After selvedge, change to T 4/4 II and knit 34 rows. Transfer Rib sts. to MB. With wrong side facing, hang lower edge of Front/Back onto these ndls. BO Loosely.



SLEEVES:

CLOSE 1 SHOULDER FIRST. Make 1 Col.1, Make 1 Col. 2: Bring 103 (110) ndls. to WP. With wrong side facing, hang sleeve opening onto these ndls. Bring ndls. to E Position and 'e' Cast on over these ndls (use Col.1 or Col. 2 depending on which sleeve). Continue in St. st. ON EACH SIDE, decrease 1 st. every 7th row 18 (19)x. After row 134 (140), remove on W.Y.

CUFFS:


Make 1 Col.1, Make 1 Col. 2. K1, P1 Rib: With Col. 1, Cast on 51 (57) sts. Knit 34 rows. With wrong side facing, hang open sts. of sleeve onto these ndls. decreasing evenly across. BO Loosely. Repeat with 2nd color.

NECK BAND:

K1, P1, T 4/4 II: With Col. 1, Cast on 131 (137) sts. Knit 28 rows. Transfer Rib sts. to MB. With wrong side facing, hang Neck opening onto these ndls. BO Loosely.

FINISHING:

See General Instructions. Add eyes or other trim of your choice.




TIMELY TREASURES

Filled with gifts and Christmas decorations...

There are seven Christmas stockings, nineteen Christmas ornaments, finger puppets, covers for candy jars, socks for bottles...even Easter egg ornaments!

This is a fun book that will take care of all your odds and ends of yarn. Written by Terri Burns, the instructions are easy to follow and our SPECIAL CHRISTMAS price to you is \$10.95 plus \$1.85 shipping.



649



TUCK STITCH AFGHAN

YARN: Silkie
SIZE: 60" x 54 1/2"
 without fringe

AMOUNT:
 Col. 1: 24 oz.
 Col. 2: 16 oz.

KIT PRICE: \$42.00

TENSION: 6
GAUGE: 7 sts. 12 rows = 2"

Make on the **BULKY 260** Machine in Tuck stitch Pattern using two strands together. Punch card and mark as shown.

PANELS:

Make 2 panels the same, beginning with Col. 1. Make 1 panel for center beginning with Col. 2.



W.Y. Cast on 71 sts. Knit several rows, ending with 1 row Ravel Cord to the right. Counter 0, Change to Col. 1. Knit 2 rows, setting Pattern on 2nd row. **PUSH IN BOTH TUCK BUTTONS.** There are 26 rows Col. 1, 30 rows Col. 2. Change color at marks on card. Each time when changing color, leave a 6" end, cut yarn, and leave a 5" end of new color. Continue in Pattern to row 362. Remove each end st. onto a safety pin, then remove the remaining sts. on W.Y.

FINISHING:

ONLY STEAM EDGES. Place sections on a table with the center section (Col. 2) in the middle, and the other 2 sections (Col. 1) on each side. Have the edges that hold sts. on pins in front of you. Release the inner edge sts. from 1 section (remove pin) onto a size G crochet hook. *Release 2 more rows (ALWAYS 1 at a time) from same side onto hook. *Release 3 rows from other section and pull through the 3 on hook. Repeat from * to end. **BE SURE TO ALWAYS PUSH HOOK THROUGH FROM THE TOP (RIGHT) SIDE.** Each time you come to a strand of loose yarn (where color was changed), pick up the color you need on hook and count it as 1 loop. You must have the same colors on hook. Ignore the other loose color for time being. Attach center section to other side in the same manner. **ON THE OUTSIDE EDGES,** release first 2 sts. from edge and have on hook. *Release 2 more sts. and pull through the 2 sts. on hook. Repeat from *. Put the end sts. on pin to hold. **EACH END** held on W.Y. With 2 strands of same color as 1st section, and with right sides facing, slip st. into open sts. as follows:

FRINGE:

Cut strands of yarn 21" long. Use same color as each section. Use 6 strands of yarn for each fringe. Fold in half and from wrong side, pull folded fringe through each chain 2 loop, then pull the 12 strands through loop. You may want to knot fringe 1" down taking 6 strands from 1 fringe and 6 from other (see picture).



ANOTHER FIRST FROM KNITKING ...

IF YOU OWN A COMPUKNIT III (KH 930), THIS IS FOR YOU!!

A Pre-Programmed Floppy Disk with all of the Pattern Stitches (except intarsia) for the garments in this issue. Just insert the disk into your Floppy Disk Drive, dial the Pattern Stitch of your choice and...AWAY YOU GO!!!



The price direct from KNITKING is \$9.95 plus \$.50 shipping.



650



CHRISTMAS STOCKINGS

LARGE XMAS STOCKING

YARN: Baby Baby
Use 2 strands for stocking, 1 strand for lining.

SIZE: 34"

AMOUNT:

- Col. 1: 1 cone blue
- Col. 2: 1 cone white
- Col. 3: 1 cone green
- Col. 4: 1 cone red

The cones of yarn will make several stockings, including small size. Other decorations and yarns are not included in kit. Small amounts of Brown, Black, and glitter yarn in Gold, Green, Red, and Blue were used.

KIT PRICE: \$53.00

TENSION: T3, T2 for lining using 1 strand white.


GAUGE: 9 sts. 12 rows = 2" (5cm.)

Make on any PUNCH CARD BULKY Machine. Stocking is made with St. st. with Fair Isle Design. Stocking is made from the ANKLE to the TOP, continuing with lining back to ankle. Foot section picked up and knitted later.

STOCKING:

W.Y. Cast on 69 sts. After several rows, knit 1 row Ravel Cord separately over 17 sts. on each side and 35 sts. in center. INSERT CARD #1-ORNAMENT. Counter at 0, begin with blue yarn over all ndls. FOLLOW THE INSTRUCTIONS given along side each Punch Card. Remember that each time you insert a new card, turn off KC, then set new Pattern on 4th row. ALWAYS PUSH BACK THE SELECTED NDLS. ON EACH SIDE that are BEYOND THE 3 PATTERNS IN CENTER. At the same time, after R 10, ON EACH SIDE, increase 1 st. every 12th row 8x (Last increase at R 94).

Continue following pattern designs to R 234. Stop and remove card. Continue with red for foldover, T 2.2 Knit St. st. to R 272. Counter at 0, change to single strand of white. Knit St. st. at T2. ON EACH SIDE, decrease 1 st. after rows 106, 118, 130, 142, 154, 166, 178, 190. Knit to R 200, then BO Loosely.




FOOT SECTION:

T3, Carriage on LEFT: With wrong side facing, pick up center 35 sts. of stocking held on by W.Y. BE SURE STS. ARE IN HOOKS OF NDLS. Insert Border Card. Push in Part Buttons, Set KC. Go across without yarn to select ndls. Activate Card and put Counter at 0. Set for Fair Isle and knit 2 rows red + blue, 2 rows red + white. Stop Pattern and remove card. Continue in St. st in red. After R 20, ON EACH SIDE, decrease 1 st. Knit to R 54. Change to white and work Short Rows. Bring to HP 1 st. 12x on each side. Push back to WP 1 st. 12x on each side. Change to red and knit to R 156. REPEAT THE SAME SHORT ROWS WITH WHITE. After R 204, remove sts. on W.Y.


FINISHING:

Steam carefully. Press lining to fit stocking to the ankle. Press edges of foot section, then weave approx. 1" of back seam 1 st. in from each edge. Weave the heel to foot first, then weave sides of foot. Complete the back leg seam. Fold top of sock over on fold row (T10), and sew smoothly to sock at bottom edge of red. Turn sock to inside and catch lining at ankle. Make cord over 5 ndls, approx. 10". Sew inside of stocking. See picture. Decorate stocking as desired.






- 6) MERRY XMAS - 38 Rows
 - 4 rows Red - Set Pat. on 4th row
 - 29 rows Red + Green Glitter
 - 4 rows Red
 - 1 row - T10 with Red (for foldover-Counter 234)
- 5) ANGEL - 38 Rows
 - 4 rows White - Set Pat. on 4th row
 - 26 rows White + Gold Glitter
 - 4 rows White
 - 2 rows White + Gold Glitter
 - 2 rows White + Red
- 4) SANTA - 50 Rows
 - 4 rows Blue - Set Pat. on 4th row
 - 16 rows Blue + White
 - 6 rows Blue + Pink
 - 2 rows Blue + White
 - 14 rows Blue + Red
 - 4 rows Blue
 - 2 rows Blue + White
 - 2 rows White + Gold Glitter
- 3) SNOWMAN - 42 Rows
 - 4 rows Green - Set Pat. on 4th row
 - 16 rows Green + White
 - 2 rows Green + Red Glitter
 - 6 rows Green + White
 - 6 rows Green + Black
 - 4 rows Green
 - 2 rows Green + White
 - 2 rows Blue + Red
- 2) REINDEER - 34 Rows
 - 4 rows White - Set Pat. on 4th row
 - 21 rows White + Brown
 - 5 rows White
 - 2 rows White + Brown
 - 2 rows White + Green
- 1) ORNAMENT - 32 Rows
 - 4 rows Blue - Set Pat. on 4th row
 - 6 rows Blue + Gold Glitter
 - 6 rows Blue + Lt. Blue Glitter
 - 8 rows Blue + Red Glitter
 - 4 rows Blue
 - 2 rows Blue + White
 - 2 rows White + Brown

— 200



PUNCH CARDS FOR LARGE STOCKING MADE ON BULKY PUNCH CARD MACHINE



DECORATIONS:

For Santa's whiskers, wind fine mohair yarn 36 times around a 4" cardboard. Slip off and tie in center to form whiskers. Use Tacky Glue (sold in all fabric shops) and glue whiskers in place. Glue on wiggle eyes and tiny red pom-pon for nose.

For Snowman, glue on wiggle eyes, make a tie from red glitter, small pom-pons for buttons, and an orange nose from yarn.

For Reindeer, glue on wiggle eyes, and tie red yarn at neck with tiny bells.

For Angels, glue tiny beads on for eyes, and half a red sequin for mouth.

SMALL STOCKING


YARN: Baby baby
SIZES: 23" long
AMOUNT:
 Col. 1: .7oz.
 Col. 2: 2 oz.

If lining, you will need 3 oz. of yarn. If you do not wish to line the stocking, you can press on Stitch Witchery. Small amounts of Brown, Green, and Gold glitter were used. Decorations are not included in kit.

KIT PRICE: \$10.00
TENSION: T6
GAUGE: 15 sts. 20 rows = 2"
 Make on any Standard Punch Card or Electronic Machine. St. st with Fair Isle designs and Tuck st. for brick Pattern. Stocking is made from the ANKLE to the TOP with foot section picked up and knitted later.

STOCKING:

W.Y. Cast on 73 sts. After several rows, knit 1 row Ravel Cord separately over 18 sts. on each side and 37 sts. in the center. ALWAYS PUSH BACK THE SELECTED NDLS. ON EACH SIDE that are BEYOND THE 3 PATTERNS IN CENTER. Counter 0, change to white yarn. Insert Card A-Reindeer. Follow the patterns as listed. Each time you insert a new card, turn KC off then set pattern on the 4th row. AT THE SAME TIME, ON EACH SIDE, after R 16 increase 1 st. every 6th row 6x, every 8th row 4x. Continue in patterns to R 214. STOP BRICK PATTERN. Knit 1 row T10 (for fold) and continue in St. st. with Red and T 5.2 to R 244. Continue with fine white yarn T5, for lining. Counter 0, knit to R 90. ON EACH SIDE, decrease 1 st. every 8th row 4x, every 6th row 6x. After R 170, BO.





FOOT SECTION:

St. st. T6: With wrong side facing pick up center 37 sts. from W.Y. at ankle. BE SURE STS. ARE IN HOOKS OF NDLS. Insert 4 row BORDER CARD and with Part Button IN, set ndls. from LEFT to RIGHT. Release part buttons. Set machine for Fair Isle and knit 2 rows White + Brown, 2 rows White + Red. Continue in St. st in white.

After R 20, ON EACH SIDE, decrease 1 st. After R 58, work Short Rows with red. Bring to HP 1 st. 12x ON EACH SIDE. Push back to WP 1 st. 12x ON EACH SIDE. Change to white and knit to R 164. Change to red and REPEAT the same Short Rows. After R 212, remove remaining sts. on W.Y.

FINISHING:

Same as for Large Stocking.



- F) BRICK - Tuck Pat. 46 Rows
 4 rows White - Set Pat. on 4th row
 *4 rows Red
 2 rows White
 REPEAT FROM * IN TUCK PAT. (42 rows)
 To Row 214 on Counter.
- E) NOEL - 20 Rows
 4 rows White - Set Pat. on 4th row
 16 rows White + Green Glitter
- D) POINSETTIA - 34 Rows
 4 rows White - Set Pat. on 4th row
 22 rows White + Red
 4 rows White
 2 rows White + Red
 2 rows White + Green
- C) ANGEL - 40 Rows
 4 rows White - Set Pat. on 4th row
 28 rows White + Gold Glitter
 4 rows White
 2 rows White + Gold Glitter
 2 rows White + Red
- B) TREE - 40 Rows
 4 rows White - Set Pat. on 4th row
 28 rows White + Green + Glitter Together
 4 rows White
 2 rows White + Green
 2 rows White + Gold Glitter
- A) REINDEER - 34 Rows
 4 rows White - Set Pat. on 4th row
 22 rows White + Brown
 4 rows White
 2 rows White + Brown
 2 rows White + Green

FDD19

FLOPPY DISK DRIVE FOR COMPUKNIT III



With so many programmed disks being made for use with the COM-PUKNIT III, the Floppy Disk Drive could be an ideal Christmas Gift. See KNITKING'S Christmas Sale literature for the special low price






STITCH WORLD EXTRAS..

A complete new and marvelous (very contemporary) assortment of 63 Pattern Stitches for the COMPUKNIT III. Fair Isle, Single Motifs, Thread Lace, Regular and Fine Lace, Skip Stitch, Tuck Stitch, and Garter Stitch. Up to 200 stitches wide. See our Christmas Sale for introductory price.

Order from your local dealer or direct from KNITKING at 1128 Crenshaw Blvd., Los Angeles, CA 90019

PUNCH CARDS FOR SMALL STOCKINGS MADE ON STANDARD PUNCH CARD MACHINE







KNITTING REMINDERS

After the Ribber Selvedge Cast On, put your Counter to 0, and then begin knitting your garment. This is also true when casting on with W.Y. ending with 1 row Ravel Cord to the right - Remember to put Counter to 0.

STANDARD METHOD OF KNITTING FAIR ISLE DESIGNS WITH NO FLOATS ON THE BACK

(PAT. 631 & 638)

1. Set up the Ribber and KRC Color Changer.
2. Thread yarns into the Color Changer.
3. Attach the fine Knitting Bar to MB.
4. Arrange the ndls. on MB and Ribber for FNR. Pitch at H. Ribber ndls. must be EVEN NUMBER.
5. Knit several rows or as many as Pattern specifies. End with carriage on Far Left.
6. Set or Program your Pattern. Set the Change Knob to KC II for Electronic Machines, and KC for regular Punch Card Machines.
7. With Main Color in Feeder A, move carriage to the right to select the ndls.
8. Set the Ribber Carriage and MB Carriage as shown below.



9. Move the Carriage to the left until you hear a 'click'. Push the Color Changer Button for desired color.
10. Knit 2 rows.
11. Continue in Pattern changing color every 2 rows.

NOTE: On the Electronic Machines be sure to Press KRC BUTTON. This will automatically change any Fair Isle Pattern to Double Knit.

For 24 st. Punch Card Machines, use KRC 830 Pre-Punched Cards.

To convert from regular Fair Isle cards to Multi-Color Rib, see Manual pages 21, 22, and 23.

IMPORTANT NEWS ABOUT YARN KITS

Kit prices are now located with the coordinating pattern instructions. Look for the listing of Yarn, Sizes, Tension and Gauge and you will now find KIT PRICE included in this heading. Be sure to take advantage of these extra special Kit Prices (includes shipping) and SAVE!!! Just send in the pattern number, a check or Visa/Mastercard number with expiration date, and the kit will be shipped to you immediately. Don't delay in creating that special garment, ACT NOW with your KIT ORDERS for the upcoming holiday season.

SELF LINING METHOD - (PAT. 636)

FNR Cast on in usual manner. After selvedge, end with Carriage on FAR LEFT. SET MAIN MACHINE TO KC II. Set Ribber with BOTH PR BUTTONS UP, and knit 1 row from LEFT TO RIGHT. PUSH IN BOTH PART BUTTONS. Knit 1 row RIGHT TO LEFT. Change to Col. 2. Release PR Buttons on Ribber (push down to bottom position). Knit 2 rows. Change to Col. 1. Push both PR BUTTONS UP. Knit 2 rows.

Repeat this throughout:

2 ROWS COL. 1, BOTH PR BUTTONS UP.

2 ROWS COL. 2, BOTH PR BUTTONS DOWN.


PART BUTTONS ON MAIN MACHINE REMAIN PUSHED IN THROUGHOUT.

When knitting with KC II, end ndls. are NOT selected. Therefore, ON EVERY ROW, bring end needles to 'E'.

DUPLICATE STITCH PATTERN - (PAT. 647)


A) Method (1)

① Insert the tapestry needle into the stitch from the back. Pass the tapestry needle through the stitch from the front as shown in the diagram.



DUPLICATE STITCH

② Back to the first stitch, pass the tapestry needle through the stitch from the right side as shown in the diagram.




③ Repeat these steps.




B) Method (2)


① Insert the tapestry needle into the stitch from the back and pass it through the stitch from the front as shown in the diagram.



② Back to the first stitch, pass the tapestry needle under the lower stitch needle loop as shown in the diagram.



③ Repeat these steps.



FAIR ISLE KNITTING - (PAT. 640-641)

When knitting a Fair Isle Pattern, there will be a time when all the ndls. except for the 2 end ndls. go back to "B" position if you are using KC I. When this happens, remove the 2nd color in Feeder B and push back the end ndls. to "B" position to knit in St. st. Knit the number of rows required until the Carriage selects the ndls. for the next row of Fair Isle. Place color 2 back into Feeder B and continue in Pattern.

MOVING

WHEN YOU CHANGE YOUR ADDRESS PLEASE
DON'T FORGET TO SEND US YOUR NEW ADDRESS
WITH YOUR ORIGINAL ADDRESS LABEL




638
Seashells


tumble above the waves and catch the admiration of everyone. A beautiful Coat takes the spotlight from season to season. It's double knit in a Fair Isle Design on the Electronic machine. Make it with Venetia in sizes 8 to 16.



639 Textured Knitting

is easy when you set the Garter Carriage to work for you. Knit this Mens sweater on the COMPUKNIT III machine as a special surprise for your special Man. He will be impressed and delighted to wear it everywhere. This garment and the two on the opposite page were made with the identical COMPUKNIT III Pattern Stitch and Knitleader drawing. The sizes are Small, Medium and Large, the yarn Bulky Venetia.





640-641 Norwegian Duo

One for him, one for her. The Designs are the same but colors make the difference. Knit his in two colors, hers with four colors or plan your own color scheme. Knit them both with our Venetia yarn in Small, Medium or Large sizes.



648

Make a Hit


with any girl or boy, and knit this Snowman Sweater. Glue on his felt eyes, buttons and an orange carrot nose. His red scarf flies in the wind while clouds drift above. Knit with Amore. Sizes 4 to 8.



647

Snowtime

is showtime! Program the design into your COMPUKNIT III. Complete small outlines with duplicate stitch when front is pressed. Sleeves are English Rib. Knit with Amore.





646
**Super Soft
Glamour**

Angora is combined with Venetia and Lurex for an elegant Pullover that is knitted sideways on a Punch Card Bulky machine. It's an easy Tuck Stitch Pattern striped with Stockinette stitch. Bands are ribbed. Sizes 10 to 16.





644 Prehistoric Fun

Dinosaurs are in! Knit your favorite girl or boy this Brontosaurus Sweater. Knit on your Electronic machine with Amore so you can machine wash and dry it. Stripe the ribbed bands. Sizes 5 to 8.



643 Charming

Knit her a long colorful Pullover with four colors in a row border on the lower edge. Gleeful Cows smile approval. Knit on Standard or Electronic machine with 900 Ribber.



649

A Timely Gift

is a pretty Afghan you can knit in one evening. Two colors alternate in Tuck Stitch Designs. Make it on the Punch Card Bulky machine. Three sections are all that is needed, and you latch them together, then trim with a long knotted fringe at each end. Use double strands of our Silkie yarn.



650

'and the stockings are hung'

for decoration or filling with goodies. Knit small stocking on standard Punch Card machine. Use single strand of Baby/Baby. Use double strands to knit large Stocking on the Punch Card Bulky. One cone of White, Blue, Red and Green knits several Stockings.



645 Fashion Smart

Knit this silky Top on a Bulky machine in a Fair Isle Design with separating bands of Stockinette stitch. It is quick to knit and beautiful to look at. The Bands are a full needle Rib. Sized from 6 to 14, the yarn is Nordic with double strands of Glace.



Introducing Lectrolink

*New Rotary type Linker with electric drive.
U.L. approved.*

*Seam a complete garment, perfectly, with
the yarn you used to knit the garment.
Average time 30 minutes.*


*Accommodates up to 220 stitches.
Adjusts to various yarn thickness.*

*Matches neck and front bands,
trims and braids. Does shirring
and gathering, etc., etc.*

*Light in weight and easy to
use. Takes the tedium and
time out of seaming.*



**Order from your local KNITKING dealer, or direct from
KNITKING at 1128 Crenshaw Blvd., Los Angeles, California 90019.
Telephone: (213)-938-2077.**



642 Ripple Puff

Try your skill on the Bulky machine with a brand new Pattern Stitch that puffs up into a super Jacket. It's warm and cozy, the colors bright and beautiful. Bands are 1 x 1 Ribbing with color stripes. Nordic is the yarn. Sizes Small/Medium and Large.


KNITTING AUTO KK 93

It's the most complete Punch Card Programmed knitting machine on the market today.

If you shop around you will find that there are other Punch Card Programmed knitting machines on the market. You will also find that you will pay extra for such things as Charting Accessories, Intarsia Carriages, Lace Carriages, and Plating Fingers. All of these and more are included with the **KNITTING KK 93**. Without a doubt the most complete and most versatile machine available anywhere.



KNITTING MAGAZINE is a full service company and one important service is the publication of **KNITTING MAGAZINE**. In full color and published quarterly, **KNITTING MAGAZINE** has over 20 beautiful patterns in each issue complete with charts and full instructions. **KNITTING** has its own design department, and the magazine is recognized as the finest knitting machine publication in the English language in the world. No other knitting machine company in the USA provides such a service.




Your KNITTING AUTO KK93 is complete with:

- * 200 Needle Triple Strength Stainless Steel Needle Bed.
- * Smooth operating Main Carriage for Stockinette stitch, Tuck stitch, Fair Isle, Weaving, Plating, Intarsia, Thread Lace, etc.
- * Lace Carriage for lovely true lace stitches... both standard and fine.
- * 20 pre-punched Pattern Cards for all types of pattern stitch knitting. It is also possible to punch your own original designs.
- * Isolation controls allowing the placing of Emblems or Jacquard designs on any part of a garment.


- * Built-in controls for Intarsia designs--no extra Carriage needed.
- * Thread Lace Knitting for beautiful lace designs.
- * Built-in Knitleader Charting Accessory that tells you, row by row, when to increase and decrease. Simplifies the knitting of garments to accurate size.
- * Complete Kit of Tools with spare needles, special lubricating oil, cabling tools, etc.
- * Two, step by step, instruction manuals with hundreds of illustrations.
- * One year warranty on parts and service.

ACCESSORIES FOR EVEN GREATER VERSATILITY



AUTO 91 GARTER CARRIAGE

A remarkable and unique electrically propelled Carriage that automatically ribs and knits any combination of Knit-Purl stitches. It can knit while you do other things and switch itself off when it is through, or if it runs out of yarn. . . Without a Garter Carriage it is not possible to knit Garter Stitch automatically.



RK 900 RIBBER

When attached to the KK 93 Knitting Machine, the RK 900 Ribber converts it into a double bed knitter, allowing you to knit any combinations of rib designs over a total of 400 needles. The popular Fishermans Rib and hundreds of fancy Punch Card designs plus seamless tubular knitting, are all made easy with this excellent accessory.

RIBBER FOUR COLOR CHANGER (RCC)

Add this Push Button Color Changer to your knitter and Ribber combination and you will be able to knit beautiful multi-color Jacquard designs with as many as four colors in one row. It also eliminates the 'floats' from the back of Fair Isle knitting.

The Knitter Color Changer (KCC), not illustrated, functions on the KK93 (without Ribber). It's a Four Color Changer and it enables you to knit up to four colors in a stitch design automatically, and to change colors with the push of a button.

knitking

1128 Crenshaw Boulevard
Los Angeles, California 90019
(213) 938-2077