



Weave with your 302 Rutomatic

Knitmaster Ltd., 19 Buckingham Gate, London S.W.1. Telephone number: 01-828 7121 **Fashion** with that inspired touch of exclusivity—
the envy of women the world over
.... Just that something different-Film Stars and Royalty
pay fortunes for it (and still don't always get it).

This can be yours and yours alone using your ideas of colour and design – these cannot be copied . . . that's what weaving on your 302 Automatic brings you and it's so simple and so easy to express your very own creative ideas of colour and pattern combination that can be produced in limitless variety.

ere is the tremendous new excitement of adding a warp thread to your knitting – in any yarn you care to choose . . . Create marvellous effects with lurex and angora – or any one of the luxurious heavy contrast yarns you can buy these days. You can make up any new combination of yarns – for instance, a two-ply or boucle background with the woven-in thread in a chunky multicolour wool.

You can now make nonstretch fabrics as well
as exquisitely new and
gorgeous non-stretch contrast
borders and welts that can be
used to achieve that professional
finish to retain the styling so
essential in fully-fashioned
Knitwear. Nowhere in the world
can you buy high fashion shaped
Knitwear with non-stretch
contrast woven borders and
hems.


So your garments will always have that touch of exclusivity – the envy of every woman.

The woven-in thread for borders and hems uses practically no yarn at all — so an ounce or so of even the most expensive will be all you'd need . . .

You can also make nonstretch fabric for tailored jackets, coats and costumes, as well as all sorts of fancy weaves for beautiful Baby blankets, bed-covers, curtains, cushion covers, tablecloths and even rugs.

We know you'll want to start weaving just as soon as you have glanced through this book and you'll find it's amazingly simple – BUT . . . Please don't be impatient; don't start weaving before you can knit! FIRST get the feel of your machine and when you are completely happy and at home with your 302 (it shouldn't take you long) THEN only will you really appreciate the fantastic new possibilities of weaving.

By the time you've made up samples of the patterns in this little booklet you'll be well on your way to creating and experimenting with your own ideas of Colour, Pattern and Yarn combinations. As each and every new idea comes quickly to life you'll be more and more amazed and astonished at the truly incredible performance of your remarkable Knitmaster 302 Automatic.




To practice, bring 60 needles from A into B position. Thread the machine in the usual way and knit one row.


C

Order	YARN		PATTERN PANEL			CAM L. PUSH BUTTONS			PATTERN SIDE		LEVER	ROWS
	Vind	Feeder	0	0	-01	Q	21	12	144×	ON:	1:10	TION
1		A	1	0	1	Stock				Y	-	4
2	B		0,000,000	oatuuta	200000	www.	20000000	auxeeco	consocari	aca 🗸	anna	cconocco
3						The same						
4				(8)		11312						Jan 1

Set your machine as above to produce your first woven material. In the first two columns (Yarn), the knitting yarn is A and the weaving yarn is B. The knitting yarn A is knitted through the yarn feeder, while the weaving yarn B is laid across the needles in D position by hand. Put Shift Dial to 1; Pattern Dial left to •; Pattern Dial right to 1; Cam Lever Stockinet; Left Push Button 1 down; Pattern Lever •; Side Levers V.




Cast on in the usual way, using nylon cord or odd yarn. Knit 5 rows and remove cast-on cord.




Knit 1 row, thus putting every other needle into D position.

PDF created with pdfFactory trial version www.pdffactory.com

Lay weaving yarn, B, over the needles in D position from right to left (behind the latches but in front of the guard rail). With your right hand put the weaving attachment on the right side of the machine, so that the




front edge of the attachment (Arrow) rests against the rail. Always operate the Weaver from the same side as the weaving yarn. Push Weaver lightly down and back against the rail and the needlebed.




Press the weaver lightly onto the needlebed and push it from right to left, thus moving the needles, and the yarn will be woven in automatically.




Tie the beginning of the weaving yarn onto the right clamp, and hold it with your left hand slightly taut.




Move the Cam Box from left to right, thus knitting in the first row of weaving. If the Cam Box is difficult to move, the weaving yarn is too tight.



Push the Cam Box from right to left, automatically bringing the weaving pattern needles into D position.



Lay the weaving yarn over the needles from left to right. Hold it slightly taut, and push the weaver from left to right.



Knit two rows. The weaving yarn will be knitted in, and the weaving pattern needles will be in front again.



Lay the weaving yarn from right to left. Hold it slightly taut, and push the weaver from right to left. Repeat steps 5 – 9

The pattern charts for weaving are to be read the same way as the ones for pattern knitting.

In the first two columns of the charts the knitting and weaving yarns are called A, B and C. The knitting yarn A is always knitted through the yarn feed; number of rows and directions as on card. The weaving yarn B is put once from right to left or from left to right, as the arrow indicates. For multi-coloured weaving patterns the weaving yarns in different colours are indicated B and C. Use the different coloured yarns, B and C, as indicated in the charts. Use a Tension setting suitable for ordinary knitting with your knitting yarn A.



By using thick wool for weaving and thin wool for knitting, effective patterns suitable for cushions and blankets can be easily produced, as shown here.


Order	YARN		PATI	TERN P	ANEL	CAM L	PUSH	UTTONS	PATTERN LEVER	SIDE	LEVER	ROWS &
	ving	Feeder	T.	0	701	Y	21	112	144V	A:	1:10	TION
1	-	A	0		4	Stock		Ш		~	Y	-
2	B	-	002020	oman	0000000	STATE OF THE PARTY.	monana	nama	000000000	SECUE C	XXXXXXXX	1770000XG
3		A	n	p	11	u	11	"	H	is	11	-
4		A	11	11	21	1	u	п		B	u	-
5	B 300	NAME OF THE PERSON	zer	anomer	ananco.	00000000	200	economics	DATE OF THE PARTY	ccoca	-	xyxxound
6		A	1)	n	11		n.	-4	11			-

Repeat rows 1-6 throughout.



W 101

W 101




This simple weaving pattern is especially suitable for suits and coats. Two examples are shown using the same chart, but different yarns – Double Knitting or multi-coloured yarn.

Order	YARN		PATT	ERN P	ANEL	CAM L	PUSH	PUSH BUTTONS		SIDE LEVER		ROWS H
	weg- ving	Feeder	Ф	0	_0	Q	21	12	~~~	9:	1:10	DIREC-
1		A	0		1	Stock			•	V	V	-
2	B	-	00000000	20010000	00000000		00000000	000000000	0000000000	**************************************	10000000	**********
3		A		11	μ	U	1	11	u	11	11	-
4		A	TE		1		- 4			n	11	-
5	B marine manufacture manufactu										-	00000000
6		A	11	n	n		N	н	11	11	11	-

Repeat rows 1-6 throughout.

W 101






W 102

In simple weaving patterns, very thick wool is especially effective. This fabric is ideal for sportswear. Even soft furniture can be covered with it.



As this material shows, you can also work with different needle settings. Irregular patterns are very effective for curtains.




Repeat rows 1-8 throughout.

W 102


Pattern Group

Set first pattern group round centre "0" as shown and repeat as desired.




Repeat rows 13-15 three times, and start again at 1.

W 103



Repeat rows 13-15 three times and start again at 1.

W 104



Repeat rows 13-15 three times and start again at 1.

W 105



W 104

Even very thick blanket wool can be used for weaving on your 302 Automatic. This pattern and yarn can be attractively used for baby blankets or babies' coats.



W 105

This woven fabric in two colours (a very simple pattern) is useful to make into small presents, such as kettle holders or tea cosies.



This zig-zag pattern shows up well in contrasting colours. Perhaps you need a new picnic or car rug for which you could use this idea.

W 106




This very attractive pattern uses Lurex yarn for knitting and W 107 wool for weaving.


Order	YARN		PATTERN PANEL			CAM L.	PUSH BUTTONS		PATTERN	SIDE LEVER		ROWS a
Didei	Ving	Feeder	Φ	_0_	701	Q	21	12	100×	9:	1:10	TION
1		A	0		1	Stock		Ш	•	~	-	4
2	B	4	NORMAN AND AND AND AND AND AND AND AND AND A	NUMBER OF STREET	Sistema (MANUFACTURE OF THE PARTY OF THE	NASSASSAN	THE STREET	Designation of the last	1000	PERMIT	DIVERSOR N
3		A	n	h	11	u	4	и	11	H	11	-
4		A	11	n	11		ų	11		а	н	4
5	B	33350	700	100000000	CONTRACTOR OF THE PARTY OF THE	ORGONOSE.	100	NATIONAL PROPERTY.	regional process	NO SECURIT	7000	POSTORON
6		A	11	11	ц	1	n	11	h		11	-

Repeat rows 1-6 throughout.






Repeat rows 1-42 throughout.



Repeat rows 1-12 throughout.

W 108




Repeat rows 19-24 three times and begin again at 1.





W 108

This diagonal stripe is a suggestion for the modern teenager – and gives a very unusual effect.



W 109

This striped pattern would be useful for a tablecloth. A few scatter cushions, in addition, would make a room cosy.



Woven in thick wool, this pattern looks striking used as a border for a dress or suit.



This pattern can be used in many ways. You can make dresses, coats and suits in various colours.

Order	YARN		PATT	ERN P	ANEL	CAM L.	PUSH I	BUTTONS	PATTERN	SIDE LEVER		ROWS a	
	Weg- Ving	Feeder	ф	0	0	Q	21	12	LEVER	Oy:	1:10	TION	
1		A	0		2	Stock				V	V	4	
2	В												
3	-	A	n	n	11	u		11	H	u	н	-	
4		A	2	B	81		ų	1		A	и	4	
5	B	Dept State		******	negativations	THE REAL PROPERTY.	- The state of the						
6		A	11	- 11	11		10	N			11	-	

Repeat rows 1-6 throughout.

W 111


	YA	RN	PATT	ERN P	ANEL	CAM L.	PUSH E	BUTTONS	PATTERN LEVER	SIDE	LEVER	ROWS »
Order	WEG- ving	Feeder	Ф	0	~0	Q	21	12	LEVER	9:	احاد	DIRECTION
1		A	0	7	1	Stock				V	~	-
2	B	m-	Sheatachtachta		NONCORRO	-	PERSONAL PROPERTY.	-	PERSONAL PROPERTY.	mark -	PERMISSION	PASSESSE
3		A	11			u	1	u	u	it.	11	-
4		A					li .	h		h		-
5	B	A			AND PROPERTY.		40	Self-stream	- Stronghouse	*Occupation	THE	AND DESCRIPTION OF
7		A	" ₽ 2					N.		n		-
8	B		OMBONO.	MEDICAL PROPERTY AND ADDRESS OF THE PERTY A	200000000	'	- I	•			1	•
9	0	A	11			1	B		h		,	
10		A	3				n	11				
11	8 -	Dec Colon	-		application of		-	DSF SPIERS	- Spanners	NECOSOSIA.	- wa	-
12		A	п					*		w	п	-
13		A	2=					a	п	1	4	4-
14	B		0450/340	NESCHOOLS	********		all the same of th		***************************************		**********	NAME OF TAXABLE PARTY.
15		A	"			· ·	*		4	4		-
16		A	2=			h	h	н	4	R	h	4
17	B ==			PACKET STATE OF THE STATE OF TH	and a second	ALCOHOLD IN	- da	To State Line	PHILIPPEN PROF	NAME OF STREET	-	PROFESSION OF
18		A	2			4	13	4			и	-
20	B		4		BOOGGE	4	li Constant	*		*		-
21	0	A	11					b			u	
22		A	2 E						p			4
23	8=	-	1000	EN CONTRACTOR OF THE PARTY OF T	denous de la constante de	DESCRIPTION AND ADDRESS OF THE PERSON ADDRESS OF THE PERSON AND ADDRESS OF THE PERSON AND ADDRESS OF THE PERSON AD	45505	ASSOCIATION OF THE PERSON OF T	Contraction of the Contraction o	No Company and		-
24		A				u				10		-
25		A	33				1	41	и			4
26	Bee	\leq	austratus	principal and the	90000000	-	2000000	unestoon	***********	-	-	DEPOSITION
27		A	"			11		и		11	11	-
28	B	A	32			1s	ŋ	•	1	10	"	4
30	D	A	0								-	and distances of
31			131			11	11			H	11	
32	8-		94000000	NEW PROPERTY.	Monoon	-	STOCKETON .	PARTICIPATE OF THE PARTICIPATE O			NEWS PROPERTY.	ACCOUNTS ON
33		A	11	C C		H		4			4	-
34		A	1			н		н	и			4
35	Book			MANAGEMENT .	decembra	Onno de la constante	- ann	REAL PROPERTY.	posterouses	and the same of	-	-
36	•	A	•	7		11	н	11	9		4	-
37		A	1EI	-			4	h	h	10		4
38			-	CONTRACTOR OF STREET	SACRAGOSTA	NAME OF TAXABLE PARTY.	Nobbillion	The Control of the Co	APPENDENCE OF THE PERSON		and a second	
39		A	" 1			*	- 11	10		и	4	-
41	-	A	151	-			"		. 4	H	h	
42		A	0			u	-	н	ii .	11		
43		A	15				11	-		18		4
-											-	

0.1	YARN		PATT	ERN P	ANEL	CAM L.	PUSH B	UTTONS	PATTERN	SIDE LEVER		ROWS &	
naet	Weg-	Feeder	0	0	701	Q	21	12	19×	d:	1:10	TION	
1		A	0		4	Stock				V	V	4-	
2	B						**************************************						
3		A	n	11	n	u	- 1	.11	li .	· u	- 10		
4		A	32	h	11	· ii	. 4	11		n		4	
5	Ba	200000	-0000	00000000	00000001	90000000	-au	200000000	000000000000000000000000000000000000000	00000000	202	0700000	
6		A	11	11	11		b	- 11	1	11	11	-	

Repeat rows 1-6 throughout.


W 112

Before beginning W112, put every other needle into "B" position on either side of centre "0" as shown.



Repeat rows 1-24 throughout.

W 113



W 112

This pattern is knitted over every other needle. Thus it produces a looser fabric. Just the right thing for bedjackets or a shawl, soft and cosy.




W 113

You are always well dressed in a suit or coat made of this charming material. Simple in cut, perhaps with the collar and front edge in one colour only, it would look very elegant.




How would you like a small rug or a bedside mat in this pattern? The thick ribs could also be done in two colours which would give a striped effect. Back the material with foam rubber.




Repeat rows 1-6 throughout.

W 114









Welts and Borders.


On the following pages are some ideas for woven borders to give your garments a really exclusive "couture" look. Experiment with contrasting and toning colours to get the effect you want.

For this pattern start the front with the required number of stitches, knit 6 rows in contrast and 14 rows in main colour. Proceed to weave the pattern according to the chart. Be careful when doing the weaving pattern to use weaving yarn B and C in the proper order. Continue in your chosen knitting pattern.










Start the front with the required number of stitches. Knit 6 rows contrast and 14 rows in main colour.

Proceed to weave the pattern according to the chart. Continue in chosen knitting pattern.

When the knitting is finished, sew the first row of stitches of the main colour onto the wrong side and unravel the contrast wool. To weave the front border hang the edge stitches of the front (pattern towards you) onto the needles. Knit two rows. Weave according to the chart. Knit 14 rows plain in main colour, 6 rows contrast. Sew the last row of main colour onto the wrong side.

Welts for sleeves are worked the same way as the bottom welt of jacket.




PDF created with pdfFactory trial version www.pdffactory.com

Start the welt with the required number of stitches. Knit 6 rows in contrast and 14 rows in main colour. Proceed to weave the pattern according to the chart. Continue in chosen knitting pattern.

When the knitting is finished, sew the first row of stitches of the main colour onto the wrong side and unravel the contrast wool.


For woven welts and edges, you can use all kinds of wool. You may have a lot of odds and ends at home which have been useless up to now but which would be ideal for weaving. In Mohair, Boucle or Triple knitting, you can use even the smallest amount on your 302 Automatic.






W 118





Starting with the Cam Box at the right, cast on over every other needle with spare yarn and knit 5 rows (Cam Box is at right). Thread yarn feed with main wool. Knit 1 row. Start weaving the pattern according to the chart (in this instance 40 rows). The Cam Box is at the right. Thread yarn feed with contrast wool and knit 7 rows. Take knitting off the needles, turn and with the wrong side of work facing, put the last row of main colour back onto the machine. Unravel contrast yarn. Bring empty needles in A position into B position. Hang the stitches of the first row of the welt, with the help of the transfer tool, onto empty needles. Continue knitting in stocking stitch or pattern as desired.



to create beautiful patterns to your own exclusive design.