

PASSAP®

BABY · BÉBÉ · BEBÉ

INTERNATIONAL



PASSAP®



2053/2054
PASSAP DUOMATIC

PAS

PASSAP®



2037/2071
PASSAP DUOMATIC





2028/2067
PASSAP DUOMATIC


2049/2052
PASSAP DUOMATIC




2014
PASSAP DUOMATIC




2010/2019
PASSAP DUOMATIC




2067/2068
PASSAP DUOMATIC



2071
PASSAP DUOMATIC



2034/2053
PASSAP DUOMATIC



PASSAP®

2032/2072
PASSAP DUOMATIC



2065
PASSAP DUOMATIC



PASSAP®


2039
PASSAP DUOMATIC



2003/2004
PASSAP DUOMATIC




2009
PASSAP DUOMATIC




PASSAP®

2048
PASSAP DUOMATIC



2062
PASSAP DUOMATIC



2023
PASSAP DUOMATIC




2030
PASSAP DUOMATIC






2006
ASSAP DUOMATIC



2074
PASSAP DUOMATIC
10



2001
PASSAP DUOMATIC



PASSAP®

2007
PASSAP DUOMATIC





PASSAP®




2033
PASSAP DUOMATIC

2008
PASSAP DUOMATIC



2016
PASSAP DUOMATIC

2080/2079/2082
PASSAP DUOMATIC



2083/2070/2078
PASSAP DUOMATIC



PASSAP®

2000
PASSAP DUOMATIC






2038
PASSAP DUOMATIC



2050/2051
PASSAP DUOMATIC

2050/2051
PASSAP DUOMATIC



2069
PASSAP DUOMATIC


2042
PASSAP DUOMATIC



2013
PASSAP DUOMATIC

PASSAP®

2031
PASSAP DUOMATIC



2012
PASSAP DUOMATIC




2005
PASSAP DUOMATIC



2045/2046
PASSAP DUOMATIC



PASSAP®





2022
PASSAP DUOMATIC




2041
PASSAP DUOMATIC

2029
PASSAP DUOMATIC




2040
PASSAP DUOMATIC




PASSAP®

2026
PASSAP DUOMATIC



2057
PASSAP DUOMATIC

PASSAP.®



2024/2063
PASSAP DUOMATIC


2010/2067
PASSAP DUOMATIC




2070/2075
PASSAP DUOMATIC



2017
PASSAP DUOMATIC





2076/2077
PASSAP DUOMATIC





PASSAP®



2076/2077
PASSAP DUOMATIC

2036
PASSAP DUOMATIC



PASSAP.®




2055
PASSAP DUOMATIC

2025
PASSAP DUOMATIC




2047/2074
PASSAP DUOMATIC




2060
PASSAP DUOMATIC

2020
PASSAP DUOMATIC


PASSAP.®



2064/2063
PASSAP DUOMATIC



2018
PASSAP DUOMATIC




2044
PASSAP DUOMATIC

2027
PASSAP DUOMATIC



2081
PASSAP DUOMATIC



PASSAP®



PASSAP®

Z 2931/80 11.73 PASSAP registered Trade Mark
© 1973 by MADAG Maschinen- und Apparatebau
Dietikon AG, CH-8953 Dietikon. All rights of
reproduction reserved. Printing and Layout in Switzerland
by ABC Druckerei + Verlags AG, Zürich, H. R. Ziegler.
Models: Belgium, England, France, Germany, Greece,
Italy, Spain, Switzerland.
Pictures: Urs Hicklin, Max Roth, Zürich.



PASSAP DUOMATIC
2058/2059

PASSAP®

Passap-Export 8953 Dietikon
Schweiz Suisse Switzerland Suiza

PASSAP®
DUOMATIC

Description Book
for
PASSAP Babybook

Back cover:	
Four-coloured outfit	
Girl's dress with pleated skirt	
Bootees	
Jacket and bonnet	44
Jacket and bonnet	45
Sleeping bag	
Sweater and pants	
Baby's jacket and bonnet	3
Hooded jacket	
Baby's vest	
Baby's jacket	
Layette	3
Baby's jacket with bonnet	
Boy's sweater with pants	
Girl's dress	4
Hooded jacket	
Jacket	
Baby's dress	4
Two-tone girl's dress	
Bootees	
Play suit for girl	14 + 15
Girl's coat with bonnet	16
Baby's sweater	
Baby's sweater in transfer pattern	17
Bootees	
Play suit for girl	18
Girl's coat with bonnet	19
Baby's sweater	
Baby's sweater in transfer pattern	19
Bootees	
Girl's top	14
Boy's sweater	21
Leggings	
Girl's dress	20 + 21
Christening robe	
Girl's dress	22
Baby's sweater	22
Vest, knitted in one piece	
Layette	
Sweater	
Boy's outfit	24 + 25
Bootees	
Baby's cape	48
Girl's dress	42
Child's two-piece outfit	
Baby's hooded sleeping bag	
Child's two-piece outfit	29
	30

2041	Baby's zip front siren suit with bonnet	31
2042	Girl's dress	32
2043	Girl's coat with cable stripes	33
2044	Winter overall with pile lining	34 + 35
	Child's leggings with seat seam	35
2045	Layette	36
2046	Girl's dress with white trimming	37
2047	Baby's dress	39
2048	Baby's leggings	26
2049	Rompers in transfer pattern (U 70)	40
2050	Child's hat	40
2051	B	
2052	Baby's shawl	11
2053	Baby's shawl	11
2054	Baby's hooded jacket	43
2055	Child's track-suit	41
2057	Baby's sweater in transfer pattern	42
	Child's outfit	38 + 39
2060	Pants	25
2062	Leggings, 4 different sizes	46 + 47
2063	Child's coat with cap	49
2064	Pram cover	45
2065	Baby's sweater	47
2067	Leggings with straps	50
2068	Toddler's overall	55
2069	Pants	52
2070	Baby's long-sleeved overall	54
2071	Leggings	52
2072	Knee socks, 4 different sizes	13
2074	Light summer sweater	56
2075	Skirt with braces and fairisle border	53
2076	Light summer blouse with scallop edgings	B
2077	Pants	37
2078	Bib with straight edging	56
2079	Pinafore	26 + 27
2080	Boy's outfit	C
2081	Bib with picot edging	54 + 55
2082	Pants, "Z" shaped	12 + 13
2083		

A
B

A baby book for the PASSAP DUOMATIC has been planned for some time, and now we are proud to say : here it is !

We have had a good many requests to reprint some very popular patterns from earlier PASSAP books which are now out of print, so we have added these to the wide range of new baby knits, all of them complete with up-to-date knitting instructions, ranging from new-born babies up to four-year-olds.

In this book you will find jackets, pants, dresses, sweaters and rompers of various types with - we hope - something to suit all tastes. Two models will prove particularly useful : leggings Number 2063 and socks Number 2074, both of which are given in four sizes.

We have not included our usual wool chart, because baby wools are the same in most countries. But for your guidance we have included some notes about the number of metres per 100 gr (or yards per ounce) and on page 23 you will find a small chart on this subject.

We do hope you will enjoy using the PASSAP BABY BOOK.

Yours sincerely,
PASSAP EXPORT

Before starting your work please study carefully the explanations given on pages 1 and 2

Patterns: The drawings refer to half width, the indications of stitch numbers refer to whole width of each part.

Figure I	= back	Figure IX	= pants
Figure II	= front	Figure X	= gusset
Figure III	= sleeve	Figure XI	= scarf
Figure IV	= collar	Figure XII	= cap, bonnet
Figure V	= border, cuff	Figure XIII	= mittens
Figure VI	= pocket	Figure XIV	= socks, stockings
Figure VII	= skirt, front	Figure XV	= straps
Figure VIII	= skirt, back	Figure XVI	= bra, halter, bodice, top

If the centre line of the half width is dotted and shows arrows, the other half is worked simultaneously with reversed shapings, i.e. decreasing or increasing is made on the left as well as on the right side.

If the centre line is drawn in one firm line, the other half is worked separately with reversed shapings, i.e. first knit one part according to diagram (increasing or decreasing at right), then the second part the opposite way (decreasing or increasing at left).

Abbreviations:

Col.	= colour of wool
st, sts	= stitch, stitches
St.S	= stitch size
Nd, nds	= needle, needles
R	= row
T	= 2 rows

○	= tubular	(or)	= half tubular
●	= every	(in every row)	
×	= times		
+	= increase		
-	= decrease, cast off		
▲	= graduations (short rows)		
■	= for open work row hang st to the next nd, leave empty nd in W.P.		

2/B

Stitches are only given by a number (without accompanying letter "st"). The stitch number always refers to the total of stitches, i.e. to all needles which are in Working Position on back and front bed.

Exception: For tubular or half tubular the necessary stitches are only given for one bed. The same number of needles must therefore be put into Working Position on the other bed. In these cases the sign for tubular \circ respectively (or) for half tubular is set before the relevant stitch number.

Examples for increasing and decreasing:

First increase or decrease always occurs in the first row of a section.

$+3 \times 2 \cdot 8 \cdot R$ means: increase 2 stitches 3 times in every 8th row
(1 stitch at back, 1 stitch at front).

$-19 \times 3 \cdot 7 \cdot R$ means: decrease 3 stitches 19 times in every 7th row
(back 2 stitches, front 1 stitch or vice versa).

$-17 \times 1 \cdot 2 \cdot / 3 \cdot R$ means: decrease 1 stitch 17 times, alternately once after 2 rows and once after 3 rows.

$\Delta -4 \times 8 \cdot 2 \cdot R$ means: work graduations, i.e. short rows (on DUO with pushers and lock BX). Step by step put 8 nds (and their respective pushers) into Rest Position 4 times after every 2nd row (for double bed 4 nds each back and front). Once all graduations are finished, continue knitting normally, i.e. all nds in Working Position (pushers in Neutral Position).

Graduations can be knitted two ways, either from outer edge towards centre (gradual decreasing with the minus-sign "-" after the black triangle) or from the centre towards outer edge (gradual increasing with the plus-sign "+" after the black triangle.)

Number of stitches and centimetres :

$136 = 20 \text{ cm}$ means: a total of 136 sts (for K/K 68 stitches each on back and front) make a width of 20 cm.

$\circ 146 = 43 \text{ cm}$ means: cast on 146 sts each on back and front bed for tubular which makes a width of 43 cm.


Stitch size: These indications are only recommended by us. They must always be tested by you, by making your own test square for your own wool.

Test square: We strongly recommend that you make always a test square with your own material before starting to work, in order to calculate for your material the necessary numbers of stitches and rows along the PASSAP - chart. The chapter "The test square and its calculation" in your instruction book informs you how to proceed for these calculations. This is very important, especially when adjusting a model to another size.

2000 PASSAP - DUOMATIC

Tips

Fig. XIV



Material: 340 metres per 100 gr
approx. 97 yards per 1 oz
10 cm = approx. 4"

○ 40=21cm

Fig. XIV: A = tubular : make zig-zag with St. S 1. With St. S 2 knit 2 rows tubular, change to St. S 3 and knit another 2 rows tubular. Further rows tubular with St. S 4 B = fisherman's rib EX/EX. C = Fisherman's rib. Decrease with double decker tool. D = Work 1 row of holes, then fisherman's rib N/EX, cast off.

To make up:

Sew up. Make twisted or knitted cord and thread through holes at ankles.

Bootees
Size: 1 to 6 months
Material: about 1½ ozs medium baby wool
Stitch size: 3½/
Test square: 100 sts = 26 cm (10 1/4"),
100 rows = 14 cm (5 1/2")

How to make an open work row when knitting 1:1 rib, using transfer lock U 70:

For last row before open work row set St. S on back bed about 1½ sizes larger than normal. Knit 1 row, rack 1¼ nds to left, transfer sts to front bed, rack 1¼ nds to right, leaving empty nds in W.P. Continue with normal St. S.


Tubular knitted cord:
With 3 (2 front, 1 back) 4 or 5 nds and lock set on CX/CX knit cord of desired length.
Uneven number of sts (3, 5, 7) = round cord.
Even number of sts (2, 4, 6) = flat cord.

2001 PASSAP - DUOMATIC

Fig. I


Fig. II

Fig. III



Jacket and bonnet
Size: about 8 months
Material: about 5 ozs fine baby wool, 1 yard ribbon
Stitch size: 1:1 rib=1½, pattern = 3½/
Test square: 100 sts = 50 cm (19 3/4"), 100 rows = 13, 5 cm (5 3/8")

Material: 500 metres per 100 gr
approx. 157 yards per 1 oz
10 cm = approx.



3/2/B

Fig. I, II, III: A = 1:1 rib. Transfer sts for pattern I. B, C, D + E = knit in pattern I.


Fig. XII: A = 1:1 rib. Transfer sts for pattern I. B = knit in pattern I. C = with St. S 3½ and lock on N/N knit 8 rows. D = change to St. S 1½, transfer sts for pattern II and knit 8 rows, a few rows with contrast yarn, release.

To make up:



Pin out parts to size and press lightly. Sew up jacket. Work 1 row of single crochet along front edges and round neck, then 1 row of double crochet round neck. Thread knitted or twisted cord through the double crochet. Gather sts of section D of bonnet, unravelling contrast yarn. Join back seam along 6 cm. Work 1 row of single crochet round outer edge. Sew on ribbon.

Fig. X||

Pattern I:
Handle up, black strippers



Pattern II:
61=30cm
57
5R
74R=10cm
8R
57
61=30cm
57



2005 PASSAP - DUOMATIC

Fig.I




Fig.II




Fig.IXa





Fig.IXb



Material : 340 metres length per 100 gr approx. 106 yds per 1 oz 10 cm = approx. 4"

Sweater and pants

about 10 to 12 months

Size : 4 1/2 ozs medium baby wool, 8 small buttons, waist elastic stocking st 4 1/2, pattern front 4 1/2, back 2, 1:1 rib borders = 2


Pattern : 100 sts = 33 cm (13"), 100 rows = 22,5 cm (8 7/8") pants in stocking st. beginning at waist. Sweater in pattern according to diagram

Stitch size : 100 sts = 33 cm (13"), 100 rows = 22,5 cm (8 7/8") pants in stocking st. beginning at waist. Sweater in pattern according to diagram

Test square :

Pattern :

Handle up, black strippers



Front :
Back :
2 rows N N
transfer sts to front bed
6 rows GX N

repeat pattern as shown (see illustration)

Gusset : Cast on 3 sts and knit 48 rows, increasing 1 st at both ends every alternate row, 11 times. Then decrease 1 st every alternate row, 11 times.

Cast off : Pin out parts to size and press. Sew up.

To make up : Pin out neck band first to outside, st by st with back st, then to inside st by st, unravelling contrast yarn. Work a row of single crochets along shoulder openings, making 4 button loops at front. At back, sew on buttons to match.

Pants : Set in gusset. Fold leg band in half to inside. At waist insert elastic.

Sweater : Sew on neck band first to outside, st by st with back st, then to inside st by st, unravelling contrast yarn. Work a row of single crochets along shoulder openings, making 4 button loops at front. At back, sew on buttons to match.

Pants : Set in gusset. Fold leg band in half to inside. At waist insert elastic.

2008 PASSAP - DUOMATIC | 2004 PASSAP - DUOMATIC

Fig.I




Fig.II




Fig.II




Fig.V





Fig.XV



Material: 340 metres length per 100 gr approx. 106 yds per 1 oz
10 cm = approx. 4"

Baby's Vest

Size: 5 to 6 months

Material: 2 1/2 ozs baby wool, 64" ribbon

Stitch size: borders 3, pattern back 4 1/2, front 5

Test square: 100 sts = 28, 5 cm (11 1/4"), 100 rows = 21, 5 cm (8 1/2")

Pattern:

Back:	N
Front:	3 rows AX 4 rows N




Fig.I: A = knit in K/K. B and C = knit in pattern.

Fig.II: A = knit in K/K. B = divide work in the centre put 17 sts on a thread, knit in pattern, C = knit in pattern. Repeat sections B and C, reversing shapings. Front band: Put 17 sts on thread back on to machine and knit 190 rows in K/K. Cast off.

Armhole bands: Knit two. Cast on 11 sts and knit 140 rows in K/K, cast off.

To make up:

Block and press all parts lightly. Join shoulder seam, sew on armhole bands. Sew on front band. Fold waist band in half to inside and catch down. Pull ribbon through hem and tie at both sides.

Size: with straps about 77 cm long and 50 cm wide

Material: 14 ozs medium baby wool (English 4-ply) : 8 ozs white and 6 ozs pale blue, 2 yds ribbon, 2 buttons

Stitch size: pattern 4, K/K 3

Test square: 100 sts = 31 cm (12 1/4"), 100 rows = 16 cm (6 1/4")

Pattern:

Handle down, pink strippers
Material: 340 metres length per 100 gr approx. 106 yds per 1 oz
10 cm = approx. 4"

Back:	N
Front:	2 rows N ← pale blue 4 rows AX O white

Fig.II, front: A = knit in pattern. B = put one half of sts on a thread (front opening), continue in pattern. C = pale blue, on back bed knit 4 rows stocking st, cast off. Repeat on front bed. D and E = put sts of other half back on to nds of machine and knit as for sections B and C.

Back: knit as front (Fig.II), omitting front opening.

Fig.V: Waistband. A = pale blue, K/K. Increase inside edge st. B = K/K after the 58th row make a buttonhole over sts 7 to 22. C = K/K, decrease with double decker tool.

Fig.XV, strap: A = knit in pattern. B = divide work for buttonhole. C = knit in pattern.

To make up:

Pin out parts to size and press lightly. Sew up. Sew waist band between the 4 rows stocking st at waist, starting at centre back, easing in fullness of main part to about 66 cm. Sew straps to back, sew on buttons at front, neaten buttonholes. Sew ribbon to points of waist band, take ribbon through buttonholes. Cross and tie ribbon.


2016 PASSAP - DUOMATIC

Material : 450 metres length per 100 gr
approx. 141 yards per 1 oz
10 cm = approx. 4"

Fig.I

Fig.II

Fig.III



Jacket

Size :
Material :
3 1/2 ozs medium baby wool yellow, an oddment white

Stitch size :
1:1 rib 2, stocking st and pattern 4 1/4

Test square :
stocking st : 100 sts = 28 cm (11"), 100 rows = 17.5 cm (7")

Pattern :
For collar :





Fig.I : A = 1:1 rib. B and C = stocking st. D and E = 1:1 rib.
Fig.II : First front according to diagram, second front with reversed shapings.
A = 1:1 rib, B and C = stocking st. D to F = 1:1 rib.
Fig.III : A = 1:1 rib. B and C = stocking st.
Fig.IV : A = tubular. B = at both ends put 18 sts on thread. Transfer remaining sts to back bed and continue in pattern.

To make up :
Block and press all parts lightly. Sew up. At both centre front edges turn 4 sts to inside and catch down. Work 1 row of single crochet along fold line of centre front edges. At right make 3 button loops, at left sew on 3 buttons to match. Sew side edges to collar, first to outside, then to inside, backstitching into the open loops. Sew on collar.

Fig.IV



A

B


C

2053 PASSAP - DUOMATIC

Material : 330 metres length per 100 gr
approx. 103 yds per 1 oz
10 cm = approx. 4"

Baby's shawl
Size : 100 by 100 cm approx.
Material : 23 ozs medium baby wool with shiny thread
Stitch size : 4
Test square : not needed
Pattern : pearl rib squares, reversible

Pattern :
Handle down, pink strippers



Back : EX
Front : 2 rows FX ←
18 rows FX O

Cast on 280 sts (140 sts on each bed) knit 660 rows in pattern according to diagram (33 series). Cast off loosely.

Note : Start new ball at outside edge and darn ends in with invisible sts when making up.

2013 PASSAP - DUOMATIC


Girl's dress

1 1/2 to 2 years

Material: 9 ozs fine synthetic yarn: 5 1/2 ozs white, 3 1/2 ozs turquoise, 6 small buttons

Stitch size: Test square: 100 sts = 19 cm (7 1/2"), 100 rows = 10 cm (4")
A = knit straight in pattern. B = shape head, cast off.
C = neck band; Knit one.
 With turquoise and 70 sts on each bed knit 16 rows stocking st tubular,
 lock set on CX/CX, then 2 rows stocking st tubular and a few rows K/K
 with contrast yarn, release.
 Sleeve bands (make two); cast on 50 sts on each bed and work as neck band.

Pattern 3 1/2, stocking st 4

Fig. III Pattern:





Fig. IV

Material: 800 metres length per 100 gr approx. 251 yards per 1 oz 10 cm = approx. 4"




Fig. V




Fig. VI





Fig. VII + VIII

Fig. VII + VIII: Knit two.
 Knit straight in pattern, do not cast off. Transfer sts all sts to front bed
 (using transfer lock U 70). Put sts on thread.
 Fig. I: Right back according to diagram, left back, reversing shapings.
A = knit straight in pattern. B = at right shape shoulder, at left knit
 straight, a few rows with contrast yarn, release.
 Fig. II: A = knit straight. B = shape shoulders, a few rows with contrast
 yarn, release.

Fig. III: Knit two.

A = knit straight in pattern. B = shape head, cast off.

Neck band: Knit one.

With turquoise and 70 sts on each bed knit 16 rows stocking st tubular,
 lock set on CX/CX, then 2 rows stocking st tubular and a few rows K/K
 with contrast yarn, release.
 Sleeve bands (make two); cast on 50 sts on each bed and work as neck band.

To make up:

Press contrast yarn. Join shoulder seams. Shape neckline, backstitching along broken line on diagram and cutting off surplus material. Sew on neck band, first to outside, then to inside, back stitching into open loops and unravelling contrast yarn. At right edge of back opening work 2 rows of single crochet, making 6 button loops in the second row. At left work 1 row of single crochet and sew on 6 small buttons to match button loops. Gather back and front of skirt to a width of 30 cm each. Sew front and back (Fig. I and Fig. II) to skirt, using back st and working on the wrong side, from arrow to arrow as per diagram of Fig. VII-VIII. From arrow to side edge leave open for armhole. Join side seams. Sew on sleeve bands in the same way as neck band. Join sleeve seams and set in sleeves. Make hem to desired measurement.

2083 PASSAP - DUOMATIC

Material: 430 metres length per 100 gr approx. 135 yards per 1 oz 10 cm = approx. 4"

12/B





Fig. IX

Fig. X




Fig. XI

Parts "Z" shaped

Size:

2 1/2 to 3 1/2 years

Back and front:
 6 rows BX O white
 2 rows N turqu



Fig. XII




Fig. XIII

Handle down, pink strippers





Fig. XIV



Continued on page 13

2074 PASSAP - DUOMATIC

2083

Continued from page 12

Knee socks in 4 different sizes

Size : 1) to 4) = 1 to 4 years
Material : 1) = 1½ ozs, 2) = 2 ozs, 3) = 2½ ozs, 4) = 3 ozs
 for one pair of socks

Stitch size : 4½

Test square : 100 sts = 33 cm (13"), 100 rows = 22,5 cm (9")

Pattern : Stocking st tubular

Fig.XIV : Begin with contrast yarn. A = stocking st tubular, knit straight. B = decrease on front bed as follows : from both sides move all sts 1 nd inwards on the 2 centre sts (there will be 2 sts on each of the nds marked "1" on the needle scale). Every alternate decrease transfer 1 st from back to front at both ends, unravelling the right hand stitch by one row. C = knit straight tubular. D and E = knit heel on front bed with BX and pushers. F = tubular, straight. G = decrease at both ends, back and front, using double decker tool. Put last sts on a thread, draw up and fasten off.

To make up :

Press contrast yarn. Fold upper edge ½" to inside and sew down, unravelling contrast yarn. Insert elastic. Press socks.

Material : 430 metres length per 100 gr
 approx. 135 yards per 1 oz
 10 cm = approx. 4"

Material : 2 ozs medium wool, waist elastic
 stocking st 4½ and 5, 1:1 rib 2½
Stitch size : 100 sts = 33 cm (13"), 100 rows = 20 cm (8")
Test square : pants in stocking st, borders and crutch in 1:1 rib
Pattern :

Fig.IX : Start and finish with contrast yarn.


A = with St. S 4½ knit 8 rows straight, 1 row with St. S 6, then 7 rows with St. S 4½. B = change to St. S 5 and continue straight. C = transfer sts for 1:1 rib and with St. S 2½ knit 10 rows. D = at right cast off 50 sts, continue with remaining 30 sts in 1:1 rib. Knit 30 rows straight. E = at left cast on 50 sts and knit 10 rows in 1:1 rib. F = transfer all sts to front bed. With St. S 5 continue straight in stocking st. G = knit 7 rows with St. S 4½, 1 row with St. S 6, and finally 8 rows with St. S 4½, release.

To make up :

Join side edges with mattress stitch, matching dots • and arrows ↓. Fold sections A and G in half to inside and sew down st by st, unravelling contrast yarn. Insert waist elastic.

Fig.XIV

13/B



2020 PASSAP - DUOMATIC

2026 PASSAP- DUOMATIC

Fig. IX




Fig. I + II




Fig. I + III






Fig. III



Back : N
Front : 4 rows AX
4 rows N
repeat

2017 PASSAP - DUOMATIC + U70

Lacy pattern with U 70:

Fig. I






Fig. II



On back bed put nds into W.P. according to diagram
knit 2 rows
transfer sts . . . and so on.

1 square = 1 st = 2 rows

Fig. III



15/B

2020

Material : 430 metres length per 100 gr
approx. 135 yards per 1 oz
10 cm = approx. 4"

Baby's dress

Size : about 10 to 12 months

Material : 4 1/2 ozs baby wool (English 4-ply) 8 buttons, shirring elastic
1:1 rib = 2 1/2, pattern back 2 1/4, front 5

Stitch size : 100 sts = 30 cm (11 3/4"), 100 rows = 21,5 cm (8 1/2")

Test square : Lacy pattern with transfer lock U 70 according to diagram

Pattern : A = 1:1 rib. B = continue in pattern. Put all sts on thread. Place sts of one half of knitting back on to 44 nds of machine. C-E = knit in pattern. Place sts of other half of knitting on to 44 nds of machine and knit sections C to E reversing shapings.

Fig. I: A = 1:1 rib. B = continue in pattern. Put all sts on thread. Place sts of knitting back onto 89 nds of machine. C and D = continue in pattern. E = cast off centre 29 sts and complete each part separately. F = knit in pattern.

Fig. II: A = 1:1 rib. B = knit in pattern.

Fig. III: A = 1:1 rib. Side part (make two): Cast on 32 sts in 1:1 rib and knit 5 rows, cast off. Centre part: Cast on 30 sts and work as side parts.

To make up:

Block and press all parts lightly. Sew on neck band, forming a neat point when joining centre and side parts. Work one row of single crochet along back opening, making 8 button loops at left. At right sew on buttons. At waist run 2 rows of shirring elastic through knitting.


Continued from page 14

To make up : Block and press all parts lightly.
Top : Sew the 19 sts on thread to shaped edges of section B, backstitching into the open loops. Fold side edging in half and stitch to inside. Sew on neck and armhole edging in the same way. On front embroider initials with contrasting colour.

Briefs : Sew up. Fold waist band in half to inside and sew down. Insert elastic. Sew on leg bands, first to outside, then to inside, backstitching into the open loops, unravelling contrast yarn.

2018 PASSAP-DUOMATIC


Fig. I



Bootees

Size: about 6 to 12 months
Material: 2 ozs fine wool, taken double
Stitch size: pattern and K/K 4
Test square: not needed. For larger sizes cast on a few more sts and knit a few more rows.

Pattern:
Handle down, pink strippers



Bootees: Following diagram cast on 88 sts in K/K, knit 4 rows. On front bed put pushers for pattern into W.P. Knit 40 rows. At both ends cast off 16 sts for flap. With remaining 56 sts knit 4 rows K/K. On front bed transfer sts for 1:1 division and knit 4 rows, on back bed transfer sts for 1:1 division and knit 6 rows. Put all sts on a thread.

To make up:
Press lightly. Fold in half and join back seam (along cast-on edge). At front draw up sts to shape point. Join seam from point to flap. Sew on twisted cord.

Material: 430 metres length per 100 gr approx. 135 yards per 1 oz
 $10 \text{ cm} = \text{approx. } 4"$

Two-tone girl's dress

Size: 3 to 4 years
Material: 9 ozs medium wool: 5 1/2 ozs white (colour 1), 3 1/2 ozs apricot (colour 2), 8 small buttons

Stitch size: 5, hems 4 1/4

Test square: 100 sts = 31 cm (12 1/4") 100 rows = 17.5 cm (7")


Pattern:

Fig. I: A = stocking st white, knit 25 rows with St. S 4 1/4, 1 row with St. S 7, another 25 rows with St. S 4 1/4. B = knit in pattern, finish off with 2 rows contrast yarn, release. C = put sts back on to 90 nds of machine, first knit 2 rows with apricot, continue in pattern. D = stocking st white. E = stocking st, apricot.

Fig. II: A, B and C = as for Fig. I. D = stocking st white, neck shaping with graduations, i.e. with BX and pushers knit section D according to diagram; at right shoulder shaping, at left graduations for neck shaping. Then repeat section D with reversed shapings. E = knit stocking st with apricot over all nds.

16/B

Material: 800 metres length per 100 gr approx. 251 yards per 1 oz
 $10 \text{ cm} = \text{approx. } 4"$



To make up:
Block and press all parts lightly. Sew up, leaving shoulder seams 6 cm open. At top of side seams leave 11 cm open for armhole. Fold hem and neck band in half to inside and sew down. Round armholes turn 2 sts to inside and catch down. Work one row of single crochet along shoulder openings. At front make 4 button loops, at back sew on 4 small buttons.

To make up:
Block and press all parts lightly. Sew up, leaving shoulder seams 6 cm open. At top of side seams leave 11 cm open for armhole. Fold hem and neck band in half to inside and sew down. Round armholes turn 2 sts to inside and catch down. Work one right shoulder shaping, at left graduations for neck shaping. Then repeat section D with reversed shapings. E = knit stocking st with apricot over all nds.

2022 PASSAP - DUOMATIC

Girl's coat with bonnet

1½ to 2½ years

Material: about 6½ ozs wool with angora, 3 buttons, 1 yard ribbon

stocking st = 4 ¾, hem's = 4½, 1:1 rib = 2 ¾, K/K = 2½
100 sts = 31 cm (12 ¼"), 100 rows = 20,5 cm (8")

Stitch size: 100 sts = 31 cm (12 ¼"), 100 rows = 20,5 cm (8")
Test square: 100 sts = 31 cm (12 ¼"), 100 rows = 20,5 cm (8")
Pattern: stocking st, purlside outwards. Yoke in 1:1 rib, neck band and border of bonnet in K/K.

Fig.I: A = hem, stocking st. B = stocking st, decreasing at both ends. C = shape armholes. D = transfer sts for 1:1 rib, knit straight. E = continue in 1:1 rib, shape shoulders, cast off.

Fig.II: Right front according to diagram. A = as for Fig.I. B = at left cast on 28 sts for overlap. At right decrease. In the 88th row make first pair of buttonholes as follows : at left miss 4 sts, knit 4 sts with contrast yarn by hand, miss 12 sts, knit 4 sts. In the 128th row make second pair of buttonholes in the same way. C = at right armhole shaping, at left continue straight. In the 40th row make third pair of buttonholes. D = at left cast off 22 sts, transfer remaining sts for 1:1 rib. At right continue straight, at left shape neck.

E = continue in 1:1 rib, at right shoulder shaping, at left knit straight.
Knit left front with reversed shapings, omitting buttonholes.

Fig.III: Knit in stocking st. A = hem. B = increase at both ends. C = shape sleeve head. Cast off.

Fig.IV, collar: A = border in K/K. B = at both ends put 12 sts on a thread, transfer remaining sts to front bed and continue straight with 80 sts. Cast off. C = first place the 12 sts at right, back on to nds of machine and knit straight in K/K. Cast off.

Repeat with the 12 sts at left.
To make up:

Block and press all parts lightly. Join side, shoulder, and sleeve seams. Set in sleeves and make hem on sleeves. At front turn the 28 sts of under- and overlap in half to inside (x-x-x-x-x = fold line) and sew down. Remove contrast yarn from buttonholes, grafting loose sts together, at left sew on buttons to match button-holes. Make lower hem, secure over- and underlap inside. Join sections B and C of collar. Sew on collar with back stitch, leaving half of over- and underlap free.

Bonnet
Fig.XII: A = border : knit in K/K. B = transfer sts for stocking st to front bed, continue straight. C = at both ends cast off 33 sts, transfer remaining sts for 1:1 rib. Continue straight, cast off.

To make up:
Fold border to outside, at both sides sew the 33 sts of edges of section C. Around lower edge of bonnet work 4 to 5 rows of single crochet, reducing width to about 22 cm. Sew on ribbon to fasten bonnet.

Material: 600 metres length per 100 gr approx. 188 yards per 1 oz
10 cm = approx. 4"

17/B

Fig.XII




Fig.III




Fig.I




Fig.II




Fig.IV





Fig.IV



2023 PASSAP - DUOMATIC





Fig. I+II

Pattern III:
Handle down



Baby's Sweater

Size: 8 to 10 months
Material: about 2½ ozs baby wool, 1 yard ribbon
Stitch size: borders 3, pattern I = 6, pattern II = 3
Test square: 100 sts = 36 cm (14⅓"), 100 rows = 28 cm (11")
Fig. I and II: A = 1:1 rib. B = pattern I. C = pattern II. D = pattern III as follows: knit 5 rows with St. S 3, 5 rows with St. S 2½ and 4 rows with St. S 2.
Fig. III: A = in 1:1 rib. B = pattern I. C = pattern II. D = pattern III as follows: knit 5 rows with St. S 3, 5 rows with St. S 2½ and 4 rows with St. S 2.
To make up: Block and press lightly. Sew up. Work 1 row of double crochet around neck and thread ribbon through holes.

2024 PASSAP - DUOMATIC + U70

Fig. I, II + III: A = 1:1 rib. B = continue in pattern according to diagram U 70. C = 2:1 rib, pattern 1. D = 1:1 rib, pattern 2, cast off.

To make up: Block and press lightly. Sew up. Work 1 row of double crochet round neck and pull knitted cord through.

Fig. I + II

Pattern III:
Handle down






Fig. III

Pattern III:
Handle down




Pattern 2:
Handle up



knit 4 rows
transfer sts from back to front
repeat

18/B

Pattern II:
Handle up




Baby's Sweater

Size: 8 to 10 months
Material: about 2½ ozs baby wool, 1 yard ribbon
Stitch size: borders 3, pattern I = 6, pattern II = 3
Test square: 100 sts = 36 cm (14⅓"), 100 rows = 28 cm (11")
Fig. I and II: A = 1:1 rib. B = pattern I. C = pattern II. D = pattern III as follows: knit 5 rows with St. S 3, 5 rows with St. S 2½ and 4 rows with St. S 2.
Fig. III: A = in 1:1 rib. B = pattern I. C = pattern II. D = pattern III as follows: knit 5 rows with St. S 3, 5 rows with St. S 2½ and 4 rows with St. S 2.
To make up: Block and press lightly. Sew up. Work 1 row of double crochet around neck and thread ribbon through holes.


Pattern III:
Handle down

Material: 430 metres length per 100 gr
approx. 135 yards per 1 oz
10 cm = approx. 4"

Transfer pattern U 70:
Handle down, black strippers



Pattern 2:
Handle up



knit 4 rows
transfer sts from back to front
repeat

2025 PASSAP - DUOMATIC

Girl's dress

Size: 1 1/2 to 2 1/2 years
Material: 9 ozs fine Orlon yarn or fine wool taken double, 1 gold button
Stitch size: pattern 1 for skirt = 2 1/2, pattern 2 for yoke and sleeves = 1 1/2,
 tubular = 4 1/2

Test square: Pattern 2 : 100 sts = 16 cm (6 1/4"), 100 rows = 12 cm (4 3/4")
Pattern: Entire dress, wool taken double. Skirt in pattern 1, accord. to diagram, waist and sleeve borders tubular, yoke and sleeves in pattern 2.

Pattern 1 for skirt:
 Handle down, pink strippers

Cast on with racking, 1 row K/K.
 Lock is at right, set row counter to 000




Fig.I




Fig.II




Fig.III




Fig.IV




Fig.I: A = cast-on and skirt in pattern 1 for skirt, series 1, 2 and 3 = 176 rows.
 B = tubular. C = continue in pattern 2, D = pattern 2, raglan shaping with triple decker tool.

Fig.II: A to D = as for Fig.I. E = divide work, back and front pushers in W.P. set lock at back on BX ←, at front on BX O. At right continue decreasing according to diagram. F = decrease at both ends. Complete other side with reversed shapings.

Fig.III: A = tubular. B and C = knit in pattern 2, raglan shaping with triple decker tool.

Fig.IV, collar: A = cast on for pattern 1, then continue thus :


<u>Back :</u>	<u>Front :</u>	<u>N</u>
6 rows AX	4 rows N	twice
RC 20		

<u>Back :</u>	<u>Front :</u>	<u>N</u>
6 rows AX	4 rows N	twice
RC 20		


Lastly, cast off 16 sts each end, B = $\frac{N}{EX}$. C = tubular, a few rows with contrast yarn, release.

To make up :

Do not press. Join side and sleeve seams, set in sleeves. Sew cast-off edgings to collar flush with front opening, first outside, then inside, backstitching into the open loops and unravelling contrast yarn. Work one row of single crochet round front opening. Make a button loop at top right side of front opening. Sew on button to top left side to correspond. Make a cord of 120 cm length and pull through tubular rows at waist. Sew on pompon to each end of cord.



Pattern 2:
 Handle down, pink strippers



Pattern 2:
 Handle down, pink strippers

Material: 1800 metres length per 100 gr approx. 565 yards per 1 oz
 10 cm = approx. 4"

19/B

2028 PASSAP - DUOMATIC + U70

Material: 800 metres length per 100 gr
approx. 251 yards per 1 oz
10 cm = approx. 4"

Leggings

4 - 6 months

about 2 1/4 ozs 2-ply dralon, waist elastic


stocking st 4 1/2, pattern back 2, front 4 1/2, fisherman's rib 2 1/4, K/K and 1:1 rib = 2

Test square: 100 sts = 42 cm (16 1/2"), 100 rows = 18, 5 cm (7 1/4")

Pattern: Transfer pattern with transfer lock U 70 according to diagram (or pattern No. 410 of U 70 pattern book) foot in EX/N, K/K and 1:1 rib. Begin at waist.

Transfer pattern:

Handle down, black strippers



Back: 4 rows AX →
Front:
transfer all sts to front bed
repeat



Fig. IX + XIV

Continued on page 21

20/

2038 PASSAP - DUOMATIC

Fig. II



Girls dress

about 1 to 1 1/2 years


Material: 3 1/2 ozs fine wool, pink, an oddment white, 3 buttons
Stitch size: pattern 2 1/2

Test square:


Fig. I: A = knit in pattern with white. B to D = knit in pattern with pink.
Fig. II: A and B = as for Fig. I. C = divide work, continue separately. Knit in pattern with pink. D to F = knit in pattern with pink.

To make up:

Press all parts lightly. Join shoulder seams. With white work 2 rows of single crochet round neck edge. Join side seams. At top of right front work 4 rows of single crochet along opening, making 3 equally spaced buttonholes in the first row. Sew on buttons.



Back: N
Front: EX



Material: 700 metres length per 100 gr
approx. 220 yards per 1 oz
10 cm = approx. 4"

2027 PASSAP - DUOMATIC

Boy's sweater

about 3 to 4 years
about 11 ozs medium wool; 9 ozs red, 2 ozs white
Pattern 3, tubular 4, 1:1 rib (collar) = 21 $\frac{1}{2}$
100 sts = 14 cm (5 1/2"), 100 rows = 8, 5 cm (3 3/8")

Fig. ||

View A:

- Height: 114 cm
- Top width: 228 cm
- Bottom width: 32 cm
- Formulas: $-8 \times 4 \cdot R24$, $-5 \times 10 \cdot R24$, $O 60$

View B:

- Height: 256 cm
- Top width: 180 cm
- Bottom width: 116 cm
- Formulas: $-8 \times 4 \cdot R24$, $15 \times 2 \cdot R216$, $R232$

View C:

- Height: 28 cm
- Top width: 164 cm
- Bottom width: 96 cm
- Formulas: $-8 \times 4 \cdot R24$, $-5 \times 10 \cdot R24$, $R2120$, $R230 = 2,5$, $O 114$

Material : 450 metres length per 100 gr
approx. 141 yards per 1 oz
10 cm = approx. 4"

Fairisle motif:
PASSAP Jac pattern 63a "Teddy

Knit only main motif, cover rest with adhesive tape.

X = white empty square = red 1 square = 1 st = 2 rows = RC 4

Fig. IX + XIV: Right half of pants and right leg
A = waist hem: with St. S 1 and 76 nds on each bed make zig-zag. Set
 lock at back on GX, at front on N and with St. S 4½ knit 24 rows stocking
 st. Transfer all sts to front bed. **B** = knit straight in pattern (on back
 bed arrange nds according to diagram). **C** = continue in pattern decreasing
 at both ends. Cast off 8 sts at left. **D** = at right cast on 16 sts in K/K.
 On back bed put all nds into W. P. set lock at back on EX, at front on N.
 At both ends increase 2 sts every alternate row, i.e. with double decker
 tool move 2 sts 1 nd outwards, back and front, leaving empty nds in W. P.
E = knit 10 rows N/N. **F** = transfer sts for ½ rib, cast off.

Knit left part in the same way with reversed shanings

To make up:

Press all parts lightly. Join leg seams along sections C. Graft the 16 cast-on sts with the 8 cast-off sts of section D. Then sew up foot and point (sections D, E + F). Join both parts along sections A and B, insert elastic.

2028

Continued from page 20

Right leg: at left miss 3 sts, at right miss 4 sts
Left leg: at left miss 4 sts, at right miss 3 sts

Fig. IX + XIV: Right half of pants and right leg
 A = waist hem; with St. S 1 and 76 nds on each bed make zig-zag. Set lock at back on GX, at front on N and with St. S 4½ knit 24 rows stocking st. Transfer all sts to front bed. B = knit straight in pattern (on back bed arrange nds according to diagram). C = continue in pattern decreasing at both ends. Cast off 8 sts at left. D = at right cast on 16 sts in K/K.


On back bed put all nds into W. P., set lock at back on EX, at front on N. At both ends increase 2 sts every alternate row, i.e. with double decker tool move 2 sts 1 nd outwards, back and front, leaving empty nds in W. P. E = knit 10 rows N/N. F = transfer sts for 1st rib, cast off.

Knit left part in the same way with reversed shanings

To make up: Press all parts lightly. Join leg seams along sections C. Graft the 16 cast-on sts with the 8 cast-off sts of section D. Then sew up foot and point (sections D, E + F). Join both parts along sections A and B, insert elastic.

2029 PASSAP - DUOMATIC

Fig. I + II



Size:

Material : about 6 1/2 ozs medium baby wool, an oddment white for embroidery on yoke, 6 buttons
Stitch size : 1:1 rib 3, stocking st 5 1/2, pattern 4
Test square : 100 sts = 31 cm (12 1/4"), 100 rows = 22 cm (8 3/4") (stocking st)

about 1 1/2 years

Material : 350 metres length per 100 gr approx. 110 yards per 1 oz
10cm = approx. 4"

Pattern :





Fig. I + II : A and B = stocking st on front bed. Put all sts on a thread. C = place sts back onto nds of machine as follows : with purlside facing you, put 2 sts on first 4 nds, 3 sts on 5th nd, all the way along, knit 2 rows with lock set on G/N. Transfer sts to back bed. On front bed arrange pushers according to diagram. Continue in pattern. D = knit in pattern. E = set lock on N/N and continue in 1:1 rib.

Fig. III : A = 1:1 rib. B and C = stocking st.

To make up : Block and press all parts. Sew up. Leave shoulder seams open. Work 1 row of single crochet round shoulder opening, making 3 button loops at front. Sew on buttons to correspond. Work smock embroidery on yoke. Make hem.

Fig. III




Fig. a





Fig. b





22/B

Christening robe
Size:
Material:
2 to 6 months
24 balls DMC no. 20 (very fine mercerized cotton yarn)
20" petersham 2" wide, 3 yards ribbon, 3 1/2 yards taffeta
(for lining)

Stitch size:
Test square :
4
100 sts $\frac{1}{2}$ 37 cm (14 1/2"), 100 rows = 18 cm (7")

Pattern :



Material :
800 metres length per 100 gr
approx. 251 yards per 1 oz
10 cm = approx. 4"

Fig. a and b : Knit in pattern.

Belt : With 160 sts and St. S 4 knit 80 rows stocking st. Cast off.

Strap (make two) : Cast on 30 sts for tubular and knit 300 rows tubular.

To make up :

Starch and press all parts. Line Figs. a and b with taffeta. Along one side edge of knitting ease in fullness of skirt to fit around waist. Cover petersham with knitted material and sew to skirt. Sew ribbon to each end of belt, take ribbon round waist and make a bow at front. Sew on straps.

2031 PASSAP - DUOMATIC

Girl's dress

Size: 1 to 1½ years
Material: approx. 5½ ozs medium baby wool, 9 buttons, 1½ yds ribbon
Stitch size: hem 4½, stocking st and pattern 5, 1:1 rib 1½
Test square: 100 sts = 36 cm (14½"), 100 rows = 18 cm (7")

Fig. I

Fig. II






Fig. II





Chart concerning length per 100 gr and 1 oz of different knitting yarns

	Yards per 1 oz
Metres per 100 gr	
240 - 320 metres	sports yarn and double knitting
330 - 470 metres	medium sweater or baby wool (approx. 4-ply)
480 - 700 metres	fine sweater or baby wool or synthetic yarn (3-ply)
more than 700 metres	industrial yarn or very fine hand knitting yarn, frequently synthetic yarn

Wool is hygroscopic (absorbing humidity)
This means that in a damp climate there will be fewer metres per 100 gr, whereas in a dry climate there will surely be more metres per 100 gr. Therefore, any statement concerning the length of a yarn per 100 gr can be no more than an indication of the length measured before the yarn leaves the spinning mill.
The knitted test square alone will show whether you have chosen the right material.

Keep a note book and write down your experiences about test squares, stitch sizes and number of yards or metres per 100 gr or 1 ounce. These notes will come in handy before starting to knit a new model.

23/B

Pattern:
Back: GX
Front: 2 rows AX ←
 2 rows N O





Fig. I: A = hem. B = knit pattern border as follows : 14 rows in stocking st, 14 rows in pattern, 14 rows in stocking st, 14 rows in pattern, 14 rows in stocking st, 10 rows in pattern, 10 rows in stocking st. Put all sts on a thread. C = place one half of these sts back onto 37 nds of machine, make an open work row, then knit 10 rows stocking st, 10 rows in pattern. D and E = continue alternating 10 rows stocking st and 10 rows in pattern. To complete other half, repeat sections C to E, reversing shapings.

Fig. II: A and B = as for Fig. I. C = as for Fig. I, place sts on thread back on machine but onto 74 nds and knit an open work row, continue with 10 rows stocking st and 10 rows in pattern. D = knit as for Fig. I. E = divide work, put sts of left half on a thread or deckercomb. Knit sections E and F in pattern. Complete left half placing sts on thread back onto nds of machine, repeating sections E and F with reversed shapings.

Fig. III: A = 1:1 rib. B and C = continue alternating 10 rows in pattern and 10 rows in stocking st.
To make up:
Block and press all parts lightly. Sew up. Work 2 rows of single crochet round neck and back opening, making 9 button loops at left side of back opening. Sew on buttons and pull ribbon through open work row. Turn section A in half and slip-stitch to inside.

2034 PASSAP - DUOMATIC

Fig. 1



一
E

Layette, consisting of jacket, bonnet, mitts, and leggings

Size : 3 to 5 months

GILDED ELEGANCE

Material:

卷之三

Stitch size:

Test square:

卷之三

Pattern:

Jacket Knitted sideways in one piece. At left leave 14 sts without pattern for the yoke. When starting sleeves put 40 pushers into W.P. at right, rest of pushers in R.P. (no pushers needed for yoke). Set lock at front on BX O and knit a few rows with contrast yarn. Then arrange pushers for pattern II. Pattern I, II + III: A = one half of back, B = sleeve. Over 40 nds at right knit a few rows with contrast yarn, then continue in pattern. C = one half of front; knit as for section B. Now repeat sections C to A, reversing shapings. cast off. Pick up

Fig. XIII






Fig. 1.

11



RZ = RC

Fig. XII



34 sts evenly along front edge of sleeves and place these on 34 nds. Knit 24 rows stocking st, a few rows with contrast yarn, release.

To make up jacket: Press jacket lightly. Unravel contrast yarn and graft sts of side and sleeve seams.

Bonnet Knit in pattern I and stocking st tubular.
Fig. XII: A = knit in pattern I. B = at left put 42 sts on back bed for tubular. Decrease as follows : counting from the right - back and front - place every 13th st onto 14th nd, move all sts inwards and knit 2 rows tubular. Repeat twice. Now, repeat decreases thus : place every 12th st onto 13th nd, move all sts inwards and knit 2 rows tubular, repeat twice, and so on. Purl last sts on a thread, draw up and fasten off.

To make up Bonnet :
Join section A over approx. 2, 5 cm, starting from section B. Work 1 row of single crochet round outer edge. Sew on ribbon.

卷之三

2062 PASSAP - DUOMATIC

Pants

<u>Size :</u>	4 to 6 months
<u>Material :</u>	2 ozs medium wool with shiny thread 6 buttons, waist elastic
<u>Mitts</u>	Knit in pattern I and stocking st tubular.
<u>Fig. XIII :</u>	A = knit in pattern I. B = transfer sts for tubular. Make an open work row. Continue in stocking st. C = at both ends back and front, decrease with double decker tool.
<u>To make up mitts:</u>	Join seams at section A. Work one row of single crochet round lower edge of mitts. Pull cord through holes at wrist.

Leggings

Top in pattern I, leggings in stocking st tubular.

Fig. I, back top : A = knit one shoulder on front bed accord. to diagram, and put sts on deckercomb. Knit other shoulder at left of machine, reversing shapings. At right of these sts cast on 20 sts and place sts of other shoulder next to it. B = increase at both ends. C = knit straight. D = transfer sts for 1:1 rib, in the 8th row make an open work row. Transfer sts to front bed for stocking st, knit 2 rows. Put sts on deckercombs.

Fig. II and IX, front top and leggings : A = knit first shoulder on front bed, knitting straight. B = increase at both ends according to diagram. Put sts on deckercomb. Knit second shoulder (sections A and B) at left of machine, reversing shapings. At right of these sts cast on 20 sts and place sts for first shoulder (on deckercomb) next to it. C = increase at both ends. D = knit straight. E = transfer sts for 1:1 rib, continue in 1:1 rib making an open work row in the 8th row. Transfer sts to front bed for stocking st. Place sts of back top on to nds of back bed and knit leggings in stocking st tubular as follows : F = stocking st tubular. G = at back and front cast off 10 centre sts with contrast yarn by hand. At left, back and front, put 31 sts on deckercomb or thread. At right continue on 62 sts (twice 31 sts) according to diagram, knitting in stocking st tubular : at right knit straight, at left decrease with double decker tool. H = continue tubular. J = heel on back bed : increase and decrease with graduations. K = tubular. L = tubular, at both ends decrease, back and front. Put last sts on thread, draw up and fasten off. For left leg place 62 sts (twice 31 sts) on deckercombs back on to nds of machine. Knit according to diagram, reversing shapings.

To make up leggings:

Join side seams at sections C and D. Work one row of single crochet round top, making 2 button loops at top right and left side of front. Sew on buttons to correspond. Graft sts for crutch at section G. Pull cord through holes at waist.

To make up pants:


Join in pattern I and stocking st tubular. B = transfer sts for tubular. Make an open work row. Continue in stocking st. C = at both ends back and front, decrease with double decker tool.

Fig. IX : Begin at waist back.
A = 1:1 rib. In the 4th row make an open work row. B = transfer sts to front bed, at both ends put 5 nds into W.P. according to diagram. Set lock on C/X/N. C = at both ends of back bed put further 23 nds into W.P. and knit straight. Transfer these 23 sts at both ends from back to front bed and cast off 23 sts at both ends, so that 5 sts remain at both ends of back bed. D = at both ends decrease with quintuple decker tool. E = increase with quintuple decker tool : Pick up purl stitch loop and place onto empty nd, move 5 sts on back bed 1 nd outwards. F = continue straight. In the 1st and 28th row make a buttonhole at both ends : at front and back put 3rd row onto 4th nd, leaving empty nd in W.P. G = transfer sts for 1:1 rib (at both ends there will be 5 nds with 2 sts on them). Continue straight. In the 10th row make one more buttonhole, cast off.

25/B

Fig. IX

-40 G 1:1



R

To make up :

Pull elastic through holes at waist. Secure elastic by sewing on 1 button at each end. Fold pants so that section G is on top of section A. At section B and C sew on buttons to match buttonholes.


L

To make up :

350 metres length per 100 gr


approx. 110 yards per 1 oz

10 cm = approx. 4"



Left edge

Right edge



2037 PASSAP - DUOMATIC

Material : 1000 metres length per 100 gr
approx. 314 yards per 1 oz
10 cm = approx. 4"

Baby's cape


Size: about 3 to 8 months

Material: 5½ ozs fine dralon yarn : 5 ozs white and ½ oz turquoise
plastic press stud

Stitch size : pattern 3, stocking st tubular 4¼

Test square : 100 sts = 24, 5 cm (9 ¾"), 100 rows = 15, 5 cm (6")

Pattern : Cast-on with racking, turquoise. Entire cape with white,
pattern according to diagram.



Front :

Back :

1st series :

6 rows N AX

2nd series :

6 rows AX N

repeat

Fig.I, back : A = cast on with racking. With turquoise knit 2 rows K/K, then change to main colour (white) and knit in pattern throughout. At both ends decrease. B = shape shoulders with triple decker tool according to diagram, i.e. *decrease 2 sts, knit 2 rows, decrease 2 sts, knit 2 rows, decrease 4 sts, knit 2 rows *. Repeat from *to* 5 times. Cast off.

Fig.II, front : A = cast on as for Fig.I, continue with white in pattern. At right decrease, at left knit straight. B = at right shape shoulder with triple decker tool, at left shape neck. Work last three decreases for shoulder shaping from left to right side according to diagram.

Work right front according to diagram, starting with second pattern series.

Fig.IV, collar : Cast on as for Fig.I, then continue with white in pattern. B = with contrast yarn knit over 24 sts at both ends, release. Continue straight on remaining 106 sts. C = stocking st tubular, a few rows with contrast yarn, release. Border for centre front (make two) : With 140 sts and turquoise cast on as for Fig.I. With white knit 6 rows in pattern, 2 rows N/N, a few rows with contrast yarn, release.






Fig.I




A




A

Fig.IV






126 = 31 cm



A

28/B

2039 PASSAP-DUOMATIC



29/B

repeat

RZ = RC

Fig.I, back : A = 1:1 rib. B = arrange pushers for pattern, continue in pattern. C = reduce number of sts by 36 as follows : transfer all sts from back to front. On front bed place every 7th st onto 8th nd. Starting inside, move all sts towards centre to close gaps, using deckercomb. At both ends return empty nds to N.P. Transfer sts for 1:1 rib. Set lock N/N and with 80 sts knit 6 rows in 1:1 rib, make 1 open work row, and knit further 6 rows in 1:1 rib. D to F = lock set on N/A X (pattern).
Fig.II, front : Knit two parts with reversed shapings. A to E = knit as for Fig.I. F and G = shape neck and shoulders.
Fig.III, sleeves : A = 1:1 rib. B and C = arrange pushers for pattern, continue in pattern.
Fig.XII, hood : A = pattern. B = pattern.

Fig.XII, pattern border : Please note : The number of sts given on diagram applies to back bed only. A, B and C = carpet pattern.
To make up :
 Do not iron ! Join side and sleeve seams. Join seam at lower edge. Starting from the bottom, join centre front seam for about 12 cm. Join sections B of hood. Join cast-on edges of border and hood, seam inwards. Sew hood to neck edge as follows : Sew side edges of section A to back flush with shoulder seams, side edges of section A and half of section B of pattern border to front (flush with front opening). Pull twisted cord through open work row. Set in zip.

Mitts : Cast on 42 sts and knit 14 rows in 1:1 rib, 1 open work row, and further 6 rows in 1:1 rib. Put pushers into W.P. for pattern and knit 36 rows in pattern, then 8 rows in 1:1 rib. Put all sts on a thread, draw up and fasten off.
To make up :
 Sew up. Work picot edging along cast-on edge (2 single crochet, chain 4 etc.). Pull cord through holes at wrist.

2040 PASSAP - DUOMATIC

Material : 410 metres length per 100 gr
approx. 128 yards per 1 oz
10 cm = approx. 4"

Fig. I




Fig. II




Fig. X




Fig. IX





Fig. III



To make up: Block and press all parts lightly.
Sweater: Join side and shoulder seams, set in sleeves. Sew neck band to neck edge, flush with centre back opening, first outside, then inside, backstitching into open loops and unravelling contrast yarn. Work 2 rows of single crochet round back opening, making 3 equally spaced button loops in the second row. Sew on buttons to match.

Pants: Join leg seams along sections A and B. Set in gusset according to dotted line on diagram.


Join front and back seam. Fold waist hem in half to inside and pull elastic through.

Cable stripes:

Handle down, black strippers

M = centre

Diagram for front



Cross sts 1 and 2 over sts 3 and 4 after every 10th row.

Diagram for pants

30/B

Child's two-piece outfit
Size : 1 1/2 to 2 years
Material : 8 3/4 ozs medium wool, pink
sweater : 5 1/4 ozs wool, 3 buttons
pants : 3 1/2 ozs wool, waist elastic
stocking st front 5 1/2, back 5 1/4,
stocking st tubular 4 3/4, 1:1 rib = 3
100 sts = 32 cm (12 1/2")
100 rows = 24 cm (9 1/2")
stocking st with cable stripes at front
and on pants

Sweater
Fig.I+III: A = 1:1 rib. B and C = transfer sts for stocking st, continue in stocking st. Cast off Fig. III.
D and E = divide work, continue knitting separately, reversing shapings, stocking st.

Fig.II: A = as for Fig.I. B = transfer sts for stocking st and cable stripes in the centre, according to diagram for front. Continue in stocking st and cables. C = as section B. D and E = divide work, continue knitting separately with reversed shapings, stocking st and cables. Neck band : With 80 sts knit 12 rows in 1:1 rib. Put all ends into W.P. for tubular, knit 10 rows tubular, a few rows with contrast yarn, release.

Fig.IX, pants : Knit 2 parts with reversed shapings. A = 1:1 rib. B and C = transfer sts for stocking st and cable stripes in the centre, according to diagram for pants, continue in stocking st and cables. Finally, transfer all sts from back to front bed. D = continue in stocking st with graduations. E = waist hem, stocking st.

Fig.X, gusset for pants : A to C = knit in stocking st.

2041 PASSAP - DUOMATIC

Pattern :

Entire suit in AX pattern according to diagram I. Feet in DX/CX pattern according to diagram II., cuffs in stocking st., neck band in stocking st tubular, bonnet in AX pattern according to diagram I, lower edge in stocking st tubular.

Size :

6 to 12 months

Material: 9½ ozs synthetic baby knitting yarn, 1 zip 30 cm long,


1 yd ribbon, 3 yds stirring elastic

Stitch size: AX pattern 5, stocking st and tubular 5

Test square:

100 sts = 44 cm (17 ¼"), 100 rows = 14 cm (5 ½")

Fig. I, II + XIV



RZ = RC

Fig. X || + XI







Fig. III



Pattern I:
black strippers



Pattern II:
black strippers



Front:
2 rows DX ← CX
2 rows DX O CX

Fig. I, II and XIV, back and front: A = right front in pattern according to diagram I.

Start at shoulder. Cast on 14 sts. At right leave 3 sts on front bed, transfer remaining (11) sts to back bed. Knit 4 rows. At right transfer further 3 sts to front bed, knit 4 rows, and so on. . . until all 14 sts are on front bed. At right knit straight. B = neck shaping : at right increase, at left knit straight. C = knit straight, put sts on deckercomb. Note position of pushers. Repeat sections A, B and C for left front, reversing shapings. Put sts on deckercombs. D = back :

at both ends work shoulders as section A, but transferring 4 sts to front bed. E = knit straight. F = (bodice) at right and left of back cast on 18 sts for armholes, then place sts of corresponding front parts at either side of back, continue straight. G = crutch : note pusher position. Put contrast yarn knit a few rows over left half of sts (right leg). Put these sts on deckercombs. With remaining 64 sts knit left leg accord. to diagram. Increase at both ends. H = decrease at both ends according to diagram. J = foot : note pusher position. Transfer sts of right half to back bed as follows : on back bed - opposite nds of left half of knitting - put 20 nds into W.P. Put sts of right half on deckercombs, turn and place on to empty nds on back bed. On back bed arrange pushers according to diagram II. J = heel ; stocking st at front. Set lock at back on GX, front on BX, shape heel with graduations. K = foot : knit straight with lock at back on DX, front on CX according to diagram II. L = point : set lock on CX/CX. Decrease at both ends with double decker tool. Knit right leg, repeating sections G to L, reversing shapings.

Fig. III: Sleeve. Begin with contrast yarn. A = stocking st. B = continue in pattern I, increasing at both ends. C = shape sleeve head, cast off.




Neck band : Stocking st tubular. With 78 sts on each bed cast on with racking, knit 24 rows tubular, a few rows with contrast yarn, release. Fig. XII, bonnet : A = turn-up, knit straight according to pattern I, but on back bed. B = transfer all sts to front bed and continue straight according to pattern I. C = at both ends cast off 20 sts. Continue with 24 sts, decreasing at both ends. Cast off.

Neck edging for bonnet : Wrth 70 nds on each bed make zig-zag, knit 20 rows tubular with lock set on CX/CX. Finish off with contrast yarn. Release. To make up:

Suit: Block and press all parts very lightly, preferably only edges of knitting. Join shoulders, crutch, and leg seams. Sew on neck band, first outside, back-stitching into open loops and unravelling contrast yarn. Secure loose sts inside. Work 1 row of single crochet along front opening. Set in zip. Insert shirring elastic at waist and at ankles. Join sleeve seams up to dot (•). Set in sleeves : sew cast-off edge of sleeve head to armhole, matching arrows and dots with shoulder seam. Sew sleeve from dot • to arrow ↓ to cast-on 18 sts.

Bonnet: Match arrow ↓ with dot • and sew up. At front fold 3 cm of turn-up to outside. Sew on neck edging, first outside, then inside, backstitching into open loops and unravelling contrast yarn. Sew on ribbon. Press all seams lightly.

2042 PASSAP - DUOMATIC



Girl's dress

Size :

Material :

1 1/2 to 2 years

about 7 ozs medium baby wool white, 3 small buttons

Stitch size :

stocking st and pattern 5, hem 4, 1:1 rib 2

Test square :
stocking st : 100 sts = 33 cm (13")
100 rows = 24 cm (9 1/2")
in pattern according to diagram. X = 1 pusher in Rest Position

Material :

430 metres length per 100 gr
approx. 135 yards per 1 oz
10 cm = approx. 4"



Fig. I : A = hem, stocking st. B = transfer all sts to back bed and continue in pattern. C = transfer all sts to front bed and continue in stocking st. D = put all sts on thread and place sts back to nds of back bed as follows : * on 1st nd place 2 sts, on 2nd nd place 3 sts *, repeat from * to *. Continue in pattern.

Fig. II : A to D = as for Fig. I. E = transfer all sts to front bed. Continue in stocking st. Make an open work row after the 22nd row.

Fig. III : A = 1:1 rib. Make an open work row after the 5th row. B = transfer all sts to back bed, continue in pattern. C = transfer sts to front bed, continue in stocking st. Make an open work row after the 22nd row.

To make up :

Pin out parts to size and press lightly. Sew up. Work 1 row of single crochet along neck and back opening, making 3 button loops at one side of back opening. Sew on buttons to match. Pull ribbon through holes at neck and lower sleeve.



1 square = 1 st = 3 rows = RC 3

Fig. Ia, lower part of back : A = with all inde and st s 1


Fig. IIa, lower part of back : A = with all inde and st s 1

2043 PASSAP - DUOMATIC

Fig.Ia, lower part of back : A = with all nds and St.S 1 make zig-zag, then set lock on CX/CX : 2 rows with St. S 2, 2 rows with St. S 3, next 10 rows with St. S 3 3/4 at back and St. S 4 at front. B = continue in pattern I. In the centre work cable, needle setting for pleat according to diagram II. First knit 12 rows, then cable sts. At both ends decrease with triple decker tool. Put sts on a thread.

Fig.Ib, Yoke : Knit in pattern I. A = as for Fig.Ia. B = at both ends decrease with triple decker tool.

Fig.II, right front : A = as for Fig.Ia. B = continue in pattern I. At right knit straight, at left decrease with triple decker tool. From right count 80 sts (40 sts on front bed) and set sts for cable pattern, knit 12 rows, cross sts. Continue according to diagram. In the 150th row knit first buttonhole as follows : at right miss 12 sts (6 on front and 6 on back bed), transfer the next 3 sts from front to back bed. Slip these double sts one through the other, so that only one st remains on each nd. Now place the second of these new sts onto third st and knit through, then place third and first st onto second nd and knit through. Place the new st thus obtained onto 6th nd on front bed, leaving empty nds in W.P. Knit 1 row, twist zig-zag thread on each nd. (This kind of buttonhole does not need finishing) C = at right knit straight, at left decrease with triple decker tool. In the 18th row of section C work second buttonhole in the same way. In the 62nd row work third buttonhole. D = at right cast off 44 sts, shape neck, at left continue decreasing.



Pattern I, "long stitch" pattern :
Handle down, pink strippers

At right front put one extra nd into W.P. (contrary to needle rule)
to obtain a neat edge.

Fig.III (make two) : A = as for Fig.Ia, knitting only 5 rows. B = continue in pattern I with cable stripe in the centre. Knit 8 rows, then start cabling.

Increase at both ends. C= raglan shaping with triple decker tool, cast off.

Collar : Knit in pattern I. Cast-on : over 164 nds make zig-zag with St.S 1, change to St. S 2 1/2 and knit 2 rows CX/CX, followed by 1 row N/N and St. S at back 3 3/4, at front 4. Knit 14 rows in pattern, then 6 rows with lock set on N/GX and 6 rows with lock set on GX/N, a few rows with contrast yarn, release.

Pattern II, cable and half
of needle setting for pleat
at centre back :




Fig. III









Fig. I.b



To make up :
Block and press all parts. Pin and press pleat matching arrow 2 over arrow 1.
Backstitching in the first pattern row, sew on yoke to lower back. Sew sleeves with mattress stitch between back and front. Join side and sleeve seams. Sew on collar, starting and ending at centre front (centre front = x-x-x-x on diagram of Fig.II), first outside, then inside, backstitching into the open loops and unravelling contrast yarn. Sew buttons on to both fronts according to dots on diagram. Sew on press stud to keep overlap in place.



33/b

Child's coat with cable stripes and inverted pleat at centre back

Size : 3 to 4 years

Material : about 17 ozs medium wool, 6 buttons

Stitch size : pattern back 3 3/4, front 4, stocking st 4 3/4
100 sts = 16 cm (6 1/4"), 100 rows = 16 cm (6 1/4")

Test square : entire coat in "long stitch" pattern with cable stripes on front and sleeves and inverted pleat at centre back

Pattern : Handle down, pink strippers

Fig.II, "long stitch" pattern :
Handle down, pink strippers

Fig.III (make two) : A = as for Fig.Ia, knitting only 5 rows. B = continue in pattern I with cable stripe in the centre. Knit 8 rows, then start cabling.

Increase at both ends. C= raglan shaping with triple decker tool, cast off.


Collar : Knit in pattern I. Cast-on : over 164 nds make zig-zag with St.S 1, change to St. S 2 1/2 and knit 2 rows CX/CX, followed by 1 row N/N and St. S at back 3 3/4, at front 4. Knit 14 rows in pattern, then 6 rows with lock set on N/GX and 6 rows with lock set on GX/N, a few rows with contrast yarn, release.

Pattern II, cable and half
of needle setting for pleat
at centre back :

Material : 470 metres length per 100 gr
approx. 147 yards per 1 oz
10 cm = 4"

2044 PASSAP - DUOMATIC

Fig. IX +




|




|

Fig. X +



|

Fig. XI +



|

Size : to fit up to 4 years

Material :

12 ozs fine red wool for overall, 12 ozs fine white dralon
2-ply for lining, 1 red zip 40 cm long, about 3 yds red
shirring elastic

Stitch size :

"long stitch" pattern = back 3, front 3 1/4
carpet pattern = back 4, front 1, 1:1 rib = 1 1/2"

"long stitch" pattern : 100 sts = 16,5 cm (6 1/2")
RC 100 = 13,5 cm (5 1/4")

carpet pattern : 100 sts = 40 cm (15 3/4"), RC 100 = 5 cm (2")
entire overall in "long stitch" pattern with red ("long stitch" to
inside), 2:2 rib borders.

White pile lining in carpet pattern (see directions in brackets
on diagram).

Test square :


Pattern :

Overall, red

Fig. IX + I : Back and back of legs. A to C = left leg.
A = 2:2 rib. B = put all nds in work and continue in pattern according to diagram I,
increasing at both ends. C = at right knit straight, at left shape crutch. A few
rows with contrast yarn, release. Press contrast yarn. At left of machine knit
right leg according to diagram, but reversing shapings. Place sts of left leg back
on to nds of machine, at right of right leg, unravelling contrast yarn. D = con-
tinue straight in pattern over both legs. E = shape armholes, then continue
straight. F = shape shoulders, cast off.


Fig. XI ||

RZ = RZ




34/B


Pattern I, "long stitch" pattern:
Handle down, pink strippers



Pattern II, carpet pattern:
Handle down, black strippers



2 rows with both locks
= RC 4 = 2 knitted rows



56

Continued on page 35

2045 PASSAP - DUOMATIC

2044

Child's leggings with seat seam

Size: about 1 year

Material: 3½ ozs medium wool, waist elastic

Stitch size: 5

Test square: 100 sts = 31 cm (12 ¼"), 100 rows = 22 cm (8 ¾")

Pattern: stocking st., tubular and half tubular

Fig. IX + XIV: Left leg according to diagram, right leg with reversed shapings. Start with contrast yarn. A = half tubular, open at left (BX/BX and pushers). B = set back lock on GX, at front make gradations starting from the inside (with pushers). C = half tubular, straight. D = continue tubular (CX/CX without pushers), decreasing at both ends with double decker tool, back and front. E = straight. F = as for section D. G = straight. H and J = heel : set back lock on GX, front lock on BX and pushers, make gradations according to diagram. K = continue tubular (CX/CX without pushers). L = toe : knit tubular (CX/CX without pushers), decreasing back and front with double decker tool, put last sts on a thread, draw up and fasten off.

Fig. X: gusset in stocking st. Start with 3 sts, at both ends increase, then decrease, cast off.



To make up:

Join back and front seam from section A to arrow (about 5 cm above section D) using mattress stitch. Set in gusset (from arrow to section D). Fold section A in half to inside and sew down st by st unravelling contrast yarn. Pull elastic through.

Material: 470 metres length per 100 gr approx. 147 yards per 1 oz 10 cm = approx. 4"

Fig. XI + XII: Right leg according to diagram, left leg with reversed shapings. Start with contrast yarn. A = half tubular, open at left (BX/BX and pushers). B = set back lock on GX, at front make gradations starting from the inside (with pushers). C = half tubular (CX/CX without pushers), decreasing at both ends with double decker tool, back and front. D = straight. E = as for section D. F = straight. G = heel : set back lock on GX, front lock on BX and pushers, make gradations according to diagram. H = toe : knit tubular (CX/CX without pushers), decreasing back and front with double decker tool, put last sts on a thread, draw up and fasten off.

Fig. XII: gusset in stocking st. Start with 3 sts, at both ends increase, then decrease, cast off.





Fig. X



RZ = RC

Fig. IX + II, right front and leg: A, B and C = as for Fig. IX + I, leaving sts on machine. D = knit straight. E = shape armhole at right, at left knit straight. F = at right knit straight, at left shape shoulder, at left knit straight.

Knit left front and leg with reversed shapings.

Fig. III (make two): A and B = as for Fig. IX + I. C = shape sleeve head, cast off.

Fig. XII, hood: In pattern according to diagram I. A = knit straight. B = at right cast off 12 sts, continue increasing at both ends according to diagram. C and D = at right knit straight, at left increase and decrease according to diagram. E = decrease at both ends. F = at right cast on 12 sts continue straight, cast off.

Pile lining with white: In carpet pattern according to diagram II. Start at section B. Follow directions in brackets.

Fig. IX + I, back and back of legs: B and C = left leg. D = cast on with zig-zag, lock set on N/N. 2nd to 5th row with lock set on CX/CX, transfer all sts to back bed and continue in pattern II, increasing at both ends. E = at right knit straight, at left shape crutch. Put sts on deckercombs. Knit right leg with reversed shapings at left of machine. Hang sts of left leg back onto rds of machine, at right of right leg. D = continue straight, knitting over both legs. E = shape armholes, continue straight. F = shape shoulders, cast off.

Fig. XI + II: Front lining. Begin at section B. Right front and leg according to diagram, left front and leg with reversed shapings.

Fig. III (make two): B = cast on, continue in pattern, increasing at both ends. C = shape sleeve head, cast off.

Fig. XII, hood: A = cast on, continue straight in pattern B. Right front and leg according to diagram, left front and leg with reversed shapings.

Fig. XII (make two): B = cast on, continue straight, cast off.

Turn-up for hood: With 100 sts knit 100 rows in pattern II, cast off.

To make up: Block and press all parts lightly.

Overall: Join crutch and shoulder seams. Join back seam of hood, sew hood to neck edge. Work 1 row of single crochet along centre front opening. Set in zip.

Join leg and side seams, fold ribbed borders in half to inside and catch down. At waist and neck edge run 2 rows of shirring elastic through knitting. Join sleeve seams and fold ribbed cuffs in half to inside and catch down. Press seams

lightly.

Lining: Over-sew seams. Fit lining into overall, fixing it at neck edge and back seam of hood. Slip-stitch legs and sleeves of lining at lower edge between sections A and B of overall. Sew lining to centre front opening. Sew turn-up of hood to front edge (sections E and B). Fold 2½ cm to outside and catch down.

Material Overall: 800 metres length per 100 gr approx. 251 yards per 1 oz

Material Lining: 35/3

35/3

Material Overall:
Material Lining:

2047 PASSAP - DUOMATIC

Material : 430 metres length per 100 gr approx. 135 yards per 1 oz
10 cm = approx. 4"

Girl's dress with white trimming

Size : about 1 to 2 years

Material : 5½ ozs medium wool, navy blue, an oddment white, 1 button


Stitch size : stocking st and pattern 5

Test square : 100 sts = 33 cm (13"), 100 rows = 20 cm (8")

Dress in stocking st with navyblue, trimming at neck,

sleeve and skirt in pattern with white

Pattern for white trimming:
Handle down, black strippers



Back : N
Front : 2 rows AX ←
2 rows AX O
knit about 220 cm

Material : 430 metres length per 100 gr approx. 135 yards per 1 oz
10 cm = approx. 4"

Fig.I : A = hem, stocking st. B = stocking st, decrease at both ends as follows :

counting from each end place 41st and 43rd st onto 42nd nd. There will be 3 sts on this nd. Move sts on 42nd nd 1 nd inwards and remaining sts 2 nds inwards. At both ends return 2 nds to N.P. Mark nds with 3 sts on them with pushers. Knit 8 rows. Place 1 st from either side onto nds marked with a pusher. Move sts inwards. Mark nds with 3 sts on it. At both ends return 2 nds to N.P. etc. etc.

C = shape armhole. D = divide work with BX and pushers. Knit right shoulder according to diagram : knit straight. E = at right shape shoulder, at left knit straight. Complete left shoulder, reversing shapings.

Fig.II : A, B and C = as for Fig.I. D = divide-work : cast off centre 12 sts, at right knit straight, at left shape neck. E = at right shape shoulder, at left knit straight. Complete other shoulder, reversing shapings.

Fig.III : A = increase at both ends. B = shape sleeve head, cast off.

To make up:

Block and press all parts lightly. Stretch trimming and press. Sew up dress and set in sleeves. At lower hem turn 4 cm, at neck and sleeves 1 cm to inside and hem lightly. Sew trimming round neck, sleeves and lower edge as shown on picture. Crochet around back opening, making a small button loop. Sew on button.

2078 PASSAP-DUOMATIC

Pants

Size:

Material:

Stitch size:

Test square:

Pattern:

Fig.IX:

Fig.X:

Fig.XI:

Fig.XII:

Fig.XIII:

Fig.XIV:

Fig.XV:

Fig.XVI:

Fig.XVII:

Fig.XVIII:

Fig.XIX:

Fig.XX:

Fig.XXI:

Fig.XXII:

Fig.XXIII:

Fig.XXIV:

Fig.XXV:

Fig.XXVI:

Fig.XXVII:

Fig.XXVIII:

Fig.XXIX:

Fig.XX:

Fig.XI:

Fig.XII:

Fig.XIII:

Fig.XIV:

Fig.XV:

Fig.XVI:

Fig.XVII:

Fig.XVIII:

Fig.XX:

Fig.XXI:

Fig.XXII:

Fig.XXIII:

Fig.XXIV:

Fig.XXV:

Fig.XXVI:

Fig.XXVII:

Fig.XXVIII:

Fig.XXIX:

Fig.XX:

Fig.XI:

Fig.XII:

Fig.XIII:

Fig.XIV:

Fig.XV:

Fig.XVI:

Fig.XVII:

Fig.XVIII:

Fig.XX:

Fig.XI:

Fig.XII:

Fig.XIII:

Fig.XIV:

Fig.XV:

Fig.XVI:

Fig.XVII:

Fig.XVIII:

Fig.XX:

Fig.XI:

Fig.XII:

Fig.XIII:

Fig.XIV:

Fig.XV:

Fig.XVI:

Fig.XVII:

Fig.XVIII:

Fig.XX:

Fig.XI:

Fig.XII:

Fig.XIII:

Fig.XIV:

Fig.XV:

Fig.XVI:

Fig.XVII:

Fig.XVIII:

Fig.XX:

Fig.XI:

Fig.XII:

Fig.XIII:

Fig.XIV:

Fig.XV:

Fig.XVI:

Fig.XVII:

Fig.XVIII:

Fig.XX:

Fig.XI:

Fig.XII:

Fig.XIII:

Fig.XIV:

Fig.XV:

Fig.XVI:

Fig.XVII:

Fig.XVIII:

Fig.XX:

Fig.XI:

Fig.XII:

Fig.XIII:

Fig.XIV:

Fig.XV:

Fig.XVI:

Fig.XVII:

Fig.XVIII:

Fig.XX:

Fig.XI:

Fig.XII:

Fig.XIII:

Fig.XIV:

Fig.XV:

Fig.XVI:

Fig.XVII:

Fig.XVIII:

Fig.XX:

Fig.XI:

Fig.XII:

Fig.XIII:

Fig.XIV:

Fig.XV:

Fig.XVI:

Fig.XVII:

Fig.XVIII:

Fig.XX:

Fig.XI:

Fig.XII:

Fig.XIII:

Fig.XIV:

Fig.XV:

Fig.XVI:

Fig.XVII:

Fig.XVIII:

Fig.XX:

Fig.XI:

Fig.XII:

Fig.XIII:

Fig.XIV:

Fig.XV:

Fig.XVI:

Fig.XVII:

Fig.XVIII:

Fig.XX:

Fig.XI:

Fig.XII:

Fig.XIII:

Fig.XIV:

Fig.XV:

Fig.XVI:

Fig.XVII:

Fig.XVIII:

Fig.XX:

Fig.XI:

Fig.XII:

Fig.XIII:

Fig.XIV:

Fig.XV:

Fig.XVI:

Fig.XVII:

Fig.XVIII:

Fig.XX:

Fig.XI:

Fig.XII:

Fig.XIII:

Fig.XIV:

Fig.XV:

Fig.XVI:

Fig.XVII:

Fig.XVIII:

Fig.XX:

Fig.XI:

Fig.XII:

Fig.XIII:

Fig.XIV:

Fig.XV:

Fig.XVI:

Fig.XVII:

Fig.XVIII:

Fig.XX:

Fig.XI:

Fig.XII:

Fig.XIII:

Fig.XIV:

Fig.XV:

Fig.XVI:

Fig.XVII:

Fig.XVIII:

Fig.XX:

Fig.XI:

Fig.XII:

Fig.XIII:

Fig.XIV:

Fig.XV:

Fig.XVI:

Fig.XVII:

Fig.XVIII:

Fig.XX:

Fig.XI:

Fig.XII:

Fig.XIII:

Fig.XIV:

Fig.XV:

Fig.XVI:

Fig.XVII:

Fig.XVIII:

Fig.XX:

Fig.XI:

Fig.XII:

Fig.XIII:

Fig.XIV:

Fig.XV:

Fig.XVI:

Fig.XVII:

Fig.XVIII:

Fig.XX:

Fig.XI:

Fig.XII:

Fig.XIII:

Fig.XIV:

Fig.XV:

Fig.XVI:

Fig.XVII:

Fig.XVIII:

Fig.XX:

Fig.XI:

Fig.XII:

Fig.XIII:</

2060 PASSAP - DUOMATIC

Child's outfit, consisting of jacket, trousers and helmet

Size : about 15 to 18 months

Material : about 14 ozs medium wool, 6 buttons, 1 waist elastic

Stitch size : 1:1 rib = 2 3/4, pattern, back 3 1/2, front 4 3/4.
Stocking st 4 3/4.

Test square : 100 sts = 31 cm (12 1/4"), 100 rows = 22 cm (8 3/4")

Pattern : borders in 1:1 rib, neck band in stocking st, entire outfit with cable stripes.

Fig.I: A = 1:1 rib for border, B = transfer sts for stocking st to front bed. At both sides of double cable (for border) twist and place 1 st onto 2 nds of back bed according to diagram (M 1 = centre back). Knit 4 rows, then cross sts for first cable. C = continue in pattern, raglan shaping with quintuple decker. Cast off.

Fig.II: Knit left front according to diagram.

A = 1:1 rib, in the 10th row make a buttonhole. B = transfer sts for stocking st, at left cast on 8 sts. Continue in pattern according to diagram (M 2 = centre of left front) as for Fig. I. In the 28th row make a pair of buttonholes thus : at left miss 1 st, knit 3 sts with contrast yarn by hand, miss 8 sts, knit 3 sts. In the 56th and 84th row make two more pairs of buttonholes in the same way. C = continue in pattern. At right raglan shaping with quintuple decker, at left knit straight, in the 28th row make another pair of buttonholes. D = at right decrease, at left knit 16 sts with contrast yarn, then neck shaping. Continue with double cable stripe right to the end.

Knit right front in the same way, omitting buttonholes.

Fig.III: A = 1:1 rib. B = transfer sts for stocking st and double cable stripe according to diagram (M 2 = centre of sleeve and knit as for Fig. I). Increase at both ends. C = in pattern, at both ends raglan shaping with quintuple decker, cast off.

Neck band : In stocking st tubular.

Fig. I




Fig. II





Fig. III



Continued on page 39

38/B

With 100 sts on each bed knit 18 rows tubular (RC 18), a few rows with contrast yarn, release.

To make up jacket:

Block and press all parts lightly. Sew up back, sleeves and front with mattress stitch. Join side and sleeve seams. At front, turn the 8 cast-on sts to inside and sew down. Unravel contrast yarn on buttonholes and graft loose sts together. Sew short edges of neck band to buttonhole - and button band, first outside, then inside, backstitching into the open loops and unravelling contrast yarn. Sew on buttons.

Trousers (can be knitted in a contrast colour, requirements about 6 ozs wool wool)








Fig. IX : Right part according to diagram.

A = hem in stocking st. B = transfer sts for double cable (M 2 = centre of part), D = continue straight, C = in pattern, increasing at both ends according to diagram. E = stocking st, a few rows knit in pattern, shape crutch, then continue straight. Work permanent crease thus : counting from the centre with contrast yarn, release. Work permanent crease thus : counting from the centre (see dotted line on diagram) drop 22nd stitch to beginning of section A. With green tool crochet ladder made by dropped stitch, taking 2 threads at a time. Knit left part in the same way, reversing shapings.

With 100 sts on each bed knit 18 rows tubular (RC 18), a few rows with contrast yarn, release.

Material :
430 metres length per 100 gr
approx. 135 yards per 1 oz
10 cm = approx. 4"

Fig. X||



2048 PASSAP - DUOMATIC | 2060

Continued from page 38

Baby's dress

Size: 6 to 12 months
Material: 7 ozs baby wool : 4½ ozs pale blue, 2½ ozs pink,
 5 small buttons

Stitch size :

stocking st 4 ¾, scallop edging 4 ½

100 sts = 34 cm (13½"), 100 rows = 21 cm (8½")

Test square :

stocking st, dress in pale blue with hem and edgings in pink

Fig.I: A = pink, knit straight. B = change to pale blue, knit straight. C = shape armholes. A few rows with contrast yarn, release. Press contrast yarn, unravel all but one row. Place sts of right half of back to machine, reducing number of sts from 80 to 32, i.e. on 1st nd place 2 sts, on second nd 3 sts, on third nd 2 sts and so on, unravelling contrast yarn. D = knit straight. E = at right shape shoulder, at left knit straight, cast off. Place sts of left half back to machine as before and knit sections D and E with reversed shapings.

Fig.II: A, B and C = as for Fig.I. Place sts onto nds of machine, reducing number of sts from 160 to 64. D = knit straight. E = divide work with BX and pushers. In the centre cast off 6 sts, at right continue straight, at left shape neck. F = at right shape shoulder, at left knit straight. Complete other shoulder with reversed shapings.



Fig.III: Begin and end with contrast yarn. A = knit 4 rows. B = make graduations starting from outer edge (BX and pushers), knit 2 rows stocking st, release. Neck band : With 60 sts on each bed knit 18 rows stocking st tubular, a few rows with contrast yarn, release.

To make up trousers :
 Block and press parts lightly. Join leg and crotch seams. Fold waist hem to inside and sew down st by st. Insert elastic. Make lower hems to desired measurements. Press creases.

Helmet
Fig.XII: A = border in 1:1 rib. B = transfer sts for stocking st and double cable stripe. Arrange sts for ear-flaps as follows : at right put 36 sts into Rest Position for sts 37 to 43 put the corresponding pushers into W.P., remaining pushers into R.P. Make graduations starting from inside for ear-flap. Knit 4 rows, then cross sts for cable. After having finished the graduations for ear-flap, return all pushers to R.P. At left, work ear-flap and cable in the same way. (If desired, omit ear-flaps, i.e. knit section A. omit section B and continue with section C). C = knit straight with cable stripes. D = transfer sts for 1:1 rib. Put all sts on a thread, draw up and fasten off.

To make up helmet :
 Join back seam and sew on pompon.

Cable pattern :
 Handle down, black strippers



To make up :
 Block and press all parts lightly. Join shoulder seams. Sew neck band to neck, first outside, then inside, backstitching into open loops and unravelling contrast yarn. On sleeves unravel contrast yarn of section A and secure loose sts under scallop edging. Unravelling contrast yarn and backstitching into the open loops set in sleeves, taking 2 sts at a time to ease in fullness of sleeve. Fold section A of dress in half to inside and hem lightly. Sew on edging as shown on illustration. At left side of back opening work 2 rows of single crochet for underlap, at right side work 3 to 4 rows of single crochet, making 5 equally spaced buttonholes in the second row. Sew on button to match. Press hem and seams.

Fig. I

Fig. II


Fig. III

Material : 340 metres length per 100 gr approx. 106 yds per 1 oz
 10 cm = about 4"


Fig. I

Fig. II


Fig. III



B



B



B

2050 PASSAP - DUOMATIC + U70

Rompers in transfer pattern U 70


Size: about 8 to 12 months

Material: 3½ ozs fine cotton yarn, 2 buttons

Stitch size: stocking st 4 ¾, 1:1 rib = 2¼, pattern = back 2 ¾, front 4 ¾/4

Test square: 100 sts = 34 cm (13 ¼") only sts on front bed are counted

100 rows = 20 cm (8")
Transfer pattern : Handle down, black strippers



back :

4 rows AX → N
transfer sts from back to front bed
rack 3 nds to left

4 rows AX → N
transfer sts
repeat

Fig. IX + XVI

Material : 520 metres length per 100 gr
approx. 163 yards per 1 oz
10 cm = approx. 4"

Fig. IX + XVI: Knit in pattern according to diagram. A = back of pants. B = decrease at both ends. C = crutch, continue straight. D = increase at both ends. E = front of pants, knit straight, then cast off 39 sts at both ends. F = bib. At both ends cast on 6 sts. Over centre 42 sts knit in pattern, at both ends 6 sts in stocking st. Knit 48 rows straight, rest in stocking st for turn-in. G = at both ends cast off 12 sts, knit 10 rows stocking st, a few rows with contrast yarn, release.

Waist band: Over 106 nds in 1:1 make zig-zag, knit 2 rows with lock set on CX/CX, then 20 rows in 1:1 rib, making buttonholes in the 10th row as follows : miss 38 sts, knit next 3 sts one through the other, miss 30 sts, knit next 3 sts leaving empty nds in. W.P. Knit 1 row, twist and place zig-zag thread onto empty nds. Bring all nds back and front into W.P. and knit 10 rows stocking st tubular, 4 rows tubular and a few rows with lock set on K/K, using contrast yarn, release.

Leg band: (make two). Begin and end with contrast yarn. With 70 sts knit 20 rows in stocking st, release.

Strap (make two): With 9 sts on each bed knit tubular until row counter reads 280. To make up: Block and press parts lightly. With puriside outwards sew on leg bands along sections B, C and D, easing in leg edge. Sew first to outside, st by st, unrolling contrast yarn. Join side seams, fold leg bands in half to inside and sew down, st by st. At right and left edge of bib turn 6 sts in and sew down. Fold section G (top of bib) to inside and sew down. Put sts of pants (waist edge) on a thread. Sew on waist band, first outside, then inside, backstitching into the open loops and unravelling contrast yarn. Sew side edges of waist band to bib. Puriside outwards, oversew short edges of straps. Sew straps to front of bib, at other end of straps sew on buttons. Cross straps at, back and take buttons through buttonholes of waist band.

To make up: Block and press parts lightly. With puriside outwards sew on leg bands along sections B, C and D, easing in leg edge. Sew first to outside, st by st, unrolling contrast yarn. Join side seams, fold leg bands in half to inside and sew down, st by st. At right and left edge of bib turn 6 sts in and sew down. Fold section G (top of bib) to inside and sew down. Put sts of pants (waist edge) on a thread. Sew on waist band, first outside, then inside, backstitching into the open loops and unravelling contrast yarn. Sew side edges of waist band to bib. Puriside outwards, oversew short edges of straps. Sew straps to front of bib, at other end of straps sew on buttons. Cross straps at, back and take buttons through buttonholes of waist band.

40/B

2051 PASSAP-DUOMATIC + U70

Material :
520 metres length per 100 gr
approx. 163 yards per 1 oz
10 cm = approx. 4"

Child's hat

Size: 8 to 12 months

Material: about 2 ozs fine cotton yarn, shirring elastic

Stitch size: pattern back 2 ¾, front 4 ¾, stocking st 4 ¾/4
EX/N = 4, 3, and 2 ½

Test square:

Pattern: as for model 2050
brim in EX/N with racking, hat in pattern according to
model 2050 and stocking st




Fig. X||




Fig. XII

Fig. XII: A = cast on with racking, set lock at back to EX, at front to N. Work brim in following pattern : knit 2 rows, rack 1 nd to left, knit 2 rows, rack 1 nd to right. Knit 10 rows with St. S 4, 10 rows with St. S 3 and 10 rows with St. S 2 ½. Transfer all sts to front bed (with transfer lock U 70) B = knit 40 rows in pattern according to diagram of model 2050. C = continue in stocking st. At right miss 32 sts. Over remaining sts knit 2 rows with contrast yarn with lock set on BX and pushers. With the 32 sts at right shape first triangle with BX and pushers according to diagram. Unravel contrast yarn and with the next 32 sts shape second triangle and so on.

To make up:
Block and press all parts. Sew up. Between sections A and B run 2 rows of shirring elastic through knitting.

2055 PASSAP - DUOMATIC

Child's track-suit

Size : 2 to 3 years
Material : 13 ozs synthetic bouclé yarn, 1 zip 30 cm long
Stitch size : stocking st 5, 1:1 rib = 21/2

Test square : 100 sts = 34 cm (13 1/2"), 100 rows = 18 cm (7")
Pattern : reverse stocking st, borders in 1:1 rib





Fig. IX + I, legs and back: A 1 = 1:1 rib for border. B 1 = transfer sts for stocking st, increase at both ends. C 1 = at right knit straight, at left shape crutch. Put all sts on deckercombs or thread. Knit other leg (A 2, B 2 and C 2) with reversed shapings. D = place sts of both legs in 1:1 division back on to nds of machine, knit 14 rows in 1:1 rib. E = transfer sts for stocking st, knit straight. F = shape armholes. G = knit straight. H = shape shoulders, cast off.

Fig. IX + II, leg and right front: A, B and C = as for Fig. I. D = at left cast on 4 sts, continue straight. E = transfer sts for 1:1 rib, continue straight. F = transfer sts for stocking st, knit straight. G = at right shape armhole, at left knit straight. H = straight, at left cast off 10 sts. J = at right knit straight, at left shape neck. K = shape shoulder.

Fig. III: Knit left front with leg according to diagram with reversed shapings.

Fig. III: A = 1:1 rib. B = transfer sts for stocking st, increase at both ends. C = decrease at both ends, cast off.

Neck band: Begin and end with contrast yarn. With 68 sts knit 60 rows in 1:1 rib, release.

To make up:

Block and press all parts lightly. Join front and back. Join leg seams along sections A and B. Join crutch seam along section C, back and front. Sew collar to neck edge, first outside, then inside, backstitching into the open loops and unravelling contrast yarn. Work 1 row of single crochet along front edges. Set in zip. Join sleeve seams and set in sleeves. Fold cuffs and leg borders in half to inside and sew down. At waist, run 2 rows of shirring elastic through knitting.

Material : 330 metres length per 100 gr
approx. 103 yards per 1 oz
10 cm = approx. 4"











Fig. III



41/B

2033 PASSAP-DUOMATIC+U70

Material: 440 metres length per 100 gr
approx. 138 yards per 1 oz
10 cm = approx. 4"

Vest, knitted in one piece


Size: about 2 months

about 2 1/2 to 3 ozs baby wool or synthetic yarn, 1 button
pattern back 2 1/2, front 5, 1:1 rib and K/K = 2 1/2

Material: not needed

Stitch size: vest in lacy pattern with transfer lock U 70 according to diagram,
over- and underlap in stocking st with CX edgings, belt in K/K,
cuffs in 1:1 rib.

Pattern:



Front :
Back :
N
2 rows N
BX
transfer sts from back to front
repeat

Size: about 2 months


about 2 1/2 to 3 ozs baby wool or synthetic yarn, 1 button
pattern back 2 1/2, front 5, 1:1 rib and K/K = 2 1/2

Material: not needed


Stitch size: vest in lacy pattern with transfer lock U 70 according to diagram,
over- and underlap in stocking st with CX edgings, belt in K/K,
cuffs in 1:1 rib.

Pattern:

Fig.I, II + III



Transfer pattern :
Handle down, black strippers




Front :
Back :
3 rows AX N
1 row N N
transfer sts to front bed
rack 1 nd to left
3 rows AX N
1 row N N
transfer sts to right
rack 1 nd to right

repeat

Material: 585 metres length per 100 gr
approx. 183 yards per 1 oz
10 cm = approx. 4"

Fig.III



2057 PASSAP-DUOMATIC+U70

Size: Baby's sweater in transfer pattern

Material: 2 1/2 to 3 ozs fine baby wool with silky thread
Stitch size: pattern back 2 1/4, front 4 3/4, 1:1 rib = 2 1/4

Test square: 100 sts = 44 cm (17 3/8"), counting sts on front bed only
100 rows = 17 cm (6 3/4")

Fig.I + II: Knit two parts alike.
A = 1:1 rib. B = transfer all sts to front bed, on back bed select nds and
pushers according to diagram, continue straight in patte rn. C = in pattern,
decreasing at both ends. D = transfer sts for 1:1 rib. After the 17th row
make an open work row. Cast off.


Fig.III: Knit two parts alike.
A to D according to diagram as for Fig.I + II.

To make up: Sew sleeves between back and front. Join side and sleeve seams. Pull
knitted cord through holes at neck.


2054 PASSAP - DUOMATIC

Material : 330 metres length per 100 gr
approx. 103 yards per 1 oz
10 cm = approx. 4"

Fig. I, II + III



Pattern :



Baby's hooded jacket

Size: about 6 months
Material: 9 ozs medium baby wool with shiny thread
Stitch size: stocking st 5 3/4, pattern front 3 3/4, back 3
Test square: 100 sts = 26 cm (10 1/4"), 100 rows = 13 cm (5 1/8")
Pattern: hem and hood facing in reverse stocking st, jacket and hood in pattern according to diagram




Fig. I, II + III

Fig. I, II and III, jacket: Knit sections A to E once according to diagram (left front) and once with reversed shapings (right front). For girls work buttonholes at right, for boys at left as follows : knit 6 rows in pattern, then at front edge miss 6 sts, knit with contrast yarn over following 6 sts (3 front 3 back). Knit 40 rows. Repeat 3 more times.


A = for hem cast on 30 sts on back bed, knit 16 rows in stocking st. B = on front bed put 30 nds into W. P. according to diagram and knit 116 rows in pattern, starting buttonholes if desired, after having knitted 6 rows in pattern. C = increase at right for sleeve, knit straight at left. D = knit straight at right, at left shape neck. E = knit straight. Then take all sts on deckercombs or thread. Knit right front at left of machine with reversed shapings. In the centre cast on 34 additional sts for back of neck, at right place sts of left front back on to nds of machine. F = over a total of 202 sts continue straight in pattern (begin of back). G = at both ends decrease for sleeves. H = knit straight. J = transfer all sts from front to back bed and knit 16 rows in stocking st. Cast off loosely.

Fig. XII: A = cast on 64 sts on back bed and knit 20 rows in stocking st. B = on front bed put 64 nds into W. P. according to diagram. Knit 104 rows straight in pattern, cast off.
Cord: With 3 sts on each bed knit 100 cm in stocking st tubular.

To make up:


Join side and sleeve seams. Fold hem in half to inside and sew down. Work 1 row of single and 1 row of double crochet along neck edge, starting and ending 2 cm away from centre front edges. Neaten buttonholes and sew on buttons. Join centre back seam of hood. Fold section A of hood in half to inside and sew down. Work 1 row of single and 1 row of double crochet along lower edge of hood. Place double crochet row of hood over double crochet row of jacket and thread cord through holes of both rows together.

Fig. XII



-128

Fig. XII



-128

Fig. XII

43/B

2063 PASSAP - DUOMATIC

Leggings, tubular and half tubular in 4 different sizes

size: Material : 1 to 4 years
 $1) = 3 \text{ ozs} \quad 2) = 3\frac{1}{2} \text{ ozs} \quad 3) = 4 \text{ ozs} \quad 4) = 4\frac{1}{2} \text{ ozs}$

medium sock wool, waist elastic

3/4

100 sts = 33 cm, (13"), 100 rows = 22, 5 cm (9")
stocking st. Choose your size according to measurements

Durchsetzung von Gewerbeverträgen

Dicromum shows right half of pants and legs for all sizes given.

$$RZ = RC$$

1

A technical drawing of a rectangular concrete foundation slab. The slab has a width of 60 cm and a height of 65 cm. It is reinforced with four bars of 10 R1 at the top and four bars of 10 R1 at the bottom. The slab is supported by four columns labeled RL222, RL224, RL225, and RL226. The drawing also shows a vertical column of numbers and letters on the left side.

Technical drawing showing a rectangular component with the following dimensions:

- Width: $4 \times 10\text{cm}$
- Height: $-6 \times 10\text{cm}$
- Bottom edge length: $0.26 = 9\text{cm}$
- Top edge length: $0.32 = 10.5\text{cm}$
- Left side height: 0.4
- Right side height: 0.4
- Bottom left corner radius: $R_2 = 10$
- Bottom right corner radius: $R_2 = 10$
- Bottom center horizontal distance from left edge to center: 32
- Bottom center horizontal distance from right edge to center: $36 = 12\text{cm}$

Diagram of a trapezoid ABCD with parallel bases AD and BC. The top base BC is labeled C 36 = 12 cm. The bottom base AD is labeled A 17 cm. The left slanted side AB is labeled B 14 + 7 x 5 = 24 cm. The right slanted side CD is labeled C 36 = 12 cm. The height AE is labeled E 3,5 cm. The distance between the bases is labeled RZ 32 cm.

C
23 C.R.
R.L. 20

23 cm
RZ 204

C

23,5cm
RL 210

1

28R

$$+ \frac{1}{14} x^2 + \frac{1}{4} x$$

$$C = 40 = 13,5 \text{ cm}$$

3,5cm
RZ32148

$$C = 40 = 13.5 \text{ cm}$$

3,5cm
KL32 147

$$38 = 12,5 \text{ cm}$$

+
3,5cm
RL 3214R

12 cm

C 36-
C 36
1+7x502
RZ32M8
3,5cm

46/B

Continued on page 47

Material : 430 metres length per 100 gr
approx. 135 yards per 1 oz
10 cm = approx. 4 "

2067 PASSAP - DUOMATIC

Baby's sweater

To make up:
Block and press all parts. Join shoulder seams, grafting sts together and unravelling contrast yarn. Join neck band with mattress stitch. At section D of back turn 6 sts to inside and sew down (crocheted stitch = fold line). Turn neck band in half to inside and sew down, st by st, unravelling contrast yarn. Sew sleeves to inside of sections C and D, unravelling contrast yarn, matching edges of section C of sleeve with cast-off sts of armhole (match arrows ↓ and dots ●.) Join side and sleeve seams. Fasten neck band with button loop and button.

8 + 12 = 20

01220000

3 ozs fine baby wool with shiny

卷之三

100 sts = 28 cm (11") 100 rows = 21 cm (8 1/2")

Pattern: stocking st ribbed borders

Fig. I: 1:1 rib for border. B = transfer sts to front bed, continue straight in stocking st. C = at both ends cast off 11 sts for armhole, straight. D = divide work, at left put 39 sts on deckercombs, knit right shoulder according to diagram : at left cast on 6 sts, knit straight. Drop the first of these 6 sts to beginning of section D. (Later on, crochet ladder made by dropped stitch with green thread, taking 2 threads at a time) E = shoulder shaping with graduations (BX and pushers), a few rows with contrast yarn, release these 25 sts (shoulder). F = neck band : knit straight, a few rows with contrast yarn, release. Now, return 39 sts of left shoulder onto nds of machine. At right cast on 6 sts. Complete left shoulder with reversed shapings.

Fig.II: A, B and C = as for Fig.I. D = divide work with BX and pushers. Knit first shoulder according to diagram : at right knit straight, at left shape neck with graduations. E = at right shoulder shaping with graduations, at left knit straight. A few rows with contrast yarn, release these 25 sts (shoulder). Knit second shoulder with reversed shapings. F = at right and left of remaining 28 sts replace 5 sts of inner edges of sections E. With 38 sts continue straight, a few rows with contrast yarn, release.

Fig.III : A = 1:1 rib. B = transfer sts for stocking st, increase at both ends. C = knit straight, a few rows with contrast yarn, release.

Material : 585 metres length per 100 gr
approx. 183 yards per 1 oz
10 cm = approx. 4"

A, C and D = half tubular, open at right. Before casting on, rack back bed to the right. Begin with contrast yarn. Place sts exactly in the centre (see needle scale).

A = waist hem, half tubular, open at right, knit straight. B = at right make graduations on front bed with BX and pushers (release arrow keys) start with 1 pusher. C = knit half tubular, straight. D = thigh shapings on front bed.

Note : Marks on which st's have always to be transferred thus : put a drop of coloured varnish on pushers 1 and 4 at left of centre (see needle scale)

From right transfer sts to nd 1, from left transfer sts to nd 4. First move one half of sts 1nd to the right. (There will be 2 sts on nd marked "1")

First decreasing: At right move one half of sts 1 nd inwards (there will be 2 sts on nd 1) at left move sts by 1 nd inwards (there will be 2 sts on nd 4.) At left transfer 1 st from back to front bed, returning empty nd to N.P. Rack 1 nd to left. Continue according to diagram. Further decreases as before,

always moving sts inwards onto nds 1 and 4. E = continue knitting tubular with lock set on CX/CX. For decrease put sts from both ends 1 nd inwards onto marked nds. For every alternate decrease transfer 1 st from back to front at both ends, 2nd round st on right last 1 round.

long, at both ends, and uno st at right by 1 row. F = tubular straight. G = leg shaping as for section E. H = tubular, straight. J + K = heel, knit on front bed with BX and pushers. L = tubular straight. M = toe, at both ends


Knit left part with reversed shapings, i.e. at the beginning rack back bed to the left, knit sections A to D, open at left, for decreasing mark nds 1 and 4 decrease with double decker, back and front, take last few sts on a thread, draw up and fasten off.

Fig. X: gusset, same size for all. Begin with 3 sts. A = increase at both ends of row. B = decrease at both ends of row. C = decrease at right of centre. Knit sections H to M as for right part.

ends. B = decrease at both ends. Cast off.
To make up:
Press contrast yarn. Join leggings along crutch seam (sections A, B and C), leaving back seam 13 cm and front seam 7 cm open for gusset. Set in gusset with longer point at back. Fold waist hem (section A) in half to inside and sew down ^{st by st} ~~overlapping contrast~~ over. Draw legs through the opening.

2063

Continued from page 46




2035 PASSAP - DUOMATIC

2032 PASSAP - DUOMATIC

Fig. I + II

Fig. I



Sweater: about 1 to 1 1/2 years
Material: about 5 1/2 ozs medium wool, turquoise, 8 buttons

Stitch size: 1:1 rib = 1 1/2, pattern = 4

Test square: 100 sts = 32 cm (12 1/2"), 100 rows = 12 cm (4 3/4")
Material: 350 metres length per 100 gr approx. 110 yards per 1 oz 10 cm = approx. 4"

Pattern:




Fig. I: A = 1:1 rib, B, C and D = knit in pattern
Fig. II: A = 1:1 rib, B and C = continue in pattern.

Fig. III: A = 1:1 rib, B = knit in pattern, E = knit in pattern.
D = divide work, knit in pattern. C = continue in pattern.

Neck band: With 30 sts knit 7 rows in 1:1 rib. Bring all nds into W. P. and stocking st on front bed. With contrast yarn knit 2 rows tubular and 2 rows K/K, release.
Back: Cast on 45 sts and knit in the same way as back.
Front: Cast on 45 sts and knit in the same way as back.


To make up: Block and press all parts lightly. Sew up, leaving shoulder seams open. Sew on neck band, first outside then inside, backstitching into the open loops and unravelling contrast yarn. Work 1 row of single crochet around shoulder opening, making 4 button loops at right and left front. Sew on buttons to correspond.

Block: With 30 sts knit 7 rows in 1:1 rib. Bring all nds into W. P. and stocking st on front bed. With contrast yarn knit 2 rows tubular and 2 rows K/K, release.
Front: Cast on 45 sts and knit in the same way as back.

To make up: Block and press all parts lightly. Sew up, leaving shoulder seams open. Sew on neck band, first outside then inside, backstitching into the open loops and unravelling contrast yarn. Work 1 row of single crochet around shoulder opening, making 4 button loops at right and left front. Sew on buttons to correspond.

Fig. III

Fig. I + II



Material: 350 metres length per 100 gr approx. 110 yards per 1 oz. 10 cm = approx. 4"

Baby's sweater

Size: about 3 to 6 months
Material: 3 1/2 ozs Babywool (4-ply) 1 yard ribbon

Stitch size: 1:1 rib 3, pattern 5

Test square: 100 sts = 37 cm (14 1/2"), 100 rows = 16 cm (6 1/4")
Material: 350 metres length per 100 gr approx. 110 yards per 1 oz 10 cm = approx. 4"

Pattern:

blue strippers





Fig. I and II: A = knit in pattern. B = knit in pattern. C = continue in 1:1 rib, after 20 rows make an open work row.

Fig. III: A = 1:1 rib. B and C = continue in pattern. D = continue in 1:1 rib, after 20 rows make an open work row.

To make up: Block and press all parts. Sew up. Pull ribbon through holes at wrist and neck.

Fig. III

Fig. III



Material: 350 metres length per 100 gr approx. 110 yards per 1 oz. 10 cm = approx. 4"

Baby's sweater

Size: about 3 to 6 months
Material: 3 1/2 ozs Babywool (4-ply) 1 yard ribbon

Stitch size: 1:1 rib 3, pattern 5

Test square: 100 sts = 37 cm (14 1/2"), 100 rows = 16 cm (6 1/4")
Material: 350 metres length per 100 gr approx. 110 yards per 1 oz 10 cm = approx. 4"

Pattern:

blue strippers





Fig. I and II: A = knit in pattern. B = knit in pattern. C = continue in 1:1 rib, after 20 rows make an open work row.

Fig. III: A = 1:1 rib. B and C = continue in pattern. D = continue in 1:1 rib, after 20 rows make an open work row.

To make up: Block and press all parts. Sew up. Pull ribbon through holes at wrist and neck.

2064 PASSAP - DUOMATIC

一
六



二
六




Fig. III
Fig. XII





Fig. XII



Material: 533 metres length per 100 gr
approx. 167 yards per 1 oz
10 cm = approx. 4"

Child's coat with cap

about 1½ to 2½ years
12½ ozs fine wool, 4 buttons, 1 small button
pattern 3¼, tubular 5½, 1:1 rib for cap = 3
100 sts = 24, 5 cm (9 ¾"), 100 rows = 15, 5

Pattern:




Fig.I: A to C = knit in pattern
Fig.II: Knit once according to diagram. once with reversed shaninos A to

D = knit in pattern, on right front make buttonholes.

Knit pattern according to diagram. C = knit in pattern.
Neck band: Cast on 116 sts and knit 28 rows in pattern, then 12 rows tubular,

Fig. XII. cap: A = knit in pattern, setting lock at back on AX₅, at front on N,
a few rows with contrast yarn, release.


then knit 2 rows in N/N. B = continue in pattern according to diagram. C = 1:1 rib, cast off.

To make up:
Coot: Block and press all parts lightly. Sew up. Set in sleeves. Sew on neck band, first outside then inside, backstitching into the open loops and unravelling contrast yarn, starting and ending 4 cm away from front edgers. At overlap make button loop, at underlap sew on small button to match button loop. Neaten button-off.

CAP: Join seam. Draw up 1:1 rib rows and sew on pompon or little bow for final touch. Sew straps to both sides of cap.

2068 PASSAP-DUOMATIC

Fig. IX+XIV



Material : 585 metres length per 100 gr
approx. 183 yards per 1 oz
10 cm = approx. 4¹/₂

<u>Leggings with straps</u>	ab
<u>Size:</u>	31
<u>Material:</u>	st
<u>Stitch size:</u>	10
<u>Test square:</u>	st
<u>Pattern:</u>	


Fig. I, back : A = point of strap : with 4 sts on each bed knit tubular, increasing at both ends as follows : back and front move 1 st 1 nd outwards. Place purl loop of outer stitch onto empty nd and knit 4 rows tubular. Following increases as before, but using double decker tool. B = stocking st tubular. Put all sts on deckercombs. Knit other strap in the same way at left of machine, i.e. start with nds 23 to 26. Leave sts on machine. At right miss 32 nds, then place sts of first strap onto nds of machine, back and front. Put nds of both beds into W.P. and knit 1 row N/N and 19 rows CX/CX. Transfer all sts to front bed. D = continue in stocking st, on back bed put 3 nds each side into W.P. according to diagram (arrrhole edgings). At both ends increase with triple decker tool, leaving empty nds in W.P. On back bed move the 3 sts 1 nd outwards. In the last row cast on 6 sts at both ends and transfer the 3 sts on back bed to front bed. E = continue straight in stocking st. F = transfer sts for 1:1 rib, knit straight. After 11 rows make an open work row. Transfer sts to front bed. With contrast yarn knit a few rows stocking st, release.

Fig. XII, front: (On back bed) A = hem, tubular. Transfer all sts to back bed. B = on front bed put 3 sts each side into W.P. for armhole edgings. Increase as for Fig. I/D. C = transfer the 3 sts on front bed to back bed and continue straight. D = 1:1 rib, after 11 rows make an open work row. Transfer sts to back bed. Place sts of Fig. I (back) onto nds of front bed. Fig. IX and XIV, pants and legs: A = with a total of 96 sts knit stocking st tubular. B = half tubular, open at left; divide work with BX and pushers; at right back put 48 pushers into W.P., at right front put 48 pushers in R.P. Press left arrow keys, knit straight. C = knit right leg according to diagram; knit tubular with BX and pushers, pressing both arrow keys. At right knit straight, at left decrease with double decker tool. D = tubular. E = knit on front bed (returning back bed pushers within blocking rail). Decrease and increase with BX and pushers. F = knit tubular as for section D. G = at both ends decrease, back and front. Put last sts on a thread, draw up and fasten off. Return pushers within blocking rail. Knit leg with reversed shapings: At back put 48 pushers in R.P., at front into W.P., press right arrow keys. B = half tubular, open at right. C = tubular with CX/CX, decrease at right with double decker tool, at left knit straight. D to G according to diagram.

To make up: Crochet chain stitches along zig-zag cast-on of Fig. I/section C, picking up every alternate thread. Join side seams. At both points of straps make a buttonhole lengthwise, sew through double thickness of knitting, securing each stitch. Cut open. At front sew on buttons to match buttonholes. Pull cord or elastic through holes at waist.

二
六

二



$$\frac{cx}{N}$$

RZ = RC

七

۷۷ = ۳۰

三

2014 PASSAP - DUOMATIC






Fig. I

Fig. II

Fig. III

Hooded jacket

Size : about 9 to 10 months
Material : 9 ozs double knitting (of fine wool taken double)
Stitch size : 2 press studs, some swansdown
Tubular 5:1R, pattern 6
Test square : 100 sts = 82 cm (32 1/4") 100 rows = 20 cm (8")
Pattern : Borders in 1:1 rib, jacket and hood in pattern according to diagram



51/B

Fig. I : A = tubular in 1:1 division. B = continue in pattern. C = in pattern. At both ends put 2 pushers into W.P. Raglan shaping with double decker tool. D = transfer every second stitch from front to back bed (3 : 1 rib) and knit 4 rows. E and F (hood) = in pattern.

Fig. II : A = tubular in 1:1 rib. B = continue in pattern. C = in pattern. Raglan shaping as for Fig. I. D = in pattern. Shape neck, transferring the stitch to be decreased from front to back bed. Finally, put sts on a thread.

Fig. III : A = tubular in 1:1 rib. B = continue in pattern. C = in pattern. Raglan shaping as for Fig. I. Finally, put all sts on a thread.

Hood (side panels) : Place sts of front and sleeve in 3:1 division back on to nds and knit 4 rows. Transfer sts for pattern and knit 64 rows in pattern, increasing 1 st every 12th row, 5 times, for back seam. Cast off.

Front borders (make two) : Cast on 36 sts in 1:1 and knit 14 rows in stocking st, a few rows with contrast yarn, release.

To make up : Block and press all parts lightly. Sew up. Sew on front bands first to outside, then to inside, backstitching into the open loops and unravelling contrast yarn. Work 1 row of single crochet round front edge of hood and sew on swansdown. Sew on press studs. If desired, knit a band in carpet pattern and use instead of swansdown.


Tip

Pompon : From cardboard cut two discs 2,5 cm in diameter and make a hole in the centre, leaving a rim of approx. 1,7 cm. Place the two discs one on top of the other. Wind plenty of wool around the double rim. Then cut wool outside between the discs and tie tightly in the centre leaving surplus yarn ends. Remove discs. Trim pompon to shape and hold over steam to get fluffy effect.

2072 PASSAP - DUOMATIC

Material : 390 metres length per 100 gr
approx. 122 yards per 1 oz
10 cm = approx. 4"

Fig. IX



Pants : Size : about 1 year

Material : a little more than 2 ozs baby wool, waist elastic
Stitch size : stocking st 5, 1:1 rib borders 2½
Test square : 100 sts = 34 cm (13½"), 100 rows = 21,5 cm (8½")
Pattern : stocking st with borders in 1:1 rib

Fig. IXa : (Back)


With contrast yarn cast on 22 sts for crutch, knit a few rows and put sts on deckercomb. A = for first leg band cast on 40 sts in 1:1 rib and knit 10 rows. Transfer sts to front bed for stocking st. Put sts on deckercomb. For second leg band cast on 40 sts at left of machine, knit 10 rows, transfer sts to front bed. At right place the 22 sts in contrast yarn (for crutch) and then the 40 sts on deckercomb for first leg. B = graduations with BX and pushers starting from inside, starting graduations with the 22 pushers for crutch. At both ends, at opposite side to lock, put 5 pushers into W.P. C = stocking st, decreasing in the centre, i.e. every 4th row move 40 sts 1nd inwards, at both ends, using deckercomb. D = at both ends makegraduations starting from outer edge(BX and pushers)E=transfer sts for 1:1 rib. In the 8th row make an open work row. Cast off.

Fig. IXb : (Front) Start crutch with contrast yarn as for Fig. IX a.
A = as for Fig. IX a. B = stocking st with decreases in the centre. C = 1:1 border, in the 8th row make an open work row. Cast off.

To make up:

Press both parts. Graft sts of crutch together, unravelling contrast yarn. Join side seams. Pull elastic through holes at waist.

Pattern :




Back : N
Front : AX ←

52/B

Fig. IX b

Fig. IX 2



Leggings

Size : 4 to 6 months

Material :

Stitch size :

Test square :

about 3½ ozs medium baby wool
stocking st tubular 5½, pattern 4, K/K 3
pattern : 100 sts = 29 cm (11½"), 100 rows = 16 cm (6¼")
stocking st : 100 rows = 21,5 cm (8½")
100 sts = 32 cm (12½")

Fig. IX, leggings : Begin with contrast yarn.


A = tubular, stocking st. In the centre put 10 sts on a thread, back and front. Put sts at left of machine on deckercombs. Then knit first leg according to diagram : B = knit tubular, at right straight, at left decrease with double decker tool. In the 120th row tubular, make an open work row. C = work heel on front bed : increase and decrease with BX and pushers. D = tubular. E = decrease at both ends, back and front. Put last sts on a thread, draw up and fasten off. For second leg, place sts on deckercombs back onto nds of machine and knit sections B to E, reversing shapings.

Fig. IXa, back top : A = place sts of back of leggings onto 68 nds of machine, unravelling contrast yarn. Continue in K/K, making an open work row in the 8th row. B to D = continue in pattern I. E = K/K.
Fig. IXb, front top : A to C = as for Fig. IXa. D = K/K.
To make up :

Join side seams, graft loose sts of crutch together. Make a button loop on each strap, sew on buttons. Pull cords through holes at waist and ankles.

Material : 350 metres length per 100 gr
approx. 110 yards per 1 oz
10 cm = approx. 4"

Fig. IX 2



2076 PASSAP - DUOMATIC

Skirt with braces and fairisle border

Material : 800 metres length per 100 gr
approx. 251 yards per 1 oz
10 cm = approx. 4" Motif 2

Size : 2 to 3 years
Material : 5½ ozs fine dralon : 3½ ozs blue and 2 ozs white, waist elastic
1½" wide, 2 small buttons

Stitch size : fairisle 3, stocking st 3½"
Test square : 100 sts = 16,5 cm (6½"), RC 200 = 16,5 cm (6½")

Pattern : Skirt with fairisle motif 1 (or PASSAP Jac pattern card 45)
bib in pattern with motif 2.

Fig. VIII: A = with blue make cast-on with zig-zag, then 12 rows with CX/CX,
1 row N/N. B = continue in fairisle stitch according to diagram until row counter
reads 16 (begin with 2 rows white) then knit motif 1 according to diagram or using
PASSAP Jac pattern card. Then continue in fairisle stitch (without motif) until
row counter reads 232. C = transfer all sts to front bed and knit 48 rows stocking st
with blue. A few rows with contrast yarn, release.

Fig. VII + II: A and B = as for Fig. VIII. C = for waist band set lock at back on
GX, at front on N. With 163 sts knit 24 rows stocking st in blue on front bed. Then
set lock at back on N, at front on GX, and with 163 sts knit 24 rows stocking st on
back bed. Over 62 nds at right front knit a few rows with contrast yarn. In the
centre miss 41 sts, over remaining 62 sts at left knit a few rows with contrast yarn.
On back bed leave 40 sts in the centre, at right knit 63 sts, at left 62 sts with con-
trast yarn, release. D = with 81 sts knit in fairisle stitch until row counter reads
16, then knit motif 2. Finish off with RC 16 in fairisle stitch. E = transfer all sts
to front bed, knit 12 rows in stocking st blue, a few rows with contrast yarn, re-
lease.

Braces: Fairisle pattern according to pattern. Make two.

With 9 nds on front bed and 8 nds on back bed knit straight until RC reads 300.
Make buttonhole thus : at left return 5 pushers on front bed and 4 pushers on back
bed within blocking rail, knit RC 8, break off. Return pushers at left to W.P.
and return pushers at right within blocking rail, knit RC 8, break off. Put all
pushers into W.P. Shape point thus : every 4th row decrease 1 st at both ends, back
and front, 4 times. Darn ends into edges of work.

Fig. VII + VI






Fig. VII



B

Pattern : Fairisle stitch
Handle down, pink strippers


Back : BX ← →
Front : BX ← →
2 rows white
2 rows blue
etc.



To make up:
Press contrast yarn. At both sides of
bib, graft loose sts together, unravelling
contrast yarn. Join side seams.
Fold section C of Fig. VIII in half to in-
side and sew down, st by st unravel-
ling contrast yarn. Sew on braces and
buttons.



53/B



2071 PASSAP - DUOMATIC

Fig.I + IX, back and legs: A = knit straight in stocking st. B = 1:1 rib, in the 5th row make an open work row. C = knit straight, at both ends cast off 1 st. At left put 40 sts on deckercombs. Now, place sts of left front onto nds of back bed opposite the remaining 40 sts on front bed (with wrong side facing you) and knit left leg in stocking st tubular according to diagram : D = at right knit straight, at left back and front decrease with double decker tool. E = knit heel on front bed : increase and decrease with BX and pushers. F = tubular, straight. G = tubular, decrease with double decker tool, put last sts on a thread, draw up and fasten off.

For right leg repeat the 40 sts of left half of back onto nds of front bed with right side facing you, sts of right front onto nds of back bed opposite the sts on front bed (wrong side facing you). Repeat sections D to G with reversed shapings.

Fig.III : A = 1:1 rib. B = transfer sts for stocking st, knit straight. A few rows with contrast yarn.

<u>Baby's long-sleeved overall</u>	
<u>Size:</u>	1 to 3 months
<u>Material:</u>	about 4 ozs baby wool or synthetic yarn, 6 small buttons
<u>Stitch size:</u>	stocking st 4 3/4, 1:1 rib 2 3/4
<u>Test square:</u>	100 sts = 34 cm. (13 1/2"), 100 rows (RC 200) = 21 cm (8 1/4")
<u>Pattern:</u>	stocking st tubular, cuffs and waist in 1:1 rib.

Fig. II, right front: A = cast on. At right knit straight, at left shape neck. B = knit straight. C = transfer sts for 1:1 rib, in the 5th row make an open work row. D = transfer sts for stocking st, knit straight. Lastly cast off 1 st at right, put sts on deckercomb.

Material : 440 metres length per 100 gr
approx. 158 yards per 1 oz
10 cm = approx. 4"

With 3 sts on each bed knit 90 cm in stocking st tubular.
Cord. With 2 sts on each bed knit 90 cm in stocking st tubular.

To make up:

Join shoulder seams. Sew sleeves to armholes with back stitch and unravelling contrast yarn. Join side and sleeve seams. Join centre front opening for about 3 cm. With back st sew on edging along centre front edges and round neck, leaving 6 openings for buttonholes on one side. Sew on buttons to match these buttonholes. Press edgings. Pull cord through holes at waist.

$$RZ = RC$$

Fig. I + IX

Fig. I + IX

$$RZ = RC$$

Fig.

Diagram illustrating the addition of two rectangles. Both rectangles have a width of 14 cm and a height of 26 cm. The total width of both rectangles is 28 cm.

Fig. III

-40

$72R = 15\text{cm}$

$40:13.5\text{cm}$

20mm

$72R = 15\text{cm}$

$40:13.5\text{cm}$

20mm

$72R = 15\text{cm}$

$82 = 28\text{cm}$

$40:13.5\text{cm}$

$78x$

C

$\bullet \bullet \bullet$

A

$72R = 15\text{cm}$

$82 = 28\text{cm}$

Fig. III

Fig. III

A horizontal number line is shown with tick marks every 10 units. Point A is marked at the 40 tick mark. Point B is marked at the -40 tick mark. The distance between the two points is labeled as 135 units.

2082 PASSAP - DUOMATIC

54/B

Material : 400 metres length per 100 gr
approx. 125 yards per 1 oz
10 cm = approx. 4"

Picot pattern including cast-on.
Handle down, pink strippers

Back:	Front:
1 row N	N
3 rows AX	AX
1 row AX	AX
rack 1 ind to right	2 3/4
1 row N	N
rack 1 ind to left	2 3/4
1 row N	N
1 row EX	EX
1 row N	N
back and front all inds into W.P.	2 3/4
1 row N	N
2 rows CX	CX
black strippers	2 3/4
4 rows CX	CX
	4 1/2

Continued on page 55

2069 PASSAP - DUOMATIC

Material : 330 metres length per 100 gr
approx. 103 yds per 1 oz
10 cm = approx. 4"




Fig. I, II + IX




Fig. IV




Fig. III

Toddler's overall

Size :

Material : 5½ ozs synthetic bouclé yarn : 4½ ozs white (or various colours), 1 oz blue, 1 zip 12" long, 20" elastic ¼" wide for legs, 20" shirring elastic for waist

5½

Stitch size :

Test square :

Pattern :

about 1 year
100 sts = 39 cm (15½"), 100 rows = 19 cm (7½")
stocking st, border in 1:1 rib. Overall (rompers) in white with collar and edgings in blue - or multi-coloured stripes may be used in place of white.

Fig. I, II and IX: A to C = knit 2 equal parts on front bed and on back bed.
A = border with blue in stocking st. With 80 sts knit 20 rows. B = leg, stocking st white, or striped, incr. 10 sts at both ends. C = crutch, decrease 10 sts at both ends. D = half tubular, open at right. Now at right, for section G, back and front, knit over 37 sts by hand with contrast yarn and return pushers within blocking rails. Cast off next 6 sts and return these pushers within blocking rail. E = half tubular, shape arm-hole according to diagram. F = shoulder shaping. Cast off remaining sts loosely. G to J = knit two equal parts, first on front bed, then on back bed. G = unravel contrast yarn and knit in stocking st. Armhole shaping according to diagram. H = neck shaping. J = shoulder shaping.

Fig. III : A = with blue knit 12 rows tubular in 1:1 division. B = transfer all sts to front bed, stock. st. white or striped. Knit 20 rows, increasing at both ends according to diagram. C = shape sleeve head, cast off remaining sts.

Fig. IV, collar : With blue cast on 60 sts on each bed and knit 60 rows tubular, decreasing at both ends according to diagram. B = 24 rows tubular, a few rows with contrast yarn, release.

To make up:

Join shaped edges of section C, back and front, using back stitch. Set in sleeves. At centre front set in zip along sections D and G. At waist (centre of section D) run 2 rows of shirring elastic through knitting. Join leg seams along sections A and B from * to *. Fold sections A in half to inside and sew down. Pull elastic through. At collar press contrast yarn lightly. With section B to neck edge, sew on collar, first outside then inside, backstitching into the open loops and unravelling contrast yarn.

2082

Continued from page 54

A = with all neds of machine knit picot edging according to diagram. B = at both ends - first back, then front - knit 60 sts with contrast yarn (BX and pushers) and release. Transfer remaining 59 sts from back to front bed. Continue in stocking st, increasing at both ends. C = knit straight. D = divide work with BX and pushers. Cast off 5 centre sts. Knit first half according to diagram : at right knit straight, at left shape neck. E = knit straight, cast off. Complete other half to match. To make up:

Press bib and contrast yarn. Sew picot edging to side edges of bib, first outside then inside, backstitching into the open loops and unravelling contrast yarn (stretch picot edging). Work 1 or 2 rows of single crochet along neck and shoulder edge. Sew on knitted cord, press again.

2077 PASSAP - DUOMATIC

2052 PASSAP - DUOMATIC

Light summer blouse with scallop edgings

Size : 2 to 3 years

Material : 2 ozs fine dralon white, an oddment blue, 4 small buttons

Stitch size : stocking st 4, 1:1 rib and K/K = 2

Test square : 100 sts = 30, 5 cm (12"), 100 rows = 19 cm (7 1/2")

Pattern : stocking st with scallop edgings on sleeves and collar according

to diagram, waist band in 1:1 rib
to diagram, waist band in 1:1 rib

Fig.I: A = 1:1 rib. B = transfer sts for stocking st, straight. C = shape armholes, then straight. D = shape shoulders, a few rows with contrast yarn, release.

Fig.II: A and B = as for Fig.I. C = at left put 49 sts on deckercombs. Knit first shoulder according to diagram : at right shape armhole, at left cast on 5 sts, then straight. D = at right knit straight, at left shape neck. E = at right shape neck, at left knit straight. Place sts on deckercombs on to nds of machine. At right cast on 5 more sts and knit second shoulder with reversed shapings.

Fig.III: A = scallop edging according to diagram : with blue and St. S 3 (lock set on N/N) make zig-zag from left to right. Break off. With white knit 7 rows according to diagram, 1 row N/N, transfer all sts to front bed. B = first make an open work row, then continue in stocking st. C = shape sleeve head, cast off.

Fig.IV, collar: A = with 208 nds work scallop edging as for Fig.III. Before knitting 8th row, transfer all sts to front bed, knit 1 row with lock set on N/GX. At both ends put 16 sts on a thread. B = hang 3 sts of scallop edging onto nds as follows : at right hang 3 sts of edging onto first nd of collar, knit 1 row. (Lock is at left.) At left hang 3 sts of scallop edging onto first nd of collar, knit 1 row. (Lock is at right.) From now on, consecutively hang first on the right, then on the left and always on the same side as lock, 1 st of scallop edging onto first nd of collar and knit 1 row until all sts of the edging are hanging on nds. A few rows with contrast yarn, release.

With 358 sts knit 500 rows according to diagram. Cast off loosely.

Work 1 row of single crochet along cast-off edge.

Fig. I




Fig. II




Fig. III





Fig. IV



To make up:

(Pin out parts to size, cover with damp cloth and allow to dry, or press very gently. (First try on test square.) Join shoulder seams. Turn the 5 cast-on sts at both sides of front opening to inside and sew down. Sew collar to inside of neck edge, st by st and unravelling contrast yarn (deepening a little at back of neck). At right edge of front opening work 2 rows of single crochet, making 4 button loops in the second row, at left work 1 row of single crochet and sew on buttons to match button loops. Join sleeve and side seams, set in sleeves. Pull cord through open work row on sleeves.

Pattern for scallop edging:
Handle down, pink strippers







Fig. V

BX

Material : 800 metres length per 100 gr approx. 251 yards per 1 oz
10 cm = approx. 4"



B/
B

2081 PASSAP - DUOMATIC

Boy's outfit

3 to 4 years

13 ozs crépe cotton yarn, 4 small buttons, waist elastic
4 3/4

Material:
Stitch size:
Test square:
Pattern:

100 sts = 31 cm (12 1/4"), 100 rows = 21,5 cm (8 1/2")
stocking st. Jacket with knitted-in pockets, shorts with
permanent crease.

Jacket

Fig.I: Start and finish with contrast yarn.
A and B = knit straight. C = shape armholes, then continue straight. D = shape shoulders, release.

Fig.II: Knit left front according to diagram. Start with contrast yarn.
A = stocking st. B = at left cast on 19 sts, knit straight. In the 32nd, 70th and 108th row make a pair of buttonholes thus : at left miss 2 sts, knit 4 sts with contrast yarn by hand, miss 9 sts, knit 4 sts with contrast yarn by hand. In the 40th row make pocket as follows : at right miss 15 sts, for the following 16 sts put pushers into W.P. Set lock at front on BX, at back on GX, knit 20 rows for pocket band. Now hang the loops of the purl sts of the last row knitted prior to the band onto the 20 front bed needles. Knit 60 rows for pocket. Break yarn and push lock entirely to the right. Return pushers within blocking rail, lock set at front on N. Continue knitting in stocking st with all nds (see also "ABC of Perfect Knitting", page 55). C = at right shape armhole, at left knit straight. D = at right knit straight, at left cast off 10 sts. Release 11th stitch. Shape neck with graduations (BX and pushers) according to diagram, then continue straight. E = at right shape shoulder, at left knit straight. Lastly put remaining sts for neck band on deckercombs. Knit right front with reversed shapings, omitting buttonholes. For neck band place sts on deckercombs back onto nds of machine as follows : in the centre place

To make up jacket:

Block and press all parts. Drop 11th st (released stitch) to beginning of section A. Crochet ladder made by dropped stitch, taking 2 threads at a time. Turn front facings along fold line to inside and sew down. Remove contrast yarn from buttonholes and graft loose sts from back and front together. Fix side edges of pocket and side edges of pocket bands. Join shoulder and side seams. On neck band crochet a chain with long sts of 8th row (knitted with St. S 8), taking one thread at a time. Neaten button-hole of neck band. Sew down neck band and lower hem of jacket, unravelling contrast yarn. Join sleeve seam. Sew hem on sleeves to inside, st by st, unravelling contrast yarn. Set in sleeves. Sew on buttons.

Shorts

Fig.IX: Knit left part according to diagram. Begin and end with contrast yarn. A = hem, knit straight. B = graduations from the right with BX and pushers. Increase at right. C = make graduations from the left with BX and pushers. Increase at left. D = continue with all nds, increasing at both ends. E = shape crutch. At right continue decreasing, at left knit straight for centre front seam. F = waist hem, knit straight. Release.

To make up :

Block and press both parts. On both parts drop 22nd stitch from centre front to beginning of section A. With green tool, crochet ladder made by dropped stitch, taking 2 threads at a time (creases). Join leg seams. Join both parts along crutch seam. Fold sections A and F to inside and sew down, st by st, unravelling contrast yarn. Insert waist elastic.

To make up jacket:

Block and press both parts. On both parts drop 22nd stitch from centre front to beginning of section A. With green tool, crochet ladder made by dropped stitch, taking 2 threads at a time (creases). Join leg seams. Join both parts along crutch seam.

Fold sections A and F to inside and sew down, st by st, unravelling contrast yarn.

Fig.I




Fig.II




Fig.IX




Fig.X





Fig.III



Z 2934/15 english 1.74 PASSAP Registered Trade-Mark
Copyright 1974 for MADAG Maschinen- und Apparatebau Dietikon AG, CH-8953 Dietikon
All rights of reproduction and translation reserved
Printed in Switzerland by ABC Druckerei + Verlags AG, Zurich