

KNITTING

MAGAZINE



KNITKING YARN



NOW: KNITKING IS ABLE TO OFFER COMPLETE SERVICE TO THE MACHINE

KNITTER WITH THE IDEAL



TRIO.

KNITKING KNITTING MACHINES — The finest and most versatile automatic knitters available anywhere in the world — KNITKING is the world's most honored machine with five gold medals for excellence. KNITKING Push-Button knitters produce a range of patterns and knit a variety of yarns unequalled by other machines.

1

KNITKING YARNS — We searched the world over for the finest yarns obtainable: Beautiful wools from Australia in a range of colors that will dazzle you. The finest quality yarns from West Germany including a new synthetic, soft as a feather pillow, yet able to withstand all the punishment your washing machine can give it, plus superb Satin-Cotton and Linen-Cotton. Excellent Shetlands, Bri-nylon and wools from world famous English mills.

2

KNITKING MAGAZINE — Without a doubt the finest Knitting machine magazine in the English language published anywhere in the world. Twenty original patterns in each issue and for all members of the family. Stylish designs photographed on world famous models. High fashion garments, handsome sweaters, sports outfits, baby clothes, plus accessories and knitting machine hints. All available to you in KNITKING MAGAZINE.

3

For yarn catalogue, send \$2.00 (you deduct it from your first order of \$10.00 or more) to:

KNITKING YARNS • 1128 CRENSHAW BOULEVARD, LOS ANGELES, CALIF. 90019

KNITTING

MAGAZINE



Letter from the Publisher

Vol. 2, No. 3

Jan.-Feb. 1966

INDEX

Contents	Pattern No.	Page No.
Woman's Dress	DK 7330	13
Woman's Pullover	DP 7331	14
Woman's Pullover	DP 7336	16
Woman's Pullover	DP 7321	17
Woman's Pullover	DP 7340	18
Woman's Dress	DK 7337	19
Two Piece Dress	DK 7338	20
Woman's Suit	DK 7341	22
Man's Pullover	HP 3423	23
Man's Pullover	HP 3420	24
Man's Pullover	HP 3422	24
Boy's Jacket Sweater	KK 4755	25
Boy's Pullover	KK 4750	26
Girl's Pullover and Cardigan	MK 4751	27
Girl's Pullover	MK 4754	29
Girl's Pullover	MK 4753	29
Girl's Skirt	MK 4752	30
Practical Knitting Hints		32



DK 7330

OUR COVER MODEL

Simple elegance! The little girl look. An Empire line dress with the top knitted in a delicate eyelet design and the skirt section in stockinette. You should knit the bands of contrast color to match your eyes.

Regular readers of KNITTING MAGAZINE are aware that we only recommend top quality brand name yarns for our patterns. This is not because machines will refuse to knit cheap yarns, most of them knit quite easily, but because knitting with poor quality yarn is not economizing. Low grade yarns produce low grade garments. Garments that lose their shape easily, pill up and shrink when washed and do not wear well or look good after washing. Good quality yarns will retain their shape an appearance after many washings and they always make the finished garment look expensive even though the difference in price between poor and excellent yarns does not have to be high.

By using the garment on the cover of this issue as an example, we will show you what we mean. Low grade yarns of the weight needed to produce the stitch size for our cover garments are sold nationally at 49c an ounce. 16 ounces of yarn is needed for the dress which would make the price of the yarn, \$7.84. Knit the same garment using KNITTING SUBITA CABLE YARN, selling price 69c an ounce, and you produce a superb garment that looks, feels, and lasts a hundred times better than that made with the cheap yarn. Total cost \$11.04.

The dress knitted with cheaper yarn will look like some of the low priced imports selling for around \$25.00, but the dress knitted with SUBITA will look worth between \$80.00 and \$100.00.

If you use your knitting machine just to make garments for yourself and your family, you are sure to feel better dressed and to receive more compliments when wearing garments knitted with beautiful top quality yarns.

If you make garments for sale, as many of our readers do, your asking price for a dress knitted with top quality yarns will be more than twice that for one knitted with cheap yarns and your customers will certainly return with more orders for you.

If you have not sent off for the catalog of beautiful exclusive KNITTING YARNS, don't put it off any longer. Write today (full information is on the opposite page) then order some yarn and find out for yourself that it pays to always knit with the best yarns. If you already have a KNITTING YARN CATALOG, but have not yet placed an order, select the pattern that you would like to make from this issue and order sufficient yarn to knit it. SUBITA CABLE YARN for the cover garment in size 12 is just \$11.04. Deduct the \$2.00 cost of your yarn catalog from it and you will have a beautiful dress for just \$9.04.

Publisher: Henry J. Atkin, 1128 Crenshaw Blvd., Los Angeles, Calif. 90019. Telephone: WEbster 8-2079. Published bi-monthly. Subscriptions: USA—\$6.00 annually, single copies \$1.50; Canada—\$7.00; other parts of the world—\$10.00. The entire contents of KNITTING MAGAZINE are copyright and must not be reproduced in any shape or form without the express permission, in writing, of the publisher.

Printed by: George Rice & Sons, Los Angeles, Calif.

SOUTHERN CRUISE NEWS!



DP 7331


SOUTHERN CRUISE NEWS

Heading South? Then this soft flattering pullover in a holding position design is on the agenda for knitting, and then wearing to all ports to call.

DP 7336 →

Another delight to the eye and simple to make pullover in a holding position pattern. Our Model is knitted in a pale yellow yarn, soft as a tropical breeze.








DP 7340

Follow the chart for a lesson in eyelet design and see how easy it is. Our model wears her pullover in a lush shade of lavender. What will yours be?

← DP 7321

Tiny cables down the front and repeated on the collar of this pullover are flattering. A wonderfully basic design in stockinette. Wear it here, there, everywhere . . .



LET'S MAKE A DRESS

←← DK 7337

Off to the races? We'll put our money on this chic two piece yellow dress with its very smart trim of saddle stitching in brown.

← DK 7338

This two piece dress is a beauty and so very simple to make. Our model is knitted in a sand color with the border design in red and light blue. In a popular size range of 12/14 and 16/18.

DK 7341

Think Spring! Knit this lovely suit to wear the very first balmy day. The skirt is stockinette, the jacket knitted in a holding position design that is worn on the purl side.



3 SPORT FASHIONS FOR MEN



HP 3422 ↑

A "different" Norwegian pattern stitch for this man's pullover. The colors may be loud and bright, or soft and subtle.

HP 3420

No chill wind can penetrate this sharp looking man's pullover. Knitted in a heavy Fisherman's rib with stripes in two shades of identical color.

HP 3423 →

This casual dark blue sport pullover is knitted in stockinette, with its collar and pockets a contrasting color in a holding position pattern, and using the ribber.





FOR THE CHILDREN

KK 4750

He'll think you're the greatest! If you knit him this easy knit pullover. We give you two sizes, and our model is knitted in yellow with two shades of blue for the border design.



KK 4755

The 8 to 9 year old enjoys imitating his dad. Knit this boy's cardigan in the same Norwegian design as the man's pullover on page 24.



MK 4751

Raglan sleeves and a Norwegian border design make up this pretty, and simple to knit girl's twin sweater set. Sizes for 10 to 11 and 8 to 9 years.



MK 4754

A charming and quick to knit pullover for the 7 to 8 year old girl. Our model is knitted in yellow and dark blue. Embroider the cross stitching when it is completed.



MK 4752

Camera anyone? Even the littlest girl loves to look pretty, and pretty she'll be in this darling outfit for the 3 to 4 year old. The simple to make white pullover is worn under a blue jumper. The Norwegian JAC 40 design No. 63a is knitted in blue, red and yellow.


KNITTING INSTRUCTIONS

OUR COVER MODEL WOMAN'S DRESS, No. DK 7330




SIZES: 10/12 and 14/16. **MATERIAL:** 10/12, 15 oz. 14/16, 17 oz. orange and 1 oz. blue or jade green. **FOR EXAMPLE:** KNITKING, Subita 2 x 3. Bearbrand, Deluxe Sock and Sport. Red Heart, Nylon and Wool Sport. **TENSION:** KNITKING Stockinette 4 or 5, Pattern Stitch 5 or 6. **GAUGE:** Stockinette 18 sts. 2", 25 rows 2", Pattern Stitch 13 sts. 2", 35 rows 2" **PATTERN:** Stockinette; Dress top: Eyelet design on knit side according to chart.

SIZE: 10/12. BACK: (Figure II). Cast on 187 sts. Work in Stockinette with Tension 4 or 5. Rows 1-336: Decrease 1 st. on each side at Row 51, again every 18th row 11 x, every 10th row 4 x, every 8th row 2 x, every 6th row 3 x, and every 4th row 3 x. **At the same time,** for the 5-6 darts, decrease 2 sts. on each side at row 273. and again every 16th row 4 x. To do this on each side put the 52nd and 54th sts. on the 53rd needle, and move the sts. over to fill empty needles. The next decrease lies directly above this. (119 sts. Rows 337-350: Work even. Rows 351-380: Increase 1 st. at the beginning of Row 351 and Row 352 and again on



11-12 every 4th row 3 x. **At the same time,** for the 5-6 darts, decrease 2 sts. on each side at row 273. and again every 16th row 4 x.



each side every 8th row 3 x. **At the same time,** for the darts, increase 2 sts. on each side at Row 351 and again every 10th row 2 x. The increases lie directly above the decreases. (139 sts.). Now on each side, put the 5th, 10th, 15th, 20th, and 25th sts. onto the neighboring needle and move the sts. over to fill the empty needles. Continue in Pattern St. with Tension 5 (6) over 129 sts. Rows 381-458: Decrease 1 st. on each side at Row 393 and again every 12th row 4 x (119 sts.). Rows 459-492: **Armhole Shaping.** Bind off 3 sts. at the beginning of next 2 rows, then every 4th row on each side bind off 2 sts. 3 x, and decrease 1 st. 2 x; then every 6th row decrease 1 st. 2 x. (93 sts.) Rows 493-562: Increase 1 st. at the beginning of Row 507 and Row 508, and again on each side in the 14th row 1 x, the 12th row 1 x, and every 10th row 2 x. (103 sts.) Rows 563-604: **Shoulder and Neck Shaping.** Decrease 1 st. on each shoulder side at Row 563, again every 4th row 2 x and every other row 9 x; then bind off 2 sts. on each shoulder side every other row 8 x. **At the same time,** at the beginning of Row 591 bind off the 11 center sts. with a separate yarn. Put needles on the left into holding position and knit the right side first. On neckside, on every other row, bind off 4 sts. 2 x, 3 sts. 2 x, and 2 sts. 2 x. Turn row counter back to 590 and complete other side.

FRONT: (Figure I). Cast on 197 sts. Rows 1-336: Decrease 1 st. on each side at Row 51, again every 18th row 11 x, every 10th row 4 x, every 8th row 2 x, every 6th row 3 x, and every 4th row 3 x. **At the same time,** for the darts, decrease 2 sts. on each side at Row 273 and again every 16th row 4 x. To do this, on each side put the 50th and 52nd sts. on the 51st needle and move the sts. over to fill empty needles. The next decrease lies directly above this. (129 sts.) Rows 337-350: Work even. Rows 351-380: Increase 1 st. at beginning of next two rows and again on each side every 8th row 3 x. **At the same time,** for the darts, increase 2 sts. on each side at Row 351 and again every 10th row 2 x. The increases lie directly above the decreases. (149 sts.) Rows 381-390: On each side, one after another, put 8 needles in holding position 2 x, 9 needles 2 x, and 12 needles 1 x. Then, on each side put the 5th, 10th, 15th, 20th, 25th, and 30th sts. on the neighboring needle and move the sts. over to fill the empty needles. Continue in pattern st. with Tension 5 (6). Rows 391-404: On each side, one after another, bring 7 needles back into working position 2 x, 6 needles 2 x, 5 needles 2 x, and 4 needles 1 x. (137 sts.) Rows 405-482: Decrease 1 st. on each side at Row 417, and again every 12th row 4 x. (127 sts.) Rows 483-516: **Armhole Shaping.** Bind off 4 sts. beginning next 2 rows, then on each side on every 4th row bind off 4 sts. 1 x, 3 sts. 1 x, 2 sts. 1 x, decrease 1 st. 2 x, and on every 6th row decrease 1 st. 2 x. (93 sts.) Rows 517-578: Increase 1 st. at the beginning of Row 531 and 532 and again on each side on the 14th row 1 x, the 12th row 1 x, and every 10th row 2 x. (103 sts.) Rows 579-628: **Neck and Shoulder Shaping.** Bind off the 13 center sts. with a separate yarn. Put needles on the left side into holding position and complete right side first. **At neck side** on every 4th row, bind off 4 sts. 1 x, 3 sts. 1 x, 2 sts. 2 x, decrease 1 st. 4 x; then on every 6th row decrease 1 st. 2 x. **At the same time, on shoulder side,** decrease 1 st. at Row 587, again every 4th row 2 x and every other row 9 x; then bind off 2 sts. every other row 8 x. (28 sts. for shoulder). Put row counter back to 578 and complete the left side.

ARMHOLE EDGING: (Make 2) With blue or jade green, cast on 122 sts. Work 14 rows Stockinette. Bind off all sts.

NECK EDGING: With blue or jade green cast on 151 sts. Work 14 rows Stockinette. Bind off all sts.


WAIST EDGING: With blue or jade green, cast on 145 sts. (front) and 135 sts. (back) Work 14 rows Stockinette. Bind off all sts.

BOW: With blue or jade green cast on 80 sts. Work 14 rows Stockinette. Bind off all sts.

FINISHING: Join front and back sections at side and shoulder seams leaving a 12" opening on left side seam for zipper. Make a narrow hem around zipper opening, and sew in zipper. Make a 1 1/2" hem around bottom of dress. Sew ends of armhole edging together, fold edging around armhole and attach. Sew ends of neck edging together, fold edging around neck opening and attach. Sew front and back sections of waist edgings together, fold waist edging around a 1/2" wide binding, and seam lengthwise. The edging is then pushed around the binding until the seam is in the center back. Sew waist edging to the bottom edge of the pattern st. section of the dress. Finish the bow in the same way, holding it together in the center with a round cord worked over 5 sts. and sew the bow in place.

SIZE: 14/16. BACK: (Figure II). Cast on 197 sts. Work in Stockinette with Tension 4 or 5. Rows 1-340: Decrease 1 st. on each side at Row 51, again every 66th row 3 x, every 10th row 1 x, every 8th row 5 x, every 6th row 4 x, and every 4th row 4 x. **At the same time,** for the darts, decrease 2 sts. on each side at Row 277 and again every 16th row 4 x. To do this, on each side put the 61st and 63rd sts. on the 62nd needle, and move the sts. over to fill empty needles. The next decrease lies directly above this. (141 sts.) Rows 341-354: Work even. Rows 355-384: Increase 1 st. at beginning of Row 355 and 356 and again on each side every 8th

row 3 x. **At the same time**, for the darts, increase 2 sts. each side at Row 355 and again every 10th row 2 x. The increases lie directly above the decreases. (161 sts.) Now, on each side, put the 5th, 10th, 15th, 20th, 25th, 30th, and 35th sts. on the neighboring needle and move the sts. over to fill the empty needles. Continue in Pattern St. with Tension 5 (6) over 147 sts. Rows **385-462**: Decrease 1 st. on each side at Row 393 and again every 12th row 5 x. (135 sts.) Rows: **463-504**: **Armhole Shaping**. Bind off 4 sts. at beginning of next 2 rows; then every 4th row on each side bind off



3 sts. 1 x, 2 sts. 3 x, decrease 1 st. 3 x; then every 6th row decrease 1 st. 2 x. (99 sts.) Rows **505-574**: Increase 1 st. at beginning of Row 519 and 520 again and on each side on the 14th row 1 x, on the 12th row 1 x, and every 10th row 2 x. (109 sts.) Rows **575-616**: **Shoulder and Neck Shaping**. Decrease 1 st. on each side at Row 575 and again every 4th row 2 x, and every other row 9 x. Then on every other row on each side bind off 2 sts. 5 x and 3 sts. 3 x. **At the same time**, at beginning of Row 603 bind off the 11 center sts. with a separate yarn. Put needles on the left into holding position and knit the right side first. **On neck side** bind off 4 sts. 2 x, 3 sts. 2 x, and 2 sts. 2 x. Turn row counter back to 602 and complete other side.

FRONT: (Figure I). Cast on 197 sts. Rows **1-340**: Decrease 1 st. on each side at Row 51, and again every 66th row 3 x, every 10th row 1 x, every 8th row 5 x, every 6th row 4 x, and every 4th row 4 x. **At the same time**, for the darts, decrease 2 sts. on each side at row 277, again every 16th row 4 x. To do this, on each side put the 53rd and 55th sts. on the 54th needle and move the sts. over to fill the empty needles. The next decrease lies directly above this. (141 sts.) Rows **341-354**: Work even. Rows **355-384**: Increase 1 st. at beginning of next 2 rows and again on each side every 8th row 3 x. **At the same time**, for the darts, increase 2 sts. on each side at Row 355 and again every 10th row 2 x. The increases lie directly above the decreases. (161 sts.) Rows **385-394**: **On each side**, one after another, put 8 needles in holding position 2 x, 9 needles 2 x, and 12 needles 1 x. Now, on each side, put the 5th, 10th, 15th, 20th, 25th, 30th, and 35th sts. on the neighboring needle and move the sts. over to fill the empty needles. Continue in Pattern St. with Tension 5 (6). Rows **395-408**: **On each side**, one after another, bring 7 needles back into working position 2 x, 6 needles 2 x, 5 needles 2 x, and 4 needles 1 x. (147 sts.) Rows **409-486**: Decrease 1 st. on each side at Row 417 and again every 12th row 5 x. (135 sts.) Rows **487-528**: **Armhole Shaping**. Bind off 4 sts. at beginning of next 2 rows, then on every 4th row on each side bind off 3 sts. 1 x, 2 sts. 3 x, decrease 1 st. 3 x; then every 6th row decrease 1 st. 2 x. (99 sts.) Row **529-590**: Increase 1 st. at beginning of row 543 and 544 and again on each side on the 14th row 1 x, the 12th row 1 x and every 10th row 2 x. (109 sts.) Rows **591-640**: **Neck and Shoulder Shaping**: Bind off the 13 center sts. with a new ball of yarn, put needles on the left side into holding position and complete the right side first. **At neck side**, on every 4th row bind off 4 sts. 1 x, 3 sts. 1 x, 2 sts. 2 x, decrease 1 st. 4 x; then on every 6th row decrease 1 st. 2 x. **At the same time**, decrease 1 st. at shoulder side at Row 599, again every 4th row 2 x, and every other row 9 x.

Then on every other row bind off 2 sts. 5 x, and 3 sts. 3 x. (31 shoulder sts.) Put row counter back to 590, put needles on the left into working position and complete the left side.

ARMHOLE EDGING: (make 2) With blue or jade green cast on 130 sts. Work 14 rows stockinette. Bind off all sts.

WAIST EDGING: (make 2) (Front and back sections) With blue or jade green cast on 156 sts. Work 14 rows stockinette and bind off all sts.


NECK EDGING, BOW, AND FINISHING: Follow directions for size 10/12.

WOMAN'S PULLOVER, No. DP 7331



SIZES: 14/16 and 18/20. **MATERIAL:** 14/16, 15 oz. 18/20, 16 oz. yellow. **FOR EXAMPLE:** KNITTING, Mutella, Red Heart, Nylon and Wool, Bearbrand, Evermatch. **TENSION:** KNITTING Pattern St. and Collar 5 or 6, Edging 6 or 7. **GAUGE:** Pattern St. 14 sts. 2", 38 rows 2". Edging 15 sts. 2", 25 rows 2", Collar 16 sts. 2", 25 rows 2". **PATTERN:** Holding Position Design on purl side according to chart. The gate cam release lever is placed at the needle heels. (1). Put needles in holding position according to chart and work 1 row. (2).

Put needles from holding position into working position and work 1 row. Repeat steps 1 and 2 throughout. Use Automatic Needle Selector or Dial-A-Stitch and Wheel III. This pattern must be pulled and stretched in all directions






to get it into shape, so it is recommended that after every 100 rows, while the garment is still on the machine, you pull and stretch it in all directions. Edging and Collar: Stockinette.

NOTE: When knitting short rows as in the collar, be sure to put the yarn between the 1st and 2nd inside needle in the holding position.

SIZE: 14/16. BACK: (Figure II). Cast on 141 sts. Rows **1-30**: Work in stockinette with Tension 6 (7). To make the hem, put the cast on sts. back on the machine. Continue in Pattern st. with Tension 5 (6) over 141 sts. Rows **31-280**: Work even. Rows **281-318**: **Armhole shaping**. Bind off 4 sts. beginning of next 2 rows, then on every 4th row on each side bind off 3 sts. 1 x, 2 sts. 2 x, decrease 1 st. 3 x, and then on every 6th row decrease 1 st. 2 x. (109 sts.) Rows **319-426**: Work even. Rows **427-456**: **Shoulder and Neck Shaping**. At each shoulder side bind off 2 sts. 12 x, and 3 sts. 4 x (36 sts. for each shoulder).

At the same time, at the beginning of Row 441, bind off the 9 center sts. with a new ball of yarn, put needles on the left side into holding position and knit the right side first. **On neck side of every other row**, bind off 4 sts. 1 x, 3 sts. 1 x, 2 sts. 2 x and decrease 1 st. 3 x. Put row counter back to 440 and complete the left side.

FRONT: (Figure I). Cast on 149 sts. Rows **1-30**: Work in stockinette with Tension 6 (7). To make the hem, put the cast on sts. back on the machine. Continue in Pattern st. with Tension 5 (6) over 149 sts. Rows **31-296**: Work even. Rows **297-334**: **Armhole Shaping**: Bind off 5 sts. beginning next 2 rows, then on each side on every 4th row bind off 4 sts. 1 x, 3 sts. 1 x, 2 sts. 2 x and decrease 1 st. 2 x, then on every 6th row decrease 1 st. 2 x. (109 sts.) Rows **335-358**: Work even. **On the left side** put 65 needles in holding position, and continue work on the right section. Rows **359-472**: **Neck and Shoulder Shaping**. **At neck edge**, decrease 1



st. at Row 371 and again every 12th row 5 x and every 14th row 2 x. **At the same time, at shoulder edge,** at Row 443 and on every other row bind off 2 sts. 12 x and 3 sts. 4 x. (36 sts. for shoulder). Now, **on the right side,** bring 21 needles into working position. Work 10 rows Stockinette with Tension 6 (7) and bind off these sts. Turn the Row Counter back to 358, bring the remaining needles into working position and work the left section.

SLEEVE: (Figure III). Cast on 84 sts. Rows 1-26: Work in Stockinette with Tension 6 (7). To make the hem, put the cast on sts. back on the machine. Continue in Pattern St. with Tension 5 (6) over 84 sts. Rows 27-80: Increase 1 st. beginning of Row 27 and 28 and again on each side every 6th row 7 x and every 4th row 2 x. (104 sts.) Rows 81-104: **Underarm Shaping (Front and Back Side).** On every 4th row on the **back side** of the sleeve, bind off 4 sts. 1 x, 3 sts. 2 x, 2 sts. 2 x, and decrease 1 st. 1 x. On the **front side** of the sleeve bind off 5 sts. 1 x, 4 sts. 1 x, 3 sts. 2 x, and 2 sts. 2 x. Rows 105-168: Decrease 1 st. **each side** at Row 105, again every 4th row 2 x and every other row 1 x. Repeat these last 3 decreases 5 x. Rows 169-178: **On each side** of every 4th row bind off 2 sts. 1 x, 3 sts. 1 x, 5 sts. 1 x, and the remaining 12 sts. Make another sleeve with **reverse shapings.**

COLLAR: (Figure IV). Cast on 103 sts. Work in Stockinette with Tension 5 (6), Rows 1-10: On the **left side** put 86 needles in holding position. Work 2 rows. Now one after another, bring back into working position 8 needles 1 x, 12 needles 1 x, 18 needles 1 x, and 48 needles 1 x. Rows 11-36: Work even. Rows 37-50: On the **left side** put 1 needle in holding position at rows 37, 41, and 45. Then on every other row, put 1 needle in holding position 1 x, 2 needles 1 x, and 3 needles 1 x. Rows 51-68: On the **left side,** one after another, bring these same needles back into working position. Rows 69-86: Work even. Rows 87-94: On the **left side,** one after another, put 48 needles in holding position 1 x, 18 needles 1 x, 12 needles 1 x, and 8 needles 1 x. Rows 95-96: Bring all needles into working position. Work 2 rows. Bind off all sts. Make the second half with reverse shapings.

FINISHING: Join front and back at side seams in slip st., overlapping 1/2 st. from each section, and easing in the fullness at bustline of front section. Sew shoulder seams. Sew sleeve edges together and sew sleeve to sweater. Fold front neck edging in half toward outside and sew in place. Sew collar sections together at center back. Fold collar in half lengthwise and sew front edges together. Place collar around neck opening, allowing approximately 3 1/2" of the front collar ends to extend beyond the top of the sweater neckline. Sew collar in place. Make a round cord over 5 needles — 290 rows — and sew to ends of collar. Tie the cord in a bow.

SIZE 18/20. BACK: (Figure II). Cast on 153 sts. Rows 1-30: Work in Stockinette with Tension 6 (7). To make the hem, put the cast on sts. back on the machine. Continue in Pattern St. with Tension 5 (6) over 153 sts. Rows 31-280: Work even. Rows 281-322: **Armhole Shaping.** Bind off 4 sts. beginning next 2 rows; then **on each side** every 4th row bind off 3 sts. 2 x, 2 sts. 2 x, decrease 1 st. 3 x, and then on every 6th row decrease 1 st. 2 x. (115 sts.) Rows 323-440: Work even. Rows: 441-470: **Shoulder and Neck Shaping.** **On each shoulder side** bind off 2 sts. 10 x and 3 sts. 6 x. **At the same time,** at the beginning of Row 455 bind off the 11 center sts.

with a separate yarn. Put the needles on the left into holding position and complete right half first. On neck side, of every other row, bind off 4 sts. 1 x, 3 sts. 1 x, 2 sts. 2 x, and decrease 1 st. 3 x. Put row counter back to 454 and finish other side.

FRONT: (Figure I). Cast to 161 sts. Rows 1-30: Stockinette with Tension 6 (7). To make the hem, put the cast on sts. back on the machine. Continue in Pattern St. with Tension 5 (6) over 161 sts. Rows 31-304: Work even. Rows 305-346: **Armhole Shaping.** Bind off 5 sts. beginning of next 2 rows; then **on each side** every 4th row bind off 4 sts. 1 x, 3 sts. 2 x, 2 sts. 2 x, decrease 1 st. 2 x, and then on every 6th row decrease 1 st. 2 x. (115 sts.) Rows 347-372: Work even. On the **left side** put 68 needles in holding position, and work the right section first. Rows 373-494: **Neck and Shoulder Shaping.** Decrease 1 st. at neck edge on Row 385 and again every 12th Row 8 x. **At the same time,** at Row 465, for the **shoulder shaping,** when cam box is on shoulder side, bind off 2 sts. 10 x and 3 sts. 6 x. (38 sts. for shoulder). Now, on the **right side,** bring 21 needles into working position. Work 10 rows Stockinette with Tension 6 (7) and bind off these sts. Turn the row counter back to 372, put the remaining needles in working position, and work the left section.

SLEEVE: (Figure III). Cast on 92 sts. Rows 1-26: Work in Stockinette with Tension 6 (7). To make the hem, put the cast on sts. back on the machine. Continue in Pattern St. with Tension 5 (6) over 92 sts. Rows 27-80: Increase 1 st. at beginning of Row 27 and 28 and again on each side every 6th row 7 x and every 4th row 2 x. (112 sts.) Rows 81-104: **Underarm Shaping.** (Front and Back Side) On every 4th row on the **back side** of the sleeve bind off 5 sts. 1 x, 4 sts. 1 x, 3 sts. 1 x, 2 sts. 2 x, decrease 1 st. 1 x; and on the **front side** of the sleeve bind off 6 sts. 1 x, 4 sts. 2 x, 3 sts. 1 x, and 2 sts. 2 x. Rows 105-168: Decrease 1 st. **on each side** at Row 105, and again every 4th row 2 x and every other row 1 x. Repeat these last 3 decreases 5 x. Rows 169-186: **On each side** of every 4th row decrease 1 st. 2 x, bind off 2 sts. 1 x, 3 sts. 1 x, 5 sts. 1 x, and the remaining 12 sts. Make another sleeve with reverse shapings.

NOTE: When knitting short rows as in the collar, be sure to put the yarn between the 1st. and 2nd inside needle in the holding position.

COLLAR: (Figure IV). Cast on 109 sts. Work in Stockinette St. with Tension 5 (6). Rows 1-10: on the **left side** put 89 needles in holding position and work 2 rows. Now, one after another, bring 8 needles into working position 1 x, 12 needles 1 x, 18 needles 1 x, and 51 needles 1 x. Rows 11-36: Work even. Rows 37-50: On the **left side,** put 1 needle in holding position at rows 37, 41 and 45; then on every other row put 1 needle in holding position 1 x, 2 needles 1 x, and 3 needles 1 x. Rows 51-68: On the **left side,** one after another, bring these same needles back into working position. Rows 69-86: Work even. Rows 87-94: On the **left side,** one after another, put 51 needles in holding position 1 x, 18 needles 1 x, 12 needles 1 x, and 8 needles 1 x. Rows 95-96: Bring all needles into working position. Work 2 rows. Bind off all sts. Make the second half with reverse shapings.


FINISHING: Follow directions for size 14/16.

WOMAN'S PULLOVER No. DP 7336




SIZES: 12/14 and 16/18. **MATERIAL:** 12/14, 12 oz. 16/18, 14 oz. light blue. **FOR EXAMPLE: KNITTING,** Subita 2 x 3. Columbia Minerva, Fingering, Fleishers, Evermatch. **TENSION:** KNITTING Pattern St. 4 or 5, Stockinette 3 or 4. **GAUGE:** Pattern St. 17 sts. 2", 32 rows 2". Stockinette 17 sts. 2", 24 rows 2". The non-working-position sts. are counted in the gauge and the directions. **PATTERN:** Holding Position design on knit side according to chart. Edging and Collar: Stockinette.

NOTE: When knitting short rows, as in the collar, be sure to put the yarn between the 1st and 2nd inside needle in the holding position.



SIZE: 12/14. BACK: (Figure II). Cast on 147 sts. Rows 1-29: Work in Stockinette with Tension 3 (4). To make the hem, put the cast

on sts. back on the machine. Row 30: Work the sts. together with Tension 6 (7). Now put the 5th, 13th, 21st, etc. sts. on the neighboring needle to the right, and the 7th, 15th, 23rd, etc. sts. on the neighboring needle to the left; put the empty needles out of operation and continue in holding position



design with Tension 4 (5). Rows 31-242: Increase 1 st. at beginning of Row 95 and 96 and again on each side every 18th row 7 x. (163 sts.) Rows 243-276: **Armhole Shaping.** Bind off 3 sts. beginning next 2 rows; then on every other row on each side bind off 3 sts. 1 x, 2 sts. 2 x, decrease 1 st. 3 x; then on every 4th row decrease 1 st. 2 x and on every 6th row decrease 1 st. 2 x. (129 sts.) Rows 277-364: Work even. Rows 365-390: **Shoulder and Neck Shaping.** On each shoulder side bind off 3 sts. 12 x and 4 sts. 2 x. (44 sts. each shoulder). At the same time, at the beginning of Row 377 bind off the 13 center sts. with a separate ball of yarn and work both sides at the same time. At each neck edge on every other row bind off 4 sts. 1 x, 3 sts. 2 x, 2 sts. 1 x, and decrease 1 st. 2 x.

FRONT: (Figure I). Cast on 161 sts. Rows 1-29: work in Stockinette with Tension 3 (4). To make the hem, put the cast on sts. back on the machine. Row 30: Work the sts. together with Tension 6 (7). Put the 4th, 12th, 20th, etc. sts. on the neighboring needle to the right, and the 6th, 14th, 22nd, etc. sts. on the neighboring needle to the left; put the empty needles out of operation and continue in holding position design with Tension 4 (5). Rows 31-184: Increase 1 st. beginning of Row 95 and 96 and again on each side every 18th row 4 x. Then bind off the 11 center sts. with a separate ball of yarn and continue work in 2 sections. Rows 185-254: Increase 1 st. at the beginning of each outside edge and again every 18th row 2 x. Rows 255-288: **Armhole Shaping.** Bind off 4 sts. beginning next 2 Rows; then on every other row on each side bind off 4 sts. 1 x, 3 sts. 2 x, 2 sts. 2 x, decrease 1 st. 2 x; then decrease 1 st. every 4th row 3 x and every 6th row 1 x. Rows 289-331: Work even. Rows 332-402: **Neck and Shoulder Shaping:** Bind off 2 sts. on each side of the neck opening, and then decrease 1 st. every other row 3 x,

every 4th row 6 x and every 6th row 4 x. At the same time, at Row 377 for the shoulder shaping, when cam box is on shoulder side bind off 3 sts. 12 x and 4 sts. 2 x. (44 sts. each shoulder).


SLEEVE: (Figure III). Cast on 99 sts. Rows 1-19: Work in Stockinette with Tension 3 (4). To make the hem, put the cast on sts. back on the machine. Row 20: Work the sts. together with Tension 6 (7). Continue in Pattern St. with Tension 4 (5). Rows 21-72: Increase 1 st. at the beginning of row 23, and 24 and again on each side every 6th row 3 x and every 4th row 6 x. (119 sts.) Rows 73-88: **Underarm Shaping:** (Front and Back Side). On every other row on the back side of the sleeve bind off 3 sts. 2 x, 2 sts. 4 x, and decrease 1 st. 2 x; on the front side bind off 4 sts. 2 x, 3 sts. 2 x, and 2 sts. 4 x. Rows 89-148: Decrease 1 st. each side at Row 89; then on every 4th row bind off 2 sts. 1 x and decrease 1 st. 1 x and repeat these last 2 decreases 6 x. Rows 149-156: At the beginning of every row bind off 2 sts. 4 x, 3 sts. 2 x, 4 sts. 2 x, and the remaining 15 sts. Make another sleeve with reverse shapings.

COLLAR: Cast on 129 sts. Work in Stockinette. Rows 1-8: On the left side put 42 needles in holding position and work 1 row. On the right side put 42 needles in holding position and work 1 row. Now, on each side, one after another, bring 14 needles back into working position 3 x. Rows 9-64: Work even. Bind off all sts.

FRONT EDGING: (Make 2): Cast on 113 sts. Work 18 rows stockinette and bind off.

FINISHING: Join front and back sections at side shoulder seams, easing in the fullness at bustline of front section. Sew sleeve edges together and sew sleeves to sweater. Make a 3/4" hem around outer edge of collar. Sew collar to sweater. Fold front edging around front neckline opening and front edge of collar. Sew edging in place. Using the illustration as a guide sew 4 loops and 4 buttons to neckline.

SIZE 16/18. BACK: (Figure II). Cast on 161 sts. Rows 1-29: Work in Stockinette with Tension 3 (4). To make the hem, put the cast on sts. back on the machine. Row 30: Work the sts. together with Tension 6 (7). Put the 4th, 12th, 20th, etc.



sts. on the neighboring needle to the right, and the 6th, 14th, 22nd, etc. sts. on the neighboring needle to the left. Put the empty needles out of operation and continue in holding position design with Tension 4 (5). Rows 31-242: Increase 1 st. at beginning of Row 95 and 96 and again on each side every 18th row 7 x. (177 sts.) Rows 243-278: **Armhole Shaping.** Bind off 4 sts. beginning next 2 Rows. Then on every other row on each side bind off 3 sts. 1 x, 2 sts. 3 x, decrease 1 st. 3 x; then decrease 1 st. every 4th row 2 x and every 6th row 2 x. (137 sts.) Rows 279-370: Work even. Rows 371-396: **Shoulder and Neck Shaping.** On each shoulder bind off 3 sts. 10 x and 4 sts. 4 x (46 sts. for each shoulder). At the same time at the beginning of Row 383 bind off the 13 center sts. with a separate ball of yarn and continue working in two sections at the same time. On each neck side bind off 5 sts. 1 x, 4 sts. 1 x, 3 sts. 1 x, 2 sts. 1 x, and decrease 1 st. 2 x.

FRONT: (Figure I). Cast on 175 sts. Rows 1-29: Work in Stockinette with Tension 3 (4). To make the hem, put the cast on sts. back on the machine. Row 30: Work the sts. together with Tension 6 (7). Now put the 3rd, 11th, 19th, etc. sts. on the neighboring needle to the right, and the 5th, 13th, 21st, etc. sts. on the neighboring needle to the left.

Put the empty needles out of operation and continue in holding position design with Tension 4 (5). Rows 31-196: Increase 1 st. beginning of Row 95 and 96 and again every 18th row 5 x. Bind off the 11 center sts., with a separate ball of yarn and continue working in two sections at the same time. Rows 197-260: Increase 1 st. at arm side at beginning of Rows 203 and 221. Rows 261-294: **Armhole Shaping.** Bind off 5 sts. each side then on every other row on each side bind off 4 sts. 1 x, 3 sts. 2 x, 2 sts. 3 x, decrease 1 st. 2 x and then decrease 1 st. every 4th row 3 x and every 6th row 1 x. Rows 295-343: Work even. Rows 344-414: **Neck and Shoulder Shaping.** Bind off 2 sts. on each neck side and then decrease 1 st. every other row 3 x, every 4th row 7 x and every 6th row 5 x. At the same time, at row 389, when cam box is on shoulder side bind off 3 sts. 10 x and 4 sts. 4 x. (46 sts. for each shoulder).

SLEEVE: (Figure III). Cast on 105 sts. Rows 1-19: Work in Stockinette with Tension 3 (4). To make the hem, put the cast on sts. back on the machine. Row 20: Work the sts. together with Tension 6 (7). Continue in Pattern St. with Tension 4 (5). Rows 21-72: Increase 1 st. at beginning of Row 23 and 24 and again on each side every 6th row 3 x and every 4th row 6 x. (125 sts.) Rows 73-88: **Underarm Shaping** (Back and Front Side). On every other row on the back side of the sleeve bind off 3 sts. 2 x, 2 sts. 4 x, and decrease 1 st. 2 x; on the front side of the sleeve bind off 4 sts. 2 x, 3 sts. 2 x, and 2 sts. 4 x. Rows 89-154: Decrease 1 st. each side at Row 89; then on every 4th row bind off 2 sts. 1 x and decrease 1 st. 1 x. Repeat these last 2 decreases 7 x. Rows 155-162: At the beginning of every row bind off 2 sts. 4 x, 3 sts. 2 x, 4 sts. 2 x, and the remaining 16 sts. Make another sleeve with reverse shapings.

COLLAR: Cast on 136 sts. Work in Stockinette. Rows 1-8: On the left side put 42 needles in holding position and work 1 row. On the right side put 42 needles in holding position and work 1 row. Now, on each side, one after another put 14 needles back in working position 3 x. Rows 9-64: Work even. Bind off all sts.

FRONT EDGING AND FINISHING: Follow directions for Size 12/14.



WOMAN'S PULLOVER, No. DP 7321



SIZES: 14/16 and 18/20. **MATERIAL:** 14/16, 12 oz. 18/20, 13 oz. rose. **FOR EXAMPLE:** KNITTING, Mutella. Bearbrand, Deluxe Sock and Sport. Red Heart, Nylon and Wool Sport. **TENSION:** KNITTING 5 or 6. **GAUGE:** 17 sts. 2"; 23 rows 2". **PATTERN:** Stockinette with cable stripe on front section. The cable stripe is worked over 18 sts. divided as follows: 2 purl sts., 2 crossed sts., 1 purl st., 2 crossed sts., 1 purl st., 2 crossed sts., 2 purl sts. The cables are crossed

in the following manner: Step 1. Work 6 rows. Step 2. With 2 single transfer tools cross the 3rd and 4th sts. of the cable stripe so that the 3rd st. is on the 4th needle and the 4th st. is on the 3rd needle. The 6th-7th, 9th-10th, 12th-13th, 15th-16th sts. are crossed in the same manner. Repeat steps 1 and 2 throughout. After 40 or 50 rows, one after another, drop the 1st, 2nd, 5th, 8th, 11th, 14th, 17th, and 18th sts. from the needles, and latch up as knit sts. **NOTE:** When knitting short rows as in the collar, be sure to put the yarn between the 1st and inside needle in the holding position.

SIZE 14/16. BACK: (Figure II) Cast on 156 sts. Rows 1-35: work even. To make the hem, put the cast on sts. back on the machine. Row 36: Work the sts. together with Tension 7 (8). Rows 37-180: Increase 1 st. at beginning of Row 79 and 80 and again on each side every 14th row 6 x. (170 sts.) Rows 181-204: **Armhole Shaping.** Bind off 4 sts. beginning next 2 Rows. Then on each side every other row bind off 4 sts. 1 x, 3 sts. 1 x, 2 sts. 2 x, decrease 1 st. 3 x, and then on every 4th row decrease 1 st. 2 x. (130 sts.) Rows 205-268: Work even. Rows 269-286: **Shoulder and Neck Shaping.** On



each side of every other row bind off 4 sts. 6 x and 5 sts. 4 x. At the same time, at beginning of Row 277 bind off the 14 center sts. with a separate ball of yarn, put the needles on the left into holding position and work the right side first. When cam box is on neck side bind off 5 sts. 1 x, 4 sts. 1 x, 3 sts. 1 x, and 2 sts. 1 x. Put row counter back to 276 and complete the left side.

FRONT: (Figure I). Cast on 170 sts. Rows 1-35: Work even. To make the hem, put the cast on sts. back on the machine. Row 36: Work the sts. together with Tension 7 (8). Rows 37-184: Work the cable stripe over the 18 center sts., crossing the sts. for the first time at Row 41. Increase 1 st. at beginning of Row 79 and 80 and again on each side every 14th row 6 x. (184 sts.) Rows 195-216: **Armhole Shaping.** Bind off 6 sts. beginning next 2 rows, then on each side on every other row bind off 5 sts. 1 x, 4 sts. 1 x, 3 sts. 1 x, 2 sts. 3 x, decrease 1 st. 2 x, then on the 4th row decrease 1 st. 1 x. (130 sts.) Rows 217-226: Work even. Now on the left side put 74 needles in holding position and work the right half first. Rows 227-300 **Shoulder Shaping.** On the neck side, decrease 1 st. at Row 227 and again every 6th row 11 x. At the same time, at Row 283, for the shoulder shaping, on every other row bind off 4 sts. 6 x and 5 sts. 4 x. (44 sts. for each shoulder). On the right side put 18 needles in working position and work 10 rows Stockinette, then bind off these sts. Now put the cam box on the left side and turn the row counter back to 226. Bring all needles into working position, and work the left section.

SLEEVES: (Figure III) Cast on 108 sts. Rows 1-27: Decrease 1 st. on each side at Row 3 and again every 4th row 2 x and increase 1 st. at Row 19 and again every 4th row 2 x. To make the hem, put the cast on sts. back on the machine. Row 28: Work the sts. together with Tension 7 (8). Rows 29-60: Increase 1 st. at beginning of Row 31 and 32, again on each side every 4th row 6 x and every other row 2 x. (126 sts.) Rows 61-76: **Underarm Shaping** (Back and Front Side). On every other row, on the back side of the sleeve bind off 4 sts. 2 x, 3 sts. 1 x, 2 sts. 4 x, decrease 1 st. 1 x, and on the front side of the sleeve bind off 6 sts. 1 x, 5 sts. 1 x, 4 sts. 1 x, 3 sts. 1 x, and 2 sts. 4 x. Rows 77-116: On each side of every other row decrease 1 st. 3 x and bind off 2 sts. 1 x. Repeat these 4 decreases 4 x. Rows 117-120: At the beginning of every row bind off 3 sts. 2 x, 5 sts. 2 x, and the remaining 14 sts. Make another sleeve with reverse shapings.


COLLAR: (Figure IV). Cast on 163 sts. Rows 1-10: On the left side put 71 needles in holding position and work 1 row. On the right side put 71 needles in holding position and work 1 row. On each side, one after another, put 13 needles back into working position 2 x, 15 needles 1 x, and 30 needles 1 x. Rows 11-48: On each side, over the 4th-9th needles work a cable stripe (2 purl sts., 2 crossed sts., 2 purl sts.) At the same time, decrease 1 st. each side at Row 15 and again every 6th row 5 x. To do this, put the 12th st. on the 11th needle and move the sts. over to fill the empty needles. (151 sts.) Rows 49-86: Increase 1 st. each side at Row 53 and again every 6th row 5 x. The increases lie directly above the decreases. Rows 87-94: On each side, one after another, put 30 needles in holding position 1 x, 15 needles 1 x, and 13 needles 2 x. Rows 95-96: On the left side bring all the needles into working position. Work 1 row. On the right side bring all needles into working position. Work 1 row. Bind off all sts.

FINISHING: Sew darts in front section as illustrated. Join front and back sections at side and shoulder seams. Sew sleeve edges together and sew sleeves to sweater. Make

a hem 10 rows wide at front of neckline. Fold the collar in half and sew the side edges together. Fold collar around neckline and sew in place.

SIZE 18/20. BACK: (Figure II). Cast on 177 sts. Rows 1-35: Work even. To make the hem, put the cast on sts. back on the machine. Row 36: Work the sts. together with Tension 7 (8). Rows 37-180: Increase 1 st. at the beginning of Row 79 and 80 and again on each side every 14th row 6 x. (191 sts.) Rows 181-208: **Armhole Shaping.** Bind off 5 sts. beginning next 2 Rows; then on every other row on each side bind off 4 sts. 1 x, 3 sts. 2 x, 2 sts. 3 x, decrease 1 st. 3 x, and then every 4th row decrease 1 st. 2 x. (139 sts.) Rows 209-276: Work even. Rows 277-294: **Shoulder and Neck Shaping.** On each side of every other row bind off 4 sts. 3 x and 5 sts. 7 x. (47 sts. for each shoulder). At the same time at beginning of Row 285 bind off the 15 center sts. with a separate ball of yarn. Put needles on the left into holding position and work the right half first. When cam box is on neck side, bind off 6 sts. 1 x, 4 sts. 1 x, 3 sts. 1 x, and 2 sts. 1 x.

FRONT: (Figure I). Cast on 182 sts. Rows 1-35: Work even. To make the hem, put the cast on sts. back on the machine. Row 36: Work the sts. together with Tension 7 (8). Rows 37-198: Work the cable stripe over the 18 center sts. crossing the sts. for the first time at Row 41. Increase 1 st. at begin-



ning of Row 79 and 80 and again every 14th row 6 x. (196 sts.) Rows 199-226: **Armhole Shaping:** Bind off 6 sts. beginning of next 2 rows. Then on every other row, on each side bind off 5 sts. 1 x, 4 sts. 1 x, 3 sts. 1 x, 2 sts. 3 x, decrease 1 st. 3 x; then every 4th row decrease 1 st. 2 x. Rows 227-234: Work even. On the left side put 78 needles in holding position and work the right half first. Rows 235-312: **Shoulder Shaping.** Decrease 1 st. on the left side at Row 235 and again every 6th row 12 x. At the same time, at Row 295, for the shoulder shaping, every other row bind off 4 sts. 3 x and 5 sts. 7 x. (47 sts. for shoulder). On the right side bring 18 needles into working position and work 10 rows Stockinette. Bind off these sts. Now put the cam box on the left side and turn the row counter back to 234. Bring all needles into working position and work the left section.

SLEEVE: (Figure III). Cast on 115 sts. Rows 1-27: Decrease 1 st. at beginning of Row 3 and 4 and again on each side every 4th row 2 x. Increase 1 st. at beginning of Row 19 and 20 and again on each side every 4th row 2 x. To make the hem, put the cast on sts. back on the machine. Row 28: Work the sts. together with Tension 7 (8). Rows 29-68: Increase 1 st. at beginning of Row 31 and 32 and again on each side every 4th row 6 x and every other row 2 x. (133 sts.)

CAUTION . . .

Do not use the subscription envelope in this issue for anything other than subscriptions . . . if you do, your correspondence can get lost in our subscription department which is not equipped to handle other types of mail.

Row 61-78: **Underarm Shaping** (Back and Front Side) On every other row on the back side of the sleeve bind off 4 sts. 2 x, 3 sts. 1 x, 2 sts. 5 x, decrease 1 st. 1 x; and on the front side bind off 6 sts. 1 x, 5 sts. 1 x, 4 sts. 1 x, 3 sts. 1 x, and 2 sts. 5 x. Rows 79-118: On each side of every other row decrease 1 st. 3 x and bind off 2 sts. 1 x. Repeat these 4 decreases 4 x. Rows 119-124: At the beginning of every row bind off 2 sts. 2 x, 3 sts. 2 x, 5 sts. 2 x, and the remaining 13 sts. Make another sleeve with reverse shapings.

COLLAR: Cast on 170 sts. and follow directions for size 14/16.

FINISHING: Follow directions for size 14/16.

WOMAN'S PULLOVER No. DP 7340



SIZE: 14/16. **MATERIAL:** 12 oz. lay-ender blue. **FOR EXAMPLE:** KNITTING, Subita 2x4, Unger, Musette, Spinnerin, Ambralon. **TENSION:** KNITTING 8 or 9. **GAUGE:** 14 sts. 2", 20 rows 2". **PATTERN:** Stockinette with eyelet design border according to chart.

BACK: (Figure II). Cast on 137 sts. Rows 1-24: Work in Stockinette with Tension 7 (8). To make the hem, put the cast on sts. back on the machine. Continue with Tension 8 (9). Rows 25-26: Stockinette. Rows 27-64:

Work the eyelet design according to Chart I. Continue in Stockinette. Rows 65-148: Increase 1 st. at beginning of Row 65 and 66 and again on each side every 16th row 4 x. (147 sts.) Rows 149-196: **Raglan Shaping.** Bind off 2 sts. beginning of next 2 rows, then every other row on each side decrease 1 st. 23 x. To do this, put the 3rd st. on the 2nd needle and move the sts. over to fill the empty needles. Rows 197-209: Work the eyelet design according to Chart II, decreasing 1 st. on each side at Row 197 and again every other row 6 x. On the right side put 42 needles in holding position, and work the left half. Rows 210-258: To make the facing for the back opening, cast on 3 sts. at Row 211. To do this, put 3 sts. from the right section on a double pointed




CHART 11





CHART I

needle or contrast yarn. Decrease 1 st. on the left side at Row 211 and again every other row 23 x. Then bind off 6 sts. on the right side. Rows 259-266: Increase 1 st. on the left side at Row 262 and again every other row 2 x. Bind off 17 sts. Now put the cam box on the right side and turn the row counter back to 209. Bring all the needles into working position, put the sts. from the double pointed needle or contrast yarn back on the machine, and work the right section.

FRONT: (Figure I). The front is worked the same as the back to Row 252; however, there is no opening slit. Rows



253-260: Increase 1 st. beginning of Row 255 and 256 and again every other row 2 x. Bind off 47 sts.

SLEEVE: (Figure III), cast on 95 sts. Rows 1-32: Decrease 1 st. each side at Row 3 and again every other row 2 x. Increase 1 st. at beginning of Row 11 and 12 and again on each side every other row 10 x. (111 sts.) Rows 33-80: Raglan Shaping. Decrease 1 st. each side at Row 35 and again every 4th row 7 x and every other row 8 x. To do this, put the 3rd st. on the 2nd needle and move the edge sts. over to fill the empty needle. Rows 81-94: Work the eyelet design according to Chart II, decreasing 1 st. each side at Row 81 and again every other row 6 x. Continue in Stockinette. Rows 95-126: Decrease 1 st. each side at Row 95 and again every other row 15 x. Rows 127-132: On the left side, one after another, put 7 needles in holding position 3 x. At the same time, on the right side decrease 1 st. at Row 127 and again every other row 2 x. Bring all needles into working position. Rows 133-142: Decrease 1 st. each side at Row 133 and again every other row 4 x. (20 sts.) Rows 143-150: Increase 1 st. beginning of Row 145 and 146 and again every other row 2 x. Bind off 26 sts. Make another sleeve with reverse shapings.

FINISHING: Join front and back sections at side seams. Sew sleeve edges together, and sew sleeves to sweater in slip st., overlapping 1 st. from each section. Make a hem 3 sts. wide at back neck opening. Make a hem 3/4" wide at neck edge and sleeve bottoms. Set in zipper.

WOMAN'S DRESS No. DK 7337



SIZE: 12/14. **MATERIAL:** 27 oz. pale yellow. **FOR EXAMPLE:** KNITKING, Subita 2 x 3. Red Heart, Super fingering. Bearbrand, Deluxe Sock and sport. A little brown for the saddle stitching, 3/4 yard taletta, 54" wide. **TENSION:** KNITKING 4 or 5. **GAUGE:** 16 sts. 2", 22 rows 2". **PATTERN:** Stockinette. **Note:** When knitting short rows as in the collar, be sure to put the yarn between the 1st and 2nd needle in the inside holding position.



SKIRT BACK: (Figure IV) Cast on 144 sts. Rows 1-142: Increase 1 st. beginning of row 45 and 46 and again on each side every 24th row 4 x. (154 sts.). Rows 143-224: Work even. Rows 225-304: Decrease 1 st. each side at Row 225 and again every 10th row 2 x, every 8th row 2 x, every 6th row 4 x, and every 4th row 4 x. At the same time, for the darts, decrease 2 sts. each side at Row 243 and again every 8th row 7 x. To do this, on each side put the 47th and 49th sts. on the 48th needle, and move the sts. over to fill the empty needles. The next decrease lies directly above this. Bind off 96 sts.

SKIRT FRONT: (Figure III) Cast on 94 sts. Rows 1-142: On the right side increase 1 st. at beginning of Row 45 and again every 24th row 4 x. (99 sts.) Rows 143-224: Work even. Rows 225-304: Darts. On the right side, decrease 1 st. at Row 225, again every 10th row 2 x, every 8th row 2 x, every 6th row 4 x, and every 4th row 4 x. At the same time, to make the darts, decrease 2 sts. at Row 265 and again every 8th row 4 x. To do this, counting from the right edge, put the 50th and 52nd sts. on the 51st needle and move the sts. over to fill the empty needles. The next decrease lies directly

above this. Bind off 76 sts. Make the second half with reverse shapings.

FACING FOR PLEAT: Cast on 32 sts. Work 100 rows even and bind off all sts.

TOP BACK: (Figure II). Cast on 158 sts. Rows 1-104: On each side decrease 1 st. Row 53 and again on each side every 10th row 2 x, every 8th row 1 x, every 6th row 3 x, and every 4th row 1 x. (142 sts.) Rows 105-122: Work even. Rows 123-202: Increase 1 st. at beginning of Row 123 and 124 and again every 12th row 5 x. (154 sts.) Rows 203-216: **Armhole Shaping.** Bind off 3 sts. beginning next 2 rows; then every other row on each side bind off 2 sts. 2 x, decrease 1 st. 2 x, and then on the 4th row decrease 1 st. 1 x. (134 sts.) Rows 217-264: increase 1 st. at beginning of Row 229 and 230 and again on each side every 6th row 5 x. (146 st.). Rows 265-294: **Shoulder and Neck Shaping.** On each side of every other row, decrease 1 st. 3 x, and bind off 2 sts. 4 x, 3 sts. 6 x, and 4 sts. 3 x.



At the same time, at beginning of Row 287 bind off the 24 center sts., with a separate yarn, put needles on the left into holding position and work the right side first. When cam box is on neck side bind off 8 sts. 1 x, 7 sts. 1 x, and 5 sts. 1 x. Work left side to correspond.

FRONT: (Figure I) Cast on 77 sts. Row 1-17: Work even. Then on the left side cast on 32 sts. Rows 18-78: Pocket. Counting from the left edge, make buttonholes after Row 45 over the 4th-9th and 24th-29th needles. At the same time, on the right side decrease 1 st. at Row 53 and again every 10th row 2 x. Now make the pocket. To do this, put 48 needles on the left side and 13 needles on the right side into holding position. Work 38 rows even on the needles that remain in working position, and then bind off these sts. To make the pocket lining, over these same needles cast on 45 sts. and work 44 rows even. Now turn the row counter back to 78 and continue over all the needles. Rows 79-104: Decrease 1 st. on the right side at Row 81 and again every 6th row 3 x and every 4th row 1 x. At the same time, make a buttonhole at Row 99. (101 sts.) Rows 105-122: Work even. Rows 123-214: Increase 1 st. on the right side at Row 123 and again every 12th row 5 x. At the same time, make buttonhole at Rows 153 and 207. (107 sts.) Rows 215-228: **Armhole Shaping.** Bind off 4 sts. Then, every other row bind off 4 sts. 1 x, 3 sts. 1 x, 2 sts. 1 x, and decrease 1 st. 3 x. (91 sts.) Rows 229-275: On the right side, increase 1 st. at Row 241 and again every 6th row 5 x. At the same time, make a buttonhole at Row 261. Rows 276-306: **Neck and Shoulder Shaping.** For the neck shaping, bind off 34 sts. Then, every other row bind off 4 sts. 1 x, 3 sts. 2 x, 2 sts. 3 x, decrease 1 st. 5 x, and on the 4th row decrease 1 st. 1 x. At the same time, at Row 277, for the shoulder shaping, on every other row decrease 1 st. 3 x, bind off 2 sts. 4 x, 3 sts. 6 x, and 4 sts. 3 x. (41 shoulder sts. Make another front

section with reverse shapings, minus buttonholes. Make the top pocket at Row 229. To do this, put 14 needles from the left side and 42 needles from the right side into holding position. Work 38 rows even over the sts. that remain in working position and bind off these sts. To make the pocket lining, cast on 35 sts. over these same needles and work 30 rows. Continue on over all the needles.

COLLAR: Cast on 164 sts. Rows 1-10: On the left side put 66 needles in holding position and work 1 row. On the right side put 66 needles in holding position and work 1 row. On each side, one after another, bring 15 needles into working position 3 x and 21 needles 1 x. Rows 11-72: Work even—working Rows 21-62 with Tension 5 (6). Rows 73-76: On each side, one after another, put 33 needles into holding position 2 x. Rows 77-78: On the left side bring all needles into working position and work 1 row. On the right side bring all needles into working position and work 1 row. Bind off all sts.

BELT: Cast on 19 sts. Work 550 rows even and bind off all sts.

ARMHOLE FACINGS: (Make 2) Cast on 90 sts. Work 8 rows stockinette; 4 rows with Tension 4 and 4 rows with Tension 5, increasing 1 st. each side of every other row 3 x. Bind off all sts.

FINISHING: SKIRT—Join the front skirt sections in slip st., between the 16th and 17th sts. on each section, and leaving 8½" open at the bottom for the pleat. Sew pleat facing in place on wrong side of skirt. Join front and back skirt sections at side seams, leaving an 8" opening at top left side for zipper, and make a narrow hem around this opening. Make a hem 1½" wide at skirt bottom. Make decorative stitching on front center of skirt. To do this, with doubled brown yarn, work up the front in a back stitch, 3 sts. away from center seam on each side. (See Practical Hints, Page 32). Sew an elastic band to the top of the skirt, set in zipper, and add hooks and eyes. Line the skirt with taffeta.

TOP: Join front and back at side and shoulder seams, easing in the fullness at bustline of front section. Make a hem 1½" wide at bottom of garment, and a 2" hem at the front edges. Fold collar in half and sew side edges. Place open end of collar around neck opening and attach. Sew pocket linings to inside of garment. Fold pocket flaps toward wrong side at 26th row and sew side edges together; then fold over toward outside so that 2" of the flap is turned down. Make decorative stitching at collar, front, and pocket edges as illustrated. Finish buttonholes and sew on buttons. Fold belt in half lengthwise, and sew edges together.


TWO PIECE DRESS, No. DK 7338



SIZES: 12/14 and 16/18. **MATERIAL:** Skirt—12/14, 14 oz.; 16/18, 17 oz. sand; Top—12/14, 13 oz.; 16/18, 14 oz. sand. Both, 3 oz. red and 2 oz. light blue. **FOR EXAMPLE:** KNIT-KING, Mutella. Pauline Denham, Sierra. Spinnerin, Ambralon, ¾ yard taffeta, 54" wide. **TENSION:** KNIT-KING 6 or 7. **GAUGE:** 16 sts. 2", 20 rows 2". **PATTERN:** Stockinette, with border in Norwegian Pattern St., according to chart. Every row with the Norwegian Pattern Stitch is counted singly in the directions; however,


for each row several motions of the cam box are required. **Note:** When knitting short rows as in the collar, be sure to put the yarn between the 1st and 2nd inside needle in the holding position.

SIZE: 12/14. **SKIRT BACK:** (Figure V) Cast on 147 sts. with sand. Rows 1-130: Increase 1 st. at beginning of Row 41 and 42 and again on each side every 22nd row 4 x. (157 sts.) Rows 131-204: Work even. Rows 205-276: Darts. Decrease 1 st. each side at Row 205 and again every 8th row 3 x, every 6th row 4 x, and every 4th row 5 x. At the same time, for the darts, decrease 2 sts. each side at Row 229 and every



■ BLUE □ RED

CHART 11



■ RED □ BLUE

CHART 1

6th row 7 x. To do this, on each side put the 46th and 48th sts. on the 47th needle, and move the sts. over to fill the empty needles. The next decrease lies directly above this. Bind off 99 sts.

SKIRT FRONT: (Figure IV). Cast on 153 sts. Rows 1-130: Increase 1 st. at beginning of Row 41 and 42 and again on each side every 22nd row 4 x. (163 sts.) Rows 131-204: Work even. Rows 205-276: Darts. Decrease 1 st. each side at Row 205 and again every 8th row 3 x, every 6th row 4 x, and every 4th row 5 x. At the same time, for the darts, decrease 2 sts. each at Row 237 and every 8th row 4 x. To do this, on each side put the 48th and 50th sts. on the 49th needle, and move the sts. over to fill the empty needles. The next decrease lies directly above this. Bind off 117 sts.

TOP BACK: (Figure II). Cast on 141 sts. with red. Rows 1-39: Stockinette. To make the hem, put the cast on sts. back on the machine. Rows 40-44: Work the border according to Chart 1, working the 40th row with Tension 8 (9). Rows 45-60: Work in Stockinette with light blue. Continue in Stockinette with sand. Rows 61-168: Increase 1 st. at beginning of Row 77 and 78 and again on each side every 14th row 5 x. (153 sts.) Rows 169-190: Armhole Shaping. Bind off 4 sts. beginning next 2 rows, then every other row on each side bind off 3 sts. 1 x, 2 sts. 2 x, decrease 1 st. 3 x, and every 4th row decrease 1 st. 2 x. (121 sts.) Rows 191-244: Work even. Rows 245-260: Shoulder and Neck Shaping: On each shoulder side of every row bind off 4 sts. 4 x and 5 sts. 5 x. At the same time, at beginning of Row 253 bind off the 15 center sts. with a separate yarn, put needles on the left into holding position and work the right side first. When cam box is on neck side bind off 5 sts. 1 x, 4 sts. 1 x, 3 sts. 1 x. Work left side to correspond.

FRONT: (Figure I). Cast on 153 sts. with red. Rows 1-39: Stockinette. To make the hem, put the cast on sts. back on the machine. Rows 40-44: Work the border according to




Chart 1, working the 40th Row with Tension 8 (9). Rows 45-60: Work in Stockinette with blue. Continue in Stockinette with sand. Rows 61-96: Increase 1 st. at beginning of Rows

76 and 77 and 90 and 91. Knit to row 96. Now, **on the left side**, put 72 sts. on a double pointed needle or contrast yarn and work the right half. Rows 97-180: **On the left side**, at beginning of Row 98, cast on 16 sts. **On the right side**, increase 1 st. at beginning of Row 105 and again every 14th row 3 x. **At the same time**, make buttonholes at Rows 117 and 150, over the 6th-10th and 23rd-27th needles. (105 sts.) Rows 181-204: **Armhole Shaping**. For the armhole shaping, bind off 6 sts.; then every other row bind off 4 sts. 1 x, 3 sts. 2 x, 2 sts. 1 x, decrease 1 st. 3 x, and every 4th row decrease 1 st. 2 x. **At the same time**, make a buttonhole at Row 183. Rows 205-249: Work even, making a buttonhole at Row 216. (82 sts.) Rows 250-272: **Neck and Shoulder Shaping**: At neck edge, bind off 22 sts.; then every other row bind off 5 sts. 1 x, 4 sts. 1 x, 3 sts. 1 x, 2 sts. 2 x, and decrease 1 st. 3 x. **At the same time**, at Row 257, for the shoulder shaping, every other row bind off 4 sts. 4 x and 5 sts. 5 x. (41 shoulder sts.) Now put the cam box on the left side and turn the row counter back to 96. Put the sts. from the double pointed needle or contrast yarn back on the machine, on the right side cast on 29 sts., and work the left section, without buttonholes.

SLEEVE: (Figure III). Cast on 98 sts. with sand. Rows 1-23: Decrease 1 st. each side at Row 3 and again every 4th row 2 x and increase 1 st. at beginning of Row 15 and 16 and again **on each side** every 4th row 2 x. To make the hem, put the cast on sts. back on the machine. Row 24: Work the sts. together with Tension 8 (9). Rows 25-54: Increase 1 st. at beginning of Row 27 and 28 and again on each side every 4th row 6 x. (112 sts.) Rows 55-66: **Underarm Shaping** (Front and Back Side). For the underarm shaping, on every other row on the **back side** of the sleeve bind off 4 sts. 1 x, 3 sts. 2 x, 2 sts. 3 x; **on the front side** bind off 6 sts. 1 x, 4 sts. 1 x, 3 sts. 3 x, and 2 sts. 1 x. Rows 67-96: On each side of every other row decrease 1 st. 2 x and bind off 2 sts. 1 x. Repeat these 3 decreases 4 x. Rows 97-104: At the beginning of **every row** bind off 2 sts. 2 x, 3 sts. 4 x, 4 sts. 2 x, and the remaining 11 sts. Make another sleeve with reverse shapings.

COLLAR: Cast on 115 sts. with sand. Rows 1-20: **On the left side** put 41 needles in holding position. Work 1 row. **On the right side** put 41 needles in holding position. Work 1 row. Now on each side, one after another, bring into working position 6 needles 2 x, 5 needles 3 x, 4 needles 2 x, and 3 needles 2 x. Rows 21-33: Work even, working the 31st-33rd rows in blue. Rows 34-37: Work the border according to Chart II. Rows 38-64: Work 13 rows red, 4 rows blue, and continue with sand. Rows 65-76: **On each side**, one after another, put 5 needles in holding position 1 x, 6 needles 1 x, 7 needles 2 x, and 8 needles 2 x. Rows 77-78: **On the left side** bring all needles into working position and work 1 row. **On the right side** bring all needles into working position and work 1 row. Bind off all sts.

FINISHING: Skirt—Join two sections of skirt at side seams, leaving an opening of 8" at top of left side for zipper. Make a narrow hem around this opening. Make a 1 1/2" hem around bottom of skirt. Sew an elastic band to top of skirt, set in zipper, add hooks and eyes, and line with taffeta.

Top—Sew in darts of front section as illustrated. Join front and back sections at side and shoulder seams. Sew sleeve edges together and sew sleeves to sweater. Make a hem 16 sts. wide at front edges. Fold collar in half and sew side seams. Place the open edge of the collar around sweater neckline and attach. Finish buttonholes and sew on buttons.


SIZE 16/18. SKIRT BACK: (Figure V). Cast on 160 sts. with sand. Rows 1-130: Increase 1 st. at beginning of Row 41 and 42 and again on each side every 22nd row 4 x. (170 sts.) Rows 131-208: Work even. Rows 209-280: Darts. Decrease 1 st. **each side** at Row 209 and again every 8th row 3 x, every 6th row 4 x, and every 4th row 5 x. **At the same time**, for the darts, decrease 2 sts. on each side at Row 233 and again every 6th row 7 x. To do this, **on each side** put the 51st and 53rd sts. on the 52nd needle, and move the sts. over to fill the empty needles. The next decrease lies directly above this. Bind off 112 sts.

SKIRT FRONT: (Figure IV). Cast on 173 sts. Rows 1-130: Increase 1 st. at beginning of Row 41 and 42 and again on **each side** every 22nd row 4 x. (183 sts.) Rows 131-208: Work

even. Rows 209-280: Darts. Decrease 1 st. each side at Row 209 and again every 8th row 3 x, every 6th row 4 x, and every 4th row 5 x. **At the same time**, for the darts, decrease 2 sts. **on each side** at Row 241 and again every 8th row 4 x. To do this, **on each side** put the 55th and 57th sts. on the 56th needle and move the sts. over to fill the empty needles. The next decrease lies directly above this. Bind off 137 sts.

TOP BACK: (Figure II): Cast on 155 sts. with red. Rows 1-39: Stockinette. To make the hem, put the cast on sts. back on the machine. Rows 40-44: Work the border according to Chart I, working the 40th Row with Tension 8 (9). Rows 45-60: Work in Stockinette with light blue. Continue in Stockinette with sand. Rows 61-168: Increase 1 st. at beginning of Row 77 and 78 and again **on each side** every 14th row 5 x. (167 sts.) Rows 169-192: **Armhole Shaping**. At beginning of Next 2 Rows bind off 4 sts., and then every other row on **each side** bind off 3 sts. 2 x, 2 sts. 2 x, decrease 1 st. 3 x, and every 4th row decrease 1 st. 2 x. (129 sts.) Rows 193-248: Work even. Rows 249-264: **Shoulder and Neck Shaping**. On each shoulder side of every other row bind off 4 sts. 1 x and 5 sts. 8 x. **At the same time**, at beginning of Row 257 bind off the 17 center sts. with a new ball of yarn, put needles on the left into holding position and work the right side first. When cam box is on neck side bind off 5 sts. 1 x, 4 sts. 1 x, and 3 sts. 1 x. Put needles on the left into working position, put row counter back to 256 and complete the left side.

FRONT: (Figure I). Cast on 167 sts. with red. Rows 1-39: Work in Stockinette. To make the hem, put the cast on sts. back on the machine. Rows 40-44: Work the border according to Chart I, working the 40th row with Tension 8 (9). Rows 45-60: Work in Stockinette with light blue. Continue in Stockinette with sand. Rows 61-104: Increase 1 st. at beginning of Rows 77 and 78 and 93 and 94—Knit to row 104. Then, on the left side put 79 sts. onto a double pointed needle or contrast yarn and work the right section. Rows 105-184: On the left side, cast on 16 sts. at Row 106. On the right side, increase 1 st. at Row 109 and again every 16th row 3 x. At the same time, make buttonholes at Rows 125 and 158, over the 6th-10th and 23rd-27th needles. (112 sts.) Rows 185-210: **Armhole Shaping**. Bind off 6 sts., and every other row bind off 4 sts. 1 x, 3 sts. 2 x, 2 sts. 2 x, decrease 1 st. 3 x, and then, every 4th row decrease 1 st.



2 x. **At the same time**, make a buttonhole at Row 191. (87 sts.) Rows 211-257: Work even, making a buttonhole at Row 224. Rows 258-280: **Neck and Shoulder Shaping**. For the **neck shaping**, bind off 23 sts., and then when Cam box is on neck side bind off 6 sts. 1 x, 4 sts. 1 x, 3 sts. 1 x, 2 sts. 2 x, and decrease 1 st. 3 x. **At the same time**, at Row

265, for the **shoulder shaping**, when Cam box is on shoulder side bind off 4 sts. 1 x and 5 sts. 8 x. Now put the cam box on the left side, turn the row counter back to 104, put the sts. from the double pointed needle or Contrast yarn back onto the machine. **On the right side** cast on 29 sts., and work the left section, minus buttonholes.

SLEEVE: (Figure III). Cast on 105 sts. with sand. Rows 1-23: Decrease 1 st. **each side** at Row 3 and again every 4th row 2 x and increase 1 st. at beginning of Row 15 and 16 and again on each side every 4th row 2 x. To make the hem, put the cast on sts. back on the machine. Row 24: Work the sts. together with Tension 8 (9). Rows 25-54: Increase 1 st. at beginning of Row 27 and 28 and again on each side every 4th row 6 x. (119 sts.) Rows 55-66: **Underarm Shaping.** (Back and Front side). On every other row on the **back side** of the sleeve bind off 4 sts. 1 x, 3 sts. 2 x, 2 sts. 3 x; and on the **front** bind off 6 sts. 1 x, 4 sts. 1 x, 3 sts. 3 x, and 2 sts. 1 x. Rows 67-96: **On each side** of every other row decrease 1 st. 2 x and bind off 2 sts. 1 x. Repeat these 3 decreases 4 x. Rows 97-108: At the beginning of **every row** decrease 1 st. 4 x, bind off 2 sts. 2 x, 3 sts. 2 x, 4 sts. 4 x, and the remaining 12 sts. Make another sleeve with reverse shapings.

COLLAR: Cast on 121 sts. with sand. Rows 1-20: On the **left side** put 41 needles in holding position and work 1 row. On the **right side** put 41 needles in holding position and work 1 row. Now, on each side, one after another put 6 needles back in working position 2 x, 5 needles 3 x, 4 needles 2 x, and 3 needles 2 x. Rows 21-33: Work even, working Rows 31-33 in blue. Rows 34-37: Work the border according to Chart II. Rows 38-64: Work 13 rows red, 4 rows blue, and continue with sand. Rows 65-76: On each side, one after another, put 5 needles in holding position 1 x, 6 needles 1 x, 7 needles 2 x, and 8 needles 2 x. Rows 77-78: On the **left side** bring all needles into working position and work 1 row. On the **right side** bring all needles into working position and work 1 row. Bind off all sts.

FINISHING: Follow directions for Size 12/14.

WOMAN'S SUIT, No. DK 7341





SIZE: 14/16. **MATERIAL:** Skirt—13 oz., Jacket—17 oz. turquoise. **FOR EXAMPLE:** KNITTING, Subita 2 x 3. Bearbrand, Deluxe Sock and Sport. Spinning, Nylaine Fingering. 3/4 yard Tafetta, 54" wide. **TENSION:** KNITTING Skirt—4 or 5, Jacket—5 or 6. **GAUGE:** Stockinette 34 sts. 4", 46 rows 4"; Pattern Stitch 33 sts. 4", 66 rows 4". **PATTERN:** Skirt, Edging, and Collar Stockinette; Jacket Holding Position Design on purl side according to chart.

SKIRT BACK: (Figure V). Cast on 160 sts. Work in Stockinette with Tension 4 (5). Rows 1-152: Increase 1 st. at the beginning of Row 47 and 48 and again on **each side** every 26th row 4 x. (170 sts.)

Rows 231-318: **Darts.** On **each side** decrease 1 st. at Row 231; again every 10th row 2 x, every 8th row 3 x, every 6th row 4 x, and every 4th row 4 x. **At the same time**, for the **darts**, decrease 2 sts. each side at Row 255 and again every 8th row 7 x. To do this, on **each side** put the 50th and 52nd sts. on the 51st needle, and move the sts. over to fill the empty needles. The next decrease lies directly above this. Bind off 110 sts.

SKIRT FRONT: (Figure IV) Cast on 174 sts. Rows 1-152: Increase 1 st., at beginning of Row 47 and 48 and again on each side every 26th row 4 x. (184 sts.) Rows 153-230: Work even. Rows 231-318: **Darts.** Decrease 1 st. each side at Row 231 and again every 10th row 2 x, every 8th row 3 x, every 6th row 4 x, and every 4th row 4 x. **At the same time**, for the **darts**, decrease 2 sts. each side at Row 277 and again every 8th row 4 x. To do this, on each side put the 53rd and 55th



sts. on the 54th needle and move the sts. over to fill the empty needles. The next decrease lies directly above this. Bind off 136 sts.

JACKET BACK: (Figure II). Cast on 152 sts. Rows 1-20: Work in Stockinette with Tension 5 (6). Continue in Holding Position Design. Rows 21-238: Increase 1 st. at beginning of Row 101 and 102 and again on **each side** every 20th row 6 x. (166 sts.) Rows 239-274: **Armhole Shaping.** Bind off 4 sts. beginning next 2 rows; then every 4th row on **each side** bind off 4 sts. 1 x, 3 sts. 1 x, 2 sts. 2 x, decrease 1 st. 3 x and every 6th row decrease 1 st. 1 x. (128 sts.) Rows 275-364: Work even. Rows 365-390: **Shoulder and Neck Shaping.** On each shoulder side of every other row bind off 3 sts. 13 x and 4 sts. 1 x. **At the same time**, at beginning of Row 377 bind off the 18 center sts. with a separate yarn. Put needles on the left into holding position and knit the right side first. When cam box is on neck side bind off 3 sts. 2 x, 2 sts. 2 x, and decrease 1 st. 2 x. Put needles on the left into work position, put row counter back to 376 and complete the left side.

FRONT: (Figure I). Cast on 87 sts. Rows 1-20: Work in Stockinette. Continue in holding position design, beginning with the 1st, 4th, 5th, 8th, 9th, etc. needles in holding position. Rows 21-258: On the left side, cast on 10 sts. at Row 22. **At the same time**, on the **right side** increase 1 st. at Row 101 and again every 20th row 6 x. (104 sts.) Rows 259-294: **Armhole and Neck Shaping.** Bind off 6 sts. for the armhole shaping, and on every 4th row bind off 5 sts. 1 x, 4 sts. 1 x, 3 sts. 1 x, 2 sts. 2 x, decrease 1 st. 2 x, and on every 6th row decrease 1 st. 1 x. **At the same time**, on the left side, bind off 20 sts. at Row 286, and decrease 1 st. at Row 294 for the neck shaping. Rows 295-410: **Neck and Shoulder Shaping.** Decrease 1 st. for neck shaping at Row 300, again every 6th row 5 x and every 8th row 9 x. **At the same time**, at Row 385, for the **shoulder shaping**, on every other row bind off 3 sts. 13 x and 4 sts. 1 x. Make another front section with reverse shapings, making buttonholes at the 5th and 18th rows over the 2nd-6th and at the 81st, 145th, 209th, and 273rd rows over the 2nd-6th and 15th-19th needles.

SLEEVE: (Figure III). Cast on 100 sts. Rows 1-20: Work in Stockinette. Continue in Holding Position Design. Rows 21-72: Increase 1 st. at beginning of Row 27 and 28 and again on **each side** every 4th row 9 x. (120 sts.) Rows 73-100: **Underarm Shaping:** (Front and Back Side) On every 4th row on the **back side** of the sleeve bind off 5 sts. 1 x, 4 sts. 1 x, 3 sts. 2 x, 2 sts. 2 x, decrease 1 st. 1 x, and on the **front side** of the sleeve bind off 6 sts. 1 x, 5 sts. 1 x, 4 sts. 2 x, 3 sts. 1 x, and 2 sts. 2 x. Rows 101-148: **On each side** of every 4th row decrease 1 st. 1 x and bind off 2 sts. 2 x. Repeat these 3 decreases 3 x. Rows 149-158: **On each side** of every 4th row bind off 3 sts. 2 x, 4 sts. 1 x, and the remaining 14 sts. Make another sleeve with reverse shapings.

COLLAR: Cast on 186 sts. Work 92 rows Stockinette: 14 rows with Tension 3, 14 rows with Tension 4, 36 rows with Tension 5, 14 rows with Tension 4, and 14 rows with Tension 3. Bind off all sts.

FINISHING: Skirt—Join skirt sections at side seams, leaving an 8" opening at left top for zipper. Make a narrow hem around this opening. Make a 1½" hem at skirt bottom. Sew an elastic band to top of skirt, set in zipper, add hooks and eyes. Line the skirt with tafetta.


Jacket—Join front and back sections at side and shoulder seams, easing in the fullness at bustline of front section. Sew sleeve edges together and sew sleeves to sweater. Fold edgings at sleeve and sweater bottoms in half toward outside and attach. Make a hem 1¼" wide at front edges. Fold collar in half and sew the side edges together. Place the open end of the collar around sweater neckline and attach. Finish buttonholes and sew on buttons.

MAN'S PULLOVER, No. HP 3423




SIZE: 42/44. **MATERIAL:** 22 oz. dark blue and 2 oz. beige. **FOR EXAMPLE:** KNITKING Subita 2x4, Spinnerin Mona. **TENSION:** KNITKING Stockinette 9 or 10; Pattern Stitch 8 or 9. **GAUGE:** Stockinette 14 sts. 2", 19 rows 2"; Pattern Stitch 18 sts. 2", 34 rows 2". **PATTERN:** Stockinette. Collar and Pocket Stripe—Holding Position Design on purl side with RIBBER according to Chart.

BACK: (Figure II) Cast on 157 sts. Rows 1-30: Work with Tension 8. To make the hem, put the cast on sts. back on the machine, and work with Tension 9 (10). Rows 31-168: Work even. Rows 169-190: **Armhole Shaping.** On each side of every other row bind off 2 sts. 3 x, and decrease 1 st. 8 x. (129 sts.) Rows 191-266: Work even. Rows 267-



11-12 **282: Shoulder and Neck Shaping.** On each side of every other row bind off 5 sts. 9 x. **At the same time,** at beginning of Row 275, bind

off the 19 center sts., with a separate ball of yarn, put needles on the left into holding position and complete right side first. When cam box is on neck side, bind off 5 sts. 1 x, 3 sts. 1 x, and 2 sts. 1 x. Put needles on the left into work position, turn row counter back to 266 and complete the left side.



FRONT: (Figure I). The front is worked the same as the back; however, for the neck shaping, at beginning of Row 181 bind off the 5 center sts. as before and on neck side decrease 1 st. at Row 185, again every 4th row 2 x and every 6th row 14 x. Put row counter back to row 180 and complete the left side.

SLEEVE: (Figure III). Make two. Cast on 76 sts. Rows 1-30: Work with Tension 8. To make the hem, put the cast on sts. back on the machine and work with Tension 9 (10). Rows 31-186: Increase 1 st. at beginning of Row 37, and 38 and again on each side every 6th row 17 x and every 4th row 11 x. (134 sts.) Rows 187-232: **Underarm Shaping.** At the beginning of next 6 rows bind off 2 sts., then on each

A complete first volume of KNITKING MAGAZINES with a flexible, transparent plastic cover and specially bound so that it will stay open at any page is available at the special price of \$6.95 postage paid anywhere in North America.



If purchased separately the magazines would cost a total of \$9.00.

The volume contains over 120 fully illustrated complete stylish patterns for all members of the family, together with many valuable, practical knitting hints.

There is a very limited number of these volumes available and it will undoubtedly become a collectors item.

If you already have the entire set it will almost certainly be well thumbed and marked. Why not purchase a perfect mint condition volume for your bookshelf and ready reference at any time.

Place your order today and avoid disappointment. Send it to KNITKING MAGAZINE, 1128 Crenshaw Boulevard, Los Angeles, California 90019.

side of every other row decrease 1 st. 8 x, bind off 2 sts. 4 x, 3 sts. 3 x, 4 sts. 3 x, 5 sts. 2 x, and the remaining 28 sts.

COLLAR: Note: When knitting short rows the ribber sts. must first be transferred to main machine and then be sure to put the yarn between the 1st and 2nd inside needle in the holding position. Cast on 141 sts. with beige. Work in Pattern Stitch with Tension 8 (9). Rows 1-68: Work even. Rows 69-78: On each side, one after another, put 23 needles in holding position 1 x and 7 needles in holding position 4 x. Rows 79-80: On the left side bring all needles into working position and work 1 row. On the right side bring all needles into working position and work 1 row. Bind off all sts.

FRONT NECK EDGING: Cast on 71 sts. with dark blue. Work 20 rows stockinette with Tension 8 (9), and bind off all sts.

POCKET: Cast on 43 sts. with dark blue. Rows 1-30: Work in Stockinette with Tension 9 (10), working the 30th row with beige. Now turn the work over by knitting several rows with a contrast yarn and remove from machine—or use a reversing Bar. Continue in Pattern Stitch with beige. Rows 31-54: Work even with Tension 8 (9). Rows 55-68: Work in Stockinette with dark blue and Tension 9 (10). Bind off all sts.

FINISHING: Join front and back at side and shoulder seams. Sew sleeve edges together and sew sleeves to sweater. Place collar at back of neck opening, so that it extends $3\frac{3}{4}$ " down each side of front neck opening and sew in place. Fold front neck edgings around collar front and front neck opening, overlapping at center front, and sew in place. Fold top 7 rows of pocket edging down on outside, and attach. Sew pocket to sweater as illustrated.

MAN'S PULLOVER, No. HP 3420




SIZE: 42/44. **MATERIAL:** 30 oz. sand, 3 oz. dark brown, and 2 oz. medium brown. **FOR EXAMPLE:** KNITTING, Subita 2x4. Spinnerin, Mona. **TENSION:** KNITTING 7 or 8. **GAUGE:** Fisherman's Rib 16 Sts. 2", 35 Rows 2". K.I, P.I ribbing 16 Sts. 2", 24 Rows 2". **PATTERN:** Fisherman's Rib on Purl Side. (Gate Cam release lever on main machine toward the needle heels). Edging: K.I, P.I ribbing.

BACK: (Figure II). Cast on 179 sts. with sand. Rows 1-20: K.I, P.I ribbing.

Continue in Fisherman's Rib. Rows 21-286: Work even—26 rows dark brown, 8 rows sand, and 20 rows medium brown. Continue with sand. Rows 287-322: **Armhole Shaping:** On each side of every other row decrease 1 st. 18 x. (143 sts.) Rows 323-468: Work even. Rows 469-496: **Shoulder and Neck Shaping.** On each side of every other row bind off 2 sts. 2 x and 3 sts. 13 x. **At the same time,** at the beginning of Row 483 bind off the 19 center sts. with a separate ball of yarn (transfer all sts. on the left to main machine and put all needles on left into holding position and knit the right side first. When cam box is on neck side, bind off 5 sts. 1 x, 4 sts. 1 x, 3 sts. 2 x, and 2 sts. 2 x. Put row counter back to row 482. Transfer all proper sts. on left to ribber and complete the left side.

FRONT: (Figure I). The front is worked the same as the back; however, for the neck shaping, at Row 272 put the center st. on the neighboring needle and continue work in



2 sections. Decrease 2 sts. on neck side at Row 280 and again every 14th row 4 x and every 16th row 9 x. To do this, put the 4th st. and then the 3rd. st. on the 2nd needle, and move the edge sts. over to fill the empty needles.

SLEEVE: (Figure III). Make two. Cast on 87 sts. with sand. Rows 1-20: K.I, P.I ribbing. Continue in Fisherman's Rib. Rows 21-306: Work 26 rows dark brown, 8 rows sand, and 20 rows medium brown. Continue in sand, increasing 1 st. at beginning of Row 29 and 30, again on each side every 10th row 3 x and every 8th row 30 x. (155 sts.) Rows 307-390: **Underarm Shaping.** On each side of every other row decrease 1 st. 28 x, bind off 2 sts. 7 x, 3 sts. 5 x, 4 sts. 2 x, and the remaining 25 sts.

NECK EDGING: Cast on 139 sts. with sand. Work 20 rows K.I, P.I ribbing: 3 rows sand, 6 rows dark brown, 4 rows sand, 4 rows medium brown, and 3 rows sand. To shape the point, bind off 2 sts. every other row 9 x. Bind off all sts. Make the second half of neck edging with reverse shapings.



FINISHING: Join front and back sections at side and shoulder seams. Sew sleeve edges together and sew to sweater. Sew the 2 sections of neck edging together and sew to sweater neckline.

MAN'S PULLOVER, No. HP 3422



SIZE: 40/42. **MATERIAL:** 14 oz. olive green and 13 oz. sand. **FOR EXAMPLE:** KNITTING, Mutella. Pauline Denham, Sierra. Spinnerin, Ambralon. **TENSION:** KNITTING 6 or 7. **GAUGE:** Pattern Stitch 15 sts. 2", 16 rows 2"; Stockinette 15 sts. 2", 20 rows 2". **PATTERN:** Norwegian Pattern Stitch according to Chart. Every row with the Norwegian Pattern Stitch is counted singly in the directions; however, for each row several motions of the cam box are required. Edging, Stockinette.

BACK: (Figure II). Cast on 163 sts. with olive green. Rows 1-24: Work in Stockinette. To make the hem, put the cast on sts. back on the machine. Continue in Norwegian Pat-



tern St. Rows 25-146: Work even. Rows 147-166: **Armhole Shaping.** Bind off 3 sts. beginning next 2 rows; then on every other row on each side decrease 1 st. 1 x and bind off 2 sts. 1 x and repeat these last 2 decreases 3 x; then

decrease 1 st. 1 x. (131 sts.) Rows 167-226: Work even. Rows 227-238: **Shoulder and Neck Shaping.** On shoulder side of every other row bind off 5 sts. 3 x and 6 sts. 4 x. **At the same time,** at beginning of Row 233 bind off the 25 center sts. with a separate ball of yarn and continue working both sides at the same time with 2 balls of yarn for each color. On each side of neck on every other row.

FRONT: (Figure I). The front is worked the same as the back; however, for the **neck shaping,** at beginning of Row 137 put the center st. on a neighboring needle and continue work in 2 sections. Decrease 1 st. on **neck side** at Row 139 and again every other row 2 x and every 4th row 23 x. Put row counter back to Row 136 and complete the left side.

SLEEVE: (Figure III). Make two. Cast on 78 sts. with olive green. Rows 1-24: Work in Stockinette. To make the hem, put the cast on sts. back on the machine. Continue in Norwegian Pattern Stitch. Rows 25-158: Increase 1 st. each side at beginning of Row 29 and 30 and again **on each side** every 6th row 3 x and every 4th row 27 x. (140 sts.) Rows 159-196: **Underarm Shaping.** Bind off 3 sts. beginning of next 2 rows; then every other row **on each side** decrease 1 st. 1 x and bind off 2 sts. 1 x. Repeat these last 2 decreases 3 x and then **on each side,** bind off 2 sts. 1 x, 3 sts. 2 x, 4 sts. 3 x, 5 sts. 4 x, and the remaining 30 sts.

NECK EDGING: Cast on 133 sts. with olive green. Work 26 rows Stockinette, binding off 3 sts. at Row 3 and again every other row 5 x and increasing 3 sts. at Row 15 and again every other row 5 x. Bind off all sts. Make the second section with reverse shapings.

FINISHING: Join front and back at side seams in slip st., overlapping 1 st. from each section. Sew shoulder seams. Sew sleeve edges together and sew sleeves to sweater. Sew the section of neck edging together, fold around sweater neckline, and attach.

BOY'S JACKET SWEATER, No. KK 4755



SIZE: 8-9 years. **MATERIAL:** 7 oz. olive green and 6 oz. yellow. **FOR EXAMPLE:** KNITKING, Mutella. Pauline Denham, Sierra. Spinnerin, Ambralon. **TENSION:** KNITKING 6 or 7. **GAUGE:** Pattern Stitch 16 sts. 2", 20 rows 2"; K.1, P.1 Ribbing 16 sts. 2", 24 rows 2". **PATTERN:** Norwegian Pattern Stitch according to Chart. Every row with the Norwegian Pattern Stitch is counted singly in the directions; however, for each row several motions of the cam box are required. Edging: K.1, P.1 ribbing.

BACK: (Figure II). Cast on 127 sts. with green. Rows 1-20: K.1, P.1 ribbing. Increase 1 st. on one side and continue in Norwegian Pattern St. Rows 21-108: Work even. Rows 109-124: **Armhole Shaping.** Bind off 2 sts. beginning of next 2 Rows; then on every other row on **each side** bind off 2 2 sts. 1 x and decrease 1 st. 1 x. Repeat these last 2 decreases 2 x, and then on each side bind off 2 sts. 1 x. (102 sts.) Rows 125-180: Work even. Rows 181-192: **Shoulder and Neck Shaping.** On each side of every other row bind off 4 sts. 6 x and 5 sts. 1 x (29 sts. for each shoulder). **At the same time,** at beginning of Row 185 bind off the 18 center sts. with a new ball of yarn and continue working both sides at the same time with 2 balls of yarn for each color. On each side of neck on every other row bind off 6 sts. 1 x, 4 sts. 1 x, and 3 sts. 1 x.

FRONT: (Figure I): Cast on 73 sts. with green. Rows 1-20: K.1, P.1 ribbing, binding off 10 sts. on the left side at Row 20. Continue in Norwegian Pattern Stitch. Rows 21-108: Work even. Rows 109-124: **Armhole Shaping.** Bind off 2 sts.; then on every other row bind off 2 sts. 1 x and decrease 1 st. 1 x, and repeat these last 2 decreases 2 x; then bind off 2 sts. 1 x. (50 sts.) Rows 125-163: Work even. Rows 164-192:

The World famous German Stitchbooks have been translated into English and are now available to the American Knitting Machine owner. The majority of these beautiful fancy stitches do not require tedious stitch transferring but are stitches made through the automatic selection of needles.

THE 4 STITCHBOOKS

STITCHBOOK NO. 1. Illustrates and gives complete instructions for knitting 59 beautiful fancy stitches that can be easily made on most modern knitting machines.



STITCHBOOK NO. 2. Does the same for 50 lovely rib pattern designs all knitted automatically on the Ribber. They can be made on most good brand name machines with ribbers.

STITCHBOOK NO. 3. Illustrates and explains 49 new pattern stitches, many in multicolors, all automatically made with the push-button KNITKING or with the automatic selector on other models.

STITCHBOOK NO. 4 Is completely new and written especially for the latest coordinated KNITKING ribber. 55 outstanding and beautiful stitches are fully explained. Many of them are not possible on other brands of machines. We only recommend it to people who own the latest model KNITKING and Coordinated Ribber.

STITCHBOOKS are \$3.50 each, plus 20 cents mailing costs or any 3 for \$10.00 plus 35 cents mailing costs, or the set of 4 for \$12.00 plus 40 cents mailing costs. California residents add 4% tax.

Order from your local dealer
or direct from KNITKING
1128 Crenshaw Blvd., Los Angeles,
Calif. 90019



Neck and Shoulder Shaping. For the neck shaping, bind off 7 sts. and on every other row bind off 4 sts. 1 x, 3 sts. 1 x, 2 sts. 1 x, decrease 1 st. 2 x, and on every 4th row decrease 1 st. 3 x. **At the same time**, at Row 181, for the **shoulder shaping**, on every other row bind off 4 sts 6 x and 5 sts. 1 x. Make the other front section with reverse shaping, making buttonhole at Row 10 over the 6th-12 needles.

SLEEVE: (Figure III). Make two. Cast on 61 sts. with green. Rows 1-20: Work in K.1, P.1 ribbing. Continue in Norwegian Pattern Stitch. Rows 21-144: Increase 1 st. on each side at beginning of Row 27 and 28 and again on each side every 6th row 11 x and every 4th row 12 x. (109 sts.) Rows 145-180: **Underarm Shaping.** Bind off 2 sts. beginning next 2 rows; then on each side on every other row bind off 2 sts. 1 x and decrease 1 st. 1 x. Repeat these last 2 decreases 3 x; then at beginning of every row bind off 2 sts. 4 x, 3 sts. 6 x, 4 sts. 8 x and the remaining 23 sts.

BUTTON STRIP: Cast on 155 sts. with green. Work 26 rows K.1, P.1 ribbing and bind off all sts. Make the Buttonhole Strip just like this, making buttonholes at Rows 7 and 20 over the 4th-10th, 44th-50th, 84th-90th, and 124th-130th needles.

NECK EDGING: Cast on 119 sts. with green. Work 24 rows K.1, P.1 ribbing: 6 rows with Tension 7, 12 rows with Tension 6, 6 rows with Tension 7. Bind off all sts.

FINISHING: Joint front and back sections at side seams in slip stitch, overlapping 1 st. from each section. Sew shoulder seams. Sew sleeve edges together and sew sleeves to sweater. Fold neck edging around sweater neckline and attach. Fold button and buttonhole strips around the front edges and ends of neck edging and attach. Finish buttonholes and sew on buttons.


BOY'S PULLOVER, No. KK 4750



SIZES: 11-12 years and 9-10 years. **MATERIAL:** 11-12 years 11 oz., 9-10 years 10 oz. yellow; both sizes—1 oz. light blue and 1 oz. dark blue. **FOR EXAMPLE:** KNITTING, Subita 2x4. Bearbrand, Casa Laine, Spinnerin, Mona. **TENSION:** KNITTING 9 or 10. **GAUGE:** Stockinette 12 sts. 2", 17 rows 2"; K.1, P.1 ribbing 12 sts. 2", 24 rows 2". **PATTERN:** Stockinette Stitch with Norwegian Pattern Stitch Border according to chart. Every row with the Norwegian Pattern Stitch is counted singly in the directions;


however, for each row several motions of the cam box are required. Edging: K1, P.1 ribbing.

SIZE: 11-12 years. **BACK:** (Figure II). Cast on 107 sts. Rows 1-20: K.1, P.1 ribbing. Rows 21-32: Stockinette, working the 25th-28th rows with dark blue. Rows 33-42: Work the Norwegian border. Continue in Stockinette. Rows 43-104: Work even. Rows 105-122: **Armhole Shaping.** Decrease 1 st. each side; then on every other row on each side bind off 2 sts. 1 x and decrease 1 st. 1 x. Repeat these last 2 decreases 3 x. (81 sts.) Rows 123-176: Work even. Rows 177-186: **Shoulder and Neck Shaping.** On each shoulder side of every other row bind off 4 sts. 6 x. At the same time, at beginning of Row 181 bind off the 15 center sts. with a new ball of yarn, put needles on the left into holding position and knit the right half first. On neck side on every other row bind off 5 sts. 1 x, and 4 sts. 1 x. Put needles on the left into working position, put row counter back to Row 180 and complete the left side.



FRONT: (Figure I). The front is worked the same as the back, however, for the neck shaping at beginning of Row 99 put the center st. on a neighboring needle and continue work in two sections. Decrease 1 st. on neck side at Row 103 and again every 4th row 7 x and every 6th row 8 x. Complete the left side.

SLEEVE: (Figure III). Make two. Cast on 51 sts. Rows 1-20: K.1, P.1 ribbing. Rows 21-32: Work in Stockinette, working the 25th-28th rows with dark blue, and increasing 1 st. at beginning of Rows 21 and 22 and 27 and 28. Rows 33-42: Work the Norwegian border, increasing 1 st. at beginning of Rows 33 and 34 and 39 and 40. Continue in Stockinette. Rows




43-138: Increase 1 st. at beginning of Row 45 and 46 and again on each side every 6th row 15 x. (91 sts.) Rows 139-176: **Underarm Shaping.** On each side of every other row decrease 1 st. 1 x and bind off 2 sts. 1 x. Repeat these 2 decreases 4x, and then at beginning of every row bind off 2 sts. 8 x, 3 sts. 10 x, and the remaining 15 sts.

NECK EDGING: Cast on 99 sts. Work 14 rows K.1, P.1 ribbing; to shape the point bind off 2 sts. on every other row 6 x. Bind off all sts. Make the other half of edging with reverse shapings.

FINISHING: Joint front and back at side and shoulder seams. Sew sleeve edges together and sew sleeves to sweater. Sew sections of neck edging together and sew to sweater.

SIZE: 9-10 years. **BACK:** (Figure II). Cast on 101 sts. Rows 1-20: K.1, P.1 ribbing. Rows 21-32: Stockinette, working the 25th-28th rows with dark blue. Rows 33-42: Work the Norwegian border. Continue in Stockinette. Rows 43-94: Work even. Rows 95-112: **Armhole Shaping.** On each side of every other row bind off 2 sts. 3 x and decrease 1 st. 6 x. (77 sts.) Rows 113-162: Work even. Rows 163-172: **Shoulder and Neck Shaping.** On shoulder side of every other row bind off 3 sts. 2 x and 4 sts. 4 x. **At the same time**, at beginning of Row 167 bind off the 15 center sts. with a new ball of yarn. Put



needles on the left into holding position and knit the right half first, and on each side of neck on every other row bind off 5 sts. 1 x and 4 sts. 1 x. Put needles on the left into work position and row counter back to 166 and complete the left side.

FRONT: (Figure I). The front is worked the same as the back; however, for the neck shaping, at Row 93 put the center st. on a neighboring needle and continue work in two sections. Decrease 1 st. on neck side at Row 97 and again every 4th row 10 x and every 6th row 5 x. Complete the left side.

SLEEVE: (Figure III). Make two. Cast on 45 sts. Rows 1-20: K.1, P.1 ribbing. Rows 21-32: Work in Stockinette, working the 25th-28th rows with dark blue and increasing 1 st. at beginning of Rows 21 and 22 and 27 and 28. Rows 33-42: Work the Norwegian border, increasing 1 st. at beginning of Rows 33 and 34 and 39 and 40. Continue in Stockinette. Rows 43-128: Increase 1 st. at beginning of Row 45 and 46 and again on **each side** every 6th row 7 x and every 4th row 9 x (87 sts.) Rows 129-162: **Underarm Shaping.** On each side of every other row bind off 2 sts. 3 x, decrease 1 st. 6 x, bind off 2 sts. 3 x, 3 sts. 2 x, 4 sts. 3 x, and the remaining 15 sts.

NECK EDGING: Cast on 93 sts. Work 14 rows K.1, P.1 ribbing, binding off 2 sts. every other row 6 x to shape the point. Bind off all sts. Make the other section of edging with reverse shapings.

FINISHING: Follow directions for 11-12 year size.

GIRL'S PULLOVER AND CARDIGAN, No. MK 4751



SIZES: 10-11 years and 8-9 years. **MATERIAL:** 10-11—Pullover 8 oz., Cardigan 11 oz.; 8-9—Pullover 7 oz., Cardigan 9 oz., white, and for both sweaters and both sizes—2 oz. red and 1 oz. turquoise. **FOR EXAMPLE:** KNITTING, Mutella; Subita 2x3, Bearbrand, Deluxe Sock and Sport. **TENSION:** KNITTING 5 or 6. **GAUGE:** Stockinette 17 sts. 2", 23 rows 2"; K.1, P.1 Ribbing 17 sts. 2", 27 rows 2". **PATTERN:** Stockinette Stitch with Norwegian Pattern Stitch Border according to Chart. Every row with the Norwegian Pattern Stitch is counted singly in the directions; however, for each row several motions of the cam box are required. Edging: K.1, P.1 ribbing.

SIZE: 10-11. PULLOVER BACK: (Figure II). Cast on 139 sts. Rows 1-16: K.1, P.1 ribbing Transfer ribber sts. to main




CHART 11

■ RED
□ WHITE




CHART 1

□ WHITE
■ RED

DO YOU HAVE A...

REVERSING BAR?

- With it you can turn a hem in one movement instead of lifting stitches one at a time.
- You can reverse your knitting, so that the knit side faces you, easily and speedily.
- Available for all KNITTING machines with 197 needles. Order from your dealer or direct from


KNITKING

1128 Crenshaw Blvd., Los Angeles, Calif. 90019

Price \$16.95 (California residents add 4% tax)
Plus \$1.50 shipping cost.

machine. Rows 17-24: Stockinette, working the 19th-22nd rows with turquoise. Rows 25-34: Work the Norwegian Border according to Chart I. Continue in Stockinette with white. Rows 35-122: Work even. Rows 123-218: Raglan Shaping. Bind off 3 sts. beginning next 2 rows; then on every other row on each side bind off 2 sts. 2 x and decrease 1 st. 45 x. To do this, at first put the 3rd and 4th sts. on the 5th needle; then put the 3rd st. on the 4th needle and move the edge sts. over to fill the empty needles. Bind off 35 sts.

FRONT: (Figure I). Cast on 139 sts. Rows 1-16: K.1, P.1 ribbing, transfer ribber sts. to main machine. Rows 17-24: Work in Stockinette, working the 19th-22nd rows with turquoise.




Rows 25-34: Work the Norwegian border according to Chart I. Continue in Stockinette. Rows 35-122: Work even. Then, on the left side put 64 sts. on a double pointed needle or contrast yarn and work the right half. Rows 123-124: On the **right side** bind off 3 sts., on the **left side** at Row 124 cast on 10 sts. Rows 125-214: **Raglan and Neck Shaping.** On every other row bind off 2 sts. 2 x and decrease 1 st. 43 x, using same method as for back. At the same time, make buttonholes at Rows 141, 169, and 197, over the 3rd-6th, and 16th-19th needles; for the **neck shaping** at Row 202 bind off 21 sts., then on every other row bind off 4 sts. 1 x, 3 sts. 1 x, 2 sts. 1 x, and decrease 1 st. 2 x. Then hang the 3 remaining sts. together by moving the 2 outside sts. onto the center needle and binding off. Now put the cam box on the left side and turn the row counter back to 122. Put the sts. from the double pointed needle or contrasting yarn back on the machine, cast 21 sts. on the **right side** and work the left section minus buttonholes.

SLEEVE: (Figure III) Cast on 85 sts. Rows 1-10: K.1, P.1 ribbing. Continue in Stockinette. Rows 11-28: Increase 1 st. at beginning of Row 11 and 12, then on every other row on **each side** increase 2 sts. 1 x and 1 st. 1 x, and repeat these last 2 increases 2 x. Then increase 2 sts. 1 x. (109 sts.) Rows 29-120: **Raglan Shaping:** Bind off 2 sts. beginning next 2 rows; then on every other row on **each side** de-

crease 1 st. 45 x. To do this put the 3rd st. on the 4th needle and move the edge sts. over to fill the empty needle. Rows 121-124: On the left side, one after another, put 4 needles in holding position 2 x. At the same time, decrease 1 st. on the right side at Rows 121 and 123. Bind off the remaining 13 sts. Make another sleeve with reverse shapings.

COLLAR: Cast on 94 sts. with white. Rows 1-10: Stockinette, working the 9th and 10th rows with turquoise. Now, on each side cast on 14 sts. (Use a separate yarn for the left side). Rows 11-14: Stockinette: 2 rows turquoise, and 2 rows white. Rows 15-20: Work the Norwegian border according to Chart II. Rows 21-40: Work in Stockinette with white; then bind off all sts.



CARDIGAN BACK: (Figure V) Cast on 149 sts. Rows 1-22: K.1, P.1 ribbing. Transfer ribber sts. to main machine. Continue in Stockinette. Rows 23-132: Work even. Rows 133-234: **Raglan Shaping.** Bind off 3 sts. beginning next 2 Rows; then on every other row on each side bind off 2 sts. 1 x and decrease 1 st. 49 x. To do this, first of all put the 3rd and 4th sts. on the 5th needle; then put the 3rd st. onto the 4th needle and move the edge sts. over to fill the empty needle. Bind off 41 sts.

FRONT: (Figure IV). Cast on 89 sts. Rows 1-22: K.1, P.1 ribbing, making buttonholes at the 11th row over the 3rd-6th and 16th-19th needles, counting from the left side. Transfer ribber sts. to main machine. Continue in Stockinette. Rows 23-132: Work even, making buttonholes at the 52nd and 93rd rows. Rows 133-230: **Raglan and Neck Shaping.** For the raglan shaping bind off 3 sts. then on every other row bind off 2 sts. 1 x and decrease 1 st. 47 x, using same method as for back. At the same time, make buttonholes at Row 134 and 175, and for the neck shaping, at Row 212, bind off 21 sts.; then on every other row on neck side bind off 4 sts. 1 x, 3 sts. 1 x, 2 sts. 2 x, decrease 1 st. 2 x, and hang the 3 remaining sts. together by moving the 2 outside sts. onto the center needle and binding off. Work the second front section with reverse shapings minus buttonholes.

SLEEVE: (Figure VI) Cast on 71 sts. Rows 1-22: K.1, P.1 ribbing. Transfer ribber sts. to main machine. Continue in Stockinette. Rows 23-168: Increase 1 st. at beginning of Row 31 and 32 and again on each side every 8th row 3 x and every 6th row 18 x. (115 sts.) Rows 169-266: **Raglan Shaping.** Bind off 2 sts. beginning of next 2 rows; then on each side on every other row decrease 1 st. 48 x. To do this, put the 3rd st. on the 4th needle and move the sts. over to fill the empty needle. Rows 267-270: On the left side, one after another, put 4 needles in holding position 2 x. At the same time, on the right side decrease 1 st. at Rows 267 and 269. Bind off the remaining 13 sts. Make another sleeve with reverse shapings.

NECK EDGING: Cast on 153 sts. Work 18 rows K.1, P.1 ribbing, making buttonholes at the 5th and 14th rows over the 5th-8th needles. Bind off.

CHANGE OF ADDRESS . . .


If you change your address be sure to notify us immediately. The Post Office will not forward your magazine from your old address and it will not be returned to us.

POCKET: With white cast on 38 sts. 2 x. Rows 1-32: Stockinette. Rows 33-38: Work the Norwegian Border according to Chart II. Rows 39-52: Stockinette: 2 rows white, 4 rows turquoise, and 8 rows white. Bind off all sts.

FINISHING: Pullover—Join front and back sections at side seams. Sew sleeve edges together, and sew sleeves to sweater in slip stitch, overlapping 1 st. from each section. Make a hem 10 sts. wide at front edges of sweater. Make a hem 10 rows wide around outer collar edge and 7 sts. wide at side collar edges. Sew collar to sweater. Finish buttonholes and sew on buttons.

Cardigan—Join front and back at side seams. Sew sleeve edges together and sew sleeves to sweater in slip st., overlapping 1 st. from each section. Make a hem 10 sts. wide at front edges. Fold neck edging around sweater neckline and attach. Make a hem 10 rows wide at top of pocket. Sew pocket to sweater. Finish buttonholes and sew on buttons.


SIZE: 8-9 years. **PULLOVER BACK:** (Figure II). Cast on 129 sts. Rows 1-16: K.1, P.1 ribbing. Transfer ribber sts. to main machine. Rows 17-24: Stockinette, working the 19th-22nd rows with turquoise. Rows 25-34: Work the Norwegian border according to Chart I. Continue in Stockinette with white. Rows 35-108: Work even. Rows 109-200: **Raglan Shaping.** Bind off 2 sts. beginning of next 2 rows; then on every other row on each side decrease 1 st. 45 x. To do this, put the 3rd st. on the 4th needle and move the edge sts. over to fill the empty needle. Bind off 35 sts.



FRONT: (Figure I). Cast on 129 sts. Rows 1-16: K.1, P.1 ribbing. Transfer ribber sts. to main machine. Rows 17-24: Stockinette, working the 19th-22nd rows with turquoise. Rows 25-34: Work the Norwegian border according to Chart I. Continue in Stockinette. Rows 35-108: Work even. On the left side put 59 sts. on a double pointed needle or contrast yarn and work the right half. Rows 109-110: On the right side bind off 3 sts., on the left side, at Row 110 cast on 10 sts. Rows 111-196: **Raglan Shaping.** On every other row decrease 1 st. 43 x, using same method as for back. At the same time, make buttonholes at Rows 127, 153, and 179, over the 3rd-6th and 16th-19th needles, and for the neck shaping, at Row 184 bind off 21 sts.; then on every other row bind off 3 sts. 2 x, 2 sts. 1 x, and decrease 1 st. 2 x; then hang the 3 remaining sts. together by moving the 2 outside sts. onto the center needle and binding off. Now put the cam box on the left side and turn the row counter back to 108. Put the sts. from the double pointed needle or contrast yarn back onto the machine, on the right side cast on 21 sts., and work the left section, minus buttonholes.

SLEEVE: (Figure III) Cast on 79 sts. Rows 1-10: K.1, P.1 ribbing. Transfer ribber sts. to main machine. Continue in Stockinette. Rows 11-28: Increase 1 st. at beginning of Row 11 and 12; then on every other row on each side increase 2 sts. 1 x and 1 st. 1 x. Repeat these last 2 increases 2 x and then increase 2 sts. 1 x. (103 sts.) Rows 29-116: **Raglan Shaping.** On each side decrease 1 st. at Row 29 and again every other row 43 x. To do this, put the 3rd st. on the 4th needle and move the edge sts. over to fill the empty needles. Rows 117-120: On the left side, one after another, put 4 needles in holding position 2 x. At the same time, on the right side decrease 1 st. at the 117th and 119th rows. Bind off the remaining 13 sts. Make another sleeve with reverse shapings.

COLLAR: Cast on 94 sts. with white. Rows 1-10: Stockinette, working the 9th and 10th rows with turquoise. Now on each side cast on 14 sts. (Using a separate yarn on the left side.) Rows 11-14: Stockinette: 2 rows turquoise and 2 rows white. Rows 15-20: Work the Norwegian Border according to Chart II. Rows 21-40: Work in Stockinette with white and then bind off all sts.



CARDIGAN BACK: (Figure V). Cast on 139 sts. Rows 1-22: K.1, P.1 ribbing. Transfer ribber sts. to main machine. Continue in Stockinette. Rows 23-120: Work even. Rows 121-216: Raglan Shaping. Bind off 2 sts. beginning next 2 rows; then on every other row on each side decrease 1 st. 47 x. To do this, put the 3rd st. on the 4th needle and move the edge sts. over to fill the empty needle. Bind off 41 sts.

FRONT: (Figure IV). Cast on 85 sts. Rows 1-22: K.1, P.1 ribbing, making buttonholes at Row 11 over the 3rd-6th, and 16th-19th needles counting from the left edge. Transfer ribber sts. to main machine. Continue in Stockinette. Rows 23-120: Work even, making buttonholes at Rows 49 and 87. Rows 121-212: Raglan and Neck Shaping. Bind off 3 sts.; then on every other row decrease 1 st. 45 x, using same method as for back. At the same time, make buttonholes at Row 125 and 163. For the neck shaping, bind off 21 sts. at Row 194; then on every other row bind off 4 sts. 1 x, 3 sts. 1 x, 2 sts. 2 x, decrease 1 st. 2 x, and hang the 3 remaining sts. together by moving the 2 outside sts. onto the center needle and binding off. Make another front section with reverse shapings, minus buttonholes.

SLEEVE: (Figure VI). Cast on 65 sts. Rows 1-22: K.1, P.1 ribbing. Transfer ribber sts. to main machine. Continue in Stockinette. Rows 23-156: Increase 1 st. at beginning of Row 31 and 32 and again on each side every 6th row 20 x. (107 sts.) Rows 157-248: Raglan Shaping. Decrease 1 st. on each side at Row 157 and again every other row 45 x. To do this, put the 3rd st. on the 4th needle and move the edge sts. over to fill the empty needle. Rows 249-252: On the left side, one after another, put 4 needles in holding position 2 x. At the same time, on the right side decrease 1 st. at Rows 249 and 251. Bind off the remaining 13 sts. Make another sleeve with reverse shapings.

NECK EDGING: Cast on 153 sts. Work 18 rows K.1, P.1. ribbing, making buttonholes at Rows 5 and 14 over the 5th-8th needles. Bind off.

POCKET: Cast on 32 sts. 2 x, with white, Rows 1-32: Stockinette. Rows 33-38: Norwegian Border according to Chart II. Rows 39-52: Work in Stockinette: 2 rows white, 4 rows turquoise, and 8 rows white. Bind off all sts.

FINISHING: Follow directions for Size 10-11.

GIRL'S PULLOVER, No. MK 4754




SIZE: 7-8 years. **MATERIAL:** 6 oz. pale yellow and 2 oz. dark blue. **FOR EXAMPLE:** KNITTING, Subita 2x3, Spinnerin, Nylaine Fingering Red Heart, Baby Wool. **TENSION:** KNITTING 5 or 6. **GAUGE:** Stockinette 16 sts. 2", 21 rows 2"; K.1, P.1 ribbing 16 sts. 2", 26 rows 2". **PATTERN:** Stockinette. Edging: K.1, P.1 ribbing.

BACK: (Figure II). Cast on 121 sts. with yellow. Rows 1-16: K.1, P.1 ribbing. Transfer ribber sts. to main machine. Increase 1 st. on one side and continue in Stockinette. Rows 17-112: Work even. Rows 113-126: Armhole Shaping. Bind off 4 sts. beginning next 2 Rows; then on every other row, on each side bind off 3 sts. 1 x, 2 sts. 2 x, decrease 1 st. 1 x, and on the 4th row decrease 1 st. 1 x. (96 sts.) Rows 127-133: Work even. On the right side put 48 needles in holding position and work the left section. Rows 134-175: To make the facing for the back

opening, cast on 3 sts. at Row 135. To do this, put 3 sts. from the right section onto a double pointed needle or contrast yarn. Continue with blue. Rows 176-183: Shoulder Shaping. On every other row bind off 7 sts. 3 x, 8 sts. 1 x, and the remaining 22 sts. Put the cam box on the right side and turn the row counter back to 133. Bring all needles into working position, put the sts. from the double pointed needle or contrast yarn back on the machine, and work the right section.

FRONT: (Figure I). The front is worked the same as the back; however, without the opening slit. For the neck shaping, at beginning of Row 159 bind off the 14 center sts. with a separate ball of yarn and put needles on left into holding position. When cam box is on neck side bind off 3 sts. 2 x, 2 sts. 1 x, decrease 1 st. 2 x, and on every 4th row decrease 1 st. 2 x. Turn row counter back to 158 and put needles into working position and knit the left side.



SLEEVE: (Figure III). Make two. Cast on 81 sts. with yellow. Rows 1-10: K.1, P.1 ribbing, transfer ribber sts. to main machine. Continue in Stockinette. Rows 11-36: Increase 1 st. at beginning of Row 13 and 14 and again every 4th row 5 x. (93 sts.) Rows 37-46: Underarm Shaping. On each side of every other row bind off 4 sts. 2 x, 3 sts. 1 x, and 2 sts. 2 x. Rows 47-70: On each side decrease 1 st. 1 x and bind off 2 sts. 1 x. Repeat these 2 decreases 5 x. Rows 71-74: At the beginning of every row bind off 3 sts. 2 x, 4 sts. 2 x, and the remaining 13 sts.

NECK EDGING: Cast on 89 sts. with yellow. Work 10 rows Stockinette: 3 rows with Tension 6, 4 Rows with Tension 5, and 3 Rows with Tension 6. Bind off all sts.

FINISHING: Join front and back at side and shoulder seams. Sew sleeve edges together and sew sleeves to sweater. Make a hem 3 sts. wide at back opening slit. Fold neck edging around sweater neckline and attach. Set in zipper. With a doubled yellow thread work the cross sts. on the sweater as illustrated. The sts. cover 3 sts. horizontally and 4 rows vertically.

GIRL'S PULLOVER, No. MK 4753



SIZE: 3-4 years. **MATERIAL:** 6 oz. white. **FOR EXAMPLE:** KNITTING, Subita 2x3, Spinnerin, Nylaine Baby Yarn, Bearbrand, Evermatch. **TENSION:** KNITTING 5 or 6. **GAUGE:** Stockinette 17 sts. 2", 24 rows 2"; K.1, P.1 Ribbing 17 sts. 2", 27 rows 2". **PATTERN:** Stockinette. Edging: K.1, P.1 Ribbing.

BACK: (Figure II). Cast on 109 sts. Rows 1-16: K.1, P.1 Ribbing. Transfer ribber sts. to main machine. Continue in Stockinette. Rows 17-106: Work even. Rows 107-120: Armhole

Shaping. Bind off 3 sts. beginning next 2 Rows; then on every other row on each side bind off 2 sts. 2 x, decrease 1 st. 2 x, and on the 4th row decrease 1 st. 1 x. Rows 121-125: Work even. On the right side put 44 needles in holding position and work the left section. Rows 126-163: To make facing for back opening, cast on 3 sts. at Row 127. To do this, put 3 sts. from the right section onto a double pointed needle or contrast yarn. Rows 164-173: Shoulder Shaping. On every other row at shoulder side bind off 4 sts. 1 x, 5 sts. 4 x, and the remaining 24 sts. Now put the cam box on the right side and turn the row counter back to 125. Bring all the needles into working position, put the sts. from the

THE JAC 40 IS A MUST

for fast easy knitting of
Jaquard and Ski-sweater
designs



Patterns are selected—row by row—through a pre-stamped card that is fed into the Jac.

There are over 140 cards available and illustrations of them are included with each Jac.

Jac 40's are made for most brands of machines (with the exception of Japanese machines). When ordering be sure to specify your brand of knitter as needle spacings vary. Simple to use and an essential tool for the modern knitter, Jac 40's are \$24.95 complete with 3 cards for practicing the 3 techniques, plus complete instructions.

Order from your dealer or direct from

KNITTING

1128 Crenshaw Boulevard, Los Angeles, Calif. 90019

Shipping Cost \$1.50. California residents add 4% sales tax.



double pointed needle or contrast yarn back onto the machine and work the right section.

FRONT: (Figure I). The front is worked the same as the back; however without the opening slit. For the **neck shaping**, at beginning of Row 147 bind off the 11 center sts. with a separate ball of yarn and complete right side. When cam box is on neck side bind off 3 sts. 2 x, 2 sts. 2 x, decrease 1 st. 3 x, and on every 4th row decrease 1 st. 2 x.

SLEEVE: (Figure III). Make two. Cast on 65 sts. Rows 1-10: K.1, P.1 Ribbing. Transfer ribber sts. to main machine. Continue in Stockinette. Rows 11-30: Increase 1 st. at the beginning of Row 15 and 16 and again on **each side** every other row 6 x. (79 sts.) Rows 31-38: **Underarm Shaping**. On **each side** of every other row bind off 3 sts. 1 x, and 2 sts. 3 x. Rows 39-62: On **each side** of every other row decrease 1 st. 1 x and bind off 2 sts. 1 x. Repeat these 2 decreases 5 x. Rows 63-68: At the beginning of every row bind off 2 sts. 2 x, 3 sts. 4 x and the remaining 9 sts.


NECK EDGING: Cast on 111 sts. Work 22 rows K.1, P.1 Ribbing; 4 rows with Tension 5, 4 rows with Tension 4, 6 rows with Tension 3, 4 rows with Tension 4, and 4 rows with Tension 5. Bind off all sts.

FINISHING: Join front and back at side and shoulder seams. Sew sleeve edges together and sew sleeves to sweater. Make a hem 3 sts. wide at back opening slit. Fold neck edging around neck opening and attach. Sew on 4 loops and 4 buttons.

GIRL'S SKIRT, No. MK 4752

SIZE: 3-4 years. **MATERIAL:** 8 oz. blue, 2 oz. yellow and 2 oz. red. **FOR EXAMPLE:** KNITTING, Subita 2x4 Unger, Mussette. Columbia Minerva Sports Yarn. **TENSION:** KNITTING 6 or 7. **GAUGE:** 15 sts. 2", 21 rows 2". **PATTERN:** Stockinette St. with Norwegian Border according to Chart, using JAC 40, and Pattern No. 63 a; however, to correspond with the Chart, at Rows 5 and 28 on the JAC Pattern work 4 rows Stockinette instead of 2. Every row with the Norwegian Pattern Stitch is counted singly in the directions; However, for each row several motions of the cam box are required.

Cast on 182 sts. with blue. Rows 1-34: Stockinette, working the 31st and 32nd rows with red. Rows 35-71: Work the Norwegian border, beginning with the 2nd needle. Rows 72-134: Stockinette, working the 74th and 75th rows with red. Now, over the entire width of the skirt decrease 84 sts. To do this, hang every 3rd st. on the neighboring needle 6 x, every other st. on the neighboring needle 73 x, and every 3rd st. on the neighboring needle 5 x; then move the sts. over to fill the empty needles. Continue on over 98 sts.




Rows 135-168: Stockinette. Rows 169-172: Repeat the 1st-4th rows of the Norwegian Pattern. Rows 173-190: Stockinette, working the 175th and 176th rows with red. Bind off all sts. Make the other skirt section just like this, beginning the

Pattern with the 21st square of the Chart.

STRAPS: Cast on 24 sts. 2 x with blue. Work 100 rows Stockinette and bind off all sts.

FINISHING: Join skirt sections at side seams in slip st., overlapping 1 st. from each section. At skirt bottom make a 2" hem; at skirt top make a 1/4" hem. Fold the straps in half lengthwise, sew ends together, and sew straps to skirt.




□ BLUE ■ RED ◐ YELLOW

PLEASE NOTE THAT WE DO NOT SEND TOOLS AND YARNS OUT ON A C.O.D. BASIS. YOU MUST SEND PAYMENT INCLUDING MAILING COSTS WITH EACH ORDER.




ACCESSORIES




Automatic Needle Selector fits all model Knitkings prior to the pushbutton

\$6.95
Shipping 20¢




Adjustable Selector

\$2.75
Shipping 12¢




Treble Transfer Tools

\$1.25
Shipping 10¢




Multi-transfer Tool

\$2.75
Shipping 12¢




Reversing Bar

\$16.95
Shipping \$1.50



Converta Tape

\$5.95
Shipping 15¢



Yarn Winder with Skein Holder

\$14.95
Shipping \$1.00



\$24.95
Shipping \$1.00



The perfect tool for automatic selection of Jacquard and ski-sweater designs. Over 125 patterns available.

PRACTICAL KNITTING HINTS

DIRECTIONS FOR DK 7337. The illustration shows a close-up of the decorative stitching on the skirt of the yellow suit.



The sts. are worked with a doubled brown yarn, using the same type of yarn as is used for the suit. First of all, slip the needle under 3 rows of sts. and pull the yarn through. Then go back 2 rows, slip the needle through and under 3 additional rows. Keep repeating, always going ahead 3 rows and back 2, so that 1 row is not covered. The stitching on the jacket front is done the same way.

On the collar and on the pocket flaps, however, you will

work with a single yarn, and the stitching must be done partially **over sts.** instead of rows. Work the decorative sts. over $1\frac{1}{2}$ suit sts., leaving $\frac{1}{2}$ st. between each of the suit sts.

CLOSE-UP OF THE PATTERN ST. FOR DP 7336

This is a striking Holding Position Design which is specially good for lacy and puffy materials. It is a very versatile design.



WHAT SIZE IS RIGHT FOR YOU?

To help you decide what size garment to make, here are a few hints to help you. Since no one is a perfect size 10, 12, 14, it is a good idea to learn to use the very excellent charts that are printed along with each pattern. Half of the measurement is given for the body of each garment, so you must double that measurement for your back, double the measurement for the front, then add them together. This will give you the measurement of your garment. Allow for seams of course, two stitches for each side of the back and two stitches for each side of the front.

Today, no one wears sweaters skin tight and jackets are comfortably roomy. Only fitted dresses fit snugly and even then, never so tight that they are uncomfortable. If they are too tight, they will stretch out of shape.

Each individual knows what looks well on her. Some type

sweaters should be 2 to 3 inches larger than actual bust measurement — and bulky ski sweaters are sometimes even larger than this. So look to your charts — check the bust measurement of garment and the hip measurement if making a skirt and only then decide if this particular garment is for you.

When you knit a cardigan, the front edges will either meet without overlapping or they will fold over and need buttons and buttonholes. Most patterns for cardigans call for a front facing piece which doubles the thickness of the front edges for a width of from 1 to 2 inches. You must always allow extra stitches for the front facing pieces and if there is to be an overlap additional stitches must be allowed for it. If for example one front piece overlaps the other by 2 inches, each front piece would need to be 1 inch wider.

WANTED.....

SALESPEOPLE AND KNITTING OWNERS TO SELL AND TEACH KNITTING. IF YOU CAN DO EITHER OR BOTH WRITE TO KNITTING, 1128 CRENSHAW BLVD., LOS ANGELES, CALIF. 90019, FOR FULL INFORMATION.


YOU'LL JUST LOVE . . .

KNITKING®

**Push-Button
Dial-A-Stitch**

**the modern handknitter
with the new Coordinated Ribber**

Easiest, by far, to learn to use efficiently **✂** Does more jobs,
 takes less time, requires less space **✂** Needs no weights, clamps,
 or combs in its operation **✂** Will not drop stitches (it has spring-
 catch needles) **✂** Automatically creates Jacquard, Fair Isle and
 argyle patterns **✂** Takes all kinds of yarns (even mohair, looped
 or plain; straw, ribbon, angora, synthetics, cotton, wool, etc.) **✂**
 arrives complete with Home Study Course, instruction books,
 tools **✂** Designs and patterns for the whole family come to you
 monthly in Knitking's magazines **✂** Does a multitude of fancy ribs
 for you **✂** Floating row-counter can be pre-set and signals when
 knitting is complete **✂** Dial-A-Stitch gives you a choice of stitches
 multicolor, if you wish) with the push of a button **✂** New
 Coordinated Ribber and self-adjusting yarn-feeder knits and purls
 at the same time, with one movement of the slide **✂** With the new
 fully automatic push-button **KNITKING**, you can knit sweaters,
 socks, coats, dresses, rugs **✂** It's so easy to knit a dress and wear
 it all in a single day



Write to **Knitking for more information**
28 Crenshaw Boulevard, Los Angeles 19, Calif.,


EXPLANATION OF TERMS AND DIAGRAMS USED WITH PATTERNS

Before you begin a garment, we advise you to read through the following remarks. This will make it easier for you to follow the diagrams.

It is especially important that you measure by the gauge which precedes each pattern, because the suggested knitting yarns may not always give the desired measurements. Should you vary from the given measurements, make the necessary adjustments by altering the machine setting.

Increases and decreases in the middle of a garment are presented in the following manner:

Increasing and decreasing stitches: For example, for waist shaping:



open dart



closed dart



= One-sided increase of rows: For example, for diagonally worked darts, etc.

Certain H.P. and eyelet designs are sketched in the knitting patterns. The pattern should be read as the work comes toward you from the machine; that is, if you have purl stitches before you, it will say purl stitches in the pattern. If you have knit stitches before you, it will say knit stitches in the pattern.

On the sides of the pattern are the row numbers. Missing row numbers indicate that the rows are to be worked evenly. In eyelet design the empty needles are in working position; in H.P. design, the same needles are in hold position.

SYMBOLS

- = knit stitch
- ▣ = purl stitch
- = empty needle (still in working position)
- ⊠ = needle out of operation
- ◻ = needle in hold position
- ⊞ = stitch put on neighboring needle. Needle in hold position
- ⊟ = stitch put on neighboring needle — to the right
- ⊡ = stitch put on neighboring needle — to the left
- ⊞⊟⊡ = 3 stitches hung together

Available in many wood finishes



KNITTING DESK . . .

A knitting machine cabinet that automatically lifts your machine into the knitting position just by pulling a lever. The cabinet converts in seconds into a handsome desk suitable for any decor or any room in your house. Beautifully made in a variety of woods by craftsmen in West Germany.



Order from your local dealer or direct from **KNITKING**, 1128 Crenshaw Blvd., Los Angeles, California 90019