







Pattern No. AU13-9 See page 15

Pattern No. AU13-10 See page 16









-mpisal **INTERNATIONAL KNITWEAR COLLECTION** LONDON PARIS HAMBURG NEW YORK SYDNEY

STRIPED PATTERNED SLEEVELESS TOP: Pattern No. AU13-1 - Cover



32(34-36-38)

MATERIALS: 5(5-6-6) balls PATONS Bluebell Crepe Main Color (MC).

3(3-4-4) balls PATONS Bluebell Crepe 1st/Contrast (C1).

3(3-4-4) balls PATONS Bluebell Crepe 2nd Contrast (C2).

3(3-4-4) balls PATONS Bluebell Crepe 3rd Contrast (C3).

MEASUREMENTS: To fit 32 (34-36-38) in bust. Actual meas. ins. Length 17(17-18-18¹/₂) ins.

TENSION: T8 = 7 sts and $9\frac{1}{2}$ rows to 1 in of st st.

PATTERN: With C1 *Cams on 111 (KH91) on 2 (KH600) (this is Holding pos). Press buttons 4.8, set lever, knit 3 rows. Cams on knit, knit 1 row.* With C2 **Cams on Holding, press buttons 2.6, set lever, knit 3 rows. Cams on knit, knit 1 row.** With C3 knit from * to *. With MC work from ** to **.

BACK: Cast on in 1 x 1 rib 112(119-126-133) sts. Rib

 $2\frac{1}{4}$ ins. Transfer sts to main bed. R/C on 0. Work in patt to row 112(126-133) rows or length required. SHAPE ARMHOLE: R/C on 0. Cast off 6 sts at the beg of the next 2 rows. Dec 1 st at ea end of the next 4 rows, then dec 1 st at ea end of alt rows 2(3-3-4) times.* Cont to row 96(96-100-104). SHAPE SHOULDER: Cast off 7(7-8-8) sts at the beg of the next 4 rows; 7(8-8-9) sts at the beg of the next 4 rows. Knit 1 row and cast off.

FRONT: Work as back to *. Cont to row 16 and DIVIDE FOR NECK: Cast off the centre 20(21-24-25) sts. Knit off sts furthest from carr on waste yarn and push needles into A pos. **Work on rem sts dec 1 st at neck edge on alt rows 6 times. Cont to row 96(96-100-104). SHAPE SHOULDER: Cast off 7(7-8-8) sts at the beg of the next and alt row; 7(8-8-9) sts on foll alt rows twice. Knit 1 row and cast off. Knit other side to correspond reversing all shapings.

NECK BAND: Join one shoulder. Pick up sts evenly around neck edge *on T5.2 work 7 rows;on T8.K1 row; T5.2K 7 rows and cast off loosely.*

SLEEVE BANDS: Join other shoulder. Pick up sts evenly around sleeve edge and work from * to * of Neck Band.

TO MAKE UP: Sew up side seams. Catch down bands on wrong side.

PINAFORE FROCK: Pattern No. AU13-2 - Cover



MATERIALS: 23(24-25) balls PATONS Totem Main Color (MC).

2 balls PATONS Bluebell Crepe Main Color (MC).

3 balls PATONS Totem Contrast Color (CC). 4 large buttons. Hat elastic for waist.

MEASUREMENTS: To fit 32 (34-36) in bust. Length 40 ins. TENSION: T10 = $6\frac{1}{2}$ sts and $8\frac{1}{2}$ rows to 1 in.

PATTERN: STRIPES = 18 rows MC, 2 rows CC.

BACK: Using Bluebell Crepe cast on with a selvedge edge 134(140-146) sts. On T8 knit 20 rows. R/C on 0. T10 Change to Totem MC, and work in stripes as patt throughout. Knit 28(18-18) rows. Dec 1 st at ea end of row on this and every 10th row to row 138. Knit to row 146. Dec 1 st at ea end of row on this and every foll 8th row until R/C reads 202. Knit to row 204 and place markers ea end. Knit straight to row 218. R/C on 0. Inc 1 st at ea end of row on the 8th and every foll 8th row 8 times altog. (all sizes). Knit to row 74. R/C on 0. SHAPE ARMHOLE: At the beg of the next 2 rows cast off 6 sts. Dec 1 st at ea end of row on every row 3(3-4) times. Dec 1 st ea end of every alt row 2(3-3) times. Knit straight to row 68(72-74). SHAPE SHOULDER: Cast off 6(6-7) sts at the beg of the next 8(6-8) rows; cast off 0(8-0)sts at the beg of the next 2 rows. Take work off on waste yarn 33(38-38) sts for back neck.

FRONT: Work same as Back to row 218. R/C 0. DIVIDE FOR FRONT OPENING: RIGHT FRONT: Carr on right. Counting from left edge, take 39(41 -44) sts off on waste yarn. Working on rem 55(57-60) sts knit 1 row. Cast on 16 sts and knit 1 row. Carr on right. Left cam on 111 right on 1 (KH91) on 4 (KH600) Push the 16th needle from the left edge to E pos every alt row (Turning ridge) AND AT THE SAME TIME inc 1 st on right edge on every 8th row 8 times for all sizes. Make buttonholes on row (size 32) 8 and 44; (size 34) 10 and 46; (size 36) 12 and 48, as follows — counting from left edge and using a separate length of yarn, cast off 8 sts starting from the 5th st from left, leave 7 sts, cast off 8 sts, then cast on by winding wool around needles over the empty needles. Knit till row 74. R/C on 0. SHAPE ARM-HOLES: Cast off 6(6-6) sts on right edge at beg of the next row. Knit 1 row dec 1 st on the right edge every row 3(3-4) times and dec 1 st on the same edge every alt row 2(3-3) times AT THE SAME TIME make 2 more buttonholes on row (size 32) 6 and 42 (size 34) 8 and 44 (size 36) 10 and 46. Cont to pull the 16th needle from edge to E pos every alt row knit to row 48(50-52) SHAPE NECK: Knit 1 row for carr on the left. Cast off 34(33-33) sts for neck. Dec 1 st at neck edge every row 4 times; every alt row 3

times, then every 3rd row 3 times. Knit till row 68(72-74). SHAPE SHOULDER: Carr on right. Cast off 6(6-7) sts at the beg of every 2nd row 4(3-4) times and 0(8-0) sts once. LEFT FRONT: Put the 39(41-44) sts from waste yarn back onto machine. R/C on 0. Carr on right. Cast on 16 sts at right edge. Keeping continuity of patt stripe inc 1 st on left edge every 8th row 8 times. Knit to row 74. R/C on 0. SHAPE ARMHOLES: On left edge cast off 6(6-6) sts, dec 1 st on the same edge every 2nd row 2(3-3) times. Knit to row 48(50-52). SHAPE NECK: On right edge cast off 18(17-17) sts. Dec 1 st on same edge every 3rd row 3 times. SHAPE SHOULDER: Work as right front reversing all shapings.

ARMHOLE FACING: Join Shoulders. Pick up, wrong side facing, 129(133-137) sts. On T7 with Bluebell Crepe knit 2 rows; T8 knit 2 rows; T9 knit 2 rows; T10 knit 2 rows. Take work off on waste yarn.

NECK FACING: On right front miss 34(33-33) sts, pick up 31(33-35) sts; 33(38-38) back neck sts and 43(45-47) on left front neck. On T8 using Bluebell knit 4 rows; T9 knit 2 rows; T10 knit 2 rows. Take work off on waste yarn.

TO MAKE UP: Sew up side seams. Turn in Armhole Facing includ 1 totem st and catch down through open sts. Turn right front on turning ridge and catch down on wrong side, slip st at neck edge. Turn under 1 st of totem and neck facing catch down. Finish off buttonholes. Sew left side facing (16 sts) to right side facing at waist. Turn hem to 1st Contrast stripe. Thread 2 rows of hat elastic at the marked rows at waist and pull in to size. Sew on buttons on the 12th st of left front. Crochet 1 row dc on this edge to prevent stretching.

AZALEA SKIVVY:

Pattern No. AU13-3 - Cover



MATERIALS: 11(12-12) balls PATONS Azalea.

MEASUREMENTS: To fit 32 (34-36) in bust. Sleeve seam 17(18-18) ins.

TENSION: T5 = 8 sts and 11 rows to 1 in st st. T4 on ribber.

BACK: Cast on in 1 x 1 rib $136(144-15^2)$ sts. On T3 knit 20 rows (all sizes). On T4 knit

until R/C reads 104 (110-114). Transfer sts to main bed. R/C on 0. On T5 knit 34 rows st st (all sizes). R/C on 0. SHAPE ARMHOLE: Cast off 8 sts at the beg of the next 2 rows. Then dec 1 st at ea end of every row 0(3-4) times; every 2nd row 4(3-4) times. Knit straight to row 80(84-86). SHAPE SHOULDER: Cast off 5(6-6) sts at the beg of the next 10(10-12) rows. Cast off 8(4-0) sts at the beg of the next 2 rows. Take off rem sts on waste yarn.

FRONT: Work same as back to row 60(62-64) of armhole. SHAPE NECK: Take off on waste yarn the centre 18(20-20) sts. Carr on the right. Cams on 111 (KH91) on 2 (KH600). Push sts furthest from carr to E pos. Work on rem sts. Cast off 2 sts at neck edge on the next and alt row twice altog. (all sizes). Dec 1 st at same edge on every row 5 times; every 2nd row 5 times (all sizes). Knit straight to row 80(84-86). SHAPE SHOULDER: Carr on the right. Cast off 5(6-6) sts every alt row 5(5-6) times. Cast off 8(4-0)sts at the beg of the next alt row. R/C on 60(62-64). Work other side to correspond reversing all shapings.

SLEEVES: Cast on with waste wool 92(96-100) sts. Knit a few rows. Change to MC. On T5 knit 160(166-166) rows AT THE SAME TIME inc 1 st at ea end of every 10th row 10 times (all sizes). R/C on 0. SHAPE TOP: Cast off 8 sts at the beg of the next 2 rows. Dec 2 sts at ea end of every 4th row until R/C reads 52(54-56). Cast off 2 sts at the beg of the next 4 rows. Cast off 3 sts at the beg of the next 6 rows. Cast off rem 18(20-22) sts.

POLO NECK: Put sts from back neck back onto machine wrong side facing at right side of machine. Pick up 33(33-34) sts along right side neck, 18(20-20)sts centre neck and 33(33-34) sts left side of neck. T5 knit 1 row. Arrange sts for 1 x 1 rib. T5 knit 7 rows; T4 knit 7 rows; T3 knit 7 rows; T2 knit 18 rows; T3 knit 7 rows; T4 knit 7 rows; T5 knit 7 rows. Cast off very loosely.

CUFFS: Pick up sts from waste thus— knit 6(8-10) sts knit 2 tog till last 6(8-10) sts. T3 knit 68 rows; T10 knit 1 row and cast off loosely.

TO MAKE UP: Join shoulders, Join Polo neck. Set in sleeves. Sew up side and sleeve seams. Turn cuff to wrong side and catch down. Steam press lightly on wrong side. Do not press ribbing.

FANCY PATTERN PANTS SUIT: Pattern No. AU13-4



MATERIALS: TOP: (Long Sleeves) 19(19-20) balls PATONS Bluebell Crepe Main Color (MC). 2(2-2) balls Contrast (CC). (Short Sleeves) 16(16-17) balls PATONS Bluebell Crepe. PANTS: 17(17-18) balls PATONS Bluebell Crepe. Elastic for Waist.

MEASUREMENTS: Top: To fit 32(34-36) in Bust. Length 28 (28¹/₂-29) ins. Sleeve seam 17 ins (all sizes.)

PANTS: Inside leg seam 27¹/₄ ins. Outside seam 40 ins. Waist 24(26-28) ins. Hips 34(36-38).ins.

TENSION: TOP: T8 = 7 sts and $9\frac{1}{2}$ rows to 1 in. PANTS: T7.1 = 7 sts and 10 rows to 1 in.

PATTERN: Press buttons 1.5. *Slide dial on 1, set lever, move Lacemaker (LM) from L to R; knit 2 rows. Slide dial on 3, set, LM from R to L knit 2 rows.* Rep from * to * for patt.

- BACK: Cast on 109(116-123) sts in waste yarn, knit 3 rows in waste and 1 row in main yarn. T6 knit 1 row. HEM CORNER SHAPING: inc 1 st at ea end of every alt row to 121(128-135) sts. Knit 1 row; T8 knit 1 row; T6 knit 1 row. Dec 1 st at ea end of every alt row to 109(116-123) sts. Knit 2 rows and close hem. T8 R/C on 0. Knit 2 rows. Knit in patt to row 80 then cont in st st. Cast on 6 sts at the beg of the next 2 rows. Knit 6 rows. *Dec 1 st at ea end, knit 8 rows.* Rep from * to * to row 128. Knit to row 140. *Inc 1 st at ea end, knit 10 rows.* Rep from * to * to row 180. SHAPE ARMHOLE: R/C on 0. *Dec 2 sts at ea end (5th & 4th sts onto 7th & 6th sts) knit 4 rows.* Rep from * to * 6(7-8) more times. Knit to row 64(68-72). SHAPE SHOULDER: Cast off 5 sts at the beg of the next 10(12-12) rows. Take work off on waste yarn.

FRONT: Knit front as back to row 150. DIVIDE FOR FRONT OPENING: Take the centre 12 sts off on waste yarn. Cams on 111 (KH91) on 2 (KH600) Push sts furthest from carr to E pos. Work on rem sts. Inc 1 st on side edge, knit 6 rows. Make hole for string lacing - transfer 3rd st onto 2nd from front edge. Make hole every foll 12th row 5 times altog. AT THE SAME TIME knit 4 rows. *Inc 1 st at side edge knit 10 rows.* Rep from * to * once more to row 180. SHAPE ARMHOLE: R/C on 0. *Dec 2 sts at armhole edge (as in back) knit 4 rows.* Rep from * to * 6(7-8) more times. Knit to row 50(52-54). SHAPE NECK: Dec 1 st at neck edge on ea alt row until 25(30-30) sts rem AT THE SAME TIME start SHOULDER SHAPING at row 64(68-72). Cast off 5 sts at armhole edge every alt row 5(6-6) times. R/C on 150. Work other side to correspond reversing all shaping.

SLEEVES (Long): Cast on in waste yarn 20(22-24) sts. Work hem as in Back making CORNER SHAPING on left side only. Inc 1 st on left side ea alt row 6 times. T8 knit 1 row. T6 knit 1 row dec 1 st on ea alt row 6 times altog. T8 knit 1 row and close hem. Make hole for string lacing (as on front) on left side and every 12th row 4 times altog. R/C on 0. Knit 6 rows. *Inc 1 st at right side knit 6 rows.* Rep from * to * 5 more times to row 42. Take work off on waste yarn. Knit other half of sleeve to correspond reversing all shapings. With side of CORNER SHAPING towards middle, put 1 part of sleeve back onto machine, cast on 12 sts then put other part of sleeve onto machine making 64(68-72) sts. R/Ĉ on 42. *Inc 1 st at ea end knit 6 rows.* Rep from * to * to row 60. *Inc 1 st at ea end knit 10 rows.* Rep from * to * to row 140 (all sizes). SHAPE TOP: *Dec 2 sts at ea end (as on Back) knit 4 rows.* Rep from * to * 5(6-7) more times. Dec 2 sts at ea end, knit 2 rows. Cast off 8 sts at beg of the next 6 rows, cast off rem sts.

SHORT SLEEVES: Cast on in waste yarn 29(31-33) sts. Knit hem as in Back working CORNER SHAPING as in Long Sleeve on left side only. Close hem. R/C on 0. Make hole for string-lacing on left side now, then every 12th row 3 times altog AT THE SAME TIME inc 1 st at right edge every 3rd row to row 24 (make hole on left side) R/C on 0. SHAPE TOP: *Dec 2 sts at right side (as in Back) knit 4 rows.* Rep from * to * 3 more times (make hole on left at row 12). Take work off on waste yarn. Knit other half of sleeve to correspond reversing all shapings. With side of Corner Shaping towards middle, put 1 part of sleeve back onto machine, cast on 12 sts then put other part of sleeve onto machine making 70(74-78)sts. R/C on 16. *Dec 2 sts at ea end (as in Back) knit 4 rows.* Rep from * to * 1(2-3) more times. Dec 2 sts at ea end knit 2 rows. Cast off 8 sts at the beg of the next 6 rows. Cast off rem sts.

FACING FOR SLIT SIDES: (Knit 4): Pick up 64 sts evenly along side from closing row of hem to cast on sts at end of patt panel. **On T6 knit 2 rows, make CORNER SHAPING on side of hem only. Inc 1 st at side of hem every alt row 6 times altog. Knit 1 row, On T8 knit 2 rows; T6 knit 1 row. Dec 1 st at side of hem every alt row 6 times altog. Knit 2 rows and cast off** FACING FOR SLIT SIDES OF SLEEVES: (Knit 4): Pick up 34 sts evenly from closing row of hem to cast on sts. Rep from ** to ** of facing for slit sides. FACING FOR FRONT OPENING: Pick up 59(62-65) sts evenly along front opening to start. of NECK SHAPING. Rep from ** to ** making Corner Shaping on neckside only.

NECK BAND: Pick up 60(64-68) sts evenly along neck edge. Rep from ** to ** making corner shaping on both sides.

TO MAKE UP GARMENT: Join all corners on all facings, turn facings in and fasten. Join straight side of edgings onto cast on sts. Turn neck band in and sew on. Sew in sleeves; sew up side and sleeve seams. Make cords for sleeves and neck.

PANTS: Cast on 134(140-147) sts in waste yarn. Knit 3 rows in waste and 1 row in main yarn. T6 knit 12 rows; T8 knit 1 row; T6 knit 13 rows. Close hem. Carr on right. R/C on 0. T7.1 knit 2 rows. Start patt and knit to row 20. *Dec 1 st at ea end, knit 20 rows.* Rep from * to * 2 more times. Knit in st st. *Dec 1 st at ea end knit 10 rows.* Rep from * to * to row 160. Knit 10 rows inc at front edge 1 st ea 10th row AT THE SAME TIME at back edge 1 st ea 6th row to row 242 (all sizes). Knit 18 rows. CRUTCH: R/C on 0. Dec 1 st at front edge on ea alt row AT THE SAME TIME at back edge on ea 4th row to row 24. Knit to row 36. *Dec 1 st at ea end knit 10 rows.* Rep from * to * to row 106. SHAPING BACK PANTS: Cams on 111 (KH91) on 2 (KH600). Push 50 sts at opp end to carr from front edge to E pos. Knit 2 rows (always bringing yarn under 1st inner needle in E pos to avoid making a hole). *Push 8 more sts to E pos knit 2 rows.* Rep from * to * 3(3-4) more times. Cams on knit. Knit 2 rows. T6 knit 12 rows, make Picot Hem row, knit 1 row. T5.1 knit 8 rows and cast off. Knit other leg to correspond reversing all shapings.

TO MAKE UP: Sew up leg seams to crutch. Sew up front and back seam. Turn top on picot hem row. Put in elastic and catch hem down.

FROCK WITH PATTERNED SKIRT:

Pattern AU13-5



MATERIALS: 15(16-18) balls PATONS Bluebell Crepe Main Color (MC). 7(8-9) balls PATONS Bluebell Crepe 1st Contrast (C1). 3(3-4) balls PATONS Bluebell Crepe 2nd Contrast (C2). 2(2-3) balls PATONS Bluebell Crepe 3rd Contrast (C3). 2 buttons; 6 in zip. MEASUREMENTS: To fit 32

(34-36) in bust. Length 38 ins. Sleeve seam $17\frac{1}{2}$ ins. TENSION: T8 = 7 sts and $9\frac{1}{2}$ rows to 1 in.

PATTERN: Push every 8th needle into A pos. *With MC knit 1 row. Knit 4 rows with C1. 1 row in C2; 1 row in C1; 1 row in C3; 4 rows in C1; 1 row with MC; 2 rows C1; 1 row C2; 1 row C1; 1 row C2; 1 row C3; 1 row C1; 1 row C2; 1 row C1; 1 row C2; 1 row C1.* Rep from * to * for patt.

SKIRT (Make 2): Arrange needles as for patt. Cast on in waste yarn 139(146-153) sts. Knit 3 rows in waste and 1 row in C1. T6 knit 13 rows C1. R/C on 0. Start patt. Knit to row 12 and close hem. T8 cont in patt to row 156 and take work off on waste yarn.

BACK FROCK: Put sts from waste of 1 part of skirt back onto machine using every needle making 124 (128-134) sts. R/C on 0. With MC and st st knit 6 rows. *Transfer the 37th and 39th sts onto the 38th st on both sides; move all sts inwards and fill empty needles AT THE SAME TIME dec 1 st at ea end. Knit 8 rows.* Rep from * to * 5 more times making ea dart dec on same st (not needle) as previous. Knit to row 70. *Move 26 sts on both edges outwards incl st on ea empty needle AT THE SAME TIME inc 1 st at ea end knit 8 rows.* Rep from * to * 6 more times adding 2 sts to the number of sts moved outwards ea time. Knit to row 130. SHAPE ARMHOLES: R/C on 0. Cast off 4 sts at the beg of the next 2 rows, knit 2 rows. *Dec 2 sts at ea end knit 4 rows.* Rep from * to * to row 20(24-28) DIVIDE FOR BACK OPENING: Cams on 111 (KH91) on 2 (KH600). Push needles at opp end to carr to E pos. Work on rem sts. *Dec 2 sts at armhole edge knit 4 rows.* Rep from * to * to row 76(80-84). Take work off on waste yarn. Knit other side to correspond reversing all shapings.

FRONT-FROCK: Work as Back to row 128 (2 rows below armhole shaping) Make BUST DART: Cams on 11 (KH91) on 1 (KH600). *Push 5 sts at opp end to carr to E pos knit 1 row* (always bring yarn under 1st inner needle in E pos to avoid making a hole). Rep from * to * 5(7-9) more times. Push needles at opp end to carr to C pos and knit 1 row. Cams on Knit. Knit 1 row. SHAPE ARMHOLE: R/C on 0. Cast off 4 sts at the beg of the next 2 rows. Knit 2 rows. *Dec 2 sts at ea end knit 4 rows.* Rep from * to * to row 56(60-64). SHAPE NECK: Take off 22(22-24) centre sts on waste yarn. Cams on 111 (KH91) on 2 (KH600). Push sts furthest from carr into E pos and work rem sts. Cont raglan shapings as before AT THE SAME TIME dec 1 st at neck edge on every row 6 times altog, then on every alt row twice. Then cont raglan shapings only until 1 st rem. Fasten off.

SLEEVES: Cast on in waste yarn 48(52-56) sts knit 3 rows in waste and 1 row in main yarn. T6 knit 10 rows; T8 knit 1 row; T6 knit 6 rows; T8 knit 1 row and close hem. R/C on 0. *Inc 1 st at ea end knit 6 rows.* Rep from * to * to row 150. SHAPE RAGLANS: Cast off 3 sts at beg of the next 2 rows, knit 2 rows. *Dec 2 sts at ea end knit 4 rows.* Rep from * to * to row 76(80-84). Take work off on waste yarn.

NECK BAND: Sew up raglan seams. With wrong side facing pick up 102(106-110) sts around neck edge. T6 knit 7 rows; T8 knit 1 row; T7 knit 8 rows and cast off.

POCKET FLAPS: (Knit 2). Cast on in waste yarn 30 sts knit 3 rows waste and 1 row in main yarn. T6 knit 5 rows; T8 knit 1 row; T6 knit 5 rows; T8 knit 1 row and close hem. Knit 24 rows and cast off. For side edgings of flaps, with wrong side facing, pick up 20 sts evenly along side of flap. T5 knit 5 rows; T8 knit 1 row; T6 knit 6 rows and cast off.

TO MAKE UP: Sew up side and sleeve seams. Sew in zip. Turn in neckband and catch down. Sew on pocket flaps; turn edging of flaps and catch down. Work 1 row of ch st into all vertical open rows in skirt with MC.Press lightly.Sew on buttons on pocket flaps.

MATRON'S FROCK:

Pattern No. AU13-6



MATERIALS: 26(28-30) balls PATONS Bluebell Crepe 5 ply 20 in Zipper.

MEASUREMENTS: To fit 34 (36-38) in bust. 36(38-40) in Hip. Length $39\frac{1}{2}(40-40\frac{1}{2})$ ins. Sleeve Seam 18 ins (all sizes). TENSION: T8 = $6\frac{1}{2}$ sts and 13 rows to 1 in over patt.

PATTERN: *Cams on 111

(KH91) on 2 (KH600). (HOLDING) Press buttons 1.5. Set lever knit 2 rows. Cams on Knit, knit 1 row. Cams on Holding; press buttons 2.5.8. Set. Knit 2 rows. Cams on Knit, knit 1 row. Cams Holding, buttons 3.5.7. Set. Knit 2 rows. Cams on Knit, knit 1 row. Cams Holding, buttons 3.5.7. set, knit 2 rows. Cams Knit, knit 1 row. Cams Holding, buttons 2.5.8. set, knit 2 rows. Cams Knit, knit 1 row. Cams Holding, buttons 1.5., set, knit 2 rows. Cams Knit, knit 1 row.* Rep for pattern.

BACK: Cast on with a selvedge edge 124(131-138) sts. Knit 1 row. T6 knit 16 rows. T8 R/C on 0. Knit in pattern to row 234. *Dec 1 st at ea end knit 6 rows.* Rep from * to * to row 270(276-282). DIVIDE FOR BACK OPENING: Take half the sts furthest from carr off on waste yarn and work on rem sts. *Dec 1 st on side edge knit 6 rows.* Rep from * to * to row 294. Knit to row 330. *Inc 1 st at side edge, knit 12 rows.* Rep from * to * to row 408. Knit to row 420. R/C on 0. SHAPE ARMHOLE: Cast off 3 sts at the beg of the next row, knit 3 rows. *Dec 1 st at armhole edge knit 3 rows.* Rep from * to * to row 54. *Dec 1 st at armhole edge knit 6 rows.* Rep from * to * to row 72. *Dec 1 st at armhole edge knit 3 rows.* Rep from * to * to row 99(105-111). *Dec 2 sts at armhole edge knit 3 rows.* Rep from \star to \star to row 108(114-120). Take work off on waste yarn. Put left side back sts from waste back onto machine making sure to match patt and knit to correspond reversing all shapings.

FRONT: Cast on 124(131-138) sts with selvedge edge. Knit 1 row. Knit as Back to row 330 omitting back opening. *Inc 1 st at ea end knit 12 rows.* Rep from * to * to row 426(432-438). R/C on 0. SHAPE ARMHOLE: Cast off 3 sts at the beg of the next 2 rows. Knit 1 row. *Dec 1 st at ea end, knit 3 rows.* Rep from * to * to row 54. *Dec 1 st at ea end knit 6 rows.* Rep from * to * to row 72. *Dec 1 st at ea end, knit 3 rows.* Rep from * to * to row 90(93-96). SHAPE NECK: Take off 47(51-54) sts on waste varn at opp end to carr. **Dec 1 st at armhole edge knit 3 rows. *Dec 2 sts at neck edge and 1 st at armhole edge, knit 3 rows.* Rep from * to * once. *Dec 1 st at neck edge and 2 sts at armhole edge, knit 3 rows. Rep from * to * to last st and take off.** For other shoulder put 17(20-23) sts from waste from back armhole edge back onto machine, making sure to match patt then rep from ** to ** reversing all shapings.

SLEEVES: Cast on 47(51-54) sts knit 1 row. T6 knit 10 rows; T8 R/C on 0. Knit in patt 9 rows. *Inc 1 st at ea end knit 9 rows.* Rep from * to * to row 222 (all sizes). SHAPE ARMHOLE: R/C on 0. Cast off 3 sts at the beg of the next 2 rows. *Dec 1 st at ea end knit 3 rows.* Rep from * to * to row 54. *Dec 1 st at ea end knit 6 rows.* Rep from * to * to row 72. *Dec 1 st at ea end knit 3 rows.* Rep from * to * to row 108(114-120). Take work off on waste yarn.

COLLAR: Sew in sleeves. With wrong side facing pick up 112(119-126) sts evenly around neck, knit 1 row. R/C on 0. T7 knit in pattern to row 30. T8 Patt to row 54; T8 knit in st st to row 64. T7 to

row 74; T6 to row 90. Cast off loosely.

TO MAKE UP: Turn collar to outside and stitch down; sew up sides of collar. Sew up side seams, 3 ins from armhole in front ease in 6(12-18) rows. Sew up sleeve seams. Turn hem on frock and sleeves and catch down. Sew in zip to neck.

TO MAKE UP: Sew up side and back seams. Wrong side facing pick up sts evenly along front and work 12 rows st st with MC and T7 for facing. Sew in 2 darts at waist in back and 1 dart on ea front. Turn hems top and bottom and catch down. Put elastic in waist. Turn under and catch down facings. Sew on hooks and eyes at waist to hold lap-over front in pos.

WOVEN SKIRT:

Pattern No. AU13-7



MATERIALS: 13(13-14) balls **PATONS** Patonyle Petite Violet (MC).

5(6-6) balls PATONS Katie Harlequin Mauve (S).

3(4-4) balls PATONS Katie Light Navy (D).

MEASUREMENTS: Waist 24(26-28) ins. Hips 33(35-37) ins. Length 231/2(241/2-251/2) ins.

TENSION: T6.1 = 7¹/₂ sts and $10\frac{1}{4}$ rows to 1 in.

PATTERN: Set knitter for weaving. *Slide dial on 1. Press buttons 1.3.5.7. **Set lever and weave 1 row with D.** Rep from ** to ** once more. Press buttons 1.3.5. Set lever and weave 1 row with S. Slide dial on 2, set lever weave 1 row with S. Proceed in this fashion moving slide dial one number more ea row finishing on No. 6. Press buttons 1.3.5.7. set lever and rep from ** to ** twice. Slide dial on 6, press buttons 1.3.5. Weave in S. Proceed to move slide dial one number back ea row to 1 incl.* Rep from * to * for patt.

BACK (Make 2): Cast on in waste yarn 82(89-96) sts. Knit a few rows. On T6.1 knit in st st 12 rows MC. R/C on 0. Start weaving patt. Work 32 rows then dec 1 st at ea end of the next and every foll 13th row 16 times altog. Knit until R/C reads 240(250-260). With MC and st st knit 8 rows on T7. Cast off.

RIGHT FRONT FLAP: Cast on in waste yarn 110 (117-124) sts. Knit a few rows. On T6.1 with MC and st st knit 8 rows. R/C on 0. Start weaving patt inc 1 st on the right side every 3rd row 6 times. Knit to row 32 (all sizes). Then dec 1 st at left side every 8th row to 90(97-104) sts. Knit to row 240(250-260). On T7 with MC and st st knit 8 rows and cast off.

LEFT SIDE FLAP: Cast on in waste yarn 86(93-100) sts and knit a few rows. On T6.1 with MC and st st knit 8 rows. R/C on 0. Start weaving patt. Work 32 rows then dec 1 st on right side every 7 th row until 56(63-70) sts. Knit until R/C reads 240(250-260). On T7 with MC and st st knit 8 rows. Cast off.

FROCK WITH FAIR ISLE SKIRT AND BOLERO:

Pattern No. AU13-8



MATERIALS: FROCK: 18(20-22) balls PATONS Bluebell Crepe Main Color (MC).

2(3-3) balls PATONS Bluebell Crepe Dark Color (D).

4(5-5) balls PATONS Bluebell Crepe Light Color (L). 9 buttons. 18 in zipper. Buckle.

JACKET: 5(5-6) balls PATONS Bluebell (MC).

1(2-2) balls PATONS Bluebell (D). 2(3-3) balls PATONS Bluebell (L).

MEASUREMENTS: To fit 32(34-36) in bust. Frock length 39(39¼-39½) ins. Sleeve seam 17 ins (all sizes). Jacket length 16 ins (all sizes).

TENSION: Skirt tension T7.2 = $7\frac{1}{2}$ sts and $9\frac{1}{3}$ rd to 1 in. Frock top tension T8 = 7 sts and $9\frac{1}{2}$ to 1 in. Jacket T8 = 7 sts and $9\frac{1}{2}$ rows to 1 in.

PATTERN: Set machine for Fair Isle.

- 1. Put MC through yarn feed and use D for Fair Isle.
- 2. Press buttons 1.2.3. set lever and knit 1 row.
- 3. Press buttons 4.8. set and knit 1 row.
- 4. Press buttons 5.7. set and knit 1 row.
- 5. Press button 6 set and knit 1 row.
- 6. Change yarn in feed to L and use MC for Fair Isle.
- *Press buttons 2.4.5.7.8. set and knit 2 rows.
 Release Part Buttons and knit 2 rows st st with L.*
 Push in Part Buttons and rep from the transmission of the statement of t
- Push in Part Buttons and rep from * to *.
- 10. Push in Part Buttons. Press buttons 2.4.5.7.8. set and knit 2 rows.
- 11. Change yarn in feeder to MC and use D for Fair Isle.
- 12. Press button 6 and set knit 1 row.
- 13. Press buttons 5.7. set and knit 1 row.
- 14. Press buttons 4.8. set and knit 1 row.
- 15. Press buttons 1.2.3. set and knit 1 row. 18 rows in patt.

FROCK - BACK: Cast on in waste yarn 138(146-154) sts in waste yarn. Knit a few rows. On T7 with MC knit 17 rows. Set machine for Fair Isle, carr on left and knit 1 row. R/C on 0. T7.2 Start Fair Isle patt and knit to row 166. *Dec 1 st at ea end and

knit 10 rows.* Rep dec to row 206. **Dec 1 st at ea end and knit 6 rows.** Rep dec to row 230. Machine set for stocking stitch. Dec 1 st at ea end. Knit 2 rows in MC. DIVIDE FOR BACK OPENING: Carr on right. Cams on 111 (KH91) on 2 (KH600). Push half the sts on the left to E pos and knit on rem sts. R/C on 0. T8 and MC start Top. Knit to row 20. *Inc 1 st at armhole edge and knit 10 rows.* Rep this twice more. 63(67-71) sts. Knit to row 68 and SHAPE ARMHOLES: R/C on 0. Cast off 5 sts and knit 2 rows. Cast off 2 sts and knit 2 rows. Dec 1 st on same edge of every alt row to 48(50-52) sts. Knit to row 70(72-74). SHAPE SHOULDERS: Cast off 5 sts at the beg of every alt row 4 times. Knit 1 row and cast off. Cams on knit. Knit other side to correspond reversing shapings.

FRONT: Work as back to row 64 of TOP and make BUST DART: Cams on 11 (KH91) on 1 (KH600). *Push 6 sts at opp end to carr to pos E and knit 1 row (always putting yarn under 1st inner needle in E pos to avoid making a hole).* Rep from * to * until 12(18-24) sts are in E pos on ea side. Push needles at opp end to carr into C pos and knit 1 row. Put Cams on knit and knit 1 row (all needles back in B Pos). Knit 4 rows and SHAPE ARMHOLES: R/C on 0. Cast off 5 sts at the beg of the next 2 rows. Cast off 2 sts at beg next 2 rows. Dec 1 st at ea end of every alt row until 96(100-104) sts rem. Knit to row 58(60-62). SHAPE NECK: Push 35(37-39) sts furthest from carr into E pos. Cast off centre 26 sts. Cams on 111 (KH91) on 2 (KH600) knit 2 rows on rem 35(37-39) sts. *Dec 2 sts at neck edge knit 2 rows.* Rep this twice more. **Dec 1 st and knit 2 rows.** Rep this until 26(28-30) sts rem. Knit to row 70(72-74). Dec on neck edge once more. SHAPE SHOULDER: Cast off 5 sts at shoulder edge on every alt row 4 times. Knit 1 row and cast off. Knit other side to correspond reversing shapings.

SLEEVES: Cast on with selvedge edge 50(54-58) sts. R/C on 0. On T8 with MC knit 6 rows. *Inc 1 st ea end and knit 6 rows.* Rep from * to * to row 90. **Inc 1 st at ea end and knit 10 rows.** Rep from ** to ** to row 150. 90(94-98) sts. SHAPE TOP: R/C on 0. Cast off 5 sts at the beg of the next 2 rows; cast off 2 sts at the beg of the next 2 rows. *Dec 1 st at ea end of every alt row.* Rep to row 20. **Dec 1 st at ea end of every alt row.** Rep to row 32. Dec 1 st at ea end of every alt row to row 58(60-62) and cast off rem sts.

COLLAR: Cast on in 1 x 1 rib with MC 21 sts and rib $9\frac{1}{10\cdot10\frac{1}{2}}$ ins. Put 14 sts onto waste yarn and rib $14\frac{1}{15\cdot15\frac{1}{2}}$ ins on rem 7 sts. Cast off. LEFT SIDE OF COLLAR: Cast on 21 sts and rib 5(5 $\frac{1}{5}$ -6) ins.

MOCK TRIM ON SLEEVE: Cast on in 1 x 1 rib 7 sts and rib 15(16-17) ins for ea sleeve.

BELT: Cast on in $1 \ge 1$ rib 21 sts and rib required length. POINT: Dec 2 sts at ea end of every alt row to last st. Cast off.

TO MAKE UP: Sew in sleeves. Sew up side and sleeve seams. Turn up hem. Join mock trim to sts on waste at collar then sew left side of collar piece to right side under mock trim. Sew on collar; sew on mock trim down left side of frock to waist. Sew in zipper. Sew on mock trim on to sleeve approx $1\frac{1}{2}$ ins from seam on back side of sleeve 7 ins from edge of sleeve down to edge. Make a corner with approx 8 rows of trim, then cont round sleeve edge, catching trim to cast on edge. Sew on buttons. Sew buckle to belt.

BOLERO — BACK: Cast on in waste yarn 123 (130-137) sts. Knit 3 rows waste. On T7 with MC knit 11 rows. Carr on left. Set machine for Fair Isle knit 1 row. R/C on 0. T8 knit in Fair Isle patt. *Knit 10 rows inc 1 st at ea end.* Rep from * to * twice more. 129(136-143) sts. Knit to row 54. SHAPE ARMHOLE: R/C on 0. Cast off 6 sts at the beg of the next 2 rows. Cast off 5 sts at the beg of the next 2 rows. Dec 1 st at ea end of every alt row to 93(98-105) sts. Knit to row 78(80-82). SHAPE SHOULDER: Cast off 5 sts at the beg of the next 8 rows. Cast off rem sts.

FRONT: Cast on with waste yarn 62(68-74) sts. Knit as Back to ARMHOLE SHAPING inc on armhole side only. 65(71-77) sts. SHAPE ARMHOLE: R/C on 0. Cast off 6 sts knit 2 rows twice altog. Dec 1 st at every alt row to 46(50-54) sts. Knit to row 52(54-56). SHAPE NECK: Cast off 14(14-14)sts on neck edge knit 2 rows. Dec 2 sts on neck edge every alt row 3 times. Dec 1 st every alt row to 20(23-26) sts. Knit to row 78(80-82). SHAPE SHOULDER: Cast off 5 sts at shoulder edge every alt row 4 times. Cast off rem sts. Knit other side to correspond reversing all shapings.

BAND FOR EDGING: Cast on 7 sts in 1 x 1 rib. Rib for front and neck edging approx 44(45-46) ins. ARMHOLE BAND: $20(20\frac{1}{2}-21)$ ins ea.

TO MAKE UP: Join shoulders. Turn up and stitch hem through open sts. Join side seams. Hold edging band very tightly when sewing on to armhole, so that armhole will not be more than $20(20\frac{1}{2}\cdot21)$ ins. To make corner on neck — hold in approx 6 to 8 rows of band with 1 st onto corner, then cont sewing edging band around neck and down other side.

STRIPED SLEEVELESS SUIT WITH SCARF:

Pattern No. AU13-9



MATERIALS: 18(20-22) balls PATONS Patonyle 4 ply Main Color (MC). 3(3-3) balls PATONS Patonyle 4 ply 1st Contrast (C1). 1(2-2) balls PATONS Patonyle 2nd Contrast (C2). 4(4-4) balls PATONS Patonyle 3rd Contrast (C3). MEASUREMENTS: To fit 34 (36-38) in bust. Length 24 $(24\frac{1}{2}-25)$ ins - TOP. 24 ins (all sizes) - SKIRT.

TENSION: T6 = 8 sts and 12 rows to 1 in.

COLOR CHANGES: Start with MC; change on row 76 to C1; on row 82 to C2; row 84 C3; on row 112 C1; row 118 C2; row 120 MC; row 142 C1; row 148 C2; row 150 C3; row 178 C1; row 184 C2; row 186 MC. (Cont on MC to end of panel.) Knit 4 panels - 2 alike and 2 reversing the shaping.

JUMPER TOP: Carr on the left. Cast on with a selvedge edge 5 sts and knit 1 row. Work both edges at the same time as foll, watching the row counter for color changes. At right edge inc 1 st every alt row to row 50(54-58). At left edge, after every alt row, 1st time cast on 2 sts; 2nd time 3 sts and cont casting on 2 and 3 sts alt to row 50(54-58). Knit 2 rows, then work both edges at the same time. Right edge inc 1 st on this and every alt row to row 150(154-158). At left edge dec 1 st on this and every alt row to the end of panel. Carr on the left. SHAPE ARMHOLE AND NECK EDGE: Whilst dec 1 st on alt rows at the left edge as before, at the RIGHT edge shape as foll (from row 150(154-158) dec 1 st on this and alt rows 4(6-8) times altog. Then on every 4th row twice, then cont straight to row 174(178-182). Carr on the left. Inc 1 st on this and every 4th row 4 times altog; then every alt row 14 times. 214(218-222) rows. Knit 2 rows then dec 1 st on this and every alt row to row 232(236-240).) Knit 1 row and cast off.

SKIRT: Cast on with selvedge edge and using MC. 92(96-100) sts. T6 knit 66(72-76) rows. (Adjust length here.) After every 12th row dec 1 st at ea end 17 times altog, then cont straight to row 264(268-272). Transfer every alt st to adjacent needles. Push empty needles into A pos. On T4 knit 30 rows and take work off on waste yarn. Make 3 more panels.

SCARF: Cast on with a selvedge edge at left side of knitter 47 sts with MC. Dec 1 st at left edge and inc 1 st at right edge every alt row throughout. METHOD: With MC knit to row 29. Now foll striping patt as in jumper to length required, ending with 30 rows MC. Cast off.

TO MAKE UP: JUMPER TOP: Press lightly with a damp cloth. Join back and front panels; join shoulders; join side seams from armhole to top of side split. SKIRT: Join 4 panels leaving 1 seam open for zipper. Fold over waist band and catch down through open sts. Insert elastic in waist. BAND TO EDGE SKIRT AND JUMPER: Cast on in 1×1 rib 7 sts. Rib lengths required for neck, armholes, side splits and lower edge of Jumper Top, lower edge of Skirt. Attach with a fine back stitch and press lightly. Fringe Scarf.

LADY'S LONG LINE TOP: Pattern No. AU13-10



MATERIALS: 10(11-12) balls PATONS Bluebell Crepe 5 ply. Main Color (MC).

6(6-7) balls PATONS Bluebell Crepe 5 ply. 1st Contrast (C1). 5(6-6) balls PATONS Bluebell Crepe 5 ply. 2nd Contrast (C2). 10 in zipper and buckle.

MEASUREMENTS: To fit 32 (34-36) in bust. Length 28¹/₂ (29-29¹/₂) ins. Sleeve seam 16¹/₂ ins. (All sizes.)

TENSION: T8 = 7 sts and $9\frac{1}{2}$ rows to 1 in.

PATTERN: 16 rows MC, 16 rows C1, 16 rows C2.

BACK: Cast on 107(114-121) sts in waste yarn. On T8 knit 3 rows of waste and 1 row of MC; T6 knit 9 rows; T8 knit 1 row; T6 knit 9 rows. Close hem on T8.1. R/C on 0. With MC knit 8 rows. Start patt with C1 and cont keeping patt correct to row 72 (all sizes). Cast on 5 sts at right side of work. Knit 1 row and cast on 5 sts at left side. Knit to row 184 (all sizes). SHAPE ARMHOLE: R/C on 0. Cast off 3 sts at the beg of the next 2 rows. *Dec 2 sts at ea end by transferring the 2nd st onto the 4th and 1st onto the 3rd st.* Rep from * to * every 4th row to row 18. DIVIDE FOR BACK OPENING: Cams on 111 (KH91) on 2 (KH600). Push half the needles furthest from carr into E pos and knit on rem sts. Cont dec 2 sts at armhole edge every 6th row to row 42, then dec 2 sts every 4th row to row 86(90-94). Knit 6 rows and take work off machine on waste yarn. R/C on 18. Cams on 1 (KH91) on 3 (KH600). Knit other side to correspond reversing all shapings.

FRONT: Knit same as back to armhole shapings. R/C on 0. Cast off 3 sts at the beg of the next 2 rows. Dec 2 sts at ea end as before on every 4th row to row 66(70-74). SHAPE NECK: Cams on 111 (KH91) on 2 (KH600). Push 14(16-18) sts furthest from carr into E pos. Knit 1 row and cast off 11(14-17) sts. Cont armhole shaping as before, dec on neck edge 1 st on every alt row to 3 sts. Knit and dec to 1 st. Fasten off. Knit other side to correspond reversing all shapings.

SLEEVES: Cast on 38(40-44) sts in waste yarn; knit 3 rows in waste and 1 row in MC. Knit hem as in back. Carr on right. R/C on 0. Knit 5 rows inc 1 st at ea end. Knit 3 rows and start patt with C1. Knit 2 rows and inc 1 st at ea end; knit 5 rows inc 1 st ea end, knit 1 row. R/C on 16. Cast on 5 sts at the beg of the next 2 rows. 48(50-54) sts. Knit 4 rows inc 1 st at ea end. Rep inc every 5th row to row 130. Knit 6 rows. ARMHOLE SHAPING: R/C on 0. Cast off 3 sts at the beg of the next 2 rows, then dec 2 sts as before every 4th row to row 18; dec 2 sts at ea end of every 6th row to row 42; dec 2 sts at ea end of every 4th row to row 82(86-90). RIGHT SLEEVE: Cams on 111 (KH91) on 2 (KH600). Push

3 sts on left side to pos E (always taking yarn round 1st inner needle in E pos to avoid making a hole). Knit 2 rows. *Push 2 more needles on left side to E pos, knit 2 rows.* Dec 2 sts on right edge as before. Rep from * to * on left side. Cams on 1 (KH91) on 3 (KH600). Knit 4 rows and take work off machine on waste yarn. LEFT SLEEVE: At row 83(87-91) work as right sleeve reversing all shapings, knit 3 rows and take work off on waste yarn.

TO FINISH OFF SIDE SPLITS ON JUMPER AND SLEEVES: JUMPER: Pick up 52 sts from edge of hem to the 5 cast on sts. Add 1 st extra ea end (54 sts) (all sizes). On T8 knit 16 rows and cast off. SLEEVES: Pick up 15 sts from edge of hem to the 5 cast on sts. Add 1 extra st at ea end (17 sts). Knit 16 rows and cast off.

COLLAR: Set in sleeves. Pick up 107(110-113) sts in MC. Knit 8 rows T8; 2 rows T7; 12 rows T6; 2 rows T7; 18 rows T8; 2 rows T7; 12 rows T6; 2 rows T7; 8 rows T8. Cast off loosely.

BELT: Cast on 20 sts. On T7 knit 31(33-36) ins approx. Cams on 11 (KH91) on 1 (KH600). Push 15 sts at opp end to carr to E pos. A. Knit 2 rows; dec 1 st on inside of work (next to E pos needles) knit 2 rows. Rep this dec to last st and cast off. B. Push 10 sts from E to C pos and knit 2 rows. *Dec 1 st on both sides of working needles and knit 2 rows.* Rep this to the last 2 sts. Dec to 1 st knit 1 row and fasten off. C. Cams on 1 (KH91) on 3 (KH600). On the 5 sts left rep step A.

TO MAKE UP: Fold split facings and catch down. Sew ends of facings to cast-on sts and hem. Sew up sleeve and side seams. Fold collar and catch down. Put in zipper. Sew up point of belt. Sew sides of belt tog putting seam in centre of belt. Attach buckle.

MATRON'S SUIT:

Pattern No. AU13-11



MATERIALS: 32(34-36) balls PATONS Bluebell Crepe Main Color (MC). 1(2-2) balls PATONS Bluebell

Crepe 1st Contrast (C1).

1(2-2) balls PATONS Bluebell Crepe 2nd Contrast (C2). 5 buttons. Elastic for Skirt.

MEASUREMENTS: To fit 36 (38-40) in bust. 28(30-32) in

waist. 38(40-42) in hip. Jacket length 23 ins. Skirt length exclud waistband 23 ins. Sleeve seam 171/2 ins. TENSION: Skirt T7.2 = $7\frac{1}{4}$ sts and $9\frac{1}{2}$ rows to 1 in. Jacket T8 = 7 sts and 9 rows to 1 in.

SKIRT (Make 4): Cast on in waste yarn 92(94-96) sts. Knit 3 rows in waste and 1 row in main yarn. T5.2 knit 12 rows; on T7.2 knit 1 row; T5.2 knit 12 rows; T7.2 knit 1 row and close hem. R/C on 0. Knit 14 rows. *Dec 1 st at ea end knit 14 rows.* Rep from * to * to row 154. *Dec 1 st at ea end knit 8 rows.* Rep from * to * to row 210. T5.2 knit 12 rows; T7.2 knit 1 row; T5.2 knit 12 rows and cast off.

TO MAKE UP: Sew up seams. Turn in waist band and catch down; insert elastic. Press lightly,

JACKET - BACK: Cast on in waste yarn 130(136-142) sts. Knit 3 rows in waste and 1 row in main yarn. T6 knit 12 rows; T8 knit 1 row; T6 knit 6 rows in C1; 6 rows in C2; T8 knit 1 row in MC and close hem. R/C on 0. Using MC knit to row 110. SHAPE ARMHOLE: R/C on 0. Cast off 4 sts at the beg of the next 4 rows. Dec 1 st at ea end every alt row until 100(104-108) sts rem. Knit to row 76(78-80). SHAPE SHOULDER: Cast off 5 sts at the beg of the next 10 rows. Cast off rem sts.

JACKET - FRONT: Cast on in waste yarn 65(69-73)sts. Knit 3 rows waste and 1 row main yarn. CORNER SHAPING ON LEFT EDGE: T6 knit 1 row. Inc 1 st at left edge every alt row 5 times, then inc 1 st more on same edge knit 1 row. T8 knit 1 row; T6 using C1 knit 1 row. Dec 1 st at left edge on every alt row twice, then dec 1 more st on same edge, knit 1 row. Change to C2 knit 1 row. Dec 1 st at left edge on ea alt row twice, then dec 1 more st at same edge knit 1 row. T8 with MC knit 1 row and close hem. R/C on 0 knit to row 22. Make 1st buttonhole on left edge over 6 needles, starting with 2nd st. Knit to row 60 and make 2nd buttonhole. Knit to row 98 make 3rd buttonhole. Knit to row 109 and make BUST DART: Cams on 111 (KH91) on 2 (KH600). *Push 5 sts at opp end to carr to E pos knit 2 rows.* (Always bringing yarn under 1st inner needle in E pos to avoid making a hole). Rep from * to * 3 more times. Cams on Knit. Knit 1 row. SHAPE ARMHOLE: R/C on 0. Cast off 4 sts on right edge on ea alt row twice, then dec 1 st at right edge on every alt row to row 18. Make 4th buttonhole. On sizes 38-40 cont to dec 1 st at right edge on every alt row until 51-54 sts rem. Knit to row 56 make 5th buttonhole. Knit to row 62. SHAPE NECK: Cast off 10 sts on left edge knit 1 row. Dec 1 st on left edge every row 4 more times, then dec 1 st at same edge on every alt row 5(6-7) times. SHAPE SHOULDER: Cast off 5 sts on right edge on every alt row 5 times altog then cast off rem sts.

LEFT FRONT: Knit as Right Front reversing all shapings, includ corner shaping. Omitting buttonholes.

SLEEVES: Cast on 56(58-60) sts in waste yarn. Knit hem as in back. Close hem. R/C on 0. Knit 6 rows. *Inc 1 st at ea end knit 6 rows.* Rep from * to * to row 140. SHAPE TOP: Cast off 4 sts at the beg of the next 4 rows. *Dec 1 st at ea end knit 2 rows.* Rep from * to * to row 18. *Dec 1 st at ea end knit 4 rows.* Rep from * to * to row 30. *Dec 1 st at ea end knit 2 rows.* Rep from * to * to row 50. *Dec 1 st at ea end knit 1 row.* Rep from * to * to row 60 and cast off.

FRONT EDGES ON JACKET: With wrong side facing, pick up 135 sts (all sizes) evenly along front edge of jacket. **T6 knit 1 row. Using C2 inc 1 st at hem side jacket on every alt row 3 times. With C1 inc 1 st at same edge on every alt row 3 times. With MC T8 knit 1 row. T6 knit 1 row. Dec 1 st on hem side of Jacket ea alt row 6 times altog. Knit 1 row and cast off.**

COLLAR: Cast on in waste yarn 106(110-114) sts. Knit 3 rows of waste and 1 row of main yarn. Work hem as hem on right front, making corner shaping on both sides. Close hem. R/C on 0. T8 knit 4 rows. *Dec 1 st at ea end knit 4 rows.* Rep from * to * to row 16. T7 rep as before from * to * to row 24 and cast off. FRONT EDGING ON COLLAR: With wrong side facing, pick up 22 sts along front edge of collar. Knit as front edgings on Jacket from ** to **.

POCKET FLAPS (Knit 2): Cast on in waste yarn 25 sts. Knit hem as in Collar with corner shapings on both sides. Close hem. T8 knit 15 rows and cast off. SIDE EDGINGS ON POCKET FLAPS: With wrong side facing, pick up 14 sts along sides of flaps, make 1 extra st on cast off side of flap. Knit as front edge on Jacket from ** to **.

TO MAKE UP: Join shoulders, set in sleeves; sew up side and sleeve seams; sew up corners of front edgings, turn edging in and catch down; sew up corners of collar and pocket flaps, turn in and catch down. Join collar to jacket. sew on pocket flaps; press lightly and sew on buttons.

HOT PANTS SUIT & SKIRT: Pattern No AU13-12



23 ins (all sizes).

MATERIALS: SUIT: 17(18-19) balls PATONS Bluebell Crepe Main Color (MC). 3(3-4) balls PATONS Bluebell Crepe Contrast (CC). 18(20-20) in zipper. SKIRT: 11(12-14) balls PATONS Bluebell Crepe. Elastic for Waist.

MEASUREMENTS: To fit 32 (34-36) in bust. 24(26-28) in waist. Leg length 3¹/₂ ins (all sizes). Sleeve seam 4¹/₂ ins (all sizes). Skirt length **TENSION:** Fair Isle T8 = 7 sts and $9\frac{1}{2}$ rows to 1 in. Stocking Stitch T7 = 7 sts and $9\frac{1}{2}$ rows to 1 in.

PATTERN: Set machine for Fair Isle.

- *1. Press buttons 1.2.3.4. Set lever. Knit 1 row.
- 2. Press buttons 2.3.4.8. Set. Knit 1 row.
- 3. Press buttons 3.4.7.8. Set. Knit 1 row.
- 4. Press buttons 4.6.7.8. Set. Knit 1 row.
- 5. **Press buttons 5.6.7.8. Set. Knit 1 row.**
- 6. Rep from ** to ** 3 more times.
- 7. Press buttons 1.5.6.7. Set. Knit 1 row.
- 8. Press buttons 1.2.5.6. Set. Knit 1 row.
- 9. Press buttons 1.2.3.5. Set. Knit 1 row.
- 10. ***Press buttons 1.2.3.4. Set. Knit 1 row.***
- 11. Rep from *** to *** twice more.* 14 rows in patt.

SUIT — TURN UP FOR LEG OF PANTS (Make 2): Cast on 128(136-144) sts in waste yarn. Knit 3 rows of waste and 1 row of MC on T8. On T6 knit 4 rows; T8 knit 1 row, T6 knit 4 rows; T8 knit 1 row. Set machine for Fair Isle and close hem. Knit 19 rows of Fair Isle. Then knit 2 rows of st st and take work off machine on waste yarn.

ONE SIDE OF PANTS: With RIGHT side facing put sts from Fair Isle turn-up back onto machine. \bar{R}/C on 0. On T7 with MC and st st knit 8 rows. *Inc 1 st at ea end and knit 4 rows.* Rep from * to * to row 32. R/C on 0. *Dec 1 st at ea end and knit 2 rows. Dec 1 st on FRONT edge only and knit 2 rows.* Rep from * to * to 119(127-135) sts. Knit to row 40. Adjust length here and cast off 3 sts at front edge. Knit to row 61(65-69). START HIP SIDE DART: On size 32 count 50 sts from front edge and transfer the 51st st onto st 52 and 54th st onto st 53. SIZE 34: Count 54 sts from front edge and transfer the 55th st onto st 56 and the 58th st onto st 57. SIZE 36: Count 58 sts from edge and transfer the 59th st onto st 60 and the 62nd st onto st 61. Move sts in from side to fill empty spaces. Knit 5 rows. Rep "dart dec and foll 5 knit rows" twice more making sure the dart dec is always on the same st (not needle). Make 1 more dart dec. Cams on 2 (KH91) on 1 (KH600). *Push 8 sts on front edge furthest from carr to E pos and knit 2 rows (always bring yarn under 1st inner needle in E pos to avoid making a hole.* Rep from * to * 4(5-6) times. Cams on Knit, Knit 2 rows and take work off machine on waste yarn. Knit other side of pants to correspond reversing shapings.

BACK: Starting from hip dart in pants, with wrong side facing, put sts of back part of pants onto machine dec by putting 2 sts onto every 11th needle. 102 (110-118) sts. Knit 10 rows. BACK DART: *Transfer 30 sts out 1 st at ea side and inc 1 st on empty needle AT THE SAME TIME inc 1 st ea end and knit 10 rows.* Rep from * to * 3 more times inc the no of sts to be transferred out by 2 ea time. Knit to row 76(80-84). SHAPE ARMHOLE: R/C on 0. Cast off 5 sts at the beg of the next 2 rows. Cast off 2 sts at the beg of the next 2 rows. *Dec 1 st at ea end and knit 2 rows.* Rep from * to * to 94(98-102) sts. Knit to⁻row 70(72-74). SHAPE SHOULDERS: Cast off 5 sts at the beg of the next 8 rows. Knit 1 row and cast off.

LEFT FRONT: Put front of pants sts from hip dart to front edge back onto machine dec evenly across row to $45(\overline{49}-53)$ sts. Inc 1 st at armhole edge and knit 10 rows. FRONT DART: From front edge *transfer 22 sts (all sizes) outwards and inc 1 st on empty needle AT THE SAME TIME inc 1 st at armhole edge. Knit 10 rows.* Rep from * to * to 58(62-66) sts. Knit to row 72(76-80). Make BUST DART: Cams on 11 (KH91) on 1 (KH600). Carr on right. *Push 5 sts at opp end to carr (armhole edge) to E pos and knit 2 rows (always bringing yarn under 1st inner needle in E pos to avoid making a hole).* Rep from * to * for size 32 once; size 34 twice; size 36 three times. Cams on Knit. Knit 4 rows. SHAPE ARMHOLE: R/C on 0. Cast off 5 sts at armhole side knit 2 rows. Cast off 2 sts at same edge and knit 2 rows. *Dec 1 st on same edge and knit 2 rows.* Rep from * to * to 43(45-47) sts. Knit to row 54 (56-58). SHAPE NECK: Cast off 10 sts and knit 2 rows. *Dec 1 st at neck edge and knit 2 rows.* Rep from * to * to 26(28-30) sts. Knit to row 70(72-74) SHAPE SHOULDER: Cast off 5 sts at armhole edge and knit 2 rows.* Cast off 1 st at neck edge then rep from * to * 3 more times. Knit 1 row and cast off.

SLEEVES: Cast on in waste yarn 68(72-76) sts. Knit turn-up for sleeves same as turn-up for leg. With RIGHT side facing put sts back onto machine. On T7. R/C on 0. Knit 8 rows. *Inc 1 st at ea end and knit 4 rows.* Rep from * to * to row 40 (all sizes). SHAPE TOP: Cast off 3 sts at the beg of the next 2 rows. *Dec 1 st at ea end and knit 2 rows.* Rep from * to * to 60(64-68) sts. *Dec 1 st at ea end and knit 4 rows.* Rep from * to * to 52(56-60) sts. *Dec 1 st at ea end knit 2 rows.* Rep from * to * to 38(40-42) sts. *Dec 1 st at ea end knit 1 row.* Rep from * to * to 22(24-26) sts. Cast off.

COLLAR: Cast on in waste yarn 112(116-120) sts. Knit hem and Fair Isle same as in turn-up for legs etc. Knit 4 rows of Fair Isle patt. Dec 1 st at ea end of every 4th row to 98(102-106) sts. Knit 2 rows and cast off. FRONT EDGING ON COLLAR: With WRONG side facing, pick up 35 sts, casting on 1 extra st at ea end. T6 knit 5 rows; T8 knit 1 row; T6 knit 4 rows and cast off. Rep on other side.

FRONT EDGING ON SUIT: With wrong side facing pick up 120(124-128) sts (pick up 4 sts in 6 rows) from beg of neck to the 3 st cast off on pants, casting on 1 extra st at ea end. T6 knit 5 rows; T8 knit 1 row; T6 knit 4 rows and cast off.

BELT: Cast on in waste yarn 136(144-152) sts. T8 knit 3 rows waste and 1 row MC. T6 knit 13 rows. Put Change Knob to MC and knit 1 row. T8 knit 19 rows Fair Isle patt. Change to st st. T6 knit 14 rows in MC and take work off machine on waste yarn.

TO MAKE UP: Sew in sleeves and sew up all seams. Sew on front edging. Sew on collar and join front edging to collar and suit. Sew in zipper. Finish off belt with cord as illust.

SKIRT – BACK: Cast on in waste yarn 128(136-144)sts. On T8 knit 3 rows waste and 1 row MC. T6 knit 4 rows; T8 knit 1 row; T6 knit 4 rows; T8 knit 1 row and close hem. R/C on 0. T7. Knit to row 150. Dec 1 st at ea end and knit 10 rows. START DART: Mark needle 30 from ea edge and transfer the st on ea side onto needle 30. Move sts up to fill empty spaces AT THE SAME TIME dec 1 st at ea end. Knit 10 rows. Rep dart and side dec every foll 10th row to row 220 (making sure dart dec is always on the same st (not needle).) Make dart dec and edge dec once more. Knit 4 rows and cast off.

LEFT FRONT: Cast on with waste yarn 66(70-74) sts. Knit hem as in Back. R/C on 0. T7 knit to row 150. Dec 1 st on side edge and knit 10 rows. START DART: Count 32(34-36) sts from front edge and transfer st either side onto middle needle (move sts up to fill empty spaces) AT THE SAME TIME dec 1 st at side edge. Knit 10 rows. Rep dart and side dec every foll 10th row to row 220. Make dart and side dec once more. Knit 4 rows and cast off.

RIGHT FRONT: Knit as Left Front reversing all shapings.

FRONT EDGING FOR SKIRT: With wrong side facing, pick up 155 sts (4 sts in every 6 rows). Cast on 1 extra st at ea end, and knit as front edging for suit.

TO MAKE UP: Sew up seams. Sew on front edging. Sew on or crochet in waist elastic. Sew on hook and eye to end of elastic.

CABLE SWEATER:

Pattern No. AU13-13



MATERIALS: 15(16-18) balls PATONS Bluebell Crepe.

MEASUREMENTS: To fit 32 (34-36) in bust. Length 23(24-24) ins. Sleeve seams 17(18-18) ins.

TENSION: T8 = $7\frac{1}{4}$ sts and $9\frac{1}{2}$ rows to 1 in.

PATTERN: CABLE. *Using the left 6 needles of ea set of cable sts cross left 3 sts over the right

3 sts and knit 6 rows. Using right 6 needles of ea set of cable sts cross the left 3 sts over the right 3 sts and knit 6 rows.* Rep from * to * throughout. NOTE — Needles in A pos are counted as sts.

BACK: Arrange 122(130-138) sts for 2 x 1 Continental Rib and knit 3 rows in waste yarn. On T5 and main yarn knit 44 rows (all sizes) and close hem. R/C on 0. Arrange needles for pattern as foll: Working on right of 0 push 1 needle to A pos (Knit 2 tog if necessary) 6 needles in B pos (cable sts). *1 needle A pos 4 needles B pos.* Rep from * to * 3 more times. 1 needle in A pos 6 needles in B pos; 1 needle in A pos 6 in B pos (cable sts). **1 needle in A pos 4 in B pos.** rep from ** to end of row. Working on left side of 0: 6 needles B pos (cable sts) 1 needle in A pos. *4 needles in B pos 1 in A pos* Rep from * to * 3 more times. 6 needles in L pos 1 in A pos. 6 needles in B pos 1 in A pos (cable sts) **4 needles in B pos 1 in A pos.** Rep from ** to ** to end of row. On T8 knit 6 rows. Beg cable patt and knit to row 118(126-126). R/C on 0. SHAPE ARMHOLE: Cast off 6 sts (all sizes) at the beg of the next 2 rows. Dec 1 st at ea end of the next and every 2nd row 4(6-8) times. Knit to row 70(74-76). SHAPE SHOULDER: Cast off 7(7-8) sts 3(3-4) times and 9(9-0) sts once at ea end.

NECK BAND: Arrange sts for $2 \ge 1$ Continental Rib. On T5 knit 32 rows (all sizes). Take work off machine on waste yarn.

FRONT: Knit same as Back to row 52(56-58) of Armhole. NECK: Carr on the right (knit 1 more row if necessary). Cams on 111 (KH91) on 2 (KH600). Push 14(15-15) needles on right of 0 to E pos and all the needles at left to E pos. Work on rem sts. At neck edge dec 1 st every row 3(4-4) times, then dec 1 st every 2nd row 4 times. Knit straight to row 70 (74-76). SHAPE SHOULDER: At side edge cast off 7(7-8) sts 3(3-4) times and 9(9-0) sts once. R/C on 52(56-58). Knit other side to correspond reversing shapings. Take work off on waste yarn. NECK BAND: Pick up sts round neck 85(89-91) and arrange 2 x 1 Continental Rib. T5 knit 32 rows. Take off on waste yarn.

SLEEVES (Make 2): Arrange 58(66-66) sts for 2 x 1 Continental Rib. Knit 3 rows in waste yarn. On T5 with main yarn knit 44 rows (all sizes). Close hem. R/C on 0. Arrange needles — 4 in B pos and 1 in A pos across row. On T8 knit inc 1 st at ea end of this and every 6th row until 102(106-110) sts. Knit until R/C reads 132(142-142) rows. R/C on 0. SHAPE TOP: Cast off 6 sts at the beg of the next 2 rows; dec 1 st at ea end of every alt row until R/C reads 42(46-44); dec 1 st at ea end of every row 3 times. Cast off 3(3-4) sts at the beg of the next 6 rows. Cast off rem sts.

TO MAKE UP: Join shoulders. Turn in neckband and catch down through open sts. Set in Sleeves. Join side and sleeve seams. DO NOT PRESS.



INTERNATIONAL KNITWEAR COLLECTION

LONDON PARIS HAMBURG NEW YORK SYDNEY

FANCY SLEEVELESS CARDIGAN AND SLACKS:

Pattern No. AU13-14



MATERIALS: 8(9-10) balls PATONS Bluebell Crepe Main Color (MC). 11 balls (all sizes) PATONS Bluebell Crepe Contrast (CC). 6 buttons.

MEASUREMENTS: To fit 32 (34-36) in bust. Length 29 ins. TENSION: T8 = 7 sts and $12\frac{1}{2}$ rows to 1 in over patt.

PATTERN: *MC in yarn feed. Press in both Part Buttons. Press button 8. Reverse switch on minus throughout. Set lever knit 1 row. Rep 3 more times. CC in yarn feed. Buttons 1.3.5.7. Set lever, knit 1 row. Rep 2 more times. Release Part Buttons knit 1 row. MC in yarn feed. Part Buttons in. Press button 4, set lever, knit 1 row. Rep 3 more times. CC in yarn feed. Buttons 1.3.5.7. set lever, knit 1 row. Rep twice more. Release Part Buttons knit 1 row.* Rep from * to * for patt.

BACK: Cast on in waste yarn 120(126-134) sts. Knit 3 rows. On T5 with MC knit 15 rows. R/C on 0. On T8 start patt and knit 19 rows. Close hem Knit in patt to row 262 (all sizes). SHAPE ARMHOLE: R/C on 0. Cast off 7 sts at the beg of the next 2 ows. Dec 1 st at ea end of every row 0(0-5) times. Dec 1 st at ea end of every alt row 7(9-6) times. Cont straight until R/C reads 106(114-116). SHAPE SHOULDER: Cast off 7(7-7) sts at the beg of the next 6(6-8) rows; Cast off 5(6-0) sts at the beg of the next 2 rows. Cast off rem 9 sts loosely.

FRONT: Cast on 60(63-67) sts and work same as Back to row 262. R/C on 0. SHAPE ARMHOLE & NECK: Cast off 7 sts (all sizes) at the beg of the next row. Dec 1 st on same edge every row 4(5-6) times and dec 1 st on same edge every alt row 3(4-5) times AT THE SAME TIME on row 1 SHAPE NECK: Dec 2 sts at neck edge every 4th row 4 times. Dec 1 st every 4th row on same edge until 26(27-28) sts rem. Cont in patt until row 106(114-116). SHAPE SHOULDER: Cast off 7(7-7) sts every alt row 3(3-4) times. Cast off 5(6-0) sts once. Work other side to correspond reversing shapings.

FRONT BAND: Using CC cast on with a selvedge edge 25 sts. On T7.1 carr on the right. Left Cam on 111 right on 1 (KH91) Cam on 4 (KH600). Pull the 13th needle from edge to E pos every 2nd row. Knit to row 620 (to row 612 for 32 size) making buttonholes over needles 5.6.7.8. and needles 18.19.20.21. on rows 33-66-99-132-165-198. Knit another band omitting buttonholes.

ARMHOLE BAND: Cast on with a selvedge edge 146(152-154) sts. On T7.1 knit 22 rows. Cast off loosely or take off on waste yarn.

TO MAKE UP: Join shoulders. Sew bands to armholes, fold and catch down inside. Sew up side seams. Attach front bands, fold and catch down on wrong side. Press lightly on wrong side. Sew on buttons.

SLACKS:

MATERIALS: 21(22-24) balls PATONS Bluebell Crepe. Elastic for waist.

MEASUREMENTS: To fit 24(26-28) in waist. 34 (36-38) in hip. Side seam length from waist 43 ins (adjustable).

TENSION: T8 = 7 sts and $9\frac{1}{2}$ rows to 1 in.

LEFT BACK: Cast on with a selvedge edge 76(80-82) sts. On T6.1 knit 12 rows. R/C on 0. T8 knit dec 1 st at ea end of every 33rd row 6 times. R/C reads 198. (Adjust length here.) Knit straight until R/C reads 236 (all sizes) or adjusted length. On right edge inc 1 st every 8th(8th-6th) row 7(7-9) times and AT THE SAME TIME inc 1 st at left edge every 4th row 7(7-7) times. Cont to inc every 8th row on right edge, now inc on the left edge on the next 3rd and every foll 3rd row 10 times. R/C reads 294 rows or adjusted length. R/C on 0. On left edge (knit 1 row if necessary) cast off 7(7-7) sts knit 2 rows; cast off 4(4-4) sts knit 2 rows; cast off 3(3-3) sts AND AT THE SAME TIME on the right edge inc 1 st every 8th row 4 times. On right edge dec 1 st on every foll 12th row 6 times AND AT THE SAME TIME on the left edge dec 1 st on every 19th row 4 times. R/C reads 80. MAKE DART: Carr on right. Cams on 111 (KH91) on 2 (KH600). Push 30(32-34) sts at opp end to carr to E pos. Cont to dec every 12th row on right edge dec 1 st on left edge every 6th(6th-5th) row 5(5-6) times. When R/C reads 110 rows with carr on right, on T6.1 knit 10 rows. Cast off loosely. Cams on Knit. Work on rem sts cont to dec every 19th row on left edge. On the right edge dec 1 st on every 6th(6th-5th) row 5(5-6) times. When R/C reads 110 with carr on left (knit 1 row if necessary) Cams on 111 (KH91) on 2 (KH600) Push 6 sts furthest from carr into É pos every alt row (always putting yarn under 1st inner needle in E pos to avoid making a hole) until all sts are in E pos. Cams on Knit, knit 1 row. On T6.1 knit 10 rows/ and cast off loosely.

RIGHT BACK: Work as Left Back reversing all shapings.

LEFT FRONT: Cast on with a selvedge edge 72(76-78) sts. On T6.1 knit 12 rows, R/C on 0. Dec 1 st at ea end of row on every 49th row 4 times. R/C reads 198 (adjust length here). Knit straight to row 236 or adjusted length. On left edge inc 1 st on every 14th row 4 times. On right edge AT THE SAME TIME inc 1 st on every 7th row 4 times. Then inc 1 st on the right edge on every 5th row 6 times. Knit until R/C reads 294 (or adjusted length). R/C on 0. On right edge cast off 4 sts knit 2 rows; cast off 3 sts knit 2 rows; cast off 2 sts knit 2 rows; dec 1 st every alt row 5 times; dec 1 st every 4th row 4 times AND AT THE SAME TIME on left edge dec 1 st on every 10th row 7 times and on left edge dec 1 st on every 12th row 6 times AT THE SAME TIME when R/C reads 78 make DART: Carr on right. Cams on 111 (KH91) on 2 (KH600). Push 30(32-34) sts to E pos. Cont to dec on right edge, dec 1 st on the left edge on every 6th row 5 times. On T6.1 knit 10 rows and cast off loosely. Cams on Knit. Cont to dec as before on left edge; on right edge dec 1 st on every 6th row 5 times. On T6.1 knit 10 rows and cast off loosely.

RIGHT FRONT: Work as Left Front reversing all shapings.

TO MAKE UP: Sew up darts on fronts and backs. Sew up side seams. Sew up centre front and back seams. Turn up cuffs to wrong side (12 rows) and catch down loosely. Turn over waist and insert elastic. Press lightly on wrong side.



INTERNATIONAL KNITWEAR COLLECTION LONDON PARIS HAMBURG NEW YORK SYDNEY

BLACK & WHITE FAIR ISLE CARDIGAN: Pattern No. AU13-15



MATERIALS: 12(13-14) balls PATONS Bluebell Crepe Main Color (MC).

9(10-11) balls PATONS Bluebell Crepe Contrast (CC). 8 buttons.

MEASUREMENTS: To fit 32 (34-36) in bust. Length 26(26¹/₂-27) ins. Sleeve seam 18 ins (all sizes).

TENSION: T8 = 7 sts and $9\frac{1}{2}$ rows to 1 in.

PATTERN: *Set knitter for Fair Isle. Knit 4 rows CC. Press buttons 1.2.7.8. *set lever and knit 1 row.* Rep from * to * 15 more times. Knit 4 rows st st. Change to MC. Knit 4 rows. Press buttons 3.4.5.6., set lever and knit 2 rows Fair Isle. Press buttons 2.3.4.5.6.7. set lever knit 2 rows Fair Isle. Press buttons 2.3.6.7. set lever and knit 2 rows Fair Isle. Press buttons 2.3.4.5.6.7. set lever and knit 2 rows Fair Isle. Press buttons 3.4.5.6. set lever and knit 2 rows Fair Isle. Press buttons 3.4.5.6. set lever and knit 2 rows Fair Isle. With MC knit 4 rows st st.*

BACK: Cast on 123(130-137) sts in 1 x 1 rib in MC. Rib for 1½ ins. Transfer sts to main bed. R/C on 0. Using CC start patt and knit to row 150 (all sizes). SHAPE ARMHOLE: R/C on 0. Cast off 3 sts at the beg of the next 2 rows. Dec 1 st at ea end of every alt row to row 42 (all sizes). *Knit 4 rows, dec 1 st at ea end.* Rep from * to * to row 54. **Dec 1 st at ea end of every alt row.** Rep from ** to ** row 88(92-96). 37(40-43) sts rem. Take work off machine on waste yarn. NOTE (all sizes) finish Fair Isle on row 84 then cont in MC in st st.

LEFT FRONT: Cast on in $1 \ge 1$ rib 61(65-69) sts in MC. Rib for 1½ ins. Transfer sts to main bed. R/C on 0. Using CC start patt. Knit as Back to row 150. SHAPE ARMHOLE: R/C on 0. Cast off 3 sts at armhole edge knit 2 rows. Dec 1 st on every alt row to row 42; dec 1 st every 4th row to row 54; dec 1 st on every alt row to row 64(68-72). SHAPE NECK: Take off at neck edge 8(10-12) sts on waste yarn. Cont armhole shaping as before and knit 2 rows. AT THE SAME TIME dec 1 st at neck edge on every alt row until 2 sts rem. Dec 1 st and knit 1 row. Fasten off.

RIGHT FRONT: Work as Left Front reversing all shapings.

LEFT SLEEVE: Cast on in MC 55(59-63) sts in 1 x 1 rib. Work 11/2 ins of rib and transfer sts. R/C on 0. Using CC knit in patt inc 1 st at ea end of every 6th row to row 150 (all sizes). ARMHOLE SHAPING: R/C on 0. Cast off 3 sts at the beg of the next 2 rows. Dec 1 st at ea end of every alt row to row 42; dec 1 st at ea end of every 4th row to row 54; dec 1 st on every alt row to row 82(86-90). Cams on 111 (KH91) on 2 (KH600). Carr on right. Push 3 sts to E pos furthest from carr (always put yarn under 1st inner needle in E pos when working partial knitting, to avoid making a hole). Knit 2 rows; push 3 more sts to E pos and dec 1 st on right side, knit 2 rows; dec 1 st on right side. Cams on 1 (KH91) on 3 (KH600) knit 2 rows and take work off on waste yarn.

RIGHT SLEEVE: Knit as left sleeve to row 83(87-91). Carr on left. Cont as in left sleeve reversing all shapings.

NECK BAND: Sew in sleeves. Wrong side facing, pick up $121(129\cdot137)$ sts along neck opening and knit 1 row. Arrange sts for 1 x 1 rib and work 3 ins. Cast off loosely.

RIGHT BAND: Cast on in MC 19 sts in $1 \ge 1$ rib. Rib $\frac{1}{2}$ in and make 1st buttonhole. Knit to $\frac{3}{2}$ ins and make 2nd buttonhole. Rep 6 more times (8 buttonholes in all) Knit $\frac{1}{2}$ in and cast off in rib.

LEFT BAND: As Right Band omitting buttonholes.

TO MAKE UP: Sew up sleeve and side seams. Turn neckband in and catch down. Sew on bands. Sew on buttons. Press lightly.

BAT WING JUMPER:

Pattern No. AU13-16



MATERIALS: 6(6-7) balls PATONS Katie Main Color (MC). 4(5-6) balls PATONS Katie 1st Contrast (C1).

3(3-3) balls PATONS Katie 2nd Contrast (C2).

MEASUREMENTS: To fit 32 (34-36) in bust. Length $20\frac{1}{2}$ ins; sleeve length from neck 25 ins. TENSION: T9.2 = $6\frac{1}{2}$ sts and 8 rows to 1 in.

PATTERN: Knit 9 rows MC. Carr on left. Change Knob on MC. Knit 1 row. Set machine for Fair Isle. Using C2 for Fair Isle, press button 4, knit 2 rows. Press buttons 3.5. knit 2 rows; buttons 2.6. knit 2 rows; buttons 1.7. knit 2 rows; button 8 knit 1 row. Change yarn in yarn feed to C1 and use C2 for Fair Isle. Button 8 knit 1 row; buttons 1.7. knit 2 rows; buttons 2.6. knit 2 rows; buttons 3.5. knit 2 rows; buttons 4 knit 2 rows; buttons 3.5. knit 2 rows; button 4 knit 2 rows. Set machine for stocking stitch and knit 10 rows in C1. Rep for patt.

BACK: With MC cast on in 1 x 1 rib 113(119-125) sts. *Knit 2 rows in MC; 2 rows in C1; 2 rows in C2.* Rep from * to * 7 more times. Knit 2 rows in MC. Transfer sts to main bed. Start patt. Rep patt 3 times altog. Knit 10 rows in MC. SHAPE SHOULDER: Cams on 111 (KH91) on 2 (KH600). *Push 5 sts at opp end to carr to E pos knit 1 row* (always putting yarn under 1st inner needle in E pos to avoid making a hole). Rep 3 more times. SHAPE NECK: At opp end to carr push 38(40-42) sts into E pos then take off 37(39-41) sts on waste yarn for neck. Knit right shoulder only. Knit 1 row *Push 5 sts at opp end to carr to E pos (for continuation of shoulder shaping) knit 1 row. Dec 1 st on neck edge knit 1 row.* Rep from * to * twice more. Cast off. Knit left shoulder to correspond reversing all shapings.

FRONT: With MC cast on 113(119-125) sts in 1 x 1 rib. Knit rib as in Back. After trans sts start patt and rep 3 times altog. SHAPE NECK: Cams on 111 (KH91) on 2 (KH600). Push 45(47-49) sts on opp end to carr to E pos. Take off 23(25-27) sts for neck off on waste yarn. Knit right shoulder only. *Knit 2 rows dec 1 st on neck side.* Rep 4 more times. SHOULDER SHAPING: Knit 1 row. *Push 5 sts at opp end to carr to E pos knit 1 row (always bringing yarn under 1st inner needle in E pos to avoid making a hole). Dec 1 st on neck edge knit 1 row.* Rep 4 more times. Cams on Knit. Knit 3 rows over right shoulder only and cast off.[®] Knit other side to correspond reversing shapings.

SLEEVES: Cast on with MC 51(53-55) sts in 1 x 1 rib. *Knit 2 rows MC; 2 rows C1; 2 rows C2.* Rep from * to * 5 more times; knit 2 rows in MC. Transfer sts to main bed. Start patt. Knit 4 rows. *Inc 1 st at ea end knit 4 rows.* Rep from * to * to 85 (87-89) sts. *Inc 1 st at ea end knit 2 rows.* Rep from * to * to 161(163-165) sts. Take off on waste yarn.

NECK BAND: (BACK): With wrong side facing, pick up $53(55\cdot57)$ sts around neck, knit 1 row and arrange sts for 1 x 1 rib. R/C on 0. *Knit 2 rows in MC; 2 rows in C1; 2 rows in C2.* Rep from * to * for length of Neck Band — knit to row 10, reduce tension 3 points, knit to row 20. Inc tension by 3 points knit to row 32 and cast off loosely. FRONT NECK BAND: With wrong side facing pick up 66(68-70) sts around neck and knit as Back Neck Band.

TO MAKE UP: Join shoulders and seams of neckbands. Turn in neckband and catch down. Sew in sleeves, joining loops of last row of MC with side edge of jumper. Start approx 2 ins over rib. Join side and sleeve seams.



INTERNATIONAL KNITWEAR COLLECTION

LONDON PARIS HAMBURG NEW YORK SYDNEY

FAIR ISLE COAT & HAT:

Pattern No. AU13-17



MATERIALS: COAT: 25(27-28) balls PATONS Bluebell Crepe Main Color (MC).

21(22-23) balls PATONS Bluebell Crepe Contrast (CC). 6 buttons. 1 yd Nylon Ribbon. Belt.

HAT: 2 balls PATONS Bluebell Crepe Main Color (MC).

2 balls PATONS Bluebell Crepe Contrast (CC).

(36-38) in bust. Length 42(42^{1/2}-42^{3/4}) ins. Sleeve seam 17 ins (all sizes). HAT 21 ins.

TENSION: T8 = 7 sts and $9\frac{1}{2}$ rows to 1 in.

PATTERN: Set machine for Fair Isle with Reverse Switch on plus.

- *1. Press buttons 3.4. Slide Dial on 3. Set lever. Knit 2 rows.
- 2. Press buttons 3.4.5.6.7.8. Set lever. Knit 2 rows.
- 3. Slide Dial on 1. Set lever. Knit 2 rows.
- 4. Press buttons 7.8. Set lever. Knit 2 rows.* Rep for patt. (8 rows Fair Isle patt.)

BACK (Skirt is made in 2 pieces): Cast on with a selvedge edge 102(106-110) sts in MC. On T8 knit 1 row; T6 knit 15 rows. Carr on left. Change Knob on MC. Knit 1 row. R/C on 0. T8 knit in Fair Isle patt to row 40 then dec 1 st at ea end on this and every foll 16th row to row 120 (all sizes). Dec 1 st on side seam edge on every foll 8th row AT THE SAME TIME cont dec on middle seam side every 16th row as before - work to row 240 (all sizes) (at this point check patt on middle seam — there should be 5 sts of one patt left (4 sts to match the other side of skirt and 1 st for sewing up). Take work off machine on waste yarn. Knit other side to correspond reversing shapings. Leave patt setting as for last 2 rows. Carr on left. Put skirt pieces back onto machine keeping continuity of patt. Set machine for Fair Isle. Carr on right. R/C on 0. Knit in patt to row 40 (all sizes). Inc 1 st at ea end of this and every foll 8th row to row 80 (all sizes). SHAPE ARMHOLES: R/C on 0. Cast off 6 sts at the beg of the next 2 rows. Cast off 3 sts at the beg of the next 2 rows; dec 1 st at ea end of every alt row to 106(124-132) sts. Knit to row 72(76-80). SHAPE SHOULDER: Cast off 5 sts at the beg of the next 10 rows. Knit 2 rows and cast off rem sts.

LEFT FRONT: Cast on with selvedge edge 104 (110-116) sts in MC. T8 knit 1 row; T6 knit 15 rows. Carr on left, change Knob on MC and knit 1 row. R/C on 0. T8 knit in patt to row 40. Then on left side dec 1 st on every foll 16th row to row 120; dec 1 st on every 8th row to row 240. R/C on 0. Knit to row 24 (all sizes). Inc 1 st on left side on every foll 8th row to row 80 (all sizes). SHAPE ARMHOLE: R/C on 0. Cast off 6 sts at left edge and knit 2 rows; cast off 5 sts knit 2 rows. *Dec 2 sts and knit 2 rows.* Rep from * to * twice more. Dec 1 st and knit 2 rows. Rep this dec until 62(66-70) sts rem. Knit to row 56(60-64) and SHAPE NECK: Cast off at right edge 18(18-18) sts knit 2 rows. *Dec 2 sts and knit 2 rows.* Rep from * to * 4 more times. Dec 1 st every alt row to 32(36-40) sts. Knit to row 72(76-80) SHAPE SHOULDER: *Cast off 5 sts at armhole edge every alt row 5 times altog. Cast off.

RIGHT FRONT: Cast on with selvedge edge 122 (128-134) sts. Using MC to start knit as Left Front to armhole shaping reversing shaping. SHAPE ARMHOLE: R/C on 0. Cast off 6 sts at right edge and knit 2 rows. Cast off 5 sts knit 2 rows. *Dec 2 sts and knit 2 rows.* Rep from * to * twice more. Dec 1 st knit 2 rows to 80(84-88) sts. Knit to row 56(60-64). SHAPE NECK: Cast off 36(36-36) sts on left edge and knit 2 rows. *Dec 2 sts and knit 2 rows.* 5 times altog. *Dec 1 st and knit 2 rows. Rep this dec to 32(36-40) sts. Knit to row 72(76-80). SHAPE SHOULDER: Knit as Left Front reversing shapings.

SLEEVES: Cast on with a selvedge edge 122(126-130) sts in MC. Knit same as for coat to beg of Fair Isle patt. R/C on 0. Knit in patt to row 16. *Dec 1 st at ea end and knit 16 rows.* Rep this dec to row 112. 108(112-116) sts. Knit to row 152 (all sizes).

SHAPE TOP: R/C on 0. Cast off 6 sts at the beg of the next 2 rows. Cast off 3 sts at the beg of the next 2 rows. Dec 2 sts at ea end of every alt row to row 10 (3 times). Dec 1 st at ea end of every alt row to row 18 (4 times). Dec 1 st at ea end of every 4th row to row 30(34-38). Dec 1 st at ea end every 4th row to row 50(54-58). Dec 2 sts at ea end of every alt row to row 58(62-66). Knit 2 rows and cast off.

COLLAR: Cast on with a selvedge edge 152(156-160) sts in MC. On T7 knit 5 rows st st. *Dec 1 st on right edge and inc 1 st on left edge, knit 4 rows.* Rep this to row 23. Carr on left, change knob on MC and knit 1 row. On T8 start patt. Cont shaping and knit to row 52. Cast off loosely.

FACING FOR FRONT EDGING: Wrong side facing pick up 16 sts from waste of hem and on T7 knit in MC 360(364-368) rows in st st and cast off (make 2).

TO MAKE UP: Finish off hems of coat, sleeves and collar. Sew in sleeves. Sew up side and sleeve seams.

Sew on facings. Sew pattern part of collar to neck edge, then turn st st part to inside and catch down. On left front place markers for 6 buttons evenly spaced from waist to neck. On right front crochet 1 row of sc placing a 12 ch loop for buttonloops to match markers from waist to neck. Break off yarn. Work another row of sc over previous row and over buttonhole loops. Fasten collar on outside edge with 3 hooks and eyes and 2 press studs inside. Cut ribbon in half and attach a piece to ea side seam inside. Sew on buttons.

HAT: Cast on with a selvedge edge 152 sts in MC. On T8 knit 1 row; T6 knit 15 rows of st st. R/C on 0. T8 start patt and knit to row 80. Knit 4 rows st st in waste yarn and take work off machine. *Put 38 sts from waste back onto machine, making sure to match patt, knit 2 rows patt dec 2 sts at ea end of every alt row to 4 sts and knit 1 row. Put all 4 sts onto 1 needle and knit 1 row. Break off yarn.* Rep from * to * 3 more times using 38 sts ea time.

TO MAKE UP: Sew up back seam. Join edges of point to top. Turn up hem and catch down.



*An Empisal Publication: World Copyright by Empisal International

Photography by IAN MORGAN Produced by IMIN PRODUCTIONS.

24 -

