

Empisal

INTERNATIONAL
KNITWEAR
COLLECTION

LONDON
PARIS
HAMBURG
NEW YORK
SYDNEY

BOOK
No. AU 7


Pattern No. AU.7-1 See Page 14.

Pattern No. AU.7-2 See Page 15

Pattern No. AU.7-3 See Page 16



Pattern No. AU.7-4
See Page 17



Pattern No. AU.7-5
See Page 18



Pattern No. AU.7-6
See Page 18



Pattern No. AU.7-7
See Page 20



Pattern No. AU.7-8
See Page 21



Pattern No. AU.7-9
See Page 22




Pattern No. AU.7-10
See Page 22


Pattern No. AU.7-11
See Page 23



Pattern No. AU.7-12
See Page 24



Pattern No. AU.7-13
See Page 25



Pattern No. AU.7-14
See Page 25



Pattern No. AU.7-15
See Page 26





Pattern No. AU.7-16
See Page 28.

Empisal

INTERNATIONAL KNITWEAR COLLECTION

LONDON PARIS HAMBURG NEW YORK SYDNEY

MAN'S PULLOVER WITH ROUND OR "V" NECK:

Pattern No. AU7-1



MATERIAL: 19(20-21-22) balls of Patons Bluebell Crepe.

MEASUREMENTS: To fit 38 (40-42-44) in. chest.

Length from Shoulders 26(26½-27-27¼) ins.

Sleeve seams approx. 19 ins.

TENSION: T8 = 7 sts and 9½ rows to 1 in over st. st.

PULLOVER WITH "V" NECK:

BACK: Cast on 143(151-157-163) sts in 1 x 1 rib. Complete selvedge. Knit 24 rows of rib. Transfer sts to M.B. R/C on 0. On T8* knit to row 140 and SHAPE RAGLAN ARMHOLES: R/C on 0. Cast off 2(3-3-3) at the beg of the next 2 rows. Knit 1 row then dec 2 sts ea end (5th & 4th sts onto the 3rd st) move end sts forward to fill empty spaces. Rep dec every foll 4th row until 39(41-43-45) sts rem. Knit 2 rows then take work off machine on waste yarn.

FRONT: Cast on and knit the rib same as for BACK. R/C on 0. On T8 Inc 1 st to get an even no of sts. Knit to row 140 and SHAPE RAGLAN ARMHOLES: R/C on 0. Cast off 2(3-3-3) sts at the beg of the next 2 rows. Knit 1 row. Carriage on the right. DIVIDE FOR NECK by putting half the sts furthest from carriage into "E" pos. H.C.Ls on 111. *4th row: Dec 2 sts at Armhole Edge (5th & 4th sts on to 3rd st) Knit 4 rows. 8th row: Rep dec at armhole edge and dec 1 st at neck edge. Rep 8th row on every foll 4th row 10(11-12-13) more times, then dec 1 st at neck edge on every foll 6th row 6 more times and AT THE SAME TIME dec 2 sts at armhole edge on every foll 4th row until 3 sts rem. Knit 1 row and fasten off.* R/C on 3. H.C.Ls on 1. Carriage at armhole edge. Rep from * to * reversing shapings.

SLEEVES: Cast on 67(69-71-73) sts in 1 x 1 rib. Finish rib as for BACK. R/C on 0. On T8 knit 1 row then inc 1 st at ea end. Rep inc on every foll 6th row 8(8-12-16) more times then rep inc on every foll 8th row until there are 111(113-117-121) sts. Knit to row 166 and SHAPE ARMHOLES: R/C on 0. Cast off 3 sts at the beg of the next 2 rows. Knit 1 row and dec 2 sts at ea end. (5th & 4th sts on to 3rd st). *Knit 4 rows and rep dec. Knit 4 more rows and dec 1 st at ea end (4th st on to 3rd st).* Rep from * to * 2(3-3-3) more times then dec 2 sts at ea end on every foll 4th row until 11 sts rem. Knit 2 rows. Take work off machine on waste yarn.

TO MAKE UP: Press all parts lightly. Sew in sleeves. Sew up sides and sleeve seams.

NECKBAND: With wrong side facing pick up 95 (98-101-104) sts from centre back to centre front. Add 1 st at ea end for sewing up. R/C on 0. On T7 knit 2 rows then dec 1 st at "V" (3rd st onto 2nd st). Rep dec on the next foll 11 rows. On T9 knit 1 row. R/C reads 15. On T7 inc 1 st at "V" in the foll 12 rows. Knit 1 row and cast off loosely. Knit other half the same. Sew up back and "V". Fold band in half and catch down inside. Press seams.

MAN'S PULLOVER WITH ROUND NECK:

BACK & SLEEVES knitted the same as Pullover with "V" neck.


FRONT: Rep from * to * in BACK, Inc 1 st to get an even no of sts. Knit to row 78(82-86-90) of Armhole Shaping as for BACK. SHAPE NECK: Push half the sts furthest from carriage to "E" pos. H.C.Ls on 111. **Knit off manually 9(10-11-12) sts at neck edge in waste yarn and take off machine. Still shaping armhole as in BACK, dec 1 st at neck edge on the next foll 4 rows, then dec 1 st at neck edge on alt rows 4 more times. When 3 sts rem knit 1 row and fasten off**.* R/C on 78(82-86-90). Carriage at armhole edge. Rep from ** to ** for other side.

TO MAKE UP: Press all parts lightly. Sew in sleeves leaving 1 seam open at back. Sew up side and sleeve seams.

NECKBAND: With wrong side facing pick up sts from back and sleeve; 22 sts along one part of front, centre sts; 22 sts along other front side and sleeve sts. 115(119-123-127) sts. Arrange sts for 1 x 1 rib. Knit 28 rows of rib and cast off loosely. Sew up back and band seam. Fold band in half and catch down inside. Press seams.

LADY'S CARDIGAN & PULLOVER WITH ROUND OR "V" NECK.

Pattern No. AU7-2



MATERIALS: CARDIGAN: 17 (17-18) balls Patons Bluebell Crepe M.C. 8 buttons.

PULLOVER: 12(13-14) balls Patons Bluebell Crepe M.C. 4(4-4) balls Patons Bluebell Crepe C.C.

MEASUREMENTS: To fit 32 (34-36) in. bust.
Length cardigan & pullover approx. 25(25½-26) ins.
Sleeve Seams 17 ins.

TENSION: T8 = 7 sts and 9½ rows to 1 in. over st. st.

PATTERN: STRIPES: *2 rows C.C. 2 rows M.C. 4 rows C.C. 2 rows M.C. 2 rows C.C. 20 rows M.C.*

ROUND NECK PULLOVER:

BACK: *Using M.C. cast on 123(129-135) sts in 1 x 1 rib. Complete selvedge edge and knit 24 rows in rib. Transfer sts to main bed. R/C on 0. *On T8 knit 2 rows of M.C. Now continue in patt to row 134. **SHAPE RAGLAN ARMHOLES:** R/C on 0. Knit in patt and cast off 3 sts at the beg of the next 2 rows. Knit 1 row then dec 2 sts ea end by transferring the 5th & 4th sts on to the 3rd st. Rep dec on the foll 4th rows until 33(35-37) sts rem. Knit 2 rows then take work off machine on waste yarn.

FRONT: Rep from * to * of BACK. Inc 1 st at end. On T8 knit to row 66(70-74) of Back Armhole Shaping then **SHAPE NECK.** Push half the sts furthest from carriage into "E" pos. H.C.Ls on 111. **Take 7(8-9) sts at centre edge off machine on waste yarn. Still shaping Armhole as in BACK, dec 1 st at neck edge on the foll 4 rows, then rep dec at neck edge on alt rows 3 more times. When 3 sts rem knit 1 row and fasten off.** R/C on 66(70-74) Rep from ** to ** for other side reversing all shapings.

SLEEVES: Using M.C. cast on 55(59-63) sts in 1 x 1 rib and knit as for Back to *. R/C on 0. On T8 knit 2 rows then inc 1 st at ea end. Rep inc on every foll 6th row twice. R/C reads 14. Knit in patt inc 1 st ea end of every foll 6th row 13 more times. Then rep inc on every foll 8th row 6 more

times. 99(103-107) sts. Knit to row 148 and **SHAPE ARMHOLES:** R/C on 0. Continue in patt and cast off 3 sts at the beg of the next 2 rows. Knit 1 row then dec 1 st at ea end. Knit 4 rows then dec 2 sts at ea end (5th & 4th sts onto 3rd st). Rep 2 st dec at ea end on every foll 4th row until 11 sts rem. Knit 2 more rows and take work off machine on waste yarn.

NECK BAND: Sew in sleeves, leaving left back seam open. With wrong side facing pick up sts from waste of back and sleeve; pick up 19 sts along front side; the centre front sts from waste yarn; 19 sts along other side front and sleeve sts 101(105-109) sts. Arrange sts for 1 x 1 rib. Knit 28 rows of rib and cast off loosely.

TO MAKE UP: Sew up back sleeve seam tog with neck band. Sew up side and sleeve seams. Fold neck band in half and catch down inside. Press seams.

PULLOVER WITH "V" NECK:

BACK & SLEEVES knitted the same as **ROUND NECK PULLOVER.**

FRONT: Knit as for Pullover with round neck to 3rd row of Armhole Shaping. R/C on 3. **DIVIDE FOR NECK:** Push half the sts furthest from carriage to "E" pos. H.C.Ls on 111. *Dec 2 sts at armhole edge (5th & 4th sts onto 3rd st). Knit 4 rows. Dec 2 sts at armhole edge and dec 1 st at neck edge. Rep dec at neck edge on every foll 5th row 13(14-15) more times. **AT THE SAME TIME** rep dec at armhole edge on every foll 4th row until 3 sts rem. Knit 1 row and fasten off.* Carriage at armhole edge. Rep from * to * for other side.

TO MAKE UP: Press all parts lightly. Sew in sleeves. Sew up side and sleeve seams.

NECK BAND: With wrong side facing pick up 84(87-90) sts from centre back, along top sleeve and front to "V" point. Add 1 st at ea end for sewing up. R/C on 0. T7. knit 2 rows then dec 1 st at "V" point (3rd st onto 2nd st). Rep dec on the foll 11 rows. On T9 knit 1 row. On T7 inc 1 st at "V" point on the next 12 rows. Knit 1 row and cast off loosely. Knit other side the same. Sew up back and "V" point. Fold band in half and catch down inside. Press seams.

CARDIGAN (Knitted in M.C.).

BACK: Cast on 127(133-139) sts in 1 x 1 rib. Complete selvedge and knit 24 rows of rib. Transfer sts to main bed. R/C on 0. On T8 knit to row 140 and **SHAPE RAGLAN ARMHOLES:** R/C on 0. Cast off 4 sts at the beg of the next 2 rows. Knit 1 row then dec 2 sts at ea end of row (5th & 4th sts on to 3rd st) Rep dec on every foll 4th row until 35(37-39) sts rem. Knit 4 more rows. Take work off machine on waste yarn.

LEFT FRONT: Cast on 61(63-67) sts in 1 x 1 rib. Knit rib as for BACK. R/C on 0. On T8 inc 1 st for size B only - 61(64-67) sts. Knit to row 140 and **SHAPE ARMHOLE:** (On the left) R/C on 0. Cast off 4 sts at armhole edge. Knit 2 rows and dec 2 sts

(5th & 4th sts on to 3rd st). Shape armhole as for BACK until R/C reads 66(70-74). SHAPE NECK: Put 4(5-6) sts at the NECK edge on to waste yarn and take off machine. Still shaping armhole, dec 1 st at neck edge on the next foll 4 rows, then dec 1 st at neck edge on alt rows 4 more times. When 3 sts rem knit 2 more rows and fasten off.

RIGHT FRONT: Knit the same as Left Front reversing shapings.

SLEEVES: Cast on 59(63-67) sts in 1 x 1 rib. Knit rib as for BACK. R/C on 0. On T8 knit 2 rows then inc 1 st at ea end. Rep inc on every foll 6th row 15 more times. Rep inc on every foll 8th row 6 more times 103(107-111) sts. Knit to row 150 and SHAPE ARMHOLES: R/C on 0. Cast off 3 sts at the beg of the next 2 rows. Shape armholes as for BACK until 13 sts rem. Knit 4 more rows and take off machine on waste yarn.

RIGHT BAND: Cast on 17 sts in 1 x 1 rib. Complete selvedge. R/C on 0. Knit 6(8-6) rows of rib and make 1st buttonhole. *Transfer the 2 centre sts to adjacent needles and bring empty needles back into "B" pos.* Knit 33(33-34) rows and make another buttonhole. Rep from * to * on the foll 33rd(33rd-34th) rows 5 more times. Knit 26 (28-28) more rows. R/C reads 230(234-238). Take off machine on waste yarn.

LEFT BAND: Knit same as Right Band omitting buttonholes.


TO MAKE UP: Press all parts lightly. Sew in sleeves. Sew up side and sleeve seams. Sew bands in place.

NECKBAND: With wrong side facing pick up 123 (127-131) sts along neck opening, band, fronts sleeves and back. Arrange sts for 1 x 1 rib, making sure to match rib on bands. Knit 6 rows of rib, make buttonhole, knit 6 more rows of rib. Cast off loosely.

BOY'S & GIRL'S PULLOVER WITH ROUND OR "V" NECK:

(Girl's in Lacy patt. Boy's in st. st.)

Pattern No. AU7-3



MATERIALS: 9(10-12-15) balls Patons Bluebell Crepe.

MEASUREMENTS: To fit 24 (26-28-30) in. chest. Length from shoulder approx. 15(17-19-23) ins. Sleeve seams 12(13-15-15½) ins.

TENSION: T8 = 7 sts and 9½ rows to 1in. over st st or patt.

PATTERN: Slide dial on 1.

Reverse switch on plus. Press button 4, set lever, pass Lacemaker from L to R knit 2 rows. Press buttons 3 & 5 set lever L.M. from L to R knit 2 rows. Press button 4, set lever, L.M. from L to R knit 10 rows. Slide dial on 5. Press button 4, set lever, L.M. from L to R knit 2 rows. Press buttons 3 & 5, set lever, L.M. from L to R knit 2 rows. Press button 4 set lever, L.M. from L to R knit 10 rows.

PULLOVER WITH ROUND NECK:

BACK: Continental Rib. Pull forward 95(101-107-116) needles. *Push back every 3rd needle into "A" pos. On T8 knit 4 rows in waste yarn and 1 row in main yarn. On T4 knit 36 rows. Close hem. (all needles in "B" pos.). R/C on 0. On T8* knit 10 rows st. Knit plain or in patt to row 72(86-100-128) and SHAPE RAGLAN ARMHOLES. R/C on 0. Cast off 4(3-3-3) sts at the beg of the next 2 rows. Knit 1 row then dec 2 sts at ea end. (4th & 3rd sts on to 2nd st). Rep dec on every foll 4th row until 27(27-29-30) sts rem. Knit 2 more rows. Put work on to waste yarn and take off machine.

FRONT: Cast on and knit in Continental Rib as for BACK. Inc 1 st for the 1st three sizes to get an even no of sts. Knit to row 42(50-54-60) of ARMHOLE SHAPING for BACK. SHAPE NECK: Knit off manually on waste yarn half the sts furthest from carriage and push into "A" pos. **Take off machine 6(6-7-7) sts at neck edge on waste yarn. Still shaping armhole, dec 1 st at neck edge on the next 3 rows, then dec 1 st at neck edge on alt rows 3 more times. When 2 sts rem knit 1 row and fasten off.** R/C on 42(50-54-60) carriage at armhole edge. Bring back to "B" pos sts on waste and rep from ** to **.

SLEEVES: Bring forward 45(47-51-55) needles. Rep from * to * of BACK. Knit 2 rows then inc 1 st at ea end. Knitting plain or in patt rep inc on every foll 6th row until there are 75(83-87-95) sts. Knit to row 100(110-120-130) SHAPE ARMHOLES: R/C on 0. Cast off 3 sts at the beg of the next 2 rows. Then shape armholes as for BACK until 9 sts rem. knit 2 rows and take work off machine on waste yarn.

TO MAKE UP: Press all parts lightly. Sew in sleeves, leaving one back seam open. Sew up side and sleeve seams.

NECKBAND: Bring forward 110(116-119-133) needles. Push every 3rd needle back into "A" pos. With wrong side facing pick up sts along neck. On T5 knit 10 rows; T4 knit 4 rows; T5 knit 10 rows. Cast off loosely. Sew up Back seam and neckband. Fold band in half and catch down inside. Press seams.

PULLOVER WITH "V" NECK:

Knit BACK and SLEEVES same as Pullover with Round Neck.

FRONT: Knit the same as for Pullover with Round Neck to row 3 of ARMHOLE SHAPING. R/C on 3 **DIVIDE FOR NECK:** Knit off manually on waste yarn half the sts furthest from carriage and push

into "A" pos. *Dec 2 sts at armhole edge (4th & 3rd sts onto 2nd st). Knit 4 rows. Rep dec at armhole edge and dec 1 st at neck edge. Rep dec at neck edge on every foll 4th(5th-5th-5th) row 11(11-12-12) more times AT THE SAME TIME rep dec at armhole edge on every foll 4th row from commencement until 2 sts rem. Knit 1 row and fasten off.* R/C on 3, carriage at armhole edge. Bring back to "B" pos sts on waste yarn and rep from * to *

TO MAKE UP: Press all parts lightly. Sew in sleeves. Sew up side and sleeve seams.

NECKBAND: Bring forward 78(84-88-92) needles. Push back every 3rd needle into "A" pos. With wrong side facing pick up sts from centre back to "V" and place on needles in "B" pos. Add 1 st at ea end for sewing up. R/C on 0. On T4 knit 2 rows. **Dec 1 st at "V" point (3rd st on to 2nd st) (do not count needles in "A" pos) and knit 1 row. Next row: Rep dec and knit 2 rows.* Rep from * to * 3 more times. On T6 knit 1 row. R/C reads 15.**inc 1 st at "V" point and knit. Next row: inc 1 st at "V" and knit 2 rows.** Rep from, ** to ** 3 more times. Knit 2 more rows and cast off loosely. Knit other half the same. Sew up band at back and at "V" point. Fold band in half and catch down inside. Press Seams.

MAN'S WAISTCOAT:

Pattern No. AU7-4



MATERIALS: 13(15-16-17) balls Patons Bluebell Crepe. 5 Buttons.

MEASUREMENTS: To fit 38 (40-42-44) in chest. Actual meas 41(43-45-47) ins. Length centre back minus neckband 24(24-25-25) ins.

TENSION: T7.2 = 1½ sts and 20 rows over 2 ins.

BACK: Bring up 143(152-158-164) needles. Arrange for 2 x 1 Continental rib by pushing every 3rd needle into "A" pos. *On T7.2 knit 4 rows of waste yarn and 1 row of main yarn. R/C on 0. On T4 knit 28 rows of Cont. Rib. Bring needles in "A" pos back into working pos. On T7.2 knit 1 row and close hem. Pull out waste yarn.* 1ST & 4TH SIZES ONLY: Inc 1 st at both edges 145(166) sts. 3RD SIZE ONLY: Inc 1 st at right edge (159) sts. ALL SIZES: R/C on 0. Knit 118(118-124-124) rows on T7.2. **SHAPE ARMHOLE:** Cast off 4 sts at the beg of the next 4 rows; 3 sts at the beg of the next 2(4-4-6) rows; 2 sts at the beg of the next 4(2-4-2) rows and dec 1 st at the beg of the next 10 (14-12-12) rows. Knit 2 rows. Dec 1 st at the beg of the next 2 rows and every foll 3rd and 4th row 3(3-3-2) times altog. Knit 4 rows. Dec 1 st at

the beg of the next 2 rows and on every foll 5th and 6th rows 5(3-3-4) times altog. 89(94-99-104) sts rem. Knit 46(54-58-56) rows without shaping. Carriage at the right. R/C reads 226(226-236-236).

SHAPE SHOULDERS: Cast off 5(6-6-6) sts at the beg of the next 8(4-6-8) rows; 5(5-5-6) sts at the beg of the next 2(6-4-2) rows. Cast off rem 39(40-43-44) sts.

RIGHT FRONT: Bring up 68(71-74-77) needles and arrange for 2 x 1 Continental Rib as before. Rep from * to * in BACK. R/C on 0. On T7.2 knit 87(87-93-93) rows. NOTE For left front add 1 extra row. Carriage on the left **SHAPE FRONT EDGE:** Dec 1 st at the beg of the next and every foll 10th row (all sizes) 4 times altog. Carriage on the right. **SHAPE ARMHOLE:** still dec 1 st at the left edge on every 10th row (all sizes) 6(5-5-5) times altog, AT THE SAME TIME cast off 4 sts at the beg of the next and foll alt row. Knit 1 row. Cast off 3 sts at the beg of the next and every foll alt row 1(2-2-3) times altog. Knit 1 row. Cast off 2 sts at the beg of the next and foll alt row 2(1-2-1) times altog. Knit 1 row. Dec 1 st at the beg of the next and every foll alt row 5(7-6-6) times altog. Knit 3 rows. Dec 1 st at the beg of the next and every foll 4th row 3(3-3-2) times altog. Knit 5 rows. Dec 1 st at the beg of the next and every foll 6th row (5-3-3-4) times altog. Knit 8(6-6-4) rows without shaping 30(33-35-37) sts rem. Keeping armhole edge straight at front edge dec 1 st at the beg of the next and every foll 10th row (all sizes) 3(4-5-5) times altog. Knit 18(18-12-12) rows without shaping. Carriage on the right. R/C reads 226(226-236-236). **SHAPE SHOULDER:** Cast off 5(6-6-6) sts at the beg of the next and every foll alt row 4(2-3-4) times altog. Knit 1 row. Cast off 5(5-5-6) sts at the beg of the next and every foll alt row 1(3-2-1) times altog. Knit 1 row. Cast off rem sts.

LEFT FRONT: Knit as RIGHT FRONT reversing all shapings.

FRONT BAND: With selvedge edge cast on 24 sts. R/C on 0. T7. Knit 8 rows. **Counting from both edges make a buttonhole over needles 5, 6, 7 and 8 on ea side manually using waste yarn. Knit 24(24-26-26) rows.** Rep from ** to ** 4 times more. Knit band for length required.

ARMHOLE BANDS: Join Shoulder seams. Wrong side facing pick up 148(155-162-169) sts around armhole. On T7.2 knit 2 rows; T7 knit 2 rows; T6.1 knit 2 rows T5.2 knit 2 rows; T5 knit 2 rows. T7.2 knit 1 row (turning row) T5 knit 2 rows; T5.2 knit 2 rows; T6.1 knit 2 rows; T7 knit 2 rows; T7.2 knit 2 rows. Pass threaded needle through sts on machine and take off.

POCKETS: With selvedge edge cast on 37 sts. On T7.2 knit 58 rows. Cast off.

TO MAKE UP: Press lightly. Sew up side seams. Fold Armhole bands and catch down inside through open sts. Sew 1 edge of front band into pos

(buttonhole edge on the left side). Catch down 2nd edge on the inside. Finish off buttonholes. Sew on buttons. Turn in 6 rows at top of pocket and catch down. Sew pockets into pos. Press seams.

LADY'S DRESS WITH RIB AND CABLE.

Pattern No. AU7-5



MATERIALS: 24 (25, 26, 27) balls Lincoln Crepetta or Cleckheaton 5 ply Crepe.

MEASUREMENTS: To fit 30 (32, 34, 36) inch bust.
Length 38(38½, 39, 39½) ins.
Sleeve 15 (15, 16, 16) ins.

TENSION: 7 sts. and 9 rows to 1 inch T 7.1.

BACK: Bring up 117 (123, 129, 137) needles, push centre needle to A position, then every 7th needle both sides to A. Using waste yarn cast on and knit 4 rows, change to main yarn T 6.1 knit 12 rows, then 12 rows T 7, pick up hem. R/c on 0, T 7.1 cont straight to row 268 (270, 272, 274). Shape armholes: R/c on 0, Cast off 6 (7, 7, 8) sts. at beg. of next 2 rows (always counting needles in A position as one stitch). Dec. 1 st. each end of next row and every alt. row to 91 (93, 97, 101) sts. Cont. straight to row 66 (68, 70, 72). Shape Shoulders: Cast off 6 sts. at beg. of next 6 rows, and 8 (8, 9, 10) sts. at beg. of next 2 rows. Cast off rem 39 (41, 43, 45) sts.

FRONT: Work hem as back. Cont. in pattern as back, but work cable over 4 panels thus: Leave centre 2 panels, cable next panel, leave 2 panels, cable next panel (on each side of centre). Lift 2 sts. nearest carriage to trans. tool, cross behind next 2 sts. placing 2nd set of 2 sts. on vacant needles, knit 5 rows, then cable 4 sts. nearest carriage in same way. Cont. in this cable and rib pattern until front measures same as back to armholes, shape as back, cont. until row 45 (47, 49, 51) in armholes. Shape Neck: Work on first 35 (35, 36, 38) sts. Dec. 1 st. at neck edge of next 9 rows. Cont. straight to shoulder, shape as back. Cast off loosely centre 21 (23, 25, 25) sts. Work other side to match.

SLEEVES: Bring up 61 (61, 63, 63) needles, work hem as back, cont. in patt. inc. 1 st. each end of every 6th row (keeping pattern correct) until inc. to 87 (91, 95, 101) sts. Cont. straight row 134 (134, 144, 144). Shape Top: Cast off 6 (7, 7, 8) sts. at beg. of next 2 rows. Dec. 1 st. each end of every 4th row to 63 (65, 71, 73) sts. then every alt. row to 21 (21, 25, 25) sts. Cast off.

COLLAR: At right hand edge of machine bring up 45 needles and position as for back. Cast on with selvedge edge. Knit 1 row **Dec. 1 st. at right hand edge and inc. 1 st. at left hand edge, knit 2 rows.

Repeat from ** to ** keeping needles in A position in pattern, until length required to fit neck edge.

TO MAKE UP: Join shoulder seams, sew in sleeves, join side and sleeve seams. Sew decreased edge of collar to neck edge, turn in half to right side. Make belt thus: T 5.1 Selvedge edge cast on 7 sts, right hand part button in, knit length required. Press lightly with warm iron and damp cloth.

LACY SLEEVELESS DRESS, CARDIGAN & PLAIN SLACKS:

Pattern No. AU7-6



MATERIAL: Dress: 18(18-19) balls Patons Bluebell Crepe.
CARDIGAN: 18(18-19) balls Patons Bluebell Crepe. 8 buttons.
SLACKS: 18(20-22) balls Patons Bluebell Crepe. Elastic for waist.

MEASUREMENTS: To fit 32 (34-36) in bust.
DRESS: Length from shoulders approx 38(39-40) ins.
CARDIGAN: Length from shoulders approx 25(25½-26) ins. Sleeve Length 17 ins.

SLACKS: Length from waist approx. 36(37-38) ins. Waist adjustable with elastic.

TENSION: T7.2 = 6¼ sts and 10 rows to 1" over patt. T7.2 = 7 sts and 10 rows over st st.

PATTERN: Reverse switch on plus, slide dial on 1. *Press buttons 1.3.5.7, set lever, pass Lacemaker across from R to L and knit 2 rows. Press button 1, set lever, L.M. from L to R. Knit 2 rows. Set lever, L.M. from R to L knit 2 rows. Set lever L.M. from L to R knit 2 rows. Set lever, L.M. from R to L knit 2 rows. Set lever L.M. from L to R knit 2 rows.*

DRESS: BACK: Cast on 140 (147-154) sts in waste yarn. *On T8 knit 3 rows in waste yarn and 1 row in main yarn. On T5.2 knit 12 rows in patt. On T6.2 knit 13 rows. Carriage on the left. On T9 close hem. R/C on 0. On T7.2 *keeping continuity of patt knit to row 20 then dec 1 st at ea end of row. Rep dec on every foll 20th row 8 more times. Rep dec on every foll 10th row 3 more times. Knit until R/C reads 284 (290-296). SHAPE ARMHOLES: R/C on 0. Cast off 7 (8-9) sts at the beg of the next 2 rows. Dec 1 st at ea end of the next 3 rows. Dec 1 st at ea end of alt rows 3 more times. Knit until R/C reads 64 (68-72) SHAPE SHOULDERS: Cast off 6 (7-7) sts at the beg of the next 4 rows. Cast off 7 (7-8) sts at the beg of the next foll 4 rows. Cast off rem 38 (39-40) sts.

FRONT: Knit the same as BACK to row 38(42-46) of ARMHOLE SHAPING. SHAPE NECK: Knit off manually 56(59-62) sts furthest from carriage, in waste yarn and push them back to "A" pos. **Dec

1 st at back edge in the next foll 3 rows. Dec 1 st at neck edge on alt rows 5 more times. R/C reads 64(68-72) SHAPE SHOULDERS: Cast off 6(7-7) sts at armhole edge twice. Cast off 7(7-8) sts at armhole edge twice more.** R/C on 38(42-46) Cast off the 22(23-24) centre sts and rep from ** to ** for other side.

NECK BAND: Sew up one shoulder. With wrong side facing pick up 108(112-116) sts along neck opening — add 1 st at ea end for sewing up. On T6 knit 5 rows st st then make picot edge (press buttons 1.3.5.7. set lever and pass L.M. across) knit 4 more rows and cast off loosely.

SLEEVE BANDS: Sew up other shoulder. With wrong side facing, pick up 90(94-98) sts along sleeve opening. Add 1 st at ea end for sewing up. Knit the same as for Neck Band.

TO MAKE UP: Press lightly. Sew up side seams. Fold neck and sleeve bands and catch down inside. Press seams.

CARDIGAN:

BACK: Cast on 121(128-135) sts in waste yarn. Rep from * to * for BACK of Dress. Knit in patt to row 150(156-162) SHAPE ARMHOLES: R/C on 0. Cast off 6(7-8) sts at the beg of the next 2 rows. Dec 1 st at ea end of the foll 3 rows. Dec 1 st at ea end on alt rows 3 more times. Knit in patt to row 68(72-76) SHAPE SHOULDERS: Cast off 7(8-8) sts. at the beg of the next 4 rows. Cast off 8(8-9) sts at the beg of the foll 4 rows. Cast off rem 37(38-39) sts.

LEFT FRONT: Cast on 59(62-66) sts in waste yarn. Rep from * to * in BACK of dress. Knit in patt to row 150(156-162) SHAPE ARMHOLE on the left. R/C on 0. Cast off 7(8-9) sts at the beg of row. Dec 1 st at armhole edge on the next 3 rows. Dec 1 st at armhole edge on alt rows 3 more times. Knit to row 45(49-53). SHAPE NECK: Cast off 8(8-9) sts at neck edge. Dec 1 st at neck edge on the next 4 rows. Dec 1 st at neck on alt rows 4 more times. Knit to row 68(72-76) SHAPE SHOULDER: Cast off 7(8-8) sts at armhole edge twice. Cast off 8(8-9) sts twice more.

RIGHT FRONT: Work the same as LEFT FRONT reversing all shapings.

SLEEVES: Cast on 55(59-63) sts in waste yarn. Rep from * to * in BACK of Dress. Knit 2 rows then inc 1 st at ea end of row. Rep inc on every foll 6th row 3(6-9) more times. Rep inc on every foll 8th row 16(14-12) more times. Knit to row 160 and SHAPE ARMHOLE: R/C on 0. Cast off 7(8-9) sts at the beg of the next 2 rows. Dec 1 st at ea end on alt rows until R/C reads 42(46-50) then dec 2 sts at the beg of the next foll 6 rows. Cast off 3 sts at the beg of the foll 2 rows. Cast off rem sts.

RIGHT BAND: With wrong side facing pick up 125(130-135) sts from lower edge to corner of neck. R/C on 0. On T7 knit 2 rows and inc 1 st at ea end. Knit 2 more rows then inc 1 st at neck end

and dec 2 sts at lower edge by putting the 2 end sts on to the 3rd st. Knit 1 row. Make Buttonholes: counting from the lower edge transfer the 4th and 5th sts to adjacent needles. (Count 15(16-17) sts in between buttonholes, then transfer the next 2 sts to adjacent needles, 6 times altog.) Leave 1 needle of ea buttonhole in "B" pos knit 1 row then inc 1 st at neck end and cast on with a selvedge edge 2 sts at lower edge. Knit 1 row and twist the loops under the empty needles to form a st and place on empty needles to close buttonholes. Knit 1 row. Inc 1 st at neck end. Dec 2 sts at lower end as before. Knit 2 rows. Inc 1 st at neck cast on with selvedge edge 2 sts at lower end. Knit 2 rows then dec 1 st at lower end only. Knit 1 row. R/C reads 13. Make a picot edge as in Neckband of dress. Knit 3 rows then dec 1 st at neck edge. Rep dec at neck on alt rows twice: R/C reads 20. Rep buttonholes to correspond with others. Rep dec at neck end on alt rows twice more. Knit 1 row, R/C reads 25. Cast off.

LEFT BAND: Knit the same as Right Band omitting the buttonholes.

NECK BAND: Sew up shoulders. With wrong side facing pick up 97(100-103) sts around neck. On T7 R/C on 0 knit 2-rows then inc 1 st at ea end. Rep inc on alt rows 4 more times. Knit to row 12. Make picot edge as in bands. Knit 2 rows then dec 1 st at ea end. Rep dec on alt rows 4 more times. Knit 1 row. R/C reads 23. Cast off.

TO MAKE UP: Press parts lightly. Join right band to neck band making 8th buttonhole in the join. Join left band to neck band. Fold bands and catch down inside. Sew in sleeves. Sew up side and sleeve seams. Press seams. Sew on buttons.

SLACKS:

RIGHT PART: Knit in st st. *Cast on 76(79-82) sts in waste yarn. On T7.2 knit 3 rows in waste yarn and 1 row in mainyarn. On T5.2 knit 15 rows. Make picot edge. On T6.2 knit 16 more rows and close hem. R/C on 0. On T7.2 knit 28 rows then dec 1 st at ea end. Rep dec on every foll 14th row 8 more times. Knit to row 170 then inc 1 st at ea end. Rep inc on every foll 10th row 5 more times. Knit to row 230** Take work off machine on waste yarn. Casting on from the right of 0 on machine, knit 1 more piece from * to **. Join parts tog putting 2 sts on ea end needle where parts meet. R/C reads 230. Inc 1 st at ea end. Rep inc on every foll 10th row twice more. Knit to row 261 and shape crotch***. R/C on 0. Carriage on the left. ****1st row: Cast off 8(10-11) sts and knit. 2nd row: Cast off 6 sts and knit. Dec 1 st at ea end of the next foll 5 rows. Dec 1 st at ea end of alt rows 5 more times. Rep dec on every foll 14th row 3(4-5) more times. Knit to row 87(97-107)**** Carriage on the right: H.C.Ls on 111. *****Push 25 sts furthest from carriage to "E" pos and knit 2 rows. (Push 7 sts furthest from carriage to "E" pos and knit 2 rows, 7 times altog.) H.C.Ls on 1. On T6.2 knit 14 rows. Make a picot edge. Knit 13 more rows. Cast off loosely.

LEFT PART: Knit from * to *** of **RIGHT PART**. Knit 1 row. Carriage on the right. R/C on 0. Rep from **** to **** of **RIGHT PART**. 87(97-107) rows. Carriage on the left. H.C.Ls on 111. Rep from ***** to end.

TO MAKE UP: Press both parts lightly. Sew up leg seams. Join parts tog. Fold upper hem and catch down inside. Insert elastic. Press seams lightly.

STRIPED DRESS & PLAIN COAT

Pattern No. AU7-7



MATERIALS: DRESS: 8(9-10-11-12) balls Villawool Superknit 5 ply. M.C. 7(8-9-10-11) balls Villawool Superknit 5 ply C.C.

COAT: 19(20-21-22-23) balls Villawool Superknit 5 ply M.C. 3 balls Villawool Superknit 5 ply C.C. 6" zipper. 8 buttons.

MEASUREMENTS: To fit 32 (34-36-38-40) in bust. Length 34½(34½-34¾-35-35) ins.

Sleeve length 3½ ins all sizes. Coat length 34¾ (34¾-35-35¼-35¾) ins. Long Sleeves 17 ins all sizes.

TENSION: T8 = 7 sts and 9¼ rows to 1 in.

PATTERN: STRIPES: 6 rows C.C. 6 rows M.C. (12-rows inclusive).

DRESS:

BACK: Cast on 141(149-157-165-173) sts in waste yarn. *On T9 knit 3 rows of waste and 1 row of M.C. On T7 knit 7 rows. On T8, 2 knit 1 row. On T7 knit 6 rows.* R/C on 0. On T8 knit in patt dec 1 st at ea end of the 15th row. Rep dec on every foll 14th row until 125(133-141-149-157) sts rem. Knit 7 rows (adjust length here). Dec 1 st ea end of the next and every foll 6th row 7 times. Cont on the rem 111(119-127-135-143) sts until R/C reads 192. Then inc 1 st at ea end of the next and every foll 8th row 5 times. 121(129-137-145-153) sts. Knit until R/C reads 246. R/C on 0.

SHAPE ARMHOLES: Cast off 4(5-6-7-8) at the beg of the next 2 rows. Dec 1 st at ea end of the next 5(5-6-6-6) rows, then rep dec on every alt row 4(5-5-6-7) times. 95(99-103-107-111) sts rem. Knit to row 28 and **DIVIDE FOR NECK OPENING:** H.C.Ls. on 111. Push 48(50-52-54-56) sts furthest from carriage into "E" pos. and knit on rem 47(49-51-53-55) sts until R/C reads 68-68-70-72-72). **SHAPE SHOULDER & NECK:** Carriage at armhole edge. Cast off at the beg of the next and every alt row 7 sts (all sizes) once, 7(7-8-8-8) sts once, 7(8-8-8-9) sts once, 8(8-8-9-9) sts once, **AT THE SAME TIME** cast off at Neck Edge on every alt row 12(13-14-15-16) sts once and 3 sts

twice. H.C.Ls on 1. Dec 1 st all sizes in centre and knit to correspond with other side.

FRONT: Work as for **BACK** to row 50(50-52-54-54) of Armhole Shaping. **SHAPE NECK:** H.C.Ls on 111. Push 55(58-61-64-67) sts furthest from carriage into "E" pos. Knit on rem 40(41-42-43-44) sts. dec 1 st at Neck Edge on the next 7 rows, then dec 1 st on every 2nd row 4 times. Cont. on the rem 29(30-31-32-33) sts. until R/c reads 68(68-70-72-72) and **SHAPE SHOULDER:** Cast off at the beg of the next and ea alt row 7 sts (all sizes) once; 7(7-8-8-8) sts once; 7(8-8-9) sts once, 8(8-8-9-9) sts once. H.C.L. on 1 Cast off the centre 15(17-19-21-23) sts and knit other side to correspond.

SLEEVES: With M.C. cast on 78(80-82-84-86) sts in 1 x 1 rib. Knit 15 rows. Transfer sts to main bed. R/C on 0. On T8 work in patt inc 1 st at ea end of the next and every foll 4th row to 84(86-90-96) sts. Knit until R/C reads 18 (or length required) ending on the same stripe row as **BACK**. Cast off 4(5-6-7-8) sts at the beg of the next 2 rows. Dec 1 st at ea end of the next 3 rows, then on every alt row until 40 sts rem. Cast off 4 sts at the beg of the next and every foll row 6 times. Cast off rem. sts.

TO MAKE UP: Press all work lightly on wrong side. Sew up one shoulder. Sew in sleeves. Sew up side and sleeve seams.

NECK BAND: With M.C. and wrong side of work facing pick up 87(89-91-93-95) sts from centre back to open shoulder and knit 15 rows in 1 x 1 rib. Cast off loosely. Wrong side facing, pick up from centre back on other side 17(19-21-23-25) sts. Knit to correspond with other band. Sew up shoulder and neck band. Work 1 row of D.C. around back opening and insert zipper. Turn up hem and catch down. Press all seams.

COAT:

BACK: Cast on 145(153-161-169-177) sts and work as for **BACK** of Dress from * to *. R/C on 0. On T8 cont in M.C. and st st. Dec 1 st at ea end of the 15th row, then on every foll 14th row until 129(137-145-161) sts rem. Work 7 rows straight (adjust length here). Then dec 1 st at ea end of the next and every foll 6th row 7 times. Cont on the 115(123-131-139-147) sts until R/C reads 192, then inc 1 st at ea end of the next and every foll 8th row 5 times. 125(133-141-149-157) sts. Knit until R/C reads 246. R/C on 0. **SHAPE ARMHOLES:** Cast off 4(5-6-7-8) sts at the beg of the next 2 rows. Dec 1 st at ea end of the next 5 rows, then on every alt row 5(6-7-8-9) times. Cont on the rem 97(101-105-109-113) sts until R/C reads 70(70-72-74-74). **SHAPE SHOULDERS & NECK:** Cast off 7 sts (all sizes) at the beg of the next 2 rows. H.C.Ls on 111. Push 57(60-63-66-69) sts furthest from carriage into "E" pos. Knit on rem sts. Cast off at shoulder edge on the next and every alt row 7(7-8-8-8) sts once; 7(8-8-8-9) sts once; 8(8-8-9-9) sts once **AND AT THE**

SAME TIME cast off at Neck edge on every alt row 2 sts twice. H.C.Ls on 1. Cast off 31(33-35-37-39) sts at the centre. Knit other side to correspond.

RIGHT FRONT: Cast on 72(76-80-84-88) sts and work as for BACK of Dress, from * to *. R/C on 0. M.C. and T8 Knit dec 1 st at the side edge on the 15th row, then on every foll 14th row until 64(68-72-76-80) sts rem. Knit 7 rows (adjust length here). Then dec 1 st at side edge on the next and every foll 6th row 7 times. Cont on the 57(61-65-69-73) sts until R/C reads 192. Then inc 1 st at side edge on the next and every foll 8th row 5 times 62(66-70-74-78) sts. Knit until R/C reads 246. R/C on 0. **SHAPE ARMHOLES:** Cast off 4(5-6-7-8) sts at the beg of the next row. Dec 1 st at armhole edge on the next 5 rows, then on every alt row 5(6-7-8-9) times. Cont on rem 49(50-52-54-56) sts until R/C reads 26. **SHAPE FRONT:** Dec 1 st at neck edge on alt rows until 29(30-31-32-33) sts rem. Knit until R/C reads 70. **SHAPE SHOULDER:** Cast off at the beg of the next and every alt row 7 sts (all sizes) once; 7(7-8-8-8) sts once; 7(8-8-8-9) sts once, 8(8-8-9-9) sts once.

LEFT FRONT: Knit as Right Front reversing all shapings.

SLEEVES: On T 9 Cast on in waste yarn 53 (55-57-59-61) Knit 3 rows of waste yarn and 1 row of M.C. On T 7 knit 11 rows; on T 9 on T 9 knit turning row. R/C on 0. On T8 knit 12 rows. Knit 12 rows in C.C. Cont. in M.C. and inc 1 st at ea end of the next and every foll 8th row until 89(91-95-99-101) sts. Knit until R/C reads 170 rows. (Or length required). R/C on 0. Cast off 4(5-6-7-8) sts at the beg of the next 2 rows. Dec 1 st at ea end of the next 3 rows, then on every alt row until 41 sts. rem. Cast off at the beg of the next and every row 4 sts 6 times. Cast off rem sts.

POCKETS: On T8 and M.C. cast on with a selvedge edge 31 sts and knit 6 rows. Inc 1 st inside the 1st and last sts on the next 10 rows (51 sts). Cont until R/C reads 75. Dec 1 st at ea end of the next 10 rows, then cast of rem. sts.

FRONT BAND: (Left): Cast on with a selvedge edge 21 sts in C.C. Left H.C.L. on 111 and right H.C.L. on 1. Push the centre needle to "E" pos every alt row (to mark fold). Knit length required.

RIGHT FRONT BAND: Knit as Left band, but put in buttonholes the 1st on row 42 and then on every foll 32nd row (6 buttonholes in all). Buttonholes: Knit off in waste yarn manually the 3rd, 4th, 5th sts and the 14th, 15th and 16th sts from edge.

TO MAKE UP: Press work lightly. Sew up shoulders. Sew in sleeves. Sew up side and sleeve seams. Sew bands from centre neck to lower edge. Fold and catch down inside. Fold hems and catch down inside. Fold the 4 sides of Pockets to the wrong side (5 rows at lower edge, 5 sts at ea side, 11 rows at top) and neatly join the mitred corners, then

slip st the edges down. Attach the pockets 15 sts in from the front band and in line with the 4th button. Finish off buttonholes and sew on buttons.

GYPSY-STYLE SKIRT & BOLERO:

Pattern No. AU7-8



MATERIALS: 27(29-31) balls Sirdar Double Crepe. Elastic for waist.

MEASUREMENTS: SKIRT- to fit 37(38½-40) ins. Actual meas. 39(40½-42) ins. Length 25 ins(all sizes)(optional). **BOLERO:** To fit 35(36½-38) ins. Actual meas. 37(38½-40) ins. Length 15¾(16¾-16¾) ins.

TENSION: T9.2 = 6 sts and 8 rows to 1 in in st st and 12 rows to 1 in over patt.

PATTERN: Carriage on the right. 1. Press in both Tuck buttons. 2. Press buttons 1.2.3.5.6.7. *3. Slide dial on 1. 4. Set lever and knit 1 row. 5. Rep step 4 twice more. 6. Slide dial on 3. 7. Set lever and knit 1 row. 8. Rep step 7 twice more.* Rep from * to * for length of pattern..

SKIRT BACK & FRONT: Cast on with a selvedge edge 92(97-102) sts. On T8.2 knit 8 rows st st. On T10 knit 1 row. On T9.2 knit 10 rows, then inc 1 st at the beg of the next 2 rows, then on every foll 8th row from 1st inc row twice. (98-103-108) sts. Knit 3 rows. 1st SHAPING ROW: Inc 19 sts across the row by transferring sts from the centre out to leave an empty needle between ea 5 sts, the last empty needle being 4(7-9) sts from one end and 4(6-9) from the other. Knit 1 row. Knit 12 rows in patt. Knit 17 rows in st st. 2nd SHAPING ROW: Inc 20 sts across the row, trans. sts as before, the empty needle being between ea 6 sts, and the last empty needle being 1 (4-6) sts from one end and 2(4-7) sts from the other end. Knit 1 row. 137(142-147) sts. Knit 18 rows in patt and 17 rows in st st. 3rd SHAPING ROW: Inc 15 sts across row, empty needles being 9 sts apart and 5(8-10) sts from one end and 6(8-11) sts from the other end. Knit 1 row (152-137-162) sts. Patt 24 rows; st st 17 rows. 4th SHAPING ROW: Inc 15 sts across row, empty needles 10 sts apart and 6(9-11) sts from one end and 6(8-11) sts from other end. Knit 1 row 167(172-177) sts. Patt. 36 rows; st st 17 rows. 5th SHAPING ROW: Inc 23 sts across row, empty needles 7 sts apart and 6(9-11) sts from one end and 7(9-12) sts from other end. Knit 1 row. 190(195-200) sts. Patt. 66 rows; st st 1 row. Cast off.

TO MAKE UP: Join side seams. Fold hem at waist on loose tension row and catch down inside, leaving

gap for elastic. Work 2 rows of double crochet around lower edge; on the 2nd row missing every 4th loop. Press seams and edges with warm iron and damp cloth.

BOLERO:

BACK: With selvedge edge cast on 105(109-113) sts. On T9.2 knit 1 row. Pattern 18 rows; 54 rows of st st. **SHAPE ARMHOLES:** Cast off 6(7-8) sts at the beg of the next 2 rows, then dec 1 st at ea end of the next and foll alt row. Dec 1 st at ea end of every 6th row 12(12-13) times **AT THE SAME TIME** when 14 rows of st st have been worked in armhole, change to patt and work 68(74-80) rows. **SHAPE SHOULDERS:** Cont in patt casting off 9(9-9) sts at the beg of the next 2 rows, then 8(9-9) sts at the beg of the foll 2 rows. Cast off rem 31 sts.

LEFT FRONT: Cast on with a selvedge edge 49(51-53) sts. On T9.2 knit 1 row. Change to patt and work 18 rows, then 54 rows of st st, ending at the side edge. **SHAPE ARMHOLE & NECK:** Cast off 6(7-8) sts at the beg of the next row and dec 1 st at the end of this row. Dec 1 st at armhole edge on the next 2 alt rows, then on every 6th row 12(12-13) times, **AT THE SAME TIME**, dec 1 st at neck edge on the 5th and every foll 6th row 11 times, commencing patt on 15th row of armhole as in Back. When 68(74-80) rows of patt have been worked and commenc. at the side edge **SHAPE SHOULDER:** Cast off 9 sts at the beg of the next row. Knit 1 row. Cast off rem sts.

RIGHT FRONT: Knit the same as Left Front, reversing all shapings.

TO MAKE UP: Join shoulder and side seams. Work 2 rows of double crochet around all edges — on 2nd row working into only 2 out of every 3 loops across back of neck and along lower edge; and 3 out of every 4 loops around patterned edge of armholes. Press seams and edges lightly with a warm iron and a damp cloth.

GIRL'S TOP

Pattern No. AU7-9



MATERIALS: 5 (6, 7) balls Lincoln or Cleckheaton 4 ply, 2 small buttons.

MEASUREMENTS: To fit 22 (23, 24) inch chest, length 15½ (16½, 17½) ins. sleeve 8¾ (9¾, 10¾) ins.

TENSION: 7¼ sts. to 1 inch T 6.1.

BACK: Bring up 101 (107, 115) needles, arrange for Continental

2 x 1 rib. Using waste cast on and k 4 rows, change to main yarn k 24 rows T 5. Bring up empty needles, k 1 row, then pick up hem onto needles just brought up. R/c on 0, cont. in st. st. dec. 1 st. each end of every 14th row to 87 (95, 103) sts. Cont. straight to 80 (88, 96) rows. Shape Raglan Armholes: Cast off 3 sts. at beg. of next 2 rows, then dec. 1 st. each end of next and alt. rows to 43 (53, 63) sts. then every row to 27 (29, 31) sts. Leave on sp. needle.

FRONT: Work as back until 57 (63, 69) sts. rem. in raglan shaping. Leave centre 11 (13, 15) sts. on waste, shape at raglan edge on alt. rows 7 (5, 3) times more than every row until 1 st. rem. at the same time dec. at neck edge on alt. rows 7 times. Work other side to match.

SLEEVES: Bring up 43 (45, 47) needles, arrange for cont. rib. Cast on and work as back on T 2.2 for 30 rows. Pick up hem. R/c on 0, cont. in st. st. inc. 1 st. each end of every 6th row to 63 (65, 69) sts. Cont. straight to row 68 (78, 88). Cast off 3 sts. at beg. of next 2 rows. Dec. 1 st. each end of next and foll. alt. rows to 11 (11, 13) sts. then every row to 7 (7, 9) sts. Leave on sp. needle.

NECKBAND: Join raglan seams except left back seam. Pick up 14 sts. each side neck, 11 (13, 15) centre front sts. 7 (7, 9) sts. on sleeves, and 27 (29, 31) back neck sts. K 1 row, transfer sts. for cont. rib, k 24 rows on T 3.2, Cast off loosely.

TO MAKE UP: Press with warm iron and damp cloth. Join remaining raglan seam up to 1½ ins. from neck band. Fold band in half to wrong side and slip stitch in position. Work 1 row double crochet on raglan opening and double neckband, then work 2nd row making 2 small loops for buttons on front edge. Join side and sleeve seams. Sew on buttons.

JUMPER SUIT:

Pattern No. AU7-10



MATERIALS: JUMPER: 9 (10-10) balls Patons Bluebell Crepe M.C.

15(16-17) balls Patons Bluebell C.C. SKIRT: 11(12-13) balls Patons Bluebell Crepe M. C. Elastic (1").

MEASUREMENTS: To fit 32 (34-36) in. bust.

JUMPER: Length from Shoulder approx. 25(26-26) ins.

Length sleeve seam 14 ins.

SKIRT: Length approx. 24(24½-25) ins. Waist 26 (27-28) ins. adjustable with elastic.

TENSION: T8 = 7 sts and 9½ rows to 1 in. over st st. T7.1 = 7½ sts and 14½ rows to 1 in. over patt.

PATTERN: *H.C.Ls. on 111. Slide dial on 1. Reverse switch on plus. Press buttons 1 and 5, set lever and knit 4 rows of C.C. H.C.L. nearest the knitting on 1, knit 2 rows in M.C. H.C.L. back on 111. Slide dial on 3, set lever and knit 4 rows in C.C. H.C.L. nearest the knitting on 1 and knit 2 rows in M.C.* Rep from * to * for patt.

BACK: Cast on 135(143-151) sts in waste yarn. *On T7.1 knit 3 rows in waste yarn and 1 row in M.C. On T5.1 knit 13 rows in M.C. On T7.1 knit 17 rows in patt. Carriage on the right. On T9 close hem. Carriage on the left. R/C on 0. On T7.1* Knit in patt to row 246(252-258) and shape armholes. R/C on 0. Cast off 7(8-9) sts at the beg of the next 2 rows. Dec 1 st at ea end of alt rows 4 times. Knit to row 108(112-116) and **SHAPE SHOULDERS:** Cast off 7 sts at the beg of the next 6 rows. Cast off 6(7-8) sts at the beg of the next 4 rows. Put rem 47(49-51) neck sts on to waste yarn.

FRONT: Work the same as for BACK to row 88 (92-96) of **ARMHOLE SHAPING** then **SHAPE NECK:** Knit off manually in waste yarn 70(74-78) sts furthest from carriage, and push back to "A" pos. **Working on rem sts dec 1 st on alt. rows at Neck edge 10 times. 109th(113th-117th) row **SHAPE SHOULDER:** Cast off 7 sts at armhole edge 3 times then cast off 6(7-8) sts at armhole edge twice.** R/C on 88(92-96). Bring sts on waste yarn back to "B" pos. Take off on waste yarn 27(29-31) centre sts, then rep from ** to ** for other side.

THREE QUARTER SLEEVES: Cast on in waste yarn 71(75-79) sts and rep from * to * of Back of Jumper. Inc 1 st at ea end of the next row and every foll 10th row until there are 107(111-115) sts. Knit to row 180 and **SHAPE ARMHOLE:** R/C on 0. Cast off 6(7-8) sts at the beg of the next 2 rows. *Knit 2 rows and dec 1 st ea end. Knit 3 rows and rep dec.* Rep from * to * until R/C reads 76(80-84) then dec 1 st at ea end of the foll 4 rows. Cast off rem. sts.

COLLAR: Sew up the right shoulder. Carriage on the right. With right side facing put 47(49-51) sts of Back from waste yarn on the machine. Pick up 18 sts along neck side; put 27(29-31) centre sts on waste back onto machine and pick up 18 sts along other neck side. Add 1 st to get 111(115-119) sts. On T7.1 knit 1 row of M.C. from right to left. R/C on 0. Knit 54 rows of patt. On T6 and M.C. knit 10 rows of st st. Cast off loosely.

TO MAKE UP: Do not press. Sew up other shoulder and collar seam. Fold collar trim in half and sew on Set in sleeves. Sew up side and sleeve seams.

SKIRT (BACK): Cast on 132(138-144) sts in waste yarn. On T8 knit 3 rows in waste and 1 row in M.C. yarn. On T6 knit 10 rows. On T9 knit 1 row. On T6 12 rows and close hem. R/C on 0. On T8 knit 34(36-38) rows then dec 1 st at ea end of row. Rep dec on every foll 30th row 4 more times. Rep dec on the foll 20th row once. Rep dec on the foll 10th rows twice. Rep dec on the foll 6th row once.

Rep dec on the foll 4th rows 0(1-2) times. There are 200(206-212) rows and 114(118-122) sts. **SHAPE DARTS:** at the same time as edge shapings. Transfer the 26th st to the 25th st* ea end, and move sts in to fill the empty spaces. Dec 1 st ea end for edge shaping then knit 4 rows.* Transfer 25th st on to the 24th st and rep from * to *. Transfer the 24th st to the 23rd st and rep from * to *. Transfer the 23rd st to the 22nd st and rep from * to *. Transfer the 22nd st to the 21st st and rep from * to *. On T6 knit 14 rows. On T9 knit 1 row. On T6 knit 12 rows and cast off loosely.

SKIRT (FRONT): Knit same as back Skirt.

TO MAKE UP: Press lightly. Sew up sides. Fold waist band on turning row and catch down. Insert elastic.

BELT: Cast on 7 sts and knit length required. Draw in ends with needle and thread.

MAN'S FANCY SWEATER:

Pattern No. AU7-11



MATERIALS: 23(24) balls Lincoln Crepette or Cleckheaton Crepe. 5 ply.

MEASUREMENTS: To fit 38 (40) in chest. Length 27½(28) ins. Sleeve length 19 ins.

TENSION: 14 sts and 24-rows to 2 ins over patt. on T7.

PATTERN: *H.C.Ls. on 111. Press buttons 1 and 5, slide dial on 1, set lever, knit 4 rows, H.C.L. nearest the knitting on 1,

knit 2 rows. H.C.L. back on 111, slide dial on 3, set lever, knit 4 rows, H.C.L. nearest the knitting on 1, knit 2 rows.*

BACK: Cast on 141 (149) sts. Work 5 ins in Continental Rib. Close hem thus—bring forward empty needles, knit 1 row, then pick loops onto needles just brought up. On T7 knit 1 row. R/C on 0. Rep. from * to * of patt until R/C reads 210. **SHAPE ARMHOLES:** R/C on 0. Cast off 7 sts at the beg of the next 2 rows. Dec 1 st at ea end of every alt row until 107(113) sts rem. Cont. straight to row 96(102). **SHAPE NECK:** Cast off the centre 31 sts dec 1 st at neck edge of the next 6 alt rows and **AT THE SAME TIME** at row 106(110) **SHAPE SHOULDERS** by casting off 10(11) sts once and 11 (12) sts twice at armhole edge. Work other side to correspond.

FRONT: Work as for BACK to row 74(78) of armhole. **SHAPE NECK:** Cast off the centre 25 sts. Dec 1 st at neck edge of the next 9 rows. Cont. straight to shoulder. Shape as BACK. Work other side to correspond.

SLEEVES: Cast on 65 sts. Work 5 ins in Continental Rib and pick up hem as for BACK. Cont in patt inc 1 st at ea end of every 10th row until inc to 101(103) sts. Cont straight to row 198. Cast off 7 sts at the beg of the next 2 rows. Dec 1 st at ea end of every foll 4th row to 67(69) sts, then on every alt row to 39(41) sts, then on every row to 23 sts. Cast off.

NECKBAND: Join right shoulder seam. Pick up 139(141) sts round neck edge. Work 50 rows in Continental Rib. Cast off loosely.

TO MAKE UP: Press with warm iron and damp cloth lightly. Join left shoulder and neckband, sew in sleeves, join side and sleeve seams. Fold neckband in half to wrong side and slipstitch in position. Press seams.

LADY'S SWEATER & SLACKS

Pattern No. AU7-12



SWEATER MATERIALS: 14 (14-15-16-17) balls Lincoln Crepetta or Cleckheaton 5 ply Crepe. 4 small buttons.

MEASUREMENTS: To fit 32 (34-36-38-40) in. bust. Length 25 $\frac{3}{4}$ (26-26 $\frac{1}{4}$ -26 $\frac{1}{2}$ -26 $\frac{3}{4}$) ins. Sleeve 4 ins.

TENSION: T7.1 = 7 sts and 9 rows to 1 in.

BACK: With waste yarn cast on 119(127-133-141-147) sts and knit 4 rows on T7.2 Using main yarn and T6.1 knit 16 rows. On T7.1 knit 1 row; on T6.1 knit 16 rows. Close hem on T7.2. R/C on 0. On T7.1 knit 150 rows. **SHAPE ARMHOLE:** R/C on 0. Cast off 4 sts at the beg of the next 2 rows, dec 1 st at ea end of alt rows to 99(105-109-115-121) sts. Knit to row 28. **DIVIDE FOR BACK OPENING:** Work on first half sts only, put rem sts on to waste yarn. Cont to row 67(69-71-73-75). **SHAPE SHOULDERS:** Cast off at the beg of the next and foll alt rows 8 sts once and 7(8-8-9-9) sts 3 times. Cast off rem 20(20-22-22-25) sts. Work other side to match.

FRONT: Work hem as BACK, having the odd number of needles at the left hand side of machine. Work pattern thus: *Press button 5, set lever, push back all raised needles with the exception of the 1st, 17th and 33rd on the right hand side and the 16th and 32nd on the left hand side. (Work patt on these sts only). Transfer these sts to adjacent needles to the right and knit 2 rows.* Rep from * to * until R/C reads 138. Cont in Lace patt on the sts above each lace "stripe". **Press button 5 move Lacemaker from L to R. Press button 3 move Lacemaker from

R to L and knit 2 rows. Press button 6 move Lacemaker from L to R. Press button 2 move Lacemaker from R to L and knit 2 rows. Press button 7 move Lacemaker from L to R. Press button 1 move Lacemaker from R to L and knit 2 rows. Press button 7 move Lacemaker from R to L and knit 2 rows. Press button 2 move Lacemaker from L to R. Press button 6 move Lacemaker from R to L and knit 2 rows. Press button 3 move Lacemaker from L to R. Press button 5 move Lacemaker from R to L and knit 2 rows.** Rep from ** to ** and **AT THE SAME TIME** beg armhole shaping on the next row and work as for BACK. After shaping is complete cont straight in lace patt to row 46(48-50-52-54). **SHAPE NECK:** Cast off 15 sts at centre, keeping continuity of patt work on the first 42(45-47-50-53) sts. Cast off 2 sts at neck edge next row and dec 1 st on the same edge on every row until 29(32-32-35-35) sts rem. Cont straight to same length as BACK to shoulder. **SHAPE SHOULDER:** Work as for Back. Knit other side to match.

SLEEVES: Cast on 67(71-75-77-79) sts. Work Hem as in Back but having only 22 rows in all. R/C on 0. On T7.1 cont in st st inc 1 st at ea end of the next row and every foll 3rd row to 87(91-95-97-99) sts. Cont straight to row 30. **SHAPE TOP:** Cast off at the beg of foll rows 4 sts twice, 3 sts twice, 2 sts 6 times, 1 st 40(42-44-46-48) times, 2 sts twice. Cast off rem sts.

NECK BAND: Join shoulder seams. Pick up 20(20-22-22-25) sts on back, 25 sts at side neck, 15 centre front sts and the same number on the other side and back, wrong side facing. Knit 10 rows on T6.1, 1 row on T7.1 and 9 rows on T6.1. Cast off loosely.

TO MAKE UP: Sew in sleeves, join side and sleeve seams, fold neckband in half to wrong side and slip st in place. Work 1 row of double crochet with No. 10 hook around back opening, then a 2nd row making 4 buttonloops on right side. Sew on buttons.

SLACKS:

MATERIALS: 19(19-20-21-22) balls Lincoln Crepetta or Cleckheaton 5 ply crepe. Elastic for waist.

MEASUREMENTS: To fit 34(36-38-40-42) in. hips. Length 42 ins. Inside leg length 31 $\frac{1}{2}$ ins.

TENSION: T7.1 = 7 sts and 9 rows to 1 in.

LEFT LEG: Cast on with a selvedge edge 139(147-153-161-167) sts. On T6.1 knit 13 rows. On T8.1 knit 1 row (Hemline). On T7.1 knit 116 rows. Dec 1 st at ea end of the next and foll 14th rows to 125(133-139-147-153) sts. Cont straight to row 284. R/C on 0. **SHAPE CROTCH:** Cast on 9 sts at the beg of the next 2 rows. Knit 1 row. At ea edge place 9th st onto the 10th needle move up other sts. to fill empty needle. Knit 2 rows. Place 8th st onto the 9th needle, move up other sts. Knit 2 rows. Cont in this way until dec to 125(133-139-147-153) sts. Cont straight to row 60. **SHAPE BACK:**

H.C.L.s on 111. Push 13 needles at right hand edge to "E" pos. knit 2 rows (always putting yarn under 1st inside needle in "E" pos to avoid making a hole) *Then push the next 16(17-18-19-20) needles to "E" pos and knit 2 rows.* Rep from * to * 5 times. H.C.L.s on 1. Knit across all the sts for 2 rows. Now work 30 rows of 1 x 1 rib. Cast off.

RIGHT LEG: Work as left leg reversing back shaping by working 1 more row before beg shaping.

TO MAKE UP: Join front, back and leg seams. Turn hems to wrong side at hemline and slip stitch into pos. Attach elastic behind waistband with herringbone casing. Press with warm iron and a damp cloth.

WHITE FROCK WITH BLACK TRIM:

Pattern No. AU7-13



MATERIALS: 21(22-23-24) balls of Patons Patonyle M.C. 3 balls of Patons Patonyle C.C. 8 buttons and 4 press studs.

MEASUREMENTS: To fit 32 (34-36-38) in bust. Length from shoulder approx 35(36-37-38) ins. Sleeve seam-13(13½-14-14½) ins.

TENSION: T6.1 = 7½ sts and 10¼ rows to 1 in over st. st.

PATTERN: *R/C out of action. On T4.2 knit 4 rows of C.C. Bring loops of M.C. up on to corresponding needles (as when closing a hem).* Put R/C into action. On T6.1 knit 10 rows of M.C. Rep from * to * again. Put R/C into action. On T6.1 knit 40 rows of M.C.**

BACK: On T6.1 cast on 150(158-166-174) sts in waste yarn. Knit 3 rows of waste and 1 row of M.C. On T5.1 knit 22 rows. On T6.1 close hem. R/C on 0 knit 50 rows in patt then dec 1 st at ea end. Rep dec on every foll 10th row 10(10-11-11) more times. Knit to row 236(240-244-248) and **SHAPE RAGLAN ARMHOLES.** R/C on 0. Keeping continuity of patt cast off 4(5-5-6) sts at the beg of the next 2 rows. Knit 3 more rows then dec 2 sts at ea end (4th and 3rd sts on to the 2nd st). Knitting in patt rep dec on every foll 4th row until 36(38-40-42) sts rem. Knit 2 more rows and take work off machine on waste yarn.

FRONT: Knit as for **BACK** to row 19(23-27-31) of armhole shaping then make **FRONT OPENING:** Carriage on the right. Take 37 sts (all sizes) furthest from carriage off machine on waste yarn. Shaping one armhole as for **Back**, knit in patt to row 69(73-77-81) then **SHAPE NECK:** H.C.L.s on 111. Carriage on the right. Push 30(32-34-36) sts furthest from carriage to "E" pos. Still shaping armhole, knit in patt until 3 sts rem. Knit 1 row

and fasten off. On T5.1 H.C.L.s on 1 knit 10 rows (on sts that were in "E" pos) for **Front Facing** and cast off. R/C on 19(23-27-31) On T6.1 put sts. from waste yarn back onto the machine. Leaving front opening edge straight, knit in patt shaping armhole as for **Back**, until 3 sts rem. Knit 1 row and fasten off.

SLEEVES: Cast on 72(76-80-84) sts in waste yarn. Work hem as for **Back**. *On T4.2 knit 4 rows in C.C. Bring loops of M.C. up*. R/C on 0. On T6.1 knit 2 rows in M.C. then inc 1 st at ea end. Knitting in M.C. only rep inc on every foll 6th row 4 more times. Knit 4 more rows in M.C. R/C on 30. Following patt as in dress, knit inc 1 st at ea end in the 34th and every foll 8th row 10(11-11-12) times altog. 102(108-112-118) sts. Knit to row 116(120-124-128) and **SHAPE ARMHOLES:** R/C on 0. Shape armholes the same as in **Back** until 10 sts rem. Knit 2 more rows and take work off machine on waste yarn.

RIGHT FRONT BAND: Wrong side facing pick up 104(109-112-116) sts from the corner of neck opening to the 8th stripe from hem. On T6 knit 20 rows in M.C. and cast off.

LEFT FRONT BAND: With wrong side facing, pick up 30 sts along front opening-top level with top of right band. Knit 8 rows and cast off. Fold both bands and catch down inside.

COLLAR: Right side facing, pick up 84(86-88-90) sts along neck opening, from the top of left band to the front facing on the right. R/C on 0. T6.1 Knit 6 rows then inc 1 st at ea end. Rep inc on every foll 6th row twice more. Knit to row 26 then dec 1 st at ea end. Rep dec in the foll 2 rows. Cast off.

COLLAR TRIM: Wrong side facing pick up sts around collar (allow 3 sts at ea corner). Knit 6 rows and cast off.

TO MAKE UP: Press all parts lightly. Fold front facing back and catch down. Sew in sleeves. Sew up side and sleeve seams. Sew on buttons and press studs. Fold edge trim of collar, matching corners, and catch down.

MAN'S SWEATER WITH CABLE PANELS, SADDLE SHOULDER.

Pattern No. AU7-14



MEASUREMENTS: To fit 38 (40-42) ins.

Actual meas. 40(42-44) ins. Length from top shoulder 26 (26½-27) ins.

Sleeve seam 17½(-18-18) ins.

MATERIALS: 20(21-23) balls Sirdar Diplomat 5.

TENSION: T8 = 13½ sts and 18 rows to 2 ins. st. st.

NOTE: Purl sts are worked either side of Cable by dropping them to previous cable row and reversing sts back up using a latchet tool.

BACK: Cast on 139(145-153) sts for 1 x 1 rib. Rib 20 rows then transfer sts to main bed. Inc 10 sts across row by transferring sts from the centre to the outside, leaving spare needles between ea 12(12-13) sts and 16(19-18) from ea end. (149-155-163) sts. Knit 6 rows. R/C on 0. T8. 1ST CABLE ROW: Count 27(29-32) sts in from ea end, the next 19 sts form patt panels. Purl sts 1.2.3 using two three prong transfer tools transfer sts 4.5.6 on 1st tool and sts 7.8.9 on 2nd tool. Cross 1st sts in front of 2nd sts and place back onto needles (called Cable Front). Leave st 10 as is. Transfer sts 11.12.13 and 14.15.16 and cross 1st sts at back of 2nd sts and place back onto needles (called Cable Back). Purl sts 17.18.19. Knit 12 rows. 2ND CABLE ROW: (On patt panel). Purl sts 1.2.3. Cable Back sts 4.5.6. and 7.8.9. Leave centre st as is. Cable Front sts 11.12.13 and 14.15.16. Purl sts 17.18.19. Knit 12 rows. These 24 rows form patt. Knit until R/C reads 140. R/C on 0. **SHAPE ARMHOLES:** Cast off 9(9-10) sts at beg of the next 2 rows, then dec 1 st at ea end of the next and every foll alt row 9 times (111-117-123) sts. Cont without further shaping until 66(70-74) rows have been worked. **SHAPE SHOULDERS:** Cast off 9(9-10) sts at the beg of the next 2 rows; 9(10-10) sts at the beg of the next 4 rows, then 10(10-11) sts at the beg of the foll 2 rows. Take rem 37(39-41) sts off machine on waste yarn.

FRONT: Work as for back until 66(70-74) rows have been worked in armhole. **SHAPE SHOULDERS & NECK:** Place centre 27(29-31) sts on waste yarn. H.C.Ls. on 111. Push sts at opposite side to carriage to "E" pos. Next row: Cast off 9(9-10) sts and dec 1 st at end of row. Then dec 1 st at neck edge on the next 6 rows, AT THE SAME TIME cast off at shoulder edge of every alt row 9(10-10) sts twice then 10(10-11) sts once. H.C.Ls. on 1. Knit other side to correspond reversing shapings.

LEFT SLEEVE: Cast on 65(67-69) sts for 1 x 1 rib. Rib 22 rows. Transfer sts to main bed. R/C on 0. T8. Inc 4 sts across row by transferring sts from the centre out leaving spare needles bet ea 13 sts and 13(14-15) sts from ea end. (69-71-73) sts. Knit 6 rows. Start Cable patt counting 25(26-27) sts from ea end and working patt panel on centre 19 sts. AT THE SAME TIME inc 1 st at ea end of the next and every foll 6th row until 107(109-111) sts. Cont straight until 146(150-154) rows have been worked. **SHAPE TOP:** Cast off 9(9-10) sts at the beg of the next 2 rows, then dec 1 st at ea end of the next and every foll alt row until 65(61-53) sts; then at ea end of every row until 25 sts. R/C on 0. Cont on these sts and cont patt until R/C reads 50(52-54). Next row: H.C.Ls. on 111. Push 19 sts on side opp carriage into "E" pos. Knit 2 rows on rem 6 sts (always putting wool under 1st inner needle in "E" pos to avoid making a hole). Take off all sts on waste yarn.

RIGHT SLEEVE: Work as left sleeve until 51(53-55) rows have been worked in saddle extension. Complete as for left sleeve.

NECKBAND: Fit saddle extension to front and back shoulders, taking care that extra rows on back edge of extension fit to back shoulder. Using fine back st join right back shoulder and both front shoulder seams. Place sts from waste yarn of left shoulder, 8 sts from left front slope, centre front sts, 8 sts from right front slope and sts from right shoulder and back neck on machine and arrange for 1 x 1 rib. (130-134-138) sts. Rib 26 rows and cast off.

TO MAKE UP: Join rem shoulder seam and neckband. Fit sleeve tops to armhole and sew in pos. Join side and sleeve seams. Turn neckband in half to inside and slip st in place. Press seams with warm iron and a damp cloth.

3-PIECE SUIT:

Pattern No. AU7-15



MATERIALS: 31(32-34) balls Patons Bluebell Crepe White (M.C.). 9(9-11) balls Patons Bluebell Crepe Black (C.C.). 5 buttons. ½" elastic for skirt.

MEASUREMENTS: To fit 32 (34-36) in bust. Skirt-24(26-28) in waist and 35(37-39) in hip. Sweater Length-22(22½-22½) ins.

Sleeve Length-17 ins (all sizes). Cardigan Length-25(25½-25½) ins. Skirt Length-17 ins (all sizes).

TENSION: T7.1 = 7 sts and 9½ rows to 1 in over st st. T7 = 8 sts and 9½ rows to 1 in in Rib patt for Skirt.

SKIRT:

PATTERN: Starting from 0 in centre, set needles for rib e.g. working to the right push 1 needle into "A" pos and 2 needles into "B" pos 3 times. *1 needle into "A" and 6 needles into "B" twice; 1 needle into "A" 2 needles into "B" 6 times.* Rep from * to * across the row. Working now to the left, push 2 needles into "B" and 1 needle into "A" 3 times. **6 needles into "B" and 1 needle into "A" twice, and 2 needles into "B" and 1 needle into "A" 6 times.** Rep from ** to ** across the row. **NOTE:** Needles in "A" pos are counted as stitches.

BACK & FRONT THE SAME: Cast on in waste yarn on T6 and M.C. 160(164-172) sts. Knit 3 rows of waste yarn and 1 row of main yarn. On T5 knit 23 rows. Close hem on T7. R/C on 0. Knit and

dec 1 st ea end of row on the 13th row and every foll 13th row 9 times (all sizes). On row 124 carriage on the right, H.C.Ls. on 111, push 102(106-112) sts on the left side to "E" pos. Working on the 40(40-42) sts nearest the carriage, dec 1 st on the right edge of this row and every foll 4th row 8 times. Knit until R/C reads 156 rows (all sizes). Take these sts off machine on waste yarn. Carriage on the left, right H.C.L. on 11, left H.C.L. on 111, working on the sts on the left edge, push 40(40-42) needles to "D" pos. R/C on 124. Dec 1 st on the left edge on this row and every foll 4th row 8 times. Knit until R/C reads 156 rows. Take these sts off machine on waste yarn. H.C.Ls. on 1. R/C on 124. Work on rem sts. Dec 1 st ea end of row on this and every foll 4th row 8 times. Knit until R/C reads 156. Take sts off machine on waste yarn. Put all the sts from waste back onto the machine using every needle. On T5.2 knit 20 rows for waist band. Cast off loosely. Make another piece the same.

TO MAKE UP: Sew up side seams. Fold waist band and catch down. Sew up darts. Thread elastic through.

SWEATER:

BACK: Continental rib. Bring up 124(132-138) needles and *push every 2nd needle back into "A" pos. On T7 cast on with waste yarn and knit 3 rows of waste and 1 row of M.C.* On T5 knit 19 rows. Return needles from "A" pos to "B" and close hem on T7.1. Knit 142(142-144) rows. **ARMHOLE:** R/C on 0. Cast off 8(8-8) sts at the beg of the next 2 rows. Dec 1 st ea end of row on the next and every alt row 6(8-9) times. Knit 72(74-76) rows. **SHAPE SHOULDER:** Cast off 7 sts at the beg of the next 8(6-6) rows. Cast off 9 sts at the beg of the next 0(2-2) rows. Take off on waste yarn 40(40-44) sts for back neck.

FRONT: Work same as BACK until 46(48-50) rows of armhole have been completed. **SHAPE NECK:** Carriage on the right, H.C.Ls. on 111. Push 58(60-64) sts on the left into "E" pos. Working on the 38(40-40) sts nearest the carriage dec 1 st at neck edge on every row 3 times; Dec 1 st at neck edge every 2nd row 4 times; dec 1 st at neck edge every 3rd row 3 times (all sizes). When R/C reads 72(74-76) **SHAPE SHOULDER:** Carriage on the right. Cast off 7(7-7) sts at the beg of the next and every alt row 4(3-3) times. Cast off 0(9-9) sts at the beg of the next alt row 0(1-1) times. Carriage on the left. Right H.C.L. on 11. Push 38(40-40) sts to "D" pos and work left shoulder to correspond with right shoulder. Take off the centre 20(20-24) sts on waste yarn.

SLEEVES: In Continental rib. Bring up 56(60-64) needles and repeat from * to * of BACK. On T5 knit 23 rows. Close hem on T7.1. R/C on 0. Knit and inc 1 st ea end of the row on the 6th and every foll 6th row 21 times (all sizes). Knit to row 152. R/C on 0. **SHAPE CAP:** Cast off 8 sts at the beg of the next 2 rows. Dec 1 st at ea end of row on the next and every foll alt row till R/C reads 42(44-46) rows. Cast off 3(2-2) sts at the beg of

the next 6(4-4) rows. Cast off 0(3-3) sts at the beg of the next 0(6-6) rows. Cast off rem sts.

NECK BAND: Sew up right shoulder. With wrong side facing, pick up for Continental rib 87(89-92) sts around neck, placed on every 2nd needle. Knit 1st row manually. On T5 knit 24 rows. Take off machine on waste yarn.

TO MAKE UP: Sew up left shoulder seam. Turn neck band in and catch down through open sts. Take out waste yarn. Sew up side and sleeve seams.

SLEEVELESS CARDIGAN:

BACK: Using C.C. and Continental Rib, bring up 128(136-142) needles and repeat from * to * of **SWEATER BACK.** On T5 knit 23 rows. Close hem on T7.1. R/C on 0. Knit 72(72-74) rows. Change to M.C. and knit 3 rows; with C.C. Knit 6 rows; M.C. knit 3 rows; C.C. knit 6 rows; M.C. knit 3 rows; C.C. knit until R/C reads 148(148-150). Change to M.C. and knit 10 rows (all sizes). **FROM NOW ON WORK STRIPES AS FOLLOWS:** (C.C. 8 rows, M.C. 10 rows) rep once; C.C. 8 rows. **M.C. 4 rows; C.C. 6 rows.** Rep from ** to ** twice more. Chance to M.C. and work to end of garment. **AT THE SAME TIME SHAPE ARMHOLE:** R/C on 0. Cast off 8(8-8) sts at the beg of the next 2 rows. Dec 1 st at ea end of the next row and every row 0(3-3) times; on the next and every alt row 6(3-3) times and on the next and every 3rd row 0(4-3) times. When R/C reads 72(74-76) **SHAPE SHOULDER:** Cast off 5 sts at the beg of the next 12(10-10) rows. Cast off 7 sts at the beg of the next 0(2-2) rows. Cast off 40-40-44) sts for back neck.

FRONT: Using C.C. and Continental Rib, bring up 64(68-71) needles and rep from * to * of **SWEATER BACK.** On T5 knit 23 rows. Close hem on T7.1. Knit 148(148-150) rows, working in stripes the same as for BACK. **SHAPE NECK:** On the right edge dec 1 st on the next and every foll 6th row 12(13-12) times. When R/C reads 158(158-160) rows **SHAPE ARMHOLE:** Cast off on the left edge 9(9-9) sts. Dec 1 st on the left edge 5(6-6) times; dec 1 st on the next and every alt row 6(5-5) times and dec 1 st on the next and every 3rd row 6(6-6) times. Knit until R/C reads 72(74-76) rows. On the left edge cast off 6(6-6) sts 5(5-4) times. Cast off 0(0-8) sts 0(0-1) time. Make another FRONT reversing all shapings.


FRONT BAND: Sew up shoulder seams. Wrong side facing, starting from centre back, pick up 188(188-194) sts across back and down the left front. In M.C. and T5.2 knit 13 rows; on T10 knit 1 row; on T5 knit 12 rows; on T10 knit 1 row. Cast off loosely. Knit Right Front Band the same but working in Buttonholes - starting from the 4th st. from the left and over every 24th and 25th sts 5 times in all, on rows 10 and 18.

ARMHOLE FACING: Wrong side facing, pick up 118(120-124) sts around armhole, with M.C. and T5.2 knit 13 rows; on T10 knit 1 row; on T5 knit 12 rows; on T10 knit 1 row. Cast off loosely.

TO MAKE UP: Sew up side seams. Fold armhole facings on T10 row and catch down. Fold front bands on T10 row and catch down. Finish off buttonholes. Sew on buttons. Steam press lightly on wrong side with a damp cloth.

GIRL'S CABLE TRIM DRESS:

Pattern No. AU7-16



MATERIALS: Short sleeved dress: 8(9-10-11) balls Patons Bluebell Crepe. Long sleeved dress: 10(12-13-14) balls Patons Bluebell Crepe. 4" Zipper.

MEASUREMENTS: To fit 22 (24-26-28) in chest.

Length from shoulders: 19(20-21-22) ins.

Short sleeve seam: 1" in. Long

sleeve seams: 9(11-13-14) ins.

TENSION: T8 = 7 sts and 9½ rows to 1 in over st. st.

PATTERN: CABLE: In ea 4 st space, using double transfer tools, transfer 2 sts from the right to the left and 2 sts from the left to the right. Knit 10 rows and rep cable.

BACK: *Bring forward 102(110-118-126) needles. Push the 26th(28th-30th-32nd) and 31st(33rd-35th-37th) needle from ea end into "A" pos. Then push the 3rd needle ea side of centre into "A" pos. (3 cables of 4 sts ea, with 1 st in "A" pos ea side of cable). On T8 knit 4 rows in waste yarn and 1 row in Main Yarn. On T7 knit 14 rows and close hem. R/C on 0. On T8 knit 5 rows and make 1st set of cables. Knit in patt to row 25 then dec 1 st ea end of row. Rep dec on the foll 12th(13th-14th-15th) row 7 more times. Knit until R/C reads 130(140-150-160) and SHAPE ARMHOLES. R/C on 0. Cast off 5(5-6-6) sts at the beg of the next 2 rows. Dec 1 st ea end of the next and alt rows 3(4-4-5) times altog*. Knit until R/C reads 16(20-24-28) and divide for Neck opening. H.C.Ls. on 111. Push half the needles furthest from carriage

into "E" pos. Knit until R/C reads 46(50-54-58) and SHAPE SHOULDERS: Cast off 7(8-8-9) sts at armhole edge twice. Cast off 7(7-9-9) sts at armhole edge once. Cast off rem sts. R/C on 16(20-24-28) Join in yarn and knit other side to correspond reversing all shapings.

FRONT: Rep from * to * in BACK. Knit in patt until R/C reads 36(40-44-48) and SHAPE NECK: H.C.Ls. on 111. Push 38(41-45-48) sts furthest from carriage to "E" pos. **Dec 1 st at Neck edge on every foll row 3 times, then dec 1 st at Neck edge on alt rows 2(3-3-4) more times. 47th(51st-55th-59th) row: SHAPE ARMHOLES: Cast off 7(8-8-9) sts at armhole edge twice; cast off rem sts.** H.C.Ls on 1. R/C on 36(40-44-48). Cast off 12(12-14-14) centre sts then rep from ** to **.

SHORT SLEEVES: Bring forward 62(66-72-76) needles. *Push the 3rd needle ea side of centre into "A" pos. (one cable in centre). On T8 knit 4 rows in waste yarn and 1 row in Main Yarn. On T7 knit 12 rows. Close hem. On T8 knit 5 rows and make 1st cable*. Knit 1 row and SHAPE ARMHOLES R/C on 0. Cast off 4(4-5-5) sts at the beg of the next 2 rows. Knit 1 row then dec 1 st at ea end. Rep dec on the foll alt rows until R/C reads 32(36-40-44) then rep dec in ea of the foll 4 rows. Cast off rem sts.

LONG SLEEVES: Bring forward 48(52-54-56) needles and rep from * to * of Short Sleeves. Knit 3 rows then inc 1 st at ea end of row. Keeping 1 cable in centre, knit inc 1 st at ea end of every foll 8th row 4 more times, then inc 1 st ea end of every foll 15th row 2(3-4-5) more times. Knit until R/C reads 85(105-125-135) and SHAPE ARM-HOLE the same as for Short Sleeves.

COLLAR: Sew up shoulders. Right side facing, pick up 33(36-39-42) sts from back opening to centre front. Knit 5 rows then inc 1 st at ea end. Rep inc on the foll 5th rows 3 more times. Knit to row 25 and cast off. Knit the other side the same.

TO MAKE UP: Make 1 row of double crochet around collar and 1 row of double crochet around back opening. Press all parts lightly. Set in sleeves. Sew up side and sleeve seams. Put in zipper. Press seams.

Empisal

*An Empisal Publication: World Copyright by Empisal International

Empisal

Pattern in Book AU 8

