

'Zip' HOME KNITTING MACHINE

PATTERN BOOK No. 1



'Zip' Knitting
Instructions
for 9 garments

JUMPER
CARDIGANS
STOLE
BABIES' FROCKS
BOYS' and MEN'S
PULLOVERS

PRICE
2/6

Yvonne

LADY'S CARDIGAN

Materials: 10 oz. 3 ply crochet wool (dark).
½ oz. 3 ply crochet wool (light).
9 buttons.

Measurements: To fit 36 inch bust.
Length from top of shoulder 23 in.
Length of sleeve at under arm 18 in.

Tension: 7 sts. to 1 inch.

BACK:

Using dark wool, cast on 110 sts.

******Knit plain 50 rows.

Join in light wool on wrong side of work.

Knit plain 2 rows.

Using dark wool, knit plain 2 rows.

Repeat these 4 rows twice.

Continue with dark wool, knit plain 10 rows.**

Commence Shaping: Decrease once each end of next row.

Knit plain 4 rows.

Repeat these 5 rows 4 times.

Decrease once each end of next row.

Knit plain 3 rows.

Repeat these 4 rows 4 times (90 sts.).

Knit plain 12 rows.

Increase once at beginning of next 2 rows.

Knit plain 5 rows.

Increase once at beginning of next 2 rows.

Repeat last 7 rows 8 times (110 sts.).

Knit plain 6 rows.

Shape Armholes: Cast off 4 sts. at beginning of next 2 rows. Then decrease once each end of row in next and 2 following alt. rows (96 sts.).

Knit plain 29 rows.

Wrong side of work, join in light wool. Knit plain 2 rows.

Using dark wool, knit plain 2 rows.

Repeat these 4 rows twice.

Continue with dark wool.

Knit plain 48 rows.

Shape Shoulders: Cast off 8 sts. at beginning of next 8 rows. Cast off remaining sts.

RIGHT FRONT:

Using dark wool, cast on 62 sts. Repeat from ** to ** as given for back.

Commence Shaping: Decrease once at beginning of next row (side edge).

Knit plain 4 rows.

Decrease once at side edge.

Knit plain 4 rows.

Repeat these 10 rows once.

See Hints and Abbreviations, page 7

Decrease once at beginning of next row.

Knit plain 4 rows.

Decrease once at side edge.

Knit plain 3 rows.

Repeat these 4 rows 4 times (52 sts.).

Knit plain 12 rows.

Increase once at side edge in next and every following 7th row until there are 62 sts.

Knit plain 7 rows.

Shape Armhole and Front: Next row, armhole edge, cast off 5 sts., at same time dec. once at front edge. Continue to decrease once at armhole edge in every alt. row 3 times at same time decreasing once at front edge in every 3rd row until 36 rows from commencement of armhole shaping have been completed. Continue decreasing at front edge as before in every 3rd row.

With wrong side of work facing, join in light wool. Knit plain 2 rows.

Using dark wool, knit plain 2 rows.

Repeat these 4 rows twice.

Continue with dark wool. Work until 32 sts. remain. Work without shaping until armhole measures same as back, ending at armhole edge.

Shape Shoulder: Cast off 8 sts. at beginning of next and 3 following alt. rows.

LEFT FRONT:

Work to correspond with right front, working from ** to ** then knit 1 row plain before commencing shaping.

SLEEVES:

Cast on 55 sts. Knit plain 30 rows.

Join in light wool, knit plain 2 rows.

Using dark wool knit plain 2 rows.

Repeat these 4 rows twice.

Continue with dark wool, increasing at beginning of every 9th and 10th row until there are 87 stitches. Continue without shaping until work measures 18 inches or length desired. With right side facing, cast off 13 sts. at beginning of next 2 rows, then decrease once each end of next and every following 4th row 6 times.

Wrong side facing, join in light wool.

Knit plain 2 rows.

Using dark wool. Knit plain 1 row.

Using dark wool, dec. once each end of row. Knit plain.

Repeat these 4 rows twice.

Continue with dark wool, decreasing once each end of row in next and every alt. row until 23 sts. remain. Cast off.

FRONT BAND:

Cast on 12 stitches.

******Knit plain 18 rows.

Buttonhole rows: Knit plain 4, slip the wool off next




4 machine hooks and push them partly in. Using crochet hook, lift the next 2 p.s. off, slip 1 stitch through other stitch as in chain stitch (lift off next p.s. and work chain stitch) 3 times. Hang back remaining stitch on to pin-head. Knit plain 4. Reverse pin-comb. Work the loose wool at centre on to the 4 pin-heads as for casting on. Knit plain.**

Repeat from ** to ** 8 times.

Continue in knit plain until work is as long as the two front edges and back of neck. Cast off.

To Make Up: Sew up shoulder seams, sew in sleeves, making the colour bands match. Sew up side and sleeve seams. Sew front band in position. Sew on buttons.



John — MAN'S JUMPER

See Hints and Abbreviations, page 7

Materials: 7 oz. dark 4-ply wool.

3 oz. light 4-ply wool.

Measurements: To fit 37-38 inch chest.

Length from top of shoulder 22 in.

Tension: 4 patterns to 3 inches.

When working pattern, do not count first and last pin stitch. First pin stitch in pattern is second pin stitch. 105 pattern stitches ÷ 2 = 107.

BACK:

Using dark wool cast on 106 sts. Knit plain 50 rows. To make ribbing, lift 2nd p.s. off and drop to 1st row, being careful not to lose stitch at cast on edge. Using crochet hook, sl. st. it up each row back on to pin-head* miss 1 p.s., drop next p.s. to 1st row. Sl. st. as before on to pin-head. Repeat from * to end. Knit through.

Reverse pin-comb and repeat this crochet hook row once. Before knitting through, inc. one stitch. (107) sts.

Using light wool, knit plain 2 rows.

1st pattern row (wrong side of work): Using dark wool knit plain.

Repeat this row 5 times.

7th row: Using light wool, knit plain.

8th row: Miss 2 p.s., pass crochet hook through "o" in light wool 8 rows below, then through p.s. on pin-head above (3rd p.s.) Lift off, pull through "o" already on crochet hook, hang back on pin-head. This will be termed "long st." throughout.

*Miss 3 p.s. "long st.". Repeat from * ending, miss 2 p.s. Using light wool knit through.

9th row: Using dark wool, knit plain.

Repeat 9th row 5 times.

15th row: Using light wool, knit plain.

16th row: "Long st." * Miss 3 p.s. "long st." repeat from * to end, using light wool knit through.

Repeat 1st to 16th pattern rows 6 times. Then, 1st to 8th pattern rows once. Jumper may be lengthened here if desired.

Shape Armholes: Cast off 5 sts. at beginning of next 2 rows, then decrease once at each end of next and 4 alt. rows (87 sts.).

Keeping continuity of pattern, work until 15 patterns have been completed from commencement. (If jumper has been lengthened, add these patterns.)

Shape Shoulders: Cast off 6 sts. at beginning of next 6 rows. Then 9 sts. at beginning of next 2 rows. Cast off remaining sts.

FRONT:

Work as given for front until armhole shaping is completed.

Shape Neck: Knit across 43 sts., slip next 44 sts. on to a stitch holder.

Keeping continuity of pattern, dec. once at neck edge in 3rd and every following 4th row until 27 sts. remain. Continue in pattern without shaping until 15 patterns have been completed from commencement.

Shape Shoulder: Cast off 6 sts. (armhole edge) at beginning of next and 2 following alt. rows. Work 1 row. Cast off remaining 9 sts.

Place the remaining 44 sts. back on pin-comb. Dec. once at beginning of 1st row (neck edge). Work 1 row, then dec. once at neck edge in next (3rd row) and every following 4th row until 27 sts. remain.

Work in pattern without shaping until 15 patterns and 1 row have been completed from commencement. Shape shoulder as for other side.

NECK BAND, Worked on No. 13 Knitting Needles:

Sew up left shoulder seam. With right side facing, pick up 46 sts. across back, 74 sts. along left side, 1 st. at centre front, 74 sts. along right front.

1st row: K.1, *K.1, P.1. Repeat from * to end.

2nd row: *K.1, P.1. Repeat from * to 5 centre sts. P.2 tog., K.1, P.2 tog. Rib to end.

3rd row: K.1, *K.1, P.1. Repeat from * to 5 centre stitches. K.2 tog., P.1, K.2 tog., Rib to end.

Repeat 2nd and 3rd rows 6 times. Cast off in rib.

Armbands: Sew up right shoulder.

Using No. 13 needles, with right side facing knit up 180 sts. Work in rib for 15 rows. Cast off.

To Make Up: Press lightly. Sew up right shoulder. Sew up side seams.

Greta - LADY'S JUMPER

Materials: 6 oz. 3-ply crochet wool.
2 buttons.

Measurements: 34 inch bust.
Length from top of shoulder, 19½ in.
Length of sleeve at underarm, 5 in.

Tension: 2 patterns to 1 inch.

Do not count first and last pin stitches when working pattern. 97 pattern stitches + 2 = 99 stitches.

FRONT:

Cast on 98 stitches.
Knit plain 40 rows.

To Make Ribbing: Using crochet hook slip 2nd p.s. down to 1st row being careful not to lose it on last row, slip stitch up through each row back on to pin-head * miss next p.s., slip next st. off pin-head down to 1st row and slip st. it through each row back to pin-head, repeat from * to end. Knit through.

Repeat this row crochet once increasing one stitch before knitting through (99 sts.).

Knit 2 rows plain.

1st pattern row: Miss 2 p.s., hang 3rd p.s. back on to 2nd p.s., miss 3 p.s., * hang 4th p.s. on to 5th p.s., miss 5 p.s., hang 6th p.s. back on to 5th p.s., miss 3 p.s. Repeat from * ending, hang 4th p.s. on to 5th p.s., miss 1. Knit through.

2nd row: Knit plain.

3rd row: Miss 3 p.s., hang 4th p.s. back on to 3rd p.s., miss 1 p.s., hang 2nd p.s. on to 3rd p.s. * miss 7 p.s., hang 8th p.s. back on to 7th p.s., miss 1 p.s., hang 2nd p.s. on 3rd p.s., repeat from * ending, miss 2 p.s. Knit through.

4th row: Knit plain.

Knit plain 6 rows.

Repeat these 10 rows 11 times.

Shape Armholes: Cast off 5 sts. at beginning of next 2 rows then decrease once each end of next and 2 following alt. rows; continue without shaping until 18 patterns and 4 rows have been completed from commencement.

Shape Neck: Work 41 sts., place remaining 42 sts. on a stitch holder.

Cast off 10 sts. at beginning of next row (neck edge). Then decrease once at same edge in 3 following alt. rows (28 sts.). Continue without shaping until 20 patterns have been completed from commencement.

Shape Shoulder: Cast off 7 sts. at beginning of next and 3 following alt. rows.

Place remaining 42 sts. back on pin-comb. Commencing at neck edge cast off 11 sts. Finish as for other side, working one extra row before shaping shoulder.

BACK:

Work as given for front until armhole shaping is completed. Then continue in pattern until 20 patterns have been completed from commencement.

Shape Shoulders: Cast off 7 sts. at beginning of next 8 rows. Cast off remaining sts.

SLEEVES:

Cast on 76 sts. Knit plain 14 rows, work ribbing as for front band (77 sts.).

Knit plain 2 rows.

1st pattern row: Miss 2 p.s., hang 3rd p.s. back on to 2nd p.s. * miss 3 p.s., hang 4th p.s. on 5th p.s., miss 5 p.s., hang 6th p.s. back on 5th p.s. Repeat from * ending, miss 3 p.s., hang 4th p.s. on 5th p.s., miss 1 p.s. Knit through.

2nd row: Knit plain.

3rd row: Miss 3 p.s., hang 4th p.s. back on 3rd p.s. * miss 1 p.s., hang 2nd p.s. on 3rd p.s., miss 7 p.s., hang 8th p.s. back on 7th p.s. Repeat from * ending, miss 1 p.s., hang 2nd p.s. on 3rd p.s., miss 2 p.s. Knit through.

4th row: Knit plain.

Knit plain 6 rows.

Continue in pattern, increasing at beginning of 21st and 22nd rows, then the 1st and 2nd rows of the 2 following patterns. Continue until 5 patterns have been completed from commencement. Cast off 8 sts. at beginning of next 2 rows. Then dec. once each end of row in next and every 4th row 8 times. Then every 2nd row 9 times. Work 1 row. Cast off.

NECKBAND: Cast on 130 sts.

Knit plain 14 rows.

Work ribbing as for front band.

To Make Up: Sew up right shoulder. Sew up left shoulder for 1 inch at armhole edge. Sew in sleeves. Sew up side and sleeve seams. Sew neck band in position. Turn down on to jumper and slip stitch along edge. Make 2 loops on shoulder. Sew on buttons.



HINTS and ABBREVIATIONS

HINTS

Abbreviations and useful information.

- p.s.** = pin stitch
- “o”** = over loops
- “u”** = under loops
- inc.** = increase
- dec.** = decrease
- sl.st.** = slip stitch.

Watch your tension: Try this on a small piece of knitting before commencing the garment. The tension is altered by moving the pin-comb in or out, loosen the wing nuts on supporting brackets, move out for looser tension, in for tighter tension; when correct tension is obtained, tighten up wing nuts and adjust centre support.


When working pattern rows the first and the last pin stitch is not counted.

The pattern commences on 2nd pin stitch and ends on 2nd last pin stitch. This gives a firm, even edge to the work.

When increasing or decreasing the full number of pin stitches are given.

When decreasing or casting off a number of stitches, use crochet hook and cast off from right-hand end of pin-comb just before knitting the row.

Increasing is also worked from the right-hand end. A single decrease may be worked from either end by hanging the 1st pin stitch on to the 2nd pin stitch or the last pin stitch on to the 2nd last pin stitch.



Glam

Materials: 10 oz. 3 ply y

Do not count first and las

111 pattern stitches ·|· 2

Cast on 113 stitches.

Knit plain 18 rows.

Then work from chart.

1st pattern row: As in

17th p.s., * miss 18 p.s.,

ending, miss 14 p.s. Knit

2nd and alt. rows: Are n

Repeat these 40 rows 9 t

Then knit plain 18 rows.

To Make Fringe:

Using 2 pieces of cardbo


Place one blade of sc

through wool. Take 4

when doubled), push the

doubled loop through.

up tightly, continue along



Glamour STOLE — for night and

Materials: 10 oz. 3 ply wool.

Do not count first and last pin stitch when working pattern.

111 pattern stitches $\div 2 = 113$ stitches.

Cast on 113 stitches.

Knit plain 18 rows.

Then work from chart.

1st pattern row: As in chart. Miss 15 p.s., hang 16th p.s. on 17th p.s., * miss 18 p.s., hang 19th p.s. on 20th p.s. Repeat from * ending, miss 14 p.s. Knit through.



2nd and alt. rows: Are not illustrated in chart. Knit plain.

Repeat these 40 rows 9 times.

Then knit plain 18 rows. Cast off.

To Make Fringe:

Using 2 pieces of cardboard $3\frac{1}{2}$ inches wide, wind wool round them. Place one blade of scissors between the cardboards, then cut through wool. Take 4 pieces at a time, double in half ($3\frac{1}{2}$ inches when doubled), push the crochet hook through end of stole and bring doubled loop through. Pull the loose ends through this loop, pull up tightly, continue along to end.



OUR STOLE — for night and day

wool.
 pin stitch when working pattern.
 113 stitches.


chart. Miss 15 p.s., hang 16th p.s. on
 hang 19th p.s. on 20th p.s. Repeat from *
 through.

not illustrated in chart. Knit plain.

mes.

Cast off.

ard 3½ inches wide, wind wool round them.
 ssors between the cardboards, then cut
 pieces at a time, double in half (3½ inches
 crochet hook through end of stole and bring
 Pull the loose ends through this loop, pull
 g to end.



- = 1 pin stitch
- ⊙ = 1 pin head from which pin stitch has been removed.
- ▬ = 1 pin head with 2 pin stitches — 1 pin stitch from o
- ⊗ = 1 pin head with 3 pin stitches — 1 p.s. from left, 1 p.s. from right, on centre p.s.

Phillip - MAN'S PULLOVER

Materials: 8 oz. 3-ply crochet wool.

Measurements: To fit 38 inch chest. Length from top of shoulder, 24 inches.

Tension: 2½ patterns to 2 inches.

Do not count first and last pin stitch when working pattern. 115 pattern stitches ÷ 2 = 117 stitches.

BACK:

Cast on 116 sts. Knit plain 36 rows.

To Make Ribbing: * Using crochet hook pick up "o" at cast on edge, draw the next "o" directly above it through first "o" as in a crochet chain stitch—continue straight up to p.s. take p.s. off on to crochet hook, pull through st. already on it, hang back on p.s., miss next "o". Repeat from * to end. Increase once. Knit through (117 sts.).

Knit plain 2 rows.

1st row: Miss 2 p.s., hang "u" between 2nd and 3rd p.s. on 3 p.s. * miss 4 p.s., hang "u" between 4th and 5th p.s. on 5th p.s. Repeat from * ending miss 2 p.s. Knit through.

2nd row: Knit plain.

3rd row: Miss 3 p.s., hang "u" between 3rd and 4th p.s. on 3 p.s. (same pin-head as before). Miss 5 p.s. Hang "u" between 5th and 6th p.s. on 5th p.s. Repeat from * ending, miss 2 p.s. Knit through.

4th row: plain.

Repeat these 4 pattern rows until work measures 14½ inches from commencement.

Shape Armholes: Cast off 10 sts. at beginning of next 2 rows. Then 5 at beginning of next 4 rows (77 sts.). Continue in pattern until work measures 23½ inches from commencement.

Shape Shoulders: Cast off 8 sts. at beginning of next 6 rows. Cast off remaining stitches.

FRONT:

Work as given for back until armhole shaping is reached. Cast off 10 sts. at beginning of next 2 rows.

Shape Neck: Cast off 5 sts., work 43 sts., place remaining 49 sts. on a stitch holder.

Next row: Work 43 sts.

Next row: Cast off 5 sts. (armhole edge).

Next row: Dec. once at neck edge.

Continue in pattern, dec. once at neck edge in every following 4th row until 24 sts. remain. Work without shaping until work measures same as back at armhole edge, ending at armhole edge.

Shape Shoulder:

1st row: Cast off 8 sts. Work to end.

2nd row: Work to end.

3rd row: Cast off 8 sts. Work to end.

5th row: Cast off 8 sts.

Place remaining 49 sts. back on to pin-comb.

Decrease once at neck edge. Work this row.

Next row: Cast off 5 sts. (armhole edge).

Next row: Decrease once at neck edge.

Next row: Cast off 5 sts. (armhole edge).

Continue in pattern. Dec. once at neck edge in next and every following 4th row until 24 sts. remain.

Finish as for other side.

NECK BAND, Worked on No. 13 Knitting Needles:

Sew up left shoulder seam. With right side facing, pick up 46 sts. across back, 74 sts. along left side, 1 st. at centre front, 74 sts. along right front.

1st row: K.1, *K.1, P.1. Repeat from * to end

2nd row: *K.1, P.1. Repeat from * to 5 centre sts. P.2 tog., K.1, P.2 tog. Rib to end.

3rd row: K.1, *K.1, P.1. Repeat from * to 5 centre sts., K.2 tog., P.1, K.2 tog. Rib to end.

Repeat 2nd and 3rd rows 6 times. Cast off in rib.

Armbands: Sew up right shoulder.

Using No. 13 needles, with right side facing knit up 180 sts. Work in rib for 15 rows. Cast off.

To Make Up: Sew up side seams. Press lightly.



Tom - BOY'S JUMPER

Materials: 4 oz. 3-ply crochet wool.

Measurements: To fit 26 inch chest.

Length from top of shoulder 15 in.

Tension: 6½ sts. to 1 inch.

Do not count first and last pin stitch when working pattern—79 pattern stitches + 2 p.s. = 81 sts.

BACK:

Cast on 80 stitches.

Knit plain 24 rows.

To Make Ribbing: * Using crochet hook pick up "o" at cast-on edge, draw the next "o" directly above it through first "o" as in a crochet chain stitch. continue straight up to p.s., take p.s. off on to crochet hook, pull through stitch already on it, hang back on p.s., miss next "o" repeat from * to end, increase once, knit through (81 sts.).

Knit 2 rows plain.

Pattern 1st row, miss 4 p.s., hang "u" to left then "u" to right of 5th p.s. on to 5th p.s. (3 sts. on pin-head) * miss 9 p.s., hang "u" to left then "u" to right on to 10th p.s., repeat from * ending, miss 4 p.s. Knit through.

2nd row: Knit plain.

Repeat these 2 rows until work measures 9½ inches from commencement.

Shape Armholes: Cast off 5 sts. at beginning of next 4 rows (61 sts.). Continue without shaping until work measures 15 inches from commencement.

Shape Shoulders: Cast off 9 sts. at beginning of next 4 rows. Cast off remaining stitches.

FRONT:

Work as for back until armhole shaping is completed.

Neck Shaping: Work 30 stitches, place remaining 31 sts. on a stitch holder.

Decrease once at neck edge in 3rd and every following 4 rows until 18 sts. remain. Work without shaping until work measures same as back at armhole edge, ending at armhole edge.

Shape Shoulder: Cast off 9 sts. at beginning of next and following alternate row.

See Hints and Abbreviations, page 7



Place remaining sts. from stitch holder back on pin-comb. Decrease once at neck edge in 1st, then 3rd and every following 4th row until 18 sts. remain. Complete as for other side.

NECK BAND:

Sew up left shoulder, using No. 12 needles pick up 36 sts. along back, 58 sts. along left front, 1 centre stitch, 58 sts. along right front.

1st row: K.1, * K.1, P.1. Repeat from * to end.

2nd row: * K.1, P.1, repeat from * to centre 5 sts., P.2 tog., K.1, P.2 tog., rib to end.

3rd row: K.1, * K.1, P.1, repeat from * to centre 5 sts., K.2 tog., P.1, K.2 tog. Rib to end.

Repeat 2nd and 3rd rows 6 times. Cast off in rib.

ARMBANDS:

Sew up right shoulder. With right side facing, pick up 120 sts. Work in rib of K.1, P.1 for 12 rows. Cast off in rib.

To Make Up: Sew up side seams, press lightly.



Elizabeth

TODDLER'S DRESS

See Hints and Abbreviations, page 7

Materials: 5 oz. 3-ply wool.
Ribbon, 2 buttons.

Measurements: 22 inches all round underarm.
Length from shoulder 17 inches.
Sleeve at underarm 2½ inches.

Do not count first and last pin stitch when working pattern. 108 pattern sts.+2=110 sts. Yoke 68 pattern sts.+2=70 sts.

Tension: 2 patterns to 3½ inches.

FRONT:

Cast on 110 sts.

Knit plain 2 rows.

1st pattern row: Miss 4 p.s., hang "u" to left. Then "u" to right on next pin-head. This will be termed "3 on 1" throughout. Repeat "3 on 1" on every 10th pin-head ending row, miss 3 p.s., knit through.

2nd row: Knit plain.

Repeat these 2 rows 68 times (136 rows).

Using hand hook take first 40 sts. off pin-head then hang them back 2 at a time on to 20 pin heads. Take last 40 sts. in same manner then hang them back 2 at a time on to 20 pin heads. Knit through (70 pin stitches).

Next row: Knit plain.

1st pattern row: Miss 3 p.s., "3 on 1" * miss 4 p.s. "3 on 1", miss 1 p.s., "3 on 1", repeat from * to last 8 p.s., miss 4 p.s., "3 on 1", miss 3 p.s. Knit through.

2nd row: Knit plain.

Repeat these 2 rows once.

5th row: Ribbon holes. Miss 3 p.s., "3 on 1" * hang 2nd p.s. on 3rd p.s., miss 1 p.s., "3 on 1", miss 1 p.s., "3 on 1", repeat from * to last 3 p.s., Knit through.

6th row: Knit plain.

Repeat 1st and 2nd rows once.

Then knit plain 10 rows.

Armhole Shaping: Cast off 4 sts. at beginning of next 2 rows. Then dec. once each end of next and every alt. row till 56 sts. remain.

Knit plain 36 rows.

Shape Neck: Knit plain 28, slip next 28 sts. on to a stitch holder.

Next row: Cast off 8 sts. Knit plain.

Next row: Knit plain.

Next row: Dec. once at neck edge. Knit plain.

Repeat last 2 rows 3 times.

Knit plain 3 rows.

Shape Shoulder: Cast off 8 sts. at armhole edge in next and alt. row.

Place remaining sts. back on pin-comb and work in same manner.

BACK:

Work as for front until neck shaping is reached, then knit plain 14 rows.

Shape Shoulder: Cast off 8 sts. at beginning of next 4 rows. Cast off remaining sts.

SLEEVES:

Cast on 70 stitches.

Knit plain 2 rows.

Next row: "Ribbon holes". Hang every 6 p.s. on 7 p.s. Knit through.

Next row: Knit plain.

1st pattern row: Miss 8 p.s., "3 on 1", repeat "3 on 1" on every 10th pin-head, ending row miss 9 p.s. Knit through.

2nd row: Knit plain.

Repeat 1st and 2nd rows 18 times.

Shape Top: Cast off 8 sts. at beginning of next 2 rows. Then decrease once each end of next and every alt. row 8 times. Then decrease once each end of every row 10 times.

Cast off 8 sts. at beginning of next 2 rows. Cast off remaining sts.

To Make Up: Sew up left shoulder. Sew up ½ inch right shoulder at armhole edge. Sew in sleeves. Sew up side and sleeve seams. Work 1 row of d.c. round neck. Work 2 loops on shoulder. Sew on buttons. Thread ribbon through ribbon holes.

Anne - BABY'S FROCK

Materials: 4 oz. 3-ply. Ribbon. 2 buttons.

Measurement: 20 inches all round underarm.

Length: 16 inches. Sleeve $2\frac{1}{2}$ inches.
Do not count 1st and last pin stitch when working pattern.

Tension: $7\frac{1}{2}$ sts. to 1 inch.

FRONT:

Cast on 100 sts. Knit plain 20 rows.

****1st pattern row:** Miss 3 p.s., hang 4 on 5 * miss 8 p.s., hang 9 on 10, repeat from * ending, miss 3 p.s. Knit through.

2nd and 4th rows: Knit plain.

3rd row: Miss 2 p.s., hang 3 on 4, hang 5 on 6 * miss 6 p.s., hang 7 on 8, hang 9 on 10, repeat from * ending, miss 2 p.s. Knit through.

5th row: Same as 1st row.

6th row: Knit plain.

Repeat 6th row 10 times.

17th row: * Miss 8 p.s., hang 9 on 10, repeat from * ending, miss 8 p.s. Knit through.

18th and 20th rows: Knit plain.

19th row: Miss 7 p.s., hang 8 on 9, hang 10 on 11, miss 6 p.s., * hang 7 on 8, hang 9 on 10, miss 6 p.s. Repeat from * ending, miss 1 p.s. Knit through.

21st row: Same as 17th row.

22nd row: Knit plain.

Repeat 22nd row 10 times. **

Repeat from ** to ** twice.

Using hand hook, take first 40 sts. off pin-heads. Then hang them back 2 at a time, on to 20 pin-heads.

Take last 40 sts. in same manner. Then hang them back 2 at a time on to 20 pin-heads. Knit through (60 sts.).

Knit plain 20 rows.

Shape Armholes: Continue to knit plain. Cast off 3 sts. at beginning of next 2 rows, then dec. once each end of row in next and following alt. row (50 sts.). Knit plain 36 rows.

Shape Neck: Knit plain 25 sts. Place remaining 25 sts. on a stitch holder.

Cast off 5 sts. neck edge in next row.

Then dec. once at neck edge in every alt. row until 17 sts. remain. Commencing at armhole edge cast off 8 sts. next row. Knit plain. Cast off remaining 9 sts.

Place remaining 25 sts. back on pin-comb and work to correspond.

BACK:

Work as given for front until neck shaping is reached. Continue without shaping until work measures same as front at armhole edge.

Shape Shoulders: Cast off 8 sts. at beginning of next 2 rows. Then 9 sts. at beginning of 2 following rows. Cast off remaining sts.

SLEEVES:

Cast on 60 sts. Knit plain 32 rows. Cast off 6 sts. at beginning of next 2 rows, then 2 sts. at beginning of every row until 36 sts. remain. Then 1 st. every row until 18 sts. remain. Cast off.

To Make Up: Sew up right shoulder. Then left shoulder for $\frac{1}{2}$ inch at armhole edge. Sew in sleeves. Sew up side and sleeve seams. Work 1 row of d.c. round cuff and neck. Work 2 loops on shoulder. Sew on buttons. Using narrow ribbon thread through sleeves and waist.



Margaret

LADY'S ANGORA JACKET for all occasions

Materials: 8 oz. French Angora.

Measurements: To fit 34 inch bust.
Length from top of shoulder, 19½ in.
Length of sleeve at underarm, 17¼ in.



BACK:

Cast on 100 sts. Knit plain for 48 rows. Increase once at beginning of next 2 rows. Then at beginning of every following 17th and 18th row until there are 110 stitches. Knit plain 6 rows (128 rows).

Shape Armholes: Cast off 5 sts. at beginning of next 2 rows. Then decrease once each end of next and every alt. row until 90 sts. remain. Knit 80 rows plain.

Shape Shoulder: Cast off 6 sts. at beginning of next 10 rows. Continue on remaining 30 sts. for back of collar. Knit plain 12 rows increasing once at beginning of every row. Cast off.

FRONTS, BOTH ALIKE:

Cast on 55 sts. Knit plain for 48 rows. Then increase once at beginning of next and every following 18th row (same edge) until there are 60 sts. Knit 7 rows plain.

Shape Armholes: Cast off 5 sts. at beginning of next row (shaped edge). Then decrease once at beginning of every alt. row 7 times (48 sts.).

Continue in knit plain until work measures same as back at armhole edge ending at armhole edge.

Shape Shoulder: Cast off 6 sts. at beginning of next and 4 alt. rows.

Knit 1 row. Cast off remaining 18 sts.

Sleeves: Cast on 40 sts. Knit plain for 20 rows. Then inc. once at beginning of next 2 rows, then every following 11th and 12th rows until 70 sts.

Then knit plain until work measures 17½ inches from commencement.

Shape Top: Cast off 8 sts. at beginning of next 2 rows. Then dec. once at each end in next and every alt. row 8 times. Then dec. once each end of next 12 rows. Cast off remaining 14 sts.

To Make Up: Press with warm iron and dry cloth. Sew up shoulder seams matching armhole edge. Fold back on to right side the extra 18 sts. and sew to collar on back. Sew up side and sleeve seams. Sew in sleeves.

Zip PATTERN BOOK No. 1

Exclusively for users of
Zip HOME KNITTING MACHINES



A U S T R A L A S I A N D I S T R I B U T O R S

Victoria:

THE MYER EMPORIUM LTD.
Melbourne and Country Branches

New South Wales:

NOCK & KIRBY LTD., Sydney

Queensland:

T. C. BEIRNE LTD., Brisbane
FINNEY ISLES LTD., Brisbane

South Australia:

THE MYER EMPORIUM LTD.,
Adelaide

Western Australia:

FOY & GIBSON (W.A.) LTD.,
Perth and Country Branches

Tasmania:

FITZGERALD'S & CO., Hobart

New Zealand:

MILNE & CHOYCE, Auckland
JAMES SMITH LTD., Wellington
BEATH & CO. PTY. LTD., Christchurch
ARTHUR BARNETT LTD., Dunedin
H. & J. SMITH LTD., Invercargill

New Zealand Agents:

GEO. PIZZEY & SON (N.Z.) LTD.