

EXCLUSIVELY FOR USERS OF 'ZIP' HOME KNITTING MACHINES

Zip

PATTERN BOOK No. 2

for *Spring*



PRICE
2/-

Peggy—TEENAGER

CARDIGAN AND JUMPER

CARDIGAN:

Materials: 5 ozs. 3-ply wool and 1 button.

Measurements: Bust 32 inches.

Length from top of shoulder, 18 ins.

Tension: 8 stitches to 1 inch.

BACK:

Cast on 74 sts. Knit 24 rows plain.

Make Ribbing: Using crochet hook * pick up "o" at cast-on edge, draw the next "o" directly above it through first "o" as in a crochet chain stitch, continue straight up to p.s., take p.s. off on to crochet hook, pull through stitch already on it, hang back on p.s. Miss next "o". Repeat from * to end.

Knit 80 rows, increasing once at beginning of every 9th and 10th row—90 sts. on pin-comb. Knit 22 rows, increasing 1 st. at beginning of next 2 rows.

Knit 16 rows, increasing 1 st. at beginning of next 16 rows.

SLEEVE:

At beginning of next 12 rows increase 3 sts and increase 1 st. at beginning of next 6 rows. 136 sts. on pin-comb. Knit 34 rows.

CUFF BAND: With crochet hook take "o" from last cast on st. and chain st. on to pin-head *, miss one "o", pick up next "o" and chain st. on to pin-head *, repeat from * to * 3 times.

Shoulder Shaping:

Cast off 3 sts. at beginning of next 36 rows, leaving 28 sts. on pin-comb. Cast off.

RIGHT FRONT: Cast on 45 sts.

Knit 24 rows plain and work ribbing.

Knit 120 rows, increasing 1 st. at beginning of every 10th row (side edge) 12 times. Knit 1 row.

Sleeve: Increase 3 sts. at beginning of next and every alternate row until 75 sts. on pin-comb.

* Increase 1 st. at beginning of 3 alternate rows (78 sts.). Knit 35 rows.

Work Cuff Band in same manner as back.

Then Front Band, commencing at top of ribbing, pick up first "o" on straight edge and chain st. on to pin-head *, miss next "o", pick up next "o" and chain st. on to pin-head. Repeat from * twice.

Shoulder and Neck Shaping: * Cast off 3 sts. at beginning of next row (armhole edge) and 1 st. at neck edge. * Repeat from * to * every 2nd row, 5 more times.

Continue shaping shoulder by decreasing 3 sts. alternate rows to last 3 sts. Cast off.

LEFT FRONT:

Work to correspond with right front.

NECKBAND: Cast on 90 sts.

Knit 20 rows. Work ribbing. Cast off.

To Make Up: Sew up shoulder seams and side seams. Sew on neckband, make loop, sew on button, and press.

JUMPER:

Materials: 5 ozs. 3-ply wool.

Measurements: Bust 32 inches.

Length from top of shoulder, 17½ inches.

Tension: 8 stitches to 1 inch.

Do not count 1st and last p.s. when working pattern.

BACK: Cast on 90 sts. Knit 48 rows plain.

To Make Ribbing: As given for Cardigan.

Knit 16 rows plain, increase at beginning of the 17th and 18th row. Knit 8 rows plain.

**** 1st pattern row:** * Miss 8 p.s. Slip 9th p.s. on to 8th p.s. Miss 1 p.s., slip 2nd p.s. on to 3rd p.s. * Repeat from * to *, miss 8 p.s. Knit through.

2nd row: Knit plain.

3rd row: Miss 7 p.s., slip 8th p.s. on to 7th p.s., * miss 3 p.s., slip 4th p.s. on to 5th p.s. Miss 6 p.s., slip 7th p.s. on to 6th p.s. * Repeat from * to *, ending miss 3 p.s., slip 4th p.s. on to 5th p.s. Miss 7 p.s., knit through.

4th row: Knit plain.

5th row: Knit plain.

6th row: Knit plain.

7th row: Repeat 3rd row.

8th row: Knit plain.

9th row: Repeat 1st row.

10th row: Knit plain.

Knit plain 26 rows.

37th row: Miss 14 p.s., slip 15th p.s. on 14th p.s. *, miss 1 p.s., slip 2nd p.s. on 3rd p.s., miss 8 p.s., slip 9th p.s. on 8th p.s., repeat from *, ending miss 1 p.s., slip 2nd p.s. on 3rd p.s., miss 14 p.s., Knit through.

38th row: Knit plain.

39th row: Miss 13 p.s., slip 14th p.s. on to 13th p.s. * Miss 3 p.s., slip 4th p.s. on to 5th p.s. Miss 6 p.s., slip 7th p.s. on to 6th p.s. * Repeat from * to *, ending miss 3 p.s., slip 4th p.s. on to 5th p.s. Miss 13 p.s. Knit through.

40th row: Knit plain.

41st row: Knit plain.

42nd row: Knit plain.

43rd row: Repeat 39th row.



44th row: Knit plain row.

45th row: Repeat 37th row.

Knit 27 rows plain **.

From ** to ** complete pattern. Keeping continuity of pattern, increase 1st st. at beginning of next 2 rows and every following 9th and 10th row until 110 sts. Continue without shaping until 2 patterns and 1st to 62nd row of 3rd pattern from commencement is completed.

Shoulder Shaping: Decrease 3 sts. at beginning of next 28 rows (26 sts. on pin-comb). Cast off.

FRONT:

Work as given for back until 2 patterns and 1st to 18th row of 3rd pattern is completed (110 sts.).

NECK SHAPING AND RIBBING:

1st row: Miss 34 p.s. * Pick up "o" 12 rows down and rib. Miss one "o", pick up next "o" and rib. * Repeat from * to *, ending miss 34 p.s. Place 33 sts. on stitch holder and knit through.

2nd row: Cast off 44 sts. Knit through remaining 33 sts.

Knit 6 rows plain, then continue pattern till work measures required length. Pick up "o" at neck edge rib, also rib at armhole edge in same manner as for Cardigan.

Shape for Shoulder: Cast off 3 sts. at armhole edge every alternate row.

Place remaining 33 sts. on pin-comb, finish as for other side.

To Make Up: Sew up shoulder seams, match and sew side seams.

George—PULLOVER

Materials: 10 ozs. 4-ply

Measurements: To fit 38 in. to 40 in. chest.
Length from top of shoulder, 23 inches.

Tension: 1 full pattern to 2¼ ins.

Finest on "Zip."

Do not count first and last pin stitches when working pattern. Front has 120 pattern stitches plus 2 = 122.

Back has 108 pattern stitches and 2 — 110. Pattern consists of 6 stitches in honeycomb and 8 sts. plain; the first and 8th of these plain sts. form the rib beside honeycomb, worked thus: Using crochet hook, pick up "o" in 1st row after ribbing, draw the next "o" directly above it, through 1st "o" as in crochet chain stitch, continue straight up to p.s. Take p.s. off on to crochet hook, pull through stitch already on hook, and hang back on pin-head. Do this as stitches are ready to be cast off at armhole, neck and shoulders. This will be referred to as "chain."

BACK: Cast on 110 sts. Knit plain 38 rows.

To Make Ribbing: Lift second p.s. off and drop to 1st row, being careful not to lose st. at cast-on edge. Using crochet hook, slip st. it up each row back on to pin. * Miss 1 p.s., drop next p.s. to 1st row, slip st. as before on to pin-head.

Repeat from * to end of row. Knit through. Reverse pin-comb and repeat crochet hook row on the alternate st. Knit through. Commence pattern.

PATTERN:

1st row: Hang the 10th, 12th and 14th "o"s on to pins directly above * Miss 9 p.s., hang the 1st, 3rd and 5th "o"s on to pins directly above. Repeat from * till 10 sts. remain.

Knit through.

2nd row: Knit.

3rd row: Hang the 11th, 13th and 15th "o"s on to the pins directly above. * Miss 9 p.s., hang 1st, 3rd and 5th "o"s on to pins directly above, repeat from * till 9 p.s. remain. Knit through.

4th row: Knit.

Repeat these 4 rows 39 times.

Chain up 2nd and 2nd last sts. of row, from beginning of pattern above ribbing.

Shape Armholes: Cast off 1 st. at beginning of every row, not forgetting to chain 9th st. from each end of row, till 88 sts. remain.

Continue in pattern till 284 rows have been worked from commencement of pattern. The

chained rows shorten the knitting, so it is wiser to count rows for correct length. Not forgetting to chain up 1st and 8th sts. of plain strips, cast off 7 sts. at beginning of next 6 rows, then cast off 8 sts. at beginning of next 2 rows. Knit through. Cast off remaining 30 sts.

FRONT: Cast on 122 sts.

Work ribbing as given for back.

1st Pattern row: Hang the 2nd, 4th and 6th "o"s to the pins above. * Miss 9 p.s., hang 1st, 3rd and 5th "o"s to pins above. Repeat from *, ending miss 2 p.s. Knit through.

2nd row: Knit.

3rd row: Hang the 3rd, 5th and 7th "o"s to pins above. * Miss 9 p.s., hang 1st, 3rd and 5th "o"s to pins above. Repeat from *, ending miss 1 p.s. Knit through.

4th row: Knit.

Repeat these 4 rows 39 times.

Shape Armhole: First chain up 8th st. from each end. Cast off 12 sts. at beginning of next 2 rows.

Cast off 1 st. at beginning of every row till 88 sts. remain, chain where required.

Shape Neck: Transfer 44 sts. to st. holder. Knit through remaining 44 sts. Keeping continuity of pattern, cast off 1 st. at beginning of next and every following 4th row till 29 sts. remain. Continue without shaping till 284 rows have been worked from commencement of pattern. Chain where required.

Shape Shoulder: Cast off 7 sts. at armhole edge. Knit.

2nd row: Knit.

Repeat these 2 rows twice. Cast off 8 sts. Place remaining 44 sts. back on to pin-comb. Join wool at neck edge and work to correspond with other side.

NECK BAND:

Work on No. 12 knitting needles. Sew up right shoulder seam. With right side of work facing, pick up 78 sts. along left side of neck, pick up 1 st. at centre front, 78 sts. along right side of neck, and 29 sts. across back of neck (186 sts.). Work 12 rows in k.1 p.1 rib, decrease 1 st. at each side of centre point of V neck in every row. Cast off.

ARMBANDS:

Sew up left shoulder seam, using narrow back stitch seam. With No. 12 needles, with right side facing, pick up 180 sts. Work in rib for 12 rows. Cast off.

To Make Up: Press lightly under damp cloth. Sew up side seams, using flat seam for bands and narrow back stitch seam for pattern.



Rita — HIGH-NECKED

JUMPER IN PINEAPPLE STITCH

Materials: 5 ozs 3-ply crochet wool. 3 buttons.

Measurements: 36 inch bust.

Length from top of shoulder, 19½ inches.

Tension: 4 patterns to 1 inch.

Do not count 1st and last st. when working pattern.

FRONT: Cast on 99 sts. Knit plain 50 rows.

To Make Ribbing: Using crochet hook * pick up "o" at cast-on edge, draw the next "o" directly above it through first "o" as in a crochet chain stitch, continue straight up to p.s., take p.s. off on to crochet hook, pull through stitch already on it, hang back on p.s. Miss next "o". Repeat from *, ending miss 1 p.s. Knit 2 rows plain (increase 1 st. at beginning of each row) (101 sts.).

1st pattern row: Miss 1 p.s. Hang "u" on 2nd p.s., hang next "u" back on 2nd p.s. (3 sts. on 1 pin). * Miss 5 p.s., hang "u" on 6th p.s., hang next "u" back on 6th p.s. Repeat from *, ending miss 1 p.s. Knit through.

2nd row: Knit plain.

3rd row: Miss 4 p.s., hang "u" on 5th p.s., hang next "u" back on 5th p.s. * Miss 5 p.s., hang "u" on 6th p.s., hang next "u" back on 6th p.s. Repeat *, ending miss 4 p.s. Knit through.

4th row: Knit plain. Continue the last 4 rows until completed 36 patterns.


SLEEVES:

Cast on 9 sts. at beginning of next 2 rows and knit, continuing in pattern until completed 58 patterns from commencement.

Shape Shoulders: Cast off 1 st. at beginning and end of next 6 rows, then cast off 8 sts. at beginning of every row until 43 sts. on pin-comb. Knit 4 rows and cast off.

BACK: Work same manner as given for front.

To Make Up: Sew up side seams and shoulder seams. Crochet a shell st. around neck edge and make loops. Sew on buttons and press.



Garments illustrated in this issue suggested by Isobel Kennedy, Fashion Editress — "Woman's Day" Magazine.

Pattern instructions edited by True Nethercote, Knitting Editress of the "New Idea" Magazine.

Kay

STRIPED SLEEVELESS JUMPER

Materials: 6 ozs. 4-ply yellow wool.
1 oz. tan wool.
1 oz. green.
4 small buttons.

Measurements: 36 inch bust.

Length from top of shoulder, 20½ inches.

Length from bottom to armholes, 13½ ins.

Tension: 7 sts. to inch.

FRONT:

Cast on 86 sts. Knit plain for 60 rows.

To Make Ribbing: Using crochet hook * pick up "o" at cast-on edge, draw the next "o" directly above it through first "o" as in a crochet chain stitch, continue straight up to p.s., take p.s. off on to crochet hook, pull through stitch already on it, hang back on p.s., miss next "o". Repeat from * to end.

Knit plain in main colour (yellow) for 19 rows, increasing 1 st. beginning of first 4 rows.

On wrong side of work join in tan wool, knit 2 rows.

Join in yellow wool, knit 2 rows.

Join in green wool, knit 2 rows.

2 rows yellow.

2 rows green.

6 rows yellow, increase 1 st. beginning of every 8th and 9th rows until 104 sts.

4 rows tan.

2 rows yellow.

4 rows tan.

6 rows yellow.

4 rows green.

2 rows yellow.

4 rows green.

6 rows yellow.

Repeat the last 32 rows twice more.

4 rows tan.

2 rows yellow.

4 rows tan.

Shape Armholes: 2 rows yellow; still in yellow cast off 5 p.s. at beginning of next 2 rows, then decrease 1 st. each end of next 2 rows.

2 rows green—decrease 1 st. each end of next row.

2 rows yellow.

There should be 88 sts. now. Continue without shaping for 86 rows from start of armholes.

2 rows green.

2 rows yellow.

2 rows tan, then continue in yellow wool.



Shape Neck: Work 44 sts. Place remaining 44 p.s. on a st. holder. Cast off 10 p.s. at beginning of next row (neck edge).

Decrease 1 p.s. at same edge in 2 following alternate rows (32 sts.).

Continue without shaping for 16 rows.

Shape Shoulder: Cast off 8 p.s. at beginning of next and 3 following alternate rows.

Place remaining 44 p.s. back on pin-comb.

Commencing at neck edge, cast off 10 p.s. Finish as for other side, working 1 extra row before shaping shoulder.

BACK: Work as given for front until neck shaping is reached. Continue on 88 sts. until work measures same as front at armhole edge. Shape shoulders.

Cast off 8 p.s. at beginning of next 6 rows. Cast off remaining sts.

NECKBAND: Sew up right shoulder.

Using No. 14 needles, pick up and knit 115 sts., keeping right side of work facing. Knit 1, purl 1 for 8 rows. Cast off.

SLEEVE BAND: Sew up left shoulder for 2 ins. at armhole edge. Using No. 14 needles pick up 112 sts. Work in rib of K.1, P.1 for 8 rows. Cast off.

Make 4 loops on shoulder. Sew on buttons. Sew up side seams.

Sue — LITTLE GIRL'S STRIPED JUMPER

Materials: 4½ ozs. 4-ply blue, 1 oz of 4-ply white. 2 buttons.

Measurements: 28 inches underarm.
Length 16½ inches.

Tension: 7 p.s. to 1 inch.

BACK and FRONT alike:

With blue wool cast on 90 p.s.

Knit 40 rows plain.

To Make Ribbing: Using crochet hook * pick up "o" at cast-on edge, draw the next "o" directly above it through first "o" as in a crochet chain stitch, continue straight up to p.s., take p.s. off on to crochet hook, pull through stitch already on it, hang back on p.s. Miss next "o". Repeat from * to end.

Knit 8 rows blue.

Knit 2 rows white.

Repeat last 10 rows 10 times.

Armhole Shaping: Keeping continuity of stripes, decrease 1 st. each end of every row—5 times (80 p.s.). Knit 60 rows, decreasing 1 p.s. each end of every 2nd row (20 p.s. on pin-comb). Cast off.

SLEEVES: With blue wool cast on 64 p.s.

Knit 18 rows plain. Rib as given for back.

Knit 6 rows, increase at beginning of 7th and 8th row.

Join in white and knit 2 rows.

Rejoin blue and keep continuity of the stripes, increasing once every row until there are 86 p.s. on the pin-comb.

Sleeve Shaping: Decrease 1 p.s. each end every



row—5 times. Knit 60 rows, decreasing 1 p.s. each end of every second row until 16 p.s. on pin-comb. Cast off.

To Make Up: Sew up side seam and sleeve seams. Sew in sleeves, matching the stripes; leave the shoulder seams at front open 1 in. at neck edge.

Crochet 1 double crochet around neck edge, make 2 loops and sew on buttons.

Hints and Abbreviations

p.s. = pin stitch
"o" = over loops
"u" = under loops
inc. = increase
dec. = decrease
sl.st. = slip stitch

Watch your tension: Try this on a small piece of knitting before commencing the garment. The tension is altered by moving the pin-comb in or out, loosen the wing nuts on supporting brackets, move out for looser tension, in for tighter tension; when correct tension is obtained, tighten up wing nuts and adjust centre support.

When working pattern rows the first and

the last pin stitch is not counted.


The pattern commences on 2nd pin stitch and ends on 2nd last pin stitch. This gives a firm, even edge to the work.

When increasing or decreasing the full number of pin stitches are given.

When decreasing or casting off a number of stitches, use crochet hook and cast off from right-hand end of pin-comb just before knitting the row.

Increasing is also worked from the right-hand end. A single decrease may be worked from either end by hanging the 1st pin stitch on to the 2nd pin stitch or the last pin stitch on to the 2nd last pin stitch.

Honey-bun




- = 1 pin stitch.
- = 1 pin head from which pin stitch has been removed.
- ◻ = 1 pin head with 2 pin stitches — 1 pin stitch from o.
- ⊗ = 1 pin head with 3 pin stitches — 1 p.s. from left, 1 p.s. from right, on centre p.s.

Work 6 rows of plain knitting between each pattern.

2nd and alternate rows are not illustrated in chart. Knit plain.

N.B.: When working in pattern from diagram, do not try to complete more "diamonds" than will fit garment concerned. 15 sts. = 1 pattern.



ning of next 4 rows, then 1 st. at beginning of following 6 rows, keeping to pattern, but eliminating 2 outer "diamonds." When armhole measure 4 inches, cast off.

LEFT FRONT:

Cast on 36 sts. Knit plain 14 rows. Commence pattern, keeping 6 border sts. plain. When work measures 6 ins., cast off 3 sts. at armhole edge then 1 st. at armhole edge of next 3 rows. Continue in pattern until armhole measures 3 ins., cast off 8 sts. at neck edge then 1 st. at neck edge of every alternative row until decreased to 14 sts. Cast off.

RIGHT FRONT:

Work to correspond with left front, working shapings and border at opposite ends. **Note:** Both fronts may be worked at the same time, taking care to keep shapings reversed.

SLEEVES:

Cast on 32 sts. Knit plain 14 rows. Commence pattern, increasing 1 st. at beginning of next 12 rows. Work until sleeve seam measures 5 ins. K.2 tog. each end of every row until decreased to 18 sts. Cast off.

To Make Up: Sew up seams. Sew in sleeves. Crochet a beading around neck, thread ribbon through beading.

Materials: 7 balls 3-ply Baby Wool.
6 yds. narrow ribbon, 1 yd. $\frac{3}{4}$ in wide. 3 small buttons.

Measurements:

Coat — Length, 10 inches.
Sleeve, 5 inches at seam.
Chest, 22 inches.

Frock — Length, 16 inches.
Chest, 20 inches.
Sleeve seam, 5 inches.

Pilches — Length of side seam, 7 inches.


Bonnet — Width around face, 10 inches.

COAT—BACK:

Cast on 62 sts. Knit plain 14 rows. Commence pattern, when work measures 6 inches. Shape armholes by casting off 3 sts. at begin-

See Hints and Abbreviations, page 7

BABY'S LAYETTE



FROCK — BACK:

Cast on 92 sts. and knit plain for 14 rows. Work pattern 5 times, finishing with plain row. Divide sts. for back opening as follows:—

Knit 46 (place remaining sts. on stitch holder), turn work and cast on 3 sts. Continue in plain st. for 2 inches, then decrease for waist as follows: Using a spare No. 13 knitting needle, and working from right to left of work, remove sts. from pin-comb. Replace 7 sts. on pin-comb and then (decreasing) hang 2 sts. on each following comb pin, until 10 sts. remain on spare needle, replace these 10 sts. on separate comb pins. 33 p.s. Knit 1 plain row. Make holes for ribbon at waist as follows:—

* Hang 2nd p.s. on 3rd p.s., miss 1st p.s. Repeat from *, ending miss 3 p.s. Knit next row plain, thus forming ribbon holes. Knit 2 more plain rows. Shape armhole by casting off 4 sts. at beginning of next row. K.2 tog. at armhole edge of every 2nd row 4 times. When armhole measures 3 inches cast off. Join wool at centre back and work to correspond with other side, working border and shapings at opposite ends and making buttonholes as follows: 1st one being on ribbon holes and 2 more 1½ inches apart.

Buttonholes: K.2, hang 3rd p.s. on 4th p.s.

FRONT:

Work same as for back to decrease row, but without dividing sts., keep 10 sts. at either end of work plain, but decrease all sts. between as above (as for back of frock). Knit 1 plain row. Make ribbon holes in next row. Knit 3 more rows. Next row. Work 3 patterns evenly across yoke. At same time shape armholes by

casting off 4 sts. at beginning of next 2 rows. Continue in pattern, decreasing 4 times further, 1 st. at beginning of next 4 rows. Work until 1 pattern has been completed.

To Shape Neck: K.16 sts. and place on st. holder. Cast off 12 sts., K.16. Work in plain knitting on last 15 sts., decreasing 1 st. at neck edge of second row. When armhole measures 3 inches, cast off. Join wool to stitches replaced from st. holder and work other side to correspond.

SLEEVES:

Cast on 32 sts. Work 8 rows plain. Make ribbon holes as above. Work 2 complete patterns. When sleeve seam measures 5 inches, decrease 1 st. each end of every row until 13 remain. Cast off.


To Make Up: Sew up seams. Sew in sleeves. Crochet a beading around neck. Thread ribbon through holes. Sew buttons on back opening.

BONNET

Cast on 62 sts. Work in plain knitting for 10 rows. Make ribbon holes as previously stated. Knit plain for 10 rows. Work 2 complete patterns. Make a second set of ribbon holes. Work in plain knitting till work measures 5 inches. Decrease for back as follows:—

* K.6, K.2 tog., repeat from * to last 6 sts., K.6.

N.B.: Don't forget to move all sts. up the pin-comb so that there are no "holes" formed. Using the spare knitting needle as when decreasing for waist of frock is recommended.



Diane —LADY'S EVENING JUMPER

Requirements: 1 pair of No. 12 knitting needles. 6 ozs. of 3-ply wool. 1 stitch-holder.

FRONT:

Using No. 12 needles, cast on 100 stitches, and knit in rib of (Knit 1, Purl 1) until band is three inches deep. Transfer to "Zip" home knitting machine. (Set to Gauge No. 2.)

First 50 rows: Knit plain (ordinary garter stitch).

Increase once at beginning of next 2 rows.

Continue in this manner, in plain knitting, increasing once at beginning of every 4th and 5th row until there are 120 stitches on the machine.

Next row: Pick up 60 stitches from pin-comb,

and transfer these to a stitch-holder. Proceed on the remaining 60 stitches as follows:—

Decrease one stitch at neck-edge in each of the next three rows. Then decrease one stitch at neck-edge in every second row until 44 stitches remain.

Next 4 rows: Cast off 6 stitches at armhole edge (for shoulder shaping).

Next row: Cast off remaining stitches.

Pick up the 60 stitches from the stitch-holder, and knit these up in the same manner.

BACK: Same as front.

To Make Up: Join shoulder and side seams.

Work 1 row of d.c. round neck and sleeve edges.

Barbara

— LADY'S EVENING JUMPER

Materials: 5 balls Fuzzy Wuzzy wool.

Measurements: 34 inch bust.

Length from top of shoulder, 18 ins.

Length of sleeve at underarm, 6 ins.

Tension: 1 pattern to 1 inch.

Do not count 1st and last p.s. in pattern rows.

FRONT:

Cast on 80 sts.

Knit plain 40 rows.

Make Ribbing: Using crochet hook * pick up "o" at cast-on edge, draw the next "o" directly above it through first "o" as in a crochet chain stitch, continue straight up to p.s., take p.s. off on to crochet hook, pull through stitch already on it, hang back on p.s. Miss next "o". Repeat from * to end.

Knit two rows plain.

1st pattern row: Miss 2 p.s., hang 3rd p.s. on 4th p.s., * miss 6 p.s., hang 7th p.s. on 8th p.s., repeat from *, ending miss 2 p.s. (10 holes).

2nd row: Knit plain.

3rd row: Lift the p.s. on either side of the hole stitch and hang it on to the pin beside it.

4th row: Knit plain.

5th row: Same as 1st row.

6th row: Knit plain.

7th row: Knit plain.

8th row: Knit plain.

9th row: * Miss 6 p.s., hang 7th p.s. on 8th p.s., repeat from *, ending miss 6 p.s. (9 holes).

10th row: Knit plain.

11th row: Lift the p.s. on either side of the hole st. and hang it on to the p.s. beside it.

12th row: Knit plain.

13th row: Same as the 9th row.

14th row: Knit plain. Repeat 1st to 14th rows 5 times.

Shape Armholes: Increase 6 sts. at the beginning of the next 2 rows. You now have 92 st. on the pins.

Shape Neck: Take 46 p.s. off and leave on a stitch-holder. Work on the remaining 46 sts.



Decreasing 1 st. at neck edge of every second row, until 27 sts. remain.

Shape Shoulders: Cast off 10 p.s. at the beginning of the next row, knit plain for 1 row, cast off 10 p.s. at beginning of next row, knit plain for 1 row, cast off remaining 7 p.s. Place remaining 46 sts. back on pin-comb and work to correspond with other side.

BACK:

Work the same as front.

To Make Up: Sew up shoulder and side seams. Work 1 row d.c. round neck and sleeve edges.

Jill - CARDIGAN

Materials: 7½ ozs. 3-ply wool. 7 buttons.

Measurements: 32 inch bust.

Length from top of shoulder,
19½ inches inc.

Length of sleeve, 5 inches.

Tension: Ribbing 10 st. to 1 in. Pattern 8 st. to 1 in. Do not count first or last pin stitch when working pattern.

BACK:

Cast on 89 sts. Knit 60 rows plain.

To Make Ribbing: Using crochet hook * pick up over loop "o" at cast on edge, draw the next "o" directly above it through the first "o" as in crochet chain stitch—continue straight up to pin stitch (p.s.), take p.s. off on to crochet hook, pull through stitch already on it, hang back on pin-comb. Miss next "o". Repeat from * to end. Knit 2 rows plain.

1st Pattern row: Miss 5 p.s. * Hang under loop "u" to right on 6th p.s. Hang next "u" left on 6th p.s. (3 sts. on 1 pin). Miss 7 p.s., slip 8th p.s. on 7th p.s., miss 1 p.s., hang "u" to right on 2nd p.s., hang next "u" left on 2nd p.s. Miss 1 p.s. Slip 2nd p.s. on to 3rd p.s., miss 6 p.s., hang "u" to right on 7th p.s., hang next "u" left on 7th p.s. * Miss 35 p.s. and repeat from * to *, ending with 5 p.s. Knit through.

2nd row and alternate rows: plain.

3rd row: Miss 5 p.s. * Hang "u" to right on 6th p.s. Hang next "u" left on 6th p.s. Miss 6 p.s. Slip 7th p.s. on to 6th p.s. Miss 2 p.s. Hang "u" to right on 3rd p.s., hang next "u" left on 3rd p.s., miss 2 p.s., slip 3rd p.s. on 4th p.s., miss 5 p.s., hang "u" to right on 6th p.s., hang next "u" left on 6th p.s., * miss 35 p.s., repeat from * to *, ending 5 p.s. Knit through.

5th row: Miss 5 p.s., * Hang "u" right on to 6th p.s., hang next "u" left on 6th p.s., miss 5 p.s., slip 6th p.s. on to 5th p.s., miss 3 p.s., hang "u" right on to 4th p.s., hang next "u" left on to 4th p.s., miss 3 p.s., slip 4th p.s. on to 5th p.s., miss 4 p.s., hang "u" right on to 5th p.s., hang next "u" left on to 5th p.s., * miss 35 p.s., repeat from * to *, ending 5 p.s. Knit through.

7th row: Miss 5 p.s. * Hang "u" to right on 6th p.s., hang next "u" left on to 6th p.s. Miss 4 p.s., slip 5th p.s. on to 4th p.s., miss 4 p.s., hang "u" right on to 5th p.s., hang next "u"

left on to 5th p.s. Miss 4 p.s., slip 5th p.s. on to 6th p.s., miss 3 p.s., hang "u" to right on to 4th p.s., hang next "u" left on to 4th p.s. * Miss 35 p.s. Repeat from * to *, ending 5 p.s. Knit through.

9th row: Miss 5 p.s. * Hang "u" to right on 6th p.s., hang next "u" left on to 6th p.s., miss 3 p.s., slip 4th p.s. on to 3rd p.s., miss 5 p.s., hang "u" right on to 6th p.s., hang next "u" left on to 6th p.s., miss 5 p.s., slip 6th p.s. on to 7th p.s., miss 2 p.s., hang "u" right on to 3rd p.s., hang next "u" left on to 3rd p.s. * Miss 35 p.s. Repeat from * to *, end 5 p.s. Knit through.

11th row: Miss 5 p.s. * Hang "u" right on to 6th p.s., hang next "u" left on to 6th p.s., miss 9 p.s., hang "u" right on to 10th p.s., hang next "u" left on to 10th p.s., miss 9 p.s., hang "u" right on to 10th p.s., hang next "u" left on to 10th p.s. * Miss 35 p.s. Repeat from * to *, ending 5 p.s. Knit through.

12th row: Knit plain.

From * to * in the last 11 rows forms the pattern panel and will be referred to as such. Repeat the first 12 rows 4 times then increase 1 st. at the beginning of next 2 rows. Then increase 1 st. at beginning of the next 11th and 12th row, keeping continuity of pattern until there are 99 sts. on pin-comb. Knit in pattern until work measures 12½ ins.

Shape Armhole: Decrease 5 sts. at the beginning of next 2 rows, then decrease 1 st. each end of every 4th row until 73 sts. remain. Continue without shaping until 22 patterns have been completed from commencement.

Shape Shoulders: Cast off 8 sts. at beginning of next 4 rows then cast off 10 sts. at beginning of next 2 rows. Cast off remaining stitches.

RIGHT FRONT:

Cast on 45 sts.

Knit 60 rows plain and work ribbing.

Knit 2 rows plain.

1st pattern row: Miss 5 p.s., set pattern panel, ending miss 18 p.s. Knit through. Continue knitting in pattern until completed 49 rows.

Increase at beginning of next row (side edge) and every 12th row until there are 50 sts. on pin-comb.

Knit in pattern until work measures 12½ ins.

Shape Armhole: Cast off 6 sts. Decrease 1 st. in the next 2 alternate rows, 42 sts.

When completed 17 patterns from commencement —

Shape for neck: Cast off 8 sts., then decrease 1 st. at beginning of every 4th row until 26 sts. on pin-comb. Knit without shaping until completed 22 patterns.

Shape Shoulder at armhole edge. Cast off 8 sts. at beginning of the next 2 rows, then cast off remaining 10 sts.

LEFT FRONT:

Work to correspond with right front.

SLEEVES:

Cast on 73 sts. Knit 20 rows plain, work ribbing. Knit 2 rows plain.

1st Pattern row: Miss 26 p.s., set pattern panel, ending miss 26 p.s. Knit through.

Continue in pattern until work measures 5 ins., then decrease 1 st. each end of the next and every 4th row until 31 sts. remain, decrease 1 st. each end of next and every 2nd row until 21 sts. on pin-comb. Cast off.

FRONT BANDS:

Cast on 17 sts. Knit 4 rows.

1st pattern row (with buttonholes): * Miss 3 p.s., with crochet hook pick up 4th and 5th p.s. and pull 5th p.s. through 4th p.s., and place back on pin-comb, * miss 2 p.s., pick up 3rd and 4th p.s. and pull 4th p.s. through 3rd p.s., and place on pin-comb. Repeat from * to *, ending miss 3 p.s. Knit through. ** Knit 3 rows plain.

5th row: Miss 8 p.s. Pull 9th p.s. through 10th p.s., place back on pin-comb. Miss 7 p.s. Knit through **.


Knit from ** to ** repeating buttonhole row every 3 inches until length required for right

front. Cast off. Knit band for left front from ** to ** until length required.

NECK BAND:

Cast on 115 sts. Knit 10 rows plain; 11th row (buttonhole) miss 4 p.s., pick up 5th p.s. and 6 p.s. and pull through 5th p.s. and place on pin-comb. Knit through. Knit 9 rows plain, with buttonhole on right side, work ribbing, cast off.

To Make Up: Sew side seams. Sew shoulder seams. Sew in sleeves. Sew front bands in position, then fold over the restitch. Sew around doubled buttonholes, sew on neckband and buttons, and then press.



Barry

— POLO NECK PULLOVER

Materials: 15 ozs. 5-ply.

Measurements: Chest 28 inches.
Length 18½ inches.
Sleeve 15 inches.

Tension: 6 sts. to 1 inch.

BACK and FRONT alike:

Cast on 80 sts. Knit 2 rows plain.

1st pattern row: Pick up "u" between 2nd and 3rd p.s., put it over 2 pins above (2nd and 3rd pins), * miss one "u", pick up next "u", put it over 2 pins above. Repeat from *, ending miss 1 st. Knit through.

2nd row: Knit plain.

3rd row: Pick up "u" between 3rd and 4th p.s., put it over 2 pins above (3rd and 4th pins), * miss one "u", pick up next "u", put it over 2 pins above. Repeat from * to end. Knit through.

4th row: Knit plain.

Continue last 4 rows until work measures 11½ inches.

Shape Armholes: Cast off 4 sts. at beginning of next 2 rows.

Continue on remaining 72 sts., knitting in pattern until work measures 14½ inches from commencement.

Shape Neck: Miss 27 p.s., place 45 p.s. on st. holder. Work 27 sts. in pattern, decreasing 1 st. at neck edge until 20 sts. remain on pin-comb. At armhole edge. Cast off 10 sts. in next 2 rows. Place 27 sts. back on pin-comb taken from outer edge, leaving 18 sts. on st. holder. Work to correspond with other shoulder.

SLEEVES:

Cast on 50 sts. Knit 2 rows plain. Work in pattern, increasing at beginning of every 7th and 8th row until 76 sts. on pin-comb. Knit until work measures 15 ins.

Shaping: Cast off 4 sts. next 2 rows. Cast off 1 st. at EACH END of every 2nd row until 18 sts. remain. Cast off.

POLO NECK:

Join shoulder seams. With right side of work facing, using 4 double pointed needles, No. 12,



at left shoulder, pick up 20 sts. and place 18 sts. from st. holder on double pointed needle. Pick up 40 sts. on next needle, on 3rd needle place 18 sts. from holder. Then pick up 20 sts. (116 sts.). Knit in rib of K. 1, P.1 until work measures 6 inches. Cast off.

BANDS FOR FRONT AND BACK:

With knitting needles No. 12 cast on 80 sts. and rib 1 plain 1 purl for 34 rows. Cast off.

BANDS FOR SLEEVE:

Cast on 50 sts. with No. 12 knitting needles and rib 1 plain 1 purl for 34 rows. Cast off.

To Make Up: Sew on bands, sew up sleeves, sew up side seams, then sew in sleeves. Press with damp cloth.

Baby's Layette

(Continued from page 9)

Every alternate row repeat above decreasing, working one less st. before the decreasing, e.g., K.5, K.2 tog., etc., until all stitches are decreasing.

Final row: * K.2 tog., repeat from * to end. Break off wool, thread through darning needle, draw through all sts. and draw into a circle. Fasten off. Sew up back seam.

PILCHES

BACK:

Cast on 22 sts. Work it in plain knitting, increasing 2 sts. at beginning of each row until increased to 62 sts. Knit plain for 10 rows. Work ribbon holes as previously described. Knit plain for 10 rows. Work 2 complete patterns. Work until garment measures 6 inches. Work 6 rows rib of K.1, P.1. This may be done on the ZIP machine by working 6 plain rows and then dropping every alternate stitch and picking it up "knit" fashion with crochet hook.

Work a row of ribbon holes and then 6 further rows of rib K.1, P.1. Cast off.

FRONT:

Work as for back. Both pieces may conveniently be worked on pin-comb at the same time.

To Make Up: Sew up side seams and under seam. Work double crochet round each leg. Thread ribbon.

BOOTEES

Cast on 33 sts. Knit 6 rows of rib of K.1, P.1. Work in plain knitting for 10 rows. Work one complete pattern from diagram. Work a row of ribbon holes. Knit 6 rows plain.

Shape front of bootee by working as follows:—

Knit across 23 sts. Place remaining 10 sts. on safety pins. Turn work and knit 13 sts. Place remaining 10 sts. on another safety pin. Work on remaining 13 sts. for 2 inches in plain knitting.

Replace 10 sts. from right-hand safety pin, on to pin-comb. Pick up stitches along right side of bootee front. Take 6 sts. from 13 centre sts. Place remaining 7 sts. on safety pin. Knit across these sts. for one inch without shaping. Decrease at both ends of following rows until 10 sts. remain. Cast off.

Knit left side of bootee to match.

Both bootees may be knitted at same time.



MEDIUM SIZE Socks

Requirements: 3-ply wool
2 ozs. Dark Grey.
1 oz. Light Grey.
1 oz. Blue.

Set at fine tension.

Stripes: 8 rows dark grey, 2 rows light grey, 6 rows blue, 2 rows light grey, 8 rows dark grey.

The rib is formed by dropping every alternate pin st. to cast-on edge. Then, using crochet hook, chain stitch back on to pin heads. When joining in different colours, join on wrong side.

Cast on 50 sts. Knit in garter st. for 3½ inches, pick up as for 1 and 1 rib. Knit for 11 inches from beginning of work.

Put 14 sts. from each end of work on to two safety pins, leaving 22 sts. on machine; work on these sts. for 6½ inches.

Decrease for Toe: Dec. 1 st. on every row until 4 sts. remain. Cast off.

Put the stitches from safety pins on to the machine and knit for 2½ inches. Cast off.

Cast on 28 stitches. Knit for 2½ inches. Dec. 1 st. on the next 2 rows. Knit for 1½ inches.

Dec. 1 st. on next 2 rows. Knit for 2½ inches, then dec. for toe, 1 st. each row until 4 remain.

Press work on wrong side with warm iron over a damp cloth. Join seams.



A U S T R A L A S I A N D I S T R I B U T O R S

Victoria:

THE MYER EMPORIUM LTD.,
Melbourne and Country Branches

New South Wales:

NOCK & KIRBY LTD., Sydney

Queensland:

T. C. FIRNIE LTD., Brisbane
FINNEY ISLES LTD., Brisbane

South Australia:

THE MYER EMPORIUM LTD., Adelaide

Western Australia:

FOY & GIBSON (W.A.) LTD.,
Perth and Country Branches

Tasmania:

FITZGERALD'S & CO., Hobart

New Zealand:

MILNE & CHOR
JAMES SMITH L
BEATH & CO. P
ARTHUR BARN
H. & J. SMITH LTD., 

New Zealand Agents:

G.F.O. PIZZLY & SON (N.Z.) LTD.