


10 'ZIP-KNIT' GARMENTS EXCLUSIVELY DESIGNED FOR 'ZIP' KNITTING MACHINES

6 ZIP 9

PATTERN
BOOK
No. 3



"Estelle"

BROKEN CABLE STITCH JUMPER
SEE PAGE 4

PRICE

2/-



'Jeanette' STOCKING & DIAMOND STITCH JUMPER

Instructions Page 3

'Jeanette'

STOCKING & DIAMOND STITCH JUMPER

for 'Zip' Major Machines

ILLUSTRATED OPPOSITE

Materials: 7 oz. 4-ply wool.
4 buttons.

Measurements: To fit 34 inch bust.
Length from top of shoulder 19 in.
Length of sleeve at underarm 4 in.

Tension: 7 sts. to 1 inch.

FRONT:

Cast on 100 stitches. Knit stocking stitch for 4½ in. Reverse pincomb * miss 1 p.s., lift next p.s. off pinhead and drop to cast on edge. With crochet hook, pick up this stitch and slip st. it up each row as in chain stitch, slip back on to pinhead. Repeat from * to end. Reverse pincomb.

Knit 2 rows stocking stitch.

1st pattern row: Miss 40 p.s., hang 41st p.s. on to 42nd p.s. (miss 4 p.s., hang 5th p.s. on 6th p.s.) 3 times, miss 40 p.s. Knit through.

2nd and 4th rows: Knit stocking stitch.

3rd row: Miss 39 p.s., hang 40th p.s. back on 39th p.s., miss 1 p.s., hang 2nd p.s. on 3rd p.s. (miss 2 p.s., hang 3rd p.s. back on 2nd p.s., miss 1 p.s., hang 2nd p.s. on 3rd p.s.) 3 times. Miss 39 p.s. Knit through.

5th row: Increase 1 stitch, miss 38 p.s., hang 39th p.s. back on 38 p.s. * miss 3 p.s., hang 4th p.s. on 5th p.s., hang 6th p.s. back on 5th p.s. (3 p.s. on 1 p.h.) *. Repeat from * to * twice, miss 3 p.s., hang 4th p.s. on 5th p.s., miss 38 p.s. Knit through.

6th row: Increase 1 st., knit stocking stitch (102 sts.).

7th row: Miss 38 p.s., hang 39th p.s. back on 38th p.s., miss 5 p.s., hang 6th p.s. on 7th p.s. (miss 4 p.s., hang 5th p.s. on 6th p.s.) 3 times, miss 38 p.s. Knit through.

8th and 10th rows: Knit stocking stitch.

9th row: Miss 39 p.s., hang 40th p.s. back on 39th p.s., miss 3 p.s., hang 4th p.s. back on 3rd p.s. (miss 1 p.s., hang 2nd p.s. on 3 p.s., miss 2 p.s., hang 3rd p.s. back on 2nd p.s.) 3 times, miss 40 p.s. Knit through.

11th row: Increase 1 stitch, miss 40 p.s., hang 1st p.s. on 2nd p.s., hang 3rd p.s. back on 2nd p.s. (3 p.s. on 1 p.h.) (miss 3 p.s., hang 4th p.s. on 5th p.s., hang 6th p.s. back on 5th p.s.) 3 times, miss 41 p.s. Knit through.

12th row: Increase 1 stitch. Knit stocking stitch (104 sts.).

Keeping continuity of pattern, increase 1 st. at beginning of every following 5th and 6th rows until there are 110 sts., working extra stitch in stocking stitch.

Continue without shaping until work measures 11 inches.

Shape Armholes: Keeping continuity of pattern cast off 6 sts. at beginning of next 2 rows, then dec. once each end of next and every following 4th row until 90 sts. remain, work without shaping until work measures 16 ins. from commencement.

Neck Shaping: With right side facing, slip 32 sts. on to a holder, cast off 26 sts. Work on remaining 32 sts. Dec. once at neck edge in every row until 24 sts. remain. Work until work measures 18½ inches from commencement, ending at armhole edge.

Shape Shoulder: Cast off 8 sts. at beginning of next and 2 following alternate rows.

Place 32 sts. from stitch holder on to pincomb and work to correspond with other side.

BACK:

Cast on 100 sts. Knit 4½ inches. Rib as for front band.

Change tension. Knit in stocking stitch, inc. once at beginning of every 5th and 6th row until there are 110 sts. Work without shaping until work measures same as front to underarm.

Shape Armholes: Cast off 6 sts. at beginning of next 2 rows, then dec. once at each end of every 4th row until 90 sts. remain.

Neck Opening: Slip 45 sts. on to a stitch holder. Work on remaining 45 sts. until work measures same as front at armhole edge.

Continued on Page 4

IN THIS ISSUE

All of the patterns shown in this issue can be knitted on the Zip Major "Stocking Stitch" Home Knitting Machine. The garments shown from pages 9 to 16 can be knitted also on the Zip "Garter Stitch" Machine.

Shape Shoulder: Commencing at armhole edge, cast off 8 sts. at beginning of next and 2 following alternate rows. Work 1 row. Cast off remaining sts. Place 45 sts. from stitch holder back on pincomb and work to correspond.

SLEEVES:

Cast on 90 sts. Knit 1½ inches. Rib as for front band.

Change tension: Knit in stocking stitch for 2½ inches. Cast off 6 sts. at beginning of next 2 rows, then dec. once at beginning of every row until 48 sts. remain. Then dec. once at each end of every row until 38 sts. remain. Cast off.

TO MAKE UP:

Press lightly. Sew up shoulder, side and sleeve seams. Sew in sleeves. Using No. 12 needles, with right side facing pick up 110 sts. evenly round neck. Work in rib of K1, P1 for 1 inch. Cast off in rib. Using crochet hook work 1 row d.c. round back opening, then 4 loops for buttons. Sew on buttons.

'Estelle'

BROKEN CABLE STITCH JUMPER
for 'Zip' Major Machines

ILLUSTRATED ON FRONT COVER

Materials: 9 oz. 4-ply wool,
5 buttons.

Measurements: To fit 33-34 bust.
Length from top of shoulder 20 in.
Length of sleeve at underarm 18 in.

Tension: 1 pattern to 1 inch.

FRONT:

Cast on 106 stitches. Knit 4 inches on finest tension. Reverse pincomb.

Next row: * Miss 1 p.s., slip next p.s. to cast on edge. Using crochet hook pick up this stitch and slip st. it up each row as in chain stitch back on to pinhead, repeat from * to end. Reverse pincomb.

Knit 2 rows stocking stitch, increasing 1 st. at beginning of each row (108 sts.). Change tension.

1st Pattern row: Miss 4 p.s. * using pointed bent end of crochet hook slip next 4 p.s. in this order—4 3 2 1—off the pins on to the crochet hook. Then slip 1st and 2nd on to the empty 3rd and 4th pins and the

3rd and 4th on to the empty 1st and 2nd pins. (This will be termed "twist" throughout.) Miss 4 p.s. Repeat from * to end. Knit through.

2nd and 3rd rows: Knit stocking stitch.

4th row: "Twist" * miss 4 p.s., twist. Repeat from * to end. Knit through.

5th and 6th rows: Knit stocking stitch.

These 6 rows form pattern.

Keeping continuity of pattern, increase once at beginning of next two rows, then every following 5th and 6th rows until there are 120 sts. on pincomb. Work without shaping until work measures 11½ inches from commencement.

Shape Armholes: Keeping continuity of pattern, cast off 8 sts. at beginning of next two rows, then 4 sts. at beginning of next 2 rows (96 sts.).

Work without shaping until work measures 16½ inches from commencement.

Shape Neck: Slip 36 sts. on to a stitch holder. Cast off 24 sts. Work on remaining 36 sts., dec. at neck edge in every alternate row until 32 sts. remain. Work without shaping until work measures 19½ inches from commencement, ending at armhole edge.

Shoulder Shaping: Cast off 8 sts. at beginning of next and 3 following alternate rows.

Place remaining 36 sts. from stitch holder back on to pincomb and work to correspond.

BACK:

Work as given for front until armhole shaping is completed. Work without shaping until work measures 19½ inches from commencement.

Shoulder Shaping: Cast off 8 sts. at beginning of next 8 rows. Cast off remaining stitches.

SLEEVES:

Cast on 60 sts. Knit 3½ inches in finest tension then rib as for front band.

Change tension.

Work in pattern as given for front, inc. one stitch at beginning of every 5th and 6th rows until there are 88 sts.

Work without shaping until work measures 18 inches, or length desired.

Shape Top: Cast off 4 sts. at beginning of next 2 rows, then dec. once each end of next and every alternate row until 30 sts. remain. Cast off remaining sts.

TO MAKE UP: Press lightly. Sew up left shoulder With right side facing, using No. 12 needles pick up 110 sts. and K1, P1 for 1 inch. Cast off in rib.

Sew up right shoulder for 1 inch at armhole edge. Sew in sleeves. Sew up side and sleeve seams. Crochet along shoulder opening, making loops for buttons. Sew on buttons.


'Cool Nights'

STOCKING STITCH

CARDIGAN

—IN TWO SIZES—

for 'Zip' Major Machines



Materials: A—10 oz. 4-ply wool.

B—11 oz. 4-ply wool.

Six buttons.

Measurements: To fit A—34 inch bust.

B—36 inch bust.

Length from top of shoulder 20 inches.

Length of sleeve at underarm 18 inches.

Tension: Rib worked on finest tension.

Stocking stitch 7 sts. to 1 inch.

Instructions are written for size A; instructions when different for B are written in brackets, thus: ().

LEFT FRONT:

Using finest tension cast on 60 sts. (64). Knit 40 rows stocking stitch. Reverse pincomb.

Next row: * Miss 1 p.s., slip next p.s. to cast on edge. Using crochet hook pick up this stitch and slip st. it up each row as in chain stitch back on to pinhead, repeating from * to end. Reverse pincomb.

Change tension.

Knit 92 rows stocking stitch.

Shape Armhole: Cast off 4 sts. (6 sts.) at left side of work at same time dec. once at front edge. Continue dec. once at armhole edge in every row 8 times (10 times) and at front edge every 4th row until 28 sts. (30 sts.) remain. Work without shaping until work measures 19½ inches from commencement.

Shape Shoulder: Armhole edge. Cast off 10 sts. work to end.

2nd and 4th rows: Work to end.

3rd row: Cast off 9 sts. (10 sts.) work to end.

5th row: Cast off 9 sts. (10 sts.).

RIGHT FRONT:

Work as given for left front working shaping at opposite ends of pincomb.

BACK:

Using finest tension cast on 112 (120 sts.) work in rib as given for front.

Change tension.

Work in stocking stitch for 92 rows.

Shape Armhole: Cast off 6 sts. (8 sts.) at beginning of next 2 rows. Then dec. once at each end of row every row until 76 sts. (84 sts.) remain. Work without shaping until work measures same as front at armhole edge.

Shape Shoulders: Cast off 10 sts. at beginning of next 2 rows. Cast off 9 sts. (10 sts.) at beginning of next 4 rows. Cast off remaining sts.


SLEEVES:

Using finest tension cast on 58 sts. (62 sts.).

Knit 32 rows rib as for back.

Change tension.

Continued in second column, Page 7



'Harry' TWISTED RIB LONG SLEEVE PULLOVER

Instructions Page 7

'Harry'

TWISTED RIB LONG SLEEVE PULLOVER

for 'Zip' Major Machines

ILLUSTRATED OPPOSITE

Materials: 14 oz. 5-ply wool.

Measurements: To fit 38 to 40 inch chest.
Length from top of shoulder 24 in.
Length of sleeve at underarm 21 in.

Tension: 6½ sts. to 1 inch.

FRONT:

Using finest tension cast on 110 sts. Knit 4½ in. stocking stitch. Reverse pincomb.

To Make Ribbing: * Miss 1 p.s., slip next p.s. off and drop to cast on edge, pick it up with crochet hook and slip st. it up each row as in chain stitch, back on to pinhead. Repeat from * to end. Reverse pincomb. Change tension.

1st pattern row: * Miss 6 p.s., take 7th and 8th p.s. off pincomb with pointed end of crochet hook, hang 8th p.s. on to 7th pinhead, then 7th p.s. on to 8th pinhead. (This will be termed "twist" throughout.) Repeat from *, ending miss 6 p.s. Knit through.

2nd row: Knit stocking stitch.
Keeping continuity of pattern, inc. one stitch at beginning of every 5th and 6th row until there are 116 sts. Continue without shaping until work measures 16 inches from commencement.

Shape Armholes: Cast off 6 sts. at beginning of next 2 rows, then dec. once at beginning of every row until 52 sts. remain.

Neck Shaping: With right side of work facing, put 20 sts. on a stitch holder. Cast off 12 sts. Work on remaining 20 sts.

Decrease 1 st. at each end of pincomb in every row until 2 sts. remain. Cast off.

Replace 20 sts. from stitch holder and work to correspond with other side.

BACK:

Work as given for front.

SLEEVES:

Cast on 60 sts. Work 4 inches then rib as given for front. Change tension.

1st pattern row: Miss 5 p.s., "twist", * miss 6 p.s., "twist". Repeat from * ending miss 5 p.s. Knit through.

2nd row: Knit stocking stitch.

Keeping continuity of pattern, increase once at beginning of 5th and 6th row until there are 86 sts. Work without shaping until work measures 21 inches from commencement, then decrease once at beginning of every row until 28 sts. remain. Cast off.

NECK BAND:

Cast on 128 sts. Knit for 1 inch. Rib as for back band. Cast off.

TO MAKE UP:

Press lightly. Commencing at neck edge sew sleeve edges to back and front edges. Sew up sleeve and side seams. Sew on neck band.

Neck band may be knitted by hand. Using a set of No. 12 needles, pick up 168 stitches evenly round neck. Work in rounds of K.1, P.1. rib for 1 inch. Cast off in rib.

Cool Nights — Continued from Page 5

Work in stocking stitch inc. once at beginning of next 2 rows and in every following 5th and 6th rows until there are 94 sts. (98 sts.). Work without shaping until work measures 18 inches or length desired. Cast off 2 sts. (4 sts.) at beginning of next 2 rows then dec. once each end of row in next and every alt. row until 26 sts. (30 sts.) remain. Cast-off.

TO MAKE UP:

Press lightly. Sew up shoulder seams. Sew in sleeves. Sew up side and sleeve seams.

FRONT BAND:

Using No. 12 needles cast on 12 sts., work in rib of K.1, P.1 for 4 rows.

**** Button hole row:** rib 5, cast off 2, rib 5.

Next row: rib 5, cast on 2, rib 5.

Rib 10 rows.**

Repeat from ** to ** 5 times, then continue in rib until work is long enough to go along each front and across back. Cast on.

Sew in position. Sew on buttons.



'Jack or Jill'
STOCKING STITCH PULLOVER
 —TWO SIZES—
for 'Zip' Major Machines

Materials: 5 oz. 3-ply wool.
 3 press studs.

Measurements: To fit A—26 inch chest.
 B—28 inch chest.
 Length from top of shoulder:
 A—15 inches
 B—16 inches.
 Length of sleeve at underarm:
 A—13 inches
 B—14 inches.

Tension: Rib on finest tension.
 Stocking stitch $7\frac{1}{2}$ sts. to 1 inch.

Instructions are written for size A, instructions when different for B are written in brackets, thus: ().

FRONT:

Cast on 94 sts. (102).
 Knit 30 rows stocking stitch.
 Reverse pincomb.

Next row * miss 1 p.s., slip next p.s. down to cast on edge with crochet hook, pick up this stitch and slip stitch it up each row as in chain stitch back on to pinhead. Repeat from * to end, reverse pincomb.

Change Tension: Work in stocking stitch until work measures 10 (10 $\frac{1}{2}$) inches from commencement.

Shape Armholes: Cast off 4 sts. (5 sts.) at beginning of next 2 rows. Then dec. once each end of next and every alt. row until 76 (84) sts. remain.
 Continue without shaping until work measures 12 $\frac{1}{2}$ (14) inches.

Neck Shaping: Slip 46 sts. (52) on to a stitch holder. Work on remaining 30 (32) sts., dec. once at neck edge in next and every alt. row until 22 (24) sts. remain. Work without shaping until work measures 14 (16) inches from commencement, end at armhole edge.

Shoulder Shaping: Cast off 11 (12) sts., work to end. Next row work to end. Cast off remaining sts., leaving the centre 16 (20) sts. on a stitch holder. Place remaining 30 (32) sts. back on pincomb and work to correspond with other side.

BACK:

Work as given for front until armhole shaping is completed. Then work without shaping until work measures same as front at armhole edge.

Shape Shoulders: Cast off 11 (12) sts. at beginning of next 4 rows. Cast off remaining sts.

SLEEVES:

Using finest tension cast on 44 (48) sts.
 Knit 30 rows.

Rib as for front band.
 Change tension. Work in stocking stitch. Increase at beginning of every 5th and 6th row until there are 68 (70) sts., work without shaping until work measures 13 (14) inches or length desired.

Shape Top: Cast off 2 sts. at beginning of next 2 rows. Then decrease once at each end of next and every alt. row until 58 (60) sts. remain. Then dec. once each end of every row until 18 (20) sts. remain. Cast off.

TO MAKE UP:

Press lightly. Sew up left shoulder. Using No. 12 needles with right side of work facing pick up 40 sts. along back, 22 sts. along side, 16 (20) sts. from stitch holder, 22 sts. along side. Work in rib of K.1, P.1 for 1 inch. Cast off in rib. Sew up right shoulder for 1 inch, armhole edge; sew in sleeves, sew up side and sleeve seams. Work 1 row of d.c. along neck opening. Sew on press studs.

'Lydia'

STRIPED GARTER STITCH JUMPER

for 'Zip' Major and 'Zip' Garter Stitch
Machines

ILLUSTRATED BACK COVER

Materials: 5 oz. 3-ply wool, light.
5 oz. 3-ply wool, dark.

Measurements: To fit 34 inch bust.
Length from top of shoulder 19½ in.
Length of sleeve at underarm 17½ in.

Tension: Bands 8 sts. to 1 inch.
Body and Sleeves, 7 sts. to 1 inch.

BACK:

Using dark wool cast on 90 sts.
Using dark wool, knit 4 rows garter st.
Using light wool knit 4 rows garter stitch.
** Repeat these 8 rows 5 times, then 1st to 7th rows once.

To Make Ribbing: With right side facing, commencing at cast on edge, using crochet hook * miss 1 over loop, pick up next over loop, slip stitch it up each row to pin stitch, lift pin stitch on to hook, pull through stitch already there and hang back on pinhead. Repeat from * to end. Using light wool knit through.**

Change tension.
Repeat the 8 pattern rows 10 times, at same time increasing once at beginning of every 6th and 7th rows until 110 sts. on pincomb.

Shape Armhole: Keeping continuity of stripes, cast off 6 sts. at beginning of next 2 rows, then dec. once each end of next and 2 following alternate rows (92 sts.).

Continue without shaping until 32nd light stripe has been completed from top of rib.

Shape Shoulders: Cast off 10 sts. at beginning of next 6 rows. Cast off remaining sts.

FRONT:

Work as given for back until armhole shaping is completed. Work without shaping until 29th light stripe has been completed from top of rib.

Shape Neck: Next row, work 46 sts., place remaining 46 sts. on a stitch holder.

Cast off 11 sts. at beginning of next row (neck edge). Then dec. at neck edge in every alternate row until 30 sts. remain (32 light stripes).

Shape Shoulder: Cast off 10 sts. at beginning of next row (armhole edge) and two alternate rows.

Join in wool at neck edge and work to correspond with other side.

SLEEVES:

Using dark wool cast on 48 sts.
Using dark wool, knit 4 rows garter st.
Using light wool, knit 4 rows garter st.
Repeat from ** to ** as given for back.
Change tension.

Continue in dark and light stripes, increasing one at beginning of 7th and 8th rows until there are 90 sts. on pincomb. Work without shaping until 25th light stripe from rib has been completed. Cast off 6 sts. at beginning of next two rows. Then dec. once each end of every alternate row until 62 sts. remain, then once each end of every row until 30 sts. remain. Cast off.

NECK BAND:

Using dark wool cast on 100 sts.
Using dark wool, knit 4 rows garter st.
Using light wool, knit 4 rows garter st.
Repeat these 8 rows 7 times.
Make ribbing as for lower edge of jumper. Cast off.

TO MAKE UP: Press lightly. Sew up right shoulder. Sew neck band in place. Turn over on to right side. Place top of Zipp fastener at neck edge and sew along neck band and left shoulder. Sew up remainder of shoulder seam. Sew in sleeves. Sew up side and sleeve seams.

HINTS & ABBREVIATIONS

p.s. = pin stitch, "o" = over loops, "u" = under loops, inc. = increase, dec. = decrease, sl.st. = slip stitch
Watch your tension: Try this on a small piece of knitting before commencing the garment.

Tension for "Zip Major" Machines. Tension of stitches may easily be adjusted to required looseness or firmness by moving the wedges at both ends of machine to similar marks and tightening the thumb screws. By placing the bottom edge of the pincomb against the back of the pincomb slots the two buffer screws can be simply adjusted until they support the middle section of the pincomb to prevent bending when knitting.

For perfectly even tension through the whole of the knitting it is important to control the entry of the wool through the channel between finger and thumb, when forming the first few stitches of each row.

Tension for "Zip Garter Stitch" Machines. The tension is altered by moving the pincomb in or out, loosen the wing nuts on supporting brackets, move out for looser tension, in for tighter tension; when correct tension is obtained, tighten up wing nuts and adjust centre support.

'Two-some'

STRIPED GARTER STITCH SLIPONS —FOR JUNIOR & SENIOR—

for 'Zip' Major and 'Zip' Garter Stitch
Machines

ILLUSTRATED OPPOSITE

Materials: A—2 oz. dark and 2 oz. light 3-ply
crochet wool.
3 inch zipp fastener.
B—3 oz. dark and 3 oz. light 3-ply
crochet wool.
4 inch zipp fastener.

NOTE.—If the two jumpers are made in same colors,
4 oz. dark and 4 oz. light will make the
two jumpers.

Measurements: A—to fit 23 inch chest.
B—to fit 32 inch bust.
Length from top of shoulder:
A—12½ inches.
B—19 inches.

Tension: Bands—8 sts. to 1 inch.
Body—7 sts. to 1 inch.

N.B.—Instructions for large size given in brackets,
thus: (). Where one set of figures is given,
this applies to both sizes.

FRONT BAND:

Using dark wool, cast on 16 sts. (20 sts.). Knit
garter stitch 100 rows (124 rows). Cast off.

Stretch this band and hang it on to 72 pinheads
(96 pinheads).

Using light wool, knit through.

Knit 7 rows garter stitch light wool.

Change to dark wool. Knit 4 rows garter st.

Change to light wool. Knit 8 rows garter st.

Repeat these last 12 rows until 6 (10) light stripes
are completed, then cast off 8 p.s. (10 p.s.) at
beginning of next two rows.

Continue in pattern until 9th (14th) light stripe is
completed.

Next row: Work 28 sts. (38 sts.). Place remaining
28 sts. (38 sts.) on a stitch holder.

Cast off 5 sts. (7 sts.) at beginning of new row (neck
edge) then decrease once at same edge in 3 following
alternate rows. 20 sts. (28 sts.).

Continue without shaping until 10th (15th) dark
stripe is completed.

Armhole edge: Cast off 7 sts. (9 sts.) at beginning
of next and following alternate row. Knit one row.
Cast off remaining sts.

Place remaining 28 sts. (38 sts.) back on pincomb.
Commencing at neck edge work to correspond with
other side.

BACK:

Work as given for front until 8th (13th) light stripe
is completed.

Next row: Work 28 sts. (38 sts.), place remaining
28 sts. (38 sts.) on stitch holder.

Continue in pattern on these 28 sts. (38 sts.) until
the 10th (15th) light stripe is completed.

ARMHOLE EDGE:

Cast off 7 sts. (9 sts.) at beginning of next row and
following alternate row. Work 1 row. Cast off
remaining stitches.

Place remaining 28 sts. (38 sts.) back on pincomb.
Commencing at neck edge work to correspond with
other side.

SLEEVE BAND:

Using dark wool, cast on 9 sts. (11 sts.).

Knit 6 rows (8 rows) garter stitch.

Increase once at beginning of next and every
following 6th row (8th row) same edge until there
are 18 sts. (20 sts.). Then decrease once at beginning
of every following 6th row (8th row) same edge until
9 sts. (11 sts.) remain. Cast off.

NECK BAND: Using dark wool, cast on 10 sts.
(12 sts.). Knit 100 rows (130 rows) garter stitch.
Cast off.

TO MAKE UP: Sew up shoulders then sew in arm
bands with shaped edge to armhole. Sew up side
and sleeve band. Sew on neck band, turn it over and
slip stitch along edge. Sew in zipp fastener in back
opening.



'Two-some' STRIPED GARTER STITCH SLIPONS

Instructions Page 10

'Cynthia'

LACY PATTERN EVENING BLOUSE

for 'Zip' Major and 'Zip' Garter Stitch
Machines

ILLUSTRATED OPPOSITE

Materials: 4 oz. Silk and Wool Mixture.
5 buttons.
1 press stud.

Measurements: To fit 32 to 34 inch bust.
Length from top of shoulder—20 inches.

Tension: $7\frac{1}{2}$ stitches to 1 inch.
The main part of the garment is knitted sideways,
beginning at left sleeve.

LEFT FRONT:

Cast on 50 sts., allowing 6 spare pins on right end
of pincomb.

Knit garter stitch for 10 rows (including 2 cast on
rows).

Make sure that the 6 spare pins are on right end of
pincomb before starting pattern.

Count pattern from left to right, all 50 sts. included
in pattern.

1st row: * miss 1 p.s., hang 2 p.s. on 3rd p.s. Repeat
from * to last 8 sts. Miss 8 p.s. Knit through.

2nd row: Increase 2 sts. on right hand side of work.
Knit garter stitch.

3rd row: Same as 1st row ending miss 7 p.s. instead
of 8 p.s.

4th row: Same as 2nd row.
Continue in pattern and garter stitch border, increas-
ing 2 sts. on every alternate row, working pattern
into increased sts., until there are 62 sts.
Work 1 row in pattern.

Next row: Cast on 10 sts. Knit garter stitch.
Repeat these 2 rows 3 times (102 sts.).
Work without shaping until 104 rows have been
completed from commencement.

To Shape Neck: Cast off 3 sts. at beginning of next
row (garter stitch edge) and every alternate row until
there are 66 sts. left. Cast off remaining sts. loosely.

RIGHT FRONT:

Cast on 50 sts., allowing 6 spare pins on left end of
pincomb. Knit garter stitch 10 rows, including 2
cast on rows. Make sure that 6 spare pinheads are
on left end of pincomb before starting pattern.

1st row: Miss 8 p.s., hang 9th p.s. on 10th p.s. *
miss 1 p.s., hang 2nd p.s. on 3rd p.s. Repeat from
* to last p.s. Miss 1 p.s. Cast on 2 p.s. Knit through.

2nd row: Knit garter stitch.

3rd row: Miss 6 p.s., hang 7th p.s. on 8th p.s. *
miss 1 p.s., hang 2nd p.s. on 3rd p.s. Repeat from
* to last 2 p.s. Miss 2 p.s. Cast on 2 p.s. Knit
through.

4th row: Knit garter stitch.

5th row: Miss 7 p.s., hang 8th p.s. on 9th p.s. *
miss 1 p.s., hang 2nd p.s. on 3rd p.s. Repeat from
* to end. Cast on 2 sts. Knit through.

6th row: Knit garter stitch.

Keeping continuity of pattern increase 2 sts. before
knitting through next and every alternate row until
there are 62 sts.

Next row: Knit garter stitch.

Next row: Pattern. Cast on 10 sts. Knit through.

Repeat these 2 rows 3 times (102 sts.).

Continue without shaping until 103 rows have been
completed from commencement.

To Shape Neck: Cast off 3 sts. at beginning of next
and every alternate row until 66 sts. remain. Cast off
remaining sts. loosely.

BACK:

Cast on 50 sts., allowing 6 spare pins on right end
of pincomb. Knit garter stitch for 10 rows, including
2 cast on rows.

Make sure 6 spare pins are on right end of pincomb
before starting pattern.

1st row: * Miss 1 p.s., hang 2nd p.s. on 3rd p.s.
Repeat from * to last 8 p.s. Miss 8 p.s.

Continue in pattern as for left front until 104 rows
have been completed from commencement.

Continue in pattern without shaping for 91 rows
(195 rows completed).

Cast off 10 sts. at beginning of next and 3 alt. rows
(62 sts.).

Work 1 row. Then cast off 2 sts. at beginning of next
and every alternate row until 50 sts. remain.

Knit 9 rows plain. Cast off.

FRONT BORDER:

Cast on 100 sts.

Knit garter stitch 6 rows.

Button hole row: Miss 30 p.s. (hang next p.s. on p.s.
to right, miss 8 p.s.) 5 times. Miss 20 p.s. Knit
through.

Knit garter stitch 6 rows. Cast off.

Work another border in same manner, omitting
buttonholes.

Continued at bottom of second column, Page 14.



'Cynthia' LACY PATTERN EVENING BLOUSE

Instructions Page 12

'Paul'

TWO-TONE PATTERN SLEEVELESS PULLOVER

for 'Zip' Major and 'Zip' Garter Stitch
Machines

ILLUSTRATED OPPOSITE

Materials: 5 oz. dark 3-ply wool.
4 oz. light 3-ply wool.

Measurements: To fit 37 inch chest.
Length 22 inches.

Tension: 9 patterns to 2 inches.

BACK:

On No. 12 needles cast on 120 sts. and rib (K1, P1) for 38 rows. Decrease evenly in putting on pincomb so as to have 84 sts.

Pattern:

1st row: Knit garter stitch in dark wool.

2nd row: Same as first row.

3rd row: Leave the dark wool hang on right side, take light wool, slip it through the last st. on the last pin and tie a knot. Put light wool between pins and hooks and knit through the line.

4th row: Hang every under loop showing in dark colour diagonally on the pin on the right hand side. Using light colour knit through.

5th row: Knit garter stitch in dark colour.

6th row: Hang every under loop showing in light colour on the pin on the left hand side and knit through the line in dark colour.

7th row: Knit garter stitch in light colour.

Repeat pattern (4th to 7th row) until work measures 14 inches from commencement.

Shape Armholes: Cast off 3 sts. at beginning of next 2 rows, then 2 sts. for the next 2 rows and one st. at the beginning of next 4 rows. Continue in pattern until work measures 22 inches from commencement.

Shape Shoulders: Cast off 8 sts. at beginning of next 6 rows. Cast off remaining sts.

FRONT: Cast on 130 sts. on No. 12 needles and rib (K1, P1) for 38 rows. Decrease evenly in putting on pincomb so as to have 100 sts.

Work as for back until work measures same as back to beginning of armhole shaping.

Shape Armholes: Cast off 5 sts. at beginning of next 2 rows, then 4 sts. for the next 2 rows, 3 sts. for the next 2 rows, 2 sts. for the next 2 rows and 1 st. for the next 2 rows.

SHAPE NECK: Place 35 left hand side sts. on stitch holder. Decrease once at neck edge; continue in pattern, decreasing once at neck edge every following 4th row until 24 sts. remain. Work without shaping until work measures same as back armhole edge.

Shape Shoulder:

1st row: (Armhole edge) Cast off 8 sts. Work to end.

2nd row: Work to end.

3rd row: Cast off 8 sts. Work to end.

4th row: Work to end.

5th row: Cast off 8 sts.

Place remaining 35 sts. back on pincomb. Continue as for other side.

Neck Band: Work on No. 12 needles. Sew up left shoulder seam. With right side facing pick up 44 sts. across back, 76 sts. along left side, 1 st. at centre front, 76 sts. along right front.

1st row: K1, * K1, P1. Repeat from * to end.

2nd row: * K1, P1. Repeat from * to 5 centre sts., P2 together, K1, P2 together. Rib to end.

3rd row: K1, * K1, P1. Repeat from * to 5 centre sts., K2 tog., P1, K2 tog. Rib to end.

Repeat 2nd and 3rd rows four times. Cast off in rib.

Armbands: Sew up right shoulder. Using No. 12 needles with right side facing knit up 180 sts. Work in rib for 8 rows. Cast off.

To Make Up: Sew up seams. Press lightly.

'Cynthia'—Continued from Page 12.

BORDER FOR BACK OF NECK:

Cast on 20 sts.

Knit garter stitch 14 rows. Cast off.

TO MAKE UP:

Press lightly. With $\frac{1}{2}$ inch back stitch sew up shoulder and side seams. Sew border pieces together, then sew to fronts and back of neck, placing buttonholes on right front. Sew on buttons and press stud to front below buttons.



'Paul' TWO-TONE PATTERN SLEEVELESS JUMPER

Instructions Page 14



"Lydia"

STRIPED GARTER STITCH JUMPER
SEE PAGE 9

'Zip' DISTRIBUTORS

Victoria:
THE MYER EMPORIUM LTD.
Melbourne & Leading Country Stores

New South Wales:
NOCK & KIRBY PTY. LTD.
Sydney and Country Stores

Queensland:
T. C. BEIRNE LTD.
Brisbane and Country Stores
FINNEY ISLES LTD., Brisbane

South Australia:
THE MYER EMPORIUM LTD.
Adelaide. Country Agents:
MERCANTILE DISTRIBUTORS

Western Australia:
FOY & GIBSON (W.A.) LTD.
Perth and Country Branches

Tasmania:
FITZGERALD'S & CO., Hobart
McKINLAY'S PTY. LTD., Launceston
TASMANIAN FARMERS CO-OP,
ASSOCIATION LTD., Burnie

New Zealand:
MILNE & CHOYCE, Auckland
JAMES SMITH LTD., Wellington
BEATH & CO. PTY. LTD., Christchurch
ARTHUR BARNETT LTD., Dunedin
H. & J. SMITH LTD., Invercargill

New Zealand Agents:
GEO. PIZZEY & SON (N.Z.) LTD.