


The patterns in this book are designed to show you the versatility of the Bond Ribber - with simplicity in mind! Here are nine more rib stitch ideas for the more adventurous knitter. Your Bond Ribber offers limitless creative possibilities of which these are just a few - why not create your own.



DROP STITCH RIDGES

Transfer all stitches onto Ribber bed.


Rows 1 - 6: Knit on Ribber bed only.

Row 7: Introduce every corresponding needle on main bed into Working Position with latches open. Knit row. Press off every needle on main bed to give drop stitch.

Row 8: Knit on Ribber bed only.

Repeat rows 7 and 8 twice more.


These 12 rows are repeated throughout.



2 x 1 RIBBED STRIPES

This is a 3 stitch repeat.


Rows 1 - 4: Transfer the 1st and then every following 3rd stitch onto Ribber bed below.



Rows 5 - 8: Leave rib stitches in place. Transfer the 3rd stitch and every following 3rd stitch onto Ribber bed as below.



Rows 9 - 12: Transfer all rib stitches back onto main bed and knit on main bed only.



CABLE


Worked over 6 stitches.

Start with all stitches on Ribber bed then transfer stitches for cables in groups of six back onto main bed. Use a Keyplate on main bed one size larger than on Ribber bed.

Rows 1 - 7: Knit.

Row 8: Pull Ribber bed down so that it rests on the top of the metal clamps. Using the transfer tools, transfer the 3 stitches on the left of the main bed needles over the 3 stitches on the right, thus forming the cable. Push Ribber bed back to knitting position. Push the main bed needles into Working Position with stitches behind open latches and knit row slowly.

The 8 rows form the pattern and are repeated throughout.




EIFFEL TOWER STITCH

This is a 4 stitch repeat.

Start with all stitches on main bed only.

Rows 1 - 6: Place the 1st and then every following 4th stitch onto the adjacent left hand needle. Pick up loop between each transferred stitch and hook over opposite rib needle as below.



X = 2 stitches on one needle V = loop transferred onto Ribber bed.

Transfer rib sts back to main bed.

Rows 7 - 12: Place the 3rd and then every following 4th stitch onto adjacent left hand needle. Pick up loop between each transferred stitch and hook over opposite rib needle as below.



Transfer rib stitches back to main bed.

These 12 rows form the pattern and are repeated throughout.

HINTS & TIPS

OPEN EDGE CAST ON

This method is particularly useful when you wish to produce a tighter rib at the bottom of a garment by using an increased number of stitches for the body.

Start by casting on using the open-edge cast on method on the main bed and knit several rows in waste yarn. Remove usual carriage, attach Ribber (see page 3 of Instruction Book) and transfer stitches as required for the rib stitch pattern you wish to knit. Select the relevant Keyplates, thread main yarn through Ribber carriage and you are ready to start knitting the body.

Note: Do not knit the rows of waste yarn in rib as ribbed fabrics will only unravel from the last row knitted.

KNITTING A RIB ONTO AN OPEN-EDGE CAST ON

With wrong side of work facing, hook the first row of open loops in main yarn back onto main bed needles (you may wish to place two stitches onto one needle several times across the row to reduce the width further). Remove waste yarn. Hang weighted hem so that hem and stitches are in front of latches. Attach Ribber, select Keyplates one size smaller than those used for body and thread main yarn through Ribber carriage. Knit one row with all stitches on main bed. Transfer stitches for 1 x 1 rib (every alternate stitch) onto Ribber. Knit the number of rows required to give the correct length of rib. Cast off in chain stitch (see page 5, No 3, of the Instruction Book).

An alternative method of casting off is to transfer all rib stitches back onto main bed. Remove Ribber bed and cast off in back stitch in usual way.

ALTERNATIVE CLOSED-EDGE CAST ON

Using the closed-edge cast on method for main bed (see Book 3, page 3, A & B), cast on the required number of stitches on the main bed only - remember to thread yarn through Ribber carriage first. Hang weighted hem and using usual carriage with a Keyplate one size smaller than the one to be used for body, knit 1 row. Attach Ribber, select keyplates as before and position Ribber carriage. Transfer stitches for 1 x 1 rib (every alternate stitch). Knit the number of rows required for rib.

BUTTONHOLES

To form a buttonhole over a ribbed fabric, take a length of waste yarn about 15 cms long and knit manually over the number of stitches required for the buttonhole (usually 3 or 4 stitches depending upon the size of button to be used). Using the hook tool, pull the ends of the waste yarn down between the needle beds and continue to knit in rib until the next buttonhole.

To finish off, remove the waste yarn and with right side facing, back stitch through the bottom and then the top row of open loops using main yarn. Sew in ends of yarn neatly.

INCREASING AT BOTH ENDS OF A ROW

Transfer the end stitch onto the next needle (either onto the main bed or the Ribber bed depending upon the type of rib pattern being knitted). Using the hook tool, pick up the loop below the second stitch and place on the empty needle. (See Book 3, page 10 of main bed Instruction Books).

ABBREVIATIONS

k	knit
st(s)	stitches
COR	carriage on right
COL	carriage on left
ev foll alt	every following alternate
RHS	right hand side
LHS	left hand side
HP	holding position
WP	working position
NWP	non working position
WY	waste yarn
rem	remaining
beg	beginning
dec	decrease
inc	increase
ev	every

BOND RIBBER


PATTERN BOOK ▼

7
ORIGINAL
DESIGNS



1

LADY'S CABLE AND RIB SWEATER




BACK AND FRONT ALIKE

CENTRE PANEL

Make 2.

Note: The purl side of this fabric is the right side. Set machine up with Ribber then remove Ribber from brackets. Thread WY through Ribber carriage and pull through plenty of slack yarn. Thread through main carriage in the usual way. Using the open edge cast on method and WY, cast on 28 (32, 38, 40) sts and k several rows using Keyplate 2.

Remove main carriage and place Ribber back onto brackets. Transfer sts for 2 x 1 rib as below:



Put Ribber carriage into position with Keyplate 2 on both beds. COR. Using A, k2(6,6,6) rows. COR.

Step One: Inc 1 st at beg of next 2 rows.

Step Two: K 4 rows. COR.

Repeat these 2 steps 20 times more. 70(74,80,82) sts.

MEASUREMENTS

To fit bust sizes	32	34	36	38	ins
	81	87	91	97	cms
Finished back length	22½	23	23	23½	ins
	57	58	58	59	cms
Length of sleeve	17	17	17	17	ins
	44	44	44	44	cms

MATERIALS

Argyll Laser DK 100 gm balls					
Main Colour (MC)	3	3	3	5	
1st Contrast Colour (A)	2	2	2	2	
2nd Contrast Colour (B)	1	1	1	1	

TENSION

Use Keyplate 2 to give 18 sts and 29 rows to 10 cm (4") measured over stocking stitch.

ABBREVIATIONS

See inside front cover.

Repeat Step One again.
K 4(4,4,6) rows. COR.

Shape Neck

Cast off 3 sts at beg of next 2 rows.
Cast off 2(2,3,3) sts at beg of next 2 rows.
Cast off 1(1,2,2) sts at beg of next 2 rows.
Dec 1 st at both ends of next row and the 3 foll alt rows. 52(56,58,60) sts. K 19 rows. COR.

Transfer rib sts to main bed.

Remove Ribber.

Cast off using back stitch.

CABLE BANDS

Make 4.

Use main bed only.

Using the open edge cast on method and WY, cast on 14 sts in centre of machine and k several rows.

Change to B and k 5(5,6,3) rows.

Step One: Using the 3 x 1 transfer tool, transfer the 3 sts on the LHS of the centre 'O' over the 3 sts on the RHS to form cable.

Step Two: K 10 rows.

Repeat these 2 steps 13(13,13,14) times



2

RIB STITCH SWEATER

altogether.
K 5 (5,6,3) rows.
Cast off using back stitch.

LHS FRONT AND RHS BACK

(Work 2 pieces alike).

Use main bed only.
Using the open edge cast on method, cast on 30(32,34,36) sts with WY and k several rows using Keyplate 2. COR.
Change to MC
Step One: Dec 1 st at beg of next row.
Step Two: K 9 rows. COR.
Repeat these 2 steps 13 times altogether.
Repeat Step One again. 16(18,20,22) sts.
K 3(5,5,7) rows.
Cast off in back stitch.

RHS FRONT AND LHS BACK

(Work 2 pieces alike).

Work as for LHS Front and RHS Back but reverse shapings.

SLEEVES

(Work 2 pieces alike).

Use main bed only.
Using the open edge cast on method, cast on 54(54,58,58) sts with WY and k several rows using Keyplate 2. COR.
Change to MC and k 5 rows.
Step One: Inc 1 st at beg of next 2 rows.
Step Two: K 3 rows.
Repeat these 2 steps 20 times more.
96(96,100,100) sts. COR.
K 8 rows.
Cast off using back stitch.

TO MAKE UP AND RIBBING

With wrong sides facing, pin cable band to the shaped edge of both the LHS and RHS Fronts and Backs with cast off edge at shoulder. Back stitch into place. With wrong side facing, pin the cable edge of the RHS and LHS Fronts along the corresponding

edges of the Front panel. Repeat for Back panel and back stitch into place.

Back Ribbing

Set machine up with Ribber then remove Ribber from brackets.
Thread MC through Ribber carriage and pull through plenty of slack yarn.
Thread through main carriage in the usual way.*
With wrong side facing, place the first row of loops not in WY back onto needles, placing 2 sts onto ev alt needle. 78(83,90,94) sts.
Remove WY.
Hang weighted hem.
Using Keyplate 2, k 1 row. COL. Remove main carriage.
Place Ribber back onto brackets. Transfer sts for 1 x 1 rib.
Using Keyplate 1 on both beds, k 19 rows.
Transfer rib sts back to main bed. Cast off in back stitch.
Work Front Ribbing to match.

Cuffs

Work as for Back Ribbing to *
With wrong side of sleeve facing, place the first row of loops in MC back onto 40(40,44,44) needles, placing 2 sts onto one needle 14 times evenly along the row.
Remove WY. Hang weighted hem.
Using Keyplate 2 k 1 row. COL. Remove main carriage and place Ribber back onto brackets.
Transfer sts for 1 x 1 rib.
Using Keyplate 1 on both beds, k 13 rows.
Transfer rib sts back to main bed.
Remove Ribber and cast off in back stitch.

Join shoulder seams and edges of neckband. Turn neckband in half onto inside and slip stitch into place. Set in sleeves, placing edges 27(27,28,28) cms down from shoulder seam. Join side and sleeve seams.

MEASUREMENTS

To fit chest sizes	26	28	30	32	34	36	38	40	42	44	ins
	66	71	76	81	87	91	97	102	107	112	cms
Finished back length	16	17	18	20	22½	23	23¼	27	27½	28	ins
	40	43	46	51	57	58	59	69	70	71	cms
Length of sleeve	12	13	14	16	17	17	17	19	19	19	ins
	30	33	36	41	43	43	43	49	49	49	cms

MATERIALS

Patons Diploma Aran 50 gm balls	10	11	12	12	13	14	14	15	15	16
------------------------------------	----	----	----	----	----	----	----	----	----	----

TENSION

Use Keyplate 3 to give 16 sts and 22½ rows to cms (4") measured over stocking stitch.

ABBREVIATIONS

See inside front cover.

NOTES

- An extension kit is required for the three largest sizes.
- The purl side of this fabric is the right side.

BACK

Using the closed edge cast on method (See page 4 of Instruction Book), cast on 65(69,73,79,83,87,91,95,101,105) sts and work 14(14,14,14,16,16,16,20,20,20) rows in 1 x 1 rib, using Keyplate 2 on both beds. COR.

Transfer rib sts back to main bed.
Starting with the centre st, transfer this and then ev foll 10th st on RHS and LHS back onto Ribber.

Change to Keyplate 3 on both beds. K 46(50,54,64,66,68,68,78,82,82) rows. COR.
Working from centre st on Ribber, transfer ev foll alt st on RHS and LHS onto Ribber for 1 x 1 rib.*

Still using Keyplate 3 on both beds, k 34(36,38,40,50,50,52,58,58,60) rows. COR.

Transfer all rib sts back to main bed.

Remove Ribber bed and cast off in back stitch.

FRONT

Work as for Back to *
Still using Keyplate 3 on both beds, k 24(26,26,28,34,34,36,40,40,42) rows. COR.
Break yarn.

Shape Neck

Push the 28(30,32,35,36,38,40,41,44,46) sts on RHS on both beds to HP.
K several rows in WY on rem LHS sts and then remove them from needles. Keep the last 2 sts on LHS hooked on to main bed to keep weighted hem hanging level.
Push RHS sts back to WP.
Re-thread main yarn through carriage. COR. K 1 row. COL.
Cast off 3 sts at beg of next and the foll alt row. K 1 row.

Dec 1 st at beg of next and the 1(1,2,2,3,3,3,4,4,4) foll alt rows. COR. 20(22,22,25,26,28,30,30,33,35) sts. K 2(2,2,2,4,4,4,4,4) COR.

Transfer rib sts back to main bed.

WITH RIBBED YOKE



Remove Ribber and cast off in back stitch.
Leave 2 sts on RHS hooked on to main bed to keep weighted hem hanging level.
Replace the LHS sts on WY back onto main bed needles.
Transfer rib sts back onto Ribber. COR.
Cast off 9(9,9,9,11,11,11,13,13,13) sts at beg of next row. K 1 row.
Cast off 3 sts at beg of next and the foll alt row. K 1 row.
Dec 1 st at beg of next and the 1(1,2,2,3,3,3,4,4,4) foll alt rows.
K 1(1,1,1,3,3,3,3,3) rows. COR.
Transfer rib sts back to main bed.
Remove Ribber and cast off in back stitch.

SLEEVES

Using the closed edge cast on method, cast on 37(37,39,39,41,41,43,45,45,47) sts and work 14(14,14,14,16,16,16,20,20,20) rows in 1 x 1 rib, using Keyplate 2 on both beds. COR.
Transfer rib sts back to main bed.

Starting with the centre st, transfer this and then ev foll 10th st on RHS and LHS back onto Ribber.
Change to Keyplate 3 on both beds.
Step One: K 5(5,5,5,2,2,2,2,2) rows.
Step Two: Inc 1 st at beg of next 2 rows.

Repeat these 2 steps 6(8,8,10,16,16,16,20,20,21) times more, remembering to transfer every 10th st onto Ribber. 51(55,57,61,75,75,77,87,87,91) sts.
K 7(3,9,5,16,16,10,10,6) rows without shaping. COR.

Transfer rib sts back to main bed. Remove Ribber and cast off in back stitch.

NECKBAND

Using back stitch, join right shoulder seam.
With wrong side facing (See Note ii), pick up 32(32,36,36,40,40,40,46,46,46) sts along back neck, pick up 14(14,18,18,22,22,22,24,24,24) sts along right side of neck, pick up 11(11,11,11,13,13,13,15,15,15) sts across centre front and pick up 14(14,18,18,22,22,22,24,24,24) sts along left side of neck. 71(71,83,83,97,97,109,109,109) sts.

Re-hang weighted hem, with hem and sts in front of latches.

Attach Ribber and using Keyplate 2 on main bed, k 1 row. COL.

Transfer ev alternate st to Ribber for 1 x 1 rib. Use Keyplate 2 on both beds. K 16(16,16,16,18,18,18,22,22,22) rows.
Using WY, k several rows and remove sts from needles.

TO MAKE UP

Join remaining shoulder seam and edges of neckband. Fold neckband in half towards inside and slip st into place through open row of loops. Set in sleeves, placing outside edges at beginning of 1 x 1 rib yoke on back and front. Join side and sleeve seams.





MEASUREMENTS

To fit chest sizes	26	28	30	32	34	36	38	ins
	66	71	76	81	87	91	97	cms
Finished back length	22	23½	25	26	29	29½	30½	ins
	56	60	63	66	74	75	77	cms
Length of sleeve	15½	16	16½	17½	18½	18½	19	ins
	39	40	42	44	47	47	49	cms

MATERIALS

WAISTCOAT

Lister Richmond 5 6 6 7 7 8 8
Tweed DK 50 gm balls
5 buttons

CARDIGAN

Lister Richmond 5 6 6 7 7 8 8
DK 50 gm balls
5 buttons

TENSION

Use Keyplate 2 in both beds to give 23 sts and 25½ rows to 10 cms (4") measured over 5 x 2 rib.

ABBREVIATIONS See inside front cover

NOTE

An extension kit is required for the 4th - 7th sizes.

CARDIGAN

BACK

Using the closed edge cast on method (See page 4 of Instruction Book), cast on 86 (93, 100, 107, 114, 121, 128) sts and work 14 (14, 14, 14, 20, 20, 20) rows in 1 x 1 rib, using Keyplate 1 on both beds. COR.

Transfer rib sts back to main bed.*

Starting from RHS, transfer the 5th and 6th sts and then ev foll 6th and 7th sts back onto Ribber.

Change to Keyplate 2 on both beds. K 80 (84, 90, 94, 96, 96, 100) rows. COR.

Shape Armholes

Cast off 3 (3, 4, 5, 5, 5, 6) sts at beg of next 2 rows.

Cast off 2 (3, 4, 4, 5, 5, 5) sts at beg of next 2 rows.

Dec 1 st at both ends of next and the 1 (2, 2, 2, 3, 3, 3) foll alt rows. 72 (75, 78, 83, 86, 93, 98) sts. K 37 (39, 43, 47, 53, 55, 57) rows. COR.

Shape Shoulders

Cast off 7 (7, 8, 8, 7, 7, 8) sts at beg of next 2 rows.

Cast off 7 (7, 7, 8, 6, 7, 8) sts at beg of next 2 rows.

Cast off 6 (7, 7, 8, 6, 7, 7) sts at beg of next 2 rows.

5th, 6th and 7th sizes only

Cast off (6, 7, 7) sts at beg of next 2 rows.

All sizes

32 (33, 34, 35, 36, 37, 38) sts.

Transfer rib sts back to main bed. Remove Ribber and cast off in back stitch.

POCKET LININGS (2)

Use main bed only and Keyplate 2.

Using the closed edge cast on method, cast on 20 (20, 20, 21, 23, 24, 24) sts and k 30 (30, 30, 34, 34, 34, 34) rows using Keyplate 1. K several rows in WY and remove sts from

needles.

LEFT FRONT

Using the closed edge cast on method, cast on 48 (50, 54, 57, 59, 62, 64) sts and work as for Back to *.

Starting from LHS, transfer the 4th and 5th sts and then ev foll 6th and 7th sts back onto Ribber.

** Change to Keyplate 2 on both beds. K 26 (26, 26, 30, 30, 30, 30) rows. COR.

Place Pocket

Transfer all rib sts back onto main bed and remove Ribber. Using a darning needle, thread the centre 20 (20, 20, 21, 23, 24, 24) sts onto a length of WY and remove from needles.

With wrong side facing, hook the 20 (20, 20, 21, 23, 24, 24) sts of pocket lining on to the empty needles and remove WY. Re-hang weighted hem, with hem and sts in front of latches.

Attach Ribber and transfer ev 6th and 7th sts back onto Ribber as before. K 55 (59, 65, 65, 67, 67, 71) rows. COL.

Shape Armhole and 'V' Neck

Cast off 3 (3, 4, 5, 5, 5, 6) sts at beg and dec 1 st at end of next row. K 1 row.

Cast off 2 (3, 4, 4, 5, 5, 5) sts at beg and dec 1 st at end of next row. K 1 row.

Dec 1 st at both ends of the next and the 1 (2, 2, 2, 3, 3, 3) foll alt rows. K 1 row. COL. 37 (36, 38, 40, 39, 42, 43) sts.

Dec 1 st at end (neck edge) of next and the 16 (11, 11, 8, 1, 0, 0) foll alt rows.

2nd - 7th sizes only

K 3 rows.

Dec 1 st at end of next and the (2, 3, 6, 11, 12, 11) foll 4th rows.

All sizes

20 (21, 22, 24, 25, 28, 30) sts.

K 3 (3, 3, 1, 1, 1, 7) rows. COL.

Shape Shoulder

Cast off 7 (7, 8, 8, 7, 7, 8) sts at beg of next row. K 1 row.

Cast off 7 (7, 7, 8, 6, 7, 8) sts at beg of next row. K 1 row.

1st - 4th sizes only

Cast off rem 6 (7, 7, 8) sts.

5th-7th sizes only

Cast off (6, 7, 7) sts at beg of next row. K 1 row.

Cast off rem (6, 7, 7) sts.

RIGHT FRONT

Using the closed edge cast on method, cast on 48 (50, 54, 57, 59, 62, 64) sts and work as for Back to *.

Starting from RHS, transfer the 4th and 5th sts and then ev foll 6th and 7th sts back onto Ribber.

Now work as for Left Front from **, working 1 row less before armhole shaping and reading COL for COR and COR for COL.

SLEEVES

Using the closed edge cast on method, cast on 38 (44, 44, 50, 54, 58, 62) sts and work as for Back to *.

Starting with centre 2 sts, transfer these and then ev foll 6th and 7th sts on RHS and LHS back onto Ribber.

Change to Keyplate 2 on both beds. COR. K 4 rows.

Inc 1 st at both ends of next and the 17 foll 4th (4th, 4th, 5th, 5th, 5th, 5th) rows. 74 (80, 80, 86, 90, 94, 98) sts. K 13 (17, 21, 10, 10, 10, 12) rows. COR.

Shape Top

Cast off 3 (4, 4, 5, 6, 6, 7) sts at beg of next 2 rows.

Cast off 2 (3, 3, 4, 4, 4, 4) sts at beg of next 2 rows.

Dec 1 st at both ends of the next 13 (13, 11, 9, 5, 3, 1) rows. K 1 row.

Dec 1 st at both ends of next and the 6 (7, 9, 12, 17, 21, 24) foll alt rows. 24 sts. K 1 row. Transfer rib sts back to main bed. Remove Ribber and cast off in back stitch.

BUTTON AND BUTTONHOLE BANDS

(A short hem or gripper weights is better than the long hem)

Using the closed edge cast on method, cast on 11 sts and work 4 (4, 3, 3, 4, 4, 4) rows in 1 x 1 rib, using Keyplate 1 on both beds.

*Make buttonhole: Using a small length of WY, k 1 row manually on centre 3 sts and tuck ends of WY down between needle beds (the buttonhole is then finished off by hand, see inside front cover).

K 24 (25, 27, 29, 30, 30, 31) rows.

Repeat from * 3 times more.

Make 1 more buttonhole then k 2 (2, 1, 1, 2, 2, 2) rows.

Place a marker at end of last row to indicate start of 'V' neck.

K 54 (58, 62, 66, 72, 74, 76) rows and place a marker to indicate left shoulder.

K 40 (40, 42, 42, 46, 46, 48) rows and place a marker to indicate right shoulder.

K 54 (58, 62, 66, 72, 74, 76) rows and place a marker to indicate end of 'V' neck.

K 102 (106, 112, 120, 126, 126, 130) rows. Transfer rib sts back to main bed.

Remove Ribber and cast off in back stitch.

POCKET TOPS

With wrong side of work facing, hook the 20 (20, 20, 21, 23, 24, 24) sts of pocket opening back onto main bed needles and remove WY. Inc 1 st at both ends of row.

Hang weighted hem so that hem and sts are in front of latches.

Attach Ribber and using Keyplate 2 on main bed only, k 1 row.

Transfer sts for 1 x 1 rib. Change to Keyplate 1 on both beds.

K 9 rows. Transfer rib sts back to main bed. Remove Ribber and cast off in back stitch.

TO MAKE UP

Slip stitch pocket linings into place and neatly attach edges of pocket tops. Join shoulder seams. Set in sleeves. Join side and sleeve seams.

***Attach button and buttonhole band with buttonholes on left front and matching markers. To finish buttonholes, remove WY and back stitch first through the top row of open loops and then the bottom row. Attach buttons to correspond with buttonholes.

NOTE: To make a woman's version, just attach the band with buttonholes onto the Right Front.

WAISTCOAT

Work as for Cardigan for Back, Pocket Linings, Right and Left Fronts, Button and Buttonhole Band and Pocket Tops.

ARMBANDS (2)

Join both shoulder seams.

With wrong side facing, pick up 44 (46, 50, 52, 56, 60, 64) sts around both front and back armhole. 88 (92, 100, 104, 112, 120, 128) sts. Hang weighted hem so that hem and sts are in front of latches. Attach Ribber. K 1 row using Keyplate 2 on main bed only. Transfer sts for 1 x 1 rib.

Change to Keyplate 1 on both beds. K 7 (7, 7, 9, 9, 9, 9) rows.



Transfer rib sts back onto main bed. Remove Ribber and cast off in back stitch.

TO MAKE UP

Slip stitch pocket linings into place and neatly attach edges of pocket tops. Join side seams and edges of armbands. Now finish as for Cardigan from ***



BASKET STITCH SWEATER WITH




MEASUREMENTS		
To fit chest/bust sizes	22 - 24 56 - 61	26 - 28 66 - 71
Finished back length	15 33	17 43
Length of sleeve	11½ 29	14 35
MATERIALS		
Patons Parade (chunky)	14	15
4 buttons		For sweater with Instructions for b
TENSION		
		Use Keyplate 4 or measured over b
ABBREVIATIONS		
		See inside front

BACK

Using the open-edge cast on method and Keyplate 4, cast on 58 (66, 74, 82, 90, 98) sts on main bed only and k a few rows ending with COL. Change to MC and k 1 row - do not forget to thread yarn through Ribber carriage first. Attach Ribber and transfer sts for basket st pattern as below.*

Using Keyplate 4 on both beds, K 8 rows. **Leaving the sts marked ⊗ on above chart in the same position on main bed, transfer all the purl sts on Ribber back to main bed and all the knit sts on main bed onto Ribber. K 8 rows. These 16 rows form the pattern and are repeated throughout. Cont in pattern for a further 26 (34, 44, 48, 56 62) rows. COR.



BUTTON THROUGH COLLAR OR CREW NECKBAND

30 - 32	34 - 36	38 - 40	42 - 44	ins
76 - 81	86 - 91	97 - 102	107 - 112	cms

20	23	25	27	ins
51	59	64	69	cms

15½	17	17½	18½	ins
39	43	45	47	cms

16	18	19	21
----	----	----	----

on-through collar, allow an extra 3 50gm balls.
 on-through collar are for 3rd, 4th and 5th sizes only.
 4 beds to give 16 sts and 23 rows to 10 cms (4")
 1 stitch.

Shape Armhole

Keeping continuity of pattern, cast off 5 (5, 5, 7, 7, 7) sts at beg of next 2 rows. 48 (56, 64, 68, 76, 84) sts ***

Cont in pattern for a further 32 (38, 44, 54, 58, 62) rows. COR.

Transfer all sts on Ribber back to main bed. Remove Ribber and cast off in back stitch.

Ribbing


With wrong side facing (the side where the ⊗ sts appear as a purl st), place the first row of loops in MC back onto 48 (54, 62, 68, 76, 84) main bed needles, placing 2 sts onto one needle 10 (12, 12, 14, 14, 14) times evenly across row.

*Re-hang weighted hem so that hem and sts are in front of latches.

Attach Ribber and k 1 row using Keyplate 4 on main bed. Transfer sts for 1 x 1 rib. Using Keyplate 3 in both beds, k 11 (11, 11, 15, 15, 15) rows. COR. Transfer rib sts back to main bed. Remove Ribber and cast off in back stitch.

FRONT

Work as for Back to *.



Using Keyplate 4 on both beds, k 8 rows. Now cont as for Back from ** to ***. Cont in pattern for a further 16 (22, 28, 36, 40, 44) rows. COR. Break yarn.

Shape Neck

Push the 19 (22, 24, 26, 29, 32) sts on RHS on both beds to HP.

K several rows in WY on rm LHS sts and then remove them from needles. Keep the last 2 sts on LHS hooked on to main bed to keep weighted hem hanging level. Push RHS needles back to WP. Re-thread MC through carriage. COR.

Keeping continuity of pattern, k 1 row. COL. Dec 1 st at beg of next and the 5 (5, 5, 6, 6, 6) foll alt rows. 13 (16, 18, 19, 22, 25) sts. COR. K 4 rows. Transfer all sts on Ribber back to main bed. Remove Ribber and cast off in back stitch.

Leave 2 sts on RHS hooked on to main bed to keep weighted hem hanging level. Replace the LHS sts on WY back onto main bed needles. Transfer purl sts back onto Ribber. COR.

Cast off 10 (12, 16, 16, 18, 20) sts at beg of next row. K 1 row.

Dec 1 st at beg of next and the 5 (5, 5, 6, 6, 6) foll alt rows. 13 (16, 18, 19, 22, 25) sts. COL. K 3 rows. Transfer all sts on Ribber back to main bed. Remove Ribber and cast off in back stitch.

Ribbing

Work as for Back ribbing.

ARMBANDS

Each armband is worked in 2 halves - back and front.

With right side of Front facing, pick up and place onto main bed needles 33 (37, 45, 51, 57, 61) sts along armhole edge.

Now work as for Back ribbing from * Repeat for Back.

SLEEVES

Use main bed only.

Using the open-edge cast on method and Keyplate 4, cast on 32 (36, 38, 40, 44, 46) sts

and k a few rows ending with COR. Change to MC and k 4 rows.

Inc 1 st at both ends of next and the 3 (3, 7, 11, 12, 13) foll 13th (13th, 8th, 5th, 5th, 5th) rows. 41 (45, 55, 65, 71, 75) sts.

K 8 (20, 11, 16, 15, 14) rows without shaping. Cast off in back stitch.

Cuffs

With wrong side facing, place the first row of loops in MC back onto 22 (26, 28, 30, 34, 36) main bed needles, placing 2 sts onto 1 needle 10 times evenly across row. Now work as for Back Ribbing from *.

Crew Neckband

Join right shoulder seam.

With wrong side facing, pick up and place onto main bed needles 22 (26, 28, 30, 32, 34) sts across back neck, 18 (18, 18, 22, 22, 22) sts along right side of neck, 10 (12, 16, 16, 18, 20) sts across centre front and 18 (18, 18, 22, 22, 22) sts along left side of neck. 68 (72, 80, 90, 94, 98) sts.

Re-hang weighted hem so that hem and sts are in front of latches.

Attach Ribber and k 1 row using Keyplate 4 on main bed.

Transfer sts for 1 x 1 rib. Using Keyplate 3 in both beds, k 17 (17, 19, 19, 21, 21) rows. COR. Transfer rib sts back to main bed. Remove Ribber and cast off in back stitch.

BUTTON-THROUGH COLLAR

Instructions for 3rd, 4th and 5th sizes only. Join left shoulder seam.

Place a marker of WY 2½" (6 cms) down from shoulder seam on left front edge.

Front Collar

With wrong side facing, pick up and place onto main bed needles (6, 10, 10) sts from

6

SWEATER WITH PURL

WY marker along left side of neck, (18, 18, 20) sts across centre front and (22, 26, 26) sts along right side of neck. (46, 54, 56) sts. *Re-hang weighted hem so that hem and sts are in front of latches.

Attach Ribber and k 1 row using Keyplate 4 on main bed.

Transfer sts for 1 x 1 rib. **

Using Keyplate 3 on both beds, k 13 rows in 1 x 1 rib.

Transfer rib sts back onto main bed.

Starting from RHS, transfer the 4th, 5th and 6th sts and then ev foll 4th, 5th and 6th sts back onto Ribber for 3 x 3 rib.

Change to Keyplate 4 in both beds. K (22, 26, 30) rows.

Transfer rib sts back onto main bed. Remove Ribber and cast off in back stitch. Remove first WY marker and place a 2nd marker $\frac{1}{4}$ " (1 cm) down from shoulder seam on left front edge.

Back Collar

With wrong side facing, pick up and place onto main bed needles (42, 46, 50) sts from WY marker across back neck. Now work as for Front Collar from * only transferring sts for 3 x 3 rib from LHS and not RHS.

BUTTON BAND

With right side of Back facing, pick up and put onto main bed needles (40, 43, 46) sts along LHS edge of back collar. Now work as for Front Collar from * to **. K 6 rows. Transfer rib sts back onto main bed. Remove Ribber and cast off in back stitch.

BUTTONHOLE BAND

With right side of Front facing, pick up and put onto main bed needles (40, 43, 46) sts along RHS edge of Front Collar. Now work as for Front Collar from * to **. K 3 rows.

Make Buttonholes: Using a separate length of WY for each group of sts and starting from RHS, k 1 row manually over the 4th, 5th and 6th sts and over 3 sts following every (7, 8, 9) sts until there are 4 buttonholes is total. Tuck ends of WY down between needle beds (the buttonholes are then finished off by hand, see inside front cover) K 3 rows. Transfer rib sts back to main bed. Remove Ribber and cast off in back stitch.

Sew buttonhole band to neck edge and attach button band neatly to neck edge on top of buttonhole band. To finish buttonholes, remove WY and back stitch first through the top row of open loops and then the bottom row. Attach buttons to correspond with button holes.

Join right shoulder seam and edges of collar, reversing seam for last ($4\frac{1}{4}$, $4\frac{3}{8}$, 5) ins/(11, 12, 13) cms of collar to allow for turnback.

TO MAKE UP

For crew neck, join remaining shoulder and neckband seam, fold neckband in half towards inside and slip stitch loosely into place.

Join top edges of armbands and join bottom edges to cast off edges of armhole. Set in sleeves so that top of sleeve is underneath armbands. Join side and sleeve seams.

MEASUREMENTS

To fit bust sizes	24	26	28	30	32	34	36	38	40	42	44	ins
	61	66	71	76	81	86	91	97	102	107	112	cms
Finished back length	15	16	17½	19	23½	23½	25	25	28	28	28	ins
	38	41	44	48	59	59	63	63	71	71	71	cms
Length of sleeve	10½	12	13	15	17	17	17	17	19½	19½	19½	ins
	26	30	33	38	43	43	43	43	49	49	49	cms

MATERIALS

Wendy Kintyre Aran 50 gm balls 11 11 12 12 14 14 15 15 17 17 18

TENSION


Use keyplate 3 to give 16½ sts and 23 rows to 10 cms (4") measured over stocking stitch.

ABBREVIATIONS

See inside front cover.

NOTE

An extension kit is required to knit the collar only, on the 8th-11th sizes.



BACK

Using the closed-edge cast on method (See page 4 of Instruction Book), cast on 58 (62, 66, 70, 78, 84, 86, 90, 94, 98, 100) sts and work 16 (16, 16, 16, 24, 24, 24, 24, 24, 24, 24) rows in 1 x 1 rib, using Keyplate 2 on both beds. COR.

Transfer rib sts back to main bed.*

Break yarn and remove Ribber. Re-thread

yarn through usual carriage and using Keyplate 3, k 42 (46, 50, 56, 62, 62, 66, 66, 78, 78, 78) rows. COR.

Shape Armhole

Cast off 5 (5, 5, 5, 7, 7, 7, 7, 7, 7) sts at beg of next 2 rows. 48 (52, 56, 60, 64, 70, 72, 76, 80, 84, 86) sts. Break yarn.

Attach Ribber and re-thread yarn through Ribber carriage. Transfer all sts onto Ribber. Use Keyplate 3 on both beds. COR.

K 2 (3, 3, 5, 7, 7, 8, 8, 8, 8) rows. Transfer all sts back to main bed. K 1 row. Now work the 12 rows of pattern from chart, transferring sts as required.

5th - 11th sizes only

Repeat rows 1 - 6 once more.

All Sizes

Transfer all rib sts back to main bed. K 1 row. Transfer all sts onto Ribber.

K 2 (3, 3, 5, 7, 7, 8, 8, 8, 8) rows. Transfer all sts back to main bed.*

K 14 (14, 16, 16, 18, 18, 22, 22, 26, 26, 26) rows. COR. Break yarn. Remove Ribber. Thread yarn back through usual carriage.

Shape shoulders

Cast off 13 (15, 16, 17, 18, 20, 20, 21, 23, 25, 26) sts at beg of next 2 rows.

STITCH TRIANGLES

K several rows in WY on rem 22 (22, 24, 26, 28, 30, 32, 34, 34, 34, 34) sts and remove from needles.

FRONT

Work as for Back to **

K 0 (0, 0, 0, 0, 0, 4, 4, 6, 6, 6) rows. COR.

Shape Neck

Break yarn. Remove Ribber.

Using a darning needle, thread the centre 10 (10, 10, 12, 12, 14, 16, 18, 18, 18, 18) sts onto a length of WY and remove from needles.

Thread the 19 (21, 23, 24, 26, 28, 28, 29, 31, 33, 34) sts on LHS onto a separate length of WY and remove from needles, leaving last 2 sts on LHS hooked on to keep weighted hem hanging level. Push empty needles back to NWP.

Work RHS of neck as follows:

Thread yarn through usual carriage.

*** K 1 row. COL.

Dec 1 st at beg of next and the 5 (5, 6, 6, 7, 7, 7, 7, 7, 7) foll all rows.

K 2 (2, 2, 2, 2, 2, 2, 4, 4, 4) rows. COR.

Cast off rem 13 (15, 16, 17, 18, 20, 20, 21, 23, 25, 26) sts.

Leave 2 sts at completed RHS hooked on to keep weighted hem hanging level.

Place the sts at LHS back onto needles and remove WY. COL.

Now work as for RHS from *** reading COL for COR and COR for COL.

SLEEVES

Using the closed edge cast on method, cast on 36 (38, 42, 44, 48, 48, 50, 50, 54, 54, 54) sts and work as for Back to *

Change to Keyplate 3 on both beds. K 4 rows.

Inc 1 st at both ends of next and ev foll 9th (10th, 10th, 11th, 7th, 6th, 6th, 5th, 5th, 5th, 5th) row 5 (5, 6, 6, 11, 13, 14, 16, 17, 17, 17) times more. 48 (50, 56, 58, 72, 76, 80, 84, 90, 90, 90) sts. AT THE SAME TIME, transfer all sts back to Ribber on the 30th (34th, 44th, 44th, 52nd, 52nd, 52nd, 52nd, 54th, 54th, 54th) row.

**K 2 (3, 3, 5, 7, 7, 8, 8, 8, 8) rows.

Transfer all sts back to main bed. **

Cont to inc as above until the 46th (50th, 60th, 64th, 74th, 74th, 74th, 74th, 90th, 90th, 90th) row has been reached, then transfer all sts back to Ribber. Repeat from ** to ** once more.

K 6 (9, 7, 10, 8, 7, 2, 6, 14, 14, 14) rows without shaping.

Remove Ribber and cast off in back stitch.

NECKBAND

Join right shoulder seam.



With wrong side facing, place the 22 (22, 24, 26, 28, 30, 32, 34, 34, 34, 34) sts of back neck onto needles, pick up 16 (16, 18, 18, 20, 20, 20, 20, 22, 22, 22) sts along right side of neck, place the 10 (10, 10, 12, 12, 14, 16, 18, 18, 18, 18) sts of centre front onto needles and pick up 16 (16, 18, 18, 20, 20, 20, 22, 22, 22) sts along left side of neck. 64 (64, 70, 74, 80, 84, 88, 92, 96, 96, 96) sts. Remove WY. Hang weighted hem so that hem and sts are in front of latches. Attach Ribber. Using Keyplate 3 on main bed, k 1 row. COL. Transfer sts for 1 x 1 rib. Change to Keyplate 2 on both beds. K 6 (6, 6, 6, 8, 8, 8, 8, 10, 10, 10) rows. Transfer rib sts back to main bed. Remove Ribber and cast off in back stitch.

COLLAR

Using the closed-edge cast on method, cast on 72 (72, 78, 82, 90, 94, 98, 102, 108, 108, 108) sts and work 10 (10, 12, 12, 14, 14, 14, 14, 16, 16, 16) rows in 1 x 1 rib, using Keyplate 2 on both beds. Transfer rib sts back to main bed. Remove Ribber and cast off in back stitch.


TO MAKE UP

Join left shoulder seam and edges of neckband. Place a WY marker at centre front of neckband. Placing collar inside neckband, with cast off edges together, and side edges of collar meeting at centre front marker, blind stitch into place. Set in sleeves and join sides of sleeve to cast off edge of armhole. Join side and sleeve seams.



7

LADY'S 3x1 RIBBED SUIT WITH CABLE DETAIL



MEASUREMENTS

Jacket

To fit bust sizes	32-34 81-86	36-38 92-97	40-42 102-107	ins cms
Finished back length	28 72	29 74	29½ 76	ins cms
Length of sleeve	18 46	18 46	18 46	ins cms

Skirt

To fit hip sizes	34 86	38 97	42 107	ins cms
Finished back length	28 72	28 72	28 72	ins cms

MATERIALS

Lister Wool Aran 50 gm balls			
Main Colour (MC)	23	30	32
Contrast Colour (A)	6	6	6
Elastic for waistband			

TENSION

Use Keyplate 3 on both beds to give 21 sts and 21 rows to 10 cms (4") measured over 3 x 1 rib.

ABBREVIATIONS See inside front cover

NOTE

The purl side of this fabric is the right side.

JACKET

BACK

(Make 2 pieces alike)

Using the open-edge cast on method and Keyplate 3, cast on 51 (55, 59) sts on main bed only and k a few rows in WY ending with COR.

Attach Ribber and starting from RHS, transfer the 4th st and then ev foll 4th st onto Ribber. Thread MC through Ribber carriage and starting with COR, k 12 rows with Keyplate 3 on both beds. Transfer rib sts back onto main bed.

Starting from RHS, transfer the 2nd and then every foll 4th st onto Ribber and k 12 rows. Transfer rib sts back onto main bed. These 24 rows form the pattern and are repeated throughout*. K 112 (116, 120) rows more in pattern. Transfer rib sts back onto main bed. Remove Ribber and cast off in back stitch.

RIGHT FRONT

Using the open-edge cast on method and Keyplate 3, cast on 43 (47, 51) sts and work as for Back to *. K 52 (56, 60) rows more in pattern. COR.

Shape Neck

Keeping continuity of pattern, dec 1 st at RHS (neck edge) of next and the 17 foll 3rd rows. 25 (29, 33) sts. K 8 rows more without shaping. COR.

Transfer rib sts back onto main bed. Remove Ribber and cast off in back stitch.

LEFT FRONT

Work as for Right Front, working one row more before commencement of neck shaping and then reading RHS and COR for LHS and COL.

SLEEVES

Using the open-edge cast on method and

Keyplate 3, cast on 59 (63, 67) sts on main bed only and k a few rows in WY ending with COR.

Attach Ribber and starting from RHS, transfer the 4th st and then every foll 4th st onto Ribber. Thread MC through Ribber carriage and starting with COR, work in pattern throughout as for Back, shaping as follows and working extra sts into pattern: K 2 rows. Inc 1 st at both ends of next and the 14 foll 3rd rows. 89 (93, 97) sts. K 2 rows. COL.

Divide for Cable

Using a small length of MC, cast off centre 11 sts and remove from needles. Push empty needles back to NWP. Push the 39 (41, 43) needles on RHS into HP. Using WY, k several rows on LHS sts then push these needles to HP. Push RHS needles back to WP and k several rows on these sts in WY. Now remove all sts from needles. Remove Ribber and weighted hem. Now work RHS of sleeve as follows: Place the sts of RHS on WY back onto the centre 39 (41, 43) needles and remove WY.

*Re-hang weighted hem, with hem and sts in front of latches. Attach Ribber. Keeping continuity of pattern, transfer every 4th st back onto Ribber along with weighted hem. COR.

Inc 1 st at RHS of next and the 6 foll 3rd rows. 46 (48, 50) sts. COL. K 17 rows in pattern without shaping. Transfer rib sts back onto main bed.

Remove Ribber and cast off in back stitch. Place the sts of LHS on WY back onto the centre 39 (41, 43) needles and remove WY. Now repeat from * once more, reading COR and COL for COL and COR, and RHS and LHS for LHS and RHS.

Cuffs

With wrong side facing (See Note), place the open row of loops in MC, back onto 40 (44, 48) main bed needles, placing 2 sts onto one

needle 19 times evenly across the row.

*Thread MC through Ribber carriage and pull through plenty of slack yarn. Thread yarn through usual carriage. Using Keyplate 3, k 1 row. Attach Ribber. COL. Transfer every alt st onto Ribber for 1 x 1 rib. Using Keyplate 2 on both beds, k 17 rows. Transfer rib sts back onto main bed. Remove Ribber and cast off in back stitch.

TO MAKE UP AND CABLES

Centre Back Cable

Use main bed only.

Using the open-edge cast on method, cast on 14 sts and k a few rows in WY ending with COR. Change to A and using Keyplate 3, k 5 (4, 6) rows.

*Using the transfer tools, make a cable by transferring the 3 sts on the LHS of the centre 'O' over the 3 sts on the RHS. K 8 rows. Ladder down the 4th st in from RHS and LHS and convert to rib using the latchet tool. Place sts back onto needles.** Repeat from * 18 (19, 19) times more. Make one more cable. K 5 (4, 6) rows more. Convert the 4th sts in from RHS and LHS to rib. Cast off.

Join one back piece to each side of cable with all WY edges at bottom.

Back Ribbing

With wrong side facing, place the open row of loops in MC and A, back onto 84 (92, 100) main bed needles, placing 2 sts onto one needle 32 times evenly across the row. Now work as for Cuffs from *.

Right and Left Front Ribbing.

With wrong side facing, place the open row of loops in MC back onto 43 (47, 51) needles. Remove WY. Hang weighted hem so that hem and sts are in front of latches. Attach Ribber and transfer every alt st onto Ribber for 1 x 1 rib. Using Keyplate 2 on both beds and MC, k 17 rows. Transfer rib sts back onto

main bed. Remove Ribber and cast off in back stitch.

Join Back and Fronts together at shoulder seam.

Sleeve Cable

(Make 2 pieces alike)

Use main bed only.

Using the closed-edge cast on method and A, cast on 14 sts and k 5 rows using keyplate 3. Now repeat as for Centre Back Cable from * to ** 4 times. Make one more cable. K 5 rows. Convert the 4th sts in from RHS and LHS to rib. Cast off.

Back stitch sleeve cable into gap at top of sleeve. Set in sleeves, placing centre of sleeve at shoulder seam and edges 24 (25, 26) cms down on Back and Front. Join side and sleeve seams.

Front and Neck Border Cable

Use main bed only.

Using the closed-edge cast on method and A, cast on 14 sts and k 4 (8, 4) rows using Keyplate 3. Now repeat as for Centre Back Cable from * to ** 13 (13, 14) times. Place a WY marker at end of last row to indicate start of 'V' neck.

Repeat from * to ** 10 times more. Place a WY marker at end of last row to indicate right shoulder.

Repeat from * to ** 7 times more. Place a WY marker at end of last row to indicate left shoulder.

Repeat from * to ** 10 times more. Place a WY marker at end of last row to indicate end of 'V' neck.

Repeat from * to ** 13 (13, 14) times more. Make one more cable. K 4 (8, 4) rows. Convert the 4th sts in from RHS and LHS to rib.

Cast off.

With right sides together, back stitch cable band around Front and neck edge, matching markers.

SKIRT

(Make 4 pieces alike)

Thread MC through Ribber carriage and pull through plenty of slack yarn. Thread through usual carriage. Using the closed-edge cast on method, cast on 51 (55, 59) sts on main bed. Hang weighted hem. K 1 row using Keyplate 2. Attach Ribber and transfer the 4th and then every foll 4th st onto Ribber. Using Keyplate 3 on both beds, k 150 rows. K several rows in WY and remove sts from needles.

Centre Back and Front Cables

(Make 2 pieces alike)

Use main bed only.

Using the closed-edge cast on method and A, cast on 14 sts and k 4 rows using keyplate 3. Now repeat as for Centre Back Cable of Jacket from * to ** 19 times. Make one more cable.

K 2 rows. Convert the 4th sts in from RHS and LHS to rib. K several rows in WY and remove sts from needles.

Join one skirt piece to each side of centre Front and Back cable with WY edges at top.

Waistband


Worked in 2 pieces.

Work each piece as for Back Ribbing of Jacket.

Join side seams. Turn waistband in half towards inside and slip stitch into place leaving a space of 5 cms unsewn. Thread through the required length of elastic and join ends securely. Slip stitch remaining waistband into place.




RIB STITCH IDEAS . . .



BOWKNOT PATTERN

Rows 1 - 4: Knit on main bed only.
Rows 5 - 6: Transfer stitches as below in groups of 9 onto Ribber bed.



Main bed
Ribber bed
Rows 7 - 10: Transfer rib stitches back onto main bed and knit.

Rows 11 - 12: As rows 5 - 6.

Pull Ribber bed down so that it rests on the top of the metal clamps. Using the hook tool, pick up the centre stitch on each of the rib stitch sections from the 4th row (8 rows down) and place back onto needle.

Row 13 - 16: As rows 7 - 10.


These 16 rows form the pattern.




DIAGONAL MOCK CABLE

This is a 6 stitch repeat.


Rows 1 - 4: Transfer the 1st and 2nd stitches and then every following 5th and 6th stitches onto Ribber bed as below.



Main bed
Ribber bed
Rows 5 - 8: Transfer all rib stitches back onto main bed. Transfer the 5th and 6th stitches and then every following 5th and 6th stitches onto Ribber bed as below.



Rows 9 - 12: Transfer all rib stitches back onto main bed. Transfer the 3rd and 4th stitches and then every following 5th and 6th stitches onto Ribber bed as below.



Main bed
Ribber bed
These 12 rows for the pattern and are repeated throughout.




FISHERMAN'S RIB

Set up Ribber with stitches transferred for 1 x 1 rib.

Row 1: Push main bed needles to Holding Position and knit row from right to left.

Row 2: Push main bed needles back into Working Position and knit row from left to right.


Repeat these two rows throughout.



DROP STITCH RIB


This is an 8 stitch repeat.
Transfer the 1st and 2nd stitches and then every following 3rd and 4th stitches onto Ribber bed.

Rows 1 - 6: Bring forward to Working Position the needle on the main bed which lies between the second set of rib stitches and then every following alternate set, making sure the latch is open.



Main bed
Ribber bed
X = Extra stitch introduced at main bed.

Rows 7 - 12: Drop the extra stitch on main bed and allow to ladder down. Now bring forward to Working Position the needle on the main bed which lies between the first set of rib stitches and then every following alternate set, making sure the latch is open.



Main bed
Ribber bed
Drop the extra stitch on main bed and allow to ladder down. These 12 rows are repeated throughout.