



















INTERNATIONAL KNITWEAR COLLECTION

LONDON PARIS HAMBURG NEW YORK SYDNEY

YODEL FROCK:

Pattern No. AU11-1 Cover



MATERIALS: 5(6-7) balls Patons Patonyle 4 ply. MC. (Main color).

1(1-2) balls Patons Patonyle 4 ply. C1 (1st Contrast) 1(1-1) balls Patons Patonyle 4 ply. C2 (2nd Contrast)

MEASUREMENTS: To fit 18 (20-22) in chest.

Length $12(13\frac{1}{2}-15)$ ins. Sleeve seam $5\frac{1}{2}(7-9)$ ins.

TENSION: T6.1 = $7\frac{1}{2}$ sts and $10\frac{1}{4}$ rows to 1 in.

PATTERN: Cams on 11 (KH91) on 1 (KH600). Press buttons 1.5. Slide dial on 1; set lever; push raised needles to E pos. Knit 4 rows MC. *Push E needles to C pos; slide dial on 3; set lever; push raised needles to E pos; change to C1 and knit 2 rows. Knit 2 rows MC. Push E needles to C pos; slide dial on 1; set lever push raised needles to E pos; knit 2 rows in C2 and 2 rows in MC*. Rep from * to * 5 times altog.

BACK: Cast on in waste yarn 113(120–128) sts and on T6.1 knit 3 rows. Change to MC and knit 1 row. On T4.2 knit 8 rows; T6.1 knit 1 row; T4.2 knit 8 rows; T6.1 knit 1 row and close hem. Carr on right. Knit patt. R/C on 0 then knit to row 50(60–72). R/C on 0. SHAPE ARMHOLES: Dec 1 st at ea end on alt rows until R/C reads 20(24–28). Take work off machine on waste yarn.

FRONT: Work as for back.

SLEEVES: Cast on 45(47-49) sts. Work 3 ins 1 x 1 rib. Transfer to main bed. On T6.1 inc 1 st at ea end on the next and every foll 6th row until R/C reads 54(60-72). SHAPE ARMHOLES: R/C on 0. Dec 1 st at ea end of every alt row to 20(24-28) sts. Take work off machine on waste yarn.

YOKE: Carr on left. Put all parts from waste back onto machine, wrong side facing, starting with sleeve thus — 1st on 1st needle and 2 sts on 2nd needle, rep this to end; Front — 1st st on last st of sleeve, then 2 sts on every foll needle; 2nd sleeve — as first sleeve; Back as front. T6.1 knit 1 row. Carr on right. Rep patt of border on skirt 3 times. On T5.2 rep patt twice. Knit 2 rows in MC and cast off.

TO MAKE UP: Join all seams. Work 1 row of -1 tr 1 ch in MC around neck. Change to CC and work 1 row of shell around. Work 1 row of shell patt

around sleeve cuffs, and yoke in CC. Finish neck with cord or ribbon through tr st. To make cord—take 8 threads of yarn about 4 yards long and twist holding it tightly stretched, join ends and knot leaving about 1 in of yarn free to make tassel.

COBWEB SHAWL:

Pattern No. AU11-2.



MATERIALS: 8-balls Lincoln 3 ply Bri-nylon.

MEASUREMENTS: Approx 48 ins.

Cast on with a selvedge edge 168 sts. On T10 knit 4 rows and commence patt which consists of 12 rows of 1st patt and 6 rows of 2nd patt.

1ST PATTERN: **Press Buttons 1.3.5.7. *Slide Dial on 1; set lever; pass Lacemaker from L to R and knit 2 rows.* Repfrom * to * but move slide dial one numeral more ea patt row finishing on slide dial 6 (12 rows in patt).**

2ND PATTERN: (Arrange needles EVERY DEC ROW as fol: (moving sts up to fill empty spaces). 1st DEC ROW: K1, K3 tog (placing 2nd and 4th sts onto 3rd st) K36, K3 tog, K82, K3 tog, K36, K3 tog, K1 (160) sts. Knit 2 rows. 2nd DEC ROW: K1, K3 tog, K34, K3 tog, K78, K3 tog, K34, K3 tog, K1. (152) sts. Knit 2 rows. 3rd DEC ROW: K1, K3 tog, K32, K3 tog, K74, K3 tog, K32, K3 tog, K1. (144) sts. Knit 2 rows. *** Rep from ** to ** once, then rep st st dec band as before, dec 8 sts every alt row over previous dec (120) sts rem. Knit 2 rows. Cont working from ** to *** until 16 sts rem. Knit 2 rows. Dec to 8 sts and knit 2 rows. Dec to 4 sts and knit 2 rows. Dec to 2 sts and fasten off. Knit 3 more pieces the same.

TO MAKE UP: Join 4 sections tog with a flat seam.

BORDER: Bring up 12 sts on right side of 0 and 11 on left side (23) sts. On T9 cast on with a selvedge edge and knit 3 rows. Carr on right. (Note to knit the foll patt — press buttons 1.3.5.7. reverse switch (RS) on plus for 1st row, set lever then arrange patt row manually commencing at right hand side—leave

7 needles in raised pos (patt says K2 tog 7 times) push 8th needle into B pos to make K2, leave 3 raised needles in E pos for K2 tog 3 times, 1 st in B pos and bring 1 needle from A to B pos for inc. Bring Lacemaker (LM) from L to R and knit 2 rows. Ea patt row is arranged in this manner.

****1st PATT ROW: RS on plus. K2 tog 7 times, K2 (K2 tog) 3 times, K1, Inc 1 st. LM from L to R. Knit 2 rows.

2nd PATT ROW: RS on minus. K1, (K2 tog) 7 times, K2 (K2 tog) 3 times, K1, inc. 1, LM from L to R. Knit 2 rows.

3rd PATT ROW: RS on plus K2 tog 7 times, K4, (K2 tog) 3 times, K1, inc 1 LM from L to R. Knit 2 rows.

4th PATT ROW: RS on minus. K1 (K2 tog) 7 times, K4, (K2 tog) 3 times, K1, inc 1. LM from L to R. Knit 2 rows.

5th PATT ROW: RS on Plus. K2 tog 7 times, K6, (K2 tog) 3 times, K1, inc. 1. Knit 2 rows.

6th PATT ROW: RS on minus. K1, (K2 tog) 7 times, K6, (K2 tog) 3 times, K1, inc. 1 st. LM L to R. Knit 2 rows.

7th PATT ROW: RS on Plus. K2 tog 7 times, K8, (K2 tog) 3 times, K1, inc 1 st LM L to R, Knit 2 rows. 8th PATT ROW: RS on minus. K1, (K2 tog) 7 times, K8, (K2 tog) 3 times, K1, inc 1 st. LM L to R. Knit 2 rows.

9th PATT ROW: RS on plus. K2 tog 7 times, K10, (K2 tog) 3 times, K1, inc 1 st LM L to R. Knit 1 row. Carr at Left. ****

Cast off 9 sts loosely. Knit to end. Rep from **** to **** 57 times.

TO MAKE UP: Pin border to shawl and flat stich.

FANCY CARDIGAN

Pattern No. AU11-3.



MATERIALS: 2(3-3) balls SIRDAR Baby Courtelle 3 ply. 6 buttons.

MEASUREMENTS: To fit 16 (18-20) in chest. Actual Meas. 18(20-22) ins. Length $9\frac{1}{2}(10\frac{1}{2}-11\frac{1}{2})$ ins. Sleeve Seam 5(6-7) ins.

TENSION: T5.2 = 17 sts and 24 rows to $2\frac{1}{8}$ ins. over patt.

PATTERN: Press button 7. *Cams on Holding, Slide Dial on 1, Set lever Knit 4 rows. Cams on release Knit 2 rows. Cams on Holding, Slide dial on 5, Set Lever Knit 4 rows; Cams on release Knit 2 rows.*

BACK: Counting from centre of machine push 38(38-45) needles at left and 34(43-42) needles at right into B pos. 72(81-87) altog. *Push the 2nd and every foll 3rd needle into A pos. On T5 cast on with waste yarn over rem needles and knit a few rows ending on the right side. R/C on 0. On T3 and main yarn knit 28 rows. Bring empty needles from A to B pos and close hem by placing loops of 1st main row onto the 2nd and every foll 2nd and 3rd needles.* Carr at right, 1st SIZE: Inc 1 st at right edge. 3rd SIZE: inc 1 st at ea end. ALL SIZES: 73(81-89) sts. R/C on 0. T5.2 Knit 1 row. Transfer every 2nd and every foll alt st to its adjacent needle. Push empty needles to A pos (but count them as sts throughout). Knit 1 row. Carr at right. Knit in patt until R/C reads 50(56-62) Carr at right. SHAPE RAGLAN: Keeping continuity of patt dec 1 st at ea. end of the next and every alt row until 27(29-31) sts rem. Cast off making chains in empty needle spaces.

LEFT FRONT: Push 14(18-21) needles at left and 19(18-18) at right into B pos. 33(36-39) needles. Now work as for back from * to *. *** 2nd SIZE: Inc. 1 st at right edge. 3rd SIZE: Inc 1 st at ea end. ALL SIZES: 33(37-41) sts. R/C on 0. On T5.2 knit 1 row. Transfer the 2nd and every foll alt st onto its adjacent needle. Push empty needles into A pos. Knit 1 row. Carr at right. Knit in patt until R/C reads 50(56-62) rows. (Knit 1 row extra for Right Front). Carr at right. SHAPE RAGLAN: Dec 1 st at beg of the next and every alt row 14(16-18) times altog. 19(21-23) sts rem. Carr at left. SHAPE NECK: Cast off 2 sts at the beg of the next row and dec 1 st at the beg of next row. Cast off 2 sts at the beg of the next row and dec 1 st at beg of the next 9(11-13) rows. Knit 1 row. Dec 1 st at beg of the next and every alt row 3 times altog. Knit 1 row. Cast off rem 2 sts. ***

RIGHT FRONT: Push 14(14-21) Needles at left and 19 (22-18) needles at right into B. pos. 33 (36-39) needles. Work as for Left Front reversing all shapings.

SLEEVES: Push 21(21-22) needles at left and 18(18-26) needles at right into B pos. 39(39-48) needles. Push 2nd and every foll 3rd needles into A pos. On T5.2 and waste yarn cast on over rem needles in B pos. Knit several rows. R/C on 0. On T3 with main yarn knit 36 rows. Close hem as before. 1st & 2nd SIZES ONLY: Inc 1 st at ea end. 3rd SIZE: inc 1 st at right edge. 41(41-49) sts. R/C on 0. On T5.2 knit 1 row. Transfer 2nd and every foll alt st to its adjacent needle. Push empty needles into A pos. Knit 1 row. Work in patt. Knit 5 rows without shaping, then inc 1 st at ea end of the next and every foll 5th (4th-5th) row 6(10-10) times altog. 53(61-69) sts. Knit without shaping to row 42(52-64) (adjust length here). SHAPE RAGLAN: Dec 1 st at ea end of every alt row till 7(9-11) sts rem. Cast off.

NECK BAND: Push 81(87-93) needles into B pos. Push 2nd and every foll 3rd needle back into A pos. Cast on in waste yarn on T5 over rem needles and knit several rows. R/C on 0. On T2 with main yarn knit 20 rows. Close hem and cast off.

BUTTONHOLE BAND: Cast on 19 sts with selvedge edge. R/C on 0. On T4.2 knit 4(5-6) rows. *Counting from both edges make buttonholes over the 4th, 5th and 6th sts. Knit 18(19-21) rows* Rep from * to * 5 more times. Knit to row 98 (106-114) and cast off. Knit another band omitting buttonholes.

TO MAKE UP: Sew in sleeves. Sew up side and sleeve seams. Sew cast off edge of neckband to Neck. Fold bands in half and close ends. Sew one edge of band to fronts and catch down 2nd edge on inside. Finish off buttonholes. Press lightly over dry cloth. Sew on buttons.

LACE FROCK:

Pattern No. AU11-4



MATERIALS: 4-balls SIRDAR 3 ply Baby Courtelle for 18" size.

5-balls SIRDAR 4 ply Baby Courtelle for 20" size.

6 buttons. Ribbon for waist and sleeves. Size 10 crochet hook.

MEASUREMENTS: To fit 18 (20) in. chest.

Length $12\frac{1}{2}(13)$ ins. Sleeve seam $1\frac{1}{2}$ ins.

TENSION: T4 = 15 sts to 2 ins over patt (3 ply) and $13\frac{1}{4}$ rows to 1 in.

T5 = $14\frac{1}{2}$ sts to 2 ins over patt (4 ply) and 13 rows to 1 in.

T4 = 8 sts and 13 rows to 1 in over st st (3 ply). $T5 = 7\frac{1}{2}$ sts and $12\frac{1}{2}$ rows to 1 in over st st (4 ply).

PATTERN: *1. Press button 4, set lever, move lacemaker from L to R.

2. Press button 6, set lever, move lacemaker from R to L.

3. Press button 3, set lever, move lacemaker from L to R.

4. Press button 7, set lever, move lacemaker from R to L.

5. Press button 2, set lever, move lacemaker from L to R.

6. Press button 8, set lever, move lacemaker from R to L. Knit 2 rows. Steps 7 to 10 as steps 1 to 4. Knit 2 rows. Steps 11 to 12 as steps 1 to 2. Knit 6 rows.*

FRONT: On T3(4) cast on with a selvedge edge 122 sts. Work 8 rows of st. st. NEXT ROW: Press buttons 1.3.5.7., set lever, move lacemaker across and knit 1 row (picot). Change to main tension. R/C on 0. Knit 6 rows. Change to patt and work to 124(116) rows. Change to st st. NEXT ROW: Leaving centre 8 sts untouched move sts on ea side inwards on to adjacent needles, leaving 1 st bet ea dec and 2 sts untouched ea end. St st 2 rows. Dec evenly on 1st row to 78 sts. Work picot row as before to form ribbonholes. Knit 3 rows.** SHAPE RAGLANS: Cast off 4 sts at the beg of the next 2 rows. Dec 1

st (1 st in from edge) ea end of the next and foll alt rows until 38 sts rem. Knit 1 row. SHAPE NECK: Cams on Holding. Push 27 needles furthest from carr into E pos. Cont raglan shaping as before, but AT THE SAME TIME dec 1 st at neck edge on the 2nd and foll 2 rows, then at the same edge on the foll alt row (4 sts). Work raglan shaping once more then dec 1 st at neck edge on the next 2 rows and 1 st rem. Fasten off. Cams on Knit. Take the centre 16 sts off machine on waste yarn. Then knit other side to correspond reversing shapings.

BACK: Work as Front to **. SHAPE RAGLANS AND BACK OPENING: Cams on Holding. Push 39 needles furthest from carr into E pos. Cast off 4 sts at the beg of the next row. Knit 1 row. Dec 1 st (1 st in from side edge) on the next and every foll alt row until 14 sts rem. Take work off machine on waste yarn. Cams on Knit. Knit other side to correspond reversing shapings.

SLEEVES: On T3 (4) cast on with a selvedge edge 58 sts and knit 5 rows. Work picot row. On Main Tension knit 6 rows, then picot row for ribbon holes. Cont in st st and knit 20 rows. SHAPE RAGLANS: Cast off 4 sts at the beg of the next 2 rows. Dec 1 st as in Back at ea end of the next 2 rows, then ea end of the next and every foll alt. row until 6 sts rem. Take work off machine on waste yarn.

NECKBAND: Sew up 3 raglan seams, leaving left back raglan open. With wrong side facing, pick up sts from right back neck, right sleeve, 10 sts down right neck, sts from front neck, 10 sts up left neck and sts from left sleeve (62) sts. On T3 (4) knit 3 rows, then picot row. Knit 3 more rows and cast off. Pick up 14 sts from left back neck and work the same.

TO MAKE UP: DO NOT PRESS: Join rem raglan seam and neckband. Turn neckband on picot row and catch down inside. Sew up side and sleeve seams. Turn hems and catch down inside. Work 2 rows of dc around back opening, making 6 buttonhole loops, evenly spaced on left side by working 2 ch, miss 1 loop on 2nd row of dc. Thread ribbon through sleeves and around waist. Sew on buttons to match loops.

BABY'S FROCK WITH FAIR ISLE TRIM: Pattern No. AU11-5



MATERIALS: 4-balls Patons Baby-Wool with Bri-nylon 3 ply. MC.

1-ball Patons Baby Wool with Bri-nylon 3 ply CC.

2 small buttons. No. 14 crochet

MEASUREMENTS: To fit 18 (20) in. chest.

Length 16¼ ins. Sleeve length 1¾ ins.

TENSION: T5 = 8 sts and 10½ rows to 1 in.

FRONT: Cast on in waste yarn 162 (169) sts. On T5 knit 11 rows. On T6 knit 1 row. R/C on 0. On T5 knit 10 rows and close hem. Work 18 rows in Fair isle patt then knit to row 120 in st st. Take work off machine in waste varn. Bring up 69(76) sts and place work back onto machine putting 2 sts on first 26(30) needles, 3 sts on the next 20(17) needles and 2 sts on the next 25(29) needles. On T4 work 12 rows fair isle. On T5 knit 8 rows st st. SHAPE ARMHOLE: R/C on 0. Cast off 5 sts at the next 2 rows. Dec 1 st at ea end of the next and every alt row to 55(60) sts. Work 16 rows without shaping. Put 20(22) sts at end onto waste yarn. Cast off 15(16) centre sts and cont working on rem 20(22) sts. Dec 1 st at neck edge in every row until 16(18) sts rem. Knit 8 rows. SHOULDER SHAPING: Cast off 8(9) sts. Knit 1 row and cast off. Knit other side to correspond reversing all shapings.

BACK: Work as front until armhole shaping has been completed. Cont until 37 rows from armhole have been worked. SHAPE SHOULDERS: Cast off 8 (9) sts at the beg of the next 4 rows. Cast off.

SLEEVES: Cast on with waste yarn 80(84) sts. On T5 knit 12 rows. Dec 1 st at ea end of every row until 40(44) sts rem. Cast off. Put sts from waste yarn back onto the machine reducing the no of sts to 40(44). On T5 knit 2 rows. Work 6 rows of fair isle. Knit 1 row st st. On T6 knit 1 row. On T4 knit 10 rows. Cast off loosely.

MAKE UP: Join up 1 in of ea shoulder. Set in sleeves. Sew up side and sleeve seams. Work 2 rows of dc round neck and shoulder openings and making a buttonhole loop on ea shoulder. Sew on buttons.

6			Х				X	
5			X				X	
4		X		X		X		X
3		X		X		X		X
2	X				X			
1	X				X			
	1	2	3	4	5	6	7	8
	X	CC.	·					
		MC.						

PONCHO, LEGGINGS, CAP & MITTENS: Pattern No. AU11-6



MATERIALS: PONCHO: 2(2-3) ozs Patons Baby Wool with Brinylon 3 ply.

> LEGGINGS: 3(3-4) ozs Patons Baby Wool with Bri-nylon 3 ply.

CAP: 2 ozs.

MITTENS: 1 oz.

MEASUREMENTS: To fit 16

(18-20) in chest.

PONCHO — depth without fringe and neckband 10(11-12) ins.

LEGGINGS — Length to crutch meas. over front $7\frac{1}{2}(8\frac{1}{2}-9\frac{1}{2})$ ins. over back 8½(9½-10½) ins. Inside leg seam to top of heel

shaping $7\frac{1}{2}(8-8\frac{1}{2})$ ins. Length foot $3(3\frac{1}{2}-4)$ ins. (adjustable).

CAP — Depth 5%(6-6%) ins. (adjustable). MITTENS – Length to wrist $3\frac{1}{4}(3\frac{1}{2}-3\frac{3}{4})$ ins.

TENSION: T5.2 = 16 sts and 22 rows to 2 ins. over st. st. Use T6 on pattern. NOTE: All needles in A pos are counted as sts. When dec in patt, if a A pos needle becomes the end needle, push same into B pos until a further st is to be dec. The dec on Leggings are worked 2 sts in by transferring the 3rd st onto the 4th st and moving end 2 sts up.

PATTERN: Cams on Holding. Press buttons 4 & 8. *Set lever and knit 4 rows. Release Holding Cam. Knit 2 rows. Cams back onto Holding.* Rep from * to * for pattern.

PONCHO:

LEFT FRONT & RIGHT BACK (Both alike). Counting from centre of machine, push 42(50-58) needles at left and 41 (49-57) needles at right into B pos 83(99-115) needles. **Push the 4th 5th 7th 8th and every foll 4th 5th 7th 8th needles into A pos. Cast on with a selvedge edge on B needles and T5.2 Knit 2 rows. On T6 knit 6 rows in patt, then keeping continuity of patt dec 1 st at left edge on the next and every foll 36th (18th-13th) row and AT THE SAME TIME dec 1 st at right edge on the next and every foll 3rd row 10(12-14) times altog. Knit 1 row. Still dec at side edge as before dec 1 st at right edge on the next and every foll alt row 42(48-54) times altog. 27(31-35) sts rem. Push empty needles into B pos. Pick up loops from below the adjacent needles and place them onto empty needles. Change to st. st. and T5.2 and knit 3 rows. ***Transfer the 2nd and every foll 4th st onto its adjacent needle, leaving empty needles in B pos.*** Knit 8 rows. Rep from *** to *** once. Knit 3 rows and cast off.

RIGHT FRONT & LEFT BACK (Both alike). Counting from centre of machine, push 42(50-58) needles at left and 41(49-57) at right into B pos 83(99-115) needles. Now rep from ** of Left Front and Right Back to end, reversing all shapings.

TO MAKE UP: Pin out each piece to size and press lightly using a damp cloth. Join side, front and back seams. Fold neckband in half and catch down inside. Make a cord and thread through holes at neck. Finish cord ends with pom poms and fringe lower edge.

LEGGINGS:

LEFT HALF: On T6.2 cast on 91(100—109) sts in waste yarn. Knit 3 rows in waste and 1 row in main yarn. On T5 knit until R/C reads 22. On T6.2 close hem. Carr on the right. R/C on 0. On T5.2 SHAPE BACK: Cams on 11 (KH91) on 1 (KH600). Push 78(84—90) sts furthest from carr into E pos. Knit 2 rows (always putting yarn under 1st inner needle in E pos to avoid making a hole); push 13(14—15) inside sts from E to C pos on the next and every alt row 5 times altog. Release Holding Cams and knit 4 rows without shaping. Carr on the right. Inc 1 st at the beg of the next and every foll 6th (8th—8th) row 6(6—7) times altog. Knit 1(1—5) rows. Carr at left. 1st SIZE ONLY: Inc 1 st at the beg of the next row. Knit 2 rows.

Inc 1 st at the beg of the next 2 rows. Knit 3 rows. Inc 1 st at the beg of the next 2 rows. Knit 2 rows. Inc 1 st at the beg of the next 2 rows. Knit 2 rows. 2nd SIZE ONLY: Inc 1 st at the beg of the next row. Knit 3 rows.

Inc 1 st at the beg of the next 2 rows and every foll 3rd and 4th rows 3 times altog. Knit 2 rows.

3rd SIZE ONLY: *Inc 1 st at the beg of the next 2 rows. Knit 2 rows. Inc. 1 st at the beg of the next row. Knit 3 rows.* Rep from * to * once more. ALL SIZES: Inc 1 st at the beg of the next 3 rows. Knit 1 row. Inc 1 st at the beg of the next 2 rows. **Inc 1 st at the beg of the next row. Knit 1 row. Inc 1 st at the beg of the next 2 rows.** Rep from ** to ** twice more. Inc 1 st at the beg of the next row 119(128-137) sts. Knit 2 rows without shaping. Cast off 2 sts at the beg of the next 18(18-16) rows and dec 1 st (2 sts in) at the beg of the next 16(22-30) rows. Knit 2 rows. Dec 1 st (2 sts in) at both ends of the next and every foll 4th row 10 times altog. 47(50-55) sts rem. Knit 3(3-1) rows without shaping. Transfer the 3rd and every foll 3rd st onto its adjacent needle. Empty needles in B pos. Knit 5 rows.

1st & 3rd SIZES ONLY: Dec 1 st at left edge. ALL SIZES: 46(50-54) sts. Carr at left. Take 23 (25-27) sts at right off on waste yarn.

INSTEP: Knit 9(15—20) rows without shaping (adjust length of instep here). SHAPE TOE: Cams on 11 (KH 91) on 1 (KH 600). *Push 1 needle at opp end to carr into E pos on the next 12 rows (always putting yarn under the 1st inner needle in E pos to avoid making a hole). Push 1 inner needle from E to C pos on the next 12 rows.* SOLE: Knit 9(15—20) rows (adjust length of sole as on instep if desired). SHAPE HEEL: Knit as Toe from * to *. Take work off machine on waste yarn and graft to other sts on waste.

RIGHT HALF: Knit as Left Half reversing all shapings.

TO MAKE UP: Pin to size and press over a damp cloth. Join front and back seams to crutch, then join inside leg and foot seams. Thread elastic through waist hem. Make 2 cords and thread through eyelet holes at ankles. Make 4 pom poms for ends of cords

CAP:

Counting from centre of machine, bring up 58(66–66) needles at left and 65(65–73) at right into B pos. 123(131–139) needles. Cast on T6.2 with waste yarn and knit 3 rows of waste and 1 row of main. On T5 knit 29 rows. Close hem. Carr at the right. R/C on 0. Transfer the 4th 5th 7th 8th st and every foll 4th 5th 7th 8th sts onto their adjacent needles and push empty needles into A pos. Knit 1 row. Knit in patt until R/C reads 78(84–88) adjust depth here. Break off yarn leaving an end long enough to thread through sts and sew up back seam.

MAKE UP: Press. Draw up st loops and sew up back seam. Finish with pom pom.

MITTENS:

Cast on with a selvedge edge 46(50-56) sts. On T5 knit 16 rows. Transfer the 3rd and every foll 4th st to adjacent needle. Empty needles in B pos. R/C on 0. T5.2 knit 23(27-29) rows. Knit 1 extra row for right mitten). Carr at the right. Take 23(25-28) sts at left off on waste yarn and SHAPE TOP: R/C on 0. Cams on 11 (KH 91) on 1 (KH 600). Push 1 needle at opp end to carr into E pos on the next 12 rows (always taking yarn around 1st inner needle to avoid making a hole). Push 1 inner needle from E to C pos on the next 12 rows. Take work off on waste yarn and graft with other sts on waste.

RIGHT MITTEN: Knit as left mitten reversing all shapings.

MAKE UP: Press, Join side seams. Work 2 rows D C along cast on edges. Make 2 cords and thread through eyelet holes at wrists. Make 4 pom poms and attach one to ea cord end.

SLACK SET:

Pattern No. AU11-7



MATERIALS:8(8—9) balls Lincoln Bri-nylon or Cleckheaton 4 ply MC.

3(3-3) balls Lincoln Bri-nylon or Cleckheaton 4 ply C.C. Elastic. No. 11 Crochet hook.

MEASUREMENTS: to fit 22 (23-24) in. chest. Shirt length 12(13-14) ins. Length side seam slacks $18\frac{1}{2}(20-21\frac{1}{2})$ ins.

TENSION: $T7.2 = 7\frac{1}{2}$ sts and 10 rows to 1 in.

SLACKS:

1ST LEG: Cast on 96(102-110) sts with waste yarn. Knit 4 rows. Cont with MC on 4 points tighter than main tension. Knit 20 rows. R/C on 0. Close hem. On main tension cont in st st dec 1 st at ea end of the 2nd and every foll 12th row to 84(90 -98) sts. Work straight to row 106(114-122). CROTCH: Cast off 1 st at the beg of the next 2 rows, then dec 1 st at ea end of foll 3rd rows to 78(84-92) sts. Cont straight to 66(74-82) rows. SHAPE BACK: Cams on 111 (KH91) on 2 (KH600). Bring 10 sts furthest from carr to E pos and knit 2 rows *bring next 10 sts to E pos and knit 2 rows.* Rep from * to * until 60(60-70) sts are in E pos. Cams on 1 (KH91) on 3 (KH600). Knit 2 rows over all sts. On tension 2 points tighter than main knit 8 rows; inc tension 6 points, knit 1 row, dec tension 6 points knit 8 rows. Cast off.

2ND LEG: Work as 1st leg to back shaping, knit 1 row, then cont as 1st leg.

SHIRT

BACK: Cast on 88(92–96) sts with waste yarn and knit 4 rows. On tension 4 points tighter than main knit 20 rows in MC. Close hem. On main tension knit 10(10–12) rows CC; 10(10–12) rows MC; 8(8–10) rows CC; 8(8–10) rows MC; 6(8–8) rows CC; 6(8–8) rows MC; 4(6–6) rows CC; 4 rows CC; 2 rows MC. Cont-in CC and SHAPE ARMHOLES: Cast off 6 sts at the beg of the next 2 rows; dec 1 st (inside edge st) ea end of the next and foll alt rows to 24(26–28) sts. Cast off.

FRONT: Work as back to armholes. Cast off 6 sts at the beg of the next 2 rows DIVIDE FOR FRONT OPENING: Cams on 111 (KH91) on 2 (KH600). Push 38(40–42) sts furthest from carr to E pos. Work on rem sts dec 1 st at centre front then cont straight shaping armholes every alt row as for back AT THE SAME TIME making lace holes in the 10th (12th–14th) row and ea 12th row twice more. Make holes by transferring 3rd and 4th sts from edge to adjacent needles. Knit to row 37(39–41). SHAPE NECK: Cast off 6 sts at neck edge, then 1 st every row 4(5–6) times AT THE SAME TIME cont dec at armhole edge until 1 st rem. Fasten off. Cams on knit. Dec 1 st at centre front and knit to correspond with other side.

SLEEVES: Cast on with waste yarn 70(74-76) sts. Knit 4 rows. Change to MC and tension 4 points tighter than main knit 12 rows. Close hem. On main tension Knit 4 rows CC; 4 rows MC; 2 rows CC; 2 rows MC. Then cont in CC. Cast off 6 sts at the beg of the next 2 rows; dec 1 st at ea end of the next and alt rows to 6(8-8) sts. Cast off.

LACING: With selvedge edge and MC cast on 3 sts. Right Part button in. Knit 326 rows and cast off.

TO MAKE UP: Press with warm iron and damp cloth.

SLACKS: Join front and back seams, then leg seams; fold hem at waist in half to wrong side and slip st enclosing elastic. SHIRT: Sew in raglan sleeves;

join side and sleeve seams. Work 2 rows of dc round neck and front opening. Thread lacing through holes.

LEGGING SET: WITH BERET:

Pattern No. AU11-8



MATERIALS: JACKET: 6(6-6) balls Lincoln or Cleckheaton 4 ply. 3 small buttons.

LEGGINGS: 4(4-4) balls Lincoln or Cleckheaton 4 ply. Elastic for waist. BERET: 2 balls.

MEASUREMENTS: to fit 18 (20-22) in. chest.
Jacket length 13(13½-14) ins.
Leggings 16(16½-17) ins.

TENSION: T7.2 = 7% sts and 10 rows to 1 in (Check).

LEGGINGS:

1ST LEG: Carr on the left. Bring up 83(91-99) needles, push back into A pos every alt needles. Cast on with waste yarn and knit 4 rows. Change to main yarn and T4.2 Knit 24 rows Continental Rib. Bring empty needles back into B pos and close hem. R/C on 0. On T7.2 knit 2 rows. SHAPE BACK: Cams on 111 (KH91) on 2 (KH600). Push 41(43-45) needles furthest from carr into E pos. Knit 2 rows. *Push 6 more needles furthest from carr into E pos. Knit 2 rows. * Rep from * to * until all needles are in E pos. Cams on 1 (KH91) on 3 (KH600). R/C on 0. Knit 4 rows. Inc 1 st at beg (back edge) of the next and every foll 8th row until 91(99-107) sts. Cont straight to row 64(70-74). R/C on 0. SHAPE LEG: Dec 1 st at ea end of the next and foll alt rows until 43(47-53) sts rem. Cont straight to row 60(62-64). Transfer 2nd (4th-2nd) st from edge and every foll 5th st to adjacent needles; place empty needles in A pos and cont in cable patt, cabling the 4 sts between A pos needles on the 2nd and every foll 4th row for 16 rows. Transfer every alt st to adjacent needles. On T3.2 knit 14 rows Continental Rib. Bring up empty needles into B pos and knit 2 rows. Take work off machine on waste

2ND LEG: Work as for 1st Leg reversing all shapings by casting on with carr on the right.

JACKET:

NOTE: Needles in A pos are counted as sts when shaping. It is advisable to inc tension 2 points before cable row—back to main tension after cable row. BACK: Bring up 108(118—128) needles. Push back the 9th and 10th needles from edge and every foll 9th and 710th needle to A pos. Cast on with waste yarn and knit 4 rows. Change to main yarn and T7 and knit 25 rows. Close hem on T8. R/C on 0. On

T7.2 cont in same patt to row 64(70–74). Take work off machine on waste yarn. Bring up 87(93–97) needles. Push 4th(2nd–4th) needle and every foll 5th needle to A pos. Replace work dec evenly as necessary, matching A pos needles to spaces in skirt where possible. Cont in cable patt cabling the 4 sts between A pos needles on 2nd and every foll 4th row until 12 rows. R/C on 0. SHAPE ARMHOLES: Cast off 4 sts at the beg of the next 2 rows. Dec 1 st at ea end of the next and foll alt rows to 69(75–79) sts. Cont straight without cable to row 40(42–44). SHAPE SHOULDERS: Cast off 11(12–13) sts at the beg of the next 2 rows and 12 sts on the foll 2 rows. Cast off rem sts.

RIGHT FRONT: Bring up 58(68-68) needles and work as for Back to closing of hem. Bring up 7 needles at front edge, push needle closest to knitting to A pos. Cast on over other 6 needles (facing) knit in patt to row 64(70-74). Take work off machine on waste yarn. Bring up 50(55-60) needles. Push 2nd needle from side edge and every foll 5th needle to A pos (keeping facing in pos as before). Replace work, dec as necessary keeping 13 sts at front edge in st st for band and facing. Cont in cable patt until same length as back to armhole. Cast off 4 sts at armhole edge then dec 1 st on every alt row to 44(46-48) sts. Cont to row 26(28-30). SHAPE NECK: Cast off 16 sts at neck edge then 2 sts once and 1 st 3 times. Cont until row 40(42-44). SHAPE SHOULDER: Cast off 11(12-13) sts once, then rem sts on foll alt row. LEFT ROW: Work as right front reversing front facing and shapings and making double buttonholes in yoke in 3rd row and 3rd last row below neck cast off, and one evenly between. Make buttonholes over 2 sts in centre of ea 6 sts of border and facing.

SLEEVES: Bring up 43(45-47) needles. Push every alt needle into A pos. On T4.2 knit 20 rows Continental Rib. Close hem. Cont in st st. R/C on 0. On T7.2 inc 1 st ea end of the 3rd and every foll 6th row to 55(59-63) sts. Cont to row 50(54-58). SHAPE TOP: Dec 1 st ea end of every row until 17(19-21) sts rem. Cast off.

COLLAR: Bring up-72(74—74) needles. Push back every alt needle into A pos for Continental Rib. Cast on with a selvedge edge and on T8.2 knit 1 row. **Cams on 11 (KH91) on 1 (KH600). *Push 6 needles furthest from carr into E pos. Knit 1 row.* Rep from * to * 9 more times. Push needles back from E to C pos and knit 40 rows. Then rep from * to * 10 times altog. Push needles from E to C pos and knit 1 row. Rep this once. Cast off loosely.

TO MAKE UP: Press with warm iron and a damp cloth. LEGGINGS: Join back and front seams. Join leg seams. Thread elastic through waist. JACKET: Join shoulder seams; sew in sleeves; join side and sleeve seams. SI st front facings into position. Sew one neck of collar to neck edge and sI st other edge to inside; neaten double buttonholes and sew on buttons.

BERET:

PATTERN: Cable 4-2 sts over 2 sts every 4th row. Bring up 152 needles and push every alt needle into A pos. Cast on with waste yarn and knit 4 rows. Change to main yarn and on T6.2 work 25 rows Continental rib. Bring up empty needles from A pos knit 1 row and close hem. Take work off on waste yarn. Do not BREAK yarn. *Starting at edge, wrong side facing, pick up from waste yarn 19 sts and put back onto machine-inc 1 st at inner edge for sewing up. Arrange needles for Cable-Centre 4 sts to be cable and 1 st ea side of cable to be put into A pos. Knit 1 row. Inc 1 st at ea end of every 6th row 4 times (28) sts. Work 8 rows straight. Dec 1 st at ea end on every alt row until 2 sts rem. Knit 2 tog. Fasten off.* Rep from * to * for all sts. Join sections tog and finish with a 2 in pom pom.

LACY FERN JACKET:

Pattern No. AU11-9



MATERIALS: 5-balls SIRDAR Fontein Crepe 4 ply. 7 buttons.

MEASUREMENTS: To fit 20 in chest. Length 11¾ ins, sleeve seam 6 ins.

TENSION: T6.1 = 7 sts and 12 rows to 1 in over patt.

PATTERN: Left cam on 111 right cam on 1 (KH91) on 4 (KH600). *Press button 4, set lever, move lacemaker from L to R. Press button 2, set lever, lacemaker from R to L. Press button 7 and knit 2 rows.*

NOTE: Reverse side of work is right side.

BACK: Cast on with a selvedge edge 76 sts. On T5 st st 15 rows. R/C on 0. Carr on right. On T6.1 change to patt and work 78 rows. SHAPE RAGLANS: Cast off 4 sts at the beg of the next 2 rows. Dec 1 st at ea end of every 4th row until 58 sts, then on ea end of every alt row until 22 sts rem. Take work off machine on waste yarn.

LEFT FRONT: Cast on 36 sts and work as for Back, working 79 rows to raglan. SHAPE RAGLAN: Cast off 4 sts at the beg of the next row. Knit 1 row. Dec 1 st at the beg of the next and every foll 4th row until 27 sts, then at same edge every alt row until 24 sts rem. SHAPE NECK: Cont raglan shaping as before on ea alt row AT THE SAME TIME cast off 4 sts at neck edge, then dec 1 st at neck edge on every alt row 3 times. Cont raglan shaping only until 2 sts rem. Knit 2 tog and fasten off.

RIGHT FRONT: Work as for left front reversing all shapings.

SLEEVES: Cast on 48 sts and work as for Back inc 1 st at ea end of 3rd patt row and every foll 8th row until 62 sts, then cont straight to 60 rows or req length. SHAPE RAGLAN: Knit as Back until 8 sts rem. Take off on waste yarn.

LEFT FRONT BAND: Cast on 70 sts. On T5 knit 22 rows in st st. Cast off loosely.

RIGHT FRONT BAND: As left band, but making 6 buttonholes on the 7th and 15th rows (lower one 4 sts from lower edge and top one 3 sts from neck edge, balance spaced 9 sts apart) by casting off 3 sts and on the next row cast on over cast off sts of previous row. Neatly attach bands to fronts with reverse side to right side, stretching slightly, then fold in half to inside and slip st in place. Neaten buttonholes. Sew in sleeves.

NECKBAND: With right side facing pick up 8 sts from right front band, 22 sts up right front neck, sts from sleeve, back neck and other sleeve, 22 sts down other side neck and 8 sts from front band. Work 22 rows, making buttonhole as before, 4 sts from front edge. Cast off.

TO MAKE UP: Turn neckband to inside and sl st into pos, neaten buttonhole and sew on buttons. Turn up hems and catch down inside. Press lightly with warm iron and damp cloth on wrong side.

PINNY DRESS:

Pattern No. AU11-10



 $\begin{array}{lll} \textbf{MATERIALS:} & 5(5-6) & \text{balls} \\ \textbf{Patons Bluebell Crepe MC.} \\ 1(1-1) & \text{ball} & \textbf{Patons Bluebell} \\ \textbf{Crepe CC.} & 2 & 1 & \text{in. buckles.} \end{array}$

MEASUREMENTS: To fit 20 (22-24) in. chest. Length from bib 12¼ (13½-14¾) ins.

TENSION: T8 = 7 sts and $9\frac{1}{2}$ rows to 1 in.

FRONT: Cast on in waste yarn 107(114—121) sts. On T6.2 knit 9 rows; T9 knit 1 row. R/C on 0. T8 knit 9 rows and close hem. Dec 1 st at ea end on the next and every foll 6th row 14 times altog AT THE SAME TIME work rows 11, 14, 15 and 18 in CC. 79(86—93) sts. Work to row 90(96—102). SHAPE ARMHOLE: R/C on 0. Cast off 5 sts at the beg of the next 2 rows. Cast off 2 sts at the beg of the next 4 rows; dec 1 st at ea end on every alt row 13 times altog. 35(42—49) sts. Work to row 46(52—58). On T9 knit 1 row; T7.1 knit 14 rows. Take work off machine on waste yarn.

BACK: Work same as Front.

STRAPS: (Make 2). On T8 cast on with a selvedge edge 14 sts. Work 110(117-124) rows or length required. Dec 1 st at ea end on every row until 2 sts rem. Fasten off.

TO MAKE UP: Press lightly with warm iron and a damp cloth. Sew up side seams and turn under last 4 rows of bib and catch down. Fold and sew up straps. Sew on straps and buckles in pos as illustrated. Work 1 row dc around armholes. Work saddle stitch around armholes as illust.

1st SIZE VESTS:

Pattern No. AU11-11



MATERIALS: Cross-Over Vest: 2(3-3) balls SIRDAR 3 ply Baby Courtelle. 1 yd Baby Ribbon.

Pull-on Vest: 2(2-3) balls SIRDAR 3 ply Baby Courtelle.

MEASUREMENTS: To fit 16 (18-20) in chest.

Actual Meas. 17(19-21) ins. Length 9½ (10½-11½) ins. Sleeve Seam 2 ins.

TENSION: T3.1 = 9 sts and 13 rows to 1 in.

CROSS-OVER VEST:

BACK: With selvedge edge cast on 76(85-94) sts. On T3.1 knit 82(88-94) rows. Place markers ea end for armholes. Knit 36(44-50) rows. Carr at right. SHAPE SHOULDERS: Cast off 8(9-10) sts at the beg of the next 6 rows. Cast off rem 28(31-34) sts. RIGHT FRONT: With selvedge edge cast on 55 (62-69) sts. Knit 63 (69-73) rows. (Knit 1 row extra for left front only). Carr at left. SHAPE FRONT EDGE: Dec 1 st (left edge) on the next and every alt row 10(10-11) times altog. Place marker for armhole. Knit 1 row. Dec 1 st at the beg of the next and every foll alt row 19(23-26) times altog. 26(29-32) sts rem. Carr at right. SHAPE SHOULDER: *Cast off 8(9-10) sts at the beg of the next row and dec 1 st at the beg of the next row.* Rep from * to * once. Cast off rem 8(9-10) sts. LEFT FRONT: Knit as right front reversing all shapings.

SLEEVES: With selvedge edge cast on 44(53-62) sts, Knit 5 rows. Inc 1 st at ea end of the next row and every foll 8th row 3 times altog. 50(59-68) sts. Knit 4 rows. SHAPE TOP: Cast off 3 sts at the beg of the next 6 rows, and 2 sts at the beg of the next 6 rows. Cast off rem 20(29-38) sts.

TO MAKE UP: Join shoulders; sew in sleeves; sew up side and sleeve seams. Work 2 rows of d.c. around all edges and 1 row of shell stitch. Sew on ribbon as per illustration.

PULL-ON VEST:

Pattern No. AU11-12

BACK: With selvedge edge cast on 76(85-94) sts. Knit 88(94-100) rows. Place markers at edge for

armholes. Knit 16 (20–24) rows. Carr at right. SHAPE NECK: Cast off 18(19–20) centre sts. Cams on 111 (KH91) Cam on 2 (KH600) Push 29(33–37) needles furthest from carr into E pos. Knit 1 row. Cast off 2 sts at the beg of the next and every foll alt row 4(4–5) times altog. Knit 1 row. Dec 1 st at the beg of the next and every foll alt row 14(18–20) times altog. Cast off rem 7 sts. Knit other side to correspond reversing all shapings.

SLEEVES: Knit as Sleeves for Cross-Over Vest.

TO MAKE UP: Lap top of front shoulder over to back approx $1\frac{1}{4}(1\frac{1}{2}-1\frac{3}{4})$ ins, and catch down. Sew in sleeves; sew up side and sleeve seams. Work 2 rows of d.c. and 1 row of shell stitch around all edges. Press over dry cloth.

LAYETTE & CHRISTENING DRESS:

Pattern No. AU11-13 Layette



MATERIALS: LONG FROCK: 9-balls ¾ oz Lincoln 3 ply Orlon. SHORT FROCK: 6-balls ¾ oz Lincoln 3 ply Orlon.

JACKET: 5-balls ¾ oz Lincoln 3 ply Orlon.

BOOTEES & BONNET: 2-balls % oz Lincoln 3 ply Orlon.

Baby ribbon for Dress and Bootees. 1 yd. 1" Ribbon for Bonnet. 6 sml buttons for Dress; 3 sml buttons for Jacket.

MEASUREMENTS: to fit 16 (18-20) in. chest.

Long Dress Length $23(24-25\frac{1}{2})$ ins. Short Dress Length $13(14-15\frac{1}{2})$ ins.

Jacket length 111/2 ins. Sleeve length 5(51/2-6) ins.

TENSION: T6 = 7 sts and 48 rows to 2 ins. over patt. $7\frac{1}{2}$ sts and $11\frac{1}{2}$ rows over st st to 1 in.

PATTERN: Cams on 11 (KH91) on 1 (KH600). Press buttons 1.5. Reverse switch on plus; set lever; bring raised needles to E pos. Knit 4 rows; push needles from E to C pos. Reverse switch on minus. Set lever; bring raised needles to E pos. Knit 4 rows. (8 rows in patt).

DRESS:

BACK: Cast on with a selvedge edge on every 2nd needle 56(63—70) sts. Knit 2 rows. Work in patt to row 192(216—240) for SHORT DRESS and row 432(456—480) for LONG DRESS. Take work off machine on waste yarn. Bring up 78(82—86) needles. Turn work and put sts from waste back onto machine inc by picking up extra loops evenly across the row. Work in st st knit 2 rows. Make ribbon holes by transferring 3rd and every foll 4th st to adjacent needle. R/C on 0. Knit 12(14—16) rows. SHAPE ARMHOLES: Cast off 4 sts at the beg of the next

2 rows. Dec 1 st at ea end of the next and foll alt rows to 64(66-68) sts. Cont straight to row 46 (50-56). SHAPE SHOULDERS: Cast off 7 sts at the beg of the next 4 rows and 6 sts at the beg of the foll 2 rows. Cast off rem sts.

FRONT: Work as Back to row 26(30—36) in bodice. SHAPE NECK: Cams on Holding. Work on 1st 27 sts pushing others into E pos. Dec 1 st at neck edge on the next 7 rows. Cont straight to row 46(50—56) Cast off 7 sts at armhole edge twice and 6 sts once. Cast off the centre 10(12—14) sts. Then knit other side to correspond reversing all shapings.

SLEEVES: Cast on as for Skirt 35(39-43) sts. Work 24 rows in patt and SHAPE TOP: Keeping continuity of patt cast off 3 sts at the beg of the next 2 rows. Knit 2 rows; cast off 2 sts at the beg of the next 2 rows, knit 4 rows. Dec 1 st at the beg of the next 2 rows and foll 3rd and 4th rows 6(8-10) times. Knit 4 rows. Cast off 2 sts at the beg of the next 2 rows and foll 3rd and 4th rows; knit 4 rows. Cast off.

TO MAKE UP: Join shoulder seam for ¾ in. Sew in sleeves gathering top to fit. Join sides and sleeve seams. Gather lower edge of sleeves. Work 2 rows of dc on shoulder opening making 3 button loops on ea front shoulder. Make shell edging for neck, sleeves and hem as follows: arrange 11 needles in pos thus—BBB AA BBB. Cast on in waste yarn and knit 4 rows. *Cams on 111 (KH91) on 2 (KH600). Bring 3rd needle from ea end and middle B needle into E pos and knit 4 rows with main yarn. Cams on 1 (KH91) on 3 (KH600) knit 2 rows.* Rep from * to * for length required. An alt trim would be 1 row of dc and 1 row of shell stitch.

JACKET:

BACK: Cast on as for Dress 57(63-69) sts. Work in patt for 156 rows. Place markers ea side. Work a further 34 in. and take work off on waste yarn.

LEFT & RIGHT FRONTS: Cast on 31(33-37) sts and work as for Back.

SLEEVES: Arrange needles for 1×1 Continental Rib 43(45-49) needles. Cast on in waste yarn and knit a few rows. Knit in rib for 20 rows and close hem. Inc 1 st at ea end of hem. R/C on 0. Cont in st st inc 1 st at ea end of every 4th row to 58(62-66) sts. Cont straight to row 54(60-66). Dec 1 st at ea end of the next 8 rows. Take work off machine on waste yarn.

YOKE: Bring up 190 needles. Turn work and place all sts from waste back onto machine thus—1st Front, 1 sleeve, back, 2nd sleeve, 2nd front. Placing 2 sts on needles where necessary, to dec evenly. Knit 12 rows AND AT THE SAME TIME make buttonholes in right front on the 2nd and 3rd needles in 3rd row, 23rd and 45th rows. On 13th row dec thus—transfer the 17th and 19th sts onto the 18th needle then every foll 11th and 13th st onto the 12th needle. Move up sts to fill empty spaces. 162 sts rem. Knit 8 rows. Dec in same position as before and knit 8 rows. Continue in this manner till dec to 62 (66—70) sts. Knit 2 rows and cast off.

TO MAKE UP: Make edging as for Dress. Join shaped section at top of sleeve at markers back and front.

BONNET

Cast on every 2nd needle with waste yarn 47(49-51) sts. Knit as for Dress for 62 rows. Take work off machine on waste yarn. Bring up 90 needles. Turn work and place back on machine inc as necessary. SHAPE BACK: Trans every 8th st to 9th needle moving up sts to fill empty spaces and knit 2 rows. Trans every 7th st to 8th needles. Knit 2 rows. Cont dec in this way until 10 sts rem. Break yarn and thread through rem sts and draw up and fasten off.

BOOTEES:

Cast on every alt needle 23 sts. Work in patt for 48 rows. Take work off machine on waste yarn. Bring up 42 sts. Turn and replace work making ribbon holes. Knit 2 rows. Divide for instep; Slip 11 sts from ea end onto waste yarn. Knit 20 rows on rem sts. SHAPE TOE: Carr at right. *Cams on 11 (KH91) on 1 (KH600). Push needle nearest the carr to E pos and knit 1 row.* Rep from * to * until 10 sts rem in B pos. **Bring 1st inner needle at opp end to carr from E to C pos and knit 1 row.** Rep from ** to ** until all needles are in B pos. Knit 20 rows and take work off machine on waste yarn. Place 22 sts from waste onto needles taking care that ends come to the centre to form back seam. Knit 1 row, then shape as toe. Take work off on waste yarn and graft ends tog.

TO MAKE UP: Trim bonnet and bootees with same edging as dress.

FANCY LEGGING SET WITH HOOD:

Pattern No. AU11-14



MATERIALS: JACKET: 8(8-9) balls Lincoln or Cleckheaton 4 ply.

LEGGINGS: 5(5-6) balls Lincoln or Cleckheaton 4-ply.

HOOD: 3(3-3) balls Lincoln or Cleckheaton 4 ply. 5 buttons and elastic for waist.

MEASUREMENTS: To fit 17 (19-21) in. chest. Jacket length 11(12-13) ins. Sleeve 5(5%-6%) ins. Leggings length 14(15%-17) ins.

TENSION: T6.1 = 7% sts and 10 rows to 1 in over st st. 7% sts and 13 rows to 1 in over patt.

LEGGINGS:

1ST LEG: Using waste yarn cast on from left to right 92(100-108) sts. Knit 4 rows. Change to main yarn and knit 21 rows. Close hem. R/C on 0. Knit 2 rows and SHAPE BACK: Cams on 111 (KH91) on 2 (KH600). Push 50(52-54) sts furthest from carr into

E pos. Knit 2 rows. *Push 6 more sts into E pos and knit 2 rows (always putting yarn round 1st inner needle in E pos to avoid making a hole).* Rep from * to * until all needles are in E pos. Cams on 1 (KH91) on 3 (KH600) knit 1 row, R/C on 2. Knit 10 (12-14) rows. Inc 1 st at ea end of the next and every foll 12th row 4 times altog. Knit straight to row 60(70-80). Place markers at ea end. R/C on 0. SHAPE LEG: Dec 1 st at ea end of the next and foll alt rows to 50(54-58) sts, then every 4th row to 44 (48-52) sts. Knit to row 64(68-74). Make a row of eyelet holes by transferring every 3rd st onto the 4th needle. Knit 6 rows. R/C on 0. DIVIDE FOR INSTEP: Take off 11(12-13) sts ea end on waste varn. Knit 16(18-20) rows on rem sts. SHAPE TOE: Carr on the right. **Cams on 11 (KH91) on 1 (KH600). Push needle nearest carr into E pos and knit 1 row.** Rep from ** to ** until 10 sts rem in B pos. ***Now push needle at opp end to carr from E to C pos and knit 1 row. Rep from *** until all needles are in B pos. Knit 16(18-20) rows. Take work off on waste yarn. Place 22(24-26) sts from waste back onto machine taking care that ends come to centre to form back seam. Knit 1 row, then shape toe. Knit 2 rows. Take work off on waste yarn then graft the 2 sets of sts. tog. for underfoot seam. Join back seam.

2ND LEG: Work as 1st Leg reversing shapings and casting on from right to left.

PATTERN FOR JACKET & HOOD: Press buttons 1.5. *Slide dial on 1. **Cams on 111 (KH91) on 2 (KH600) set lever and knit 2 rows. Cams on 1 (KH91) on 3 (KH600) knit 1 row.** Slide dial on 2 and rep from ** to **. Slide dial on 3 rep from ** to **. Slide dial on 3 rep from ** to **. Slide dial on 3 rep from ** to **. Slide dial on 3 rep from ** to **. Slide dial on 2 rep from ** to **. Rep from * to ** for patt.

JACKET:

BACK: Using waste yarn cast on 84(92–100) sts and knit 4 rows. Change to main yarn. On T5.1 knit 21 rows. Close hem on T7. R/C on 0. On T6.1 knit in patt for 72(76–80) rows. Place markers here. SHAPE ARMHOLES: Dec 1 st at ea end of the next and foll alt (4th–4th) rows 2(2–4) times. Then on every alt row until 26(28–30) sts rem. Cast off.

LEFT FRONT: Using waste cast on 42(46-50) sts. Work as Back to armhole. Dec 1 st at side edge on the next and foll alt (4th-4th) rows 2(2-4) times, then on every alt row until 26(28-30) sts rem. SHAPE NECK: Cast off 3(4-5) sts at the beg of the next row, then dec 1 st at neck edge of every alt row 9 times. Cont armhole shaping only until 1 st rem. Fasten off.

RIGHT FRONT: Work as left front reversing all shapings.

SLEEVES: Using waste yarn cast on 40(42-44) sts. Work hem as for Back. R/C on 0. Cont in patt inc 1 st at e₉, end of the 3rd and every foll 10th row to 50(52-56) sts. Cont straight to row 42(52-62). SHAPE TOP: Dec 1 st at ea end of the next and

every foll 4th row to 36(30-28) sts. Then on every alt row to 6 sts. Cast off.

FRONT BANDS: Join raglan seams. RIGHT BAND: Pick up from lower edge to centre back neck 100 sts. On T5.1 knit 20 rows. Cast off, Mark pos for 5 buttons — one ½ in from lower edge and one at edge of neck with 3 evenly spaced between. LEFT BAND: Work as right making buttonholes over 3 sts on marked pos on the 5th and 15th rows.

HOOD: Using waste cast on 128(136-142) sts. Make hem as for Jacket. Cont in patt for 66(72-78) rows. Cast off 8 sts at the beg of the next 8(10-12) rows, then 6 sts at the beg of the next 6(4-4) rows. Cast off rem sts.

TO MAKE UP: Press with warm iron and damp cloth. LEGGINGS: Join front and back seams from waist to crutch then leg and foot seams. Thread elastic through waist and make chain lengths to thread through ankle holes. JACKET: Fold hems on front bands to wrong side and slip st. Neaten buttonholes. Join side and sleeve seams. Join back seam of hood to neck of jacket, gathering at back. Sew on buttons.

CABLE SUIT:

Pattern No. AU11-15



MATERIALS: SWEATER: 5-balls SIRDAR Fontein Crepe 4 ply 1st size.

PANTS: 3-balls SIRDAR Fontein

Crepe 4 ply 1st size.

SWEATER: 6-balls SIRDAR Diplomat 5 ply for 2nd size. PANTS: 4-balls SIRDAR Diplomat 5 ply for 2nd size.

8 Buttons and Shirring Elastic.

MEASUREMENTS: To fit 20 (22) in. chest. Actual meas. 21 (24) ins. Sweater length 11½ (13) ins. Sleeve length 6½(7¾) ins. Length centre front pants 9(11) ins.

TENSION: T6.1 Fontein Crepe 4 ply = $7\frac{1}{2}$ sts and 10 rows to in. T8 Diplomat 5 ply = $13\frac{1}{2}$ sts and $18\frac{1}{2}$ rows to 1 in.

PATTERN: Cable 6—using 2 transfer tools, cross 3 sts from left side across the front of the next 3 sts. (After ea 6 rows, drop the 2 sts either side of cable down and work up as knit sts using latchet tool.) ABBREV. MT—Main tension. NOTE: Figures in brackets are for larger size.

SWEATER:

BACK: Arrange 82 needles for 1 x 1 rib. Cast on and work 1 in of rib. R/C on 0. Transfer sts to main bed. On MT and st st knit 66 rows. R/C on 0. SHAPE ARMHOLES: Cast off 3 sts at the beg of the next 2 rows. Dec 1 st at ea end of the next 4 alt rows.

(68) sts. Cont straight to row 38. SHAPE SHOULDERS: Cast off 10 sts at the beg of the next 4 rows. Change to 1 x 1 rib and work 8 rows. Cast off.

FRONT: Cast on 82 sts and work 1 x 1 rib as in BACK ending on the right side. NEXT ROW: Inc 3 sts at ea end thus: working from the outside towards centre inc 1 st after the 12th, 15th and 18th sts. R/C on 0. MT. *Knit 4 rows. 5th ROW: Leaving 12 sts ea end cable 6. 6TH ROW: Knit.* These 6 rows form patt. Cont in patt and work as back until 20 rows of armhole have been worked (78) sts. SHAPE NECK: Cams on 111 (KH91) on 2 (KH600). Push 48 sts furthest from carr into E pos. Cont in patt on rem sts dec 1 st at neck edge on ea alt row 4 times, then cont straight to row 38 ending at side edge. SHAPE SHOULDERS: Dec by putting the 2 purl sts tog ea side of cable and the 2 centre cable sts tog. (23) sts. Cast off 12 sts at the beg of the next row. Knit 1 row. Cast off. Take off the centre 18 sts on waste yarn. Knit other side to correspond reversing all shapings.

SLEEVES: Cast on 42 sts and rib 1 (1½) ins as in BACK. R/C on 0. MT. Change to st st inc 1 st at ea end of the 3rd and every foll 5th row to 60 sts, then work straight to 54(58) rows or length required. SHAPE TOP: Cast off 3 sts at the beg of the next 2 rows. Dec 1 st at ea end of the next and every foll alt row until 48 sts, then at ea end of every row until 28 sts. Cast off 4 sts at the beg of the next 6 rows. Cast off rem 4 sts.

NECKBAND: Press on wrong side with warm iron and damp cloth. With wrong side facing, pick up 17 sts down left side neck, 18 sts across front neck and 17 sts up right neck (52) sts. Arrange for 1 x 1 rib and work 8 rows. Cast off.

TO MAKE UP: Join shoulder seams for ½ in from shoulder edge. Set in sleeves. Join side and sleeve seams. Work 2 rows of dc along edges on both shoulders, making buttonhole loops of 3 ch on 2nd row on front shoulders—one at ea end of rib, the other 2 evenly spaced. Sew on buttons to match loops.

PANTS:

BACK: With selvedge edge cast on 15 sts. R/C on 0. MT. Cont in st st working 2 rows, then cast on 3 sts at the beg of every row until 93 sts (28) rows. Knit 10 (18) rows. *Shape as foll — Put the 24th st onto the 25th needle ea end (move up sts to fill empty spaces). Knit 6 rows.* Rep from * to * 7 times (77) sts. SHAPE BACK: Cams on 11 (KH91) on 1 (KH600). Push 6 sts at opp end to carr into E pos. Knit 1 row. (Always putting yarn round 1st inner needle to avoid making a hole). Rep this step until 29 sts rem in centre. Push needles furthest from carr into C pos and knit. Rep for other side. (All needles back in B pos). Knit 6 rows. Work in 1 x 1 rib for 1 (1½) ins. Cast off loosely.

FRONT: Cast on and work 2 rows as in BACK. Inc 1 st at ea end of the next 13 rows, then inc 2 sts at the beg of the next 2 rows. Cast on 4 sts at the beg

of the next 12 rows. (93) sts. Cont as in BACK from * to *. Knit 6 rows and work waist rib as in BACK.

TO MAKE UP: Sew up side seams. Wrong side facing, pick up 70 sts round leg edges. Rib for 1 in. Cast off loosely. Join crotch seams and leg ribs. Thread shirring elastic through back waist rib on ea alt row. Turn leg rib in half to inside and catch down.

BABY JUMP SUIT:

Pattern No. AU11-16 Back Cover.



MATERIALS: 7(8-9-10) balls Patons Bluebell Crepe 5 ply MC. 1-ball (all sizes) Patons Bluebell Crepe 5 ply CC. 1 button. 1 zipper.

MEASUREMENTS: To fit 16 (18-20-24) in. chest. Actual meas. 19(21-23-26).

RIGHT LEG: Cast on in CC in 1 x 1 rib 43(43-49-57) sts.

Rib 10(10-10-14) rows. Transfer sts to main bed. Change to MC and st st. Inc 1 st at ea end of the next and every foll 4th row 13(17-18-18) times. Knit to row 68(78-82-96). Take work off machine in waste yarn.

LEFT LEG: Bring up 41(41-47-57) needles on left side of machine starting on needle No. 60 from edge and arrange for 1 x 1 rib. Knit 10(10-10-14) rows rib. Transfer sts and change to MC and st st. Keeping left side of work straight inc at the beg of the next and every 4th row 13(17-18-18) times. Knit to row 68(78-82-96). Break yarn. Put sts from waste back onto machine joining at centre. 123 (135-150-170) sts. R/C on 0. Knit straight to row 54(64-68-78). Carr on the right. Cams on 111 (KH91) on 2 (KH600). *Bring up 5 needles furthest from carr to E pos. Knit 1 row. Bring up 6 needles furthest from carr to E pos and knit 1 row.* Rep from * to * 4 more times. Cams on 1 (KH91) on 3 (KH600). Knit 10 rows straight (all sizes). Arrange for sts for 1 x 1 rib and rib 10 rows. Transfer and knit 24(28-32-38) rows of st. st.

RIGHT FRONT: Divide for armhole. Cams on 111 (KH91) on 2 (KH600). Push 88(97–107–122) sts at left end of machine to E pos. Knit 1 row. At armhole edge (left edge) cast off 4 sts all sizes. Dec 1 st at same edge every 2nd row 16(20–23–29) times AT THE SAME TIME on row 24(30–34–46) cast off 6 sts at neck edge (right edge); cast off 2 sts at neck edge 2 times; dec 1 st every row 3 times. Knit to row 34(42–48–60).

BACK: Re-join yarn and knit on the next 67(73-80-90) sts. Dec 1 st at ea end of the next 8(6-6-0) rows; Dec 1 st at ea end of every alt row 13(18-18-29) times. Cast off rem sts.

LEFT FRONT: On the last 21(24-27-32) sts cast off 4 sts at the beg of the row (right edge). Knit 2 rows; then dec 1 st at the beg of the next and every alt row 16(20-23-29) times.

HALF CENTRE FRONT PANEL: Cast on 4 sts all sizes in 1 x 1 rib. Rib 10(10–10–14) rows in CC. Change to MC and st st. Carr on the right. Inc 1 st at end of the next and every foll 4th row 13(17–18–18) times. Knit to row 68(78–82–96). R/C on 0. Knit straight to row 64(74–78–88) then rib (1 x 1) 10 rows. Knit in st st for 49(59–67–83) rows. Carr on left. SHAPE NECK: R/C on 0. Cast off 6 sts at the beg of row; knit 1 row. Then cast off 2 sts same edge on alt rows twice. Dec 1 st at neck edge every row 3 times. Knit 1(3–5–5) rows. Knit 3 tog and fasten off.

SLEEVES: With CC cast on 39(43-47-51) sts in 1×1 rib. Rib 10(10-10-14) rows. Change to MC and st st inc 1 st at ea end of every 4th row 8(7-9-10) times. Knit to row 48(56-62-76). Cast off 2 sts at the beg of the next 2 rows. Dec 1 st at ea end of the next 11(3-6-0) rows; dec 1 st at ea end of every alt row 10(18-20-28) times. Cast off rem sts.

NECK BAND: With MC, cast on with a selvedge edge 76(80-90-100) sts and knit 7 rows on T6, 1 row on T7.2; 7 rows on T6. Take work off machine on waste yarn.

TO MAKE UP: Sew up centre seam. Sew in raglans; sew up sleeve seams. Sew on neck band fold and catch down inside through open sts. Take out waste yarn. Crochet 1 row of dc around opening making a loop for button on neck band. Sew in zipper. Press lightly.



*An Empisal Publication: World Copyright by Empisal International

Photography by IAN MORGAN Produced by IMIN PRODUCTIONS.

